

2.20.3 / 2019-10-11

- Support Node.js 0.10 (Revert #1059)
- Ran “npm unpublish commander@2.20.2”. There is no 2.20.2.

2.20.1 / 2019-09-29

- Improve executable subcommand tracking
- Update dev dependencies

0.0.1 / 2010-01-03

- Initial release

2.20.0 / 2019-04-02

- fix: resolve symbolic links completely when hunting for subcommands (#935)
- Update index.d.ts (#930)
- Update Readme.md (#924)
- Remove –save option as it isn't required anymore (#918)
- Add link to the license file (#900)
- Added example of receiving args from options (#858)
- Added missing semicolon (#882)
- Add extension to .eslintrc (#876)

2.19.0 / 2018-10-02

- Removed newline after Options and Commands headers (#864)
- Added mask support to Command#password(str[, fn])
- Added mask [, fn]
- Added Command#password(str, fn)
- Fix to change default value to string (#856)
- Bugfix - Error output (#862)

0.0.2 / 2011-08-15

0.0.3 / 2011-08-15

- Added default option value support

2.18.0 / 2018-09-07

- Standardize help output (#853)
- chmod 644 travis.yml (#851)
- add support for execute typescript subcommand via ts-node (#849)

0.0.4 / 2011-08-15

- Fixed Commander#args

2.17.1 / 2018-08-07

- Fix bug in command emit (#844)

0.0.5 / 2011-08-18

- Changed: when the user enters nothing prompt for password again
- Fixed issue with passwords beginning with numbers
[NuckChorris]

2.17.0 / 2018-08-03

- fixed newline output after help information (#833)
- Fix to emit the action even without command (#778)
- npm update (#823)

0.1.0 / 2011-08-24

- Added support for custom --help output

2.16.0 / 2018-06-29

- Remove Makefile and test/run (#821)
- Make npm test run on Windows (#820)
- Add badge to display install size (#807)
- chore: cache node_modules (#814)
- chore: remove Node.js 4 (EOL), add Node.js 10 (#813)
- fixed typo in readme (#812)
- Fix types (#804)
- Update eslint to resolve vulnerabilities in lodash (#799)
- updated readme with custom event listeners. (#791)
- fix tests (#794)

0.2.0 / 2011-09-26

- Allow for defaults that are not just boolean. Default assignment only occurs for `-no-*`, optional, and required arguments. [Jim Isaacs]

2.15.0 / 2018-03-07

- Update downloads badge to point to graph of downloads over time instead of duplicating link to npm
- Arguments description

0.2.1 / 2011-10-24

- „node“; „<=0.4.x < 0.7.0“; Closes #20

2.14.1 / 2018-02-07

- Fix typing of help function

0.3.0 / 2011-10-31

- Added support for long flags only. Closes #18

2.14.0 / 2018-02-05

- only register the option:version event once
- Fixes issue #727: Passing empty string for option on command is set to undefined
- enable eqeqeq rule
- resolves #754 add linter configuration to project
- resolves #560 respect custom name for version option
- document how to override the version flag
- document using options per command

2.13.0 / 2018-01-09

- Do not print default for --no-
- Changed --version short flag to -V from -v
- remove trailing spaces in command help
- Updated CI's Node.js to LTS and latest version
- typeDefs: Command and Option types added to commander
- namespace

0.3.1 / 2011-10-31

0.3.2 / 2011-11-01

- Fixed long flag definitions with values [felixge]

2.12.2 / 2017-11-28

- fix: typings are not shipped

2.12.1 / 2017-11-23

- Move @types/node to dev dependency

Hamlet]

0.3.3 / 2017-11-14

0.4.0 / 2011-11-15

- Added support for --. Closes #24

2.12.0 / 2017-11-22

- add attributeName() method to Option objects
- Documentation updated for options with -no prefix
- typings: outputHelp takes a string as the first parameter
- typings: use overloads
- feat(typings): update to match js api
- Print default value in option help
- Fix translation error
- Fail when using same command and alias (#491)
- feat(typings): add help callback
- fix bug when description is add after command with options (#662)
- Format js code
- Rename History.md to CHANGELOG.md (#668)
- feat(typings): add typings to support TypeScript (#646)
- use current node

0.4.1 / 2011-11-18

- Removed listening for “close” on –help

2.11.0 / 2017-07-03

- Fix help section order and padding (#652)
- feature: support for signals to subcommands (#632)
- Fixed #37, –help should not display first (#447)
- Fix translation errors. (#570)
- Add package-lock.json
- Remove engines
- Upgrade package version
- Prefix events to prevent conflicts between commands and options (#494)
- Removing dependency on graceful-readlink
- Support setting name in #name function and make it chainable
- Add .vscode directory to .gitignore (Visual Studio Code metedata)
- Updated link to ruby command in readme files

0.4.2 / 2011-11-24

- Added travis support
- Fixed: line-buffered input automatically trimmed. Closes #31

2.10.0 / 2017-06-19

- Update .travis.yml. drop support for older node.js versions.
- Fix require arguments in README.md
- On SemVer you do not start from 0.0.1
- Add missing semi colon in readme
- Add save param to npm install
- node v6 travis test
- Update Readme_zh-CN.md
- Allow literal ‘-’ to be passed-through as an argument
- Test subcommand alias help
- link build badge to master branch
- Support the alias of Git style sub-command
- added keyword commander for better search result on npm
- Fix Sub-Subcommands
- test node.js stable
- Fixes TypeError when a command has an option called `--description`
- Update README.md to make it beginner friendly and elaborate on the difference between angled and square brackets.
- Add chinese Readme file

0.4.3 / 2011-12-04

- Fixed custom help ordering. Closes #32

@Oix-

- Add option `isDefault` to set default subcommand. #415

@Zhylee

- Add callback to allow filtering or post-processing of help text
- #434 @djuilen
- Fix undefined text in help information close #414 #416

2.9.0 / 2015-10-13

0.5.0 / 2011-12-04

- Added sub-command option support [itay]

2.8.1 / 2015-04-22

- Back out support multiline description Close #396 #397

0.5.1 / 2011-12-20

- Add `process.execArg` support, execution args like `--harmony` will be passed to sub-commands #387 ([@DigitalOzhiyelie](#))
- Fix bug in Git-style sub-commands #372 ([@Zhizhylee](#))
- Allow commands to be hidden from help #383
- When git-style sub-commands are in use, yet none are called, only `usage` (#tonylukasavage)
- Add ability to specify arguments syntax for top-level display help #382 ([@claylo](#))
- Add command #258 ([@rthomas](#))
- Support multiline descriptions #208 ([@zxqf0x](#))

2.8.0 / 2015-04-07

0.6.0 / 2012-04-10

- Added `.prompt(obj, callback)` support. Closes #49
- Added default support to `.choose()`. Closes #41
- Fixed the choice example

2.7.1 / 2015-03-11

- Revert #347 (fix collisions when option and first arg have same name) which causes a bug in #367.

0.6.1 / 2012-06-01

- Added: append (yes or no) on confirmation
- Added: allow node.js v0.7.x

(@zhylee)

- Fix git-style bug when installed globally. Close #335 #349

(@zhylee)

- Fix collisions when option and first arg have same name. Close #346 #347 (@tonylukasavage)
- Add support for camelCase on opts(). Close #353

(@nkzawa)

- Add node.js 0.12 and io.js to travis.yml
- Allow RegEx options. #337 (@palantik)

(@pierenito)

- Fixes exit code when sub-command failing. Close #260 #332

(@zhylee)

- git-style bin files in \$PATH make sense. Close #196 #327

2.7.0 / 2015-03-09

1.0.0 / 2012-07-05

- add support for optional option descriptions
- add defaulting of `.version()` to package.json's version

2.6.0 / 2014-12-30

- added `Command#allowUnknownOption` method. Close #138 #318 @doozr @zhiyelee
- Add application description to the help msg. Close #112 @dalsoft

1.0.1 / 2012-08-03

- fixed two bugs incurred by variadic arguments. Close #291
- @Quentin01 #302 @zhiyeliee
- fix tty.setRawMode(mode) was moved to tty.ReadStream#setRawMode() (i.e. process.stdin.setRawMode())
- fix issue #56

2.5.1 / 2014-12-15

1.0.2 / 2012-08-24

- add `--foo=bar` support [arv]
- fix password on node 0.8.8. Make backward compatible with 0.6 [focusaurus]

2.5.0 / 2014-10-24

- add support for variadic arguments. Closes #277 @whitlockjc

2.4.0 / 2014-10-17

- remove invalid_version() defaulting

1.0.3 / 2012-08-30

- fixed a bug on executing the coercion function of subcommands option. Closes #270
- added Command.prototype.name to retrieve command name. Closes #264 (#tonyukasavage)
- added Command.prototype.opts to retrieve all the options as a simple object of key-value pairs. Closes #262 (#tonyukasavage)
- fixed a bug on subcommand name. Closes #248 (@jonathanlegado)
- fixed function normalize doesn't honor option terminator. Closes #216 (@abber)

1.0.4 / 2012-09-03

- add `outputHelp()` method.

2.3.0 / 2014-07-16

- add command alias'. Closes PR #210
- fix: Typos. Closes #99
- fix: Unused fs module. Closes #217

1.0.5 / 2012-10-09

37

- add passing of previous option value
- fix: support subcommands on windows. Closes #142
- Now the defaultValue passed as the second argument of the coercion function.

2.2.0 / 2014-03-29

28

1.1.0 / 2012-11-16

- add git-style executable subcommand support. Closes #94

2.1.0 / 2013-11-21

- add: allow cflag style option params, unit test, fixes #174

1.1.1 / 2012-11-20

- add more sub-command padding
- fix .usage() when args are present. Closes #106

2.0.0 / 2013-07-18

- remove input methods (.prompt, .confirm, etc)

1.2.0 / 2013-06-13

- allow “-” hyphen as an option argument
- support for RegExp coercion

1.3.2 / 2013-07-18

- add support for sub-commands to co-exist with the original command

1.3.0 / 2013-07-09

33

1.3.1 / 2013-07-18

32

- add quick .runningCommand hack so you can opt-out of other EACCES error handling
- fix sub-command -help logic when running a sub command