

# **iso-639-1 Changelog**

## **v3.1.5**

- ISO6391.validate() type predicate [#87](#)

## **v3.1.4**

- Fix native language name for Czech and Slovak [#86](#)

## **v3.1.3**

- Remove unnecessary diacritics [#84](#)

## **v3.1.2**

- Capitalize Faroese native [#82](#)

- Change parameters type "LanguageCode" to "string"

## V2.1.15

- Export ESM module [#672](#)

## V3.0.0

- Fix error TS7016 [#68](#)

## V3.0.1

- Improve performance [#72](#)
- Fix type for getCode [#74](#)

## V3.1.0

- Capitalize Danish native [#80](#)

## V3.1.1

## v2.1.14

- Bump async from 2.6.0 to 2.6.4 [#53](#)
- Add a type to list the language codes in the TS definition file [#55](#)

## v2.1.13

- update Arabic native name [#50](#)

## v2.1.12

- remove ‘bh’ [#51](#)
- fj native name changed to “vosa Vakaviti” [#51](#)
- dv native name changed to “ଦେଖିବା” [#51](#)
- lo native name changed to “ଲୋଗୋପାରୀ” [#51](#)
- ms native name changed to “Bahasa Melayu” [#51](#)
- lu native name changed to “Kiluba” [#51](#)
- na native name changed to “Dorerin Naoero” [#51](#)
- tk native name changed to “Türkmençe” [#51](#)

- Change sl English name „Slovene“ -> „Slovenian“
- Change hr native name „hrvatski jezik“ -> „Hrvatski“

## V2.1.8

- Change hu native name „Magyar“ -> „magyar“ [#40](#)

## V2.1.9

- Polish native name „język polski“ -> „Polski“ [#48](#)

## V2.1.10

- Correctly handle prototype property names passed as codes Slovenian native name „slovenski jezik“ -> „slovensčina“ [#49](#)  
[#20](#)

## V2.1.10

## V2.1.11