

User Guide: Creating Postings

This guide explains how to create and customize postings for the Writer Studio Eleventy site.

1. Creating a New Post File

Posts are stored in a date-based directory structure for organizational clarity: `eleventy/site/YYYY/MM/DD/your-post-title.md`

Example: `eleventy/site/2026/03/15/my-new-story.md`

2. Front Matter Configuration

Every post must start with a YAML front matter block.

Basic Example

```
---
title: "Your Post Title"
date: '2026-03-15T00:00:00Z'
authors:
- name: your name
metadata:
categories:
- short stories # or: video-blog,
  app, etc.
media:
featuredImage: assets/your-
image.webp
imageAlt: 'Description for
accessibility'
tags:
- english # Use: english,
deutsch, or espanol
- short stories
---
```

The site uses tags to decide which version of the homepage to show the post on: - **English:** english or en - **German:** deutsch or german - **Spanish:** espanol, espanol, or es

3. Multimedia Shortcodes

Use these special commands inside your Markdown content to add rich media.

Audio Player

Embeds an MP3 with a beautiful custom player.

Video Player (Local)

For MP4 files hosted on the site. Supports an optional poster image and aspect ratio (default is 16:9).

YouTube Embed

Embeds a responsive YouTube video. Accepts full URLs or just the Video ID.

Images with Captions

Wraps an image in a proper <figure> tag with a caption.

4. Layout Features

Table of Contents

To automatically generate a list of links to all your ## headings, add this marker:

Back to Top Links

The system automatically adds a “↑ Back to Top” link before every ## heading. **Requirement:** Add this empty marker near the top of your post to give the link a destination:

- **Auto-linking:** Just paste a URL and it becomes clickable.

5. Assets & Images

- **Header Anchors:** Every heading automatically gets an ID for direct linking.
- **Standard Formatting:** ****Bold****, **Italics**, `[[links]]` (url), > Quotes.
- Store images in an assets/ subfolder next to your .md file. It is recommended to use **WebP** format for better performance.