

@isaacs/balanced-match

A hybrid CJS/ESM TypeScript fork of [balanced-match](#).

Match balanced string pairs, like { and } or and . Supports regular expressions as well!



1

8

```
const r = balanced.range(a, b, str)

For the first non-nested matching pair of a
and b in str, return an array with indexes:
[ a.index<, <b.index< ].
If there's no match, undefined will be
returned.
If the str contains more a than b / there
are unmatched pairs, the first match that was
closed will be used. For example, {a} will
match [ 1, 3 ] and {a} will match [ 0, 2 ]
```

9

91

2

 L

If there's no match, undefined will be returned.

If the str contains more a than b / there are unmatched pairs, the first match that was closed will be used. For example, {a} will match [, ' , ' , ' , ' , '] .

10

15

Example

Get the first matching pair of braces:

```
import { balanced } from '@isaacs/
  balanced-match'
```

```
console.log(balanced('{', '}',  
    'pre{in{nested}}post'))
```

3

9

- **start** the index of the first match of a
- **end** the index of the matching b
- **pre** the preamble, a and b not included
- **body** the match, a and b not included
- **post** the postscript, a and b not included

13

4

```
console.log(balanced('{', '}',
  'pre{first}between{second}
  post'))
console.log(balanced(/\/s+\/{\/s+\/, \/s+
\/}\/s+\/, 'pre
{ in{nest} } post'))
```

The matches are:

```
$ node example.js
{ start: 3, end: 14, pre: 'pre',
  body: 'in{nested}', post:
    'post' }
```

4

5

```
{ start: 3,
  end: 9,
  pre: 'pre',
  body: 'first',
  post: 'betweensecondpost'
}
{ start: 3, end: 17, pre: 'pre',
  body: '{\n\nnest', post: 'post'
}
```

12

13