

		coverage100%																	
1	2	3	4																
8	7	9	5																
PostHTML Render Renders a PostHTML Tree to HTML/XML Install npm i -D posthtml-render																			
Usage NodeJS import { render } from 'posthtml-render'; const tree = []; const node = {}; node.tag = 'ul';		node.attrs = { class: 'list' }; node.content = ['one', 'two', 'three'].map((content) => ({ tag: 'li', content })); tree.push(node); const html = render(tree, options); <ul class="list"> one two three Options <table><tr><th>Name</th><th>Type</th><th>Default De</th></tr><tr><td>singleTags</td><td>{Array<String\\ RegExp>}</td><td>[]</td></tr></table>		Name	Type	Default De	singleTags	{Array<String\\ RegExp>}	[]	<table><tr><th>Name</th><th>Type</th><th>Default De</th></tr><tr><td>closingSingleTag</td><td>{String}</td><td>$\geq$</td></tr><tr><td>quoteAllAttributes</td><td>{Boolean}</td><td>true</td></tr></table>	Name	Type	Default De	closingSingleTag	{String}	$\geq$	quoteAllAttributes	{Boolean}	true
Name	Type	Default De																	
singleTags	{Array<String\\ RegExp>}	[]																	
Name	Type	Default De																	
closingSingleTag	{String}	$\geq$																	
quoteAllAttributes	{Boolean}	true																	
6	10	11	12																
16	15	14	13																
const html = render(tree, options) \$ / [] } const options = { { singleTags: [/%.*% } const tree = [{ tag: '%<title%>' }] } render('') const render = require('posthtml-render') {RegExp} <name>		Specify custom single tags (self closing) singleTags Default De at va		<table><tr><th>Name</th><th>Type</th><th>Default De</th></tr><tr><td>replaceQuote</td><td>{Boolean}</td><td>true</td></tr><tr><td>quoteStyle</td><td>{0 or 1 or 2}</td><td>2</td></tr></table>	Name	Type	Default De	replaceQuote	{Boolean}	true	quoteStyle	{0 or 1 or 2}	2						
Name	Type	Default De																	
replaceQuote	{Boolean}	true																	
quoteStyle	{0 or 1 or 2}	2																	

result.html <%=title%> closingSingleTag Specify the single tag closing format 17	Formats const render = require('posthtml-render') const tree = [{ tag: 'img' }] 'tag' const html = render(tree, { closingSingleTag: 'tag' }) 18	<custom></custom> 'slash' const html = render(tree, { closingSingleTag: 'slash' }) <custom /> 'default' (Default) const html = render(tree) 19	 'closeAs' const tree = [{ tag: 'custom', closeAs: 'default' // Available types: `tag` `slash` `default` }] const html = render(tree, { closingSingleTag: 'closeAs' }) 20
24 quotes: Attribute values are wrapped in double quotes: 2 (Default) quoteStyle 21	23 "> false "> true (Default) 22	22 Replaces quotes in attribute values with &quote;. replaceQuote < ! src=index.s></!> false 21	21 Specify if all attributes should be quoted. quoteAllAttributes <custom> < ! src="index.s"></!> true (Default) 20
1 Attribute values are wrapped in single quote: 0 Quote style is based on attribute values (an alternative for replaceQuote option): 25	 26	27 29	28 29
32	31	30	