

1.2.0 / 2025-03-27 - deps: - mime-types@^3.0.1 - fresh@^2.0.0 - removed destroy - remove getHeaderNames() polyfill and refactor clearHeaders()	1.1.0 / 2024-09-10 Changes from 0.19.0	1.0.0 / 2024-07-25 - Drop support for Node.js <18.0 - statuses@^2.0.1 - range-parser@^1.2.1 - on-finished@^2.4.1 - ms@^2.1.3 - mime-types@^2.1.35 - http-errors@^2.0.0 - fresh@^0.5.2 - etag@^1.8.1	- escape-html@^1.0.3 - encodeurl@^2.0.0 - destroy@^1.2.0 - debug@^4.3.5
1	2	3	4
8	7	6	5
- Remove DEBUG_FD environment variable support - Support 256 namespace colors	- Remove send.maxAge() – use maxAge in options - Remove send.root() – use root in options - Use mime-types for file to content type mapping – removed send.mime - deps: debug@3.1.0 - Add DEBUG_HIDE_DATE environment variable - Change timer to per-namespace instead of global - Change non-TTY date format	1.0.0-beta.1 / 2022-02-04 - Drop support for Node.js 0.8 - Remove hidden option – use dotfiles option - Remove from alias to root – use root directly - Remove send.etag() – use etag in options - Remove send.index() – use index in options	Changes from 0.18.0 1.0.0-beta.2 / 2024-03-04
0.19.0 / 2024-09-10 Remove link renderization in html while redirecting	0.18.0 / 2022-03-23 - Fix emitted 416 error missing headers property - Limit the headers removed for 304 response - deps: depd@2.0.0 - Replace internal eval usage with Function constructor - Use instance methods on process to check for listeners	- deps: destroy@1.2.0 - deps: http-errors@2.0.0 - deps: depd@2.0.0 - deps: statuses@2.0.1 - deps: on-finished@2.4.1 - deps: statuses@2.0.1	0.17.2 / 2021-12-11 - pref: ignore empty http tokens - deps: http-errors@1.8.1 - deps: inherits@2.0.4 - deps: toidentifier@1.0.1 - deps: setprototypeof@1.2.0 - deps: ms@2.1.3
9	10	11	12
16	15	14	13
- Use mime-score module to resolve extension conflicts - deps: ms@2.1.1 - Add week/w support - Fix negative number handling - deps: statuses@~1.5.0 - perf: remove redundant path.normalize call	- Add new font/* types from IANA - Add Wasm mapping - Update .bdoc to application/bdoc - Update .bmp to image/bmp - Update .m4a to audio/mp4 - Update .rtf to application/rtf - Update .wav to audio/wav - Update .xml to application/xml - Update generic extensions to application/octet-stream: .deb, .dll, .dmg, .exe, .iso, .msi	0.17.0 / 2019-05-03 - deps: http-errors@~1.7.2 - Set constructor name when possible - Use toidentifier module to make class names - deps: depd@~1.1.2 - deps: setprototypeof@1.1.1 - deps: statuses@'>= 1.5.0 < 2' - deps: mime@1.6.0 - Add extensions for JPEG-2000 images	- Set stricter CSP header in redirect & error responses - deps: range-parser@~1.2.1 0.17.1 / 2019-05-10

0.16.2 / 2018-02-07 - Fix incorrect end tag in default error & redirects - deps: depd@~1.1.2 - perf: remove argument reassignment - deps: encodeurl@~1.0.2 - Fix encoding % as last character - deps: statuses@~1.4.0 17	0.16.1 / 2017-09-29 Fix regression in edge-case behavior for empty path 18	0.16.0 / 2017-09-27 - Add immutable option - Fix missing </html> in default error & redirects - Use instance methods on steam to check for listeners - deps: mime@1.4.1 - Add 70 new types for file extensions - Set charset as "UTF-8" for .js and .json - perf: improve path validation speed 19	0.15.6 / 2017-09-22 - deps: debug@2.6.9 - perf: improve If-Match token parsing 20
0.15.2 / 2017-04-26 - deps: debug@2.6.4 - FIX DEBUG_MAX_ARRAY_LENGTH - deps: ms@0.7.3 - deps: ms@1.0.0 24	0.15.3 / 2017-05-16 - deps: debug@2.6.7 - deps: ms@2.0.0 - deps: ms@2.0.0 23	0.15.4 / 2017-08-05 - deps: debug@2.6.8 - deps: depd@~1.1.1 - Remove unnecessary Buffer loading - deps: http-errors@~1.6.2 - deps: depd@1.1.1 22	0.15.5 / 2017-09-20 - deps: etag@~1.8.1 - perf: replace regular expression with substring - deps: fresh@0.5.2 - Fix handling of modified headers with invalid dates - perf: improve ETag match loop - perf: improve If-None-Match token parsing 21
0.15.1 / 2017-03-04 - Fix issue when Date.parse does not return NaN on invalid date - Fix strict violation in broken environments 25	0.15.0 / 2017-02-25 - Support If-Match and If-Unmodified-Since headers - Add res and path arguments to directory event - Remove usage of res._headers private field - Improves compatibility with Node.js 8 nightly 26	- Send complete HTML document in redirect & error responses - Set default CSP header in redirect & error responses - Use res.getHeaderNames() when available - Use res.headersSent when available - deps: debug@2.6.1 - Allow colors in workers - Deprecated DEBUG_FD environment variable set to 3 or higher - Fix error when running under React Native - Use same color for same namespace 27	- deps: ms@0.7.2 - deps: etag@~1.8.0 - deps: fresh@0.5.0 - Fix false detection of no-cache request directive - Fix incorrect result when If-None-Match has both * and ETags - Fix weak ETag matching to match spec - perf: delay reading header values until needed - perf: enable strict mode - perf: hoist regular expressions 28
0.14.0 / 2016-06-06 - Add acceptRanges option - Add cacheControl option - Attempt to combine multiple ranges into single range - Correctly inherit from Stream class - Fix Content-Range header in 416 responses when using start/end options - Fix Content-Range header missing from default 416 responses 32	0.14.1 / 2016-06-09 - Fix redirect error when path contains raw non-URL characters - Fix redirect when path starts with multiple forward slashes 31	0.14.2 / 2017-01-23 - deps: http-errors@~1.5.1 - deps: inherits@2.0.3 - deps: setprototypeof@1.0.2 - deps: statuses@>= 1.3.1 &lt; 2' - deps: ms@0.7.2 - deps: statuses@~1.3.1 30	0.14.2 / 2017-01-23 - perf: remove duplicate conditional - perf: remove unnecessary boolean coercions - perf: skip checking modified time if ETag check failed - perf: skip parsing If-None-Match when no ETag header - perf: use Date.parse instead of new Date - deps: http-errors@~1.6.1 - Make message property enumerable for HttpErrors - deps: setprototypeof@1.0.3 29

- Ignore non-byte Range headers - deps: http-errors@~1.5.0 - Add <code>HttpError</code> export, for <code>err instanceof createError.HttpError</code> - Support new code 421 Misdirected Request - Use <code>setprototypeof</code> module to replace <code>__proto__</code> setting - deps: inherits@2.0.1 - deps: statuses@'>= 1.3.0 < 2' - perf: enable strict mode	- deps: range-parser@~1.2.0 - Fix incorrectly returning -1 when there is at least one valid range - perf: remove internal function - deps: statuses@~1.3.0 - Add 421 Misdirected Request - perf: enable strict mode - perf: remove argument reassignment	0.13.2 / 2016-03-05 Fix invalid Content-Type header when <code>send.mime.default_type</code> unset	0.13.1 / 2016-01-16 - deps: depd@~1.1.0 - Support web browser loading - perf: enable strict mode - deps: destroy@~1.0.4 - perf: enable strict mode - deps: escape-html@~1.0.3 - perf: enable strict mode - perf: optimize string replacement - perf: use faster string coercion
33	34	35	36
40	39	38	37
- deps: on-finished@~2.3.0 - Add defined behavior for HTTP CONNECT requests - Add defined behavior for HTTP Upgrade requests - deps: ee-first@1.1.1 - perf: enable strict mode - perf: remove unnecessary array allocations	- Use http-errors for standard emitted errors - Use statuses instead of http module for status messages - deps: escape-html@1.0.2 - deps: etag@~1.7.0 - Improve stat performance by removing hashing - deps: fresh@0.3.0 - Add weak ETag matching support	- Allow Node.js HTTP server to set Date response header - Fix incorrectly removing Content-Location on 304 response - Improve the default redirect response headers - Send appropriate headers on default error response 0.13.0 / 2015-06-16	- deps: range-parser@~1.0.3 - perf: enable strict mode
0.12.3 / 2015-05-13 - deps: debug@~2.2.0 - deps: ms@0.7.1 - deps: depd@~1.0.1 - deps: etag@~1.6.0 - Improve support for JXcore - Support “fake” stats objects in environments without <code>fs</code> - deps: ms@0.7.1 - Prevent extraordinarily long inputs	deps: on-finished@~2.2.1	0.12.2 / 2015-03-13 - Throw errors early for invalid extensions or index options - deps: debug@~2.1.3 - Fix high intensity foreground color for bold - deps: ms@0.7.0	0.12.1 / 2015-02-17 Fix regression sending zero-length files
41	42	43	44
48	47	46	45
- Add yrs - deps: on-finished@~2.2.0 0.11.0 / 2015-01-05	- deps: debug@~2.1.1 - deps: etag@~1.5.1 - deps: crc@3.2.1 - deps: ms@0.7.0 - Add milliseconds - Add msecs - Add secs - Add mins - Add hrs 0.11.1 / 2015-01-20	Fix root path disclosure 0.11.1 / 2015-01-20	- Always read the stat size from the file - Fix mutating passed-in options - deps: mime@1.3.4 0.12.0 / 2015-02-16

0.10.1 / 2014-10-22 - deps: on-finished@~2.1.1 - Fix handling of pipelined requests 49	0.10.0 / 2014-10-15 - deps: debug@~2.1.0 - Implement DEBUG_FD env variable support - deps: depd@~1.0.0 - deps: etag@~1.5.0 - Improve string performance - Slightly improve speed for weak ETags over 1KB 50	0.9.3 / 2014-09-24 - deps: etag@~1.4.0 - Support "fake" stats objects 51	0.9.2 / 2014-09-15 - deps: depd@0.4.5 - deps: etag@~1.3.1 - deps: range-parser@~1.0.2 52
56 Fix a path traversal issue when using root 0.8.4 / 2014-09-04	55 Fix malicious path detection for empty string path 0.8.5 / 2014-09-04	54 - Add lastModified option - Use etag to generate ETag header - deps: debug@~2.0.0 0.9.0 / 2014-09-07	53 deps: fresh@0.2.4 0.9.1 / 2014-09-07
0.8.3 / 2014-08-16 - deps: destroy@1.0.3 - renamed from dethroy - deps: on-finished@2.1.0 57	0.8.2 / 2014-08-14 - Work around fd leak in Node.js 0.10 for fs.ReadStream - deps: dethroy@1.0.2 58	0.8.1 / 2014-08-05 Fix extensions behavior when file already has extension 59	0.8.0 / 2014-08-05 Add extensions option 60
64 - deps: depd@0.4.3 - Fix exception when global Error.stackTraceLimit is too low 0.7.1 / 2014-07-26	63 - deps: depd@0.4.4 - Work-around v8 generating empty stack traces 0.7.2 / 2014-07-27	62 Fix incorrect 403 on Windows and Node.js 0.11 0.7.3 / 2014-07-29	61 Fix serving index files without root dir 0.7.4 / 2014-08-04

0.7.0 / 2014-07-20 - Deprecate hidden option; use dotfiles option - Add dotfiles option - deps: debug@1.0.4 - deps: depd@0.4.2 - Add TRACE_DEPRECATION environment variable - Remove non-standard grey color from color output 65	- Support --no-deprecation argument - Support --trace-deprecation argument 66	0.6.0 / 2014-07-11 - Deprecate from option; use root option - Deprecate send.etag() – use etag in options - Deprecate send.hidden() – use hidden in options - Deprecate send.index() – use index in options - Deprecate send.maxage() – use maxAge in options 67	- Deprecate send.root() – use root in options - Cap maxAge value to 1 year - deps: debug@1.0.3 - Add support for multiple wildcards in namespaces 68
72 Send max-age in Cache-Control in correct format 0.4.1 / 2014-06-02	71 - fix “event emitter leak” warnings - deps: debug@1.0.1 - deps: finished@1.2.1 0.4.2 / 2014-06-09	70 - Do not throw un-catchable error on file open race condition - Use escape-html for HTML escaping - deps: debug@1.0.2 - fix some debugging output colors on node.js 0.8 - deps: finished@1.2.2 - deps: fresh@0.2.2 0.4.3 / 2014-06-11	69 - Accept string for maxAge (converted by ms) - Add headers event - Include link in default redirect response - Use EventEmitter.listenerCount to count listeners 0.5.0 / 2014-06-28
0.4.0 / 2014-05-27 - Calculate ETag with md5 for reduced collisions - Fix wrong behavior when index file matches directory - Ignore stream errors after request ends - Goodbye EBADF, read - Skip directories in index file search - deps: debug@0.8.1 73	0.3.0 / 2014-04-24 - Fix sending files with dots without root set - Coerce option types - Accept API options in options object - Set etags to “weak” - Include file path in etag - Make “Can’t set headers after they are sent.” catchable - Send full entity-body for multi range requests 74	- Default directory access to 403 when index disabled - Support multiple index paths - Support “If-Range” header - Control whether to generate etags - deps: mime@1.2.11 75	0.2.0 / 2014-01-29 update range-parser and fresh 76
80 add options parameter to send() that is passed to fs.createReadStream() [kanongill] 0.1.0 / 2012-08-25	79 Fix fd leak 0.1.2 / 2013-07-03	78 Revert “Fix fd leak” 0.1.3 / 2013-07-08	77 update fresh 0.1.4 / 2013-08-11

0.0.4 / 2012-08-16 allow custom "Accept-Ranges" definition	0.0.3 / 2012-07-16 fix normalization of the root directory. Closes #3	0.0.2 / 2012-07-09 add passing of req explicitly for now (YUCK)	0.0.1 / 2010-01-03 Initial release
81	82	83	84
88	L8	98	58
89	90	91	92
96	56	76	56