Proposal - Detailed

Pella Window and Door Showroom of Plymouth
13810 24th Avenue North Suite 430
Plymouth, MN 55441
Phone: (952) 915-6080 **Fax:**

Sales Rep Name: Conyard, Tim
Sales Rep Phone: 612-237-6392
Sales Rep E-Mail: conyardt@pellamn.com
Sales Rep Fax:

Customer Information	Project/Delivery Address	Order Information
PURE Construction 16471 Territorial Trl MAPLE GROVE, MN 55369-2223 **Primary Phone:** (763) 307-3826 **Mobile Phone:** (952) 292-8004 ext. Zach S **Fax Number:** **E-Mail:** info@pureconstructionmn.com **Contact Name:** **Great Plains #:** 1007847596 **Customer Number:** 1011586231 **Customer Account:** 1007847596	**17756 George Moran Drive,EP- Lu Bill** 16471 Territorial Trl **Lot #** Maple Grove, MN 55369-2223 **County:** **Owner Name:** **Owner Phone:**	**Quote Name:** RESERVE/ LS TRAD- WHT-GLD OAK-FULL FRAME INSTALL **Order Number:** 004 **Quote Number:** **19753775** **Order Type:** Installed Sales **Wall Depth:** **Payment Terms:** **Tax Code:** NALABOR **Cust Delivery Date:** None **Quoted Date:** 7/17/2025 **Contracted Date:** **Booked Date:** **Customer PO #:**

Accessories Managed / Delivery Date

Window Screens	1/1/0001	Hinge & Sliding Door Screens	1/1/0001	Window Hardware	1/1/0001

Customer Notes: Project Checklist - Please verify the following prior to ordering: FULL FRAME INSTALLATION INCLUDED - 2 YEAR CRAFTMANSHIP - 10 YEAR WATER INTRUSION
___Pella Brand (Model): RESERVE/LIFESTYLE TRADITIONAL - LIFETIME WOOD WARRANTY
___Exterior Color: WHITE
___Interior Color: GOLDEN OAK - TO BE APPROVED
___Insulated Glass Option: ANNEALED ADV LOW E
___Window Hardware Type & Color: BROWN - TO BE CONFIRMED
___Window Screen Type & Frame Color: BROWN - TO BE CONFIRMED
___Door Hardware Type & Color + Keyway:
___Door Screen: YES
___Grille Type:
___Grille Color (interior/exterior):
___Blinds/Shades: YES, MANUAL - GOLDEN (TBC)
___Jamb Extended Wall Depth: 6 11/16
___Hinging and Operation is viewed from the exterior, verified: TO BE CONFIRMED UPON ACCEPTANCE
___Casing: COLONIAL OAK PREFINISHED - GOLDEN OAK
NOTE: FULL FRAME INSTALLATION INCLUDES COMPLETE REMOVAL OF WINDOWS/DOORS, INSTALL NEW WINDOWS/DOORS AND NEW INTERIOR OAK CASINGS.

Line #	Location:	Attributes
10	LAUNDRY W 358,359	



Viewed From Exterior

PK #
2208

Lifestyle, Casement Left, With HGP, White

Item Price	Qty	Ext'd Price
$2,544.89	2	$5,089.78

1: SizeNon-Standard Size Left Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL11865, STC 32, OITC 26, Clear Opening Width 16.25, Clear Opening Height 35.875, Clear Opening Area 4.048394, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,

Line #	Location:	Attributes
15	Bedroom 1 W-360-362	



PK # 2208

Viewed From Exterior

Lifestyle, 3-Wide Casement, With HGP, White

Item Price	Qty	Ext'd Price
$8,170.87	1	$8,170.87

1: SizeNon-Standard Size Left Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 47.875, Clear Opening Area 4.73763, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
2: SizeNon-Standard Size Fixed Sash Set
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Brown
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.22, SHGC 0.27, VLT 0.50, CPD PEL-N-244-00361-00001, Performance Class CW, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11877
Grille: No Grille,
3: SizeNon-Standard Size Right Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 47.875, Clear Opening Area 4.73763, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

Customer Notes: EGRESS ACCESS REQUIRED

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
20	Foyer-W 363-365	**Architect Reserve, Traditional, Direct Set Fixed Frame Rectangle, Architect Reserve, Traditional, Direct Set Fixed Frame Springline, Architect Reserve, Traditional, Direct**	$7,113.40	1	$7,113.40



Viewed From Exterior

PK # 2208

1: Fixed Frame Direct Set
General Information: Interior Glazed, Factory Assembled, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.32, VLT 0.62, CPD PEL-N-18-04208-00001, Performance Class AW, PG 90, Calculated Positive DP Rating 90, Calculated Negative DP Rating 90, FPA FL10354, STC 27, OITC 22
Grille: No Grille,
2: Fixed Frame Direct Set Springline
General Information: Interior Glazed, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.29, VLT 0.55, CPD PEL-N-18-04209-00001, Performance Class AW, PG 85, Calculated Positive DP Rating 85, Calculated Negative DP Rating 85, FPA FL10354
Grille: GBG, No Custom Grille, 3/4" Contour, Sunburst (3W2H), Harvest, White
3: Fixed Frame Direct Set
General Information: Interior Glazed, Factory Assembled, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.32, VLT 0.62, CPD PEL-N-18-04208-00001, Performance Class AW, PG 90, Calculated Positive DP Rating 90, Calculated Negative DP Rating 90, FPA FL10354, STC 27, OITC 22
Grille: No Grille,
Vertical Mull 1: FactoryMull, Reinforcing Plate, Frame To Frame Width- 0", Mull Design Pressure- 20
Vertical Mull 2: FactoryMull, Reinforcing Plate, Frame To Frame Width- 0", Mull Design Pressure- 20

Line #	Location:	Attributes
25	Bedroom 2 W-366-368	



PK #
2208

Viewed From Exterior


Lifestyle, 3-Wide Casement, With HGP, White

Item Price	Qty	Ext'd Price
$8,170.87	1	$8,170.87

1: SizeNon-Standard Size Left Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 47.875, Clear Opening Area 4.73763, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
2: SizeNon-Standard Size Fixed Sash Set
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Brown
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.22, SHGC 0.27, VLT 0.50, CPD PEL-N-244-00361-00001, Performance Class CW, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11877
Grille: No Grille,
3: SizeNon-Standard Size Right Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 47.875, Clear Opening Area 4.73763, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

Customer Notes: EGRESS ACCESS REQUIRED

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
30	Living W 218-223	**Lifestyle, 3-Wide Casement, Pella Reserve, 3-Wide Sash Set, White**	$13,880.00	1	$13,880.00



Viewed From Exterior

PK #
2208

1: SizeNon-Standard Size Left Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 47.875, Clear Opening Area 4.73763, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
2: SizeNon-Standard Size Fixed Sash Set
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Brown
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.22, SHGC 0.27, VLT 0.50, CPD PEL-N-244-00361-00001, Performance Class CW, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11877
Grille: No Grille,
3: SizeNon-Standard Size Right Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 47.875, Clear Opening Area 4.73763, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
4: SizeNon-Standard Size Fixed Sash Set
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Sash / Panel: Putty Glaze, Ogee, Standard
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.30, VLT 0.57, CPD PEL-N-1-59311-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312

Grille: No Grille,
5: SizeNon-Standard Size Fixed Sash Set
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Sash / Panel: Putty Glaze, Ogee, Standard
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.30, VLT 0.57, CPD PEL-N-1-59311-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312
Grille: No Grille,
6: SizeNon-Standard Size Fixed Sash Set
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Sash / Panel: Putty Glaze, Ogee, Standard
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.30, VLT 0.57, CPD PEL-N-1-59311-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312
Grille: No Grille,
Horizontal Mull 1: FactoryMull, Reinforcing Plate, Frame To Frame Width- 0", Mull Design Pressure- 20, Overall Thru Direction- Horizontal
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Horizontal
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Horizontal
Vertical Mull 3: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Horizontal
Vertical Mull 4: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Horizontal

Customer Notes: EGRESS ACCESS REQUIRED

Line #	Location:	Attributes
35	Dining 215-217	



Viewed From Exterior

PK #
2208

Lifestyle, 3-Wide Casement, With HGP, White

Item Price	Qty	Ext'd Price
$8,170.87	1	$8,170.87

1: SizeNon-Standard Size Left Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 47.875, Clear Opening Area 4.73763, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
2: SizeNon-Standard Size Fixed Sash Set
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Brown
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.22, SHGC 0.27, VLT 0.50, CPD PEL-N-244-00361-00001, Performance Class CW, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11877
Grille: No Grille,
3: SizeNon-Standard Size Right Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 47.875, Clear Opening Area 4.73763, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

Customer Notes: EGRESS ACCESS REQUIRED

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
40	Family W 378-382	**Lifestyle, Sash Set, Fixed, With HGP, White**	$1,949.25	5	$9,746.25



Viewed From Exterior

PK #
2208

1: SizeNon-Standard Size Fixed Sash Set
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Brown
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.22, SHGC 0.27, VLT 0.50, CPD PEL-N-244-00361-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL11877
Grille: No Grille,

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
45	Family W 229	**Lifestyle, Casement Left, With HGP, White**	$2,814.90	1	$2,814.90




Viewed From Exterior

PK #
2208

1: SizeNon-Standard Size Left Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL11865, STC 32, OITC 26, Clear Opening Width 12.25, Clear Opening Height 53.875, Clear Opening Area 4.583117, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,

Line #	Location:	Attributes
50	Family W 231-233	



PK #
2208

Viewed From Exterior

Lifestyle, 3-Wide Casement, With HGP, White

Item Price	Qty	Ext'd Price
$8,474.28	1	$8,474.28

1: SizeNon-Standard Size Left Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 40, Calculated Positive DP Rating 40, Calculated Negative DP Rating 40, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 53.875, Clear Opening Area 5.33138, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
2: SizeNon-Standard Size Fixed Sash Set
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Brown
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.22, SHGC 0.27, VLT 0.50, CPD PEL-N-244-00361-00001, Performance Class CW, PG 40, Calculated Positive DP Rating 40, Calculated Negative DP Rating 40, FPA FL11877
Grille: No Grille,
3: SizeNon-Standard Size Right Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 40, Calculated Positive DP Rating 40, Calculated Negative DP Rating 40, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 53.875, Clear Opening Area 5.33138, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

Customer Notes: EGRESS ACCESS REQUIRED

Line #	Location:	Attributes
55	Family W 234	



Viewed From Exterior

PK #
2208

Lifestyle, Casement Right, With HGP, White

Item Price	Qty	Ext'd Price
$2,814.90	1	$2,814.90

1: SizeNon-Standard Size Right Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL11865, STC 32, OITC 26, Clear Opening Width 12.25, Clear Opening Height 53.875, Clear Opening Area 4.583117, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,

Line #	Location:	Attributes
60	Family W 230	



Viewed From Exterior


PK #
2208

Lifestyle, Casement Left, With HGP, White

Item Price	Qty	Ext'd Price
$2,814.90	1	$2,814.90

1: SizeNon-Standard Size Left Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL11865, STC 32, OITC 26, Clear Opening Width 12.25, Clear Opening Height 53.875, Clear Opening Area 4.583117, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,

Line #	Location:	Attributes
65	Family W 234-236	



PK # 2208

Viewed From Exterior

Lifestyle, 3-Wide Casement, With HGP, White

Item Price	Qty	Ext'd Price
$8,474.28	1	$8,474.28

1: SizeNon-Standard Size Left Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 40, Calculated Positive DP Rating 40, Calculated Negative DP Rating 40, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 53.875, Clear Opening Area 5.33138, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
2: SizeNon-Standard Size Fixed Sash Set
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Brown
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.22, SHGC 0.27, VLT 0.50, CPD PEL-N-244-00361-00001, Performance Class CW, PG 40, Calculated Positive DP Rating 40, Calculated Negative DP Rating 40, FPA FL11877
Grille: No Grille,
3: SizeNon-Standard Size Right Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 40, Calculated Positive DP Rating 40, Calculated Negative DP Rating 40, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 53.875, Clear Opening Area 5.33138, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

Customer Notes: EGRESS ACCESS REQUIRED

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
70	Family W 237	**Lifestyle, Casement Right, With HGP, White**	$2,814.90	1	$2,814.90



Viewed From Exterior

PK #
2208

1: SizeNon-Standard Size Right Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL11865, STC 32, OITC 26, Clear Opening Width 12.25, Clear Opening Height 53.875, Clear Opening Area 4.583117, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
75	Master W-383	**Lifestyle, Casement Left, With HGP, White**	$2,850.02	1	$2,850.02



Viewed From Exterior

PK #
2208

1: SizeNon-Standard Size Left Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 12.25, Clear Opening Height 55.875, Clear Opening Area 4.753255, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,

Line #	Location:	Attributes
80	Master W - 384	



Viewed From Exterior

Lifestyle, Sash Set, Fixed, With HGP, White

Item Price	Qty	Ext'd Price
$3,504.74	1	$3,504.74

PK #
2208

1: SizeNon-Standard Size Fixed Sash Set
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Brown
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.23, SHGC 0.26, VLT 0.48, CPD PEL-N-244-00365-00001, Performance Class CW, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, FPA FL11877, STC 34, OITC 28
Grille: No Grille,

Line #	Location:	Attributes
85	Master W-385	



Viewed From Exterior

Lifestyle, Casement Right, With HGP, White

Item Price	Qty	Ext'd Price
$2,850.02	1	$2,850.02

PK #
2208

1: SizeNon-Standard Size Right Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 12.25, Clear Opening Height 55.875, Clear Opening Area 4.753255, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
90	Nook W-239	**Lifestyle, Casement Left, With HGP, White**	$2,850.02	1	$2,850.02



Viewed From Exterior

PK #
2208

1: SizeNon-Standard Size Left Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 12.25, Clear Opening Height 55.875, Clear Opening Area 4.753255, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
95	Nook SGD-3	**Lifestyle, Double Sliding Door, Contemporary, , Vent Right / Fixed, With HGP, White**	$13,078.13	1	$13,078.13



Viewed From Exterior

PK #
2208

1: SizeNon-Standard Size Vent Right / Fixed Double Sliding Door
Unit Type: No Program, Sliding Door (New)
General Information: No Package, With Hinged Glass Panel, Factory Assembled, Standard, Clad, Pine, 5 7/8", 4 9/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Sash / Panel: Square, Square
Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Tempered, Black
Frame Selection: Wood Trim Cover, Factory Applied
Hardware Options: Vent Lock, Black, Keylock Included, Standard, Handle Included, Handle Included, Brown, White, Random, Chrome, No Integrated Sensor
Screen: Sliding Screen, White, White, TuffScreen®
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.26, SHGC 0.26, VLT 0.48, CPD PEL-N-304-00286-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL47325, STC 34, OITC 29
Grille: No Grille,

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
100	Porch SGD-1	**Lifestyle, Double Sliding Door, Contemporary, , Vent Right / Fixed, With HGP, White**	$13,078.13	1	$13,078.13



Viewed From Exterior

PK #
2208

1: SizeNon-Standard Size Vent Right / Fixed Double Sliding Door
Unit Type: No Program, Sliding Door (New)
General Information: No Package, With Hinged Glass Panel, Factory Assembled, Standard, Clad, Pine, 5 7/8", 4 9/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Sash / Panel: Square, Square
Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Tempered, Black
Frame Selection: Wood Trim Cover, Factory Applied
Hardware Options: Vent Lock, Black, Keylock Included, Standard, Handle Included, Handle Included, Brown, White, Random, Chrome, No Integrated Sensor
Screen: Sliding Screen, White, White, TuffScreen®
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.26, SHGC 0.26, VLT 0.48, CPD PEL-N-304-00286-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL47325, STC 34, OITC 29
Grille: No Grille,

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
105	Porch W 240	**Lifestyle, Casement Left, With HGP, White**	$2,850.02	1	$2,850.02



Viewed From Exterior

PK #
2208

1: SizeNon-Standard Size Left Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 12.25, Clear Opening Height 55.875, Clear Opening Area 4.753255, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,

Line #	Location:	Attributes
110	Porch W 241	



Viewed From Exterior

Pella Reserve, Traditional Direct Set, Fixed Frame, White

Item Price	Qty	Ext'd Price
$3,148.15	1	$3,148.15

PK #
2208

1: Fixed Frame Direct Set
General Information: Interior Glazed, Factory Assembled, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.32, VLT 0.60, CPD PEL-N-18-04240-00001, Performance Class AW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL10354, STC 28, OITC 24
Grille: No Grille,

Line #	Location:	Attributes
115	Porch W 242	



Viewed From Exterior

Lifestyle, Casement Right, With HGP, White

Item Price	Qty	Ext'd Price
$2,850.02	1	$2,850.02

PK #
2208

1: SizeNon-Standard Size Right Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 12.25, Clear Opening Height 55.875, Clear Opening Area 4.753255, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,

Line #	Location:	Attributes
120	Porch W 243, 244	



Viewed From Exterior

PK #
2208

Lifestyle, 2-Wide Casement, With HGP, White

Item Price	Qty	Ext'd Price
$6,041.61	1	$6,041.61

1: SizeNon-Standard Size Left Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 59.875, Clear Opening Area 5.92513, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
2: SizeNon-Standard Size Right Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 59.875, Clear Opening Area 5.92513, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

Line #	Location:	Attributes
125	Porch W 245, 246	



Viewed From Exterior

PK #
2208

Lifestyle, 2-Wide Casement, With HGP, White

Item Price	Qty	Ext'd Price
$6,041.61	1	$6,041.61

1: SizeNon-Standard Size Left Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 59.875, Clear Opening Area 5.92513, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
2: SizeNon-Standard Size Right Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 59.875, Clear Opening Area 5.92513, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

Line #	Location:	Attributes
126	W-247-249	



Viewed From Exterior

PK #
2208

Lifestyle, Casement, Pella Reserve, Sash Set, White

Item Price	Qty	Ext'd Price
$4,389.11	1	$4,389.11

1: SizeNon-Standard Size Left Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, White, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL11865, STC 32, OITC 26, Clear Opening Width 21, Clear Opening Height 29.875, Clear Opening Area 4.356771, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
2: SizeNon-Standard Size Fixed Sash Set
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Sash / Panel: Putty Glaze, Ogee, Standard
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.30, VLT 0.57, CPD PEL-N-1-59311-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312
Grille: No Grille,
Horizontal Mull 1: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20

Line #	Location:	Attributes
127	W-247-249	



Viewed From Exterior

PK #
2208

Lifestyle, Casement, Pella Reserve, Sash Set, White

Item Price	Qty	Ext'd Price
$4,389.11	1	$4,389.11

1: SizeNon-Standard Size Right Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, White, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL11865, STC 32, OITC 26, Clear Opening Width 21, Clear Opening Height 29.875, Clear Opening Area 4.356771, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
2: SizeNon-Standard Size Fixed Sash Set
General Information: Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Sash / Panel: Putty Glaze, Ogee, Standard
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.27, SHGC 0.30, VLT 0.57, CPD PEL-N-1-59311-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL31312
Grille: No Grille,
Horizontal Mull 1: FactoryMull, Standard Joining Mullion, Frame To Frame Width- 0", Mull Design Pressure- 20

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
130	Misc W 386	**Lifestyle, Casement Right, With HGP, White**	$2,898.48	1	$2,898.48



Viewed From Exterior

PK #
2208

1: SizeNon-Standard Size Right Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 24.25, Clear Opening Height 43.875, Clear Opening Area 7.388672, Egress Meets minimum clear opening and 5.7 sq.ft
Grille: No Grille,

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
135	Misc W 387	**Lifestyle, Sash Set, Fixed, With HGP, White**	$2,657.83	1	$2,657.83



Viewed From Exterior

PK #
2208

1: SizeNon-Standard Size Fixed Sash Set
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Brown
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.22, SHGC 0.27, VLT 0.50, CPD PEL-N-244-00361-00001, Performance Class CW, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11877
Grille: No Grille,

Line #	Location:	Attributes
140	Bedroom 3 W-388-390	



PK #
2208

Viewed From Exterior

Lifestyle, 3-Wide Casement, With HGP, White

Item Price	Qty	Ext'd Price
$8,170.87	1	$8,170.87

1: SizeNon-Standard Size Left Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 47.875, Clear Opening Area 4.73763, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
2: SizeNon-Standard Size Fixed Sash Set
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Brown
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.22, SHGC 0.27, VLT 0.50, CPD PEL-N-244-00361-00001, Performance Class CW, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11877
Grille: No Grille,
3: SizeNon-Standard Size Right Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 47.875, Clear Opening Area 4.73763, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

Customer Notes: EGRESS ACCESS REQUIRED

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
145	Office W 251-253	**Lifestyle, 3-Wide Casement, With HGP, White**	$8,170.87	1	$8,170.87



Viewed From Exterior

PK # 2208

1: SizeNon-Standard Size Left Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 47.875, Clear Opening Area 4.73763, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
2: SizeNon-Standard Size Fixed Sash Set
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Brown
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.22, SHGC 0.27, VLT 0.50, CPD PEL-N-244-00361-00001, Performance Class CW, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11877
Grille: No Grille,
3: SizeNon-Standard Size Right Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 47.875, Clear Opening Area 4.73763, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

Line #	Location:	Attributes
150	Bedroom 5 W11-113	



PK #
2208

Viewed From Exterior

Lifestyle, 3-Wide Casement, With HGP, White

Item Price	Qty	Ext'd Price
$8,170.87	1	$8,170.87

1: SizeNon-Standard Size Left Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 47.875, Clear Opening Area 4.73763, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
2: SizeNon-Standard Size Fixed Sash Set
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Brown
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.22, SHGC 0.27, VLT 0.50, CPD PEL-N-244-00361-00001, Performance Class CW, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11877
Grille: No Grille,
3: SizeNon-Standard Size Right Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 47.875, Clear Opening Area 4.73763, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

Customer Notes: EGRESS ACCESS REQUIRED

Line #	Location:	Attributes
155	W254/255/256/257	



Viewed From Exterior

PK # 2208

Lifestyle, 2-Wide Casement, With HGP, White

Item Price	Qty	Ext'd Price
$5,382.90	2	$10,765.80

1: SizeNon-Standard Size Left Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 43.875, Clear Opening Area 4.341797, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
2: SizeNon-Standard Size Right Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 43.875, Clear Opening Area 4.341797, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
160	South W 375-377	**Architect Reserve, Traditional, Direct Set Fixed Frame Rectangle, Architect Reserve, Traditional, Direct Set Fixed Frame Springline, Architect Reserve, Traditional, Direct**	$6,713.00	1	$6,713.00



PK #
2208

Viewed From Exterior

1: Fixed Frame Direct Set
General Information: Interior Glazed, Factory Assembled, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.32, VLT 0.62, CPD PEL-N-18-04208-00001, Performance Class AW, PG 90, Calculated Positive DP Rating 90, Calculated Negative DP Rating 90, FPA FL10354, STC 27, OITC 22
Grille: No Grille,
2: Fixed Frame Direct Set Springline
General Information: Interior Glazed, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.32, VLT 0.62, CPD PEL-N-18-04208-00001, Performance Class AW, PG 85, Calculated Positive DP Rating 85, Calculated Negative DP Rating 85, FPA FL10354
Grille: No Grille,
3: Fixed Frame Direct Set
General Information: Interior Glazed, Factory Assembled, Standard, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Painted, Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.28, SHGC 0.32, VLT 0.62, CPD PEL-N-18-04208-00001, Performance Class AW, PG 90, Calculated Positive DP Rating 90, Calculated Negative DP Rating 90, FPA FL10354, STC 27, OITC 22
Grille: No Grille,
Vertical Mull 1: FactoryMull, Reinforcing Plate, Frame To Frame Width- 0", Mull Design Pressure- 20
Vertical Mull 2: FactoryMull, Reinforcing Plate, Frame To Frame Width- 0", Mull Design Pressure- 20

Line #	Location:	Attributes
165	South W 372-374	



PK # 2208

Viewed From Exterior

Lifestyle, 3-Wide Casement, With HGP, White

Item Price	Qty	Ext'd Price
$8,170.87	1	$8,170.87

1: SizeNon-Standard Size Left Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Mocha, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 47.875, Clear Opening Area 4.73763, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
2: SizeNon-Standard Size Fixed Sash Set
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Brown
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Mocha, Manual
Performance Information: U-Factor 0.22, SHGC 0.27, VLT 0.50, CPD PEL-N-244-00361-00001, Performance Class CW, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11877
Grille: No Grille,
3: SizeNon-Standard Size Right Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Mocha, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 47.875, Clear Opening Area 4.73763, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

Line #	Location:	Attributes
170	South W 372-374	



PK #
2208

Viewed From Exterior

Lifestyle, 3-Wide Casement, With HGP, White

Item Price	Qty	Ext'd Price
$8,587.52	1	$8,587.52

1: SizeNon-Standard Size Left Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 47.875, Clear Opening Area 4.73763, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
2: SizeNon-Standard Size Fixed Sash Set
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Brown
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.22, SHGC 0.27, VLT 0.50, CPD PEL-N-244-00361-00001, Performance Class CW, PG 40, Calculated Positive DP Rating 40, Calculated Negative DP Rating 40, FPA FL11877
Grille: No Grille,
3: SizeNon-Standard Size Right Casement
Unit Type: No Program
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, White
Interior Color / Finish: Golden Oak Stain Interior
Glass: Insulated Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Annealed
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, Brown, No Window Opening Control Device, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, Brown, InView™
Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, Golden, Manual
Performance Information: U-Factor 0.24, SHGC 0.27, VLT 0.50, CPD PEL-N-245-00361-00001, Performance Class LC, PG 45, Calculated Positive DP Rating 45, Calculated Negative DP Rating 45, FPA FL11865, STC 32, OITC 26, Clear Opening Width 14.25, Clear Opening Height 47.875, Clear Opening Area 4.73763, Egress Does not meet typical United States egress, but may comply with local code requirements
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
175	INSTALLATION LABOR	**LABOR FOR WINDOW, DOORS, INTERIOR CASING, REMOVAL, INSTALL...**	$51,452.94	1	$51,452.94

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
180	CASING ALL WINDOW/DR	**Wood Products 2 1/2 Colonial 1, Length: 96, Golden Oak Stain. Wood Type: Oak**	$106.48	99	$10,541.52



PK #
2208

1: Accessory
General Information: Oak, 2 1/2 Colonial 1
Interior Color / Finish: Golden Oak Stain Interior

Viewed From Exterior

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
185	LIFT 5-7DAYS	**ON SITE LIFT- 5 TO 7 DAYS**	$3,417.98	1	$3,417.98

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
190	CUSTOM ARCH	**CUSTOM ARCH TOP X 2**	$2,062.71	1	$2,062.71

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
195	HARDWARE/SCREENS	**SHOPWOMINM900008 - Tier 3 VIP Services >15 Units**	$3,200.00	1	$3,200.00

Customer Notes: PELLA TO INSTALL HARDWARE, SCREENS AFTER INSTALLATION PROCESS

Thank You For Your Interest In Pella® Products

PELLA WARRANTY:

Pella products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella products and proper management of moisture within the wall system. Neither Pella Corporation nor the Seller will be bound by any other warranty unless specifically set out in this contract. However, Pella Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with Pella written warranties.

Clear opening (egress) information does not take into consideration the addition of a Rolscreen [or any other accessory] to the product. You should consult your local building code to ensure your Pella products meet local egress requirements.

Per the manufacturer's limited warranty, unfinished mahogany exterior windows and doors must be finished upon receipt prior to installing and refinished annually, thereafter. Variations in wood grain, color, texture or natural characteristics are not covered under the limited warranty.

INSYNCTIVE PRODUCTS: In addition, Pella Insynctive Products are covered by the Pella Insynctive Products Software License Agreement and Pella Insynctive Products Privacy Policy in effect at the time of sale, which can be found at Insynctive.pella.com. By installing or using Your Insynctive Products you are acknowledging the Insynctive Software Agreement and Privacy Policy are part of the terms of sale.

Notice of Collection of Personal Information: We may collect your personal information when you interact with us. Under the California Consumer Privacy Act (CCPA), California residents have specific rights to request this information, request to delete this information, and opt out of the sharing or sale of this information to third parties. To learn more about our collection practices and your rights under the CCPA please visit our link https://www.pella.com/california-rights-policy/ at pella.com.

ARBITRATION AND CLASS ACTION WAIVER ("ARBITRATION AGREEMENT")

YOU and Pella and its subsidiaries and the Pella Branded Distributor **AGREE TO ARBITRATE DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS (INCLUDES PELLA GOODS AND PELLA SERVICES) AND WAIVE THE RIGHT TO HAVE A COURT OR JURY DECIDE DISPUTES. YOU WAIVE ALL RIGHTS TO PROCEED AS A MEMBER OR REPRESENTATIVE OF A CLASS ACTION, INCLUDING CLASS ARBITRATION, REGARDING DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS.** You may opt out of this Arbitration Agreement by providing notice to Pella no later than ninety (90) calendar days from the date You purchased or otherwise took ownership of Your Pella Goods. To opt out, You must send notice by e-mail to pellawebsupport@pella.com , with the subject line: "Arbitration Opt Out" or by calling (877) 473-5527. Opting out of the Arbitration Agreement will not affect the coverage provided by any applicable limited warranty pertaining to Your Pella Products. For complete information, including the full terms and conditions of this Arbitration Agreement, which are incorporated herein by reference, please visit www.pella.com/arbitration or e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Details" or call (877) 473-5527. D'ARBITRAGE ET RENONCIATION AU RECOURS COLLECTIF ("convention d'arbitrage") EN FRANÇAIS SEE PELLA.COM/ARBITRATION. DE ARBITRAJE Y RENUNCIA COLECTIVA ("acuerdo de arbitraje") EN ESPAÑOL VER PELLA.COM/ARBITRATION.

Seller shall not be held liable for failure or delay in the performance of its obligations under this Agreement, if such performance is hindered or delayed by the occurrence of an act or event beyond the Seller's reasonable control (force majeure event), including but not limited to earthquakes, unusually severe weather and other Acts of God, fire, strikes and labor unrest, epidemics, riots, war, civil unrest, and government interventions. Seller shall give timely notice of a force majeure event and take such reasonable action to mitigate the impacts of such an event.

Product Performance Information:

U-Factor, Solar Heat Gain Coefficient (SHGC), and Visible Light Transmittance (VLT) are certified by the National Fenestration Rating Council (NFRC).

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any products and does not warrant the suitability of any product for any specific use.

Design Pressure (DP), Performance Class, and Performance Grade (PG) are certified by a third party organization, in many cases the Window and Door Manufacturers Association (WDMA). The certification requires the performance of at least one product of the product line to be tested in accordance with the applicable performance standards and verified by an independent party. The certification indicates that the product(s) of the product line passed the applicable tests. The certification does not apply to mulled and/or product combinations unless noted. Actual product results will vary and change over the products life.

For more performance information along with information on Florida Product Approval System (FPAS) Number and Texas Dept. of Insurance (TDI) number go to www.pella.com/performance.

Including during the construction period, casement windows should never be left open and unlocked for prolong periods or during high wind conditions to avoid sash detachment/damage.

Actual sizes tested for documented STC and OITC ratings may vary from the ASTM E 1425 sizes to better represent Pella product offering.

STC and OITC ratings shown may be conservatively based on products tested with thinner panes of glass.

STC and OITC ratings may be from test results from an equivalent product.

BRANCH WARRANTY:

TERMS & CONDITIONS:
Quotes valid for 30 days.

Order Totals	
Taxable Subtotal	$236,799.21
Sales Tax @ 0%	$0.00
Non-taxable Subtotal	$54,652.94
Total	$291,452.15
Deposit Received	$0.00
Amount Due	**$291,452.15**