FARMERS INSURANCE

Toll Free: (800) 435-7764
Email: myclaim@farmersinsurance.com
Please include your claim # on any correspondence
National Document Center
P.O. Box 268994
Oklahoma City, OK 73126-8994
www.farmers.com/claimstatus

October 10, 2025

YIBIAO LU
17756 GEORGE MORAN DR
EDEN PRAIRIE MN 55347-1061
Delivered by email to: BILL_Y_LU@YAHOO.COM

| | | |
|---|---|---|
| RE: | Claim Number: | 7007986837-1-1 |
| | Insured: | Yibiao Lu |
| | Policy Number: | 0980554965 |
| | Loss Date: | 07/13/2024 |
| | Subject: | Important Claim Information |

Dear YIBIAO LU:

We are in receipt of your request. The file does not contain a report on the requested date. I have attached the coverage position and photos sent by Mr. Dudley. We refer you to him for further assistance on the matter.

I can be reached at myclaim@farmersinsurance.com (please include your claim number in the subject line) or (832) 865-4165. Please contact me if you have any questions or concerns.

Thank you.

Zorphlon Miller
Senior General Claims Adjuster
(832) 865-4165
Fire Insurance Exchange

Email communications are preferred and should be sent to myclaim@farmersinsurance.com. If hard copies of communications are required, they should be sent to our National Document Center at P.O. Box 268994, Oklahoma City, OK 73126-8994.

Enclosure(s):
Correspondence -

FARMERS INSURANCE

Toll Free: (800) 435-7764
Email: myclaim@farmersinsurance.com
Please include your claim # on any correspondence
National Document Center
P.O. Box 268994
Oklahoma City, OK 73126-8994
www.farmers.com/claimstatus

September 3, 2024

YIBIAO LU
17756 GEORGE MORAN DR
EDEN PRAIRIE MN 55347-1061
Delivered by email to: BILL_Y_LU@YAHOO.COM

| RE: | | |
|---|---|---|
| | Insured: | Yibiao Lu |
| | Claim Number: | 7007986837-1-1 |
| | Policy Number: | 0980554965 |
| | Loss Date: | 07/13/2024 |
| | Location of Loss: | 17756 George Moran Dr, Eden Prairie, MN |
| | Subject: | Claim Outcome Letter |

Dear YIBIAO LU:

Thank you for being a valued customer. We are proud to serve you.

You reported water damage inside your home.

As we discussed on September 3, 2024, our investigation found your policy provides coverage for direct physical loss to insured property, less uninsured or excluded. As part of our investigation we had your home inspected. At the inspection, interior water damage around your windows was observed. There were no other damages observed. There was no opening created by the direct force of wind or hail that could have occurred and allowed water to enter and cause immediate damage. Your policy excludes interior water damage without an opening created by wind or hail. Unfortunately, there is no coverage for your claim based on the information known at this time.

We encourage you to review the terms of your Next Generation Homeowners Policy Minnesota, 2nd Ed, as endorsed. They form the basis for our decision. We have attached a "Coverage Outcome – Policy Provisions" document that refers you to the applicable sections of the policy.

We reserve all rights and defenses under the policy and law and no activity on our part should be construed as a waiver. Even though only parts of the policy may be mentioned or quoted in this letter, additional portions if found to be relevant will be applied.

Please note there are time limits set forth in the Conditions ("Lawsuits Against Us" or "Legal Action Against Us" or "Suit Against Us") section of the policy which, depending on your state, may affect the time within which you may pursue your claim. This period may have been extended by statute or case law.

We've completed the adjustment of your loss and we are closing your claim. Closing your claim does not affect processing payments for recoverable depreciation, or outstanding payment for any other covered part of the

claim that has already been accepted and adjusted. Closing your claim does not prevent you from providing us with additional information, including supplemental claims and requests for recoverable depreciation, within the time limits stated in your policy. We will inform you in writing if any such additional information results in reopening your claim.

Although we remain available to discuss this matter with you, pursuant to MN Insurance Regulation 72A.201 we are required to advise you that if some or all of your claim has been denied you have the right to file a complaint with the Minnesota Department of Commerce. Minnesota Department of Commerce - 85 7th Place East, Suite 280 - St. Paul, MN 55101- Toll Free Number 800-657-3602.

We encourage you to visit **www.farmers.com** to learn more about our self-service options available to you, including the ability to view your claim status, upload documents and photos and find local service providers.

If you have any questions, or additional information you think may affect your coverage, please contact me.

Thank you.

Christian Dudley
Catastrophe Claims Representative
(913) 309-7398
Fire Insurance Exchange

Email communications are preferred and should be sent to myclaim@farmersinsurance.com. If hard copies of communications are required, they should be sent to our National Document Center at P.O. Box 268994, Oklahoma City, OK 73126-8994.

CC: JIE HU
Enclosure(s):
General Supporting Documents -
Photographs - (2)

# Coverage Outcome - Policy Provisions

**DEFINITIONS**

...

5. **Building structure** - means a structure fully enclosed with walls and a roof. A roof or wall does not include a temporary roof or wall structure or any kind of temporary tarp, sheeting or other covering, except a temporary roof or wall or temporary covering which has been installed for temporary purposes because of recent damage covered under this policy.

...

33. **Water** - means **water** (H2O) alone, whether in liquid, frozen, or vapor form, or any liquid, sewage or sludge which contains **water**, whether or not contaminated or combined with or containing other chemicals, particulates, microorganisms or impurities. **Water** includes but is not limited to rain, snow, sleet, slush, ice, dampness, vapor, condensation, moisture, steam and humidity.

...

**SECTION I - EXTENSIONS OF COVERAGE**

...

1. **Limited Water Coverage.**

...

**SECTION I - UNINSURED LOSS OR DAMAGE and EXCLUDED CAUSES OF LOSS OR DAMAGE**

A. **Uninsured Types of Loss or Damage.**

...

1. **Water Damage.**

...

3. **Construction Defect.**

...

4. **Inherent Vice or Latent Defect.**

...

7. **Wear and tear or mechanical breakdown.**

...

9. **Corrosion, Deterioration, Decay or Rust.**

...

B. **Excluded Causes of Loss or Damage.**

...

2. **Water.**

...

4. **Neglect or Lack of Maintenance or Failure to Make Repairs.**
5. **Faulty, Inadequate, Defective or Incomplete Planning, Zoning, Maintenance, Repairs, Renovation, Manufacture or Construction.**

...

6. **Inherent Vice or Latent Defect.**

...

8. **Wear and Tear, Deterioration or Mechanical Breakdown.**

...

9. **Corrosion, Deterioration, Decay or Rust.**

...

26. **Windstorm or hail.**

...

33. **Weather Conditions.**

Hancock
Claims Consultants


LU
7007986837-1 | 8/29/24

| Ridge Shingle | Chimney Flashing | Hail | Wind | Shingle | Pitch | Vents | | Misc | |
|---|---|---|---|---|---|---|---|---|---|
| SHAKE | N/A | N 0 | N 0 | 20 yr 3 Tab Comp | 7/12 | Box P/NP | 0 | Pipe Boot P/NP | 0 |
| Valley Metal | Fascia Material | S 0 | S 0 | 25 yr 3 Tab Comp | # Layers | Turbine P/NP | 0 | HVAC Cap P/NP | 0 |
| N/A | 6" Alum | E 0 | E 0 | 25 yr 3 tab Organic | 1 | Power P/NP | 0 | Satellite | 0 |
| Drip Edge P/NP | Gutter P/NP | W 0 | W 0 | 30 yr Laminate | Ice & Water Shield | Ridge Vent | 0 l.f. | Mast Head | 0 |
| YES | 5"Alum | Total Roof Sq. | | 40 yr Laminate | YES | Off Ridge | 0 | Skylight | 0 |
| Soffit Overhang | Gutter Guard P/NP | NA | | 50 yr Laminate | Felt Paper | Dryer Vent | 0 | Gooseneck P/NP | 0 |
| 12" | N/A | | | | 15 lbs. | | | Roof Age : 1-5 years | |

× = Wind Damage = Water Leak = Repair

= GUTTER = RIDGE VENT = STORM RELATED DAMAGE

INSURED STATED ROOF DOES NOT NEED INSPECTION DUE TO CEDAR SHAKE ONKY BEING 2 YEARS OLD.



Front ↓ Risk



# Inspection Photos

Service Date: **08/29/2024 7:00 PM**

Claim Number: **7007986837-1**

Insured: **YIBIAO LU**

1. Window Wrap North Damaged - No



2. Window Wrap North Damaged - No_2



3. Window Wrap North Damaged - No_3



4. Window Wrap North Damaged - No_4



5. Window Wrap North Damaged - No_5



6. Window Wrap North Damaged - No_6



7. Window Wrap North Damaged - No_7



8. Window Wrap North Damaged - No_8



9. Window Wrap North Damaged - No_9



10. Window Wrap North Damaged - No_10



11. Window Wrap North Damaged - No_11



12. Window Wrap North Damaged - No_12



13. Window Wrap South Damaged - No



14. Window Wrap South Damaged - No_2




15. Window Wrap South Damaged - No_3




16. Window Wrap South Damaged - No_4



17. Window Wrap South Damaged - No_5




18. Window Wrap South Damaged - No_6



19. Window Wrap South Damaged - No_7



20. Window Wrap South Damaged - No_8



21. Window Wrap South Damaged - No_9



22. Window Wrap South Damaged - No_10



23. Window Wrap South Damaged - No_11



24. Window Wrap South Damaged - No_12



25. Window Wrap South Damaged - No_13



26. Window Wrap West Damaged - No



27. Window Wrap West Damaged - No_2



28. Window Wrap West Damaged - No_3



29. Window Wrap West Damaged - No_4




30. Window Wrap West Damaged - No_5




31. Window Wrap West Damaged - No_6



32. Window Wrap West Damaged - No_7



33. Window Wrap West Damaged - No_8



34. Window Wrap West Damaged - No_9




35. Window Wrap West Damaged - No_10




36. Window Wrap West Damaged - No_11



37. Window Wrap West Damaged - No_12



38. Window Wrap West Damaged - No_13



Hancock
Claims Consultants

# Inspection Photos

Service Date: **08/29/2024 7:00 PM**

Claim Number: **7007986837-1**

Insured: **YIBIAO LU**

1. Address




2. Front Risk



3. Elevation North/ Back




4. Elevation North/ Back _2



5. Window Wrap North Damaged - No



6. Window Wrap North Damaged - No_2



7. Window Wrap North Damaged - No_3



8. Window Wrap North Damaged - No_4



9. Window Wrap North Damaged - No_5



10. Window Wrap North Damaged - No_6



11. Window Wrap North Damaged - No_7



12. Window Wrap North Damaged - No_8



13. Window Wrap North Damaged - No_9



14. Window Wrap North Damaged - No_10



15. Window Wrap North Damaged - No_11



16. Window Wrap North Damaged - No_12



17. Window Wrap North Damaged - No_13




18. Window Wrap North Damaged - No_14



19. Window Wrap North Damaged - No_15




20. Window Wrap North Damaged - No_16



21. Window Wrap North Damaged - No_17




22. Window Wrap North Damaged - No_18



23. Window Wrap North Damaged - No_19



24. Window Wrap North Damaged - No_20



25. Siding North Damage - No




26. Siding North Damage - No_2



27. Siding North Damage - No_3




28. Siding North Damage - No_4



29. Siding North Damage - No_5




30. Siding North Damage - No_6



31. Siding North Damage - No_7




32. Siding North Damage - No_8



33. Window Wrap South Damaged - No



34. Window Wrap South Damaged - No_2




35. Window Wrap South Damaged - No_3




36. Window Wrap South Damaged - No_4



37. Window Wrap South Damaged - No_5




38. Window Wrap South Damaged - No_6



39. Window Wrap South Damaged - No_7



40. Window Wrap South Damaged - No_8



41. Window Wrap South Damaged - No_9



42. Window Wrap South Damaged - No_10



43. Window Wrap South Damaged - No_11



44. Window Wrap South Damaged - No_12



45. Window Wrap South Damaged - No_13



46. Window Wrap South Damaged - No_14



47. Window Wrap South Damaged - No_15




48. Window Wrap South Damaged - No_16



49. Window Wrap South Damaged - No_17



50. Siding South Damage - No



51. Siding South Damage - No_2




52. Siding South Damage - No_3



53. Siding South Damage - No_4




54. Siding South Damage - No_5



55. Siding South Damage - No_6




56. Siding South Damage - No_7



57. Siding South Damage - No_8




58. Siding South Damage - No_9



59. Siding South Damage - No_10




60. Siding South Damage - No_11



61. Siding South Damage - No_12




62. Siding South Damage - No_13



63. Siding South Damage - No_14




64. Siding South Damage - No_15



65. Garage South Damaged - No




66. Garage South Damaged - No_2



67. Garage South Damaged - No_3




68. Garage South Damaged - No_4



69. Garage South Damaged - No_5




70. Elevation East/ Right



71. Window Wrap East Damaged - No




72. Window Wrap East Damaged - No_2



73. Siding East Damage - No




74. Siding East Damage - No_2



75. Siding East Damage - No_3




76. Siding East Damage - No_4



77. Siding East Damage - No_5




78. Siding East Damage - No_6



79. Elevation West/ Left




80. Window Wrap West Damaged - No



81. Window Wrap West Damaged - No_2



82. Window Wrap West Damaged - No_3



83. Window Wrap West Damaged - No_4




84. Window Wrap West Damaged - No_5




85. Window Wrap West Damaged - No_6



86. Window Wrap West Damaged - No_7



87. Window Wrap West Damaged - No_8



88. Window Wrap West Damaged - No_9




89. Window Wrap West Damaged - No_10




90. Window Wrap West Damaged - No_11



91. Window Wrap West Damaged - No_12



92. Window Wrap West Damaged - No_13



93. Siding West Damage - No




94. Siding West Damage - No_2



95. Siding West Damage - No_3




96. Siding West Damage - No_4



97. Siding West Damage - No_5




98. Down Spouts Damaged East/ Right - No



99. Down Spouts Damaged South/ Front - No




100. Down Spouts Damaged South/ Front - No_2

