Export Notes

Topic	Author	Authoring Date	Security Type	Subject	Related To	Confidential	Text
First notice of loss	Denesha Huffman	08/13/2024 15:20:37 PM CDT			7007986837-1		advised if spend any money to secure home from future damage to save receipts for possible reimbursement
Initial Contact Attempt w/ Insd or Rep	Christian Dudley	08/14/2024 18:34:27 PM CDT		ICR & Attempt	7007986837-1		Reported damage: hail to windows & leaking in around windows, water running on walls in living room Delay? No- 7/13/24 Priors: Most recent- (7001934416-1, denial for wear/ tear & hail damages paid for on prior claims before) - going to make separate note for priors Policy: NGHO 2nd- 2014 A- $886k B- $88,600 C- $664,500 Ded: $17,720 RCV/ACV- RCV Roof age: 2- wood shake? Marring? Covered Endorsements on policy: (matching shows on endorsements, not present on dec page)
General	Christian Dudley	08/14/2024 19:55:11 PM CDT		Priors	7007986837-1	CONFIDENTIAL	(3013539499-1) 09/05/2020- paid claim- roof, gutters, overhead door replaced- depreciation recovered (7001934416-1) 08/10/2020- Denial- wear/ tear to paint and interior water leak 2015 (3003855876-1)- no hail to wood shakes; no collateral, & rodent caused damage- denial.
Initial Contact w/ Insd or Rep	Christian Dudley	08/15/2024 17:13:56 PM CDT			7007986837-1		VM from agent- advising to contact them first. Setting reminder to call 8/16 during normal business hours
Call to Contact Center	Integration User	08/19/2024 11:59:51 AM CDT			YIBIAO LU	CONFIDENTIAL	Customer called contact center from Phone No.7638432859 regarding [{"user":"cannot submit damage details"},{"agent":" Sure, we can send you a one time text with this information. Can you please tell me if you are calling from a mobile or a landline?"},{"user":"mobile"},{"agent":" Would you like to receive the text message on the mobile number you are calling from. Standard text message rates may apply"},{"user":"bcc3e557-aba1-467b-b9c6-16216a6c8e93"},{"agent":" End Conversation"}]
Initial Contact w/ Insd or Rep	Christian Dudley	08/19/2024 18:09:39 PM CDT			7007986837-1		VM from "Bill"- placed OBC to insured- no answer; left VM advising that Hancock will be contacting them to setup an inspection time- they will look at the interior and exterior- gathering information. Left my # if questions
General	Christian Dudley	08/29/2024 12:37:33 PM CDT		Hancock Scheduled	7007986837-1	CONFIDENTIAL	Hancock is scheduled to inspect on 8/29/24
General	Jessica Koch	08/30/2024 18:24:31 PM CDT			7007986837-1		**BACK-UP CR ASSIST** received photos from Hancock - there were only interior photos showing called Hancock - Jayden - 507-327-2595 - discussed claim - he stated the insured was adamant the only thing that needed to be inspected was the windows on the inside where they were leaking - he started doing the exterior and they did not want the roof inspected - Mrs. insured was very concerned about needing to get the windows replaced - they told him they were the original windows for the house - asked if he has any photos of the exterior for those windows - he stated he believes he has some, he will double check and will upload them if he does, if not he will go back out

Topic	Author	Authoring Date	Security Type	Subject	Related To	Confidential	Text
							tomorrow and get photos of the exterior - no storm damage was found during the inspection
General	Christian Dudley	08/31/2024 18:37:14 PM CDT		Additional Inspection Info	7007986837-1	CONFIDENTIAL	Received additional inspection photos showing the exterior from Hancock- I conclude that there is no exterior damage. There is wind-driven rain damages inside around the windows. There was no opening created by the direct force of wind or hail that allowed water to enter and cause damage. There is no coverage for interior water damage without a storm created opening. There is no coverage for this claim.
General	Isaac Duncan	09/05/2024 09:54:34 AM CDT			7007986837-1		Received photos from insured asserting damage to window sashes - reassigning to prop field wind and hail for handling
General	Nicholas Brau	09/05/2024 11:45:55 AM CDT			7007986837-1	CONFIDENTIAL	Talked to the customer and set appt for tomorrow 10-11am
General	Nicholas Brau	09/17/2024 06:04:34 AM CDT			7007986837-1	CONFIDENTIAL	Nic, I was able to talk with Bill today and have an inspection scheduled for October 9 at 10 am. I advised him that I would let him know if anything opens up in my schedule before then but at least something is on the calendar. His concern relates to leakage he stated is occurring through windows in the home which is why he wanted an inspection ASAP. My understanding at this point is that there is no concern regarding the roof and that the main areas to be inspected include all windows and other exterior wall areas of the home along with observing the interior at areas where leakage is reported. Let me know if anything else is included in the claim that should be included in the inspection. Respectfully, Nathan Prieve PE Prieve Engineering LLC nathan@prieve-engineering.com 612-203-2745
General	Nicholas Brau	10/07/2024 07:09:34 AM CDT			7007986837-1	CONFIDENTIAL	Appt set now for 2pm on Oct 9th
General	Nicholas Brau	10/11/2024 06:05:25 AM CDT			7007986837-1	CONFIDENTIAL	Received call from engineer he was able to complete the inspection but advised reports can take up to 1 month will diary out the file.
General	Nicholas Brau	10/29/2024 08:12:28 AM CDT			7007986837-1	CONFIDENTIAL	Nic, I have some time set aside for reports this week and will work on getting this one to you by the end of the week. Respectfully, Nathan Prieve PE Prieve Engineering LLC nathan@prieve-engineering.com 612-203-2745
General	Nicholas Brau	11/04/2024 06:09:50 AM CST			7007986837-1	CONFIDENTIAL	Nic, I wanted to update you and let you know I wasn't able to get the report complete today. I plan on getting to it some time this weekend to not delay the claim any further. Respectfully,

Topic	Author	Authoring Date	Security Type	Subject	Related To	Confidential	Text
							Nathan Prieve PE Prieve Engineering LLC nathan@prieve-engineering.com 612-203-2745
General	Nicholas Brau	11/04/2024 13:59:34 PM CST			7007986837-1	CONFIDENTIAL	Received engineer report and no new storm related damages to the home, wear/tear sending letter to the customer with report no damages. CONCLUSIONS AND RECOMMENDATIONS: After visiting the site, reviewing available data and documents, and based upon the training and expertise of the investigator, we have formed the following conclusions and recommendations to a reasonable degree of engineering certainty. Prieve Engineering LLC reserves the right to supplement or amend the report pending further discovery. Any and all recommendations in the report are for budgeting and estimating purposes only and are not for permitting and/or construction. Detailed recommendations for permitting and construction will require separate stamped drawings and contract. Prieve Engineering LLC is not the Engineer of Record for the subject structure. 1) It is our opinion that no recent hail damage has occurred to windows in the subject structure related to any recent hail or other storm activity. Past storm data indicates a storm occurred on or around August 9, 2020 in the area. This is consistent with past claims including replacement of the roof due to hail damage. We note that prior claim estimates and information include 2 windows in the home noted for potential hail damage and replacement including the main level window to the left of the main entry and north facing window at the rear four season porch. Dents shown in prior claim photographs are similar to those observed during the site inspection. Given these 2 windows have already been included and we understand paid for due to prior storm activity, no additional payments in our opinion are appropriate for the 2 windows. 2) It is our opinion that no other damage occurred to windows around the home due to hail or any other catastrophic causation that warrants any repair or replacement. Dents and scrape marks appear at various areas of windows around the home not constant with hail. Dents noted at sashes and frames in our opinion include scrape marks inside dents consistent with impacts from blunt objects other than hail. Dents in accessory grooves are consistent with impacts other than hail or damage occurring during or following installation of windows at the time of construction of the home. Further, it is our opinion that past hail at the site was not of sufficient size to dent window frames or the face of sashes. No repairs or replacement of any further windows is warranted or required at the subject property due to hail or any other catastrophic causation other than the 2 windows already included and paid in prior claims. 3) It is our opinion that reported water leakage and water entry at windows is unrelated to hail or any other catastrophic causation. Stains present on walls at certain windows in our opinion are consistent with condensation and/or leakage through windows. We note that many windows have various applications of caulking at exterior sashes and frames consistent with past attempts to prevent water entry. Areas of staining and deterioration

Topic	Author	Authoring Date	Security Type	Subject	Related To	Confidential	Text
							appear at the interior of windows consistent with long term aging and deterioration to units. The conditions observed at windows, including reported leakage and water entry, in our opinion relate to wear and tear and aging of units and are unrelated to hail or any other catastrophic causation. No repairs or replacement of windows are warranted as relates to hail and alleged leakage of units. 4) It is our opinion that the siding penetration at the rear upper level of the home is unrelated to hail. Marks appear inside the penetration consistent with an impact from a blunt object other than hail. Further, recent storm activity in the area generally consists of storms moving from west to east with hail originating from a westerly direction. The penetration in siding appears at the east side, opposite typical origination of hail in recent storm activity in the area. No repairs in our opinion are warranted to siding as relates to hail.
General	Nicholas Brau	11/11/2024 08:50:33 AM CST			7007986837-1	CONFIDENTIAL	Sent response to the customer and have discussed loss with agent Peter as well. Bill Lu, I have received your email and we have already responded with our finding/outcome in the letter/engineer report that I have attached and that was sent to you on 11/4/2024. Nic Brau Senior Claim Adjuster – FWS Property Team Fire Insurance Exchange O. 913-234-4749 C. 651-587-3157 F. 866-947-4412 Email: nic.brau@farmersinsurance.com P.O. Box 268994, Oklahoma City, OK 73126-8994
General	Nicholas Brau	12/10/2024 13:30:55 PM CST			7007986837-1	CONFIDENTIAL	Emailed copy of the policy to the customer.
General	Tammy Stewart	01/29/2025 15:40:27 PM CST		claims chat	7007986837-1	CONFIDENTIAL	Agent Peter chatted in for Bradlee Monson's email address, provided email address with NDC expectations.

Topic	Author	Authoring Date	Security Type	Subject	Related To	Confidential	Text
General	Nicholas Brau	01/31/2025 13:35:22 PM CST			7007986837-1	CONFIDENTIAL	Discussed email correspondence with supervisor from the customer as we are both listed on the email, reviewed the customer information and sent letter to the homeowner to advised we have reviewed this information and our position remains the same.
General	Bradlee Monson	02/03/2025 10:32:47 AM CST			7007986837-1		I spoke Yibao and he wanted to discuss the information he submitted showing a hail storm in his area along with pictures. I explained to him that we sent out an engineer to review his window damage and the result is that the window damage is not consistent with hail damage. He wanted to know what he needed to do to get us to replace the windows. I explained that he could send in his own engineers report that is peer reviewed. I explained that if he did to this, it would be at his own cost. We would review the information for further coverage consideration. He wanted to know what could cause the damage besides hail. I explained that I did not want to speculate on the possible cause of damage to his windows. He told me that the windows are very hard and it would take strong hail to damage. I explained that the metal cladding is not extra hard it is more of a protection for the wood behind it. He then asked me how all of his windows could be damaged. I explained that all of them being damage is not consistent with hail damage since hail is directional. I ended the call by explain that our coverage decision stands pending additional information for review. I explained that I would not be able to overturn the decision of an engineer from this call today.
General	Nicholas Brau	02/10/2025 11:06:11 AM CST			7007986837-1	CONFIDENTIAL	Called Yibiao Lu and left v/m that we received his new email/information however this is not an engineers report that we were looking for, advised to call back with any questions.
General	Nicholas Brau	02/13/2025 08:06:50 AM CST			7007986837-1	CONFIDENTIAL	Discussed new documents sent in from the customer with my supervisor, sent response as follows. Dear YIBIAO LU: Thank you for choosing us to provide for your insurance needs. We value you as a customer and appreciate the opportunity to be of service. We have reviewed the new information sent in by you but it does not change the outcome of this claim. If you wish to submit your owne engineers report we will be happy to review it, however it will be at your own cost. We encourage you to visit www.farmers.com to learn more about our self-service options available to you, including the ability to view your claim status, upload documents and photos and find local service providers. If you have any questions, please contact me at (651) 587-3157. Thank you. Nicholas Brau Claims Spec Rep Prop (651) 587-3157 Fire Insurance Exchange
General	Nicholas Brau	05/12/2025 07:03:29 AM CDT			7007986837-1	CONFIDENTIAL	Received engineer report on this loss, issued payment directly to the Engineer Prieve Engineering LLC invoice 241008-1 $[redacted]
General	Emily Roberts	05/29/2025 08:27:34 AM CDT			7007986837-1	CONFIDENTIAL	OB call to agent @ 612-220-0342. Spoke to Agent (Pete). Advised that I was made aware of the claim and had reviewed the details and reports as well as the additional documents sent in and that our position had not changed regarding the damages. He advised he understood and agreed but that the insured continually insisted on stopping by the office each week and having him submit new paperwork so he was just trying to appease them. I advised I understood but wanted to make him aware that the insured had actually located the engineer we had used (Nathan Prieve 612-203-2745) and had shown up at his home address yesterday and staked out his

Topic	Author	Authoring Date	Security Type	Subject	Related To	Confidential	Text
							house until they could get him to come outside. Advised they were there somewhere between 30-60min. Agent advised this didnt surprise him as the insureds wife had come to the office last week and was speaking so animatedly regarding the claim that another customer in the office called the police for a welfare and keep the peace check. He advised he would make note of their actions but didnt feel comfortable approaching them. I advised I understood and would let the FCR know.
Evaluation	Amy Spawr-Bardley	07/10/2025 15:12:51 PM CDT			7007986837-1	CONFIDENTIAL	Attorney General complaint received, Case #FIG-25-07-005673
General	Nicholas Brau	07/11/2025 09:11:03 AM CDT			7007986837-1	CONFIDENTIAL	Received email from the customer to myself the agent and supervisor, discussed with supervisor and no extensions will be granted on this loss, sent the customer letter to advise of this.
General	Trent Thornton	08/08/2025 16:45:57 PM CDT			7007986837-1	CONFIDENTIAL	Paper work for demand for appraisal came in from contractor. Sending for property support team
General	Trent Thornton	08/08/2025 17:02:42 PM CDT			7007986837-1	CONFIDENTIAL	Sending info to Property support team to review
General	Zorphlon Miller	08/13/2025 10:56:11 AM CDT			7007986837-1	CONFIDENTIAL	Reassignment to PFST to address the appraisal request: Customer Contact Attempt: GA called Mr. Lu. No answer. GA left an introduction message and provided my contact information for a return call. The request lists the disputes as the windows, siding, and paint siding. The interior damages are not listed. GA has conducted a file review of the prior claims, file activities, and policy coverages. Prior claims for two hail claims have been documented. 2020 claim paid for roof and gutter replacement. It appears no overlapping to this loss. Engineer Evaluation: Damage to windows and interior leaking is not related to hail. Denial letter was sent. Contractor Estimate: $366K to replace windows, siding, paint, GC fees. POL in file with no signature. GA will send an acknowledgement letter. GA will accept appraisal, send docs, monitor process, status customer, and conclude based on the award findings.
General	Zorphlon Miller	09/02/2025 13:25:06 PM CDT			7007986837-1	CONFIDENTIAL	STATUS: Greg and the OA have agreed to use Wade Roos for an umpire, but they are still trying to get this one scheduled. I'll let you know as soon as the inspection is confirmed.
General	Zorphlon Miller	09/05/2025 14:36:15 PM CDT			7007986837-1	CONFIDENTIAL	STATUS: The inspection is scheduled to be completed on 9/12/25.
General	Zorphlon Miller	09/08/2025 13:21:08 PM CDT			7007986837-1	CONFIDENTIAL	STATUS: Here is the umpire's invoice for payment on this appraisal matter. Their EIN is on the invoice, but Greg can ask for a W9 if needed. This is one where the inspection isn't

Topic	Author	Authoring Date	Security Type	Subject	Related To	Confidential	Text
							scheduled until 9/12/2025, but the OA has insisted that the umpire be present at the inspection, which seems to be the case on everything we get in MN right now. Please tender payment at your earliest convenience. Greg will be meeting the panel for the inspection on 9/12/2025.
General	Zorphlon Miller	09/15/2025 09:04:25 AM CDT			7007986837-1	CONFIDENTIAL	The appraisal award documents have printed to the claim file. The package is under review for processing in a timely manner.
General	Zorphlon Miller	09/16/2025 08:40:17 AM CDT			7007986837-1	CONFIDENTIAL	APPRAISAL AWARD REVIEW: We have a 2-signature award signed by the umpire and OA. Mr. Tomes, carrier appraiser, did not sign the award. The scope of damage was increased to allow for window damage due to hail. No estimate provided by umpire. Prior Claim Damage: GA reviewed prior claims and confirmed depreciation was released for repairs. Report Details: DISPUTE DETAIL The repair estimate provided by your office had an RCV value of $0.00. The demand estimate of $365,393.59 was written Pure Co Roofing LLC and included the following repair scope: • Repair of siding, clean & paint siding • Replacement of windows per Pella Window bid • Debris removal • GCO&P • Labor minimum allowance EXTERIOR ELEVATIONS Windows I documented the damage to the windows on the front right, and the rear elevation in the dining room. The windows were manufactured by Senco and had manufacturer stamps in the sashes from 1993, 1997, 2008. The left window on front elevation in the Dining Room has hail damage that matched the prior claim photos. The pre-existing damage to the dining room window was not considered in the award. AWARD Upon completion of the inspection, I met with the OA and the Umpire. At this time, we discussed the damage found during the inspection of the property. The award includes the replacement of the front facing window on the right elevation. Additionally, the three windows in the family room on the rear elevation are included in the award. I declined to sign the award as I am in agreement with the scope of repairs, but do not agree with the date of loss. The original coverage positions was a denial. In an effort to resolve this dispute, we are moving forward with settlement per the appraisal award as issued for this claim. The award falls below the policy deductible. Thus, no payment will be issued. GA will draft letter, pay invoice, and notify customer of the outcome. CDE: N/A
General	Zorphlon Miller	09/16/2025 09:06:13 AM CDT			7007986837-1	CONFIDENTIAL	Customer Contact Attempt: GA called Mr. Lu. GA left a detailed message advising of the completion of the appraisal process. GA provided my contact information for a return call to discuss further.

Topic	Author	Authoring Date	Security Type	Subject	Related To	Confidential	Text
							GA called Ms. Hu. She is listed as the main contact for the claim. No answer. Left a detailed message.
General	Zorphlon Miller	09/17/2025 11:54:12 AM CDT			7007986837-1	CONFIDENTIAL	Agent Call: Spoke to Tyler. He was in the dark about what is going on. The agent is out this week. The customer went into the office needing additional information since their contractor estimate was $350K. GA reviewed the outcome, read him the final report, and advised I called the customer on yesterday - no response. GA advised the appraiser may know what the notations are on the award. GA could not assume, but based on the report, it may be the location of the windows. GA referred the customer to his appraiser for additional details - as the umpire did not provide an estimate. He understood and thanked me for my help!
General	Zorphlon Miller	09/19/2025 13:46:10 PM CDT			7007986837-1	CONFIDENTIAL	CORRECTED REPORT: I documented the damage to the windows on the front right, and the rear elevation in the family room. The windows were manufactured by Senco and had manufacturer stamps in the sashes from 1993, 1997, 2008.
General	Shelby Miron	10/13/2025 14:31:24 PM CDT		Agent chat	7007986837-1	CONFIDENTIAL	agent Peter Pietila chatting in asking for adjuster Zorphlon Miller's email. "Can I get email for, Twonda Miller Senior General Claims Adjuster- her name is on most recent claim doc" provided contact information that is available for the insured and agent on the letter, Zorphlon Miller Senior General Claims Adjuster (832) 865-4165 Fire Insurance Exchange Email communications are preferred and should be sent to myclaim@farmersinsurance.com. If hard copies of communications are required, they should be sent to our National Document Center at P.O. Box 268994, Oklahoma City, OK 73126-8994.
General	Julie Depugh	10/28/2025 11:43:06 AM CDT		CLAIMS CHAT	7007986837-1		Received chat from agent seeking property field claim office for MN. Advised all BCO have closed. Reminded agent that claim is CAT claim, provided CR contact
General	Nicholas Brau	10/29/2025 09:43:35 AM CDT			7007986837-1	CONFIDENTIAL	Sent email response to the customer. Mr. Lu, All the information we can release has already been sent to you. The claim was settled per the binding appraisal award received. The loss is under your deductible. If you need information as to why additional windows were not included in the award then you will need to contact your appraiser to obtain that information.
[redacted]	[redacted]	07/14/2026 14:30:12 PM CDT			[redacted]	[redacted]	[redacted]
[redacted]	[redacted]	07/14/2026 16:01:49 PM CDT			[redacted]	[redacted]	[redacted]