

EXPERIMENT – 03

DML Commands – INSERT, SELECT

INSERT & SELECT:

```
mysql> -- FACULTY table (matches Exp 2a's faculty structure: Facno, FacName, gender, Dob, mobileno, DOJ, dept)
mysql> insert into faculty values
-> ('119', 'mohan', 'm', '20040112', '20100523', 990826973, 'mtr'),
-> ('192', 'raju', 'm', '20050213', '20090625', 908658940, 'mgr'),
-> ('193', 'ramesh', 'm', '20050314', '20141220', 998263548, 'mnr'),
-> ('154', 'ramu', 'm', '20060414', '20011225', 908269279, 'mgr'),
-> ('195', 'san', 'm', '20070517', '20160920', 998269245, 'hyt');
ERROR 1136 (21S01): Column count doesn't match value count at row 1
mysql>
mysql> select * from faculty;
Empty set (0.04 sec)

mysql> commit;
Query OK, 0 rows affected (0.00 sec)

mysql>
mysql> -- STUDENT table (matches Exp 2a's student structure: Regno, Name, gender, Dob, mobileno, city)
mysql> insert into student values
-> (19221151, 'mohan', 'm', 20040112, 990826973, 'mtr'),
-> (19221152, 'raju', 'm', 20050213, 908658940, 'mgr'),
-> (19221153, 'ramesh', 'm', 20050314, 998263548, 'mnr'),
-> (19221154, 'ramu', 'm', 20060414, 908269279, 'mgr'),
-> (19221155, 'san', 'm', 20070517, 998269245, 'hyt');
Query OK, 5 rows affected (0.06 sec)
Records: 5 Duplicates: 0 Warnings: 0

mysql>
mysql> select * from student;
+-----+-----+-----+-----+-----+-----+
| Regno | Name  | gender | Dob      | mobileno | city  |
+-----+-----+-----+-----+-----+-----+
| 19221151 | mohan | m      | 20040112 | 990826973 | mtr   |
| 19221152 | raju  | m      | 20050213 | 908658940 | mgr   |
| 19221153 | ramesh | m      | 20050314 | 998263548 | mnr   |
| 19221154 | ramu  | m      | 20060414 | 908269279 | mgr   |
| 19221155 | san   | m      | 20070517 | 998269245 | hyt   |
+-----+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```