

EXPERIMENT – 05

TCL Commands – COMMIT, SAVEPOINT, ROLLBACK

SAVEPOINT & ROLLBACK:

```
mysql> -- EXPERIMENT 5: TCL - COMMIT, SAVEPOINT, ROLLBACK
mysql> SET autocommit = 0;
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> INSERT INTO Department VALUES (6,'Aerospace');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> SAVEPOINT sp1;
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> INSERT INTO Department VALUES (7,'Robotics');
Query OK, 1 row affected (0.00 sec)
```

```
mysql> SELECT * FROM Department;
```

dept_id	dept_name
6	Aerospace
4	Civil
1	Computer Science
2	Electronics
3	Mechanical
7	Robotics

```
6 rows in set (0.00 sec)
```

```
mysql> ROLLBACK TO sp1;
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> SELECT * FROM Department;
```

dept_id	dept_name
6	Aerospace
4	Civil
1	Computer Science
2	Electronics
3	Mechanical

```
5 rows in set (0.00 sec)
```

COMMIT:

```
mysql> COMMIT;  
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> SELECT * FROM Department;
```

dept_id	dept_name
6	Aerospace
4	Civil
1	Computer Science
2	Electronics
3	Mechanical

```
5 rows in set (0.00 sec)
```

```
mysql> SET autocommit = 1;  
Query OK, 0 rows affected (0.00 sec)
```