Conservation decisions with exact algorithm solvers

Jeffrey Hanson

jeffrey.hanson@uqconnect.edu.au

jeffrey-hanson.com


Now
Biodiversity
Status quo
2000
Future


Now
Biodiversity
How do we get here?
Status quo
2000
Future

How do we bend the curve?









Data → Information → Plan → Outcome

How do we bend the curve?



Data → Information → Plan → Outcome

Prioritization

Framing conservation as a decision science problem

- Goal: what is our vision for the future?
- Objective: what quantity are we maximizing/minimizing to help achieve the goal?
- Constraints: what things must our solution do to help achieve the goal?
- Decisions: what actions could we do to maximize/minimize the objective?

Heuristic algorithm

Meta-heuristic algorithms

Exact algorithms



PPP

MARXAN conservation solutions

GUROBI OPTIMIZATION

IBM CPLEX

COIN-OR

Exact algorithm solvers

- Open source and commercial solvers available (e.g., Gurobi, IBM CPLEX, CBC, HiGHS, SYMPHONY)
- Automatically select algorithms for different problems (e.g., presolve, simplex, barrier, branch-and-bound)
- Broadly speaking have similar functionality, but have different implementations of the underlying algorithms, and have different performance for different kinds of problems

See here for explanation of branch and bound algorithm: https://www.youtube.com/watch?v=CdfZ4XOpSho

Exact algorithm solvers

- Solve multiple problem types:
  - linear programming (LP) =
    continuous decision variables
  - integer programming (IP/ILP) =
    binary/integer decision variables
  - mixed integer linear programming (MILP) =
    continuous + binary/integer decision variables

Conservation examples



Nature Conservancy of Canada for land acquisition



Waitt Institute to help Government of Montserrat



McKinsey Consulting



Scottish Government for marine spatial planning in Rockall Bank

USGS to prioritize recovery areas in Hawaii

Reserve selection as optimization

- Goal: conserve biodiversity
- Objective: min. # of islands
- Constraints: sufficient habitat for each species
- Decisions: create a reserve on an island or not?






1
2
3
4
5
6
7
8
9


1
2
3
4
5
6
7
8
9
1 2 3 4 5 6 7 8 9

1 2 3 4 5 6 7 8 9

Min €: +1 +1 +1 +1 +1 +1 +1 +1 +1

1 2 3 4 5 6 7 8 9

Min €: +1 +1 +1 +1 +1 +1 +1 +1 +1

1 2 3 4 5 6 7 8 9

Min €: +1 +1 +1 +1 +1 +1 +1 +1 +1

+1

+1



1 2 3 4 5 6 7 8 9

Min €: +1 +1 +1 +1 +1 +1 +1 +1 +1



+1

+1 +1

1 2 3 4 5 6 7 8 9

Min €: +1 +1 +1 +1 +1 +1 +1 +1 +1

+1

+1

+1

+1 +1



1 2 3 4 5 6 7 8 9

Min €:	+1	+1	+1	+1	+1	+1	+1	+1	+1
			+1						
							+1	+1	
			+1	+1					
	+1								
	+1	+1		+1	+1	+1			+1
	1	2	3	4	5	6	7	8	9

Min €:	+1	+1	+1	+1	+1	+1	+1	+1	+1	
			+1							≥ 1
							+1	+1		≥ 1
			+1	+1						≥ 1
	+1									≥ 1
	+1	+1		+1	+1	+1			+1	≥ 1
	1	2	3	4	5	6	7	8	9	

Min €: +1 +1 +1 +1 +1 +1 +1 +1 +1

SOLVER SOFTWARE

≥ 1
≥ 1
≥ 1
≥ 1
≥ 1

1 2 3 4 5 6 7 8 9

Min €:	+1	+1	+1	+1	+1	+1	+1	+1	+1	
			+1							≥ 1
							+1	+1		≥ 1
			+1	+1						≥ 1
	+1									≥ 1
	+1	+1		+1	+1	+1			+1	≥ 1
	1	2	3	4	5	6	7	8	9	


1
2
3
4
5
6
7
8
9
1
2
3
4
5
6
7
8
9

Exact algorithm solvers

lp_solve

Cost and licensing

Commercial

Open source

lp_solve

General performance

- Modern benchmarks (April 2023)
- CBC vs Gurobi vs HiGHS

Unscaled and scaled shifted geometric means of run times

All non-successes are counted as max-time.
The third line lists the number of problems (240 total) solved.

	CBC	Gurobi	COPT	SCIP	SCIPC	HiGHS
unscal	1328	81.5	164	888	727	715
scaled	16.3	1	2.01	10.9	8.92	8.77
solved	107	227	204	137	152	158

General performance

- Historical benchmarks (Oct 2018)
- See how CPLEX and lp_solve compare

1 thr	CBC	CPLEX	GUROBI	SCIPC	SCIPS	XPRESS	MATLB	SAS	MIPCL	GLPK	LP_SOL
unscal	1639	72.2	41.6	239	330	83.1	3002	121	453	6925	5616
scaled	39	1.74	1	5.75	7.94	2.00	72.2	2.90	10.9	167	135
solved	53	87	87	83	76	86	32	84	76	2	7

General performance

- Historical benchmarks (2010)
- See how Symphony compares



Performance for a conservation problem



Running the software programmatically

- Gurobi (gurobi R package)
- IBM CPLEX (cplexAPI and Rcplex R packages
- Symphony (lpsymphony and Rsymphony R packages)
- CBC (rcbc R package)
- lp_solve (lpsolveAPI R package)
- HiGHS (highs R package)

Software interfaces are available for other programming languages too!

Recommendations

1. Gurobi is the best solver, and a special academic license is freely available

2. CBC and HiGHS are the best open source solvers

3. All three solvers have fairly similar R package interface, so running the same analyses with different solvers is relatively straight forward

jeffrey.hanson@uqconnect.edu.au

github.com/prioritizr/prioritizr

prioritizr.net

Project prioritization

Project data

Recovery projects

Project prioritization

Project data

Actions

Recovery projects



Cost data

$

$$

$$$

$0

Project prioritization

Project data

Actions

Success

Recovery projects


✓ 90%


✓ 20%


✓ ✓ 50%


✓ 100%

Cost data


$


$$


$$$


$0

Project prioritization

Project data

Recovery projects	Actions				Success	Persistence (%)		
	✓				90%	95%		
		✓			20%		10%	
	✓	✓			50%			70%
			✓		100%	40%	9%	65%

Cost data

 $

 $$

 $$$$$

 $0

Project prioritization

Project data

Actions

Persistence (%)



Success

Recovery projects




				Success			
✓				90%	95%		
	✓			20%		10%	
✓	✓			50%			70%
		✓		100%	40%	9%	65%

Cost data


$


$$


$$$


$0

Budget $$$