

- wdpar: Interface to the World Database on Protected
- ₂ Areas
- **Jeffrey O. Hanson □** ¹
- 1 Department of Biology, Carleton University, Ottawa, Canada

DOI: 10.xxxxx/draft

Software

- Review 🗗
- Repository 🗗
- Archive ♂

Editor: Open Journals ♂ Reviewers:

@openjournals

Submitted: 01 January 1970 **Published:** unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License (CC BY 4.0).

35

Summary

The wdpar R package provides an interface to data available on Protected Planet (https://www.protectedplanet.net). It can be used to access the World Database on Protected Areas (WDPA) and the World Database on Other Effective Area-Based Conservation Measures (WDOECM). Additionally, it provides data cleaning procedures to prepare these databases for analysis. These data cleaning procedures are essential for ensuring correct results when using the databases. As a software package for the R statistical computing environment, it can easily be integrated into workflows and spatial analyses. The package has applications for conservation research. It has been used to assess performance of existing protected areas and account for such areas when identifying priority areas for conservation efforts.

Statement of need

Area-based conservation measures are crucial for safeguarding biodiversity (Dudley et al., 2018; Watson et al., 2014). Examples of such measures include protected areas, marine reserves, and other effective area-based conservation measures (OECMs). Protected Planet is a key resource for area-based conservation measures, providing the World Database on Protected Areas (WDPA) and the World Database on Other Effective Area-Based Conservation Measures (WDOECM) (UNEP-WCMC & IUCN, 2022). These publicly available databases contain standardized data for over 270,000 protected areas and over 700 OECMs worldwide (UNEP-WCMC & IUCN, 2022). By detailing the designation, establishment, management, and spatial boundaries of area-based conservation measures (UNEP-WCMC, 2019), these databases play a vital role in monitoring and prioritizing conservation efforts (Bingham et al., 2019; Butchart et al., 2015).

The WDPA and WDOECM require data cleaning procedures to prepare them for analysis (Butchart et al., 2015; Protected Planet, 2021). These procedures include repairing invalid geometries in spatial boundaries, excluding areas that have yet to be fully implemented, excluding areas that are no longer designated, excluding UNESCO Biosphere Reserves (Coetzer et al., 2014), buffering areas represented by point localities (Visconti et al., 2013), and removing spatial overlaps (Deguignet et al., 2017). These procedures are critical to ensure that assessments of area-based conservation measures do not overestimate the spatial extent of such measures and ability to conserve biodiversity (Coetzer et al., 2014; Deguignet et al., 2017). Although these procedures are critical, they can be technically challenging to implement. The wdpar R package provides automated methods to complete these procedures following best practices (Butchart et al., 2015; Protected Planet, 2021). Using the package, data cleaning procedures can applied without specialized knowledge, customized to particular use cases, and across the entire WDPA and WDOECM. As such, the wdpar R package helps increase accessibility to the databases.



41 Research applications

- The wdpar R package has several applications for conservation research. For example, it has been used to assess the performance of existing protected areas in Colombia, Greece, and South
- Asia (Chowdhury et al., 2021; Gonzalez et al., 2022; Kougioumoutzis et al., 2021; Panitsa et
- al., 2021). It has also been used to examine the potential implications of climate change on
- conservation efforts (Kougioumoutzis et al., 2022; Mothes et al., 2020). Additionally, it has
- been used to account for existing protected areas when identifying priority areas for biodiversity conservation (Hanson et al., 2020). Furthermore, it has been used to help understand how
- protected area management by Indigenous Peoples can reduce deforestation (Sze et al., 2022).

Availability

- $_{51}$ The wdpar R package is implemented as a software package for R statistical computing
- 52 environment (R Core Team, 2022). It is available on the Comprehensive R Archive Network
- (CRAN) (Hanson, 2021). Developmental versions are available on an online code repository
- 64 (https://github.com/prioritizr/wdpar). Documentation for the package is also available online
- (https://prioritizr.github.io/wdpar).

56 Acknowledgments

- The author thanks all of the individuals that have contributed to the package by reporting
- software defects and providing suggestions to improve functionality. The author is also grateful
- $_{59}$ to Joseph Bennett for feedback on a draft of the manuscript. The author was supported by
- Environment and Climate Change Canada (ECCC) and Nature Conservancy of Canada (NCC).

61 Conflict of interest

The author declares no conflict of interest.

References

- Bingham, H. C., Juffe Bignoli, D., Lewis, E., MacSharry, B., Burgess, N. D., Visconti, P., Deguignet, M., Misrachi, M., Walpole, M., Stewart, J. L., & others. (2019). Sixty years
- of tracking conservation progress using the World Database on Protected Areas. *Nature*
- 67 Ecology and Evolution, 3(5), 737–743. https://doi.org/10.1038/s41559-019-0869-3
- Butchart, S. H. M., Clarke, M., Smith, R. J., Sykes, R. E., Scharlemann, J. P. W., Harfoot,
- M., Buchanan, G. M., Angulo, A., Balmford, A., Bertzky, B., Brooks, T. M., Carpenter,
- K. E., Comeros-Raynal, M. T., Cornell, J., Ficetola, G. F., Fishpool, L. D. C., Fuller,
- 71 R. A., Geldmann, J., Harwell, H., ... Burgess, N. D. (2015). Shortfalls and solutions for meeting national and global conservation area targets. *Conservation Letters*, 8(5), 329–337.
- 73 https://doi.org/10.1111/conl.12158
- Chowdhury, S., Alam, S., Labi, M. M., Khan, N., Rokonuzzaman, M., Biswas, D., Tahea,
- T., Mukul, S. A., & Fuller, R. A. (2021). Protected areas in South Asia: Status and prospects. *Science of the Total Environment*, 152316. https://doi.org/10.1016/j.scitotenv.
- 77 2021.152316
- Coetzer, K. L., Witkowski, E. T. F., & Erasmus, B. F. N. (2014). Reviewing biosphere reserves globally: Effective conservation action or bureaucratic label? *Biological Reviews*, 89(1),
- 82–104. https://doi.org/10.1111/brv.12044



- Deguignet, M., Arnell, A., Juffe-Bignoli, D., Shi, Y., Bingham, H., MacSharry, B., & Kingston, N. (2017). Measuring the extent of overlaps in protected area designations. *PloS One*, 12(11), e0188681. https://doi.org/10.1371/journal.pone.0188681
- Dudley, N., Jonas, H., Nelson, F., Parrish, J., Pyhälä, A., Stolton, S., & Watson, J. E.

 M. (2018). The essential role of other effective area-based conservation measures in achieving big bold conservation targets. *Global Ecology and Conservation*, 15, e00424. https://doi.org/10.1016/j.gecco.2018.e00424
- Gonzalez, B., Brook, F., & Martin, G. M. (2022). Updated distribution and conservation perspectives of marmosine opossums from Colombia. *Hystrix, the Italian Journal of Mammalogy, In press.* https://doi.org/10.4404/hystrix-00489-2021
- Hanson, J. O. (2021). wdpar: Interface to the World Database on Protected Areas. R package version 1.3.2. https://CRAN.R-project.org/package=wdpar
- Hanson, J. O., Marques, A., Veríssimo, A., Camacho-Sanchez, M., Velo-Antón, G., Martínez-Solano, Í., & Carvalho, S. B. (2020). Conservation planning for adaptive and neutral evolutionary processes. *Journal of Applied Ecology*, 57(11), 2159–2169. https://doi.org/10.1111/1365-2664.13718
- Kougioumoutzis, K., Kaloveloni, A., & Petanidou, T. (2022). Assessing climate change impacts
 on island bees: The Aegean archipelago. *Biology*, 11(4), 552. https://doi.org/10.3390/biology11040552
- Kougioumoutzis, K., Kokkoris, I. P., Panitsa, M., Strid, A., & Dimopoulos, P. (2021). Extinction risk assessment of the Greek endemic flora. *Biology*, 10(3), 195. https://doi.org/10.3390/biology10030195
- Mothes, C. C., Howell, H. J., & Searcy, C. A. (2020). Habitat suitability models for the imperiled wood turtle (*Glyptemys insculpta*) raise concerns for the species' persistence under future climate change. *Global Ecology and Conservation*, 24, e01247. https://doi.org/10.1016/j.gecco.2020.e01247
- Panitsa, M., Kokkoris, I. P., Kougioumoutzis, K., Kontopanou, A., Bazos, I., Strid, A., & Dimopoulos, P. (2021). Linking taxonomic, phylogenetic and functional plant diversity with ecosystem services of cliffs and screes in Greece. *Plants*, *10*(5), 992. https://doi.org/10.3390/plants10050992
- Protected Planet. (2021). *Calculating protected and OECM area coverage*. https://www.protectedplanet.net/en/resources/calculating-protected-area-coverage
- R Core Team. (2022). *R: A language and environment for statistical computing*. R Foundation for Statistical Computing. https://www.R-project.org/
- Sze, J. S., Carrasco, L. R., Childs, D., & Edwards, D. P. (2022). Reduced deforestation and degradation in Indigenous Lands pan-tropically. *Nature Sustainability*, *5*(2), 123–130. https://doi.org/10.1038/s41893-021-00815-2
- UNEP-WCMC. (2019). User manual for the World Database on Protected Areas and world database on other effective area-based conservation measures: 1.6. Cambridge, UK: UNEP-WCMC. http://wcmc.io/WDPA_Manual
- UNEP-WCMC, & IUCN. (2022). Protected Planet: The World Database on Protected Areas (WDPA) and World Database on Other Effective Area-based Conservation Measures (WD-OECM) [Online]. May 2022, Cambridge, UK: UNEP-WCMC and IUCN. www.protectedplanet.net
- Visconti, P., Di Marco, M., Álvarez-Romero, J. G., Januchowski-Hartley, S. R., Pressey, R. L., Weeks, R., & Rondinini, C. (2013). Effects of errors and gaps in spatial data sets on assessment of conservation progress. *Conservation Biology*, 27(5), 1000–1010. https://doi.org/10.1111/cobi.12095



Watson, J. E. M., Dudley, N., Segan, D. B., & Hockings, M. (2014). The performance and potential of protected areas. *Nature*, 515(7525), 67-73. https://doi.org/10.1038/nature13947

