Deploying the nodeJs Application using the Docker Mongo Image and Docker Mongo-Express Image the following code has been uploaded on to the git hub Follow the below
link :
https://github.com/jeffreyjoy271114/Docker-Mongodb-Node.js

The set up of the mongo and and the mongo express using the docker and via the terminal is shown below:

```
jeffrey@jeffrey-Inspiron-13-5320:~$ docker network ls
NETWORK ID     NAME      DRIVER    SCOPE
ccdcd9356a58   bridge    bridge    local
a09a7bd0ffb7   host      host      local
a8935b61058f   none      null      local
jeffrey@jeffrey-Inspiron-13-5320:~$ docker network create mongo-network
c6b9ec361b7ffec31f1779b63996283050 8e83fe644fc7dbc4d9c913c0520249
jeffrey@jeffrey-Inspiron-13-5320:~$ docker network ls
NETWORK ID     NAME            DRIVER    SCOPE
ccdcd9356a58   bridge          bridge    local
a09a7bd0ffb7   host            host      local
c6b9ec361b7f   mongo-network   bridge    local
a8935b61058f   none            null      local
jeffrey@jeffrey-Inspiron-13-5320:~$ docker run -d/
unknown shorthand flag: '/' in -/

Usage:  docker run [OPTIONS] IMAGE [COMMAND] [ARG...]

Run 'docker run --help' for more information
jeffrey@jeffrey-Inspiron-13-5320:~$ docker run -d \
> -p 27017:27017 \
> --name mongo \
> -- network mongo-network \
> -e MONGO_INITDB_ROOT_USERNAME=admin \
> -e MONGO_INITDB_ROOT_PASSWORD=qwerty \
> mongo
Unable to find image 'network:latest' locally
docker: Error response from daemon: pull access denied for network, repository does not exist or may require 'docker login'

Run 'docker run --help' for more information
jeffrey@jeffrey-Inspiron-13-5320:~$ docker run -d -p 27017:27017 --name mongo --network mongo-network -e MONGO_INITDB_ROOT_USERNAME=admin -e MONGO_INITDB_ROOT_PASSWORD=qwerty mongo
Unable to find image 'mongo:latest' locally
latest: Pulling from library/mongo
22de34182e26: Pull complete
6126dc5fffed: Pull complete
f39dec9b5448: Pull complete
51c17794a12f: Pull complete
ccce04f560d7: Pull complete
ba27587cdb34: Pull complete
b40150c1c271: Pull complete
0b1842dab2ed: Pull complete
0cb1d46d977e: Download complete
bc0f43d24943: Download complete
Digest: sha256:7abfba0d07c9330373f8173981ea4d09cd8a82cdf0e86ccaf7008848d1d24f62
Status: Downloaded newer image for mongo:latest
```

```
jeffrey@jeffrey-Inspiron-13-5320:~$ docker run -d \
> -p 8081:8081 \
> --name mongo-express \
> --network mongo-network \
> -e ME_CONFIG_MONGODB_ADMINUSERNAME=admin \
> -e ME_CONFIG_MONGODB_ADMINPASSWORD=qwerty \
> -e ME_CONFIG_MONGODB_URL="mongodb://admin:qwerty@mongo:27017" \
> mongo-express
Unable to find image 'mongo-express:latest' locally
latest: Pulling from library/mongo-express
7e9a007eb24b: Pull complete
0bf3571b6cd7: Pull complete
619be1103602: Pull complete
9f7f59574f7d: Pull complete
5189255e31c8: Pull complete
88f4f8a6bc8d: Pull complete
d8305ae32c95: Pull complete
45b24ec126f9: Pull complete
337574bd0f5e: Download complete
99ef4db52d2b: Download complete
Digest: sha256:1b23d7976f0210dbec74045c209e52fbb26d29b2e873d6c6fa3d3f0ae32c2a64
Status: Downloaded newer image for mongo-express:latest
6cb3febeaefcc325a0b69751d0fa8a19f5958b06b814a650445ce17c3a9ef181
jeffrey@jeffrey-Inspiron-13-5320:~$ docker ps
CONTAINER ID   IMAGE           COMMAND                  CREATED          STATUS          PORTS                                                   NAMES
6cb3febeaefc   mongo-express   "/sbin/tini -- /dock…"   42 seconds ago   Up 33 seconds   0.0.0.0:8081->8081/tcp, [::]:8081->8081/tcp             mongo-express
8baa01b7d866   mongo           "docker-entrypoint.s…"   6 minutes ago    Up 5 minutes    0.0.0.0:27017->27017/tcp, [::]:27017->27017/tcp         mongo
63965c170192   mysql:8.0       "docker-entrypoint.s…"   24 hours ago     Up 24 hours     33060/tcp, 0.0.0.0:5000->3306/tcp, [::]:5000->3306/tcp  mysql-older
f42f5e14db24   mysql           "docker-entrypoint.s…"   24 hours ago     Up 24 hours     33060/tcp, 0.0.0.0:8080->3306/tcp, [::]:8080->3306/tcp  mysql-latest
jeffrey@jeffrey-Inspiron-13-5320:~$ docker stop mysql-latest
mysql-latest
jeffrey@jeffrey-Inspiron-13-5320:~$ docker stop mysql-older
mysql-older
jeffrey@jeffrey-Inspiron-13-5320:~$ docker ps
CONTAINER ID   IMAGE           COMMAND                  CREATED          STATUS          PORTS                                                   NAMES
6cb3febeaefc   mongo-express   "/sbin/tini -- /dock…"   2 minutes ago    Up 2 minutes    0.0.0.0:8081->8081/tcp, [::]:8081->8081/tcp             mongo-express
8baa01b7d866   mongo           "docker-entrypoint.s…"   8 minutes ago    Up 7 minutes    0.0.0.0:27017->27017/tcp, [::]:27017->27017/tcp         mongo
jeffrey@jeffrey-Inspiron-13-5320:~$
```

Then the run the follwing command on the terminal of the node js so that it will be able to listen to the port onto which we have mentioned it on the server.js file

Jeffrey@jeffrey-Inspiron-13-5320:~/Downloads/docker-testapp-main$ node server.js
server running on port 5050

Then to verify that the mongo express setup is successful using the docker go the following link:



Create the database name and the collection name that we have decided during writing of the code in the server.js in the mongo-express

Add the user using the new document button and also via the url listening on port **5050/addUser**





Thus we have successfully connected to the mogo and the mongo-express via the terminal using docker