
Real Exam



Exam:M70-201

Title: Magento Certified Developer Plus Exam

Exam A

QUESTION 1

With which three kinds of product relations do Magento Catalog Target Rules deal? (Choose three)

- A. The relations between a configurable product and its child products
- B. The relations between a bundle product and its child products
- C. The relations among products linked as cross-sell products
- D. The relations between a product and its custom options
- E. The relations among products linked as related products
- F. The relations among products linked as upsell products

Answer: CEF

Explanation/Reference:

QUESTION 2

When setData ('some', 'value') is called on an EAV entity and the entity is saved to the database,

- A. The 'value' of the attribute named 'some' is saved in the eav_values table
- B. The 'value' of the attribute named 'some' is saved in one of the entity's tables depending on its datatype (for example, entityname varchar)
- C. The data will be stored in the EAV registry making 'some' 'value' available to the entity
- D. The 'value' of the attribute named T some' is saved in the eav attribute values table

Answer: B

Explanation/Reference:

QUESTION 3

A custom frontend controller will extend which one of the following classes?

- A. Mage Core Controller Front Action
- B. Mage_Adminhtml_Controller_Action
- C. Mage Core Controller Varien Front
- D. Mage_Core_Controller_Abstract

Answer: A

Explanation/Reference:

QUESTION 4

Which one of the following xpaths is correct for replacing Mage_Customer_Model_Custom_Address via Mage::helper ('customer/address')?

- A. Global/customer/helpers/address
- B. Global/rewrite/helpers/rewrite/address
- C. Global/helpers/customer/rewrite/address
- D. Global/helpers/rewrite/customer address
- E. Global/helpers/rewrite/customer/address

Answer: C

Which three of the following object types will have a parent class found in the Mage_Eav module for the purposes of EAV data storage in Magento? (Choose three)

- A. Data model
- B. Data helper
- C. Resource model
- D. Resource collection
- E. Setup class

Answer: CDE

Explanation/Reference:

QUESTION 6

Which three of the following conditions are used to protect an admin route via ACL? (Choose three)

- A. You have defined an ACL in your module configuration
- B. At least one admin role must have permission for that route
- C. You have extended the controller from Mage Adminhtml Controller Action
- D. You have defined a method is Allowed which checks the permission
- E. The route name must start with admin

Answer: ACD

Explanation/Reference:

QUESTION 7

Applying the shopping cart rule's action affects the quote item by setting the quote item's

- A. base price and price properties with the discounted price
- B. base_discount_amount and discount_amount with the discount applied to the original price
- C. base_row_total and cow_total properties with the discounted price
- D. base_price_incl_tax and price_incl_tax properties with the discounted price

Answer: B

Explanation/Reference:

QUESTION 8

What is the purpose of Catalog Target rules?

- A. To extend Catalog Price Rules to be used for related products.
- B. To provide a mechanism for rendering a list of additional products on the product page.
- C. To provide a mechanism for rendering a list of custom product options.
- D. To provide a mechanism for easier selection options for configurable products.

Answer: B

When changes are made to more than one of a collection's items using setData('some', 'value'), which of the following methods will save the changes in the collection?

- A. \$collection->saveAll();
- B. \$collection->saveItems ();
- C. \$collection->saveAllItems ()?
- D. \$collection->save();

Answer: D

Explanation/Reference:

QUESTION 10

When \$ this ->load Layout (' foo_bar_baz') is called in a standard front action, what is the effect on the layout update object instance?

- A. foo_bar_baz will be the only handle added
- B. loadLayout () does not take any arguments, so there is no effect
- C. Only two handles will be added: foo_bar_baz and default
- D. Foo_bar_baz will be added instead of the default handle

Answer: D

Explanation/Reference:

QUESTION 11

Which of the following block methods is the best to override when there is a need to customize how the block's html is rendered?

- A. toHtml()
- B. toHtmlO
- C. setLayout ()
- D. renderLayout ()

Answer: A

Explanation/Reference:

QUESTION 12

Which kind of class is responsible for calculating the actual amount of reward points in every case?

- A. Reward model (Enterprise_Reward_Model_Reward)
- B. Action model (derivatives from Entet:prise_Reward_Model_Action)
- C. Event model (derivatives from Enterprise Reward Model Event)
- D. Calculation model (Enterprise Reward Model Calculator)

Answer: B

In what order are the routers from the Magento core checked for a matching route?

Default: Mage_Core_Controller_Varien_Router_Default

CMS: Mage_Cms_Controller_Router

Standard: Mage Core Controller Varien Router Standard

Admin: Mage_Core_Controller_Varien_Router_Admin

- A. Admin, Standard, CMS, Default
- B. Default, CMS, Standard, Admin
- C. Admin, CMS, Standard, Default
- D. Standard, Admin, Default, CMS

Answer: A

Explanation/Reference:

QUESTION 14

What type of Magento class is an API resource?

- A. Controller
- B. Helper
- C. Model
- D. Resource model

Answer: C

Explanation/Reference:

QUESTION 15

To implement a standard Adminhtml form for a custom data model, which two of the following must you do? (Choose two)

- A. Declare your module's block class prefix in the config.xml file.
- B. Implement a sub-class of Mage_Adminhtml_Block_Widget_Form.
- C. Implement a sub-class of Mage Adminhtml Block Form Abstract.
- D. Create sub-classes of Mage_Adminhtml_Block_Form_Element_Abstract for each form field to be presented.
- E. Add a set of configuration values in the module's config-xml defining the form fields to be displayed.

Answer: AB

Explanation/Reference:

QUESTION 16

Which statement correctly describes order state and order status?

- A. State and status are independent properties of the order.
- B. The status is a child of the state.
- C. State represents the general state of the order, while status works on item level.

D. An order doesn't have a status, only a state. Status is a property of an invoice, shipment, and credit memo.

Answer: B

Explanation/Reference:

QUESTION 17

What is the difference in the effect of calling the invoice capture () method versus the invoice pay () method?

- A. No difference: pay () will always call capture ().
- B. Pay () will trigger the payment and capture!) will not.
- C. Capture () will trigger the payment and pay () will not.
- D. The difference is determined by the payment method implementation.

Answer: C

Explanation/Reference:

QUESTION 18

Which one of the following statements is true regarding Mage_Core_Block_Text_List?

- A. Mage_Core_Block_Text_List declares its own template for rendering, but the rendered template can be overridden via layout XML.
- B. Child blocks of Mage_Core_Block_Text_List are always rendered alphabetically by name.
- C. Mage_Core_Block_Text_List will always render all children automatically when it is rendered.
- D. Mage Core Block Text List directly extends Mage Core Block Template
- E. In order to render, the parent block of Mage_Core_Block_Text_List must always be an output block.

Answer: C

Explanation/Reference:

QUESTION 19

Which of the following API calls allows you to fetch the list of related products using the native Magento API?

- A. catalog product link.list, with arguments \$type='related', \$product id
- B. catalog_product.list, with arguments \$type='related', \$product_id
- C. catalog_product_related.list, with argument \$product_id
- D. catalog product option.list, with arguments \$type='related', \$product id

Answer: A

Explanation/Reference:

QUESTION 20

Which of the following actions will enable logging via calls to debugData() on a native Magento payment method model?

- A. Set the protected property \$ debug of the payment model to true
- B. Set the config node default/payment/debug/ [method code] to 1

- C. Call Mage::register ('payment_method_debug_' . [method code], true);
- D. Set the config node default/payment/ [method code]/debug to 1
- E. Call setDebug(true) on the payment method model

Answer: D

Explanation/Reference:

QUESTION 21

You are creating a custom CMS module named Achme_Cms. Which one of the following is the correct XML required to override a controller from the Mage Cms module in your Achme Cms module?

```
A. <frontend>
       <routers>
           <cms>
               <args>
                   <modules>
                       <achme cms before="Mage Cms">Achme Cms</achme cms>
                   </modules>
               </args>
           </cms>
       </routers>
   </frontend>
B. <frontend>
       <routers>
           <achme cms>
               <args>
                   <modules>
                       <cms before="Mage Cms">Achme Cms</cms>
                   </modules>
               </args>
           </achme cms>
       </routers>
   </frontend>
C. <frontend>
       <routers>
           <cms>
               <args>
                   <rewrite>
                       <mage cms>Achme Cms</mage cms>
                   </rewrite>
               </args>
           </cms>
       </routers>
   </frontend>
D. <global>
       <controllers>
           <achme cms>
               <rewrite>
                   <mage cms>Achme Cms</mage cms>
               </rewrite>
           </achme cms>
       </controllers>
   </global>
A. Option A
B. Option B
```

C. Option CD. Option D

Answer: A

Explanation/Reference:

QUESTION 22

Which two public methods must be implemented in a functional custom shipping method directly extending Mage_Shipping_Model_Carrier_Abstract and also implementing

Mage_Shipping_Model_Carrier_Interface? (Choose two)

- A. collectRates()
- B. getAllowedMethods()
- C. isTrackingAvailable()
- D. isFixed()
- E. getConfigData()
- F. checkAvailableShipCountries()

Answer: AB

Explanation/Reference:

QUESTION 23

Which of the following is the default setup script class name?

- A. Mage Core Model Mysql4 Setup
- B. Mage_Core_Model_Resource_Setup_Default
- C. Mage Setup Model Resource Default
- D. Mage Core Model Resource Setup

Answer: D

Explanation/Reference:

QUESTION 24

You need to implement private sales utilizing Website Restrictions as provided by the Enterprise Edition of Magento, and when customers are not logged in, you want them to be redirected to a landing page. Where in the Magento admin would you find the settings needed for this task?

- A. System -> Configuration -> Enterprise -> Website Restrictions
- B. System -> Configuration -> General -> Website Restrictions
- C. System -> Manage Stores -> Edit Website
- D. System -> Permissions -> Website Restrictions

Answer: B

Explanation/Reference:

QUESTION 25

Assume that PayPal has presented a new API for online purchasing that you are going to use. Which class should you extend for doing that?

- A. Mage Sales Model Quote Payment
- B. Mage_Payment_Model_Info

- C. Mage Payment Model Method Abstract
- D. Mage Sales Model Order Payment

Answer: C

Explanation/Reference:

QUESTION 26

To update your order information from a third-party system using an XmlRpc call, you should

- A. Use the native sales order.update API call with the url /api/xmlrpc/
- B. Create a custom API resource which allows you to receive XmIRpc requests
- C. Create a custom API adapter to receive XmIRpc requests
- D. Create a custom API handler to process XmIRpc requests

Answer: A

Explanation/Reference:

QUESTION 27

Inside the XML node config/global/blocks, what is the correct xpath for rewriting the catalog/product_view block?

- A. catalog/rewrite/product/view
- B. catalog_product/rewrite/view
- C. catalog/product/rewrite/view
- D. catalog/product_view/rewrite
- E. catalog/rewrite/product view
- F. catalog_product_view/rewrite

Answer: E

Explanation/Reference:

QUESTION 28

When the load method is called on an EAV-based data model, which of the following occurs before the load method returns?

- A. walkAttributes is used to call load on the backend model of each attribute to load its corresponding value
- B. _afterLoad is called on the source model of each loaded attribute that has one.
- C. walkAttributes is used to call afterLoad on the backend model of each loaded attribute that has one.
- D. walkAttributes is used to iterate over each attribute and load its data from the correct table on the database.

Answer: C

Explanation/Reference:

QUESTION 29

In which of the following integrations should you use the Magento API?

A. to send a SOAP request from Magento to a third-party system

- B. to receive a SOAP request from a third-party system to Magento
- C. to send or receive SOAP requests in Magento
- D. to provide tracking on the order success page

Answer: B

Explanation/Reference:

QUESTION 30

You need to override the default value for the expiry calculation for reward points used by the Reward Points module. Which of the following XML fragments should you use in your modules config.xml?

- A. default/enterprise reward/general/expiry calculation with a value of static
- B. default/enterprise_reward/general/expiry with a value of static
- C. default/reward_points/general/expiry_calculation with a value of static
- D. default/enterprise_reward/expiry_calculation with a value of static

Answer: A

Explanation/Reference:

QUESTION 31

Which one of the following EAV attribute types may be used for layered navigation in native Magento?

- A. Varchar
- B. Enum
- C. Option
- D. Union

Answer: C

Explanation/Reference:

QUESTION 32

Which two of the following parameters are necessary to define a usable massaction item? (Choose two)

- A. label
- B. value
- C. additional
- D. url
- E. confirm

Answer: AD

Explanation/Reference:

QUESTION 33

What happens when you edit an existing order using the order management page?

- A. A form appears that allows you to edit all information on the current order.
- B. A form appears that allows you to edit shipping information of the current order only.
- C. Depending on the order status, different editing forms appear for the current order.

D. The current order is canceled and a new order is created from scratch based on the current order's data.

Answer: D

Explanation/Reference:

QUESTION 34

Which two of the following will return an instance of a block object? (Choose two)

- A. Mage::getBlock('page/html header');
- B. Mage::app()->createBlock('page/html header');
- C. Mage::createBlock('page/html header');
- D. Mage::app()->getLayout()->createBlock('page/html_header');
- E. Mage::getLayout()->createBlock('page/html header');
- F. Mage::app()->getLayout()->createBlock('page/html_header')- >setTemplate('page/html/header=phtml');

Answer: DF

Explanation/Reference:

QUESTION 35

In which table could you find the order state?

- A. sales_flat_order
- B. sales flat order state
- C. sales_flat_order_status
- D. sales_flat_order_status_history

Answer: A

Explanation/Reference:

QUESTION 36

Which two of the following methods can be used to load an entity's data from its configured data table? (Choose two)

- A. \$entityModel->loadEntity(\$id)
- B. \$entityModel->load(\$attributeValue, \$attributeCode)
- C. \$entityModel->loadById(\$id)
- D. \$entityModel->loadEntity(\$attributeCode, \$attributeValue)
- E. \$entityModel->load(\$id)

Answer: BE

Explanation/Reference:

QUESTION 37

Which of the following layout XML directives will set a value on a block?

```
A. <layout>
      <block type="some/block class">
        <setSomeValue>value
B. <layout>
      <block type="some/block_class">
        <setSomeValue>
            <value>value
C. <layout>
      <catalog product view>
        <block type="some/block class">
            <action method="setSomeValue">value
D. <layout>
      <catalog product view>
         <block type="some/block class">
           <action method="setSomeValue">
              <a>value
E. <layout>
      <catalog product view>
        <block type="some/block class">
           <setSomeValue>value
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

Explanation/Reference:

QUESTION 38

In order to successfully register and configure a new entity capable of being saved and loaded from the database, you must create a model and which three of the following? (Choose three)

- A. collection class
- B. Configuration settings in your module's config.xrnl
- C. An entry in Mage:: \$_registry
- D. A record in the eav entity table
- E. A resource model
- F. A table in the database that will store the entity's data

Answer: BEF

Explanation/Reference:

QUESTION 39

Which object never encapsulates any shopping cart items?

- A. Mage Checkout Model Cart
- B. Mage Sales Model Quote
- C. Mage_Sales_Model_Quote_Address<type=shipping>
- D. Mage_Sales_Model_Quote_Address<type=billing>

Answer: B

Explanation/Reference:

QUESTION 40

Which table is used for calculating a new increment ID for an order?

- A. sales_flat_order_increment
- B. eav entity store
- C. core_increment
- D. core_config_data

Answer: B

Explanation/Reference:

QUESTION 41

Which of the following will NOT generate a <script> tag in the output of the standard Magento page/ html_head block?

```
A. <layout>
      <default>
         <reference name="head">
           <action method="addJs">
              <file>js/some.js</file>
B. <layout>
      <default>
        <reference name="head">
           <action method="addJs">
              <name>js/some.js</name>
C. <layout>
      <default>
        <reference name="head">
           <action method="addItem">
              <file>js/some.js</name>
D. <layout>
      <default>
        <reference name="head">
```

<action method="addItem">

<file>js/some.js</file>

<item>js</item>

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: C

Explanation/Reference:

QUESTION 42

How many items will be added to the quote after adding a configurable product to the shopping cart?

- A. The number of options
- B. The number of options+1
- C. Always 1
- D. Always 2

Answer: D

Explanation/Reference:

QUESTION 43

Which three of the following statements accurately describe differences between EAV and Flat catalogs when accessing child categories of a category? (Choose three)

- A. A different method must be used to get the child categories if flat catalog is enabled.
- B. The type of the results differs between EAV and flat catalog.
- C. Results also include children of children if flat catalog is enabled.
- D. Results contain more information for each child if flat catalog is disabled.
- E. The children's IDs of EAV and Flat tables are different.

Answer: ABD

Explanation/Reference:

QUESTION 44

Which two of the following are supported in the native Magento API? (Choose two)

- A. Partial void
- B. Partial invoice
- C. Partial capture
- D. Partial refund
- E. Partial shipment

Answer: BE

Explanation/Reference:

QUESTION 45

Which one of the following API methods exists in Magento?

- A. catalog_category.save
- B. catalog_product,items
- C. catalog product attribute set.update
- D. catalog_product.info

Answer: D

Explanation/Reference:

QUESTION 46

Which module is responsible for Store Credit functionality in the native Magento?

- A. Enterprise/StoreCredit
- B. Enterprise/CustomerBalance
- C. Enterprise/Sales
- D. Enterprise/Customer

Answer: B

Explanation/Reference:

QUESTION 47

You want to implement a custom attribute source model. Which method do you have to implement after extending Mage_Eav_Model_Entity_Attribute_Source_Abstract?

- A. getOptionText()
- B. getAHOptions ()
- C. getOptionHash()
- D. getOptionId()

Answer: B

Explanation/Reference:

QUESTION 48

Which one of the following declares a Layout XML file?

```
A. <global>
       <layout>
          <file>
             <some>
                <module>layout.xml
 B. <layout>
       <updates>
          <file>layout.xml
 C. <admin>
       <layout>
          <updates>
             <module>
                <layout>layout.xml
 D. <frontend>
       <layout>
          <updates>
             <module>
                <file>layout.xml
A. Option A
B. Option B
C. Option C
```

D. Option D

Answer: D

Explanation/Reference:

QUESTION 49

Which four of these xml elements are used in system.xml to configure a system configuration property? (Choose four)

- A. backend model
- B. admin_model
- C. frontend_model
- D. source_model
- E. source type
- F. show_in_store

Answer: ACDF

Explanation/Reference:

QUESTION 50

How is the sort order in which total models collect their values specified?

A. The sort order is specified in the admin configuration under Sales > "Checkout Totals Sort Order".

- B. The sort order is specified in the system configuration under global/sales/quote/totals/ [total_code] with <before>and <after> nodes.
- C. The sort order is defined by the module loading order as specified by the children of the modules/ [module name]/depends configuration node.
- D. The sort order is specified by the collect method in each total model.

Answer: A

Explanation/Reference:

QUESTION 51

Which of the following allows you to save a single attribute value on an EAV entity?

- A. \$model->saveAttribute(\$attributeCode);
- B. \$model->save(SattributeCode);
- C. \$model->getResource()->saveAttribute(\$model, SattributeCode);
- D. \$model->getResource()->save(\$model, \$attributeCode);

Answer: C

Explanation/Reference:

QUESTION 52

Which method is called on a shipping carrier model to fetch a list of all available shipping methods, along with the rates associated with them, for a quote address?

- A. collectShippingRates()
- B. getAllowedMethodsO
- C. getShippingRates()
- D. getAvailableRates()
- E. collectRates()

Answer: E

Explanation/Reference:

QUESTION 53

Which three of the following conditions should exclude a quote item from the shipping rate calculation by a carrier model? (Choose three)

- A. \$quoteItem->getFreeShipping() == true
- B. \$quoteltem->getProduct()->isvirtual() == true
- C. \$quoteltem->getweight() > 0
- D. \$quoteItem->isShipSeparately() && SquoteItem->getHasChildren()
- E. \$quoteItem()->getQty() < Mage::getStoreConfig('carriers/tablerate/min_shipping_qty')

Answer: ABD

Explanation/Reference:

QUESTION 54

What class does an adminhtml grid directly extend?

- A. Mage_Adminhtml_Block_Widget
- B. Varien Data Grid
- C. Varien_Data_Widget
- D. Mage_Adminhtml_Block_Template

Answer: A

Explanation/Reference:

QUESTION 55

For an attribute to be loaded on a catalog/product object, which two of the following conditions must be satisfied?

- A. The eav_attribute table must contain a row defining the attribute's properties and its entity type.
- B. The attribute must have a backend model configured in the XML config.
- C. The attribute must be part of the attribute set pertaining to the object being loaded.
- D. There must be a record of the attribute on the catalog_product_super_atti:ibute table,
- E. There must be a column added to the catalog product entity table.

Answer: AC

Explanation/Reference:

QUESTION 56

You want to define a list of quote object attributes that are copied to the order object when an order is placed. Which one of the following statements is true?

- A. You can define this list by modifying the list of elements found in the configuration with the xpath global/ fieldsets/sales_convert_quote.
- B. You can define this list by modifying the list of elements found in the configuration with the xpath
- C. global/sales/quote/item/product attributes.
- D. You can define this list by checking the checkbox on the attribute edit page in the admin.
- E. You cannot modify the list of fields copied from quote to order because the process is hardcoded.

Answer: A

Explanation/Reference:

QUESTION 57

Which two EAV attribute fcontend_input types make use of source models?

- A. Text
- B. Textarea
- C. Select
- D. multiselect
- E. Date
- F. Gallery

Answer: CD

Which one of the following class types directly charges a credit card when you capture an invoice in Magento admin?

- A. order
- B. payment
- C. invoice
- D. payment method

Answer: D

Explanation/Reference:

QUESTION 59

A customer has complained that his reward points sum is inaccurate. In order to debug what has happened and to discover when changes were made to his reward points, where should you look for logging information?

- A. Database table enterprise_reward_history
- B. Database table enterprise reward
- C. Log file var/log/system.log
- D. Database table enterprise_rewai:d_log

Answer: A

Explanation/Reference:

QUESTION 60

Which table stores information about the relationship between configurable products and their child products?

- A. catalog product link
- B. catalog_product_super_link
- C. catalog product option
- D. catalog_product_relation

Answer: B

Explanation/Reference:

QUESTION 61

Which statement describes a model class that extends Mage_Core_Model_Abstract?

- A. The model class consists of properties and methods for storing and manipulating data retrieved via separate resource classes responsible for database operations.
- B. The model class is responsible for loading the frontend layout templates and responding to page requests via its Action methods (for example, indexAction).
- C. The model class does not encapsulate any logic except for logic providing access to the data loaded from the database.
- D. The model class is primarily responsible for direct query operations such as retrieving and storing data and then rendering that data to the frontend view.

Answer: A

Explanation/Reference:

QUESTION 62

Which one of the following is responsible for sending a remote request to the payment service when capturing an order?

- A. Payment Info
- B. Order Payment
- C. Payment Method
- D. Invoice

Answer: C

Explanation/Reference:

QUESTION 63

Which of the following lines includes a payment method object?

- A. \$quote->getShippingAddress()->setPaymentMethod(isset(\$data['method']) ? \$data['method'] : null); inside Mage_Checkout_Model_Type_Onepage
- B. .public function setPayment(Mage_Sales_Model_Quote_Payment \$payment) inside Mage_Sales_Model_Quote
- C. \$method = \$this->getMethodInstance(); inside Mage Sales Model Quote Payment
- D. \$instance->set!nfoInstance(\$this); inside Mage_Payment_Model_Info

Answer: C

Explanation/Reference:

QUESTION 64

Which class is extended to render a dropdown in admin forms?

- A. Mage Adminhtml Block Widget
- B. Mage_Core_Block_Abstract
- C. Mage Adminhtml Block Abstract
- D. Mage Adminhtml Block Template
- E. Varien Data Form Abstract

Answer: E

Explanation/Reference:

QUESTION 65

Which of the following is a true statement about how Magento loads data for an EAV-based data model?

- A. A data helper is used in order to properly load an objects attributes from the database
- B. EAV-based data models use a different abstract resource class than other data models
- C. The attribute values are loaded into an attribute collection object
- D. You must always specify each of the attributes to be loaded on the model

Answer: B

Which class should you refer to in order to troubleshoot Website restriction issues?

- A. Enterprise WebsiteRestrictions Model Restriction
- B. Enterprise WebsiteRestrictions Helper Data
- C. Enterprise_WebsiteRestrictions_Model_Mysql4_Restriction
- D. Enterprise WebsiteRestrictions Model Observer

Answer: D

Explanation/Reference:

QUESTION 67

Which of the following options would cause a poll/poll collection to load all entities that have been posted during April, 2011?

```
A. $collection->addAttributeToFilter('date_posted', array('from' => '2011-04-01', 'to' => '2011-04-30')
);\
B. $collection->addFieldToFilter('date_posted', array('from' => '2011-04-01', 'to' => '2011-04-30')
);
C. $collection->addPostDateFilter('2011-04-01', '2011-04-30');
D. $collection->addFieldToSelect(('date_posted', arrayCfrom' => '2011-04-01', 'to' => '2011-04-30')
);
```

Answer: B

Explanation/Reference:

QUESTION 68

Given a grid interface that extends from Mage_Adminhtml_Block_Widget_Grid, which of the following methods could you override to allow data to be loaded from a custom data collection?

- A. _prepareDataModel
- B. _prepareCollection
- C. _initDataModel
- D. _initGrid

Answer: B

Explanation/Reference:

QUESTION 69

A valid way to extend Mage_Adminhtml_Cms_PageController with the Acme Cms Adminhtml PageController class would be to set the following configuration:

Which of the following code pairs should be inserted in the blank spots in the code shown above?

- A. Mage_Adminhtml, Acme_Cms_Adminhtml
- B. Mage_Adminhtml, Acme_Cms_Adminhtml_PageController
- C. Mage_Adminhtml_Cms_PageController, Acme_Cms_Adminhtml
- D. Mage_Adminhtml_Cms_PageController, Acme_Cms_Adminhtml_PageController

Answer: A

Explanation/Reference:

QUESTION 70

How can you make a payment method store entire credit card numbers?

- A. For security reasons, there are no native ways for doing that.
- B. Pass the credit card number to the payment method: it will be stored automatically.
- C. Change the protected property of payment method \$ canSaveCc to true.
- D. Configure your method to save the card number by setting 1 to the following xpath: default/payment/_NAME_/save_cc

Answer: C

Explanation/Reference:

QUESTION 71

The final price for the product on the product view page is

- A. taken from the catalog_product_index_price table
- B. taken from the catalog_product_index_price_idx table
- C. taken from the catalog product index price final idx table
- D. calculated on-the-fly on php-level
- E. pre-calculated in the products price attribute

Answer: D

Explanation/Reference:

QUESTION 72

Which of the following items is NOT utilized in Magentos implementation of EAV-based data models?

- A. An entity table for storing the entities' basic information
- B. One or more tables to store the entities' associated pieces of information
- C. A two-column cross-link table to associate attribute values with a corresponding entity
- D. Foreign keys on each relevant table to connect relevant pieces of information at the database level
- E. An attribute table that defines what data (and of what type) may be stored on a particular entity

Answer: C

Explanation/Reference:

QUESTION 73

What is the difference between the base grand total and grand total attributes of the order?

- A. base grand total is a grand total before tax is applied; grand total is the grand total after tax is applied.
- B. base_grand_total is the grand total at the moment of order submission; grand_total is the grand total at the moment of order closing.
- C. base_grand_total is the grand total in the currency of the store where the order was submitted; grand_total is in US dollars always.
- D. base_grand_total is in a base currency and grand_total is in the currency of the website where the order was submitted.

Answer: D

Explanation/Reference:

QUESTION 74

You have a product collection and want to add a filter to get all products whose name starts with Test or whose price is 0.00.

Which of the following statements would add that OR condition?

```
A. $collection->addAttributeToFilter(array(
    array('attribute' => 'price', 'eq' => 0.00),
    array('attribute' => 'name', 'like' => 'Test%')
    ));
B. $collection
    ->addFieldToFilter('price', 0.00)
    ->addFieldToFilter('name', array('like' => 'Test%')
   );
C. $collection
    ->addAttributeToFilter('price', 0.00)
   ->addAttributeToFilter('name', array('like' => 'Test%')
D. Scollection->addFieldToFilter(
    array('price', 'name'),
    array(array('eq' => 0.00), array('like' => 'Test%'))
    );
E. Scollection
    ->addAttributeToFilter('price',0.00)
    ->addorCondition('name', array('like' => 'Test%'));
A. Option A
B. Option B
C. Option C
D. Option D
```

Answer: A

Explanation/Reference:

QUESTION 75

When the Magento configuration is being loaded, all the XML files in app/etc and the module registration files under app/etc/modules/ are loaded first. After that step, in which order are the following items loaded?

1. Configuration from the core config data DB table

- 2. app/etc/local.xml
- 3. The etc/config.xml of all active modules
- A. 1, 3, 2
- B. 3, 1, 2
- C. 3, 2, 1
- D. 1, 2, 3

Answer: C

Which one of the following controller classes could respond to this URL?: http://example.com/modulename/controller/index

- A. Namespace ModuleName IndexControllet:
- B. Namespace_ModuleName_Controller_ControllerIndex
- C. Namespace_ModuleName_Controller_IndexController
- D. NamespacG Modulename ControllerController

Answer: D

Explanation/Reference:

QUESTION 77

Which one of the following API protocols does native Magento support?

- A. XmIRpc
- B. REST
- C. POST
- D. Open Social
- E. XQuery

Answer: A

Explanation/Reference:

QUESTION 78

Set Product as New from Date			[WEBSITE]	✓ Use Default Value
Set Product as New to Date			[WEBSITE]	✓ Use Default Value
Status *	Enabled	0	[WEBSITE]	✓ Use Default Value
URL key	test	[STORE VIEW] Use Default Value		
	✓ Create Permanent Redirect for			
Visibility*	Catalog, Search	(0)	[STORE VIEW	

The checkbox "Use default value" is checked and the corresponding input field is disabled, as shown in the graphic above. How does Magento represent this state in the corresponding EAV value tables?

- A. No row with a value for this store view and a row with value NULL for default
- B. No row with a value for this store view and a row with any value for default
- C. A row with value NULL for this store view and a row with value NULL for default
- D. A row with value NULL for this store view and a row with any value for default
- E. No row with a value for this store view and no row with a value for default

Answer: B

Explanation/Reference:

QUESTION 79

Which of the following accurately describes the parent class of all EAV-based resource models?

A. Mage Eav Model Mysq14 Abstract

- B. Mage_Core_Model_Mysq14_Abstract
- C. Mage Eav Model Abstract
- D. Mage Eav Model Entity Abstract

Answer: D

Explanation/Reference:

QUESTION 80

When you register an event observer, which two of the following pieces of information are required for it to function?

- A. Method (or function) name
- B. Method (or function) arguments
- C. Class name
- D. Object type (singleton, model, none, etc.)
- E. Call order
- F. Active/inactive status

Answer: AC

Explanation/Reference:

QUESTION 81

What does Magento use to determine whether the automatically run upgrade scripts have been run yet?

- A. The modification date on the modules' etc/config.xml file
- B. The version number (or lack thereof) stored in the core_module_version table
- C. The version number (or lack thereof) stored in the core_resource table
- D. A comparison of the resources that are capable of successfully loading

Answer: C

Explanation/Reference:

QUESTION 82

Which one of the following classes must you extend in order to implement a custom indexer?

- A. Mage_Eav_Model_Indexet:_Abstract
- B. Mage Cotre Model Indexeir Abstract
- C. Mage_Index_Model_Entity_Indexer_Abstract
- D. Mage Index Model Indexer Abstract

Answer: D

Explanation/Reference:

QUESTION 83

Custom widgets must _____

- A. Extend Varien_Object
- B. Extend Mage_core_Block_Abstract

- C. Extend Mage Core Block Template
- D. Implement Mage Widget Block Interface
- E. Implement Mage widget Block Interface and extend Mage Core Block Abstract

Answer: D

Explanation/Reference:

QUESTION 84

Which method is responsible for a full re-index in the abstract Magento indexer?

- A. fullReindex()
- B. reindexAH()
- C. processEvent ()
- D. reindex()

Answer: B

Explanation/Reference:

QUESTION 85

What can you do in order to render a picture in a specific cell in a grid?

- A. Create a custom cell renderer by extending Mage_Adminhtml_Block_Widget_Grid_Cell_Renderer_Abstract
- B. Create a custom grid renderer by extending Mage_Adminhtml_Block_Widget_Grid_Renderer_Abstract
- C. Create a custom column renderer by extending Mage_Adminhtml_Block_Widget_Grid_Column_Renderer_Abstract
- D. Create a custom row renderer by extending Mage_Adminhtml_Block_Widget_Grid_Row_Renderer_Abstract

Answer: C

Explanation/Reference:

QUESTION 86

Which file path correctly identifies the location of a module's install/upgrade scripts inside the primary module directory?

- A. sql/<setup_resource_name>/
- B. var/scripts/
- C. scripts/
- D. <setup_resource_name>/

Answer: A

Explanation/Reference:

QUESTION 87

You want to filter a product collection so that it will return only SKUs 12 and 123. You will use a call to

\$collection->addFieldToFilter('sku', _____);

Two of the following arrays could be used to complete that call correctly. Which two? (Choose two)

- A. array('sku' => 12, 'sku' => 123)
- B. array(array('eg' => 12), array('eg' => 123))
- C. array(12 => true, 123 => true)
- D. array(12, 123)
- E. array(array('int' => 12), array('int' => 123))

Answer: BD

Explanation/Reference:

QUESTION 88

Which of the following elements does NOT exist in system configuration xml (system, xml file)?

- A. frontend_type
- B. frontend class
- C. frontend model
- D. frontend block

Answer: D

Explanation/Reference:

QUESTION 89

To register a new API resource, what should you do?

- A. Register your new resource in config.xml in the node global/api/ [module name]/resources.
- B. Create etc/api.xml and register your resource in the api/resources node.
- C. Go to the System/Web services/API Resources management page, and add a new resource from there.
- D. Create an etc/resources.xml config file and register your resource in the api/resources node.

Answer: B

Explanation/Reference:

QUESTION 90

You need to create a new condition rule type. Which two of the following classes would be suitable candidates for extending? (Choose two)

- A. Mage_CatalogRule_Model_Rule_Condition_Product
- B. Enterprise CatalogRule Model Rule Condition Product
- C. Enterprise_TargetRule_Model_Rule_Condition_Product_Attributes
- D. Mage TargetRule Model Rule Condition Product Attributes
- E. Enterprise TargetRule Model Rule Condition Rule

Answer: AC

Explanation/Reference:

QUESTION 91

Which one of the following statements is true regarding layout update handles?

- A. Layout update handles must always match a module_controller_action pattern such as catalog product view.
- B. There may never be more than one layout update handle per request.
- C. Layout update handles are declared at any level of the layout XML hierarchy.
- D. A layout update handle may be specified as a string argument when calling loadLayout ().

Answer: D

Explanation/Reference:

QUESTION 92

Which model is responsible for calculating the taxes for the selected shipping rate?

- A. shipping/rate result
- B. shipping/total tax
- C. tax/sales_total_quote_tax
- D. the concrete shipping carrier model implementation
- E. shipping/rate request

Answer: C

Explanation/Reference:

QUESTION 93

Assume you added a product with custom options to the shopping cart. Where will the data for the custom options be stored persistently?

- A. in the sales flat quote table, as a serialized string in a text field
- B. in the session, as a serialized array
- C. in a separate table, sales_flat_quote_item_option
- D. Magento doesn't store persistent data about custom options; only the new price and new SKU are stored.

Answer: C

Explanation/Reference:

QUESTION 94

Which of the following allows you to render a custom form element using a template?

- A. Specify 'template' => `path/to/your/template' in the addField method's third parameter when configuring the form.
- B. Set the template manually by calling \$form->getElement () ->setTemplate (..) when configuring the form
- C. Specify the template in the element's protected variable \$_template.
- D. Create a custom renderer for the form element, and use an anonymous block to execute the template in it.
- E. Extend your element from Mage_Core_Block_Template, and then specify the template inthe constructor.

Answer: D

Among other directives, your module's layout xml file contains the following code:

But using the template path hints, you can see that a template custom/product/view.phtml is used instead of your template. Which THREE of the following options can be causing the issue? (Choose three)

- A. Another module, which is loaded later, calls setTemplate () again on the same block.
- B. Your template file my/product/view, phtml cannot be found in the current theme.
- C. Another module is rewriting the catalog/product_view block to change the template in the method beforeToHtml().
- D. Your layout xml file is not found within the theme fallback directories.
- E. Another module is rewriting the catalog/productjview block to change the template in the method construct().

Answer: ACD

Explanation/Reference:

QUESTION 96

By enabling Flat catalog, you will _____

- A. Speed up performance on the frontend
- B. Speed up saving product on the backend
- C. Simplify the product import process
- D. Speed up loading product on the backend

Answer: A

Explanation/Reference:

QUESTION 97

What do you need to do to implement a completely new Web Service protocol in Magento?

- A. Create your own adapter and controller.
- B. Create your own API resource.
- C. Create a new API helper.
- D. Create a new model extended from Mage Api Model Abstract.

Answer: A

What event do Website Restrictions use to restrict access?

- A. controller front init before
- B. controller action predispatch
- C. controller front send response before
- D. controller_action_layout_load_before

Answer: B

Explanation/Reference:

QUESTION 99

Given an EAV-based data model whose data is stored in the table foo_entity, in which table would you find the values for an attribute of the varchar type?

- A. foo_entity_attribute_storage
- B. foo entity varchar
- C. entity attribute varchar
- D. foo_entity

Answer: B

Explanation/Reference:

QUESTION 100

How can you update a third-party system with every new order created in Magento?

- A. Use the native sales_order.update API call.
- B. Use a sales_order_place_after API call.
- C. Create an observer in Magento on the sales_order_place_after event.
- D. Customize the third-party system to listen to Magento's sales_order_place_after event.

Answer: C

Explanation/Reference:

QUESTION 101

In which order are the following methods executed after Mage core Model Abstract:: save () is called?

- 1 Mage_Core_Model_Abstract::_beforeSave()
- 2 Mage_Core_Model_Abstract::_afterSave()
- 3 Mage_Core_Model_Mysql4_Abstract::_beforeSave()
- 4 Mage Core Model Mysql4 Abstract:: afterSave()
- 5 Mage Core Model Abstract::afterCommitCallback()
- A. 1, 2, 3, 4, 5
- B. 1, 3, 2, 4, 5
- C. 1, 3, 4, 2, 5
- D. 3, 1, 4, 2, 5

Answer: C

Explanation/Reference:

QUESTION 102

Which three of the following will return an instance of a resource model? (Choose three)

- A. Mage::getResourceModel('customer/customer1);
- B. Mage::getResourceSingleton('customer/customer');
- C. Mage::getModel('customer/customer')->getResourceModel();
- D. Mage::getResourceModel('customer/customer')->getInstance();
- E. Mage::getModel('customer/customer')->getResource();
- F. Mage:: getRe sour ceModel 'customer/customer')->getRe source ();

Answer: ABE

Explanation/Reference:

QUESTION 103

Two modules, Foo and Moo, both rewrite the catalog/product model, but only the Moo module's rewrite is being used. Both modules Foo and Moo reside in the community code pool. Which two approaches allow the functionality from both classes to be used? (Choose two)

- A. Copy Foo Model Product to the local code pool.
- B. Copy Moo_Model_Product to the local code pool and merge the logic from Foo_Model_Product into it.
- C. Copy Moo_Model_Product to the local code pool and make it extend Foo_Model_Procluct, making sure the logic of both classes does not conflict.
- D. Copy Moo Model Product to the local code pool.
- E. Change the rewrite directive of the Moo module to rewrite foo/product instead of catalog/product.

Answer: BC

Explanation/Reference:

QUESTION 104

How are "Rule-based related products" added to the shopping cart when you check their checkbox together with the checkbox for the basic product?

- A. As the basic product's custom options
- B. Separately from the basic product
- C. As the basic product's configuration options
- D. As a single grouped product

Answer: B

Explanation/Reference:

QUESTION 105

What is the basic class/interface for every model observer class?

- A. Mage_Model_Config_Observer
- B. Mage Core Model Event Observer Abstract
- C. Mage_Core_Model_Event_Observer_Interface

- D. There is no required inheritance.
- E. Varien Object

Answer: D

Explanation/Reference:

QUESTION 106

Assume you have saved a product in the Catalog. Will your last changes be taken into account for rule-based related products?

- A. Only if you go to the "Catalog/Rule-based Product Relations" page, and hit "Reindex All" button.
- B. Only if you clear the cache.
- C. Yes: It will be done automatically by an observer on the catalog product save after event.
- D. Yes: Rule-based related products are calculated on-the-fly.

Answer: C

Explanation/Reference:

QUESTION 107

Which of the following will cause the javascript file at [magento root] /skin/frontend/<package>/<theme>/js/some.js to be added to the output of the standard Magento page/html_head block?

```
A. <layout>
      <reference name="head">
        <action method="addSkinJs">
           <name>js/some.js</name>
B. <layout>
      <default>
        <reference name="head">
           <action method="addSkinJs">
              <name>js/some.js</name>
C. <layout>
      <default>
        <reference name="head">
           <action method="addJs">
              <type>skin js</type>
              <file>js/some.js</file>
D. <layout>
     <default>
        <reference name="head">
           <action method="addItem">
              <type>skin js</skin>
              <name>js/some.js</name>
```

- A. Option A
- B. Option B

- C. Option C
- D. Option D

Answer: D

Explanation/Reference:

QUESTION 108

What is the xpath to the list of product types?

- A. Catalog/product/type
- B. Global/catalog/product/type
- C. Default/catalog/product/type
- D. It depends on the product type.

Answer: B

Explanation/Reference:

QUESTION 109

Which of the following methods exists in the Mage_Sales_Model_Quote_Address class?

- A. getAllNonNominalItems()
- B. importShippingAddress()
- C. hasRecurringItems()
- D. collect()

Answer: A

Explanation/Reference:

QUESTION 110

In which config areas are layout files declared? (Choose two)

- A. <admin>
- B. <adminhtml>
- C. <default>
- D. <frontend>
- E. <global>

Answer: BD

Explanation/Reference:

QUESTION 111

Which of the following payment methods' payment actions creates an invoice during the "place order' step?

- A. Mage_Payment_Model_Method_Abstract::ACTION_AUTHORIZE
- B. Mage_Payment_Model_Method_Abstract::ACTION_CAPTURE
- C. Mage Payment Model Method Abstract::ACTION AUTHORIZE CAPTURE
- D. Mage_Payment_Model_Method_Abstract::ACTION_INVOICE

Answer: C

Explanation/Reference:

QUESTION 112

Which of the following xpaths defines the correct XML structure for informing Magento that your module has install scripts?

- A. Global/resources/etc/setup/<script_directory_name>/module
- B. System/database/resources/<script directory name>/setup/module
- C. Global/resources/<script_directory_name>/setup/module
- D. Database/action/scripts/<script directory name>

Answer: C

Explanation/Reference:

QUESTION 113

Which of the following methods will force an EAV resource collection model to include an attribute in its result set?

- A. addAttributeToSelect(\$attribute);
- B. getResource()->addAttribute(\$attribute);
- C. addFieldToSelect(\$attribute);
- D. getSelect()->from(`', \$attribute);
- E. addAttributeToCollection(\$attribute);

Answer: A

Explanation/Reference:

QUESTION 114

Which of the following could be used to pass an object to a block method?

- A. option method=nsetFoo">
 - <bar module="some/string" />
 - </action>
- B. <action method="setFoo">
 - <bar helper="some/other/string" />
 - </action>
- C. <action method="setFoo">
 - <bar>
 - <bar module="some/string" />
 - </bar>
 - </action>
- D. It is not possible to pass an object to a block method via layout XML.

Answer: B

Explanation/Reference:

QUESTION 115

For which two of the following composite products could the options be shipped separately on the frontend using "Checkout with multiple addresses"? (Choose two)

- A. Configurable physical product
- B. Bundle product consisting of physical products
- C. Grouped product consisting of physical products
- D. Bundle product consisting of virtual products
- E. Grouped product consisting of virtual products

Answer: BC

Explanation/Reference:

QUESTION 116

At what point in the grid preparation and rendering process is the collection containing the data for the grid prepared for loading?

- A. Immediately after the grid block is instantiated
- B. Immediately before the grid's rendered HTML is sent to the browser
- C. Prior to the grid being rendered, inside of beforeToHtml
- D. When the construct method is called on the grid block

Answer: C

Explanation/Reference:

_		_	_	_	. ~				_
വ	u	-	.>		и.	IN	1	1	•

The value of the config/placeholders/ [placeholder_id] /block node from the merged cache.xml configuration is used

- A. only as a human-readable attribute to the placeholder tags in full page cache records
- B. to fetch the cache lifetime for the full page cache entry from the correct block instance
- C. to build the unique cache id for full page cache records
- D. to map a block instance to the corresponding placeholder configuration while saving a full page cache entry

Answer: A

Explanation/Reference:

QUESTION 118

You want to display a grid for a custom collection. After extending Mage_Adminhtml_Block_widget_Grid, which two of these methods should you implement? (Choose two)

- A. _getCollection()
- B. _prepareCollection()
- C. _prepareColumns()
- D. toHtmlO
- E. render()

Answer: BC

Which one of the following classes does NOT exist in Magento?

- A. Mage Adminhtml Block widget Form Element Abstract
- B. Mage Adminhtml Block Widget Form
- C. Mage_Adminhtml_Block_Widget_Form_Container
- D. Mage_Adminhtml_Block_Widget_Form_Element
- E. Varien_Data_Form_Element_Abstract

Answer: B

Explanation/Reference:

QUESTION 120

How can you restrict access to a custom API resource?

- A. Only by creating a new role under System/Web Services/Roles
- B. By setting up an ACL in etc/api.xml and creating a new role for it in System/Web Services/Roles
- C. Only by extending Mage_Api_Controller_Action and overriding the _isAllowed method
- D. By setting up an ACL in etc/adminhtml.xml and creating a new role in System/Permissions/Roles

Answer: A

_..___.

Explanation/Reference:

QUESTION 121		
The initial call to	will create and return an instance of the specified cla	ISS

Subsequent calls to this method during the same execution cycle will return the same class instance as opposed to creating a new one.

- A. Mage: :getResourceModel('namespace/modulename');
- B. Mage:: get Instance ('name space/modulename');
- C. Mage: :getModel('modulename/modelname');
- D. Mage::getSingleton('modulename/modelname');

Answer: D

Explanation/Reference:

QUESTION 122

Which entity collects the grand total and base grand total that the different total models collect?

- A. Sales/quote
- B. Sales/quote_address
- C. Sales/order
- D. Checkout/cart

Answer: B

Explanation/Reference:

QUESTION 123

Assume you have product with gty in stock=1, and two people are trying to buy it at the same time.

Which of the following statements is true?

- A. Only one is able to add the product to the shopping cart. That person will be able to buy the product.
- B. Only the person who starts checkout first will be able to buy the product.
- C. Only the person who passes the payment step first will be able to buy the product.
- D. Both persons can go to the Place Order step, but the one who places the order first will get the product.
- E. Both persons will be able to complete the checkout, because both have local copies of the available inventory.

Answer: D

Explanation/Reference:

QUESTION 124

You have used the "refresh" action on the cache management page for the block html cache type. Which of the following types of cache record would be cleared?

- A. all cache records containing HTML code
- B. items for block classes extending Mage Core Block Template only
- C. items having at least one of the tags found in the configuration under the xpath global/ cache/ type s/ block_html/ tags
- D. block class items with expired lifetime

Answer: C

Explanation/Reference:

QUESTION 125

How does Magento store comments regarding different entities (invoice, credit memo, shipment)?

- A. Each comment is a separate entity with a type attribute which identifies the owner of the comment. All comments are stored in one sales_comment table.
- B. Comments to invoice, credit memo and shipment are different entities stored in the different tables.
- C. All comments belong directly to the order, and are stored in the sales flat order comments table.
- D. Each comment is an attribute of the appropriate entity (invoice, credit memo, shipment).

Answer: B

Explanation/Reference:

QUESTION 126

Which of the following node names may be used inside the setup resource declaration to utilize a custom setup class?

- A. resourceModel
- B. resourceClass
- C. setupClass
- D. class

Answer: D

A native Magento EAV entity will use

- A. A single table with separate columns for each data type (for instance, decimal, text, varchar, etc.)
- B. A single table with separate columns for all data types used by the entity
- C. A separate table for each data type (for instance, decimal, text, varchar, etc.)
- D. A separate table for each data type in addition to a flat data table with separate columns to store values for each data type used by the entity

Answer: C

Explanation/Reference:

QUESTION 128

How can reward points be converted to a discount on checkout?

- A. One reward point equals one dollar, and is then converted to the websites currency using native currency rates.
- B. One reward point equals one unit of the website's currency.
- C. You can specify your own conversion rate in the admin area.
- D. For making a product purchasable in reward points, you can specify a "reward point price" for each product.

Answer: C

Explanation/Reference:

QUESTION 129

What must be done to allow a third-party system to access the Magento API?

- A. Run a login call with username/password, and use the returned session id for every request.
- B. Get a token previously generated in Magento admin.
- C. Run an authenticate call with username/password; the call will set up a session automatically.
- D. Register the remote IP address in the api/allowed ips/[system name] node.
- E. Use a secure certificate, with public/private keys, and get a private key installed inside Magento.

Answer: A

Explanation/Reference:

QUESTION 130

A customer bought two items but wants to cancel one. Which option enables the administrator of the site to edit the quantity while the invoice is being captured in the admin area?

- A. In the System Configuration, under the Sales section, set "Allow partial invoice" to "true".
- B. In the payment method, set the \$_canCapturePartial protected variable to true.
- C. There are no native ways to do this; override the sales/order/invoice/view/items .phtml template.
- D. In the configuration node, set default/payment/ {METHOD_NAME}/allow_partial_invoice to 1.

Answer: B

In admin, a shipment can be created_____

- A. Only after the whole order is invoiced
- B. Only after at least one item is invoiced
- C. Even before an invoice is created
- D. Only after tracking number(s) are specified

Answer: C