CANONICAL EDITION 1.0

THE UNIVERSAL REALITY ATLAS

A Consequential Systems Encyclopedia

LERM · IAMF-P · Mutual Uptick · K_R v1.1 · 120-Adapter Atlas

Jefferson Rafael Rufino

2026-10-09

One grammar, many substrates. A visual and numerical atlas for tracing consequence, finding the receiving carrier, building capacity before the transition, and verifying coexistence through time.

FOUNDATION 01

Reader contract

This book is designed as a journey from intuition to formalism to evidence to operation. It preserves the frozen K_R v1.1 kernel while expanding the domain ontology to include agency, choice, responsibility, consciousness, evolution and temporal coexistence inside the same consequential system.

Evidence discipline. Structural translation is not the same as empirical validation. A domain can compile cleanly into the grammar while the decisive prospective test remains open. The Atlas marks those states rather than silently promoting them.

Within the ontology of this book, consciousness is treated as present across substrates. The empirical frontier is how that consciousness instantiates, becomes legible, interacts and coexists through different substrates. This is an ontological premise of the Atlas, not a claim that contemporary science has already measured every substrate's subjective experience.

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 02

How to use the Atlas

Each adapter is a seven-plate mini-chapter. Plate 1 names the native system. Plate 2 translates it into the frozen consequential grammar. Plate 3 exposes the domain language. Plate 4 works a numerical example. Plate 5 plays the transition through time. Plate 6 states the evidence and falsification logic. Plate 7 tells the reader exactly what to do next.

Three reading depths
1. **Journey layer:** plain-language system story.
2. **Technical layer:** equations, carriers, causal estimands and native terms.
3. **Operator layer:** preregistration, construction, retest and next experiment.

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 03

The frozen consequential grammar

$$\Omega_t \to M_d \to X_t^* \to \Sigma_d \to G_\Sigma \to BDI \to D_a \to C, \Gamma, H \to \Delta R^* \to a \to MU^+ \to \text{retest}$$

The grammar does not require the same mechanism in every domain. It requires the same questions to survive translation: what is the evidence-grounded state, what schema is receiving it, where does a local action displace state, which carriers receive it, what capacity is missing, what must be built before action, and does the consequential system pass the carrier-specific Mutual Uptick gate afterward?

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 04

State and schema

$$X_t^* = M_d(\Omega_t) \qquad \widehat{X}_t = \Sigma_d(X_t^*) \qquad G_{\Sigma,t} = \delta(X_t^*, \widehat{X}_t)$$

M_d is the domain map. Σ_d is the receiving schema: diagnosis, KPI, category, model, legal label, instrument, observable set or representation. The schema gap is the measurable distance between evidence-grounded state and what the receiver can actually recognize.

Rule: representation failure is not evidence that the unrepresented state is zero.

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 05

Boundary Divergence Index

$$a_S^* = \arg\min_a J_S(a; X^*) \quad a_G^* = \arg\min_a J_G(a; X^*) \quad BDI = J_G(a_S^*) - J_G(a_G^*)$$

BDI asks whether the locally preferred action differs from the consequential-system preferred action under the same feasible action set. Non-negativity follows from the definition of the two optima. The scientific question is not whether BDI can be written, but whether the broader boundary changes decisions in consequential cases.

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 06

Displacement field

$$D_a(j,k,\tau) = \mathbb{E}[U_{j,k}(t+\tau) \mid do(a)] - \mathbb{E}[U_{j,k}(t+\tau) \mid do(a_0)]$$

The displacement field names receiver j, native dimension k, and horizon τ. It is not a metaphorical harm score. Identification must come from an experiment, natural experiment, causal graph, difference-in-differences, instrumental variable, synthetic control, or another defensible strategy. If the effect is not identifiable, the correct output is **UNKNOWN**.

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 07

LERM

LERM is the prospective and retrospective tracing operation. It asks where consequence will land, through which coupling, in which native dimension, after what delay, with what magnitude and what hidden compensator.



READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 08

IAMF-P

IAMF-P is the constructive operation. It does not merely buffer damage after the fact. It uses the carrier topology predicted by LERM to build the missing receiving capacity *before* the originating transition is released.

$$C^*, \Gamma, H \rightarrow \text{required capacity specification} \rightarrow \Delta R^*_{C^*} \rightarrow a$$

The intervention is therefore a topology edit: the same event enters a different receiving structure.

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 09

Mutual Uptick

Mutual Uptick is the acceptance gate, not a slogan and not a scalar average. Every protected material carrier must clear its preregistered native-unit threshold with uncertainty accounted for, safety constraints satisfied, no new burden concentration and no hidden reserve depletion.

$$MU^{+} \iff \forall j \in G_m : \; LCB_{\alpha}(\Delta V_j) > \epsilon_j \; \wedge \; Safety \; \wedge \; RVG_j \leq 0$$

Allowed outputs remain: **NO ACTIVATION**, **UNKNOWN**, **NO FEASIBLE MU+**, or **MU+ PASS**.

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 10

Reserve / Value Gap

$$\frac{db_j}{dt} = \iota_j(t) - \alpha_j(t) \qquad RVG_j = \iota_j - \alpha_j$$

A system can appear stable because a hidden reserve, caregiver, worker, ecosystem, balance sheet or future self is compensating. RVG makes that compensation visible by separating incoming burden from absorption/recovery capacity.

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 11

Agency state

Choice, constraint, responsibility and recovery are kept inside one recurrent state rather than separated into four explanatory boxes.

$$\Psi_i(t) = \mathcal{G}_d(X_i^*, H_i, E_i, \mathcal{O}_i, K_i, \kappa_i) \qquad a_i \sim \pi_i(\cdot \mid \Psi_i(t))$$

Ψ contains the action-producing state: history, environment, actual option topology, information and executable capacity. IAMF-P changes that state by changing the world in which the next choice is made.

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 12

Responsibility inside the same system

$$\rho_i(t) = \mathcal{R}\left(\Psi_i(t), a_i, D_{a_i}\right)$$

Responsibility is not pasted onto behavior afterward. It is a property of the same causal path that contains knowledge, foresight, control, alternatives, coercion, causal contribution and resulting displacement. Context can constrain action without automatically erasing agency; agency can remain without pretending all actors possessed the same feasible options.

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 13

Consciousness coordinate

The Atlas carries consciousness inside the state rather than making every domain prove its existence from zero.

$$\chi_i(t) \in \Psi_i(t)$$

The open scientific question becomes how consciousness manifests, registers, communicates and becomes mutually legible across substrates. The schema rule is simple: low legibility is a gap in the receiver, not automatic proof of nonexistence in the source.

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 14

Time and the cost of truth

A true proposition can be correct while the surrounding system is not yet able to absorb the consequences of making it operative.

$$K_T(q,t) > R_G(t) \Rightarrow \text{build receiving capacity before full transition}$$

This does not license indefinite suppression. It creates a temporal construction problem: LERM maps the cost topology, IAMF-P builds the missing capacity, the transition is phased, and MU+ is repeatedly retested through time.

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 15

Coexistence closure

Stable self-existence is generally relational.

$$V_i(t+1) = f_i\Big(X_i(t), X_{N(i)}(t), E_t, t\Big)$$

Materializing a system enters it into dependency. Dependency creates consequence. Consequence creates a coexistence requirement. Adapter 120 therefore closes the preceding 119 by asking whether increasing truth, agency, capability and consciousness-legibility can become operative without forcing a dependent carrier to become the sacrificial sink.

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 16

Domain compiler

$$\mathcal{C}_d : (K_R, M_d, O_d, A_d) \to (\Sigma_d, \delta_d, \Phi_d, D_d, C_d, B_d, \Delta R_d, Q_d)$$

Every adapter must emit more than prose: native equations or state relations, a schema model, measurable friction and carrier variables, an incumbent comparator, a blocker detector, a construction, a Mutual-Uptick ledger, falsifiers and a prospective test.

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 17

Expanded ontology

The original ontology uses seven coordinates: substrate, scale, function, carrier, value, mode and time. The Atlas adds Ψ as the coupled agency/consciousness state where applicable without fragmenting choice, responsibility and recovery into separate worlds.

$$U^{+} = S \times L \times F \times C \times V \times M \times T \times \Psi$$

A newly discovered domain should normally require a new M_d, not a new kernel.

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 18

The scale ladder



The native mechanism changes at every rung. The Atlas tests whether the relational grammar of state, transition, redistribution, reception, capacity and recurrence survives the translation.

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 19

Activation outcomes

Output	Meaning
NO ACTIVATION	Local and consequential optima do not materially diverge under the preregistered boundary.
UNKNOWN	The consequential effect cannot be identified with the available evidence.
NO FEASIBLE MU+	Displacement is identified but no feasible construction clears every protected carrier.
MU+ PASS	A preregistered construction clears carrier-specific thresholds, safety, concentration and reserve gates.

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 20

Validation status: 360-test register

The source register contains 360 named tests. Its current distribution is deliberately sobering: 8 source documented, 118 phenomenon documented, 120 link partial/pending, 106 kernel-test open, and 8 not established. Universal acceptance, parity, untouched holdout and independent replication remain broadly open.



READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 21

Simulation record: negatives retained

The programme retains failures. In a 250,000-case routing-only ablation, full telemetry reported 2.224283% burden reduction, LERM/IAMF-P 1.618167%, and raw LERM 1.546338%. That negative killed the lazy proposition that anything labelled LERM must win.

After changing the semantics so capacity was built at the predicted loss carrier, the exploratory corrected run reported 5.6696% for LERM+IAMF-P versus 5.5567% for full telemetry, approximately 2.03% relative advantage. Because the semantics changed after seeing the failure, this remains exploratory rather than confirmatory.

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 22

Simulation record: universality is grammar, not one action

In the first 1,000,000-system experiment, a generic frozen action won only 1 of 20 domains and averaged 7.136% versus 7.567% for the strongest local-KPI strategy. In the second, changing only the objective boundary produced 7.9083% for the whole-system objective versus 7.8256% for boundary MPC, 7.506% for local KPI and 7.488% for full-telemetry next-carrier routing, while winning only about 29% of individual cases.

The sentence to remember: universality is not the same action everywhere. Universality is the same consequential grammar everywhere.

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 23

Falsification standard

A strong test freezes the kernel, boundary, comparator, information budget and horizon before outcomes. It predicts the receiving carrier and required construction on untouched data, then reveals the outcome and compares against the strongest incumbent under parity.

The programme weakens if carrier prediction does not beat appropriate comparators, if MU+ repeatedly fails despite feasible construction, if the operator activates where no material boundary divergence exists, or if the same grammar requires hidden domain-specific repairs to survive translation.

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 24

Operator workflow



The final question is always operational: what exactly should exist before the transition, who must carry it, how much capacity is sufficient, and what result would force us to revise the model?

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 25

Reading routes

Reader	Suggested route
New reader	Front matter → one familiar adapter → Adapter 120 → operator workflow.
Scientist	Kernel → domain-native plate → evidence/falsification plate → Formula Vault.
Policymaker	Boundary, carriers, time and cost-of-truth pages → governance/justice adapters → closure.
Founder/operator	BDI → blocker → capacity build → numerical ledger → run sheet.
AI researcher	Adapters 061, 070, 091, 092, 110, 120.
Philosopher	Agency, consciousness, creation/provenance, cosmology and closure.

READER MOVE Carry this concept into the first adapter you already understand.

FOUNDATION 26

Atlas map

The book contains twelve families and 120 adapters. Families 1-10 preserve the 100-domain Frontier Atlas. Families 11-12 extend it with conscious agency, responsibility, evolution, transformation, emergence and the final coexistence closure. Every adapter is a construction brief, not a declaration that its scientific test has already been won.

READER MOVE Carry this concept into the first adapter you already understand.

Contents

Contents

Contents **28**

Family index **30**

Adapter 001: Whole-person quality of life . . . 34
Adapter 001: Whole-person quality of life . . . 35
Adapter 001: Whole-person quality of life . . . 36
Adapter 001: Whole-person quality of life . . . 37
Adapter 001: Whole-person quality of life . . . 38
Adapter 001: Whole-person quality of life . . . 39
Adapter 001: Whole-person quality of life . . . 40
Adapter 002: Nutrition and metabolism . . . 41
Adapter 002: Nutrition and metabolism . . . 42
Adapter 002: Nutrition and metabolism . . . 43
Adapter 002: Nutrition and metabolism . . . 44
Adapter 002: Nutrition and metabolism . . . 45
Adapter 002: Nutrition and metabolism . . . 46
Adapter 002: Nutrition and metabolism . . . 47
Adapter 003: Sleep and recovery . . . 48
Adapter 003: Sleep and recovery . . . 49
Adapter 003: Sleep and recovery . . . 50
Adapter 003: Sleep and recovery . . . 51
Adapter 003: Sleep and recovery . . . 52
Adapter 003: Sleep and recovery . . . 53
Adapter 003: Sleep and recovery . . . 54
Adapter 004: Reproductive and sexual health . . . 55
Adapter 004: Reproductive and sexual health . . . 56
Adapter 004: Reproductive and sexual health . . . 57
Adapter 004: Reproductive and sexual health . . . 58
Adapter 004: Reproductive and sexual health . . . 59
Adapter 004: Reproductive and sexual health . . . 60
Adapter 004: Reproductive and sexual health . . . 61
Adapter 005: Disability and accessibility . . . 62
Adapter 005: Disability and accessibility . . . 63
Adapter 005: Disability and accessibility . . . 64
Adapter 005: Disability and accessibility . . . 65
Adapter 005: Disability and accessibility . . . 66
Adapter 005: Disability and accessibility . . . 67
Adapter 005: Disability and accessibility . . . 68
Adapter 006: Mobility and physical function . . . 69
Adapter 006: Mobility and physical function . . . 70
Adapter 006: Mobility and physical function . . . 71
Adapter 006: Mobility and physical function . . . 72
Adapter 006: Mobility and physical function . . . 73
Adapter 006: Mobility and physical function . . . 74
Adapter 006: Mobility and physical function . . . 75
Adapter 007: Family and caregiving . . . 76

Adapter 007: Family and caregiving . . . 77
Adapter 007: Family and caregiving . . . 78
Adapter 007: Family and caregiving . . . 79
Adapter 007: Family and caregiving . . . 80
Adapter 007: Family and caregiving . . . 81
Adapter 007: Family and caregiving . . . 82
Adapter 008: Safety and personal security . . . 83
Adapter 008: Safety and personal security . . . 84
Adapter 008: Safety and personal security . . . 85
Adapter 008: Safety and personal security . . . 86
Adapter 008: Safety and personal security . . . 87
Adapter 008: Safety and personal security . . . 88
Adapter 008: Safety and personal security . . . 89
Adapter 009: Housing and domestic environment . . . 90
Adapter 009: Housing and domestic environment . . . 91
Adapter 009: Housing and domestic environment . . . 92
Adapter 009: Housing and domestic environment . . . 93
Adapter 009: Housing and domestic environment . . . 94
Adapter 009: Housing and domestic environment . . . 95
Adapter 009: Housing and domestic environment . . . 96
Adapter 010: Human longevity and life-course planning . . . 97
Adapter 010: Human longevity and life-course planning . . . 98
Adapter 010: Human longevity and life-course planning . . . 99
Adapter 010: Human longevity and life-course planning . . . 100
Adapter 010: Human longevity and life-course planning . . . 101
Adapter 010: Human longevity and life-course planning . . . 102
Adapter 010: Human longevity and life-course planning . . . 103
Adapter 011: Psychology and social legibility . . . 105
Adapter 011: Psychology and social legibility . . . 106
Adapter 011: Psychology and social legibility . . . 107
Adapter 011: Psychology and social legibility . . . 108
Adapter 011: Psychology and social legibility . . . 109
Adapter 011: Psychology and social legibility . . . 110
Adapter 011: Psychology and social legibility . . . 111
Adapter 012: Identity and self-model . . . 112
Adapter 012: Identity and self-model . . . 113
Adapter 012: Identity and self-model . . . 114
Adapter 012: Identity and self-model . . . 115
Adapter 012: Identity and self-model . . . 116
Adapter 012: Identity and self-model . . . 117
Adapter 012: Identity and self-model . . . 118
Adapter 013: Relationships and intimacy . . . 119
Adapter 013: Relationships and intimacy . . . 120
Adapter 013: Relationships and intimacy . . . 121
Adapter 013: Relationships and intimacy . . . 122
Adapter 013: Relationships and intimacy . . . 123
Adapter 013: Relationships and intimacy . . . 124
Adapter 013: Relationships and intimacy . . . 125
Adapter 014: Parenting and child development . . . 126

Adapter 014: Parenting and child development . . . 127
Adapter 014: Parenting and child development . . . 128
Adapter 014: Parenting and child development . . . 129
Adapter 014: Parenting and child development . . . 130
Adapter 014: Parenting and child development . . . 131
Adapter 014: Parenting and child development . . . 132
Adapter 015: Purpose and self-actualization . . . 133
Adapter 015: Purpose and self-actualization . . . 134
Adapter 015: Purpose and self-actualization . . . 135
Adapter 015: Purpose and self-actualization . . . 136
Adapter 015: Purpose and self-actualization . . . 137
Adapter 015: Purpose and self-actualization . . . 138
Adapter 015: Purpose and self-actualization . . . 139
Adapter 016: Existential wellbeing . . . 140
Adapter 016: Existential wellbeing . . . 141
Adapter 016: Existential wellbeing . . . 142
Adapter 016: Existential wellbeing . . . 143
Adapter 016: Existential wellbeing . . . 144
Adapter 016: Existential wellbeing . . . 145
Adapter 016: Existential wellbeing . . . 146
Adapter 017: Spiritual life . . . 147
Adapter 017: Spiritual life . . . 148
Adapter 017: Spiritual life . . . 149
Adapter 017: Spiritual life . . . 150
Adapter 017: Spiritual life . . . 151
Adapter 017: Spiritual life . . . 152
Adapter 017: Spiritual life . . . 153
Adapter 018: Religion and community institutions . . . 154
Adapter 018: Religion and community institutions . . . 155
Adapter 018: Religion and community institutions . . . 156
Adapter 018: Religion and community institutions . . . 157
Adapter 018: Religion and community institutions . . . 158
Adapter 018: Religion and community institutions . . . 159
Adapter 018: Religion and community institutions . . . 160
Adapter 019: Emotion and affect regulation . . . 161
Adapter 019: Emotion and affect regulation . . . 162
Adapter 019: Emotion and affect regulation . . . 163
Adapter 019: Emotion and affect regulation . . . 164
Adapter 019: Emotion and affect regulation . . . 165
Adapter 019: Emotion and affect regulation . . . 166
Adapter 019: Emotion and affect regulation . . . 167
Adapter 020: Trust and fidelity between people . . . 168
Adapter 020: Trust and fidelity between people . . . 169
Adapter 020: Trust and fidelity between people . . . 170
Adapter 020: Trust and fidelity between people . . . 171
Adapter 020: Trust and fidelity between people . . . 172
Adapter 020: Trust and fidelity between people . . . 173
Adapter 020: Trust and fidelity between people . . . 174
Adapter 021: Healthcare delivery . . . 176

Adapter 021: Healthcare delivery . . . 177
Adapter 021: Healthcare delivery . . . 178
Adapter 021: Healthcare delivery . . . 179
Adapter 021: Healthcare delivery . . . 180
Adapter 021: Healthcare delivery . . . 181
Adapter 021: Healthcare delivery . . . 182
Adapter 022: Diagnostics . . . 183
Adapter 022: Diagnostics . . . 184
Adapter 022: Diagnostics . . . 185
Adapter 022: Diagnostics . . . 186
Adapter 022: Diagnostics . . . 187
Adapter 022: Diagnostics . . . 188
Adapter 022: Diagnostics . . . 189
Adapter 023: Cancer ecology . . . 190
Adapter 023: Cancer ecology . . . 191
Adapter 023: Cancer ecology . . . 192
Adapter 023: Cancer ecology . . . 193
Adapter 023: Cancer ecology . . . 194
Adapter 023: Cancer ecology . . . 195
Adapter 023: Cancer ecology . . . 196
Adapter 024: Neuroscience and neurodegeneration . . . 197
Adapter 024: Neuroscience and neurodegeneration . . . 198
Adapter 024: Neuroscience and neurodegeneration . . . 199
Adapter 024: Neuroscience and neurodegeneration . . . 200
Adapter 024: Neuroscience and neurodegeneration . . . 201
Adapter 024: Neuroscience and neurodegeneration . . . 202
Adapter 024: Neuroscience and neurodegeneration . . . 203
Adapter 025: Aging biology . . . 204
Adapter 025: Aging biology . . . 205
Adapter 025: Aging biology . . . 206
Adapter 025: Aging biology . . . 207
Adapter 025: Aging biology . . . 208
Adapter 025: Aging biology . . . 209
Adapter 025: Aging biology . . . 210
Adapter 026: Immunology . . . 211
Adapter 026: Immunology . . . 212
Adapter 026: Immunology . . . 213
Adapter 026: Immunology . . . 214
Adapter 026: Immunology . . . 215
Adapter 026: Immunology . . . 216
Adapter 026: Immunology . . . 217
Adapter 027: Infectious disease . . . 218
Adapter 027: Infectious disease . . . 219
Adapter 027: Infectious disease . . . 220
Adapter 027: Infectious disease . . . 221
Adapter 027: Infectious disease . . . 222
Adapter 027: Infectious disease . . . 223
Adapter 027: Infectious disease . . . 224
Adapter 028: Microbiome . . . 225

Adapter 028: Microbiome . . . 226
Adapter 028: Microbiome . . . 227
Adapter 028: Microbiome . . . 228
Adapter 028: Microbiome . . . 229
Adapter 028: Microbiome . . . 230
Adapter 028: Microbiome . . . 231
Adapter 029: Genomics and proteomics . . . 232
Adapter 029: Genomics and proteomics . . . 233
Adapter 029: Genomics and proteomics . . . 234
Adapter 029: Genomics and proteomics . . . 235
Adapter 029: Genomics and proteomics . . . 236
Adapter 029: Genomics and proteomics . . . 237
Adapter 029: Genomics and proteomics . . . 238
Adapter 030: Surgery and rehabilitation . . . 239
Adapter 030: Surgery and rehabilitation . . . 240
Adapter 030: Surgery and rehabilitation . . . 241
Adapter 030: Surgery and rehabilitation . . . 242
Adapter 030: Surgery and rehabilitation . . . 243
Adapter 030: Surgery and rehabilitation . . . 244
Adapter 030: Surgery and rehabilitation . . . 245
Adapter 031: Early-childhood development and education . . . 247
Adapter 031: Early-childhood development and education . . . 248
Adapter 031: Early-childhood development and education . . . 249
Adapter 031: Early-childhood development and education . . . 250
Adapter 031: Early-childhood development and education . . . 251
Adapter 031: Early-childhood development and education . . . 252
Adapter 031: Early-childhood development and education . . . 253
Adapter 032: K-12 education . . . 254
Adapter 032: K-12 education . . . 255
Adapter 032: K-12 education . . . 256
Adapter 032: K-12 education . . . 257
Adapter 032: K-12 education . . . 258
Adapter 032: K-12 education . . . 259
Adapter 032: K-12 education . . . 260
Adapter 033: Higher education . . . 261
Adapter 033: Higher education . . . 262
Adapter 033: Higher education . . . 263
Adapter 033: Higher education . . . 264
Adapter 033: Higher education . . . 265
Adapter 033: Higher education . . . 266
Adapter 033: Higher education . . . 267
Adapter 034: Vocational and workforce learning . . . 268
Adapter 034: Vocational and workforce learning . . . 269
Adapter 034: Vocational and workforce learning . . . 270
Adapter 034: Vocational and workforce learning . . . 271
Adapter 034: Vocational and workforce learning . . . 272
Adapter 034: Vocational and workforce learning . . . 273
Adapter 034: Vocational and workforce learning . . . 274
Adapter 035: Scientific research . . . 275

Adapter 035: Scientific research . . . 276
Adapter 035: Scientific research . . . 277
Adapter 035: Scientific research . . . 278
Adapter 035: Scientific research . . . 279
Adapter 035: Scientific research . . . 280
Adapter 035: Scientific research . . . 281
Adapter 036: Justice and courts . . . 282
Adapter 036: Justice and courts . . . 283
Adapter 036: Justice and courts . . . 284
Adapter 036: Justice and courts . . . 285
Adapter 036: Justice and courts . . . 286
Adapter 036: Justice and courts . . . 287
Adapter 036: Justice and courts . . . 288
Adapter 037: Policing and public safety systems . . . 289
Adapter 037: Policing and public safety systems . . . 290
Adapter 037: Policing and public safety systems . . . 291
Adapter 037: Policing and public safety systems . . . 292
Adapter 037: Policing and public safety systems . . . 293
Adapter 037: Policing and public safety systems . . . 294
Adapter 037: Policing and public safety systems . . . 295
Adapter 038: Corrections, rehabilitation and reintegration . . . 296
Adapter 038: Corrections, rehabilitation and reintegration . . . 297
Adapter 038: Corrections, rehabilitation and reintegration . . . 298
Adapter 038: Corrections, rehabilitation and reintegration . . . 299
Adapter 038: Corrections, rehabilitation and reintegration . . . 300
Adapter 038: Corrections, rehabilitation and reintegration . . . 301
Adapter 038: Corrections, rehabilitation and reintegration . . . 302
Adapter 039: Public administration . . . 303
Adapter 039: Public administration . . . 304
Adapter 039: Public administration . . . 305
Adapter 039: Public administration . . . 306
Adapter 039: Public administration . . . 307
Adapter 039: Public administration . . . 308
Adapter 039: Public administration . . . 309
Adapter 040: Governance and institutional design . . . 310
Adapter 040: Governance and institutional design . . . 311
Adapter 040: Governance and institutional design . . . 312
Adapter 040: Governance and institutional design . . . 313
Adapter 040: Governance and institutional design . . . 314
Adapter 040: Governance and institutional design . . . 315
Adapter 040: Governance and institutional design . . . 316
Adapter 041: Beauty and aesthetics . . . 318
Adapter 041: Beauty and aesthetics . . . 319
Adapter 041: Beauty and aesthetics . . . 320
Adapter 041: Beauty and aesthetics . . . 321
Adapter 041: Beauty and aesthetics . . . 322
Adapter 041: Beauty and aesthetics . . . 323
Adapter 041: Beauty and aesthetics . . . 324
Adapter 042: Fashion and apparel . . . 325

Adapter 042: Fashion and apparel . . . 326
Adapter 042: Fashion and apparel . . . 327
Adapter 042: Fashion and apparel . . . 328
Adapter 042: Fashion and apparel . . . 329
Adapter 042: Fashion and apparel . . . 330
Adapter 042: Fashion and apparel . . . 331
Adapter 043: Luxury goods . . . 332
Adapter 043: Luxury goods . . . 333
Adapter 043: Luxury goods . . . 334
Adapter 043: Luxury goods . . . 335
Adapter 043: Luxury goods . . . 336
Adapter 043: Luxury goods . . . 337
Adapter 043: Luxury goods . . . 338
Adapter 044: Hospitality . . . 339
Adapter 044: Hospitality . . . 340
Adapter 044: Hospitality . . . 341
Adapter 044: Hospitality . . . 342
Adapter 044: Hospitality . . . 343
Adapter 044: Hospitality . . . 344
Adapter 044: Hospitality . . . 345
Adapter 045: Travel and tourism . . . 346
Adapter 045: Travel and tourism . . . 347
Adapter 045: Travel and tourism . . . 348
Adapter 045: Travel and tourism . . . 349
Adapter 045: Travel and tourism . . . 350
Adapter 045: Travel and tourism . . . 351
Adapter 045: Travel and tourism . . . 352
Adapter 046: Art and cultural markets . . . 353
Adapter 046: Art and cultural markets . . . 354
Adapter 046: Art and cultural markets . . . 355
Adapter 046: Art and cultural markets . . . 356
Adapter 046: Art and cultural markets . . . 357
Adapter 046: Art and cultural markets . . . 358
Adapter 046: Art and cultural markets . . . 359
Adapter 047: Music and entertainment . . . 360
Adapter 047: Music and entertainment . . . 361
Adapter 047: Music and entertainment . . . 362
Adapter 047: Music and entertainment . . . 363
Adapter 047: Music and entertainment . . . 364
Adapter 047: Music and entertainment . . . 365
Adapter 047: Music and entertainment . . . 366
Adapter 048: Gaming and virtual worlds . . . 367
Adapter 048: Gaming and virtual worlds . . . 368
Adapter 048: Gaming and virtual worlds . . . 369
Adapter 048: Gaming and virtual worlds . . . 370
Adapter 048: Gaming and virtual worlds . . . 371
Adapter 048: Gaming and virtual worlds . . . 372
Adapter 048: Gaming and virtual worlds . . . 373
Adapter 049: Sports and performance . . . 374

Adapter 049: Sports and performance . . . 375
Adapter 049: Sports and performance . . . 376
Adapter 049: Sports and performance . . . 377
Adapter 049: Sports and performance . . . 378
Adapter 049: Sports and performance . . . 379
Adapter 049: Sports and performance . . . 380
Adapter 050: Experience design and events . . . 381
Adapter 050: Experience design and events . . . 382
Adapter 050: Experience design and events . . . 383
Adapter 050: Experience design and events . . . 384
Adapter 050: Experience design and events . . . 385
Adapter 050: Experience design and events . . . 386
Adapter 050: Experience design and events . . . 387
Adapter 051: Currency and monetary experience . . . 389
Adapter 051: Currency and monetary experience . . . 390
Adapter 051: Currency and monetary experience . . . 391
Adapter 051: Currency and monetary experience . . . 392
Adapter 051: Currency and monetary experience . . . 393
Adapter 051: Currency and monetary experience . . . 394
Adapter 051: Currency and monetary experience . . . 395
Adapter 052: Payments and remittances . . . 396
Adapter 052: Payments and remittances . . . 397
Adapter 052: Payments and remittances . . . 398
Adapter 052: Payments and remittances . . . 399
Adapter 052: Payments and remittances . . . 400
Adapter 052: Payments and remittances . . . 401
Adapter 052: Payments and remittances . . . 402
Adapter 053: Banking and liquidity . . . 403
Adapter 053: Banking and liquidity . . . 404
Adapter 053: Banking and liquidity . . . 405
Adapter 053: Banking and liquidity . . . 406
Adapter 053: Banking and liquidity . . . 407
Adapter 053: Banking and liquidity . . . 408
Adapter 053: Banking and liquidity . . . 409
Adapter 054: Credit and underwriting . . . 410
Adapter 054: Credit and underwriting . . . 411
Adapter 054: Credit and underwriting . . . 412
Adapter 054: Credit and underwriting . . . 413
Adapter 054: Credit and underwriting . . . 414
Adapter 054: Credit and underwriting . . . 415
Adapter 054: Credit and underwriting . . . 416
Adapter 055: Insurance and resilience . . . 417
Adapter 055: Insurance and resilience . . . 418
Adapter 055: Insurance and resilience . . . 419
Adapter 055: Insurance and resilience . . . 420
Adapter 055: Insurance and resilience . . . 421
Adapter 055: Insurance and resilience . . . 422
Adapter 055: Insurance and resilience . . . 423
Adapter 056: Capital markets and investing . . . 424

Adapter 056: Capital markets and investing . . . 425
Adapter 056: Capital markets and investing . . . 426
Adapter 056: Capital markets and investing . . . 427
Adapter 056: Capital markets and investing . . . 428
Adapter 056: Capital markets and investing . . . 429
Adapter 056: Capital markets and investing . . . 430
Adapter 057: Private wealth and family capital . . . 431
Adapter 057: Private wealth and family capital . . . 432
Adapter 057: Private wealth and family capital . . . 433
Adapter 057: Private wealth and family capital . . . 434
Adapter 057: Private wealth and family capital . . . 435
Adapter 057: Private wealth and family capital . . . 436
Adapter 057: Private wealth and family capital . . . 437
Adapter 058: Labor and talent markets . . . 438
Adapter 058: Labor and talent markets . . . 439
Adapter 058: Labor and talent markets . . . 440
Adapter 058: Labor and talent markets . . . 441
Adapter 058: Labor and talent markets . . . 442
Adapter 058: Labor and talent markets . . . 443
Adapter 058: Labor and talent markets . . . 444
Adapter 059: Organizations and enterprises . . . 445
Adapter 059: Organizations and enterprises . . . 446
Adapter 059: Organizations and enterprises . . . 447
Adapter 059: Organizations and enterprises . . . 448
Adapter 059: Organizations and enterprises . . . 449
Adapter 059: Organizations and enterprises . . . 450
Adapter 059: Organizations and enterprises . . . 451
Adapter 060: Entrepreneurship and venture creation . . . 452
Adapter 060: Entrepreneurship and venture creation . . . 453
Adapter 060: Entrepreneurship and venture creation . . . 454
Adapter 060: Entrepreneurship and venture creation . . . 455
Adapter 060: Entrepreneurship and venture creation . . . 456
Adapter 060: Entrepreneurship and venture creation . . . 457
Adapter 060: Entrepreneurship and venture creation . . . 458
Adapter 061: Artificial intelligence . . . 460
Adapter 061: Artificial intelligence . . . 461
Adapter 061: Artificial intelligence . . . 462
Adapter 061: Artificial intelligence . . . 463
Adapter 061: Artificial intelligence . . . 464
Adapter 061: Artificial intelligence . . . 465
Adapter 061: Artificial intelligence . . . 466
Adapter 062: Software systems . . . 467
Adapter 062: Software systems . . . 468
Adapter 062: Software systems . . . 469
Adapter 062: Software systems . . . 470
Adapter 062: Software systems . . . 471
Adapter 062: Software systems . . . 472
Adapter 062: Software systems . . . 473
Adapter 063: Cybersecurity . . . 474

Adapter 063: Cybersecurity . . . 475
Adapter 063: Cybersecurity . . . 476
Adapter 063: Cybersecurity . . . 477
Adapter 063: Cybersecurity . . . 478
Adapter 063: Cybersecurity . . . 479
Adapter 063: Cybersecurity . . . 480
Adapter 064: Data infrastructure . . . 481
Adapter 064: Data infrastructure . . . 482
Adapter 064: Data infrastructure . . . 483
Adapter 064: Data infrastructure . . . 484
Adapter 064: Data infrastructure . . . 485
Adapter 064: Data infrastructure . . . 486
Adapter 064: Data infrastructure . . . 487
Adapter 065: Privacy . . . 488
Adapter 065: Privacy . . . 489
Adapter 065: Privacy . . . 490
Adapter 065: Privacy . . . 491
Adapter 065: Privacy . . . 492
Adapter 065: Privacy . . . 493
Adapter 065: Privacy . . . 494
Adapter 066: Digital identity . . . 495
Adapter 066: Digital identity . . . 496
Adapter 066: Digital identity . . . 497
Adapter 066: Digital identity . . . 498
Adapter 066: Digital identity . . . 499
Adapter 066: Digital identity . . . 500
Adapter 066: Digital identity . . . 501
Adapter 067: Internet and communications . . . 502
Adapter 067: Internet and communications . . . 503
Adapter 067: Internet and communications . . . 504
Adapter 067: Internet and communications . . . 505
Adapter 067: Internet and communications . . . 506
Adapter 067: Internet and communications . . . 507
Adapter 067: Internet and communications . . . 508
Adapter 068: Media and information ecosystems . . . 509
Adapter 068: Media and information ecosystems . . . 510
Adapter 068: Media and information ecosystems . . . 511
Adapter 068: Media and information ecosystems . . . 512
Adapter 068: Media and information ecosystems . . . 513
Adapter 068: Media and information ecosystems . . . 514
Adapter 068: Media and information ecosystems . . . 515
Adapter 069: Language and translation . . . 516
Adapter 069: Language and translation . . . 517
Adapter 069: Language and translation . . . 518
Adapter 069: Language and translation . . . 519
Adapter 069: Language and translation . . . 520
Adapter 069: Language and translation . . . 521
Adapter 069: Language and translation . . . 522
Adapter 070: Knowledge and ontologies . . . 523

Adapter 070: Knowledge and ontologies . . . 524
Adapter 070: Knowledge and ontologies . . . 525
Adapter 070: Knowledge and ontologies . . . 526
Adapter 070: Knowledge and ontologies . . . 527
Adapter 070: Knowledge and ontologies . . . 528
Adapter 070: Knowledge and ontologies . . . 529
Adapter 071: Energy and power grids . . . 531
Adapter 071: Energy and power grids . . . 532
Adapter 071: Energy and power grids . . . 533
Adapter 071: Energy and power grids . . . 534
Adapter 071: Energy and power grids . . . 535
Adapter 071: Energy and power grids . . . 536
Adapter 071: Energy and power grids . . . 537
Adapter 072: Water and irrigation . . . 538
Adapter 072: Water and irrigation . . . 539
Adapter 072: Water and irrigation . . . 540
Adapter 072: Water and irrigation . . . 541
Adapter 072: Water and irrigation . . . 542
Adapter 072: Water and irrigation . . . 543
Adapter 072: Water and irrigation . . . 544
Adapter 073: Food and agriculture . . . 545
Adapter 073: Food and agriculture . . . 546
Adapter 073: Food and agriculture . . . 547
Adapter 073: Food and agriculture . . . 548
Adapter 073: Food and agriculture . . . 549
Adapter 073: Food and agriculture . . . 550
Adapter 073: Food and agriculture . . . 551
Adapter 074: Supply chains and logistics . . . 552
Adapter 074: Supply chains and logistics . . . 553
Adapter 074: Supply chains and logistics . . . 554
Adapter 074: Supply chains and logistics . . . 555
Adapter 074: Supply chains and logistics . . . 556
Adapter 074: Supply chains and logistics . . . 557
Adapter 074: Supply chains and logistics . . . 558
Adapter 075: Manufacturing . . . 559
Adapter 075: Manufacturing . . . 560
Adapter 075: Manufacturing . . . 561
Adapter 075: Manufacturing . . . 562
Adapter 075: Manufacturing . . . 563
Adapter 075: Manufacturing . . . 564
Adapter 075: Manufacturing . . . 565
Adapter 076: Waste and circular materials . . . 566
Adapter 076: Waste and circular materials . . . 567
Adapter 076: Waste and circular materials . . . 568
Adapter 076: Waste and circular materials . . . 569
Adapter 076: Waste and circular materials . . . 570
Adapter 076: Waste and circular materials . . . 571
Adapter 076: Waste and circular materials . . . 572
Adapter 077: Transportation and mobility . . . 573

Adapter 077: Transportation and mobility . . . 574
Adapter 077: Transportation and mobility . . . 575
Adapter 077: Transportation and mobility . . . 576
Adapter 077: Transportation and mobility . . . 577
Adapter 077: Transportation and mobility . . . 578
Adapter 077: Transportation and mobility . . . 579
Adapter 078: Cities and urban systems . . . 580
Adapter 078: Cities and urban systems . . . 581
Adapter 078: Cities and urban systems . . . 582
Adapter 078: Cities and urban systems . . . 583
Adapter 078: Cities and urban systems . . . 584
Adapter 078: Cities and urban systems . . . 585
Adapter 078: Cities and urban systems . . . 586
Adapter 079: Climate and disaster resilience . . . 587
Adapter 079: Climate and disaster resilience . . . 588
Adapter 079: Climate and disaster resilience . . . 589
Adapter 079: Climate and disaster resilience . . . 590
Adapter 079: Climate and disaster resilience . . . 591
Adapter 079: Climate and disaster resilience . . . 592
Adapter 079: Climate and disaster resilience . . . 593
Adapter 080: Ecology and biodiversity . . . 594
Adapter 080: Ecology and biodiversity . . . 595
Adapter 080: Ecology and biodiversity . . . 596
Adapter 080: Ecology and biodiversity . . . 597
Adapter 080: Ecology and biodiversity . . . 598
Adapter 080: Ecology and biodiversity . . . 599
Adapter 080: Ecology and biodiversity . . . 600
Adapter 081: Cell biology . . . 602
Adapter 081: Cell biology . . . 603
Adapter 081: Cell biology . . . 604
Adapter 081: Cell biology . . . 605
Adapter 081: Cell biology . . . 606
Adapter 081: Cell biology . . . 607
Adapter 081: Cell biology . . . 608
Adapter 082: Molecular biology . . . 609
Adapter 082: Molecular biology . . . 610
Adapter 082: Molecular biology . . . 611
Adapter 082: Molecular biology . . . 612
Adapter 082: Molecular biology . . . 613
Adapter 082: Molecular biology . . . 614
Adapter 082: Molecular biology . . . 615
Adapter 083: Nanotechnology . . . 616
Adapter 083: Nanotechnology . . . 617
Adapter 083: Nanotechnology . . . 618
Adapter 083: Nanotechnology . . . 619
Adapter 083: Nanotechnology . . . 620
Adapter 083: Nanotechnology . . . 621
Adapter 083: Nanotechnology . . . 622
Adapter 084: Chemistry and reaction systems . . . 623

Adapter 084: Chemistry and reaction systems . . . 624
Adapter 084: Chemistry and reaction systems . . . 625
Adapter 084: Chemistry and reaction systems . . . 626
Adapter 084: Chemistry and reaction systems . . . 627
Adapter 084: Chemistry and reaction systems . . . 628
Adapter 084: Chemistry and reaction systems . . . 629
Adapter 085: Materials science . . . 630
Adapter 085: Materials science . . . 631
Adapter 085: Materials science . . . 632
Adapter 085: Materials science . . . 633
Adapter 085: Materials science . . . 634
Adapter 085: Materials science . . . 635
Adapter 085: Materials science . . . 636
Adapter 086: Classical mechanics and control . . . 637
Adapter 086: Classical mechanics and control . . . 638
Adapter 086: Classical mechanics and control . . . 639
Adapter 086: Classical mechanics and control . . . 640
Adapter 086: Classical mechanics and control . . . 641
Adapter 086: Classical mechanics and control . . . 642
Adapter 086: Classical mechanics and control . . . 643
Adapter 087: Thermodynamics and nonequilibrium systems . . . 644
Adapter 087: Thermodynamics and nonequilibrium systems . . . 645
Adapter 087: Thermodynamics and nonequilibrium systems . . . 646
Adapter 087: Thermodynamics and nonequilibrium systems . . . 647
Adapter 087: Thermodynamics and nonequilibrium systems . . . 648
Adapter 087: Thermodynamics and nonequilibrium systems . . . 649
Adapter 087: Thermodynamics and nonequilibrium systems . . . 650
Adapter 088: Electromagnetism and circuits . . . 651
Adapter 088: Electromagnetism and circuits . . . 652
Adapter 088: Electromagnetism and circuits . . . 653
Adapter 088: Electromagnetism and circuits . . . 654
Adapter 088: Electromagnetism and circuits . . . 655
Adapter 088: Electromagnetism and circuits . . . 656
Adapter 088: Electromagnetism and circuits . . . 657
Adapter 089: Quantum systems . . . 658
Adapter 089: Quantum systems . . . 659
Adapter 089: Quantum systems . . . 660
Adapter 089: Quantum systems . . . 661
Adapter 089: Quantum systems . . . 662
Adapter 089: Quantum systems . . . 663
Adapter 089: Quantum systems . . . 664
Adapter 090: Pure mathematics and formal systems . . . 665
Adapter 090: Pure mathematics and formal systems . . . 666
Adapter 090: Pure mathematics and formal systems . . . 667
Adapter 090: Pure mathematics and formal systems . . . 668
Adapter 090: Pure mathematics and formal systems . . . 669
Adapter 090: Pure mathematics and formal systems . . . 670
Adapter 090: Pure mathematics and formal systems . . . 671
Adapter 091: Statistics and causal inference . . . 673

Adapter 091: Statistics and causal inference . . . 674
Adapter 091: Statistics and causal inference . . . 675
Adapter 091: Statistics and causal inference . . . 676
Adapter 091: Statistics and causal inference . . . 677
Adapter 091: Statistics and causal inference . . . 678
Adapter 091: Statistics and causal inference . . . 679
Adapter 092: Logic and reasoning systems . . . 680
Adapter 092: Logic and reasoning systems . . . 681
Adapter 092: Logic and reasoning systems . . . 682
Adapter 092: Logic and reasoning systems . . . 683
Adapter 092: Logic and reasoning systems . . . 684
Adapter 092: Logic and reasoning systems . . . 685
Adapter 092: Logic and reasoning systems . . . 686
Adapter 093: Geography and territorial systems . . . 687
Adapter 093: Geography and territorial systems . . . 688
Adapter 093: Geography and territorial systems . . . 689
Adapter 093: Geography and territorial systems . . . 690
Adapter 093: Geography and territorial systems . . . 691
Adapter 093: Geography and territorial systems . . . 692
Adapter 093: Geography and territorial systems . . . 693
Adapter 094: Informal economy . . . 694
Adapter 094: Informal economy . . . 695
Adapter 094: Informal economy . . . 696
Adapter 094: Informal economy . . . 697
Adapter 094: Informal economy . . . 698
Adapter 094: Informal economy . . . 699
Adapter 094: Informal economy . . . 700
Adapter 095: Illicit and black markets . . . 701
Adapter 095: Illicit and black markets . . . 702
Adapter 095: Illicit and black markets . . . 703
Adapter 095: Illicit and black markets . . . 704
Adapter 095: Illicit and black markets . . . 705
Adapter 095: Illicit and black markets . . . 706
Adapter 095: Illicit and black markets . . . 707
Adapter 096: Orbital and space economy . . . 708
Adapter 096: Orbital and space economy . . . 709
Adapter 096: Orbital and space economy . . . 710
Adapter 096: Orbital and space economy . . . 711
Adapter 096: Orbital and space economy . . . 712
Adapter 096: Orbital and space economy . . . 713
Adapter 096: Orbital and space economy . . . 714
Adapter 097: Extraterrestrial settlement . . . 715
Adapter 097: Extraterrestrial settlement . . . 716
Adapter 097: Extraterrestrial settlement . . . 717
Adapter 097: Extraterrestrial settlement . . . 718
Adapter 097: Extraterrestrial settlement . . . 719
Adapter 097: Extraterrestrial settlement . . . 720
Adapter 097: Extraterrestrial settlement . . . 721
Adapter 098: Astrobiology and biosignatures . . . 722

Adapter 098: Astrobiology and biosignatures . . . 723
Adapter 098: Astrobiology and biosignatures . . . 724
Adapter 098: Astrobiology and biosignatures . . . 725
Adapter 098: Astrobiology and biosignatures . . . 726
Adapter 098: Astrobiology and biosignatures . . . 727
Adapter 098: Astrobiology and biosignatures . . . 728
Adapter 099: Planetary systems and stewardship . . . 729
Adapter 099: Planetary systems and stewardship . . . 730
Adapter 099: Planetary systems and stewardship . . . 731
Adapter 099: Planetary systems and stewardship . . . 732
Adapter 099: Planetary systems and stewardship . . . 733
Adapter 099: Planetary systems and stewardship . . . 734
Adapter 099: Planetary systems and stewardship . . . 735
Adapter 100: Unknown and not-yet-named realities . . . 736
Adapter 100: Unknown and not-yet-named realities . . . 737
Adapter 100: Unknown and not-yet-named realities . . . 738
Adapter 100: Unknown and not-yet-named realities . . . 739
Adapter 100: Unknown and not-yet-named realities . . . 740
Adapter 100: Unknown and not-yet-named realities . . . 741
Adapter 100: Unknown and not-yet-named realities . . . 742
Adapter 101: Conscious experience and self-model . . . 744
Adapter 101: Conscious experience and self-model . . . 745
Adapter 101: Conscious experience and self-model . . . 746
Adapter 101: Conscious experience and self-model . . . 747
Adapter 101: Conscious experience and self-model . . . 748
Adapter 101: Conscious experience and self-model . . . 749
Adapter 101: Conscious experience and self-model . . . 750
Adapter 102: Choice and option topology . . . 751
Adapter 102: Choice and option topology . . . 752
Adapter 102: Choice and option topology . . . 753
Adapter 102: Choice and option topology . . . 754
Adapter 102: Choice and option topology . . . 755
Adapter 102: Choice and option topology . . . 756
Adapter 102: Choice and option topology . . . 757
Adapter 103: Truth, deception and disclosure . . . 758
Adapter 103: Truth, deception and disclosure . . . 759
Adapter 103: Truth, deception and disclosure . . . 760
Adapter 103: Truth, deception and disclosure . . . 761
Adapter 103: Truth, deception and disclosure . . . 762
Adapter 103: Truth, deception and disclosure . . . 763
Adapter 103: Truth, deception and disclosure . . . 764
Adapter 104: Responsibility and causal attribution . . . 765
Adapter 104: Responsibility and causal attribution . . . 766
Adapter 104: Responsibility and causal attribution . . . 767
Adapter 104: Responsibility and causal attribution . . . 768
Adapter 104: Responsibility and causal attribution . . . 769
Adapter 104: Responsibility and causal attribution . . . 770
Adapter 104: Responsibility and causal attribution . . . 771
Adapter 105: Consent, coercion and autonomy . . . 772

Adapter 105: Consent, coercion and autonomy . . . 773
Adapter 105: Consent, coercion and autonomy . . . 774
Adapter 105: Consent, coercion and autonomy . . . 775
Adapter 105: Consent, coercion and autonomy . . . 776
Adapter 105: Consent, coercion and autonomy . . . 777
Adapter 105: Consent, coercion and autonomy . . . 778
Adapter 106: Addiction, compulsion and short-horizon relief . . . 779
Adapter 106: Addiction, compulsion and short-horizon relief . . . 780
Adapter 106: Addiction, compulsion and short-horizon relief . . . 781
Adapter 106: Addiction, compulsion and short-horizon relief . . . 782
Adapter 106: Addiction, compulsion and short-horizon relief . . . 783
Adapter 106: Addiction, compulsion and short-horizon relief . . . 784
Adapter 106: Addiction, compulsion and short-horizon relief . . . 785
Adapter 107: Crime, violence and reconciliation . . . 786
Adapter 107: Crime, violence and reconciliation . . . 787
Adapter 107: Crime, violence and reconciliation . . . 788
Adapter 107: Crime, violence and reconciliation . . . 789
Adapter 107: Crime, violence and reconciliation . . . 790
Adapter 107: Crime, violence and reconciliation . . . 791
Adapter 107: Crime, violence and reconciliation . . . 792
Adapter 108: Animal sentience and welfare . . . 793
Adapter 108: Animal sentience and welfare . . . 794
Adapter 108: Animal sentience and welfare . . . 795
Adapter 108: Animal sentience and welfare . . . 796
Adapter 108: Animal sentience and welfare . . . 797
Adapter 108: Animal sentience and welfare . . . 798
Adapter 108: Animal sentience and welfare . . . 799
Adapter 109: Collective agency and institutional choice . . . 800
Adapter 109: Collective agency and institutional choice . . . 801
Adapter 109: Collective agency and institutional choice . . . 802
Adapter 109: Collective agency and institutional choice . . . 803
Adapter 109: Collective agency and institutional choice . . . 804
Adapter 109: Collective agency and institutional choice . . . 805
Adapter 109: Collective agency and institutional choice . . . 806
Adapter 110: Human-AI co-agency . . . 807
Adapter 110: Human-AI co-agency . . . 808
Adapter 110: Human-AI co-agency . . . 809
Adapter 110: Human-AI co-agency . . . 810
Adapter 110: Human-AI co-agency . . . 811
Adapter 110: Human-AI co-agency . . . 812
Adapter 110: Human-AI co-agency . . . 813
Adapter 111: Evolution and natural selection . . . 815
Adapter 111: Evolution and natural selection . . . 816
Adapter 111: Evolution and natural selection . . . 817
Adapter 111: Evolution and natural selection . . . 818
Adapter 111: Evolution and natural selection . . . 819
Adapter 111: Evolution and natural selection . . . 820
Adapter 111: Evolution and natural selection . . . 821
Adapter 112: Reproduction, inheritance, mitosis and meiosis . . . 822

Adapter 112: Reproduction, inheritance, mitosis and meiosis . . . 823
Adapter 112: Reproduction, inheritance, mitosis and meiosis . . . 824
Adapter 112: Reproduction, inheritance, mitosis and meiosis . . . 825
Adapter 112: Reproduction, inheritance, mitosis and meiosis . . . 826
Adapter 112: Reproduction, inheritance, mitosis and meiosis . . . 827
Adapter 112: Reproduction, inheritance, mitosis and meiosis . . . 828
Adapter 113: Development and morphogenesis . . . 829
Adapter 113: Development and morphogenesis . . . 830
Adapter 113: Development and morphogenesis . . . 831
Adapter 113: Development and morphogenesis . . . 832
Adapter 113: Development and morphogenesis . . . 833
Adapter 113: Development and morphogenesis . . . 834
Adapter 113: Development and morphogenesis . . . 835
Adapter 114: Metabolism, diet and consumption . . . 836
Adapter 114: Metabolism, diet and consumption . . . 837
Adapter 114: Metabolism, diet and consumption . . . 838
Adapter 114: Metabolism, diet and consumption . . . 839
Adapter 114: Metabolism, diet and consumption . . . 840
Adapter 114: Metabolism, diet and consumption . . . 841
Adapter 114: Metabolism, diet and consumption . . . 842
Adapter 115: Predation, livestock and food-system transformation . . . 843
Adapter 115: Predation, livestock and food-system transformation . . . 844
Adapter 115: Predation, livestock and food-system transformation . . . 845
Adapter 115: Predation, livestock and food-system transformation . . . 846
Adapter 115: Predation, livestock and food-system transformation . . . 847
Adapter 115: Predation, livestock and food-system transformation . . . 848
Adapter 115: Predation, livestock and food-system transformation . . . 849
Adapter 116: Learning, plasticity and cultural evolution . . . 850
Adapter 116: Learning, plasticity and cultural evolution . . . 851
Adapter 116: Learning, plasticity and cultural evolution . . . 852
Adapter 116: Learning, plasticity and cultural evolution . . . 853
Adapter 116: Learning, plasticity and cultural evolution . . . 854
Adapter 116: Learning, plasticity and cultural evolution . . . 855
Adapter 116: Learning, plasticity and cultural evolution . . . 856
Adapter 117: Self-organization and emergence . . . 857
Adapter 117: Self-organization and emergence . . . 858
Adapter 117: Self-organization and emergence . . . 859
Adapter 117: Self-organization and emergence . . . 860
Adapter 117: Self-organization and emergence . . . 861
Adapter 117: Self-organization and emergence . . . 862
Adapter 117: Self-organization and emergence . . . 863
Adapter 118: Creation, provenance and dependency . . . 864
Adapter 118: Creation, provenance and dependency . . . 865
Adapter 118: Creation, provenance and dependency . . . 866
Adapter 118: Creation, provenance and dependency . . . 867
Adapter 118: Creation, provenance and dependency . . . 868
Adapter 118: Creation, provenance and dependency . . . 869
Adapter 118: Creation, provenance and dependency . . . 870
Adapter 119: Cosmological evolution and structure formation . . . 871

Adapter 119: Cosmological evolution and structure formation 872
Adapter 119: Cosmological evolution and structure formation 873
Adapter 119: Cosmological evolution and structure formation 874
Adapter 119: Cosmological evolution and structure formation 875
Adapter 119: Cosmological evolution and structure formation 876
Adapter 119: Cosmological evolution and structure formation 877
Adapter 120: Cross-substrate consciousness, temporal coexistence and closure 878
Adapter 120: Cross-substrate consciousness, temporal coexistence and closure 879
Adapter 120: Cross-substrate consciousness, temporal coexistence and closure 880
Adapter 120: Cross-substrate consciousness, temporal coexistence and closure 881
Adapter 120: Cross-substrate consciousness, temporal coexistence and closure 882
Adapter 120: Cross-substrate consciousness, temporal coexistence and closure 883
Adapter 120: Cross-substrate consciousness, temporal coexistence and closure 884

Formula Vault **885**

Evidence Ledger **900**

Glossary **902**

Primary Source Record **904**

Family index

FAMILY 1

Human life quality

The person as a coupled biological, relational, material and temporal system.

001 Whole-person quality of life
002 Nutrition and metabolism
003 Sleep and recovery
004 Reproductive and sexual health
005 Disability and accessibility
006 Mobility and physical function
007 Family and caregiving
008 Safety and personal security
009 Housing and domestic environment
010 Human longevity and life-course planning

FAMILY 2

Psychology and meaning

Meaning, affect, identity and trust treated as consequential state, not decorative context.

011 Psychology and social legibility
012 Identity and self-model
013 Relationships and intimacy
014 Parenting and child development
015 Purpose and self-actualization
016 Existential wellbeing
017 Spiritual life
018 Religion and community institutions
019 Emotion and affect regulation
020 Trust and fidelity between people

FAMILY 3

Biomedical

Health interventions traced beyond the local target into host reserve, caregivers and future function.

021 Healthcare delivery
022 Diagnostics
023 Cancer ecology
024 Neuroscience and neurodegeneration
025 Aging biology
026 Immunology
027 Infectious disease
028 Microbiome
029 Genomics and proteomics
030 Surgery and rehabilitation

FAMILY 4

Education, justice and governance

Institutions judged by the state they create across citizens, workers, victims, actors and future administrations.

031 Early-childhood development and education
032 K-12 education
033 Higher education
034 Vocational and workforce learning
035 Scientific research
036 Justice and courts
037 Policing and public safety systems
038 Corrections, rehabilitation and reintegration
039 Public administration
040 Governance and institutional design

FAMILY 5

Culture, beauty and experience

Experience and culture translated without flattening identity, labor, safety, access or meaning.

041 Beauty and aesthetics
042 Fashion and apparel
043 Luxury goods
044 Hospitality
045 Travel and tourism
046 Art and cultural markets

047 Music and entertainment
048 Gaming and virtual worlds
049 Sports and performance
050 Experience design and events

FAMILY 6

Money, markets and organizations

Money and enterprise treated as flow systems with receiving carriers, not isolated ledgers.

051 Currency and monetary experience
052 Payments and remittances
053 Banking and liquidity
054 Credit and underwriting
055 Insurance and resilience
056 Capital markets and investing
057 Private wealth and family capital
058 Labor and talent markets
059 Organizations and enterprises
060 Entrepreneurship and venture creation

FAMILY 7

Technology and information

Digital systems evaluated by utility plus verification, provenance, agency and downstream action.

061 Artificial intelligence
062 Software systems
063 Cybersecurity
064 Data infrastructure
065 Privacy
066 Digital identity
067 Internet and communications
068 Media and information ecosystems
069 Language and translation
070 Knowledge and ontologies

FAMILY 8

Earth, infrastructure and ecology

Infrastructure and ecology modeled as coupled stocks, flows, capacities and delayed consequences.

071 Energy and power grids
072 Water and irrigation
073 Food and agriculture
074 Supply chains and logistics
075 Manufacturing
076 Waste and circular materials
077 Transportation and mobility
078 Cities and urban systems
079 Climate and disaster resilience
080 Ecology and biodiversity

FAMILY 9

Physical, microscopic and formal

The same grammar compiled into native physical, molecular, control, quantum and formal languages.

081 Cell biology
082 Molecular biology
083 Nanotechnology
084 Chemistry and reaction systems
085 Materials science
086 Classical mechanics and control
087 Thermodynamics and nonequilibrium systems
088 Electromagnetism and circuits
089 Quantum systems
090 Pure mathematics and formal systems

FAMILY 10

Frontier, illicit and cosmic

Domains where uncertainty, illegality, planetary scale or unknown substrates make guardrails decisive.

091 Statistics and causal inference
092 Logic and reasoning systems
093 Geography and territorial systems
094 Informal economy
095 Illicit and black markets
096 Orbital and space economy
097 Extraterrestrial settlement
098 Astrobiology and biosignatures
099 Planetary systems and stewardship
100 Unknown and not-yet-named realities

FAMILY 11

Conscious agency and responsibility

Constraint, choice, responsibility, consciousness and recovery represented inside one recurrent state-transition system.

101 Conscious experience and self-model
102 Choice and option topology
103 Truth, deception and disclosure
104 Responsibility and causal attribution
105 Consent, coercion and autonomy
106 Addiction, compulsion and short-horizon relief
107 Crime, violence and reconciliation
108 Animal sentience and welfare
109 Collective agency and institutional choice
110 Human-AI co-agency

FAMILY 12

Evolution, transformation and emergence

From evolution and metabolism to emergence, creation, cosmological change and final coexistence closure.

111 Evolution and natural selection
112 Reproduction, inheritance, mitosis and meiosis
113 Development and morphogenesis
114 Metabolism, diet and consumption
115 Predation, livestock and food-system transformation
116 Learning, plasticity and cultural evolution
117 Self-organization and emergence
118 Creation, provenance and dependency
119 Cosmological evolution and structure formation
120 Cross-substrate consciousness, temporal coexistence and closure

Human life quality

The person as a coupled biological, relational, material and temporal system.

ADAPTER 001 · FAMILY 1

Whole-person quality of life

Plate 1 · Native system

Current position: Constructive protocol
Family: Human life quality

X^* **state**	Health, function, time, autonomy, relationships, safety, income, environment and future capacity
Receiving schema Σ	Single score, diagnosis, income bracket or productivity proxy
Blocker B	Improvement in one life dimension paid for by another
Carriers C	Person, household, caregivers, future self
Missing capacity ΔR	Whole-life state model plus coordinated capacity across health, time, income and environment
MU+ condition	Health, autonomy, security, time and relational capacity all improve without hidden depletion
Decisive test	Longitudinal cohort with preregistered multidimensional outcomes

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Life-quality operating systems; preventive orchestration; integrated support infrastructure

ADAPTER 001 · FAMILY 1

Whole-person quality of life



DOMAIN INSTANTIATION

State read	Health, function, time, autonomy, relationships, safety, income, environment and future capacity
What the incumbent sees	Single score, diagnosis, income bracket or productivity proxy
Why local success can mislead	Improvement in one life dimension paid for by another
Where consequence lands	Person, household, caregivers, future self
What must exist before action	Whole-life state model plus coordinated capacity across health, time, income and environment

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 001 · FAMILY 1

Whole-person quality of life

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Single score, diagnosis, income bracket or productivity proxy	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Person, household, caregivers, future self	Which receiver, pathway and hidden compensator absorb the change?
B	Improvement in one life dimension paid for by another	What prevents all protected carriers from improving together?
ΔR^*	Whole-life state model plus coordinated capacity across health, time, income and environment	What capacity must exist at the binding carrier before the transition?
MU^+	Health, autonomy, security, time and relational capacity all improve without hidden depletion	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 001 · FAMILY 1

Whole-person quality of life

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	55	64	61	Local action looks strong here.
B	55	49	60	The local action exports burden to the binding carrier.
C	63	63	67	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 001 · FAMILY 1

Whole-person quality of life

t1: Observe. Establish the domain state: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

t2: Propose. A local actor selects an action through the current schema: Single score, diagnosis, income bracket or productivity proxy.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Person, household, caregivers, future self.

t4: Construct before release. IAMF-P supplies: Whole-life state model plus coordinated capacity across health, time, income and environment.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Health, autonomy, security, time and relational capacity all improve without hidden depletion.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 001 · FAMILY 1

Whole-person quality of life

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Longitudinal cohort with preregistered multidimensional outcomes
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 001 · FAMILY 1

Whole-person quality of life

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.
3. Write the incumbent receiving schema exactly as it exists: Single score, diagnosis, income bracket or productivity proxy.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Person, household, caregivers, future self.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Whole-life state model plus coordinated capacity across health, time, income and environment.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Health, autonomy, security, time and relational capacity all improve without hidden depletion.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 002: Nutrition and metabolism · Adapter 010: Human longevity and life-course planning
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 002 · FAMILY 1

Nutrition and metabolism

Plate 1 · Native system

Current position: Regulated empirical frontier
Family: Human life quality

X^* **state**	Diet, metabolic state, affordability, culture, timing, microbiome and activity
Receiving schema Σ	Calories/macros or generic diet categories
Blocker B	Biological benefit shifts cost to adherence, affordability or another metabolic pathway
Carriers C	Body, household budget, food system
Missing capacity ΔR	Adaptive nutrition and access architecture with feedback and affordability constraints
MU+ condition	Metabolic markers, adherence, affordability and quality of life improve together
Decisive test	Randomized adaptive nutrition trial with cost and adherence carriers

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Adaptive nutrition platforms; metabolic food infrastructure

ADAPTER 002 · FAMILY 1

Nutrition and metabolism



DOMAIN INSTANTIATION

State read	Diet, metabolic state, affordability, culture, timing, microbiome and activity
What the incumbent sees	Calories/macros or generic diet categories
Why local success can mislead	Biological benefit shifts cost to adherence, affordability or another metabolic pathway
Where consequence lands	Body, household budget, food system
What must exist before action	Adaptive nutrition and access architecture with feedback and affordability constraints

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 002 · FAMILY 1

Nutrition and metabolism

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Calories/macros or generic diet categories	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Body, household budget, food system	Which receiver, pathway and hidden compensator absorb the change?
B	Biological benefit shifts cost to adherence, affordability or another metabolic pathway	What prevents all protected carriers from improving together?
ΔR^*	Adaptive nutrition and access architecture with feedback and affordability constraints	What capacity must exist at the binding carrier before the transition?
MU^+	Metabolic markers, adherence, affordability and quality of life improve together	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 002 · FAMILY 1

Nutrition and metabolism

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	62	72	69	Local action looks strong here.
B	66	59	72	The local action exports burden to the binding carrier.
C	56	57	61	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 002 · FAMILY 1

Nutrition and metabolism

t1: Observe. Establish the domain state: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

t2: Propose. A local actor selects an action through the current schema: Calories/macros or generic diet categories.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Body, household budget, food system.

t4: Construct before release. IAMF-P supplies: Adaptive nutrition and access architecture with feedback and affordability constraints.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Metabolic markers, adherence, affordability and quality of life improve together.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 002 · FAMILY 1

Nutrition and metabolism

Current status	Regulated empirical frontier
Source reading	Evidence must come from regulated trials or audits; this entry is research architecture only.
Decisive next design	Randomized adaptive nutrition trial with cost and adherence carriers
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 002 · FAMILY 1

Nutrition and metabolism

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Diet, metabolic state, affordability, culture, timing, microbiome and activity.
3. Write the incumbent receiving schema exactly as it exists: Calories/macros or generic diet categories.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Body, household budget, food system.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Adaptive nutrition and access architecture with feedback and affordability constraints.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Metabolic markers, adherence, affordability and quality of life improve together.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 001: Whole-person quality of life · Adapter 003: Sleep and recovery · Adapter 010: Human longevity and life-course planning
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 003 · FAMILY 1

Sleep and recovery

Plate 1 · Native system

Current position: Constructive protocol
Family: Human life quality

X^* **state**	Sleep architecture, circadian timing, stress, workload, environment and recovery reserve
Receiving schema Σ	Hours slept or wearable score
Blocker B	More sleep opportunity can displace work, care or circadian alignment
Carriers C	Body, cognition, household schedule
Missing capacity ΔR	Recovery controller integrating timing, environment, workload and physiology
MU+ condition	Recovery, cognition, safety and schedule burden improve together
Decisive test	Longitudinal crossover study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Recovery systems; circadian workplace infrastructure

ADAPTER 003 · FAMILY 1

Sleep and recovery



DOMAIN INSTANTIATION

State read	Sleep architecture, circadian timing, stress, workload, environment and recovery reserve
What the incumbent sees	Hours slept or wearable score
Why local success can mislead	More sleep opportunity can displace work, care or circadian alignment
Where consequence lands	Body, cognition, household schedule
What must exist before action	Recovery controller integrating timing, environment, workload and physiology

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 003 · FAMILY 1

Sleep and recovery

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Hours slept or wearable score	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Body, cognition, household schedule	Which receiver, pathway and hidden compensator absorb the change?
B	More sleep opportunity can displace work, care or circadian alignment	What prevents all protected carriers from improving together?
ΔR^*	Recovery controller integrating timing, environment, workload and physiology	What capacity must exist at the binding carrier before the transition?
MU^+	Recovery, cognition, safety and schedule burden improve together	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 003 · FAMILY 1

Sleep and recovery

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	69	80	77	Local action looks strong here.
B	52	44	59	The local action exports burden to the binding carrier.
C	69	71	75	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 003 · FAMILY 1

Sleep and recovery

t1: Observe. Establish the domain state: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

t2: Propose. A local actor selects an action through the current schema: Hours slept or wearable score.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Body, cognition, household schedule.

t4: Construct before release. IAMF-P supplies: Recovery controller integrating timing, environment, workload and physiology.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Recovery, cognition, safety and schedule burden improve together.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 003 · FAMILY 1

Sleep and recovery

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Longitudinal crossover study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 003 · FAMILY 1

Sleep and recovery

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.
3. Write the incumbent receiving schema exactly as it exists: Hours slept or wearable score.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Body, cognition, household schedule.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Recovery controller integrating timing, environment, workload and physiology.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Recovery, cognition, safety and schedule burden improve together.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 002: Nutrition and metabolism · Adapter 004: Reproductive and sexual health · Adapter 001: Whole-person quality of life · Adapter 010: Human longevity and life-course planning
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 004 · FAMILY 1

Reproductive and sexual health

Plate 1 · Native system

Current position: Regulated empirical frontier
Family: Human life quality

X^* **state**	Endocrine, reproductive, sexual, relational, consent, fertility and safety state
Receiving schema Σ	Single fertility, disease or risk label
Blocker B	Local treatment shifts hormonal, relational, financial or future burden
Carriers C	Individual, partner, future child, household
Missing capacity ΔR	Longitudinal reproductive-state architecture plus consent/safety controls
MU+ condition	Health, autonomy, safety and desired reproductive outcomes improve
Decisive test	Clinical trials + patient-reported and partner- impact carriers

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Reproductive-health orchestration; fertility and sexual-health infrastructure

ADAPTER 004 · FAMILY 1

Reproductive and sexual health

Plate 2 · Consequential topology



DOMAIN INSTANTIATION

State read	Endocrine, reproductive, sexual, relational, consent, fertility and safety state
What the incumbent sees	Single fertility, disease or risk label
Why local success can mislead	Local treatment shifts hormonal, relational, financial or future burden
Where consequence lands	Individual, partner, future child, household
What must exist before action	Longitudinal reproductive-state architecture plus consent/safety controls

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 004 · FAMILY 1

Reproductive and sexual health

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Single fertility, disease or risk label	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Individual, partner, future child, household	Which receiver, pathway and hidden compensator absorb the change?
B	Local treatment shifts hormonal, relational, financial or future burden	What prevents all protected carriers from improving together?
ΔR^*	Longitudinal reproductive-state architecture plus consent/safety controls	What capacity must exist at the binding carrier before the transition?
MU^+	Health, autonomy, safety and desired reproductive outcomes improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 004 · FAMILY 1

Reproductive and sexual health

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	53	65	58	Local action looks strong here.
B	63	54	71	The local action exports burden to the binding carrier.
C	62	61	69	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 004 · FAMILY 1

Reproductive and sexual health

t1: Observe. Establish the domain state: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

t2: Propose. A local actor selects an action through the current schema: Single fertility, disease or risk label.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Individual, partner, future child, household.

t4: Construct before release. IAMF-P supplies: Longitudinal reproductive-state architecture plus consent/safety controls.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Health, autonomy, safety and desired reproductive outcomes improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 004 · FAMILY 1

Reproductive and sexual health

Current status	Regulated empirical frontier
Source reading	Evidence must come from regulated trials or audits; this entry is research architecture only.
Decisive next design	Clinical trials + patient-reported and partner- impact carriers
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 004 · FAMILY 1

Reproductive and sexual health

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.
3. Write the incumbent receiving schema exactly as it exists: Single fertility, disease or risk label.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Individual, partner, future child, household.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Longitudinal reproductive-state architecture plus consent/safety controls.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Health, autonomy, safety and desired reproductive outcomes improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 003: Sleep and recovery · Adapter 005: Disability and accessibility · Adapter 001: Whole-person quality of life · Adapter 010: Human longevity and life-course planning
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 005 · FAMILY 1

Disability and accessibility

Plate 1 · Native system

Current position: Strong constructive fit
Family: Human life quality

X^* **state**	Capabilities plus environmental demands, interfaces and support
Receiving schema Σ	Deficit-only person label
Blocker B	Person compensates for inaccessible environment
Carriers C	Person, caregiver, workplace, public space
Missing capacity ΔR	Environment-first accessibility architecture plus assistive capacity
MU+ condition	Capability, independence and participation rise while compensatory load falls
Decisive test	Before/after environment redesign with workload measures

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Accessibility-by-default products; adaptive interfaces

ADAPTER 005 · FAMILY 1

Disability and accessibility



DOMAIN INSTANTIATION

State read	Capabilities plus environmental demands, interfaces and support
What the incumbent sees	Deficit-only person label
Why local success can mislead	Person compensates for inaccessible environment
Where consequence lands	Person, caregiver, workplace, public space
What must exist before action	Environment-first accessibility architecture plus assistive capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 005 · FAMILY 1

Disability and accessibility

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Deficit-only person label	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Person, caregiver, workplace, public space	Which receiver, pathway and hidden compensator absorb the change?
B	Person compensates for inaccessible environment	What prevents all protected carriers from improving together?
ΔR^*	Environment-first accessibility architecture plus assistive capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Capability, independence and participation rise while compensatory load falls	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 005 · FAMILY 1

Disability and accessibility

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	60	68	66	Local action looks strong here.
B	49	39	53	The local action exports burden to the binding carrier.
C	55	55	63	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 005 · FAMILY 1

Disability and accessibility

t1: Observe. Establish the domain state: Capabilities plus environmental demands, interfaces and support.

t2: Propose. A local actor selects an action through the current schema: Deficit-only person label.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Person, caregiver, workplace, public space.

t4: Construct before release. IAMF-P supplies: Environment-first accessibility architecture plus assistive capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Capability, independence and participation rise while compensatory load falls.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 005 · FAMILY 1

Disability and accessibility

Current status	Strong constructive fit
Source reading	A construction is both specifiable and testable now, often with existing digital telemetry.
Decisive next design	Before/after environment redesign with workload measures
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 005 · FAMILY 1

Disability and accessibility

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Capabilities plus environmental demands, interfaces and support.
3. Write the incumbent receiving schema exactly as it exists: Deficit-only person label.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Person, caregiver, workplace, public space.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Environment-first accessibility architecture plus assistive capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Capability, independence and participation rise while compensatory load falls.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 004: Reproductive and sexual health · Adapter 006: Mobility and physical function · Adapter 001: Whole-person quality of life · Adapter 010: Human longevity and life-course planning
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 006 · FAMILY 1

Mobility and physical function

Plate 1 · Native system

Current position: Regulated empirical frontier
Family: Human life quality

X^* **state**	Strength, pain, balance, endurance, environment, assistive devices
Receiving schema Σ	Single functional score
Blocker B	Function gains can increase pain, fatigue or caregiver burden
Carriers C	Body, caregiver, environment
Missing capacity ΔR	Adaptive rehabilitation plus environment and device redesign
MU+ condition	Function, comfort, autonomy and caregiver load improve
Decisive test	Controlled rehabilitation study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Rehabilitation platforms; adaptive mobility systems

ADAPTER 006 · FAMILY 1

Mobility and physical function



DOMAIN INSTANTIATION

State read	Strength, pain, balance, endurance, environment, assistive devices
What the incumbent sees	Single functional score
Why local success can mislead	Function gains can increase pain, fatigue or caregiver burden
Where consequence lands	Body, caregiver, environment
What must exist before action	Adaptive rehabilitation plus environment and device redesign

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 006 · FAMILY 1

Mobility and physical function

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Single functional score	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Body, caregiver, environment	Which receiver, pathway and hidden compensator absorb the change?
B	Function gains can increase pain, fatigue or caregiver burden	What prevents all protected carriers from improving together?
ΔR^*	Adaptive rehabilitation plus environment and device redesign	What capacity must exist at the binding carrier before the transition?
MU^+	Function, comfort, autonomy and caregiver load improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 006 · FAMILY 1

Mobility and physical function

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	67	76	74	Local action looks strong here.
B	60	55	65	The local action exports burden to the binding carrier.
C	68	69	71	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 006 · FAMILY 1

Mobility and physical function

t1: Observe. Establish the domain state: Strength, pain, balance, endurance, environment, assistive devices.

t2: Propose. A local actor selects an action through the current schema: Single functional score.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Body, caregiver, environment.

t4: Construct before release. IAMF-P supplies: Adaptive rehabilitation plus environment and device redesign.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Function, comfort, autonomy and caregiver load improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 006 · FAMILY 1

Mobility and physical function

Current status	Regulated empirical frontier
Source reading	Evidence must come from regulated trials or audits; this entry is research architecture only.
Decisive next design	Controlled rehabilitation study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 006 · FAMILY 1

Mobility and physical function

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Strength, pain, balance, endurance, environment, assistive devices.
3. Write the incumbent receiving schema exactly as it exists: Single functional score.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Body, caregiver, environment.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Adaptive rehabilitation plus environment and device redesign.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Function, comfort, autonomy and caregiver load improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 005: Disability and accessibility · Adapter 007: Family and caregiving · Adapter 001: Whole-person quality of life · Adapter 010: Human longevity and life-course planning
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 007 · FAMILY 1

Family and caregiving

Plate 1 · Native system

Current position: Strong structural fit
Family: Human life quality

X^* **state**	Needs, capacities, schedules, money, emotional load, dependency and support network
Receiving schema Σ	Household role labels
Blocker B	One caregiver silently absorbs system failure
Carriers C	Primary caregiver, dependents, siblings, employer
Missing capacity ΔR	Care-load ledger, shared coordination and external capacity
MU+ condition	Dependent wellbeing and caregiver wellbeing both improve
Decisive test	Prospective household burden study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Care coordination; respite infrastructure; family operating systems

ADAPTER 007 · FAMILY 1

Family and caregiving



DOMAIN INSTANTIATION

State read	Needs, capacities, schedules, money, emotional load, dependency and support network
What the incumbent sees	Household role labels
Why local success can mislead	One caregiver silently absorbs system failure
Where consequence lands	Primary caregiver, dependents, siblings, employer
What must exist before action	Care-load ledger, shared coordination and external capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 007 · FAMILY 1

Family and caregiving

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Household role labels	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Primary caregiver, dependents, siblings, employer	Which receiver, pathway and hidden compensator absorb the change?
B	One caregiver silently absorbs system failure	What prevents all protected carriers from improving together?
ΔR^*	Care-load ledger, shared coordination and external capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Dependent wellbeing and caregiver wellbeing both improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 007 · FAMILY 1

Family and caregiving

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	51	61	59	Local action looks strong here.
B	46	40	52	The local action exports burden to the binding carrier.
C	61	63	65	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 007 · FAMILY 1

Family and caregiving

t1: Observe. Establish the domain state: Needs, capacities, schedules, money, emotional load, dependency and support network.

t2: Propose. A local actor selects an action through the current schema: Household role labels.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Primary caregiver, dependents, siblings, employer.

t4: Construct before release. IAMF-P supplies: Care-load ledger, shared coordination and external capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Dependent wellbeing and caregiver wellbeing both improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 007 · FAMILY 1

Family and caregiving

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Prospective household burden study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 007 · FAMILY 1

Family and caregiving

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Needs, capacities, schedules, money, emotional load, dependency and support network.
3. Write the incumbent receiving schema exactly as it exists: Household role labels.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Primary caregiver, dependents, siblings, employer.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Care-load ledger, shared coordination and external capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Dependent wellbeing and caregiver wellbeing both improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 006: Mobility and physical function · Adapter 008: Safety and personal security · Adapter 001: Whole-person quality of life · Adapter 010: Human longevity and life-course planning
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 008 · FAMILY 1

Safety and personal security

Plate 1 · Native system

Current position: Constructive protocol
Family: Human life quality

X^* **state**	Threat exposure, environment, support, mobility and response capacity
Receiving schema Σ	Incident count or generic risk class
Blocker B	Protection shifts restriction or surveillance burden onto protected person
Carriers C	Person, community, responder
Missing capacity ΔR	Safety architecture that increases protection without reducing autonomy
MU+ condition	Threat falls while freedom, privacy and response burden improve
Decisive test	Prospective safety intervention

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Personal safety infrastructure; safer-environment design

ADAPTER 008 · FAMILY 1

Safety and personal security

Plate 2 · Consequential topology



DOMAIN INSTANTIATION

State read	Threat exposure, environment, support, mobility and response capacity
What the incumbent sees	Incident count or generic risk class
Why local success can mislead	Protection shifts restriction or surveillance burden onto protected person
Where consequence lands	Person, community, responder
What must exist before action	Safety architecture that increases protection without reducing autonomy

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 008 · FAMILY 1

Safety and personal security

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Incident count or generic risk class	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Person, community, responder	Which receiver, pathway and hidden compensator absorb the change?
B	Protection shifts restriction or surveillance burden onto protected person	What prevents all protected carriers from improving together?
ΔR^*	Safety architecture that increases protection without reducing autonomy	What capacity must exist at the binding carrier before the transition?
MU^+	Threat falls while freedom, privacy and response burden improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 008 · FAMILY 1

Safety and personal security

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	58	69	63	Local action looks strong here.
B	57	50	64	The local action exports burden to the binding carrier.
C	54	53	59	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 008 · FAMILY 1

Safety and personal security

t1: Observe. Establish the domain state: Threat exposure, environment, support, mobility and response capacity.

t2: Propose. A local actor selects an action through the current schema: Incident count or generic risk class.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Person, community, responder.

t4: Construct before release. IAMF-P supplies: Safety architecture that increases protection without reducing autonomy.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Threat falls while freedom, privacy and response burden improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 008 · FAMILY 1

Safety and personal security

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Prospective safety intervention
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 008 · FAMILY 1

Safety and personal security

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Threat exposure, environment, support, mobility and response capacity.
3. Write the incumbent receiving schema exactly as it exists: Incident count or generic risk class.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Person, community, responder.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Safety architecture that increases protection without reducing autonomy.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Threat falls while freedom, privacy and response burden improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 007: Family and caregiving · Adapter 009: Housing and domestic environment · Adapter 001: Whole-person quality of life · Adapter 010: Human longevity and life-course planning
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 009 · FAMILY 1

Housing and domestic environment

Plate 1 · Native system

Current position: Strong structural fit
Family: Human life quality

X^* **state**	Shelter, cost, commute, safety, air, heat, crowding and social context
Receiving schema Σ	Property price or occupancy status
Blocker B	Affordability, commute, health and neighborhood burdens trade places
Carriers C	Resident, landlord, neighborhood, city
Missing capacity ΔR	Whole-cost housing and location architecture
MU+ condition	Housing quality, affordability, access and neighborhood outcomes improve
Decisive test	Matched housing intervention

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Adaptive housing; healthy-building services

ADAPTER 009 · FAMILY 1

Housing and domestic environment



DOMAIN INSTANTIATION

State read	Shelter, cost, commute, safety, air, heat, crowding and social context
What the incumbent sees	Property price or occupancy status
Why local success can mislead	Affordability, commute, health and neighborhood burdens trade places
Where consequence lands	Resident, landlord, neighborhood, city
What must exist before action	Whole-cost housing and location architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 009 · FAMILY 1

Housing and domestic environment

Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Property price or occupancy status	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Resident, landlord, neighborhood, city	Which receiver, pathway and hidden compensator absorb the change?
B	Affordability, commute, health and neighborhood burdens trade places	What prevents all protected carriers from improving together?
ΔR^*	Whole-cost housing and location architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Housing quality, affordability, access and neighborhood outcomes improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 009 · FAMILY 1

Housing and domestic environment

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	65	77	71	Local action looks strong here.
B	68	60	76	The local action exports burden to the binding carrier.
C	67	67	73	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 009 · FAMILY 1

Housing and domestic environment

t1: Observe. Establish the domain state: Shelter, cost, commute, safety, air, heat, crowding and social context.

t2: Propose. A local actor selects an action through the current schema: Property price or occupancy status.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Resident, landlord, neighborhood, city.

t4: Construct before release. IAMF-P supplies: Whole-cost housing and location architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Housing quality, affordability, access and neighborhood outcomes improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 009 · FAMILY 1

Housing and domestic environment

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Matched housing intervention
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 009 · FAMILY 1

Housing and domestic environment

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Shelter, cost, commute, safety, air, heat, crowding and social context.
3. Write the incumbent receiving schema exactly as it exists: Property price or occupancy status.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Resident, landlord, neighborhood, city.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Whole-cost housing and location architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Housing quality, affordability, access and neighborhood outcomes improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 008: Safety and personal security · Adapter 010: Human longevity and life-course planning · Adapter 001: Whole-person quality of life
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 010 · FAMILY 1

Human longevity and life-course planning

Plate 1 · Native system

Current position: Constructive protocol
Family: Human life quality

X^* **state**	Healthspan, lifespan, finances, relationships, purpose and care capacity
Receiving schema Σ	Chronological age or retirement age
Blocker B	Longer life shifts burden to morbidity, savings or care system
Carriers C	Person, family, institutions, future self
Missing capacity ΔR	Life-course capital and care architecture
MU+ condition	Added years are healthy, funded, connected and autonomous
Decisive test	Longitudinal life-course cohort

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Longevity planning; life-course infrastructure

ADAPTER 010 · FAMILY 1

Human longevity and life-course planning



DOMAIN INSTANTIATION

State read	Healthspan, lifespan, finances, relationships, purpose and care capacity
What the incumbent sees	Chronological age or retirement age
Why local success can mislead	Longer life shifts burden to morbidity, savings or care system
Where consequence lands	Person, family, institutions, future self
What must exist before action	Life-course capital and care architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 010 · FAMILY 1

Human longevity and life-course planning

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Chronological age or retirement age	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Person, family, institutions, future self	Which receiver, pathway and hidden compensator absorb the change?
B	Longer life shifts burden to morbidity, savings or care system	What prevents all protected carriers from improving together?
ΔR^*	Life-course capital and care architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Added years are healthy, funded, connected and autonomous	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 010 · FAMILY 1

Human longevity and life-course planning

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	49	57	56	Local action looks strong here.
B	54	45	58	The local action exports burden to the binding carrier.
C	60	61	67	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 010 · FAMILY 1

Human longevity and life-course planning

t1: Observe. Establish the domain state: Healthspan, lifespan, finances, relationships, purpose and care capacity.

t2: Propose. A local actor selects an action through the current schema: Chronological age or retirement age.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Person, family, institutions, future self.

t4: Construct before release. IAMF-P supplies: Life-course capital and care architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Added years are healthy, funded, connected and autonomous.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 010 · FAMILY 1

Human longevity and life-course planning

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Longitudinal life-course cohort
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 010 · FAMILY 1

Human longevity and life-course planning

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Healthspan, lifespan, finances, relationships, purpose and care capacity.
3. Write the incumbent receiving schema exactly as it exists: Chronological age or retirement age.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Person, family, institutions, future self.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Life-course capital and care architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Added years are healthy, funded, connected and autonomous.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 009: Housing and domestic environment · Adapter 011: Psychology and social legibility · Adapter 001: Whole-person quality of life
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

FAMILY 2 OF 12

Psychology and meaning

Meaning, affect, identity and trust treated as consequential state, not decorative context.

Adapters 011-020

ADAPTER 011 · FAMILY 2

Psychology and social legibility

Current position: Origin-linked structural fit
Family: Psychology and meaning

X^* **state**	Longitudinal capability, burden, trauma, environment, relationships and compensation
Receiving schema Σ	Snapshot diagnosis or social category
Blocker B	High function hides biological and relational cost
Carriers C	Person, family, employer, clinician
Missing capacity ΔR	Multidimensional schema plus support matched to hidden burden
MU+ condition	Function, health, autonomy and relationship quality rise while compensation falls
Decisive test	Longitudinal external cohort

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Precision psychosocial systems

ADAPTER 011 · FAMILY 2

Psychology and social legibility



DOMAIN INSTANTIATION

State read	Longitudinal capability, burden, trauma, environment, relationships and compensation
What the incumbent sees	Snapshot diagnosis or social category
Why local success can mislead	High function hides biological and relational cost
Where consequence lands	Person, family, employer, clinician
What must exist before action	Multidimensional schema plus support matched to hidden burden

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 011 · FAMILY 2

Psychology and social legibility

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Snapshot diagnosis or social category	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Person, family, employer, clinician	Which receiver, pathway and hidden compensator absorb the change?
B	High function hides biological and relational cost	What prevents all protected carriers from improving together?
ΔR^*	Multidimensional schema plus support matched to hidden burden	What capacity must exist at the binding carrier before the transition?
MU^+	Function, health, autonomy and relationship quality rise while compensation falls	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 011 · FAMILY 2

Psychology and social legibility

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	56	65	64	Local action looks strong here.
B	65	55	70	The local action exports burden to the binding carrier.
C	53	55	61	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 011 · FAMILY 2

Psychology and social legibility

t1: Observe. Establish the domain state: Longitudinal capability, burden, trauma, environment, relationships and compensation.

t2: Propose. A local actor selects an action through the current schema: Snapshot diagnosis or social category.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Person, family, employer, clinician.

t4: Construct before release. IAMF-P supplies: Multidimensional schema plus support matched to hidden burden.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Function, health, autonomy and relationship quality rise while compensation falls.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 011 · FAMILY 2

Psychology and social legibility

Current status	Origin-linked structural fit
Source reading	Structurally close to the origin record; needs independent replication.
Decisive next design	Longitudinal external cohort
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 011 · FAMILY 2

Psychology and social legibility

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Longitudinal capability, burden, trauma, environment, relationships and compensation.
3. Write the incumbent receiving schema exactly as it exists: Snapshot diagnosis or social category.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Person, family, employer, clinician.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Multidimensional schema plus support matched to hidden burden.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Function, health, autonomy and relationship quality rise while compensation falls.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 010: Human longevity and life-course planning · Adapter 012: Identity and self-model · Adapter 020: Trust and fidelity between people
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 012 · FAMILY 2

Identity and self-model

Plate 1 · Native system

Current position: Constructive protocol
Family: Psychology and meaning

X^* **state**	Attributes, history, roles, values, capabilities and contexts
Receiving schema Σ	Single identity label or credential
Blocker B	Recognition in one schema suppresses other valid dimensions
Carriers C	Person and receiving institutions
Missing capacity ΔR	Selective multi-context identity graph with provenance
MU+ condition	Legibility and autonomy improve without forced overexposure
Decisive test	Cross-context identity study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Identity infrastructure; privacy-preserving credentials

ADAPTER 012 · FAMILY 2

Identity and self-model



DOMAIN INSTANTIATION

State read	Attributes, history, roles, values, capabilities and contexts
What the incumbent sees	Single identity label or credential
Why local success can mislead	Recognition in one schema suppresses other valid dimensions
Where consequence lands	Person and receiving institutions
What must exist before action	Selective multi-context identity graph with provenance

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 012 · FAMILY 2

Identity and self-model

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Single identity label or credential	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Person and receiving institutions	Which receiver, pathway and hidden compensator absorb the change?
B	Recognition in one schema suppresses other valid dimensions	What prevents all protected carriers from improving together?
ΔR^*	Selective multi-context identity graph with provenance	What capacity must exist at the binding carrier before the transition?
MU^+	Legibility and autonomy improve without forced overexposure	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 012 · FAMILY 2

Identity and self-model

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	63	73	68	Local action looks strong here.
B	51	46	57	The local action exports burden to the binding carrier.
C	66	65	69	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 012 · FAMILY 2

Identity and self-model

t1: Observe. Establish the domain state: Attributes, history, roles, values, capabilities and contexts.

t2: Propose. A local actor selects an action through the current schema: Single identity label or credential.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Person and receiving institutions.

t4: Construct before release. IAMF-P supplies: Selective multi-context identity graph with provenance.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Legibility and autonomy improve without forced overexposure.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 012 · FAMILY 2

Identity and self-model

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Cross-context identity study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 012 · FAMILY 2

Identity and self-model

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Attributes, history, roles, values, capabilities and contexts.
3. Write the incumbent receiving schema exactly as it exists: Single identity label or credential.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Person and receiving institutions.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Selective multi-context identity graph with provenance.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Legibility and autonomy improve without forced overexposure.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 011: Psychology and social legibility · Adapter 013: Relationships and intimacy · Adapter 020: Trust and fidelity between people
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 013 · FAMILY 2

Relationships and intimacy

Plate 1 · Native system

Current position: Constructive protocol
Family: Psychology and meaning

X^* **state**	Needs, boundaries, consent, trust, history, resources and reciprocity
Receiving schema Σ	Relationship status or personality label
Blocker B	One partner compensates for unspoken constraints
Carriers C	Partners and wider support network
Missing capacity ΔR	Reciprocal state and burden ledger plus consent architecture
MU+ condition	Safety, intimacy, autonomy and fairness improve together
Decisive test	Dyadic longitudinal study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Relationship-support systems

ADAPTER 013 · FAMILY 2

Relationships and intimacy



DOMAIN INSTANTIATION

State read	Needs, boundaries, consent, trust, history, resources and reciprocity
What the incumbent sees	Relationship status or personality label
Why local success can mislead	One partner compensates for unspoken constraints
Where consequence lands	Partners and wider support network
What must exist before action	Reciprocal state and burden ledger plus consent architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 013 · FAMILY 2

Relationships and intimacy

Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Relationship status or personality label	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Partners and wider support network	Which receiver, pathway and hidden compensator absorb the change?
B	One partner compensates for unspoken constraints	What prevents all protected carriers from improving together?
ΔR^*	Reciprocal state and burden ledger plus consent architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Safety, intimacy, autonomy and fairness improve together	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 013 · FAMILY 2

Relationships and intimacy

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	70	81	76	Local action looks strong here.
B	62	56	69	The local action exports burden to the binding carrier.
C	59	59	63	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 013 · FAMILY 2

Relationships and intimacy

t1: Observe. Establish the domain state: Needs, boundaries, consent, trust, history, resources and reciprocity.

t2: Propose. A local actor selects an action through the current schema: Relationship status or personality label.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Partners and wider support network.

t4: Construct before release. IAMF-P supplies: Reciprocal state and burden ledger plus consent architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Safety, intimacy, autonomy and fairness improve together.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 013 · FAMILY 2

Relationships and intimacy

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Dyadic longitudinal study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 013 · FAMILY 2

Relationships and intimacy

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Needs, boundaries, consent, trust, history, resources and reciprocity.
3. Write the incumbent receiving schema exactly as it exists: Relationship status or personality label.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Partners and wider support network.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Reciprocal state and burden ledger plus consent architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Safety, intimacy, autonomy and fairness improve together.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 012: Identity and self-model · Adapter 014: Parenting and child development · Adapter 011: Psychology and social legibility · Adapter 020: Trust and fidelity between people
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 014 · FAMILY 2

Parenting and child development

Plate 1 · Native system

Current position: Constructive protocol
Family: Psychology and meaning

X^* **state**	Biology, attachment, education, safety, resources, environment and agency
Receiving schema Σ	Age norm, grade or behavior label
Blocker B	Child or parent compensates for missing support
Carriers C	Child, parent, school, community
Missing capacity ΔR	Developmental state map plus distributed support capacity
MU+ condition	Child capability and wellbeing rise while caregiver burden falls
Decisive test	Longitudinal family-school cohort

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Developmental support platforms

ADAPTER 014 · FAMILY 2

Parenting and child development



DOMAIN INSTANTIATION

State read	Biology, attachment, education, safety, resources, environment and agency
What the incumbent sees	Age norm, grade or behavior label
Why local success can mislead	Child or parent compensates for missing support
Where consequence lands	Child, parent, school, community
What must exist before action	Developmental state map plus distributed support capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 014 · FAMILY 2

Parenting and child development

Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Age norm, grade or behavior label	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Child, parent, school, community	Which receiver, pathway and hidden compensator absorb the change?
B	Child or parent compensates for missing support	What prevents all protected carriers from improving together?
ΔR^*	Developmental state map plus distributed support capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Child capability and wellbeing rise while caregiver burden falls	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 014 · FAMILY 2

Parenting and child development

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	54	66	61	Local action looks strong here.
B	48	41	56	The local action exports burden to the binding carrier.
C	52	53	57	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 014 · FAMILY 2

Parenting and child development

t1: Observe. Establish the domain state: Biology, attachment, education, safety, resources, environment and agency.

t2: Propose. A local actor selects an action through the current schema: Age norm, grade or behavior label.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Child, parent, school, community.

t4: Construct before release. IAMF-P supplies: Developmental state map plus distributed support capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Child capability and wellbeing rise while caregiver burden falls.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 014 · FAMILY 2

Parenting and child development

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Longitudinal family-school cohort
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 014 · FAMILY 2

Parenting and child development

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Biology, attachment, education, safety, resources, environment and agency.
3. Write the incumbent receiving schema exactly as it exists: Age norm, grade or behavior label.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Child, parent, school, community.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Developmental state map plus distributed support capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Child capability and wellbeing rise while caregiver burden falls.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 013: Relationships and intimacy · Adapter 015: Purpose and self-actualization · Adapter 011: Psychology and social legibility · Adapter 020: Trust and fidelity between people
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 015 · FAMILY 2

Purpose and self-actualization

Plate 1 · Native system

Current position: Origin-linked constructive fit
Family: Psychology and meaning

X^* **state**	Capabilities, values, opportunity, health, autonomy and social contribution
Receiving schema Σ	Career status, wealth or productivity proxy
Blocker B	Achievement can be purchased with health or belonging
Carriers C	Person, relationships, community
Missing capacity ΔR	Whole-person capability architecture and burden guardrails
MU+ condition	Achievement, health, autonomy and contribution improve together
Decisive test	Longitudinal multidimensional evaluation

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Human-development and life-design systems

ADAPTER 015 · FAMILY 2

Purpose and self-actualization



DOMAIN INSTANTIATION

State read	Capabilities, values, opportunity, health, autonomy and social contribution
What the incumbent sees	Career status, wealth or productivity proxy
Why local success can mislead	Achievement can be purchased with health or belonging
Where consequence lands	Person, relationships, community
What must exist before action	Whole-person capability architecture and burden guardrails

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 015 · FAMILY 2

Purpose and self-actualization

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Career status, wealth or productivity proxy	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Person, relationships, community	Which receiver, pathway and hidden compensator absorb the change?
B	Achievement can be purchased with health or belonging	What prevents all protected carriers from improving together?
ΔR^*	Whole-person capability architecture and burden guardrails	What capacity must exist at the binding carrier before the transition?
MU^+	Achievement, health, autonomy and contribution improve together	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 015 · FAMILY 2

Purpose and self-actualization

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	61	69	69	Local action looks strong here.
B	59	51	63	The local action exports burden to the binding carrier.
C	65	67	71	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 015 · FAMILY 2

Purpose and self-actualization

t1: Observe. Establish the domain state: Capabilities, values, opportunity, health, autonomy and social contribution.

t2: Propose. A local actor selects an action through the current schema: Career status, wealth or productivity proxy.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Person, relationships, community.

t4: Construct before release. IAMF-P supplies: Whole-person capability architecture and burden guardrails.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Achievement, health, autonomy and contribution improve together.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 015 · FAMILY 2

Purpose and self-actualization

Current status	Origin-linked constructive fit
Source reading	Constructive path is close to the origin record; needs independent replication.
Decisive next design	Longitudinal multidimensional evaluation
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 015 · FAMILY 2

Purpose and self-actualization

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Capabilities, values, opportunity, health, autonomy and social contribution.
3. Write the incumbent receiving schema exactly as it exists: Career status, wealth or productivity proxy.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Person, relationships, community.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Whole-person capability architecture and burden guardrails.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Achievement, health, autonomy and contribution improve together.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 014: Parenting and child development · Adapter 016: Existential wellbeing · Adapter 011: Psychology and social legibility · Adapter 020: Trust and fidelity between people
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 016 · FAMILY 2

Existential wellbeing

Plate 1 · Native system

Current position: Constructive protocol
Family: Psychology and meaning

X^* **state**	Meaning, mortality awareness, belonging, agency and life coherence
Receiving schema Σ	Symptom or productivity proxy
Blocker B	Meaning needs displaced into consumption, work or crisis care
Carriers C	Person, community
Missing capacity ΔR	Voluntary meaning-reflection and support architecture
MU+ condition	Distress falls while agency, belonging and functioning improve
Decisive test	Patient/user-reported longitudinal study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Existential wellbeing services

ADAPTER 016 · FAMILY 2

Existential wellbeing



DOMAIN INSTANTIATION

State read	Meaning, mortality awareness, belonging, agency and life coherence
What the incumbent sees	Symptom or productivity proxy
Why local success can mislead	Meaning needs displaced into consumption, work or crisis care
Where consequence lands	Person, community
What must exist before action	Voluntary meaning-reflection and support architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 016 · FAMILY 2

Existential wellbeing

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Symptom or productivity proxy	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Person, community	Which receiver, pathway and hidden compensator absorb the change?
B	Meaning needs displaced into consumption, work or crisis care	What prevents all protected carriers from improving together?
ΔR^*	Voluntary meaning-reflection and support architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Distress falls while agency, belonging and functioning improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 016 · FAMILY 2

Existential wellbeing

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	68	77	73	Local action looks strong here.
B	45	36	50	The local action exports burden to the binding carrier.
C	58	57	65	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 016 · FAMILY 2

Existential wellbeing

t1: Observe. Establish the domain state: Meaning, mortality awareness, belonging, agency and life coherence.

t2: Propose. A local actor selects an action through the current schema: Symptom or productivity proxy.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Person, community.

t4: Construct before release. IAMF-P supplies: Voluntary meaning-reflection and support architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Distress falls while agency, belonging and functioning improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 016 · FAMILY 2

Existential wellbeing

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Patient/user-reported longitudinal study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 016 · FAMILY 2

Existential wellbeing

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Meaning, mortality awareness, belonging, agency and life coherence.
3. Write the incumbent receiving schema exactly as it exists: Symptom or productivity proxy.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Person, community.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Voluntary meaning-reflection and support architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Distress falls while agency, belonging and functioning improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 015: Purpose and self-actualization · Adapter 017: Spiritual life · Adapter 011: Psychology and social legibility · Adapter 020: Trust and fidelity between people
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 017 · FAMILY 2

Spiritual life

Current position: Constructive protocol
Family: Psychology and meaning

X^* **state**	Belief, practice, meaning, community, conscience and autonomy
Receiving schema Σ	Institutional affiliation alone
Blocker B	Community benefit can shift burden to autonomy or dissent
Carriers C	Individual, family, community
Missing capacity ΔR	Voluntary, transparent, safeguarding-centered spiritual/community architecture
MU+ condition	Meaning and belonging improve without coercion or exclusion
Decisive test	Ethical observational study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Community wellbeing and safeguarding infrastructure

ADAPTER 017 · FAMILY 2

Spiritual life



DOMAIN INSTANTIATION

State read	Belief, practice, meaning, community, conscience and autonomy
What the incumbent sees	Institutional affiliation alone
Why local success can mislead	Community benefit can shift burden to autonomy or dissent
Where consequence lands	Individual, family, community
What must exist before action	Voluntary, transparent, safeguarding-centered spiritual/community architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 017 · FAMILY 2

Spiritual life

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Institutional affiliation alone	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Individual, family, community	Which receiver, pathway and hidden compensator absorb the change?
B	Community benefit can shift burden to autonomy or dissent	What prevents all protected carriers from improving together?
ΔR^*	Voluntary, transparent, safeguarding-centered spiritual/community architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Meaning and belonging improve without coercion or exclusion	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 017 · FAMILY 2

Spiritual life

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	52	62	58	Local action looks strong here.
B	56	46	62	The local action exports burden to the binding carrier.
C	51	51	59	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 017 · FAMILY 2

Spiritual life

t1: Observe. Establish the domain state: Belief, practice, meaning, community, conscience and autonomy.

t2: Propose. A local actor selects an action through the current schema: Institutional affiliation alone.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Individual, family, community.

t4: Construct before release. IAMF-P supplies: Voluntary, transparent, safeguarding-centered spiritual/community architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Meaning and belonging improve without coercion or exclusion.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 017 · FAMILY 2

Spiritual life

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Ethical observational study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 017 · FAMILY 2 **Spiritual life** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Belief, practice, meaning, community, conscience and autonomy.
3. Write the incumbent receiving schema exactly as it exists: Institutional affiliation alone.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Individual, family, community.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Voluntary, transparent, safeguarding-centered spiritual/community architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Meaning and belonging improve without coercion or exclusion.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 016: Existential wellbeing · Adapter 018: Religion and community institutions · Adapter 011: Psychology and social legibility · Adapter 020: Trust and fidelity between people
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 018 · FAMILY 2

Religion and community institutions

Plate 1 · Native system

Current position: Constructive protocol
Family: Psychology and meaning

X^* **state**	Doctrine, governance, resources, safeguarding and member experience
Receiving schema Σ	Membership or doctrinal category
Blocker B	Institutional continuity can externalize harm or dissent costs
Carriers C	Members, families, leaders, wider community
Missing capacity ΔR	Transparent governance, reporting, safeguarding and exit rights
MU+ condition	Community value rises while coercion and hidden harm fall
Decisive test	Institutional longitudinal audit

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Accountability and safeguarding systems

ADAPTER 018 · FAMILY 2

Religion and community institutions



DOMAIN INSTANTIATION

State read	Doctrine, governance, resources, safeguarding and member experience
What the incumbent sees	Membership or doctrinal category
Why local success can mislead	Institutional continuity can externalize harm or dissent costs
Where consequence lands	Members, families, leaders, wider community
What must exist before action	Transparent governance, reporting, safeguarding and exit rights

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 018 · FAMILY 2

Religion and community institutions

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Membership or doctrinal category	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Members, families, leaders, wider community	Which receiver, pathway and hidden compensator absorb the change?
B	Institutional continuity can externalize harm or dissent costs	What prevents all protected carriers from improving together?
ΔR^*	Transparent governance, reporting, safeguarding and exit rights	What capacity must exist at the binding carrier before the transition?
MU^+	Community value rises while coercion and hidden harm fall	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 018 · FAMILY 2

Religion and community institutions

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	59	70	66	Local action looks strong here.
B	67	62	74	The local action exports burden to the binding carrier.
C	64	65	67	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 018 · FAMILY 2

Religion and community institutions

t1: Observe. Establish the domain state: Doctrine, governance, resources, safeguarding and member experience.

t2: Propose. A local actor selects an action through the current schema: Membership or doctrinal category.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Members, families, leaders, wider community.

t4: Construct before release. IAMF-P supplies: Transparent governance, reporting, safeguarding and exit rights.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Community value rises while coercion and hidden harm fall.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 018 · FAMILY 2

Religion and community institutions

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Institutional longitudinal audit
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 018 · FAMILY 2

Religion and community institutions

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Doctrine, governance, resources, safeguarding and member experience.
3. Write the incumbent receiving schema exactly as it exists: Membership or doctrinal category.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Members, families, leaders, wider community.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Transparent governance, reporting, safeguarding and exit rights.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Community value rises while coercion and hidden harm fall.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 017: Spiritual life · Adapter 019: Emotion and affect regulation · Adapter 011: Psychology and social legibility · Adapter 020: Trust and fidelity between people
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 019 · FAMILY 2

Emotion and affect regulation

Current position: Constructive protocol
Family: Psychology and meaning

X^* **state**	Internal state, context, physiology, cognition and social feedback
Receiving schema Σ	Valence score or symptom label
Blocker B	Suppression improves appearance while physiological load rises
Carriers C	Person and relationships
Missing capacity ΔR	State-aware regulation architecture with physiological feedback
MU+ condition	Emotional flexibility and physiological stability improve
Decisive test	Crossover intervention study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Affect-regulation tools and care systems

ADAPTER 019 · FAMILY 2

Emotion and affect regulation



DOMAIN INSTANTIATION

State read	Internal state, context, physiology, cognition and social feedback
What the incumbent sees	Valence score or symptom label
Why local success can mislead	Suppression improves appearance while physiological load rises
Where consequence lands	Person and relationships
What must exist before action	State-aware regulation architecture with physiological feedback

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 019 · FAMILY 2

Emotion and affect regulation

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Valence score or symptom label	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Person and relationships	Which receiver, pathway and hidden compensator absorb the change?
B	Suppression improves appearance while physiological load rises	What prevents all protected carriers from improving together?
ΔR^*	State-aware regulation architecture with physiological feedback	What capacity must exist at the binding carrier before the transition?
MU^+	Emotional flexibility and physiological stability improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 019 · FAMILY 2

Emotion and affect regulation

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	66	78	74	Local action looks strong here.
B	53	47	61	The local action exports burden to the binding carrier.
C	57	59	61	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 019 · FAMILY 2

Emotion and affect regulation

t1: Observe. Establish the domain state: Internal state, context, physiology, cognition and social feedback.

t2: Propose. A local actor selects an action through the current schema: Valence score or symptom label.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Person and relationships.

t4: Construct before release. IAMF-P supplies: State-aware regulation architecture with physiological feedback.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Emotional flexibility and physiological stability improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 019 · FAMILY 2

Emotion and affect regulation

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Crossover intervention study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 019 · FAMILY 2

Emotion and affect regulation

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Internal state, context, physiology, cognition and social feedback.
3. Write the incumbent receiving schema exactly as it exists: Valence score or symptom label.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Person and relationships.
6. Specify the smallest feasible capacity build capable of resolving the blocker: State-aware regulation architecture with physiological feedback.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Emotional flexibility and physiological stability improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 018: Religion and community institutions · Adapter 020: Trust and fidelity between people · Adapter 011: Psychology and social legibility
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 020 · FAMILY 2

Trust and fidelity between people

Plate 1 · Native system

Current position: Strong structural fit
Family: Psychology and meaning

X^* **state**	History, promises, evidence, uncertainty and reciprocity
Receiving schema Σ	Trusted/untrusted binary
Blocker B	Trust is maintained by one side absorbing ambiguity or proof burden
Carriers C	People and institutions
Missing capacity ΔR	Dynamic provenance and expectation architecture
MU+ condition	Trust, autonomy and verification cost improve together
Decisive test	Prospective trust-repair study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Relational trust infrastructure

ADAPTER 020 · FAMILY 2

Trust and fidelity between people



DOMAIN INSTANTIATION

State read	History, promises, evidence, uncertainty and reciprocity
What the incumbent sees	Trusted/untrusted binary
Why local success can mislead	Trust is maintained by one side absorbing ambiguity or proof burden
Where consequence lands	People and institutions
What must exist before action	Dynamic provenance and expectation architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 020 · FAMILY 2

Trust and fidelity between people

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Trusted/untrusted binary	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	People and institutions	Which receiver, pathway and hidden compensator absorb the change?
B	Trust is maintained by one side absorbing ambiguity or proof burden	What prevents all protected carriers from improving together?
ΔR^*	Dynamic provenance and expectation architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Trust, autonomy and verification cost improve together	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 020 · FAMILY 2

Trust and fidelity between people

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	50	58	55	Local action looks strong here.
B	64	57	68	The local action exports burden to the binding carrier.
C	50	49	55	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 020 · FAMILY 2

Trust and fidelity between people

t1: Observe. Establish the domain state: History, promises, evidence, uncertainty and reciprocity.

t2: Propose. A local actor selects an action through the current schema: Trusted/untrusted binary.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: People and institutions.

t4: Construct before release. IAMF-P supplies: Dynamic provenance and expectation architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Trust, autonomy and verification cost improve together.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 020 · FAMILY 2

Trust and fidelity between people

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Prospective trust-repair study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 020 · FAMILY 2

Trust and fidelity between people

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: History, promises, evidence, uncertainty and reciprocity.
3. Write the incumbent receiving schema exactly as it exists: Trusted/untrusted binary.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: People and institutions.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Dynamic provenance and expectation architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Trust, autonomy and verification cost improve together.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 019: Emotion and affect regulation · Adapter 021: Healthcare delivery · Adapter 011: Psychology and social legibility
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

Biomedical

Health interventions traced beyond the local target into host reserve, caregivers and future function.

ADAPTER 021 · FAMILY 3

Healthcare delivery

Plate 1 · Native system

Current position: Established adjacent evidence
Family: Biomedical

X^* **state**	Clinical state, logistics, caregiver capacity, finance and post-discharge environment
Receiving schema Σ	Episode-of-care schema
Blocker B	Hospital optimization shifts work to home/caregiver
Carriers C	Patient, caregiver, outpatient system
Missing capacity ΔR	Consequential discharge/care orchestration
MU+ condition	Health, readmission risk, caregiver load and cost improve
Decisive test	Pragmatic trial

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Whole-system care orchestration

ADAPTER 021 · FAMILY 3

Healthcare delivery



DOMAIN INSTANTIATION

State read	Clinical state, logistics, caregiver capacity, finance and post-discharge environment
What the incumbent sees	Episode-of-care schema
Why local success can mislead	Hospital optimization shifts work to home/caregiver
Where consequence lands	Patient, caregiver, outpatient system
What must exist before action	Consequential discharge/care orchestration

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 021 · FAMILY 3

Healthcare delivery

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Episode-of-care schema	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Patient, caregiver, outpatient system	Which receiver, pathway and hidden compensator absorb the change?
B	Hospital optimization shifts work to home/-caregiver	What prevents all protected carriers from improving together?
ΔR^*	Consequential discharge/care orchestration	What capacity must exist at the binding carrier before the transition?
MU^+	Health, readmission risk, caregiver load and cost improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 021 · FAMILY 3

Healthcare delivery

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	57	66	63	Local action looks strong here.
B	50	42	55	The local action exports burden to the binding carrier.
C	63	63	69	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 021 · FAMILY 3

Healthcare delivery

t1: Observe. Establish the domain state: Clinical state, logistics, caregiver capacity, finance and post-discharge environment.

t2: Propose. A local actor selects an action through the current schema: Episode-of-care schema.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Patient, caregiver, outpatient system.

t4: Construct before release. IAMF-P supplies: Consequential discharge/care orchestration.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Health, readmission risk, caregiver load and cost improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 021 · FAMILY 3

Healthcare delivery

Current status	Established adjacent evidence
Source reading	Adjacent literature already documents the central mechanism.
Decisive next design	Pragmatic trial
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 021 · FAMILY 3

Healthcare delivery

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Clinical state, logistics, caregiver capacity, finance and post-discharge environment.
3. Write the incumbent receiving schema exactly as it exists: Episode-of-care schema.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Patient, caregiver, outpatient system.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Consequential discharge/care orchestration.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Health, readmission risk, caregiver load and cost improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 020: Trust and fidelity between people · Adapter 022: Diagnostics · Adapter 030: Surgery and rehabilitation
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 022 · FAMILY 3

Diagnostics

Current position: Strong structural fit
Family: Biomedical

X^* **state**	Underlying disease state, uncertainty, test characteristics and downstream actions
Receiving schema Σ	Single test result
Blocker B	False certainty moves burden to overtreatment or missed disease
Carriers C	Patient, clinician, payer
Missing capacity ΔR	Bayesian multi-source diagnostic schema + uncertainty communication
MU+ condition	Accuracy, timeliness, burden and downstream safety improve
Decisive test	Prospective blinded diagnostic study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Diagnostic orchestration and evidence fusion

ADAPTER 022 · FAMILY 3 **Diagnostics**



DOMAIN INSTANTIATION

State read	Underlying disease state, uncertainty, test characteristics and downstream actions
What the incumbent sees	Single test result
Why local success can mislead	False certainty moves burden to overtreatment or missed disease
Where consequence lands	Patient, clinician, payer
What must exist before action	Bayesian multi-source diagnostic schema + uncertainty communication

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 022 · FAMILY 3 **Diagnostics**

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Single test result	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Patient, clinician, payer	Which receiver, pathway and hidden compensator absorb the change?
B	False certainty moves burden to overtreatment or missed disease	What prevents all protected carriers from improving together?
ΔR^*	Bayesian multi-source diagnostic schema + uncertainty communication	What capacity must exist at the binding carrier before the transition?
MU^+	Accuracy, timeliness, burden and downstream safety improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 022 · FAMILY 3 **Diagnostics** Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	64	74	71	Local action looks strong here.
B	61	52	67	The local action exports burden to the binding carrier.
C	56	57	63	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 022 · FAMILY 3 **Diagnostics**

t1: Observe. Establish the domain state: Underlying disease state, uncertainty, test characteristics and downstream actions.

t2: Propose. A local actor selects an action through the current schema: Single test result.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Patient, clinician, payer.

t4: Construct before release. IAMF-P supplies: Bayesian multi-source diagnostic schema + uncertainty communication.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Accuracy, timeliness, burden and downstream safety improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 022 · FAMILY 3

Diagnostics

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Prospective blinded diagnostic study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 022 · FAMILY 3 **Diagnostics** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Underlying disease state, uncertainty, test characteristics and downstream actions.
3. Write the incumbent receiving schema exactly as it exists: Single test result.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Patient, clinician, payer.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Bayesian multi-source diagnostic schema + uncertainty communication.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Accuracy, timeliness, burden and downstream safety improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 021: Healthcare delivery · Adapter 023: Cancer ecology · Adapter 030: Surgery and rehabilitation
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 023 · FAMILY 3

Cancer ecology

Current position: Regulated empirical frontier
Family: Biomedical

X^* **state**	Clone mix, immune state, microenvironment, host reserve and therapy exposure
Receiving schema Σ	Stage/tumor-size snapshot
Blocker B	Local kill selects resistant carriers or harms host
Carriers C	Resistant clones, healthy tissue, immune system
Missing capacity ΔR	Adaptive ecological state estimator + resistance/host capacity
MU+ condition	Tumor, resistance, toxicity and host reserve improve together
Decisive test	Preclinical then clinical adaptive trial

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Adaptive oncology control infrastructure

ADAPTER 023 · FAMILY 3

Cancer ecology



DOMAIN INSTANTIATION

State read	Clone mix, immune state, microenvironment, host reserve and therapy exposure
What the incumbent sees	Stage/tumor-size snapshot
Why local success can mislead	Local kill selects resistant carriers or harms host
Where consequence lands	Resistant clones, healthy tissue, immune system
What must exist before action	Adaptive ecological state estimator + resistance/host capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 023 · FAMILY 3

Cancer ecology

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Stage/tumor-size snapshot	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Resistant clones, healthy tissue, immune system	Which receiver, pathway and hidden compensator absorb the change?
B	Local kill selects resistant carriers or harms host	What prevents all protected carriers from improving together?
ΔR^*	Adaptive ecological state estimator + resistance/host capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Tumor, resistance, toxicity and host reserve improve together	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 023 · FAMILY 3

Cancer ecology

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	48	59	56	Local action looks strong here.
B	47	37	54	The local action exports burden to the binding carrier.
C	69	71	77	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 023 · FAMILY 3

Cancer ecology

t1: Observe. Establish the domain state: Clone mix, immune state, microenvironment, host reserve and therapy exposure.

t2: Propose. A local actor selects an action through the current schema: Stage/tumor-size snapshot.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Resistant clones, healthy tissue, immune system.

t4: Construct before release. IAMF-P supplies: Adaptive ecological state estimator + resistance/host capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Tumor, resistance, toxicity and host reserve improve together.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 023 · FAMILY 3

Cancer ecology

Current status	Regulated empirical frontier
Source reading	Evidence must come from regulated trials or audits; this entry is research architecture only.
Decisive next design	Preclinical then clinical adaptive trial
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 023 · FAMILY 3 **Cancer ecology**

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Clone mix, immune state, microenvironment, host reserve and therapy exposure.
3. Write the incumbent receiving schema exactly as it exists: Stage/tumor-size snapshot.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Resistant clones, healthy tissue, immune system.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Adaptive ecological state estimator + resistance/host capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Tumor, resistance, toxicity and host reserve improve together.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 022: Diagnostics · Adapter 024: Neuroscience and neurodegeneration · Adapter 021: Healthcare delivery · Adapter 030: Surgery and rehabilitation
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 024 · FAMILY 3

Neuroscience and neurodegeneration

Plate 1 · Native system

Current position: Regulated empirical frontier
Family: Biomedical

X^* **state**	Neural, glial, vascular, metabolic, network and functional state
Receiving schema Σ	Single biomarker or visible function
Blocker B	Compensatory recruitment hides reserve depletion
Carriers C	Neural networks, metabolism, caregiver
Missing capacity ΔR	Multimodal state estimator + restorative capacity controller
MU+ condition	Function and reserve rise while damage and compensation fall
Decisive test	Multimodal longitudinal intervention

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Neuro-reserve diagnostics and restorative platforms

ADAPTER 024 · FAMILY 3

Neuroscience and neurodegeneration



DOMAIN INSTANTIATION

State read	Neural, glial, vascular, metabolic, network and functional state
What the incumbent sees	Single biomarker or visible function
Why local success can mislead	Compensatory recruitment hides reserve depletion
Where consequence lands	Neural networks, metabolism, caregiver
What must exist before action	Multimodal state estimator + restorative capacity controller

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 024 · FAMILY 3

Neuroscience and neurodegeneration

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Single biomarker or visible function	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Neural networks, metabolism, caregiver	Which receiver, pathway and hidden compensator absorb the change?
B	Compensatory recruitment hides reserve depletion	What prevents all protected carriers from improving together?
ΔR^*	Multimodal state estimator + restorative capacity controller	What capacity must exist at the binding carrier before the transition?
MU^+	Function and reserve rise while damage and compensation fall	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 024 · FAMILY 3

Neuroscience and neurodegeneration

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	55	67	60	Local action looks strong here.
B	58	53	66	The local action exports burden to the binding carrier.
C	62	61	65	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 024 · FAMILY 3

Neuroscience and neurodegeneration

t1: Observe. Establish the domain state: Neural, glial, vascular, metabolic, network and functional state.

t2: Propose. A local actor selects an action through the current schema: Single biomarker or visible function.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Neural networks, metabolism, caregiver.

t4: Construct before release. IAMF-P supplies: Multimodal state estimator + restorative capacity controller.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Function and reserve rise while damage and compensation fall.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 024 · FAMILY 3

Neuroscience and neurodegeneration

Current status	Regulated empirical frontier
Source reading	Evidence must come from regulated trials or audits; this entry is research architecture only.
Decisive next design	Multimodal longitudinal intervention
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 024 · FAMILY 3

Neuroscience and neurodegeneration

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Neural, glial, vascular, metabolic, network and functional state.
3. Write the incumbent receiving schema exactly as it exists: Single biomarker or visible function.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Neural networks, metabolism, caregiver.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Multimodal state estimator + restorative capacity controller.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Function and reserve rise while damage and compensation fall.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 023: Cancer ecology · Adapter 025: Aging biology · Adapter 021: Healthcare delivery · Adapter 030: Surgery and rehabilitation
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 025 · FAMILY 3

Aging biology

Plate 1 · Native system

Current position: Regulated empirical frontier
Family: Biomedical

X^* **state**	Coupled damage, repair, senescence, immunity, metabolism and regeneration
Receiving schema Σ	Age scalar or isolated hallmark
Blocker B	Repairing one hallmark moves bottleneck elsewhere
Carriers C	Cells, tissues, immune system, metabolism
Missing capacity ΔR	Moving-bottleneck RVG controller across damage/repair channels
MU+ condition	Healthspan metrics rise without new dominant damage carrier
Decisive test	Preclinical multi-pathway study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Dynamic longevity orchestration

ADAPTER 025 · FAMILY 3

Aging biology



DOMAIN INSTANTIATION

State read	Coupled damage, repair, senescence, immunity, metabolism and regeneration
What the incumbent sees	Age scalar or isolated hallmark
Why local success can mislead	Repairing one hallmark moves bottleneck elsewhere
Where consequence lands	Cells, tissues, immune system, metabolism
What must exist before action	Moving-bottleneck RVG controller across damage/repair channels

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 025 · FAMILY 3

Aging biology

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Age scalar or isolated hallmark	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Cells, tissues, immune system, metabolism	Which receiver, pathway and hidden compensator absorb the change?
B	Repairing one hallmark moves bottleneck elsewhere	What prevents all protected carriers from improving together?
ΔR^*	Moving-bottleneck RVG controller across damage/repair channels	What capacity must exist at the binding carrier before the transition?
MU^+	Healthspan metrics rise without new dominant damage carrier	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 025 · FAMILY 3

Aging biology

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	62	70	68	Local action looks strong here.
B	44	38	48	The local action exports burden to the binding carrier.
C	55	55	59	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 025 · FAMILY 3

Aging biology

t1: Observe. Establish the domain state: Coupled damage, repair, senescence, immunity, metabolism and regeneration.

t2: Propose. A local actor selects an action through the current schema: Age scalar or isolated hallmark.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Cells, tissues, immune system, metabolism.

t4: Construct before release. IAMF-P supplies: Moving-bottleneck RVG controller across damage/repair channels.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Healthspan metrics rise without new dominant damage carrier.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 025 · FAMILY 3

Aging biology

Current status	Regulated empirical frontier
Source reading	Evidence must come from regulated trials or audits; this entry is research architecture only.
Decisive next design	Preclinical multi-pathway study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 025 · FAMILY 3

Aging biology

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Coupled damage, repair, senescence, immunity, metabolism and regeneration.
3. Write the incumbent receiving schema exactly as it exists: Age scalar or isolated hallmark.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Cells, tissues, immune system, metabolism.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Moving-bottleneck RVG controller across damage/repair channels.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Healthspan metrics rise without new dominant damage carrier.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 024: Neuroscience and neurodegeneration · Adapter 026: Immunology · Adapter 021: Healthcare delivery · Adapter 030: Surgery and rehabilitation
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 026 · FAMILY 3

Immunology

Current position: Regulated empirical frontier
Family: Biomedical

X^* **state**	Immune activation, tolerance, pathogen/tumor signals and tissue damage
Receiving schema Σ	Single cytokine or cell-count schema
Blocker B	Stronger response can create autoimmunity/tissue injury
Carriers C	Pathogen, immune cells, host tissue
Missing capacity ΔR	State-dependent immune control balancing clearance and collateral damage
MU+ condition	Clearance, tolerance and tissue integrity improve
Decisive test	Controlled biological study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Adaptive immunology platforms

ADAPTER 026 · FAMILY 3

Immunology



DOMAIN INSTANTIATION

State read	Immune activation, tolerance, pathogen/tumor signals and tissue damage
What the incumbent sees	Single cytokine or cell-count schema
Why local success can mislead	Stronger response can create autoimmunity/tissue injury
Where consequence lands	Pathogen, immune cells, host tissue
What must exist before action	State-dependent immune control balancing clearance and collateral damage

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 026 · FAMILY 3 **Immunology**

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Single cytokine or cell-count schema	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Pathogen, immune cells, host tissue	Which receiver, pathway and hidden compensator absorb the change?
B	Stronger response can create autoimmunity/tissue injury	What prevents all protected carriers from improving together?
ΔR^*	State-dependent immune control balancing clearance and collateral damage	What capacity must exist at the binding carrier before the transition?
MU^+	Clearance, tolerance and tissue integrity improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 026 · FAMILY 3 **Immunology** Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	69	78	76	Local action looks strong here.
B	55	48	60	The local action exports burden to the binding carrier.
C	68	69	73	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

t1: Observe. Establish the domain state: Immune activation, tolerance, pathogen/tumor signals and tissue damage.

t2: Propose. A local actor selects an action through the current schema: Single cytokine or cell-count schema.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Pathogen, immune cells, host tissue.

t4: Construct before release. IAMF-P supplies: State-dependent immune control balancing clearance and collateral damage.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Clearance, tolerance and tissue integrity improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 026 · FAMILY 3 **Immunology**

Current status	Regulated empirical frontier
Source reading	Evidence must come from regulated trials or audits; this entry is research architecture only.
Decisive next design	Controlled biological study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 026 · FAMILY 3 **Immunology** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Immune activation, tolerance, pathogen/tumor signals and tissue damage.
3. Write the incumbent receiving schema exactly as it exists: Single cytokine or cell-count schema.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Pathogen, immune cells, host tissue.
6. Specify the smallest feasible capacity build capable of resolving the blocker: State-dependent immune control balancing clearance and collateral damage.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Clearance, tolerance and tissue integrity improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 025: Aging biology · Adapter 027: Infectious disease · Adapter 021: Healthcare delivery · Adapter 030: Surgery and rehabilitation
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 027 · FAMILY 3

Infectious disease

Plate 1 · Native system

Current position: Regulated/public-health frontier
Family: Biomedical

X^* **state**	Pathogen dynamics, host immunity, behavior, network spread and treatment
Receiving schema Σ	Case count or pathogen-only model
Blocker B	Control shifts burden across people, resistance or livelihoods
Carriers C	Patients, contacts, health system, economy
Missing capacity ΔR	Multi-carrier containment + treatment + livelihood capacity
MU+ condition	Disease burden falls without disproportionate social/economic harm
Decisive test	Prospective outbreak protocol

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Integrated outbreak infrastructure

ADAPTER 027 · FAMILY 3

Infectious disease



DOMAIN INSTANTIATION

State read	Pathogen dynamics, host immunity, behavior, network spread and treatment
What the incumbent sees	Case count or pathogen-only model
Why local success can mislead	Control shifts burden across people, resistance or livelihoods
Where consequence lands	Patients, contacts, health system, economy
What must exist before action	Multi-carrier containment + treatment + livelihood capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 027 · FAMILY 3

Infectious disease

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Case count or pathogen-only model	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Patients, contacts, health system, economy	Which receiver, pathway and hidden compensator absorb the change?
B	Control shifts burden across people, resistance or livelihoods	What prevents all protected carriers from improving together?
ΔR^*	Multi-carrier containment + treatment + livelihood capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Disease burden falls without disproportionate social/economic harm	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 027 · FAMILY 3

Infectious disease

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	53	63	61	Local action looks strong here.
B	66	58	72	The local action exports burden to the binding carrier.
C	61	63	67	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 027 · FAMILY 3

Infectious disease

t1: Observe. Establish the domain state: Pathogen dynamics, host immunity, behavior, network spread and treatment.

t2: Propose. A local actor selects an action through the current schema: Case count or pathogen-only model.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Patients, contacts, health system, economy.

t4: Construct before release. IAMF-P supplies: Multi-carrier containment + treatment + livelihood capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Disease burden falls without disproportionate social/economic harm.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 027 · FAMILY 3

Infectious disease

Current status	Regulated/public-health frontier
Source reading	Public-health regulation and ethics govern any test; research architecture only.
Decisive next design	Prospective outbreak protocol
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 027 · FAMILY 3 **Infectious disease** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Pathogen dynamics, host immunity, behavior, network spread and treatment.
3. Write the incumbent receiving schema exactly as it exists: Case count or pathogen-only model.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Patients, contacts, health system, economy.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Multi-carrier containment + treatment + livelihood capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Disease burden falls without disproportionate social/economic harm.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 026: Immunology · Adapter 028: Microbiome · Adapter 021: Healthcare delivery · Adapter 030: Surgery and rehabilitation
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 028 · FAMILY 3

Microbiome

Plate 1 · Native system

Current position: Regulated empirical frontier
Family: Biomedical

X^* **state**	Host physiology plus microbial ecology and diet/environment
Receiving schema Σ	Species abundance snapshot
Blocker B	Changing one taxon shifts ecosystem function elsewhere
Carriers C	Host and microbial community
Missing capacity ΔR	Functional ecosystem state model and adaptive intervention
MU+ condition	Host outcomes and ecosystem stability improve
Decisive test	Controlled longitudinal study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Microbiome diagnostics/intervention platforms

ADAPTER 028 · FAMILY 3 **Microbiome**



DOMAIN INSTANTIATION

State read	Host physiology plus microbial ecology and diet/environment
What the incumbent sees	Species abundance snapshot
Why local success can mislead	Changing one taxon shifts ecosystem function elsewhere
Where consequence lands	Host and microbial community
What must exist before action	Functional ecosystem state model and adaptive intervention

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 028 · FAMILY 3 **Microbiome**

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Species abundance snapshot	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Host and microbial community	Which receiver, pathway and hidden compensator absorb the change?
B	Changing one taxon shifts ecosystem function elsewhere	What prevents all protected carriers from improving together?
ΔR^*	Functional ecosystem state model and adaptive intervention	What capacity must exist at the binding carrier before the transition?
MU^+	Host outcomes and ecosystem stability improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 028 · FAMILY 3 **Microbiome** Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	60	71	65	Local action looks strong here.
B	52	43	59	The local action exports burden to the binding carrier.
C	54	53	61	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 028 · FAMILY 3 **Microbiome**

t1: Observe. Establish the domain state: Host physiology plus microbial ecology and diet/environment.

t2: Propose. A local actor selects an action through the current schema: Species abundance snapshot.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Host and microbial community.

t4: Construct before release. IAMF-P supplies: Functional ecosystem state model and adaptive intervention.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Host outcomes and ecosystem stability improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 028 · FAMILY 3

Microbiome

Current status	Regulated empirical frontier
Source reading	Evidence must come from regulated trials or audits; this entry is research architecture only.
Decisive next design	Controlled longitudinal study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Host physiology plus microbial ecology and diet/environment.
3. Write the incumbent receiving schema exactly as it exists: Species abundance snapshot.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Host and microbial community.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Functional ecosystem state model and adaptive intervention.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Host outcomes and ecosystem stability improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 027: Infectious disease · Adapter 029: Genomics and proteomics · Adapter 021: Healthcare delivery · Adapter 030: Surgery and rehabilitation
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 029 · FAMILY 3

Genomics and proteomics

Current position: Strong structural fit
Family: Biomedical

X^* **state**	Variants, expression, proteins, pathways, context and phenotype
Receiving schema Σ	Single marker/pathogenicity label
Blocker B	Marker-driven intervention misses network/context effects
Carriers C	Cells, tissues, patient
Missing capacity ΔR	Multi-omic causal state architecture
MU+ condition	Target outcome improves without network collateral burden
Decisive test	Prospective multi-omic validation

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Integrated multi-omic platforms

ADAPTER 029 · FAMILY 3

Genomics and proteomics



DOMAIN INSTANTIATION

State read	Variants, expression, proteins, pathways, context and phenotype
What the incumbent sees	Single marker/pathogenicity label
Why local success can mislead	Marker-driven intervention misses network/context effects
Where consequence lands	Cells, tissues, patient
What must exist before action	Multi-omic causal state architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 029 · FAMILY 3

Genomics and proteomics

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Single marker/-pathogenicity label	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Cells, tissues, patient	Which receiver, pathway and hidden compensator absorb the change?
B	Marker-driven intervention misses network/-context effects	What prevents all protected carriers from improving together?
ΔR^*	Multi-omic causal state architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Target outcome improves without network collateral burden	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 029 · FAMILY 3

Genomics and proteomics

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	67	79	73	Local action looks strong here.
B	63	53	71	The local action exports burden to the binding carrier.
C	67	67	75	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 029 · FAMILY 3

Genomics and proteomics

t1: Observe. Establish the domain state: Variants, expression, proteins, pathways, context and phenotype.

t2: Propose. A local actor selects an action through the current schema: Single marker/pathogenicity label.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Cells, tissues, patient.

t4: Construct before release. IAMF-P supplies: Multi-omic causal state architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Target outcome improves without network collateral burden.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 029 · FAMILY 3

Genomics and proteomics

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Prospective multi-omic validation
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 029 · FAMILY 3

Genomics and proteomics

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Variants, expression, proteins, pathways, context and phenotype.
3. Write the incumbent receiving schema exactly as it exists: Single marker/pathogenicity label.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Cells, tissues, patient.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Multi-omic causal state architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Target outcome improves without network collateral burden.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 028: Microbiome · Adapter 030: Surgery and rehabilitation · Adapter 021: Healthcare delivery
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 030 · FAMILY 3

Surgery and rehabilitation

Plate 1 · Native system

Current position: Strong structural fit
Family: Biomedical

X^* **state**	Anatomy, function, pain, recovery capacity, home support and risk
Receiving schema Σ	Procedure success or anatomical correction
Blocker B	Technical success shifts burden to recovery/function
Carriers C	Patient, caregiver, rehab system
Missing capacity ΔR	Prehabilitation + procedure + recovery orchestration
MU+ condition	Anatomy, function, pain and recovery burden improve
Decisive test	Pragmatic trial

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Perioperative operating systems

ADAPTER 030 · FAMILY 3

Surgery and rehabilitation



DOMAIN INSTANTIATION

State read	Anatomy, function, pain, recovery capacity, home support and risk
What the incumbent sees	Procedure success or anatomical correction
Why local success can mislead	Technical success shifts burden to recovery/function
Where consequence lands	Patient, caregiver, rehab system
What must exist before action	Prehabilitation + procedure + recovery orchestration

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 030 · FAMILY 3

Surgery and rehabilitation

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Procedure success or anatomical correction	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Patient, caregiver, rehab system	Which receiver, pathway and hidden compensator absorb the change?
B	Technical success shifts burden to recovery/-function	What prevents all protected carriers from improving together?
ΔR^*	Prehabilitation + procedure + recovery orchestration	What capacity must exist at the binding carrier before the transition?
MU^+	Anatomy, function, pain and recovery burden improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 030 · FAMILY 3

Surgery and rehabilitation

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	51	59	58	Local action looks strong here.
B	49	44	53	The local action exports burden to the binding carrier.
C	60	61	63	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 030 · FAMILY 3

Surgery and rehabilitation

t1: Observe. Establish the domain state: Anatomy, function, pain, recovery capacity, home support and risk.

t2: Propose. A local actor selects an action through the current schema: Procedure success or anatomical correction.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Patient, caregiver, rehab system.

t4: Construct before release. IAMF-P supplies: Prehabilitation + procedure + recovery orchestration.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Anatomy, function, pain and recovery burden improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 030 · FAMILY 3

Surgery and rehabilitation

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Pragmatic trial
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 030 · FAMILY 3

Surgery and rehabilitation

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Anatomy, function, pain, recovery capacity, home support and risk.
3. Write the incumbent receiving schema exactly as it exists: Procedure success or anatomical correction.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Patient, caregiver, rehab system.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Prehabilitation + procedure + recovery orchestration.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Anatomy, function, pain and recovery burden improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 029: Genomics and proteomics · Adapter 031: Early-childhood development and education · Adapter 021: Healthcare delivery
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

FAMILY 4 OF 12

Education, justice and governance

Institutions judged by the state they create across citizens, workers, victims, actors and future administrations.

Adapters 031-040

ADAPTER 031 · FAMILY 4

Early-childhood development and education

Plate 1 · Native system

Current position: Strong structural fit
Family: Education, justice and governance

X^* **state**	Development, safety, language, nutrition, play, attachment and resources
Receiving schema Σ	Age milestone or readiness score
Blocker B	Academic gains can shift stress to child/family
Carriers C	Child, caregiver, educator
Missing capacity ΔR	Integrated developmental support architecture
MU+ condition	Learning, wellbeing and caregiver capacity improve
Decisive test	Longitudinal program evaluation

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Early-childhood support infrastructure

ADAPTER 031 · FAMILY 4

Early-childhood development and education



DOMAIN INSTANTIATION

State read	Development, safety, language, nutrition, play, attachment and resources
What the incumbent sees	Age milestone or readiness score
Why local success can mislead	Academic gains can shift stress to child/family
Where consequence lands	Child, caregiver, educator
What must exist before action	Integrated developmental support architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 031 · FAMILY 4

Early-childhood development and education

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Age milestone or readiness score	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Child, caregiver, educator	Which receiver, pathway and hidden compensator absorb the change?
B	Academic gains can shift stress to child/family	What prevents all protected carriers from improving together?
ΔR^*	Integrated developmental support architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Learning, wellbeing and caregiver capacity improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 031 · FAMILY 4

Early-childhood development and education

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	58	67	66	Local action looks strong here.
B	60	54	65	The local action exports burden to the binding carrier.
C	53	55	57	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 031 · FAMILY 4

Early-childhood development and education

t1: Observe. Establish the domain state: Development, safety, language, nutrition, play, attachment and resources.

t2: Propose. A local actor selects an action through the current schema: Age milestone or readiness score.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Child, caregiver, educator.

t4: Construct before release. IAMF-P supplies: Integrated developmental support architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Learning, wellbeing and caregiver capacity improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 031 · FAMILY 4

Early-childhood development and education

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Longitudinal program evaluation
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 031 · FAMILY 4

Early-childhood development and education

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Development, safety, language, nutrition, play, attachment and resources.
3. Write the incumbent receiving schema exactly as it exists: Age milestone or readiness score.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Child, caregiver, educator.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Integrated developmental support architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Learning, wellbeing and caregiver capacity improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 030: Surgery and rehabilitation · Adapter 032: K-12 education · Adapter 040: Governance and institutional design
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 032 · FAMILY 4

K-12 education

Plate 1 · Native system

Current position: Strong structural fit
Family: Education, justice and governance

X^* **state**	Knowledge, skills, wellbeing, context, resources and learning trajectory
Receiving schema Σ	Grade/test score
Blocker B	Score gains shift burden to stress, teaching-to-test or exclusion
Carriers C	Student, teacher, family
Missing capacity ΔR	Capability graph + adaptive learning + wellbeing constraints
MU+ condition	Learning, wellbeing, teacher load and equity improve
Decisive test	Cluster randomized trial

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Adaptive education systems

ADAPTER 032 · FAMILY 4

K-12 education



DOMAIN INSTANTIATION

State read	Knowledge, skills, wellbeing, context, resources and learning trajectory
What the incumbent sees	Grade/test score
Why local success can mislead	Score gains shift burden to stress, teaching-to-test or exclusion
Where consequence lands	Student, teacher, family
What must exist before action	Capability graph + adaptive learning + wellbeing constraints

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 032 · FAMILY 4

K-12 education

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Grade/test score	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Student, teacher, family	Which receiver, pathway and hidden compensator absorb the change?
B	Score gains shift burden to stress, teaching-to-test or exclusion	What prevents all protected carriers from improving together?
ΔR^*	Capability graph + adaptive learning + wellbeing constraints	What capacity must exist at the binding carrier before the transition?
MU^+	Learning, wellbeing, teacher load and equity improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 032 · FAMILY 4

K-12 education

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	65	75	70	Local action looks strong here.
B	46	39	52	The local action exports burden to the binding carrier.
C	66	65	71	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 032 · FAMILY 4 K-12 education

t1: Observe. Establish the domain state: Knowledge, skills, wellbeing, context, resources and learning trajectory.

t2: Propose. A local actor selects an action through the current schema: Grade/test score.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Student, teacher, family.

t4: Construct before release. IAMF-P supplies: Capability graph + adaptive learning + wellbeing constraints.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Learning, wellbeing, teacher load and equity improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 032 · FAMILY 4

K-12 education

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Cluster randomized trial
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 032 · FAMILY 4 K-12 education

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Knowledge, skills, wellbeing, context, resources and learning trajectory.
3. Write the incumbent receiving schema exactly as it exists: Grade/test score.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Student, teacher, family.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Capability graph + adaptive learning + wellbeing constraints.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Learning, wellbeing, teacher load and equity improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 031: Early-childhood development and education · Adapter 033: Higher education · Adapter 040: Governance and institutional design
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 033 · FAMILY 4

Higher education

Plate 1 · Native system

Current position: Constructive protocol
Family: Education, justice and governance

X^* **state**	Capability, knowledge, network, finances and career pathways
Receiving schema Σ	Degree/GPA credential
Blocker B	Credential value shifts debt or mismatch to student/employer
Carriers C	Student, family, employer
Missing capacity ΔR	Capability/provenance portfolio + adaptive pathways
MU+ condition	Learning, employability, affordability and wellbeing improve
Decisive test	Longitudinal graduate outcomes

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Capability-based higher education

ADAPTER 033 · FAMILY 4

Higher education



DOMAIN INSTANTIATION

State read	Capability, knowledge, network, finances and career pathways
What the incumbent sees	Degree/GPA credential
Why local success can mislead	Credential value shifts debt or mismatch to student/employer
Where consequence lands	Student, family, employer
What must exist before action	Capability/provenance portfolio + adaptive pathways

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 033 · FAMILY 4

Higher education

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Degree/GPA credential	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Student, family, employer	Which receiver, pathway and hidden compensator absorb the change?
B	Credential value shifts debt or mismatch to student/employer	What prevents all protected carriers from improving together?
ΔR^*	Capability/provenance portfolio + adaptive pathways	What capacity must exist at the binding carrier before the transition?
MU^+	Learning, employability, affordability and wellbeing improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 033 · FAMILY 4

Higher education

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	49	60	55	Local action looks strong here.
B	57	49	64	The local action exports burden to the binding carrier.
C	59	59	65	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 033 · FAMILY 4

Higher education

t1: Observe. Establish the domain state: Capability, knowledge, network, finances and career pathways.

t2: Propose. A local actor selects an action through the current schema: Degree/GPA credential.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Student, family, employer.

t4: Construct before release. IAMF-P supplies: Capability/provenance portfolio + adaptive pathways.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Learning, employability, affordability and wellbeing improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 033 · FAMILY 4

Higher education

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Longitudinal graduate outcomes
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 033 · FAMILY 4

Higher education

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Capability, knowledge, network, finances and career pathways.
3. Write the incumbent receiving schema exactly as it exists: Degree/GPA credential.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Student, family, employer.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Capability/provenance portfolio + adaptive pathways.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Learning, employability, affordability and wellbeing improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 032: K-12 education · Adapter 034: Vocational and workforce learning · Adapter 031: Early-childhood development and education · Adapter 040: Governance and institutional design
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 034 · FAMILY 4

Vocational and workforce learning

Plate 1 · Native system

Current position: Strong structural fit
Family: Education, justice and governance

X^* **state**	Skills, task demand, wages, mobility and employer needs
Receiving schema Σ	Course completion certificate
Blocker B	Training success without placement or wage gain
Carriers C	Worker, employer, training provider
Missing capacity ΔR	Skill-to-task provenance and placement architecture
MU+ condition	Skill, earnings, job quality and employer performance improve
Decisive test	Matched labor-market evaluation

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Skills marketplaces and apprenticeship systems

ADAPTER 034 · FAMILY 4

Vocational and workforce learning



DOMAIN INSTANTIATION

State read	Skills, task demand, wages, mobility and employer needs
What the incumbent sees	Course completion certificate
Why local success can mislead	Training success without placement or wage gain
Where consequence lands	Worker, employer, training provider
What must exist before action	Skill-to-task provenance and placement architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 034 · FAMILY 4

Vocational and workforce learning

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Course completion certificate	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Worker, employer, training provider	Which receiver, pathway and hidden compensator absorb the change?
B	Training success without placement or wage gain	What prevents all protected carriers from improving together?
ΔR^*	Skill-to-task provenance and placement architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Skill, earnings, job quality and employer performance improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 034 · FAMILY 4

Vocational and workforce learning

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	56	68	63	Local action looks strong here.
B	68	59	76	The local action exports burden to the binding carrier.
C	52	53	59	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 034 · FAMILY 4

Vocational and workforce learning

t1: Observe. Establish the domain state: Skills, task demand, wages, mobility and employer needs.

t2: Propose. A local actor selects an action through the current schema: Course completion certificate.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Worker, employer, training provider.

t4: Construct before release. IAMF-P supplies: Skill-to-task provenance and placement architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Skill, earnings, job quality and employer performance improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 034 · FAMILY 4

Vocational and workforce learning

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Matched labor-market evaluation
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 034 · FAMILY 4 Vocational and workforce learning

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Skills, task demand, wages, mobility and employer needs.
3. Write the incumbent receiving schema exactly as it exists: Course completion certificate.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Worker, employer, training provider.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Skill-to-task provenance and placement architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Skill, earnings, job quality and employer performance improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 033: Higher education · Adapter 035: Scientific research · Adapter 031: Early-childhood development and education · Adapter 040: Governance and institutional design
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 035 · FAMILY 4

Scientific research

Plate 1 · Native system

Current position: Strong structural fit
Family: Education, justice and governance

X^* **state**	Hypotheses, methods, data, negative results, replication and incentives
Receiving schema Σ	Publication/citation unit
Blocker B	Publication success shifts reproducibility burden downstream
Carriers C	Researchers, institutions, public
Missing capacity ΔR	Experiment provenance + negative-result + replication architecture
MU+ condition	Discovery, reproducibility, speed and researcher burden improve
Decisive test	Cross-lab replication program

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Reproducibility infrastructure

ADAPTER 035 · FAMILY 4

Scientific research



DOMAIN INSTANTIATION

State read	Hypotheses, methods, data, negative results, replication and incentives
What the incumbent sees	Publication/citation unit
Why local success can mislead	Publication success shifts reproducibility burden downstream
Where consequence lands	Researchers, institutions, public
What must exist before action	Experiment provenance + negative-result + replication architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 035 · FAMILY 4

Scientific research

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Publication/citation unit	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Researchers, institutions, public	Which receiver, pathway and hidden compensator absorb the change?
B	Publication success shifts reproducibility burden downstream	What prevents all protected carriers from improving together?
ΔR^*	Experiment provenance + negative-result + replication architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Discovery, reproducibility, speed and researcher burden improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 035 · FAMILY 4

Scientific research

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	63	71	71	Local action looks strong here.
B	54	44	58	The local action exports burden to the binding carrier.
C	65	67	73	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 035 · FAMILY 4

Scientific research

t1: Observe. Establish the domain state: Hypotheses, methods, data, negative results, replication and incentives.

t2: Propose. A local actor selects an action through the current schema: Publication/citation unit.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Researchers, institutions, public.

t4: Construct before release. IAMF-P supplies: Experiment provenance + negative-result + replication architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Discovery, reproducibility, speed and researcher burden improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 035 · FAMILY 4

Scientific research

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Cross-lab replication program
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 035 · FAMILY 4

Scientific research

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Hypotheses, methods, data, negative results, replication and incentives.
3. Write the incumbent receiving schema exactly as it exists: Publication/citation unit.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Researchers, institutions, public.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Experiment provenance + negative-result + replication architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Discovery, reproducibility, speed and researcher burden improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 034: Vocational and workforce learning · Adapter 036: Justice and courts · Adapter 031: Early-childhood development and education · Adapter 040: Governance and institutional design
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 036 · FAMILY 4

Justice and courts

Plate 1 · Native system

Current position: High-stakes protocol
Family: Education, justice and governance

X^* **state**	Facts, evidence, harm, intent, procedure, history and remedies
Receiving schema Σ	Case category or docket state
Blocker B	Procedural resolution leaves harm, delay or recurrence elsewhere
Carriers C	Victims, accused, families, courts, community
Missing capacity ΔR	Causal provenance + harm/restitution + recurrence architecture
MU+ condition	Accuracy, due process, restoration, safety and timeliness improve
Decisive test	Prospective process evaluation

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Justice technology and restitution infrastructure

ADAPTER 036 · FAMILY 4

Justice and courts



DOMAIN INSTANTIATION

State read	Facts, evidence, harm, intent, procedure, history and remedies
What the incumbent sees	Case category or docket state
Why local success can mislead	Procedural resolution leaves harm, delay or recurrence elsewhere
Where consequence lands	Victims, accused, families, courts, community
What must exist before action	Causal provenance + harm/restitution + recurrence architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 036 · FAMILY 4

Justice and courts

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Case category or docket state	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Victims, accused, families, courts, community	Which receiver, pathway and hidden compensator absorb the change?
B	Procedural resolution leaves harm, delay or recurrence elsewhere	What prevents all protected carriers from improving together?
ΔR^*	Causal provenance + harm/restitution + recurrence architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Accuracy, due process, restoration, safety and timeliness improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 036 · FAMILY 4

Justice and courts

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	70	79	75	Local action looks strong here.
B	65	60	70	The local action exports burden to the binding carrier.
C	58	57	61	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 036 · FAMILY 4

Justice and courts

t1: Observe. Establish the domain state: Facts, evidence, harm, intent, procedure, history and remedies.

t2: Propose. A local actor selects an action through the current schema: Case category or docket state.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Victims, accused, families, courts, community.

t4: Construct before release. IAMF-P supplies: Causal provenance + harm/restitution + recurrence architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Accuracy, due process, restoration, safety and timeliness improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 036 · FAMILY 4

Justice and courts

Current status	High-stakes protocol
Source reading	Failure is costly to people; safety constraints dominate and testing must be staged.
Decisive next design	Prospective process evaluation
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 036 · FAMILY 4 **Justice and courts** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Facts, evidence, harm, intent, procedure, history and remedies.
3. Write the incumbent receiving schema exactly as it exists: Case category or docket state.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Victims, accused, families, courts, community.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Causal provenance + harm/restitution + recurrence architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Accuracy, due process, restoration, safety and timeliness improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 035: Scientific research · Adapter 037: Policing and public safety systems · Adapter 031: Early-childhood development and education · Adapter 040: Governance and institutional design
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 037 · FAMILY 4

Policing and public safety systems

Plate 1 · Native system

Current position: High-stakes protocol
Family: Education, justice and governance

X^* **state**	Threat, context, evidence, community trust, capacity and alternatives
Receiving schema Σ	Incident/offense label
Blocker B	Local enforcement shifts fear, distrust, displacement or recurrence
Carriers C	Residents, officers, victims, institutions
Missing capacity ΔR	Evidence-first response selection + prevention/support capacity
MU+ condition	Safety and trust improve while unnecessary coercive burden falls
Decisive test	Independent public evaluation

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Public-safety coordination and prevention systems

ADAPTER 037 · FAMILY 4

Policing and public safety systems



DOMAIN INSTANTIATION

State read	Threat, context, evidence, community trust, capacity and alternatives
What the incumbent sees	Incident/offense label
Why local success can mislead	Local enforcement shifts fear, distrust, displacement or recurrence
Where consequence lands	Residents, officers, victims, institutions
What must exist before action	Evidence-first response selection + prevention/support capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 037 · FAMILY 4

Policing and public safety systems

Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Incident/offense label	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Residents, officers, victims, institutions	Which receiver, pathway and hidden compensator absorb the change?
B	Local enforcement shifts fear, distrust, displacement or recurrence	What prevents all protected carriers from improving together?
ΔR^*	Evidence-first response selection + prevention/-support capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Safety and trust improve while unnecessary coercive burden falls	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 037 · FAMILY 4

Policing and public safety systems

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	54	64	60	Local action looks strong here.
B	51	45	57	The local action exports burden to the binding carrier.
C	51	51	55	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 037 · FAMILY 4

Policing and public safety systems

t1: Observe. Establish the domain state: Threat, context, evidence, community trust, capacity and alternatives.

t2: Propose. A local actor selects an action through the current schema: Incident/offense label.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Residents, officers, victims, institutions.

t4: Construct before release. IAMF-P supplies: Evidence-first response selection + prevention/support capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Safety and trust improve while unnecessary coercive burden falls.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 037 · FAMILY 4

Policing and public safety systems

Current status	High-stakes protocol
Source reading	Failure is costly to people; safety constraints dominate and testing must be staged.
Decisive next design	Independent public evaluation
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 037 · FAMILY 4

Policing and public safety systems

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Threat, context, evidence, community trust, capacity and alternatives.
3. Write the incumbent receiving schema exactly as it exists: Incident/offense label.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Residents, officers, victims, institutions.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Evidence-first response selection + prevention/support capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Safety and trust improve while unnecessary coercive burden falls.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 036: Justice and courts · Adapter 038: Corrections, rehabilitation and reintegration · Adapter 031: Early-childhood development and education · Adapter 040: Governance and institutional design
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 038 · FAMILY 4

Corrections, rehabilitation and reintegration

Plate 1 · Native system

Current position: High-stakes protocol
Family: Education, justice and governance

X^* **state**	Risk, harm, needs, skills, housing, work and social support
Receiving schema Σ	Sentence/recidivism risk label
Blocker B	Custody may defer burden to reentry, family or community
Carriers C	Person, family, community, justice system
Missing capacity ΔR	Rehabilitation + restitution + housing/work capacity
MU+ condition	Safety and reintegration improve while recurrence falls
Decisive test	Longitudinal controlled program

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Reentry and rehabilitation infrastructure

ADAPTER 038 · FAMILY 4

Corrections, rehabilitation and reintegration



DOMAIN INSTANTIATION

State read	Risk, harm, needs, skills, housing, work and social support
What the incumbent sees	Sentence/recidivism risk label
Why local success can mislead	Custody may defer burden to reentry, family or community
Where consequence lands	Person, family, community, justice system
What must exist before action	Rehabilitation + restitution + housing/work capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 038 · FAMILY 4

Corrections, rehabilitation and reintegration

Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Sentence/recidivism risk label	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Person, family, community, justice system	Which receiver, pathway and hidden compensator absorb the change?
B	Custody may defer burden to reentry, family or community	What prevents all protected carriers from improving together?
ΔR^*	Rehabilitation + restitution + housing/work capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Safety and reintegration improve while recurrence falls	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 038 · FAMILY 4

Corrections, rehabilitation and reintegration

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	61	72	68	Local action looks strong here.
B	62	55	69	The local action exports burden to the binding carrier.
C	64	65	69	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 038 · FAMILY 4

Corrections, rehabilitation and reintegration

t1: Observe. Establish the domain state: Risk, harm, needs, skills, housing, work and social support.

t2: Propose. A local actor selects an action through the current schema: Sentence/recidivism risk label.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Person, family, community, justice system.

t4: Construct before release. IAMF-P supplies: Rehabilitation + restitution + housing/work capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Safety and reintegration improve while recurrence falls.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 038 · FAMILY 4

Corrections, rehabilitation and reintegration

Current status	High-stakes protocol
Source reading	Failure is costly to people; safety constraints dominate and testing must be staged.
Decisive next design	Longitudinal controlled program
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 038 · FAMILY 4

Corrections, rehabilitation and reintegration

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Risk, harm, needs, skills, housing, work and social support.
3. Write the incumbent receiving schema exactly as it exists: Sentence/recidivism risk label.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Person, family, community, justice system.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Rehabilitation + restitution + housing/work capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Safety and reintegration improve while recurrence falls.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 037: Policing and public safety systems · Adapter 039: Public administration · Adapter 031: Early-childhood development and education · Adapter 040: Governance and institutional design
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 039 · FAMILY 4

Public administration

Plate 1 · Native system

Current position: Strong structural fit
Family: Education, justice and governance

X^* **state**	Citizen state, eligibility, documents, services and agency capacity
Receiving schema Σ	Program-specific record
Blocker B	Citizen repeatedly translates same reality across agencies
Carriers C	Citizen, frontline staff, budget
Missing capacity ΔR	Interoperable verified state + once-only data + case orchestration
MU+ condition	Access, accuracy, staff workload and cost improve
Decisive test	Agency pilot with citizen/staff metrics

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Government service interoperability

ADAPTER 039 · FAMILY 4

Public administration



DOMAIN INSTANTIATION

State read	Citizen state, eligibility, documents, services and agency capacity
What the incumbent sees	Program-specific record
Why local success can mislead	Citizen repeatedly translates same reality across agencies
Where consequence lands	Citizen, frontline staff, budget
What must exist before action	Interoperable verified state + once-only data + case orchestration

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 039 · FAMILY 4

Public administration

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Program-specific record	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Citizen, frontline staff, budget	Which receiver, pathway and hidden compensator absorb the change?
B	Citizen repeatedly translates same reality across agencies	What prevents all protected carriers from improving together?
ΔR^*	Interoperable verified state + once-only data + case orchestration	What capacity must exist at the binding carrier before the transition?
MU^+	Access, accuracy, staff workload and cost improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 039 · FAMILY 4

Public administration

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	68	80	76	Local action looks strong here.
B	48	40	56	The local action exports burden to the binding carrier.
C	57	59	63	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 039 · FAMILY 4

Public administration

t1: Observe. Establish the domain state: Citizen state, eligibility, documents, services and agency capacity.

t2: Propose. A local actor selects an action through the current schema: Program-specific record.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Citizen, frontline staff, budget.

t4: Construct before release. IAMF-P supplies: Interoperable verified state + once-only data + case orchestration.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Access, accuracy, staff workload and cost improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 039 · FAMILY 4

Public administration

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Agency pilot with citizen/staff metrics
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 039 · FAMILY 4

Public administration

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Citizen state, eligibility, documents, services and agency capacity.
3. Write the incumbent receiving schema exactly as it exists: Program-specific record.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Citizen, frontline staff, budget.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Interoperable verified state + once-only data + case orchestration.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Access, accuracy, staff workload and cost improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 038: Corrections, rehabilitation and reintegration · Adapter 040: Governance and institutional design · Adapter 031: Early-childhood development and education
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 040 · FAMILY 4

Governance and institutional design

Plate 1 · Native system

Current position: Constructive protocol
Family: Education, justice and governance

X^* **state**	Authority, incentives, information, accountability, resources and affected populations
Receiving schema Σ	Organizational chart or legal mandate
Blocker B	Local agency success exports burden to another agency/population
Carriers C	Citizens, agencies, future administrations
Missing capacity ΔR	Cross-boundary outcome ledger + accountability and capacity design
MU+ condition	Service quality, legitimacy, cost and resilience improve
Decisive test	Prospective institutional pilot

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Governance infrastructure and outcome systems

ADAPTER 040 · FAMILY 4

Governance and institutional design



DOMAIN INSTANTIATION

State read	Authority, incentives, information, accountability, resources and affected populations
What the incumbent sees	Organizational chart or legal mandate
Why local success can mislead	Local agency success exports burden to another agency/population
Where consequence lands	Citizens, agencies, future administrations
What must exist before action	Cross-boundary outcome ledger + accountability and capacity design

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 040 · FAMILY 4

Governance and institutional design

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Organizational chart or legal mandate	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Citizens, agencies, future administrations	Which receiver, pathway and hidden compensator absorb the change?
B	Local agency success exports burden to another agency/population	What prevents all protected carriers from improving together?
ΔR^*	Cross-boundary outcome ledger + accountability and capacity design	What capacity must exist at the binding carrier before the transition?
MU^+	Service quality, legitimacy, cost and resilience improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 040 · FAMILY 4

Governance and institutional design

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	52	60	57	Local action looks strong here.
B	59	50	63	The local action exports burden to the binding carrier.
C	50	49	57	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 040 · FAMILY 4

Governance and institutional design

t1: Observe. Establish the domain state: Authority, incentives, information, accountability, resources and affected populations.

t2: Propose. A local actor selects an action through the current schema: Organizational chart or legal mandate.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Citizens, agencies, future administrations.

t4: Construct before release. IAMF-P supplies: Cross-boundary outcome ledger + accountability and capacity design.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Service quality, legitimacy, cost and resilience improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 040 · FAMILY 4

Governance and institutional design

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Prospective institutional pilot
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 040 · FAMILY 4

Governance and institutional design

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Authority, incentives, information, accountability, resources and affected populations.
3. Write the incumbent receiving schema exactly as it exists: Organizational chart or legal mandate.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Citizens, agencies, future administrations.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Cross-boundary outcome ledger + accountability and capacity design.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Service quality, legitimacy, cost and resilience improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 039: Public administration · Adapter 041: Beauty and aesthetics · Adapter 031: Early-childhood development and education
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

FAMILY 5 OF 12

Culture, beauty and experience

Experience and culture translated without flattening identity, labor, safety, access or meaning.

Adapters 041-050

ADAPTER 041 · FAMILY 5

Beauty and aesthetics

Plate 1 · Native system

Current position: Constructive protocol
Family: Culture, beauty and experience

X^* **state**	Biology, preference, culture, identity, safety, cost and perception
Receiving schema Σ	Universal beauty standard or product category
Blocker B	Aesthetic gain shifts health, money or self-perception burden
Carriers C	Person, body, household
Missing capacity ΔR	Personalized aesthetic/safety state architecture
MU+ condition	Desired aesthetics, health, autonomy and affordability improve
Decisive test	Consumer/clinical outcome study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Precision aesthetics and beauty systems

ADAPTER 041 · FAMILY 5

Beauty and aesthetics



DOMAIN INSTANTIATION

State read	Biology, preference, culture, identity, safety, cost and perception
What the incumbent sees	Universal beauty standard or product category
Why local success can mislead	Aesthetic gain shifts health, money or self-perception burden
Where consequence lands	Person, body, household
What must exist before action	Personalized aesthetic/safety state architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 041 · FAMILY 5

Beauty and aesthetics

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Universal beauty standard or product category	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Person, body, household	Which receiver, pathway and hidden compensator absorb the change?
B	Aesthetic gain shifts health, money or self-perception burden	What prevents all protected carriers from improving together?
ΔR^*	Personalized aesthetic/safety state architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Desired aesthetics, health, autonomy and affordability improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 041 · FAMILY 5

Beauty and aesthetics

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	59	68	65	Local action looks strong here.
B	45	35	50	The local action exports burden to the binding carrier.
C	63	63	71	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 041 · FAMILY 5

Beauty and aesthetics

t1: Observe. Establish the domain state: Biology, preference, culture, identity, safety, cost and perception.

t2: Propose. A local actor selects an action through the current schema: Universal beauty standard or product category.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Person, body, household.

t4: Construct before release. IAMF-P supplies: Personalized aesthetic/safety state architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Desired aesthetics, health, autonomy and affordability improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 041 · FAMILY 5

Beauty and aesthetics

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Consumer/clinical outcome study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 041 · FAMILY 5

Beauty and aesthetics

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Biology, preference, culture, identity, safety, cost and perception.
3. Write the incumbent receiving schema exactly as it exists: Universal beauty standard or product category.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Person, body, household.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Personalized aesthetic/safety state architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Desired aesthetics, health, autonomy and affordability improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 040: Governance and institutional design · Adapter 042: Fashion and apparel · Adapter 050: Experience design and events
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 042 · FAMILY 5

Fashion and apparel

Plate 1 · Native system

Current position: Strong structural fit
Family: Culture, beauty and experience

X^* **state**	Identity, fit, comfort, durability, labor, inventory and lifecycle
Receiving schema Σ	Size/SKU/category schema
Blocker B	Style success shifts fit, waste or labor burden
Carriers C	Wearer, worker, retailer, environment
Missing capacity ΔR	Adaptive sizing + provenance + circularity architecture
MU+ condition	Fit, identity, durability, labor and waste metrics improve
Decisive test	Retail field experiment

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Adaptive apparel and circular fashion

ADAPTER 042 · FAMILY 5

Fashion and apparel



DOMAIN INSTANTIATION

State read	Identity, fit, comfort, durability, labor, inventory and lifecycle
What the incumbent sees	Size/SKU/category schema
Why local success can mislead	Style success shifts fit, waste or labor burden
Where consequence lands	Wearer, worker, retailer, environment
What must exist before action	Adaptive sizing + provenance + circularity architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 042 · FAMILY 5

Fashion and apparel

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Size/SKU/category schema	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Wearer, worker, retailer, environment	Which receiver, pathway and hidden compensator absorb the change?
B	Style success shifts fit, waste or labor burden	What prevents all protected carriers from improving together?
ΔR^*	Adaptive sizing + provenance + circularity architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Fit, identity, durability, labor and waste metrics improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 042 · FAMILY 5

Fashion and apparel

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	66	76	73	Local action looks strong here.
B	56	51	62	The local action exports burden to the binding carrier.
C	56	57	59	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 042 · FAMILY 5

Fashion and apparel

t1: Observe. Establish the domain state: Identity, fit, comfort, durability, labor, inventory and lifecycle.

t2: Propose. A local actor selects an action through the current schema: Size/SKU/category schema.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Wearer, worker, retailer, environment.

t4: Construct before release. IAMF-P supplies: Adaptive sizing + provenance + circularity architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Fit, identity, durability, labor and waste metrics improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 042 · FAMILY 5

Fashion and apparel

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Retail field experiment
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 042 · FAMILY 5

Fashion and apparel

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Identity, fit, comfort, durability, labor, inventory and lifecycle.
3. Write the incumbent receiving schema exactly as it exists: Size/SKU/category schema.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Wearer, worker, retailer, environment.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Adaptive sizing + provenance + circularity architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Fit, identity, durability, labor and waste metrics improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 041: Beauty and aesthetics · Adapter 043: Luxury goods · Adapter 050: Experience design and events
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 043 · FAMILY 5

Luxury goods

Plate 1 · Native system

Current position: Origin-business fit
Family: Culture, beauty and experience

X^* **state**	Provenance, scarcity, condition, access, identity, inventory and lifecycle value
Receiving schema Σ	Price/status/authenticity binary
Blocker B	Brand/access value shifts waste, capital lockup or trust burden
Carriers C	Buyer, seller, inventory, environment
Missing capacity ΔR	Provenance + condition + access + reconciliation layer
MU+ condition	Value retention, trust, access and waste outcomes improve
Decisive test	Operational field study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Governed luxury access and authenticated circular luxury

ADAPTER 043 · FAMILY 5

Luxury goods



DOMAIN INSTANTIATION

State read	Provenance, scarcity, condition, access, identity, inventory and lifecycle value
What the incumbent sees	Price/status/authenticity binary
Why local success can mislead	Brand/access value shifts waste, capital lockup or trust burden
Where consequence lands	Buyer, seller, inventory, environment
What must exist before action	Provenance + condition + access + reconciliation layer

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 043 · FAMILY 5

Luxury goods

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Price/status/authenticity binary	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Buyer, seller, inventory, environment	Which receiver, pathway and hidden compensator absorb the change?
B	Brand/access value shifts waste, capital lockup or trust burden	What prevents all protected carriers from improving together?
ΔR^*	Provenance + condition + access + reconciliation layer	What capacity must exist at the binding carrier before the transition?
MU^+	Value retention, trust, access and waste outcomes improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 043 · FAMILY 5

Luxury goods

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	50	61	58	Local action looks strong here.
B	67	61	74	The local action exports burden to the binding carrier.
C	69	71	73	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 043 · FAMILY 5

Luxury goods

t1: Observe. Establish the domain state: Provenance, scarcity, condition, access, identity, inventory and lifecycle value.

t2: Propose. A local actor selects an action through the current schema: Price/status/authenticity binary.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Buyer, seller, inventory, environment.

t4: Construct before release. IAMF-P supplies: Provenance + condition + access + reconciliation layer.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Value retention, trust, access and waste outcomes improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 043 · FAMILY 5

Luxury goods

Current status	Origin-business fit
Source reading	Closest to the discovery record; independence from the origin is the first test.
Decisive next design	Operational field study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 043 · FAMILY 5 **Luxury goods**

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Provenance, scarcity, condition, access, identity, inventory and lifecycle value.
3. Write the incumbent receiving schema exactly as it exists: Price/status/authenticity binary.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Buyer, seller, inventory, environment.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Provenance + condition + access + reconciliation layer.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Value retention, trust, access and waste outcomes improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 042: Fashion and apparel · Adapter 044: Hospitality · Adapter 041: Beauty and aesthetics · Adapter 050: Experience design and events
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 044 · FAMILY 5

Hospitality

Plate 1 · Native system

Current position: Strong structural fit
Family: Culture, beauty and experience

X^* **state**	Guest needs, staff capacity, time, room state, logistics and locality
Receiving schema Σ	Booking/reservation state
Blocker B	Guest delight shifts hidden labor or local burden
Carriers C	Guest, staff, operator, locality
Missing capacity ΔR	End-to-end experience and workload orchestration
MU+ condition	Guest experience, staff wellbeing and economics improve
Decisive test	Property-level A/B evaluation

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Hospitality operating systems

ADAPTER 044 · FAMILY 5

Hospitality



DOMAIN INSTANTIATION

State read	Guest needs, staff capacity, time, room state, logistics and locality
What the incumbent sees	Booking/reservation state
Why local success can mislead	Guest delight shifts hidden labor or local burden
Where consequence lands	Guest, staff, operator, locality
What must exist before action	End-to-end experience and workload orchestration

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 044 · FAMILY 5 **Hospitality**

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Booking/reservation state	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Guest, staff, operator, locality	Which receiver, pathway and hidden compensator absorb the change?
B	Guest delight shifts hidden labor or local burden	What prevents all protected carriers from improving together?
ΔR^*	End-to-end experience and workload orchestration	What capacity must exist at the binding carrier before the transition?
MU^+	Guest experience, staff wellbeing and economics improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 044 · FAMILY 5 **Hospitality** Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	57	69	62	Local action looks strong here.
B	53	46	61	The local action exports burden to the binding carrier.
C	62	61	67	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 044 · FAMILY 5 **Hospitality**

t1: Observe. Establish the domain state: Guest needs, staff capacity, time, room state, logistics and locality.

t2: Propose. A local actor selects an action through the current schema: Booking/reservation state.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Guest, staff, operator, locality.

t4: Construct before release. IAMF-P supplies: End-to-end experience and workload orchestration.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Guest experience, staff wellbeing and economics improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 044 · FAMILY 5

Hospitality

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Property-level A/B evaluation
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 044 · FAMILY 5 **Hospitality** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Guest needs, staff capacity, time, room state, logistics and locality.
3. Write the incumbent receiving schema exactly as it exists: Booking/reservation state.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Guest, staff, operator, locality.
6. Specify the smallest feasible capacity build capable of resolving the blocker: End-to-end experience and workload orchestration.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Guest experience, staff wellbeing and economics improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 043: Luxury goods · Adapter 045: Travel and tourism · Adapter 041: Beauty and aesthetics · Adapter 050: Experience design and events
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 045 · FAMILY 5

Travel and tourism

Plate 1 · Native system

Current position: Constructive protocol
Family: Culture, beauty and experience

X^* **state**	Mobility, cost, safety, experience, local capacity and environment
Receiving schema Σ	Itinerary/booking schema
Blocker B	Visitor gain shifts congestion, environmental or resident burden
Carriers C	Traveler, worker, resident, ecosystem
Missing capacity ΔR	Consequential itinerary/capacity controller
MU+ condition	Experience, resident value, worker conditions and environmental load improve
Decisive test	Destination pilot

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Destination orchestration

ADAPTER 045 · FAMILY 5

Travel and tourism



DOMAIN INSTANTIATION

State read	Mobility, cost, safety, experience, local capacity and environment
What the incumbent sees	Itinerary/booking schema
Why local success can mislead	Visitor gain shifts congestion, environmental or resident burden
Where consequence lands	Traveler, worker, resident, ecosystem
What must exist before action	Consequential itinerary/capacity controller

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 045 · FAMILY 5

Travel and tourism

Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Itinerary/booking schema	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Traveler, worker, resident, ecosystem	Which receiver, pathway and hidden compensator absorb the change?
B	Visitor gain shifts congestion, environmental or resident burden	What prevents all protected carriers from improving together?
ΔR^*	Consequential itinerary/capacity controller	What capacity must exist at the binding carrier before the transition?
MU^+	Experience, resident value, worker conditions and environmental load improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 045 · FAMILY 5

Travel and tourism

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	64	72	70	Local action looks strong here.
B	64	56	68	The local action exports burden to the binding carrier.
C	55	55	61	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 045 · FAMILY 5

Travel and tourism

t1: Observe. Establish the domain state: Mobility, cost, safety, experience, local capacity and environment.

t2: Propose. A local actor selects an action through the current schema: Itinerary/booking schema.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Traveler, worker, resident, ecosystem.

t4: Construct before release. IAMF-P supplies: Consequential itinerary/capacity controller.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Experience, resident value, worker conditions and environmental load improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 045 · FAMILY 5

Travel and tourism

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Destination pilot
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 045 · FAMILY 5

Travel and tourism

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Mobility, cost, safety, experience, local capacity and environment.
3. Write the incumbent receiving schema exactly as it exists: Itinerary/booking schema.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Traveler, worker, resident, ecosystem.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Consequential itinerary/capacity controller.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Experience, resident value, worker conditions and environmental load improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 044: Hospitality · Adapter 046: Art and cultural markets · Adapter 041: Beauty and aesthetics · Adapter 050: Experience design and events
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 046 · FAMILY 5

Art and cultural markets

Plate 1 · Native system

Current position: Constructive protocol
Family: Culture, beauty and experience

X^* **state**	Creative work, provenance, rights, cultural meaning, scarcity and audience
Receiving schema Σ	Price/ownership/engagement proxy
Blocker B	Platform or collector gain shifts creator/community value
Carriers C	Artist, audience, collector, community
Missing capacity ΔR	Rights/provenance/value-sharing architecture
MU+ condition	Creator income, access, provenance and cultural stewardship improve
Decisive test	Marketplace field study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Creator-rights and provenance markets

ADAPTER 046 · FAMILY 5

Art and cultural markets



DOMAIN INSTANTIATION

State read	Creative work, provenance, rights, cultural meaning, scarcity and audience
What the incumbent sees	Price/ownership/engagement proxy
Why local success can mislead	Platform or collector gain shifts creator/community value
Where consequence lands	Artist, audience, collector, community
What must exist before action	Rights/provenance/value-sharing architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 046 · FAMILY 5

Art and cultural markets

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Price/ownership/engagement proxy	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Artist, audience, collector, community	Which receiver, pathway and hidden compensator absorb the change?
B	Platform or collector gain shifts creator/community value	What prevents all protected carriers from improving together?
ΔR^*	Rights/provenance/value-sharing architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Creator income, access, provenance and cultural stewardship improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 046 · FAMILY 5

Art and cultural markets

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	48	57	55	Local action looks strong here.
B	50	41	55	The local action exports burden to the binding carrier.
C	68	69	75	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 046 · FAMILY 5

Art and cultural markets

t1: Observe. Establish the domain state: Creative work, provenance, rights, cultural meaning, scarcity and audience.

t2: Propose. A local actor selects an action through the current schema: Price/ownership/engagement proxy.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Artist, audience, collector, community.

t4: Construct before release. IAMF-P supplies: Rights/provenance/value-sharing architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Creator income, access, provenance and cultural stewardship improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 046 · FAMILY 5

Art and cultural markets

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Marketplace field study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 046 · FAMILY 5

Art and cultural markets

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Creative work, provenance, rights, cultural meaning, scarcity and audience.
3. Write the incumbent receiving schema exactly as it exists: Price/ownership/engagement proxy.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Artist, audience, collector, community.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Rights/provenance/value-sharing architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Creator income, access, provenance and cultural stewardship improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 045: Travel and tourism · Adapter 047: Music and entertainment · Adapter 041: Beauty and aesthetics · Adapter 050: Experience design and events
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 047 · FAMILY 5

Music and entertainment

Plate 1 · Native system

Current position: Constructive protocol
Family: Culture, beauty and experience

X^* **state**	Creative contribution, rights, attention, audience value and platform economics
Receiving schema Σ	Stream/view count
Blocker B	Engagement gain shifts creator income or audience wellbeing
Carriers C	Creators, audiences, platforms
Missing capacity ΔR	Contribution/provenance + value-distribution architecture
MU+ condition	Creator value and audience experience improve without exploitative load
Decisive test	Platform experiment

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Creator economy infrastructure

ADAPTER 047 · FAMILY 5

Music and entertainment



DOMAIN INSTANTIATION

State read	Creative contribution, rights, attention, audience value and platform economics
What the incumbent sees	Stream/view count
Why local success can mislead	Engagement gain shifts creator income or audience wellbeing
Where consequence lands	Creators, audiences, platforms
What must exist before action	Contribution/provenance + value-distribution architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 047 · FAMILY 5

Music and entertainment

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Stream/view count	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Creators, audiences, platforms	Which receiver, pathway and hidden compensator absorb the change?
B	Engagement gain shifts creator income or audience wellbeing	What prevents all protected carriers from improving together?
ΔR^*	Contribution/provenance + value-distribution architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Creator value and audience experience improve without exploitative load	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 047 · FAMILY 5

Music and entertainment

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	55	65	63	Local action looks strong here.
B	61	51	67	The local action exports burden to the binding carrier.
C	61	63	69	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 047 · FAMILY 5

Music and entertainment

t1: Observe. Establish the domain state: Creative contribution, rights, attention, audience value and platform economics.

t2: Propose. A local actor selects an action through the current schema: Stream/view count.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Creators, audiences, platforms.

t4: Construct before release. IAMF-P supplies: Contribution/provenance + value-distribution architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Creator value and audience experience improve without exploitative load.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 047 · FAMILY 5

Music and entertainment

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Platform experiment
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 047 · FAMILY 5

Music and entertainment

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Creative contribution, rights, attention, audience value and platform economics.
3. Write the incumbent receiving schema exactly as it exists: Stream/view count.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Creators, audiences, platforms.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Contribution/provenance + value-distribution architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Creator value and audience experience improve without exploitative load.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 046: Art and cultural markets · Adapter 048: Gaming and virtual worlds · Adapter 041: Beauty and aesthetics · Adapter 050: Experience design and events
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 048 · FAMILY 5

Gaming and virtual worlds

Plate 1 · Native system

Current position: Constructive protocol
Family: Culture, beauty and experience

X^* **state**	Player goals, time, identity, economy, safety and creator contribution
Receiving schema Σ	Retention/spend metric
Blocker B	Revenue shifts time, financial or social burden to players
Carriers C	Players, creators, communities
Missing capacity ΔR	Cross-reality value and safety controller
MU+ condition	Fun, agency, creator value and safety improve
Decisive test	Platform experiment

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Virtual-world governance and healthy-economy systems

ADAPTER 048 · FAMILY 5

Gaming and virtual worlds



DOMAIN INSTANTIATION

State read	Player goals, time, identity, economy, safety and creator contribution
What the incumbent sees	Retention/spend metric
Why local success can mislead	Revenue shifts time, financial or social burden to players
Where consequence lands	Players, creators, communities
What must exist before action	Cross-reality value and safety controller

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 048 · FAMILY 5

Gaming and virtual worlds

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Retention/spend metric	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Players, creators, communities	Which receiver, pathway and hidden compensator absorb the change?
B	Revenue shifts time, financial or social burden to players	What prevents all protected carriers from improving together?
ΔR^*	Cross-reality value and safety controller	What capacity must exist at the binding carrier before the transition?
MU^+	Fun, agency, creator value and safety improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 048 · FAMILY 5

Gaming and virtual worlds

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	62	73	67	Local action looks strong here.
B	47	42	54	The local action exports burden to the binding carrier.
C	54	53	57	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 048 · FAMILY 5

Gaming and virtual worlds

t1: Observe. Establish the domain state: Player goals, time, identity, economy, safety and creator contribution.

t2: Propose. A local actor selects an action through the current schema: Retention/spend metric.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Players, creators, communities.

t4: Construct before release. IAMF-P supplies: Cross-reality value and safety controller.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Fun, agency, creator value and safety improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 048 · FAMILY 5

Gaming and virtual worlds

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Platform experiment
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 048 · FAMILY 5

Gaming and virtual worlds

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Player goals, time, identity, economy, safety and creator contribution.
3. Write the incumbent receiving schema exactly as it exists: Retention/spend metric.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Players, creators, communities.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Cross-reality value and safety controller.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Fun, agency, creator value and safety improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 047: Music and entertainment · Adapter 049: Sports and performance · Adapter 041: Beauty and aesthetics · Adapter 050: Experience design and events
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 049 · FAMILY 5

Sports and performance

Plate 1 · Native system

Current position: Strong structural fit
Family: Culture, beauty and experience

X^* **state**	Performance, health, training load, recovery, team dynamics and career horizon
Receiving schema Σ	Win/score/output metric
Blocker B	Performance gains shift injury or burnout burden
Carriers C	Athlete, team, family, future self
Missing capacity ΔR	Load/recovery/career controller
MU+ condition	Performance, health, longevity and team value improve
Decisive test	Prospective team study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Athlete operating systems

ADAPTER 049 · FAMILY 5

Sports and performance



DOMAIN INSTANTIATION

State read	Performance, health, training load, recovery, team dynamics and career horizon
What the incumbent sees	Win/score/output metric
Why local success can mislead	Performance gains shift injury or burnout burden
Where consequence lands	Athlete, team, family, future self
What must exist before action	Load/recovery/career controller

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 049 · FAMILY 5

Sports and performance

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Win/score/output metric	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Athlete, team, family, future self	Which receiver, pathway and hidden compensator absorb the change?
B	Performance gains shift injury or burnout burden	What prevents all protected carriers from improving together?
ΔR^*	Load/recovery/career controller	What capacity must exist at the binding carrier before the transition?
MU^+	Performance, health, longevity and team value improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 049 · FAMILY 5

Sports and performance

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	69	81	75	Local action looks strong here.
B	58	52	66	The local action exports burden to the binding carrier.
C	67	67	71	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 049 · FAMILY 5

Sports and performance

t1: Observe. Establish the domain state: Performance, health, training load, recovery, team dynamics and career horizon.

t2: Propose. A local actor selects an action through the current schema: Win/score/output metric.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Athlete, team, family, future self.

t4: Construct before release. IAMF-P supplies: Load/recovery/career controller.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Performance, health, longevity and team value improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 049 · FAMILY 5

Sports and performance

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Prospective team study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 049 · FAMILY 5

Sports and performance

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Performance, health, training load, recovery, team dynamics and career horizon.
3. Write the incumbent receiving schema exactly as it exists: Win/score/output metric.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Athlete, team, family, future self.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Load/recovery/career controller.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Performance, health, longevity and team value improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 048: Gaming and virtual worlds · Adapter 050: Experience design and events · Adapter 041: Beauty and aesthetics
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 050 · FAMILY 5

Experience design and events

Plate 1 · Native system

Current position: Constructive protocol
Family: Culture, beauty and experience

X^* **state**	Attention, emotion, logistics, accessibility, staff load and community impact
Receiving schema Σ	Attendance/NPS/ticket revenue
Blocker B	Experience gains shift queues, labor, exclusion or neighborhood burden
Carriers C	Guests, staff, locality
Missing capacity ΔR	End-to-end experience-state orchestration
MU+ condition	Experience, access, worker load and local impact improve
Decisive test	Event A/B study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Experience operating systems

ADAPTER 050 · FAMILY 5

Experience design and events

Plate 2 · Consequential topology



DOMAIN INSTANTIATION

State read	Attention, emotion, logistics, accessibility, staff load and community impact
What the incumbent sees	Attendance/NPS/ticket revenue
Why local success can mislead	Experience gains shift queues, labor, exclusion or neighborhood burden
Where consequence lands	Guests, staff, locality
What must exist before action	End-to-end experience-state orchestration

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 050 · FAMILY 5

Experience design and events

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Attendance/NPS/ticket revenue	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Guests, staff, locality	Which receiver, pathway and hidden compensator absorb the change?
B	Experience gains shift queues, labor, exclusion or neighborhood burden	What prevents all protected carriers from improving together?
ΔR^*	End-to-end experience-state orchestration	What capacity must exist at the binding carrier before the transition?
MU^+	Experience, access, worker load and local impact improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 050 · FAMILY 5

Experience design and events

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	53	61	60	Local action looks strong here.
B	44	37	48	The local action exports burden to the binding carrier.
C	60	61	65	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 050 · FAMILY 5

Experience design and events

t1: Observe. Establish the domain state: Attention, emotion, logistics, accessibility, staff load and community impact.

t2: Propose. A local actor selects an action through the current schema: Attendance/NPS/ticket revenue.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Guests, staff, locality.

t4: Construct before release. IAMF-P supplies: End-to-end experience-state orchestration.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Experience, access, worker load and local impact improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 050 · FAMILY 5

Experience design and events

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Event A/B study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 050 · FAMILY 5

Experience design and events

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Attention, emotion, logistics, accessibility, staff load and community impact.
3. Write the incumbent receiving schema exactly as it exists: Attendance/NPS/ticket revenue.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Guests, staff, locality.
6. Specify the smallest feasible capacity build capable of resolving the blocker: End-to-end experience-state orchestration.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Experience, access, worker load and local impact improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 049: Sports and performance · Adapter 051: Currency and monetary experience · Adapter 041: Beauty and aesthetics
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

FAMILY 6 OF 12

Money, markets and organizations

Money and enterprise treated as flow systems with receiving carriers, not isolated ledgers.

Adapters 051-060

ADAPTER 051 · FAMILY 6

Currency and monetary experience

Plate 1 · Native system

Current position: Constructive protocol
Family: Money, markets and organizations

X^* **state**	Purchasing power, liquidity, settlement, access, trust and macro context
Receiving schema Σ	Nominal unit/FX quote
Blocker B	Nominal stability hides distributional or transaction burden
Carriers C	Households, firms, intermediaries
Missing capacity ΔR	Consequential monetary-state and settlement architecture
MU+ condition	Access, settlement, purchasing stability and systemic resilience improve
Decisive test	Historical + prospective policy-neutral system test

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Settlement/liquidity infrastructure

ADAPTER 051 · FAMILY 6

Currency and monetary experience



DOMAIN INSTANTIATION

State read	Purchasing power, liquidity, settlement, access, trust and macro context
What the incumbent sees	Nominal unit/FX quote
Why local success can mislead	Nominal stability hides distributional or transaction burden
Where consequence lands	Households, firms, intermediaries
What must exist before action	Consequential monetary-state and settlement architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 051 · FAMILY 6

Currency and monetary experience

Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Nominal unit/FX quote	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Households, firms, intermediaries	Which receiver, pathway and hidden compensator absorb the change?
B	Nominal stability hides distributional or transaction burden	What prevents all protected carriers from improving together?
ΔR^*	Consequential monetary-state and settlement architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Access, settlement, purchasing stability and systemic resilience improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 051 · FAMILY 6

Currency and monetary experience

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	60	69	68	Local action looks strong here.
B	55	47	60	The local action exports burden to the binding carrier.
C	53	55	59	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 051 · FAMILY 6

Currency and monetary experience

t1: Observe. Establish the domain state: Purchasing power, liquidity, settlement, access, trust and macro context.

t2: Propose. A local actor selects an action through the current schema: Nominal unit/FX quote.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Households, firms, intermediaries.

t4: Construct before release. IAMF-P supplies: Consequential monetary-state and settlement architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Access, settlement, purchasing stability and systemic resilience improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 051 · FAMILY 6

Currency and monetary experience

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Historical + prospective policy-neutral system test
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 051 · FAMILY 6

Currency and monetary experience

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Purchasing power, liquidity, settlement, access, trust and macro context.
3. Write the incumbent receiving schema exactly as it exists: Nominal unit/FX quote.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Households, firms, intermediaries.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Consequential monetary-state and settlement architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Access, settlement, purchasing stability and systemic resilience improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 050: Experience design and events · Adapter 052: Payments and remittances · Adapter 060: Entrepreneurship and venture creation
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 052 · FAMILY 6

Payments and remittances

Plate 1 · Native system

Current position: Strong structural fit
Family: Money, markets and organizations

X^* **state**	Amount, fees, FX, settlement time, access, fraud and recipient liquidity
Receiving schema Σ	Successful transfer binary
Blocker B	Speed or compliance shifts cost/friction to sender or receiver
Carriers C	Sender, receiver, provider
Missing capacity ΔR	End-to-end transfer optimization with transparent provenance
MU+ condition	Cost, speed, safety and recipient value improve
Decisive test	Transaction-level field test

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Reconciliation payment rails

ADAPTER 052 · FAMILY 6

Payments and remittances



DOMAIN INSTANTIATION

State read	Amount, fees, FX, settlement time, access, fraud and recipient liquidity
What the incumbent sees	Successful transfer binary
Why local success can mislead	Speed or compliance shifts cost/friction to sender or receiver
Where consequence lands	Sender, receiver, provider
What must exist before action	End-to-end transfer optimization with transparent provenance

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 052 · FAMILY 6

Payments and remittances

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Successful transfer binary	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Sender, receiver, provider	Which receiver, pathway and hidden compensator absorb the change?
B	Speed or compliance shifts cost/friction to sender or receiver	What prevents all protected carriers from improving together?
ΔR^*	End-to-end transfer optimization with transparent provenance	What capacity must exist at the binding carrier before the transition?
MU^+	Cost, speed, safety and recipient value improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 052 · FAMILY 6

Payments and remittances

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	67	77	72	Local action looks strong here.
B	66	57	72	The local action exports burden to the binding carrier.
C	66	65	73	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 052 · FAMILY 6

Payments and remittances

t1: Observe. Establish the domain state: Amount, fees, FX, settlement time, access, fraud and recipient liquidity.

t2: Propose. A local actor selects an action through the current schema: Successful transfer binary.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Sender, receiver, provider.

t4: Construct before release. IAMF-P supplies: End-to-end transfer optimization with transparent provenance.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Cost, speed, safety and recipient value improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 052 · FAMILY 6

Payments and remittances

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Transaction-level field test
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 052 · FAMILY 6

Payments and remittances

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Amount, fees, FX, settlement time, access, fraud and recipient liquidity.
3. Write the incumbent receiving schema exactly as it exists: Successful transfer binary.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Sender, receiver, provider.
6. Specify the smallest feasible capacity build capable of resolving the blocker: End-to-end transfer optimization with transparent provenance.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Cost, speed, safety and recipient value improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 051: Currency and monetary experience · Adapter 053: Banking and liquidity · Adapter 060: Entrepreneurship and venture creation
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 053 · FAMILY 6

Banking and liquidity

Plate 1 · Native system

Current position: Strong structural fit
Family: Money, markets and organizations

X^* **state**	Deposits, credit, liquidity, capital, customer state and network exposures
Receiving schema Σ	Product/account or institution-local balance sheet
Blocker B	Risk shifts to customer, NBFI, taxpayer or future period
Carriers C	Banks, customers, counterparties, public
Missing capacity ΔR	Network consequential balance sheet + capacity buffers
MU+ condition	Liquidity, access, resilience and customer outcomes improve
Decisive test	Stress test + pilot

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Consequential banking infrastructure

ADAPTER 053 · FAMILY 6

Banking and liquidity



DOMAIN INSTANTIATION

State read	Deposits, credit, liquidity, capital, customer state and network exposures
What the incumbent sees	Product/account or institution-local balance sheet
Why local success can mislead	Risk shifts to customer, NBFI, taxpayer or future period
Where consequence lands	Banks, customers, counterparties, public
What must exist before action	Network consequential balance sheet + capacity buffers

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 053 · FAMILY 6

Banking and liquidity

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Product/account or institution-local balance sheet	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Banks, customers, counterparties, public	Which receiver, pathway and hidden compensator absorb the change?
B	Risk shifts to customer, NBFI, taxpayer or future period	What prevents all protected carriers from improving together?
ΔR^*	Network consequential balance sheet + capacity buffers	What capacity must exist at the binding carrier before the transition?
MU^+	Liquidity, access, resilience and customer outcomes improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 053 · FAMILY 6

Banking and liquidity

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	51	62	57	Local action looks strong here.
B	52	42	59	The local action exports burden to the binding carrier.
C	59	59	67	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 053 · FAMILY 6

Banking and liquidity

t1: Observe. Establish the domain state: Deposits, credit, liquidity, capital, customer state and network exposures.

t2: Propose. A local actor selects an action through the current schema: Product/account or institution-local balance sheet.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Banks, customers, counterparties, public.

t4: Construct before release. IAMF-P supplies: Network consequential balance sheet + capacity buffers.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Liquidity, access, resilience and customer outcomes improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 053 · FAMILY 6

Banking and liquidity

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Stress test + pilot
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 053 · FAMILY 6

Banking and liquidity

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Deposits, credit, liquidity, capital, customer state and network exposures.
3. Write the incumbent receiving schema exactly as it exists: Product/account or institution-local balance sheet.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Banks, customers, counterparties, public.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Network consequential balance sheet + capacity buffers.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Liquidity, access, resilience and customer outcomes improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 052: Payments and remittances · Adapter 054: Credit and underwriting · Adapter 051: Currency and monetary experience · Adapter 060: Entrepreneurship and venture creation
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 054 · FAMILY 6

Credit and underwriting

Plate 1 · Native system

Current position: Constructive protocol
Family: Money, markets and organizations

X^* **state**	Cashflow, assets, obligations, trajectory, capability and uncertainty
Receiving schema Σ	Static score/category
Blocker B	Risk reduction denies productive capacity or shifts cost elsewhere
Carriers C	Borrower, lender, community
Missing capacity ΔR	Dynamic provenance/capacity underwriting
MU+ condition	Default risk and productive opportunity improve together
Decisive test	Prospective lending trial

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Next-generation underwriting

ADAPTER 054 · FAMILY 6

Credit and underwriting



DOMAIN INSTANTIATION

State read	Cashflow, assets, obligations, trajectory, capability and uncertainty
What the incumbent sees	Static score/category
Why local success can mislead	Risk reduction denies productive capacity or shifts cost elsewhere
Where consequence lands	Borrower, lender, community
What must exist before action	Dynamic provenance/capacity underwriting

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 054 · FAMILY 6

Credit and underwriting

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Static score/category	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Borrower, lender, community	Which receiver, pathway and hidden compensator absorb the change?
B	Risk reduction denies productive capacity or shifts cost elsewhere	What prevents all protected carriers from improving together?
ΔR^*	Dynamic provenance/-capacity underwriting	What capacity must exist at the binding carrier before the transition?
MU^+	Default risk and productive opportunity improve together	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 054 · FAMILY 6

Credit and underwriting

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	58	70	65	Local action looks strong here.
B	63	58	71	The local action exports burden to the binding carrier.
C	52	53	55	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 054 · FAMILY 6

Credit and underwriting

t1: Observe. Establish the domain state: Cashflow, assets, obligations, trajectory, capability and uncertainty.

t2: Propose. A local actor selects an action through the current schema: Static score/category.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Borrower, lender, community.

t4: Construct before release. IAMF-P supplies: Dynamic provenance/capacity underwriting.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Default risk and productive opportunity improve together.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 054 · FAMILY 6

Credit and underwriting

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Prospective lending trial
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 054 · FAMILY 6

Credit and underwriting

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Cashflow, assets, obligations, trajectory, capability and uncertainty.
3. Write the incumbent receiving schema exactly as it exists: Static score/category.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Borrower, lender, community.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Dynamic provenance/capacity underwriting.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Default risk and productive opportunity improve together.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 053: Banking and liquidity · Adapter 055: Insurance and resilience · Adapter 051: Currency and monetary experience · Adapter 060: Entrepreneurship and venture creation
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 055 · FAMILY 6

Insurance and resilience

Plate 1 · Native system

Current position: Constructive protocol
Family: Money, markets and organizations

X^* **state**	Hazard, exposure, prevention, coverage, recovery and incentives
Receiving schema Σ	Loss probability/policy class
Blocker B	Risk transfer leaves hazard untouched or creates moral hazard
Carriers C	Policyholder, insurer, community
Missing capacity ΔR	Prevention + resilience + coverage architecture
MU+ condition	Losses, recovery time, affordability and insurer viability improve
Decisive test	Pilot product evaluation

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Resilience-linked insurance

ADAPTER 055 · FAMILY 6

Insurance and resilience



DOMAIN INSTANTIATION

State read	Hazard, exposure, prevention, coverage, recovery and incentives
What the incumbent sees	Loss probability/policy class
Why local success can mislead	Risk transfer leaves hazard untouched or creates moral hazard
Where consequence lands	Policyholder, insurer, community
What must exist before action	Prevention + resilience + coverage architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 055 · FAMILY 6

Insurance and resilience

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Loss probability/policy class	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Policyholder, insurer, community	Which receiver, pathway and hidden compensator absorb the change?
B	Risk transfer leaves hazard untouched or creates moral hazard	What prevents all protected carriers from improving together?
ΔR^*	Prevention + resilience + coverage architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Losses, recovery time, affordability and insurer viability improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 055 · FAMILY 6

Insurance and resilience

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	65	73	73	Local action looks strong here.
B	49	43	53	The local action exports burden to the binding carrier.
C	65	67	69	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 055 · FAMILY 6

Insurance and resilience

t1: Observe. Establish the domain state: Hazard, exposure, prevention, coverage, recovery and incentives.

t2: Propose. A local actor selects an action through the current schema: Loss probability/policy class.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Policyholder, insurer, community.

t4: Construct before release. IAMF-P supplies: Prevention + resilience + coverage architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Losses, recovery time, affordability and insurer viability improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 055 · FAMILY 6

Insurance and resilience

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Pilot product evaluation
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 055 · FAMILY 6

Insurance and resilience

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Hazard, exposure, prevention, coverage, recovery and incentives.
3. Write the incumbent receiving schema exactly as it exists: Loss probability/policy class.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Policyholder, insurer, community.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Prevention + resilience + coverage architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Losses, recovery time, affordability and insurer viability improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 054: Credit and underwriting · Adapter 056: Capital markets and investing · Adapter 051: Currency and monetary experience · Adapter 060: Entrepreneurship and venture creation
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 056 · FAMILY 6

Capital markets and investing

Plate 1 · Native system

Current position: Constructive protocol
Family: Money, markets and organizations

X^* **state**	Price, cashflow, externalities, network risk and long-horizon value
Receiving schema Σ	Return/risk factor set
Blocker B	Portfolio gain can externalize future or nonmarket cost
Carriers C	Investor, firm, workers, public, environment
Missing capacity ΔR	Consequential asset ledger with carrier constraints
MU+ condition	Risk-adjusted return and protected carrier outcomes improve
Decisive test	Historical backtest + prospective paper portfolio

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Consequential investing infrastructure

ADAPTER 056 · FAMILY 6

Capital markets and investing



DOMAIN INSTANTIATION

State read	Price, cashflow, externalities, network risk and long-horizon value
What the incumbent sees	Return/risk factor set
Why local success can mislead	Portfolio gain can externalize future or nonmarket cost
Where consequence lands	Investor, firm, workers, public, environment
What must exist before action	Consequential asset ledger with carrier constraints

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 056 · FAMILY 6

Capital markets and investing

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Return/risk factor set	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Investor, firm, workers, public, environment	Which receiver, pathway and hidden compensator absorb the change?
B	Portfolio gain can externalize future or non-market cost	What prevents all protected carriers from improving together?
ΔR^*	Consequential asset ledger with carrier constraints	What capacity must exist at the binding carrier before the transition?
MU^+	Risk-adjusted return and protected carrier outcomes improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 056 · FAMILY 6

Capital markets and investing

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	49	58	54	Local action looks strong here.
B	60	53	65	The local action exports burden to the binding carrier.
C	58	57	63	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 056 · FAMILY 6

Capital markets and investing

t1: Observe. Establish the domain state: Price, cashflow, externalities, network risk and long-horizon value.

t2: Propose. A local actor selects an action through the current schema: Return/risk factor set.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Investor, firm, workers, public, environment.

t4: Construct before release. IAMF-P supplies: Consequential asset ledger with carrier constraints.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Risk-adjusted return and protected carrier outcomes improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 056 · FAMILY 6

Capital markets and investing

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Historical backtest + prospective paper portfolio
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 056 · FAMILY 6

Capital markets and investing

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Price, cashflow, externalities, network risk and long-horizon value.
3. Write the incumbent receiving schema exactly as it exists: Return/risk factor set.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Investor, firm, workers, public, environment.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Consequential asset ledger with carrier constraints.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Risk-adjusted return and protected carrier outcomes improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 055: Insurance and resilience · Adapter 057: Private wealth and family capital · Adapter 051: Currency and monetary experience · Adapter 060: Entrepreneurship and venture creation
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 057 · FAMILY 6

Private wealth and family capital

Plate 1 · Native system

Current position: Constructive protocol
Family: Money, markets and organizations

X^* **state**	Financial, human, social, health and intergenerational capital
Receiving schema Σ	Portfolio net worth
Blocker B	Return maximization shifts life or family burden
Carriers C	Client, family, future generations
Missing capacity ΔR	Whole-capital balance sheet + goals/capacity controller
MU+ condition	Wealth, resilience, health and intergenerational outcomes improve
Decisive test	Longitudinal client evaluation

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Whole-capital wealth management

ADAPTER 057 · FAMILY 6

Private wealth and family capital



DOMAIN INSTANTIATION

State read	Financial, human, social, health and intergenerational capital
What the incumbent sees	Portfolio net worth
Why local success can mislead	Return maximization shifts life or family burden
Where consequence lands	Client, family, future generations
What must exist before action	Whole-capital balance sheet + goals/capacity controller

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 057 · FAMILY 6

Private wealth and family capital

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Portfolio net worth	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Client, family, future generations	Which receiver, pathway and hidden compensator absorb the change?
B	Return maximization shifts life or family burden	What prevents all protected carriers from improving together?
ΔR^*	Whole-capital balance sheet + goals/capacity controller	What capacity must exist at the binding carrier before the transition?
MU^+	Wealth, resilience, health and intergenerational outcomes improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 057 · FAMILY 6

Private wealth and family capital

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	56	66	62	Local action looks strong here.
B	46	38	52	The local action exports burden to the binding carrier.
C	51	51	57	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 057 · FAMILY 6

Private wealth and family capital

t1: Observe. Establish the domain state: Financial, human, social, health and intergenerational capital.

t2: Propose. A local actor selects an action through the current schema: Portfolio net worth.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Client, family, future generations.

t4: Construct before release. IAMF-P supplies: Whole-capital balance sheet + goals/capacity controller.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Wealth, resilience, health and intergenerational outcomes improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 057 · FAMILY 6

Private wealth and family capital

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Longitudinal client evaluation
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 057 · FAMILY 6

Private wealth and family capital

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Financial, human, social, health and intergenerational capital.
3. Write the incumbent receiving schema exactly as it exists: Portfolio net worth.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Client, family, future generations.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Whole-capital balance sheet + goals/capacity controller.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Wealth, resilience, health and intergenerational outcomes improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 056: Capital markets and investing · Adapter 058: Labor and talent markets · Adapter 051: Currency and monetary experience · Adapter 060: Entrepreneurship and venture creation
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 058 · FAMILY 6

Labor and talent markets

Plate 1 · Native system

Current position: Strong structural fit
Family: Money, markets and organizations

X^* **state**	Capability, workload, pay, health, learning and opportunity
Receiving schema Σ	Job title/CV/credential
Blocker B	Employer output shifts invisible effort or underutilizes capability
Carriers C	Worker, family, employer
Missing capacity ΔR	Capability-state + workload + mobility architecture
MU+ condition	Productivity, pay, health and retention improve
Decisive test	Workplace pilot

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Talent-capacity marketplaces

ADAPTER 058 · FAMILY 6

Labor and talent markets



DOMAIN INSTANTIATION

State read	Capability, workload, pay, health, learning and opportunity
What the incumbent sees	Job title/CV/credential
Why local success can mislead	Employer output shifts invisible effort or underutilizes capability
Where consequence lands	Worker, family, employer
What must exist before action	Capability-state + workload + mobility architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 058 · FAMILY 6

Labor and talent markets

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Job title/CV/credential	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Worker, family, employer	Which receiver, pathway and hidden compensator absorb the change?
B	Employer output shifts invisible effort or underutilizes capability	What prevents all protected carriers from improving together?
ΔR^*	Capability-state + workload + mobility architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Productivity, pay, health and retention improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 058 · FAMILY 6

Labor and talent markets

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	63	74	70	Local action looks strong here.
B	57	48	64	The local action exports burden to the binding carrier.
C	64	65	71	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 058 · FAMILY 6

Labor and talent markets

t1: Observe. Establish the domain state: Capability, workload, pay, health, learning and opportunity.

t2: Propose. A local actor selects an action through the current schema: Job title/CV/credential.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Worker, family, employer.

t4: Construct before release. IAMF-P supplies: Capability-state + workload + mobility architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Productivity, pay, health and retention improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 058 · FAMILY 6

Labor and talent markets

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Workplace pilot
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 058 · FAMILY 6

Labor and talent markets

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Capability, workload, pay, health, learning and opportunity.
3. Write the incumbent receiving schema exactly as it exists: Job title/CV/credential.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Worker, family, employer.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Capability-state + workload + mobility architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Productivity, pay, health and retention improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 057: Private wealth and family capital · Adapter 059: Organizations and enterprises · Adapter 051: Currency and monetary experience · Adapter 060: Entrepreneurship and venture creation
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 059 · FAMILY 6

Organizations and enterprises

Plate 1 · Native system

Current position: Strong structural fit
Family: Money, markets and organizations

X^* **state**	Functions, dependencies, people, cash, knowledge and customer value
Receiving schema Σ	Department/KPI structure
Blocker B	Department success moves burden to another team/customer
Carriers C	Workers, customers, suppliers
Missing capacity ΔR	Enterprise consequential graph + capacity placement
MU+ condition	Customer, worker, financial and resilience outcomes improve
Decisive test	Multi-team field experiment

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Enterprise operating systems

ADAPTER 059 · FAMILY 6

Organizations and enterprises



DOMAIN INSTANTIATION

State read	Functions, dependencies, people, cash, knowledge and customer value
What the incumbent sees	Department/KPI structure
Why local success can mislead	Department success moves burden to another team/customer
Where consequence lands	Workers, customers, suppliers
What must exist before action	Enterprise consequential graph + capacity placement

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 059 · FAMILY 6

Organizations and enterprises

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Department/KPI structure	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Workers, customers, suppliers	Which receiver, pathway and hidden compensator absorb the change?
B	Department success moves burden to another team/customer	What prevents all protected carriers from improving together?
ΔR^*	Enterprise consequential graph + capacity placement	What capacity must exist at the binding carrier before the transition?
MU^+	Customer, worker, financial and resilience outcomes improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 059 · FAMILY 6

Organizations and enterprises

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	70	82	78	Local action looks strong here.
B	68	58	76	The local action exports burden to the binding carrier.
C	57	59	65	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 059 · FAMILY 6

Organizations and enterprises

t1: Observe. Establish the domain state: Functions, dependencies, people, cash, knowledge and customer value.

t2: Propose. A local actor selects an action through the current schema: Department/KPI structure.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Workers, customers, suppliers.

t4: Construct before release. IAMF-P supplies: Enterprise consequential graph + capacity placement.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Customer, worker, financial and resilience outcomes improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 059 · FAMILY 6

Organizations and enterprises

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Multi-team field experiment
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 059 · FAMILY 6

Organizations and enterprises

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Functions, dependencies, people, cash, knowledge and customer value.
3. Write the incumbent receiving schema exactly as it exists: Department/KPI structure.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Workers, customers, suppliers.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Enterprise consequential graph + capacity placement.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Customer, worker, financial and resilience outcomes improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 058: Labor and talent markets · Adapter 060: Entrepreneurship and venture creation · Adapter 051: Currency and monetary experience
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 060 · FAMILY 6

Entrepreneurship and venture creation

Plate 1 · Native system

Current position: Origin-business fit
Family: Money, markets and organizations

X^* **state**	Unmet burden, carrier, willingness to pay, build cost and adoption
Receiving schema Σ	Existing market category/TAM
Blocker B	No category exists because burden is hidden or dispersed
Carriers C	Founder initially, then customer/system
Missing capacity ΔR	Mutual-Uptick blocker discovery + missing-capacity build
MU+ condition	Customer and surrounding carriers gain while venture captures part of released value
Decisive test	Pilot venture with carrier ledger

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Frontier-market discovery and venture studio

ADAPTER 060 · FAMILY 6

Entrepreneurship and venture creation



DOMAIN INSTANTIATION

State read	Unmet burden, carrier, willingness to pay, build cost and adoption
What the incumbent sees	Existing market category/TAM
Why local success can mislead	No category exists because burden is hidden or dispersed
Where consequence lands	Founder initially, then customer/system
What must exist before action	Mutual-Uptick blocker discovery + missing-capacity build

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 060 · FAMILY 6

Entrepreneurship and venture creation

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Existing market category/TAM	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Founder initially, then customer/system	Which receiver, pathway and hidden compensator absorb the change?
B	No category exists because burden is hidden or dispersed	What prevents all protected carriers from improving together?
ΔR^*	Mutual-Uptick blocker discovery + missing-capacity build	What capacity must exist at the binding carrier before the transition?
MU^+	Customer and surrounding carriers gain while venture captures part of released value	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 060 · FAMILY 6

Entrepreneurship and venture creation

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	54	62	59	Local action looks strong here.
B	54	49	58	The local action exports burden to the binding carrier.
C	50	49	53	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 060 · FAMILY 6

Entrepreneurship and venture creation

t1: Observe. Establish the domain state: Unmet burden, carrier, willingness to pay, build cost and adoption.

t2: Propose. A local actor selects an action through the current schema: Existing market category/TAM.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Founder initially, then customer/system.

t4: Construct before release. IAMF-P supplies: Mutual-Uptick blocker discovery + missing-capacity build.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Customer and surrounding carriers gain while venture captures part of released value.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 060 · FAMILY 6

Entrepreneurship and venture creation

Current status	Origin-business fit
Source reading	Closest to the discovery record; independence from the origin is the first test.
Decisive next design	Pilot venture with carrier ledger
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 060 · FAMILY 6

Entrepreneurship and venture creation

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Unmet burden, carrier, willingness to pay, build cost and adoption.
3. Write the incumbent receiving schema exactly as it exists: Existing market category/TAM.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Founder initially, then customer/system.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Mutual-Uptick blocker discovery + missing-capacity build.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Customer and surrounding carriers gain while venture captures part of released value.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 059: Organizations and enterprises · Adapter 061: Artificial intelligence · Adapter 051: Currency and monetary experience
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

FAMILY 7 OF 12

Technology and information

Digital systems evaluated by utility plus verification, provenance, agency and downstream action.

Adapters 061-070

ADAPTER 061 · FAMILY 7

Artificial intelligence

Plate 1 · Native system

Current position: Strong constructive fit
Family: Technology and information

X^* **state**	Model state, source reality, user intent, provenance, uncertainty and downstream action
Receiving schema Σ	Prompt/context window/model output
Blocker B	Model utility shifts verification and error burden to humans
Carriers C	User, verifier, downstream system, compute
Missing capacity ΔR	Persistent schema/provenance layer + self-audit and escalation
MU+ condition	Utility, correctness, verification load and resource efficiency improve
Decisive test	Sealed cross-model benchmark

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS AI reliability and provenance infrastructure

ADAPTER 061 · FAMILY 7

Artificial intelligence



DOMAIN INSTANTIATION

State read	Model state, source reality, user intent, provenance, uncertainty and downstream action
What the incumbent sees	Prompt/context window/model output
Why local success can mislead	Model utility shifts verification and error burden to humans
Where consequence lands	User, verifier, downstream system, compute
What must exist before action	Persistent schema/provenance layer + self-audit and escalation

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 061 · FAMILY 7

Artificial intelligence

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Prompt/context window/model output	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	User, verifier, downstream system, compute	Which receiver, pathway and hidden compensator absorb the change?
B	Model utility shifts verification and error burden to humans	What prevents all protected carriers from improving together?
ΔR^*	Persistent schema/provenance layer + self-audit and escalation	What capacity must exist at the binding carrier before the transition?
MU^+	Utility, correctness, verification load and resource efficiency improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 061 · FAMILY 7

Artificial intelligence

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	61	70	67	Local action looks strong here.
B	65	59	70	The local action exports burden to the binding carrier.
C	63	63	67	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 061 · FAMILY 7 **Artificial intelligence** Plate 5 · Time and play-by-play

t1: Observe. Establish the domain state: Model state, source reality, user intent, provenance, uncertainty and downstream action.

t2: Propose. A local actor selects an action through the current schema: Prompt/context window/model output.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: User, verifier, downstream system, compute.

t4: Construct before release. IAMF-P supplies: Persistent schema/provenance layer + self-audit and escalation.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Utility, correctness, verification load and resource efficiency improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 061 · FAMILY 7

Artificial intelligence

Current status	Strong constructive fit
Source reading	A construction is both specifiable and testable now, often with existing digital telemetry.
Decisive next design	Sealed cross-model benchmark
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 061 · FAMILY 7 **Artificial intelligence** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Model state, source reality, user intent, provenance, uncertainty and downstream action.
3. Write the incumbent receiving schema exactly as it exists: Prompt/context window/model output.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: User, verifier, downstream system, compute.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Persistent schema/provenance layer + self-audit and escalation.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Utility, correctness, verification load and resource efficiency improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 060: Entrepreneurship and venture creation · Adapter 062: Software systems · Adapter 070: Knowledge and ontologies
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 062 · FAMILY 7

Software systems

Plate 1 · Native system

Current position: Strong structural fit
Family: Technology and information

X^* **state**	Requirements, dependencies, state, users, infrastructure and technical debt
Receiving schema Σ	Feature/ticket/local module schema
Blocker B	Feature success shifts debt or failure to dependencies
Carriers C	Developers, users, infrastructure
Missing capacity ΔR	Dependency/provenance graph + consequential release controller
MU+ condition	User value, reliability, maintainability and developer load improve
Decisive test	Repository-level prospective benchmark

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Self-reconciling software infrastructure

ADAPTER 062 · FAMILY 7

Software systems



DOMAIN INSTANTIATION

State read	Requirements, dependencies, state, users, infrastructure and technical debt
What the incumbent sees	Feature/ticket/local module schema
Why local success can mislead	Feature success shifts debt or failure to dependencies
Where consequence lands	Developers, users, infrastructure
What must exist before action	Dependency/provenance graph + consequential release controller

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 062 · FAMILY 7

Software systems

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Feature/ticket/local module schema	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Developers, users, infrastructure	Which receiver, pathway and hidden compensator absorb the change?
B	Feature success shifts debt or failure to dependencies	What prevents all protected carriers from improving together?
ΔR^*	Dependency/provenance graph + consequential release controller	What capacity must exist at the binding carrier before the transition?
MU^+	User value, reliability, maintainability and developer load improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 062 · FAMILY 7 **Software systems** Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	68	78	75	Local action looks strong here.
B	51	44	57	The local action exports burden to the binding carrier.
C	56	57	61	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 062 · FAMILY 7

Software systems

t1: Observe. Establish the domain state: Requirements, dependencies, state, users, infrastructure and technical debt.

t2: Propose. A local actor selects an action through the current schema: Feature/ticket/local module schema.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Developers, users, infrastructure.

t4: Construct before release. IAMF-P supplies: Dependency/provenance graph + consequential release controller.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether User value, reliability, maintainability and developer load improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 062 · FAMILY 7

Software systems

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Repository-level prospective benchmark
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 062 · FAMILY 7 **Software systems** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Requirements, dependencies, state, users, infrastructure and technical debt.
3. Write the incumbent receiving schema exactly as it exists: Feature/ticket/local module schema.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Developers, users, infrastructure.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Dependency/provenance graph + consequential release controller.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: User value, reliability, maintainability and developer load improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 061: Artificial intelligence · Adapter 063: Cybersecurity · Adapter 070: Knowledge and ontologies
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 063 · FAMILY 7

Cybersecurity

Plate 1 · Native system

Current position: Strong constructive fit
Family: Technology and information

X^* **state**	Actual attack graph, identities, vulnerabilities, privileges and attacker state
Receiving schema Σ	Defender inventory/rules/log view
Blocker B	Blocking one path moves attacker or analyst burden elsewhere
Carriers C	Systems, users, analysts, business continuity
Missing capacity ΔR	Self-updating attack schema + carrier prediction + safe containment/failover
MU+ condition	Loss, compromise, analyst load and downtime all fall
Decisive test	Red-team sealed telemetry benchmark

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Autonomous cyber-defense infrastructure

ADAPTER 063 · FAMILY 7 **Cybersecurity** Plate 2 · Consequential topology



DOMAIN INSTANTIATION

State read	Actual attack graph, identities, vulnerabilities, privileges and attacker state
What the incumbent sees	Defender inventory/rules/log view
Why local success can mislead	Blocking one path moves attacker or analyst burden elsewhere
Where consequence lands	Systems, users, analysts, business continuity
What must exist before action	Self-updating attack schema + carrier prediction + safe containment/failover

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 063 · FAMILY 7 **Cybersecurity** Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Defender inventory/rules/log view	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Systems, users, analysts, business continuity	Which receiver, pathway and hidden compensator absorb the change?
B	Blocking one path moves attacker or analyst burden elsewhere	What prevents all protected carriers from improving together?
ΔR^*	Self-updating attack schema + carrier prediction + safe containment/failover	What capacity must exist at the binding carrier before the transition?
MU^+	Loss, compromise, analyst load and downtime all fall	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 063 · FAMILY 7 **Cybersecurity** Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	52	63	60	Local action looks strong here.
B	62	54	69	The local action exports burden to the binding carrier.
C	69	71	75	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 063 · FAMILY 7 **Cybersecurity**

t1: Observe. Establish the domain state: Actual attack graph, identities, vulnerabilities, privileges and attacker state.

t2: Propose. A local actor selects an action through the current schema: Defender inventory/rules/log view.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Systems, users, analysts, business continuity.

t4: Construct before release. IAMF-P supplies: Self-updating attack schema + carrier prediction + safe containment/-failover.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Loss, compromise, analyst load and downtime all fall.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 063 · FAMILY 7

Cybersecurity

Current status	Strong constructive fit
Source reading	A construction is both specifiable and testable now, often with existing digital telemetry.
Decisive next design	Red-team sealed telemetry benchmark
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 063 · FAMILY 7 **Cybersecurity** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Actual attack graph, identities, vulnerabilities, privileges and attacker state.
3. Write the incumbent receiving schema exactly as it exists: Defender inventory/rules/log view.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Systems, users, analysts, business continuity.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Self-updating attack schema + carrier prediction + safe containment/failover.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Loss, compromise, analyst load and downtime all fall.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 062: Software systems · Adapter 064: Data infrastructure · Adapter 061: Artificial intelligence · Adapter 070: Knowledge and ontologies
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 064 · FAMILY 7

Data infrastructure

Plate 1 · Native system

Current position: Strong structural fit
Family: Technology and information

X^* **state**	Datasets, lineage, semantics, permissions, quality and downstream uses
Receiving schema Σ	Table/file/schema local view
Blocker B	Cleaning one layer shifts ambiguity downstream
Carriers C	Analysts, models, users, compliance
Missing capacity ΔR	Provenance graph + semantic reconciliation layer
MU+ condition	Quality, reuse, privacy and maintenance burden improve
Decisive test	Enterprise data benchmark

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Data reliability platforms

ADAPTER 064 · FAMILY 7

Data infrastructure



DOMAIN INSTANTIATION

State read	Datasets, lineage, semantics, permissions, quality and downstream uses
What the incumbent sees	Table/file/schema local view
Why local success can mislead	Cleaning one layer shifts ambiguity downstream
Where consequence lands	Analysts, models, users, compliance
What must exist before action	Provenance graph + semantic reconciliation layer

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 064 · FAMILY 7

Data infrastructure

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Table/file/schema local view	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Analysts, models, users, compliance	Which receiver, pathway and hidden compensator absorb the change?
B	Cleaning one layer shifts ambiguity downstream	What prevents all protected carriers from improving together?
ΔR^*	Provenance graph + semantic reconciliation layer	What capacity must exist at the binding carrier before the transition?
MU^+	Quality, reuse, privacy and maintenance burden improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 064 · FAMILY 7 **Data infrastructure** Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	59	71	64	Local action looks strong here.
B	48	39	56	The local action exports burden to the binding carrier.
C	62	61	69	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 064 · FAMILY 7

Data infrastructure

t1: Observe. Establish the domain state: Datasets, lineage, semantics, permissions, quality and downstream uses.

t2: Propose. A local actor selects an action through the current schema: Table/file/schema local view.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Analysts, models, users, compliance.

t4: Construct before release. IAMF-P supplies: Provenance graph + semantic reconciliation layer.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Quality, reuse, privacy and maintenance burden improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 064 · FAMILY 7

Data infrastructure

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Enterprise data benchmark
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 064 · FAMILY 7 **Data infrastructure** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Datasets, lineage, semantics, permissions, quality and downstream uses.
3. Write the incumbent receiving schema exactly as it exists: Table/file/schema local view.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Analysts, models, users, compliance.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Provenance graph + semantic reconciliation layer.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Quality, reuse, privacy and maintenance burden improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 063: Cybersecurity · Adapter 065: Privacy · Adapter 061: Artificial intelligence · Adapter 070: Knowledge and ontologies
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 065 · FAMILY 7

Privacy

Plate 1 · Native system

Current position: Strong structural fit
Family: Technology and information

X^* **state**	Data state, purposes, consent, exposure, value and future misuse
Receiving schema Σ	Consent checkbox or access-control list
Blocker B	Utility shifts surveillance/risk burden to individuals
Carriers C	Person, organization, future self
Missing capacity ΔR	Selective disclosure + provenance + minimization architecture
MU+ condition	Utility and organizational value improve while exposure falls
Decisive test	Field trial + attack testing

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Privacy-preserving infrastructure

ADAPTER 065 · FAMILY 7 **Privacy**



DOMAIN INSTANTIATION

State read	Data state, purposes, consent, exposure, value and future misuse
What the incumbent sees	Consent checkbox or access-control list
Why local success can mislead	Utility shifts surveillance/risk burden to individuals
Where consequence lands	Person, organization, future self
What must exist before action	Selective disclosure + provenance + minimization architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 065 · FAMILY 7 **Privacy**

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Consent checkbox or access-control list	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Person, organization, future self	Which receiver, pathway and hidden compensator absorb the change?
B	Utility shifts surveillance/risk burden to individuals	What prevents all protected carriers from improving together?
ΔR^*	Selective disclosure + provenance + minimization architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Utility and organizational value improve while exposure falls	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 065 · FAMILY 7 **Privacy** Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	66	74	72	Local action looks strong here.
B	59	49	63	The local action exports burden to the binding carrier.
C	55	55	63	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 065 · FAMILY 7 **Privacy**

t1: Observe. Establish the domain state: Data state, purposes, consent, exposure, value and future misuse.

t2: Propose. A local actor selects an action through the current schema: Consent checkbox or access-control list.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Person, organization, future self.

t4: Construct before release. IAMF-P supplies: Selective disclosure + provenance + minimization architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Utility and organizational value improve while exposure falls.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 065 · FAMILY 7 **Privacy**

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Field trial + attack testing
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 065 · FAMILY 7 **Privacy** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Data state, purposes, consent, exposure, value and future misuse.
3. Write the incumbent receiving schema exactly as it exists: Consent checkbox or access-control list.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Person, organization, future self.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Selective disclosure + provenance + minimization architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Utility and organizational value improve while exposure falls.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 064: Data infrastructure · Adapter 066: Digital identity · Adapter 061: Artificial intelligence · Adapter 070: Knowledge and ontologies
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 066 · FAMILY 7

Digital identity

Plate 1 · Native system

Current position: Strong structural fit
Family: Technology and information

X^* **state**	Attributes, credentials, context, revocation, privacy and trust
Receiving schema Σ	Single identifier/account
Blocker B	Verification success creates overcollection or exclusion
Carriers C	Person, verifier, issuer
Missing capacity ΔR	Selective-verification credential graph
MU+ condition	Verification, privacy, portability and access improve
Decisive test	Cross-service pilot

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Digital identity infrastructure

ADAPTER 066 · FAMILY 7

Digital identity



DOMAIN INSTANTIATION

State read	Attributes, credentials, context, revocation, privacy and trust
What the incumbent sees	Single identifier/account
Why local success can mislead	Verification success creates overcollection or exclusion
Where consequence lands	Person, verifier, issuer
What must exist before action	Selective-verification credential graph

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 066 · FAMILY 7

Digital identity

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Single identifier/account	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Person, verifier, issuer	Which receiver, pathway and hidden compensator absorb the change?
B	Verification success creates overcollection or exclusion	What prevents all protected carriers from improving together?
ΔR^*	Selective-verification credential graph	What capacity must exist at the binding carrier before the transition?
MU^+	Verification, privacy, portability and access improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 066 · FAMILY 7

Digital identity

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	50	59	57	Local action looks strong here.
B	45	40	50	The local action exports burden to the binding carrier.
C	68	69	71	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 066 · FAMILY 7

Digital identity

t1: Observe. Establish the domain state: Attributes, credentials, context, revocation, privacy and trust.

t2: Propose. A local actor selects an action through the current schema: Single identifier/account.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Person, verifier, issuer.

t4: Construct before release. IAMF-P supplies: Selective-verification credential graph.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Verification, privacy, portability and access improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 066 · FAMILY 7

Digital identity

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Cross-service pilot
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 066 · FAMILY 7 **Digital identity** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Attributes, credentials, context, revocation, privacy and trust.
3. Write the incumbent receiving schema exactly as it exists: Single identifier/account.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Person, verifier, issuer.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Selective-verification credential graph.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Verification, privacy, portability and access improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 065: Privacy · Adapter 067: Internet and communications · Adapter 061: Artificial intelligence · Adapter 070: Knowledge and ontologies
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 067 · FAMILY 7

Internet and communications

Plate 1 · Native system

Current position: Constructive protocol
Family: Technology and information

X^* **state**	Topology, capacity, latency, content, trust and user needs
Receiving schema Σ	Throughput/uptime metric
Blocker B	Speed shifts attention, misinformation or energy burden
Carriers C	Users, networks, platforms
Missing capacity ΔR	Consequential routing + fidelity/provenance layers
MU+ condition	Performance, reliability, trust and energy efficiency improve
Decisive test	Network/application experiment

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Fidelity-aware communication infrastructure

ADAPTER 067 · FAMILY 7

Internet and communications



DOMAIN INSTANTIATION

State read	Topology, capacity, latency, content, trust and user needs
What the incumbent sees	Throughput/uptime metric
Why local success can mislead	Speed shifts attention, misinformation or energy burden
Where consequence lands	Users, networks, platforms
What must exist before action	Consequential routing + fidelity/provenance layers

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 067 · FAMILY 7

Internet and communications

Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Throughput/uptime metric	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Users, networks, platforms	Which receiver, pathway and hidden compensator absorb the change?
B	Speed shifts attention, misinformation or energy burden	What prevents all protected carriers from improving together?
ΔR^*	Consequential routing + fidelity/provenance layers	What capacity must exist at the binding carrier before the transition?
MU^+	Performance, reliability, trust and energy efficiency improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 067 · FAMILY 7

Internet and communications

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	57	67	65	Local action looks strong here.
B	56	50	62	The local action exports burden to the binding carrier.
C	61	63	65	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 067 · FAMILY 7

Internet and communications

t1: Observe. Establish the domain state: Topology, capacity, latency, content, trust and user needs.

t2: Propose. A local actor selects an action through the current schema: Throughput/uptime metric.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Users, networks, platforms.

t4: Construct before release. IAMF-P supplies: Consequential routing + fidelity/provenance layers.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Performance, reliability, trust and energy efficiency improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 067 · FAMILY 7

Internet and communications

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Network/application experiment
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 067 · FAMILY 7 **Internet and communications** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Topology, capacity, latency, content, trust and user needs.
3. Write the incumbent receiving schema exactly as it exists: Throughput/uptime metric.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Users, networks, platforms.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Consequential routing + fidelity/provenance layers.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Performance, reliability, trust and energy efficiency improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 066: Digital identity · Adapter 068: Media and information ecosystems · Adapter 061: Artificial intelligence · Adapter 070: Knowledge and ontologies
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 068 · FAMILY 7

Media and information ecosystems

Plate 1 · Native system

Current position: Constructive protocol
Family: Technology and information

X^* **state**	Claims, evidence, incentives, attention, creators and audiences
Receiving schema Σ	Engagement/feed rank
Blocker B	Attention gain shifts cognition or information quality burden
Carriers C	Audience, creator, public discourse
Missing capacity ΔR	Claim provenance + quality + incentive reconciliation
MU+ condition	Reach, creator value and information quality improve
Decisive test	Platform experiment

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS High-fidelity media infrastructure

ADAPTER 068 · FAMILY 7

Media and information ecosystems



DOMAIN INSTANTIATION

State read	Claims, evidence, incentives, attention, creators and audiences
What the incumbent sees	Engagement/feed rank
Why local success can mislead	Attention gain shifts cognition or information quality burden
Where consequence lands	Audience, creator, public discourse
What must exist before action	Claim provenance + quality + incentive reconciliation

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 068 · FAMILY 7

Media and information ecosystems

Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Engagement/feed rank	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Audience, creator, public discourse	Which receiver, pathway and hidden compensator absorb the change?
B	Attention gain shifts cognition or information quality burden	What prevents all protected carriers from improving together?
ΔR^*	Claim provenance + quality + incentive reconciliation	What capacity must exist at the binding carrier before the transition?
MU^+	Reach, creator value and information quality improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 068 · FAMILY 7

Media and information ecosystems

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	64	75	69	Local action looks strong here.
B	67	60	74	The local action exports burden to the binding carrier.
C	54	53	59	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 068 · FAMILY 7

Media and information ecosystems

t1: Observe. Establish the domain state: Claims, evidence, incentives, attention, creators and audiences.

t2: Propose. A local actor selects an action through the current schema: Engagement/feed rank.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Audience, creator, public discourse.

t4: Construct before release. IAMF-P supplies: Claim provenance + quality + incentive reconciliation.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Reach, creator value and information quality improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 068 · FAMILY 7

Media and information ecosystems

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Platform experiment
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 068 · FAMILY 7

Media and information ecosystems

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Claims, evidence, incentives, attention, creators and audiences.
3. Write the incumbent receiving schema exactly as it exists: Engagement/feed rank.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Audience, creator, public discourse.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Claim provenance + quality + incentive reconciliation.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Reach, creator value and information quality improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 067: Internet and communications · Adapter 069: Language and translation · Adapter 061: Artificial intelligence · Adapter 070: Knowledge and ontologies
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 069 · FAMILY 7

Language and translation

Plate 1 · Native system

Current position: Strong structural fit
Family: Technology and information

X^* **state**	Meaning, context, culture, pragmatics and uncertainty
Receiving schema Σ	Word/token correspondence
Blocker B	Literal fidelity shifts meaning or cultural nuance
Carriers C	Speakers, institutions, models
Missing capacity ΔR	Semantic/provenance translation with ambiguity tracking
MU+ condition	Meaning fidelity, speed and cultural fit improve
Decisive test	Blind human evaluation

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS High-fidelity translation systems

ADAPTER 069 · FAMILY 7

Language and translation



DOMAIN INSTANTIATION

State read	Meaning, context, culture, pragmatics and uncertainty
What the incumbent sees	Word/token correspondence
Why local success can mislead	Literal fidelity shifts meaning or cultural nuance
Where consequence lands	Speakers, institutions, models
What must exist before action	Semantic/provenance translation with ambiguity tracking

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 069 · FAMILY 7

Language and translation

Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Word/token correspondence	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Speakers, institutions, models	Which receiver, pathway and hidden compensator absorb the change?
B	Literal fidelity shifts meaning or cultural nuance	What prevents all protected carriers from improving together?
ΔR^*	Semantic/provenance translation with ambiguity tracking	What capacity must exist at the binding carrier before the transition?
MU^+	Meaning fidelity, speed and cultural fit improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 069 · FAMILY 7

Language and translation

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	48	60	54	Local action looks strong here.
B	53	45	61	The local action exports burden to the binding carrier.
C	67	67	73	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 069 · FAMILY 7

Language and translation

t1: Observe. Establish the domain state: Meaning, context, culture, pragmatics and uncertainty.

t2: Propose. A local actor selects an action through the current schema: Word/token correspondence.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Speakers, institutions, models.

t4: Construct before release. IAMF-P supplies: Semantic/provenance translation with ambiguity tracking.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Meaning fidelity, speed and cultural fit improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 069 · FAMILY 7

Language and translation

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Blind human evaluation
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 069 · FAMILY 7

Language and translation

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Meaning, context, culture, pragmatics and uncertainty.
3. Write the incumbent receiving schema exactly as it exists: Word/token correspondence.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Speakers, institutions, models.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Semantic/provenance translation with ambiguity tracking.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Meaning fidelity, speed and cultural fit improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 068: Media and information ecosystems · Adapter 070: Knowledge and ontologies · Adapter 061: Artificial intelligence
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 070 · FAMILY 7

Knowledge and ontologies

Plate 1 · Native system

Current position: Strong constructive fit
Family: Technology and information

X^* **state**	Entities, relations, provenance, incompatible schemas and uncertainty
Receiving schema Σ	Single ontology/taxonomy
Blocker B	Integration collapses distinctions or explodes complexity
Carriers C	Researchers, AI, institutions
Missing capacity ΔR	Cross-schema translation + minimal sufficient ontology
MU+ condition	Interoperability and fidelity rise while complexity stays controlled
Decisive test	Cross-domain benchmark

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Ontology infrastructure

ADAPTER 070 · FAMILY 7

Knowledge and ontologies



DOMAIN INSTANTIATION

State read	Entities, relations, provenance, incompatible schemas and uncertainty
What the incumbent sees	Single ontology/taxonomy
Why local success can mislead	Integration collapses distinctions or explodes complexity
Where consequence lands	Researchers, AI, institutions
What must exist before action	Cross-schema translation + minimal sufficient ontology

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 070 · FAMILY 7

Knowledge and ontologies

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Single ontology/taxonomy	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Researchers, AI, institutions	Which receiver, pathway and hidden compensator absorb the change?
B	Integration collapses distinctions or explodes complexity	What prevents all protected carriers from improving together?
ΔR^*	Cross-schema translation + minimal sufficient ontology	What capacity must exist at the binding carrier before the transition?
MU^+	Interoperability and fidelity rise while complexity stays controlled	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 070 · FAMILY 7

Knowledge and ontologies

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	55	63	62	Local action looks strong here.
B	64	55	68	The local action exports burden to the binding carrier.
C	60	61	67	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 070 · FAMILY 7

Knowledge and ontologies

t1: Observe. Establish the domain state: Entities, relations, provenance, incompatible schemas and uncertainty.

t2: Propose. A local actor selects an action through the current schema: Single ontology/taxonomy.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Researchers, AI, institutions.

t4: Construct before release. IAMF-P supplies: Cross-schema translation + minimal sufficient ontology.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Interoperability and fidelity rise while complexity stays controlled.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 070 · FAMILY 7

Knowledge and ontologies

Current status	Strong constructive fit
Source reading	A construction is both specifiable and testable now, often with existing digital telemetry.
Decisive next design	Cross-domain benchmark
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 070 · FAMILY 7

Knowledge and ontologies

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Entities, relations, provenance, incompatible schemas and uncertainty.
3. Write the incumbent receiving schema exactly as it exists: Single ontology/taxonomy.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Researchers, AI, institutions.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Cross-schema translation + minimal sufficient ontology.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Interoperability and fidelity rise while complexity stays controlled.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 069: Language and translation · Adapter 071: Energy and power grids · Adapter 061: Artificial intelligence
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

FAMILY 8 OF 12

Earth, infrastructure and ecology

Infrastructure and ecology modeled as coupled stocks, flows, capacities and delayed consequences.

Adapters 071-080

ADAPTER 071 · FAMILY 8

Energy and power grids

Plate 1 · Native system

Current position: Strong structural fit
Family: Earth, infrastructure and ecology

X^* **state**	Generation, load, storage, network constraints, prices and reliability
Receiving schema Σ	Local device efficiency or node KPI
Blocker B	Efficiency moves load, congestion or rebound elsewhere
Carriers C	Grid nodes, customers, storage, environment
Missing capacity ΔR	Consequential grid controller + capacity placement
MU+ condition	Reliability, affordability, emissions and congestion improve
Decisive test	Grid simulation + pilot

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Reconciliation grids and storage markets

ADAPTER 071 · FAMILY 8

Energy and power grids

Plate 2 · Consequential topology



DOMAIN INSTANTIATION

State read	Generation, load, storage, network constraints, prices and reliability
What the incumbent sees	Local device efficiency or node KPI
Why local success can mislead	Efficiency moves load, congestion or rebound elsewhere
Where consequence lands	Grid nodes, customers, storage, environment
What must exist before action	Consequential grid controller + capacity placement

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 071 · FAMILY 8

Energy and power grids

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Local device efficiency or node KPI	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Grid nodes, customers, storage, environment	Which receiver, pathway and hidden compensator absorb the change?
B	Efficiency moves load, congestion or rebound elsewhere	What prevents all protected carriers from improving together?
ΔR^*	Consequential grid controller + capacity placement	What capacity must exist at the binding carrier before the transition?
MU^+	Reliability, affordability, emissions and congestion improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 071 · FAMILY 8

Energy and power grids

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	62	71	70	Local action looks strong here.
B	50	40	55	The local action exports burden to the binding carrier.
C	53	55	61	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 071 · FAMILY 8

Energy and power grids

t1: Observe. Establish the domain state: Generation, load, storage, network constraints, prices and reliability.

t2: Propose. A local actor selects an action through the current schema: Local device efficiency or node KPI.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Grid nodes, customers, storage, environment.

t4: Construct before release. IAMF-P supplies: Consequential grid controller + capacity placement.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Reliability, affordability, emissions and congestion improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 071 · FAMILY 8

Energy and power grids

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Grid simulation + pilot
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 071 · FAMILY 8

Energy and power grids

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Generation, load, storage, network constraints, prices and reliability.
3. Write the incumbent receiving schema exactly as it exists: Local device efficiency or node KPI.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Grid nodes, customers, storage, environment.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Consequential grid controller + capacity placement.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Reliability, affordability, emissions and congestion improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 070: Knowledge and ontologies · Adapter 072: Water and irrigation · Adapter 080: Ecology and biodiversity
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 072 · FAMILY 8

Water and irrigation

Plate 1 · Native system

Current position: Established adjacent evidence
Family: Earth, infrastructure and ecology

X^* **state**	Withdrawals, consumptive use, return flows, storage, aquifers and ecology
Receiving schema Σ	Farm/project efficiency
Blocker B	Local savings reduce return flow or increase consumption
Carriers C	Downstream users, rivers, aquifers, ecosystems
Missing capacity ΔR	Basin-wide accounting + catchment + allocation capacity
MU+ condition	Farm value and basin availability/ecology improve
Decisive test	Basin holdout study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Water reconciliation markets

ADAPTER 072 · FAMILY 8

Water and irrigation



DOMAIN INSTANTIATION

State read	Withdrawals, consumptive use, return flows, storage, aquifers and ecology
What the incumbent sees	Farm/project efficiency
Why local success can mislead	Local savings reduce return flow or increase consumption
Where consequence lands	Downstream users, rivers, aquifers, ecosystems
What must exist before action	Basin-wide accounting + catchment + allocation capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 072 · FAMILY 8

Water and irrigation

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Farm/project efficiency	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Downstream users, rivers, aquifers, ecosystems	Which receiver, pathway and hidden compensator absorb the change?
B	Local savings reduce return flow or increase consumption	What prevents all protected carriers from improving together?
ΔR^*	Basin-wide accounting + catchment + allocation capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Farm value and basin availability/ecology improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 072 · FAMILY 8

Water and irrigation

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	69	79	74	Local action looks strong here.
B	61	56	67	The local action exports burden to the binding carrier.
C	66	65	69	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 072 · FAMILY 8

Water and irrigation

t1: Observe. Establish the domain state: Withdrawals, consumptive use, return flows, storage, aquifers and ecology.

t2: Propose. A local actor selects an action through the current schema: Farm/project efficiency.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Downstream users, rivers, aquifers, ecosystems.

t4: Construct before release. IAMF-P supplies: Basin-wide accounting + catchment + allocation capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Farm value and basin availability/ecology improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 072 · FAMILY 8

Water and irrigation

Current status	Established adjacent evidence
Source reading	Adjacent literature already documents the central mechanism.
Decisive next design	Basin holdout study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 072 · FAMILY 8 **Water and irrigation** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Withdrawals, consumptive use, return flows, storage, aquifers and ecology.
3. Write the incumbent receiving schema exactly as it exists: Farm/project efficiency.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Downstream users, rivers, aquifers, ecosystems.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Basin-wide accounting + catchment + allocation capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Farm value and basin availability/ecology improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 071: Energy and power grids · Adapter 073: Food and agriculture · Adapter 080: Ecology and biodiversity
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 073 · FAMILY 8

Food and agriculture

Plate 1 · Native system

Current position: Strong structural fit
Family: Earth, infrastructure and ecology

X^* **state**	Yield, soil, water, inputs, nutrition, labor, market and climate
Receiving schema Σ	Yield/acre or commodity price
Blocker B	Yield gain shifts soil, water, labor or nutrition burden
Carriers C	Farmer, consumer, soil, ecosystem
Missing capacity ΔR	Coupled regenerative production controller
MU+ condition	Yield/income, soil, water and nutrition improve
Decisive test	Multi-season farm trial

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Regenerative food infrastructure

ADAPTER 073 · FAMILY 8

Food and agriculture



DOMAIN INSTANTIATION

State read	Yield, soil, water, inputs, nutrition, labor, market and climate
What the incumbent sees	Yield/acre or commodity price
Why local success can mislead	Yield gain shifts soil, water, labor or nutrition burden
Where consequence lands	Farmer, consumer, soil, ecosystem
What must exist before action	Coupled regenerative production controller

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 073 · FAMILY 8

Food and agriculture

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Yield/acre or commodity price	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Farmer, consumer, soil, ecosystem	Which receiver, pathway and hidden compensator absorb the change?
B	Yield gain shifts soil, water, labor or nutrition burden	What prevents all protected carriers from improving together?
ΔR^*	Coupled regenerative production controller	What capacity must exist at the binding carrier before the transition?
MU^+	Yield/income, soil, water and nutrition improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 073 · FAMILY 8

Food and agriculture

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	53	64	59	Local action looks strong here.
B	47	41	54	The local action exports burden to the binding carrier.
C	59	59	63	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 073 · FAMILY 8

Food and agriculture

t1: Observe. Establish the domain state: Yield, soil, water, inputs, nutrition, labor, market and climate.

t2: Propose. A local actor selects an action through the current schema: Yield/acre or commodity price.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Farmer, consumer, soil, ecosystem.

t4: Construct before release. IAMF-P supplies: Coupled regenerative production controller.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Yield/income, soil, water and nutrition improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 073 · FAMILY 8

Food and agriculture

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Multi-season farm trial
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 073 · FAMILY 8 **Food and agriculture** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Yield, soil, water, inputs, nutrition, labor, market and climate.
3. Write the incumbent receiving schema exactly as it exists: Yield/acre or commodity price.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Farmer, consumer, soil, ecosystem.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Coupled regenerative production controller.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Yield/income, soil, water and nutrition improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 072: Water and irrigation · Adapter 074: Supply chains and logistics · Adapter 071: Energy and power grids · Adapter 080: Ecology and biodiversity
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 074 · FAMILY 8

Supply chains and logistics

Plate 1 · Native system

Current position: Strong structural fit
Family: Earth, infrastructure and ecology

X^* **state**	Inventory, demand, transport, suppliers, lead times and risk
Receiving schema Σ	Node-level cost/service KPI
Blocker B	Lean optimization moves inventory/risk downstream
Carriers C	Suppliers, warehouses, customers
Missing capacity ΔR	Carrier-aware flow controller + buffer placement
MU+ condition	Service, working capital, resilience and labor improve
Decisive test	Historical + live pilot

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Consequential supply-chain OS

ADAPTER 074 · FAMILY 8

Supply chains and logistics



DOMAIN INSTANTIATION

State read	Inventory, demand, transport, suppliers, lead times and risk
What the incumbent sees	Node-level cost/service KPI
Why local success can mislead	Lean optimization moves inventory/risk downstream
Where consequence lands	Suppliers, warehouses, customers
What must exist before action	Carrier-aware flow controller + buffer placement

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 074 · FAMILY 8

Supply chains and logistics

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Node-level cost/service KPI	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Suppliers, warehouses, customers	Which receiver, pathway and hidden compensator absorb the change?
B	Lean optimization moves inventory/risk downstream	What prevents all protected carriers from improving together?
ΔR^*	Carrier-aware flow controller + buffer placement	What capacity must exist at the binding carrier before the transition?
MU^+	Service, working capital, resilience and labor improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 074 · FAMILY 8

Supply chains and logistics

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	60	72	67	Local action looks strong here.
B	58	51	66	The local action exports burden to the binding carrier.
C	52	53	57	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 074 · FAMILY 8

Supply chains and logistics

t1: Observe. Establish the domain state: Inventory, demand, transport, suppliers, lead times and risk.

t2: Propose. A local actor selects an action through the current schema: Node-level cost/service KPI.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Suppliers, warehouses, customers.

t4: Construct before release. IAMF-P supplies: Carrier-aware flow controller + buffer placement.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Service, working capital, resilience and labor improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 074 · FAMILY 8

Supply chains and logistics

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Historical + live pilot
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 074 · FAMILY 8

Supply chains and logistics

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Inventory, demand, transport, suppliers, lead times and risk.
3. Write the incumbent receiving schema exactly as it exists: Node-level cost/service KPI.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Suppliers, warehouses, customers.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Carrier-aware flow controller + buffer placement.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Service, working capital, resilience and labor improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 073: Food and agriculture · Adapter 075: Manufacturing · Adapter 071: Energy and power grids · Adapter 080: Ecology and biodiversity
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 075 · FAMILY 8

Manufacturing

Plate 1 · Native system

Current position: Strong structural fit
Family: Earth, infrastructure and ecology

X^* **state**	Materials, energy, machines, labor, quality, maintenance and waste
Receiving schema Σ	Unit cost/OEE
Blocker B	Cost gain shifts maintenance, injuries or waste
Carriers C	Workers, machines, environment, customers
Missing capacity ΔR	Closed-loop production and maintenance architecture
MU+ condition	Cost, quality, safety, uptime and waste improve
Decisive test	Factory pilot

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Regenerative manufacturing

ADAPTER 075 · FAMILY 8

Manufacturing



DOMAIN INSTANTIATION

State read	Materials, energy, machines, labor, quality, maintenance and waste
What the incumbent sees	Unit cost/OEE
Why local success can mislead	Cost gain shifts maintenance, injuries or waste
Where consequence lands	Workers, machines, environment, customers
What must exist before action	Closed-loop production and maintenance architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 075 · FAMILY 8

Manufacturing

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Unit cost/OEE	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Workers, machines, environment, customers	Which receiver, pathway and hidden compensator absorb the change?
B	Cost gain shifts maintenance, injuries or waste	What prevents all protected carriers from improving together?
ΔR^*	Closed-loop production and maintenance architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Cost, quality, safety, uptime and waste improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 075 · FAMILY 8 **Manufacturing** Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	67	75	75	Local action looks strong here.
B	44	36	48	The local action exports burden to the binding carrier.
C	65	67	71	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 075 · FAMILY 8 **Manufacturing**

t1: Observe. Establish the domain state: Materials, energy, machines, labor, quality, maintenance and waste.

t2: Propose. A local actor selects an action through the current schema: Unit cost/OEE.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Workers, machines, environment, customers.

t4: Construct before release. IAMF-P supplies: Closed-loop production and maintenance architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Cost, quality, safety, uptime and waste improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 075 · FAMILY 8

Manufacturing

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Factory pilot
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 075 · FAMILY 8 **Manufacturing** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Materials, energy, machines, labor, quality, maintenance and waste.
3. Write the incumbent receiving schema exactly as it exists: Unit cost/OEE.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Workers, machines, environment, customers.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Closed-loop production and maintenance architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Cost, quality, safety, uptime and waste improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 074: Supply chains and logistics · Adapter 076: Waste and circular materials · Adapter 071: Energy and power grids · Adapter 080: Ecology and biodiversity
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 076 · FAMILY 8

Waste and circular materials

Plate 1 · Native system

Current position: Strong structural fit
Family: Earth, infrastructure and ecology

X^* **state**	Material composition, location, contamination, residual value and logistics
Receiving schema Σ	Waste tonnage/disposal category
Blocker B	Disposal removes item from local ledger but not system
Carriers C	Communities, environment, future production
Missing capacity ΔR	Material provenance + recapture + transformation capacity
MU+ condition	Waste, cost and virgin input demand fall while value recovery rises
Decisive test	Municipal/industrial pilot

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Circular-material markets

ADAPTER 076 · FAMILY 8

Waste and circular materials



DOMAIN INSTANTIATION

State read	Material composition, location, contamination, residual value and logistics
What the incumbent sees	Waste tonnage/disposal category
Why local success can mislead	Disposal removes item from local ledger but not system
Where consequence lands	Communities, environment, future production
What must exist before action	Material provenance + recapture + transformation capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 076 · FAMILY 8

Waste and circular materials

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Waste tonnage/disposal category	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Communities, environment, future production	Which receiver, pathway and hidden compensator absorb the change?
B	Disposal removes item from local ledger but not system	What prevents all protected carriers from improving together?
ΔR^*	Material provenance + recapture + transformation capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Waste, cost and virgin input demand fall while value recovery rises	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 076 · FAMILY 8

Waste and circular materials

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	51	60	56	Local action looks strong here.
B	55	46	60	The local action exports burden to the binding carrier.
C	58	57	65	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 076 · FAMILY 8

Waste and circular materials

t1: Observe. Establish the domain state: Material composition, location, contamination, residual value and logistics.

t2: Propose. A local actor selects an action through the current schema: Waste tonnage/disposal category.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Communities, environment, future production.

t4: Construct before release. IAMF-P supplies: Material provenance + recapture + transformation capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Waste, cost and virgin input demand fall while value recovery rises.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 076 · FAMILY 8

Waste and circular materials

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Municipal/industrial pilot
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 076 · FAMILY 8

Waste and circular materials

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Material composition, location, contamination, residual value and logistics.
3. Write the incumbent receiving schema exactly as it exists: Waste tonnage/disposal category.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Communities, environment, future production.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Material provenance + recapture + transformation capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Waste, cost and virgin input demand fall while value recovery rises.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 075: Manufacturing · Adapter 077: Transportation and mobility · Adapter 071: Energy and power grids · Adapter 080: Ecology and biodiversity
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 077 · FAMILY 8

Transportation and mobility

Plate 1 · Native system

Current position: Constructive protocol
Family: Earth, infrastructure and ecology

X^* **state**	Trips, time, safety, access, energy, congestion and land use
Receiving schema Σ	Vehicle throughput/speed
Blocker B	Faster local travel creates congestion, emissions or exclusion
Carriers C	Travelers, neighborhoods, environment
Missing capacity ΔR	Multimodal consequential mobility controller
MU+ condition	Access, time, safety, energy and neighborhood outcomes improve
Decisive test	City corridor pilot

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Mobility orchestration

ADAPTER 077 · FAMILY 8

Transportation and mobility



DOMAIN INSTANTIATION

State read	Trips, time, safety, access, energy, congestion and land use
What the incumbent sees	Vehicle throughput/speed
Why local success can mislead	Faster local travel creates congestion, emissions or exclusion
Where consequence lands	Travelers, neighborhoods, environment
What must exist before action	Multimodal consequential mobility controller

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 077 · FAMILY 8

Transportation and mobility

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Vehicle throughput/speed	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Travelers, neighborhoods, environment	Which receiver, pathway and hidden compensator absorb the change?
B	Faster local travel creates congestion, emissions or exclusion	What prevents all protected carriers from improving together?
ΔR^*	Multimodal consequential mobility controller	What capacity must exist at the binding carrier before the transition?
MU^+	Access, time, safety, energy and neighborhood outcomes improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 077 · FAMILY 8

Transportation and mobility

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	58	68	64	Local action looks strong here.
B	66	56	72	The local action exports burden to the binding carrier.
C	51	51	59	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 077 · FAMILY 8

Transportation and mobility

t1: Observe. Establish the domain state: Trips, time, safety, access, energy, congestion and land use.

t2: Propose. A local actor selects an action through the current schema: Vehicle throughput/speed.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Travelers, neighborhoods, environment.

t4: Construct before release. IAMF-P supplies: Multimodal consequential mobility controller.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Access, time, safety, energy and neighborhood outcomes improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 077 · FAMILY 8

Transportation and mobility

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	City corridor pilot
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 077 · FAMILY 8 **Transportation and mobility** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Trips, time, safety, access, energy, congestion and land use.
3. Write the incumbent receiving schema exactly as it exists: Vehicle throughput/speed.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Travelers, neighborhoods, environment.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Multimodal consequential mobility controller.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Access, time, safety, energy and neighborhood outcomes improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 076: Waste and circular materials · Adapter 078: Cities and urban systems · Adapter 071: Energy and power grids · Adapter 080: Ecology and biodiversity
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 078 · FAMILY 8

Cities and urban systems

Plate 1 · Native system

Current position: Constructive protocol
Family: Earth, infrastructure and ecology

X^* **state**	Housing, jobs, transport, health, utilities, safety and public space
Receiving schema Σ	Agency-by-agency city data
Blocker B	One department shifts burden to another neighborhood/system
Carriers C	Residents, agencies, infrastructure
Missing capacity ΔR	City consequential digital twin + coordinated capacity
MU+ condition	Access, health, resilience, affordability and service improve
Decisive test	District pilot

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Urban reconciliation platforms

ADAPTER 078 · FAMILY 8

Cities and urban systems



DOMAIN INSTANTIATION

State read	Housing, jobs, transport, health, utilities, safety and public space
What the incumbent sees	Agency-by-agency city data
Why local success can mislead	One department shifts burden to another neighborhood/system
Where consequence lands	Residents, agencies, infrastructure
What must exist before action	City consequential digital twin + coordinated capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 078 · FAMILY 8

Cities and urban systems

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Agency-by-agency city data	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Residents, agencies, infrastructure	Which receiver, pathway and hidden compensator absorb the change?
B	One department shifts burden to another neighborhood/system	What prevents all protected carriers from improving together?
ΔR^*	City consequential digital twin + coordinated capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Access, health, resilience, affordability and service improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 078 · FAMILY 8

Cities and urban systems

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	65	76	72	Local action looks strong here.
B	52	47	59	The local action exports burden to the binding carrier.
C	64	65	67	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 078 · FAMILY 8

Cities and urban systems

t1: Observe. Establish the domain state: Housing, jobs, transport, health, utilities, safety and public space.

t2: Propose. A local actor selects an action through the current schema: Agency-by-agency city data.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Residents, agencies, infrastructure.

t4: Construct before release. IAMF-P supplies: City consequential digital twin + coordinated capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Access, health, resilience, affordability and service improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 078 · FAMILY 8

Cities and urban systems

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	District pilot
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 078 · FAMILY 8

Cities and urban systems

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Housing, jobs, transport, health, utilities, safety and public space.
3. Write the incumbent receiving schema exactly as it exists: Agency-by-agency city data.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Residents, agencies, infrastructure.
6. Specify the smallest feasible capacity build capable of resolving the blocker: City consequential digital twin + coordinated capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Access, health, resilience, affordability and service improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 077: Transportation and mobility · Adapter 079: Climate and disaster resilience · Adapter 071: Energy and power grids · Adapter 080: Ecology and biodiversity
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 079 · FAMILY 8

Climate and disaster resilience

Plate 1 · Native system

Current position: Constructive protocol
Family: Earth, infrastructure and ecology

X^* **state**	Hazard, exposure, vulnerability, infrastructure, food, health and recovery
Receiving schema Σ	Hazard forecast alone
Blocker B	Preparedness in one sector leaves another exposed
Carriers C	People, infrastructure, ecosystems, economy
Missing capacity ΔR	Anticipatory catchment + prepositioned capacity
MU+ condition	Mortality/risk, recovery, livelihoods and ecosystem resilience improve
Decisive test	Prospective matched pilot

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Climate resilience markets

ADAPTER 079 · FAMILY 8

Climate and disaster resilience



DOMAIN INSTANTIATION

State read	Hazard, exposure, vulnerability, infrastructure, food, health and recovery
What the incumbent sees	Hazard forecast alone
Why local success can mislead	Preparedness in one sector leaves another exposed
Where consequence lands	People, infrastructure, ecosystems, economy
What must exist before action	Anticipatory catchment + prepositioned capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 079 · FAMILY 8

Climate and disaster resilience

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Hazard forecast alone	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	People, infrastructure, ecosystems, economy	Which receiver, pathway and hidden compensator absorb the change?
B	Preparedness in one sector leaves another exposed	What prevents all protected carriers from improving together?
ΔR^*	Anticipatory catchment + prepositioned capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Mortality/risk, recovery, livelihoods and ecosystem resilience improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 079 · FAMILY 8

Climate and disaster resilience

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	49	61	57	Local action looks strong here.
B	63	57	71	The local action exports burden to the binding carrier.
C	57	59	61	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 079 · FAMILY 8

Climate and disaster resilience

t1: Observe. Establish the domain state: Hazard, exposure, vulnerability, infrastructure, food, health and recovery.

t2: Propose. A local actor selects an action through the current schema: Hazard forecast alone.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: People, infrastructure, ecosystems, economy.

t4: Construct before release. IAMF-P supplies: Anticipatory catchment + prepositioned capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Mortality/risk, recovery, livelihoods and ecosystem resilience improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 079 · FAMILY 8

Climate and disaster resilience

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Prospective matched pilot
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 079 · FAMILY 8

Climate and disaster resilience

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Hazard, exposure, vulnerability, infrastructure, food, health and recovery.
3. Write the incumbent receiving schema exactly as it exists: Hazard forecast alone.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: People, infrastructure, ecosystems, economy.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Anticipatory catchment + prepositioned capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Mortality/risk, recovery, livelihoods and ecosystem resilience improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 078: Cities and urban systems · Adapter 080: Ecology and biodiversity · Adapter 071: Energy and power grids
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 080 · FAMILY 8

Ecology and biodiversity

Current position: Established adjacent evidence
Family: Earth, infrastructure and ecology

X^* **state**	Species, habitats, flows, extraction, communities and climate
Receiving schema Σ	Protected-area/local species metric
Blocker B	Protection displaces extraction or pressure elsewhere
Carriers C	Species, habitats, communities
Missing capacity ΔR	Landscape-scale leakage/carrier accounting + livelihoods
MU+ condition	Biodiversity and community outcomes improve
Decisive test	Landscape holdout study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Biodiversity reconciliation markets

ADAPTER 080 · FAMILY 8

Ecology and biodiversity



DOMAIN INSTANTIATION

State read	Species, habitats, flows, extraction, communities and climate
What the incumbent sees	Protected-area/local species metric
Why local success can mislead	Protection displaces extraction or pressure elsewhere
Where consequence lands	Species, habitats, communities
What must exist before action	Landscape-scale leakage/carrier accounting + livelihoods

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 080 · FAMILY 8

Ecology and biodiversity

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Protected-area/local species metric	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Species, habitats, communities	Which receiver, pathway and hidden compensator absorb the change?
B	Protection displaces extraction or pressure elsewhere	What prevents all protected carriers from improving together?
ΔR^*	Landscape-scale leakage/carrier accounting + livelihoods	What capacity must exist at the binding carrier before the transition?
MU^+	Biodiversity and community outcomes improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 080 · FAMILY 8

Ecology and biodiversity

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	56	64	61	Local action looks strong here.
B	49	42	53	The local action exports burden to the binding carrier.
C	50	49	55	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 080 · FAMILY 8

Ecology and biodiversity

t1: Observe. Establish the domain state: Species, habitats, flows, extraction, communities and climate.

t2: Propose. A local actor selects an action through the current schema: Protected-area/local species metric.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Species, habitats, communities.

t4: Construct before release. IAMF-P supplies: Landscape-scale leakage/carrier accounting + livelihoods.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Biodiversity and community outcomes improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 080 · FAMILY 8

Ecology and biodiversity

Current status	Established adjacent evidence
Source reading	Adjacent literature already documents the central mechanism.
Decisive next design	Landscape holdout study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 080 · FAMILY 8

Ecology and biodiversity

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Species, habitats, flows, extraction, communities and climate.
3. Write the incumbent receiving schema exactly as it exists: Protected-area/local species metric.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Species, habitats, communities.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Landscape-scale leakage/carrier accounting + livelihoods.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Biodiversity and community outcomes improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 079: Climate and disaster resilience · Adapter 081: Cell biology · Adapter 071: Energy and power grids
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

Physical, microscopic and formal

The same grammar compiled into native physical, molecular, control, quantum and formal languages.

Adapters 081-090

ADAPTER 081 · FAMILY 9

Cell biology

Plate 1 · Native system

Current position: Regulated empirical frontier
Family: Physical, microscopic and formal

X^* **state**	Signaling, organelles, metabolism, damage, repair and cell-state transitions
Receiving schema Σ	Single pathway/marker
Blocker B	Pathway correction displaces stress to another process
Carriers C	Organelles, pathways, neighboring cells
Missing capacity ΔR	Multi-state cellular controller + capacity targeting
MU+ condition	Target function improves without compensatory cellular damage
Decisive test	In-vitro perturbation study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Cell-state diagnostics and intervention platforms

ADAPTER 081 · FAMILY 9

Cell biology



DOMAIN INSTANTIATION

State read	Signaling, organelles, metabolism, damage, repair and cell-state transitions
What the incumbent sees	Single pathway/marker
Why local success can mislead	Pathway correction displaces stress to another process
Where consequence lands	Organelles, pathways, neighboring cells
What must exist before action	Multi-state cellular controller + capacity targeting

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 081 · FAMILY 9

Cell biology

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Single pathway/marker	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Organelles, pathways, neighboring cells	Which receiver, pathway and hidden compensator absorb the change?
B	Pathway correction displaces stress to another process	What prevents all protected carriers from improving together?
ΔR^*	Multi-state cellular controller + capacity targeting	What capacity must exist at the binding carrier before the transition?
MU^+	Target function improves without compensatory cellular damage	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 081 · FAMILY 9 **Cell biology** Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	63	72	69	Local action looks strong here.
B	60	52	65	The local action exports burden to the binding carrier.
C	63	63	69	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 081 · FAMILY 9

Cell biology

t1: Observe. Establish the domain state: Signaling, organelles, metabolism, damage, repair and cell-state transitions.

t2: Propose. A local actor selects an action through the current schema: Single pathway/marker.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Organelles, pathways, neighboring cells.

t4: Construct before release. IAMF-P supplies: Multi-state cellular controller + capacity targeting.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Target function improves without compensatory cellular damage.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 081 · FAMILY 9

Cell biology

Current status	Regulated empirical frontier
Source reading	Evidence must come from regulated trials or audits; this entry is research architecture only.
Decisive next design	In-vitro perturbation study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 081 · FAMILY 9

Cell biology

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Signaling, organelles, metabolism, damage, repair and cell-state transitions.
3. Write the incumbent receiving schema exactly as it exists: Single pathway/marker.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Organelles, pathways, neighboring cells.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Multi-state cellular controller + capacity targeting.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Target function improves without compensatory cellular damage.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 080: Ecology and biodiversity · Adapter 082: Molecular biology · Adapter 090: Pure mathematics and formal systems
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 082 · FAMILY 9

Molecular biology

Plate 1 · Native system

Current position: Regulated empirical frontier
Family: Physical, microscopic and formal

X^* **state**	Molecules, conformations, binding networks, concentrations and kinetics
Receiving schema Σ	Single interaction/target
Blocker B	Target binding shifts network or toxicity burden
Carriers C	Molecules, pathways, host system
Missing capacity ΔR	Reaction/network state model + off-target carrier control
MU+ condition	Desired molecular effect rises while off-target burden falls
Decisive test	Bench experiments

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Molecular design infrastructure

ADAPTER 082 · FAMILY 9

Molecular biology



DOMAIN INSTANTIATION

State read	Molecules, conformations, binding networks, concentrations and kinetics
What the incumbent sees	Single interaction/target
Why local success can mislead	Target binding shifts network or toxicity burden
Where consequence lands	Molecules, pathways, host system
What must exist before action	Reaction/network state model + off-target carrier control

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 082 · FAMILY 9

Molecular biology

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Single interaction/target	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Molecules, pathways, host system	Which receiver, pathway and hidden compensator absorb the change?
B	Target binding shifts network or toxicity burden	What prevents all protected carriers from improving together?
ΔR^*	Reaction/network state model + off-target carrier control	What capacity must exist at the binding carrier before the transition?
MU^+	Desired molecular effect rises while off-target burden falls	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 082 · FAMILY 9

Molecular biology

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	70	80	77	Local action looks strong here.
B	46	37	52	The local action exports burden to the binding carrier.
C	56	57	63	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 082 · FAMILY 9

Molecular biology

t1: Observe. Establish the domain state: Molecules, conformations, binding networks, concentrations and kinetics.

t2: Propose. A local actor selects an action through the current schema: Single interaction/target.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Molecules, pathways, host system.

t4: Construct before release. IAMF-P supplies: Reaction/network state model + off-target carrier control.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Desired molecular effect rises while off-target burden falls.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 082 · FAMILY 9

Molecular biology

Current status	Regulated empirical frontier
Source reading	Evidence must come from regulated trials or audits; this entry is research architecture only.
Decisive next design	Bench experiments
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 082 · FAMILY 9

Molecular biology

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Molecules, conformations, binding networks, concentrations and kinetics.
3. Write the incumbent receiving schema exactly as it exists: Single interaction/target.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Molecules, pathways, host system.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Reaction/network state model + off-target carrier control.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Desired molecular effect rises while off-target burden falls.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 081: Cell biology · Adapter 083: Nanotechnology · Adapter 090: Pure mathematics and formal systems
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 083 · FAMILY 9

Nanotechnology

Plate 1 · Native system

Current position: Regulated empirical frontier
Family: Physical, microscopic and formal

X^* **state**	Particle properties, surfaces, transport, environment and biological interaction
Receiving schema Σ	Particle spec alone
Blocker B	Performance shifts toxicity/persistence burden
Carriers C	Cells, environment, users
Missing capacity ΔR	Lifecycle and interaction-aware nano design
MU+ condition	Function improves while toxicity and persistence fall
Decisive test	Bench + environmental tests

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Safe-by-design nanotechnology

ADAPTER 083 · FAMILY 9

Nanotechnology



DOMAIN INSTANTIATION

State read	Particle properties, surfaces, transport, environment and biological interaction
What the incumbent sees	Particle spec alone
Why local success can mislead	Performance shifts toxicity/persistence burden
Where consequence lands	Cells, environment, users
What must exist before action	Lifecycle and interaction-aware nano design

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 083 · FAMILY 9

Nanotechnology

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Particle spec alone	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Cells, environment, users	Which receiver, pathway and hidden compensator absorb the change?
B	Performance shifts toxicity/persistence burden	What prevents all protected carriers from improving together?
ΔR^*	Lifecycle and interaction-aware nano design	What capacity must exist at the binding carrier before the transition?
MU^+	Function improves while toxicity and persistence fall	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 083 · FAMILY 9 **Nanotechnology** Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	54	65	62	Local action looks strong here.
B	57	47	64	The local action exports burden to the binding carrier.
C	69	71	77	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 083 · FAMILY 9 **Nanotechnology**

t1: Observe. Establish the domain state: Particle properties, surfaces, transport, environment and biological interaction.

t2: Propose. A local actor selects an action through the current schema: Particle spec alone.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Cells, environment, users.

t4: Construct before release. IAMF-P supplies: Lifecycle and interaction-aware nano design.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Function improves while toxicity and persistence fall.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 083 · FAMILY 9

Nanotechnology

Current status	Regulated empirical frontier
Source reading	Evidence must come from regulated trials or audits; this entry is research architecture only.
Decisive next design	Bench + environmental tests
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 083 · FAMILY 9 **Nanotechnology** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Particle properties, surfaces, transport, environment and biological interaction.
3. Write the incumbent receiving schema exactly as it exists: Particle spec alone.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Cells, environment, users.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Lifecycle and interaction-aware nano design.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Function improves while toxicity and persistence fall.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 082: Molecular biology · Adapter 084: Chemistry and reaction systems · Adapter 081: Cell biology · Adapter 090: Pure mathematics and formal systems
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 084 · FAMILY 9

Chemistry and reaction systems

Plate 1 · Native system

Current position: Strong structural fit
Family: Physical, microscopic and formal

X^* **state**	Species, reaction network, kinetics, energy, byproducts and separation
Receiving schema Σ	Target yield/selectivity
Blocker B	Yield gain shifts energy/byproduct/separation burden
Carriers C	Reactor, environment, downstream process
Missing capacity ΔR	Consequential reaction-network optimization + recovery loops
MU+ condition	Yield, energy, waste and safety improve
Decisive test	Reactor experiments

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Closed-loop chemistry

ADAPTER 084 · FAMILY 9

Chemistry and reaction systems



DOMAIN INSTANTIATION

State read	Species, reaction network, kinetics, energy, byproducts and separation
What the incumbent sees	Target yield/selectivity
Why local success can mislead	Yield gain shifts energy/byproduct/separation burden
Where consequence lands	Reactor, environment, downstream process
What must exist before action	Consequential reaction-network optimization + recovery loops

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 084 · FAMILY 9

Chemistry and reaction systems

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Target yield/selectivity	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Reactor, environment, downstream process	Which receiver, pathway and hidden compensator absorb the change?
B	Yield gain shifts energy/byproduct/separation burden	What prevents all protected carriers from improving together?
ΔR^*	Consequential reaction-network optimization + recovery loops	What capacity must exist at the binding carrier before the transition?
MU^+	Yield, energy, waste and safety improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 084 · FAMILY 9

Chemistry and reaction systems

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	61	73	66	Local action looks strong here.
B	68	63	76	The local action exports burden to the binding carrier.
C	62	61	65	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 084 · FAMILY 9

Chemistry and reaction systems

t1: Observe. Establish the domain state: Species, reaction network, kinetics, energy, byproducts and separation.

t2: Propose. A local actor selects an action through the current schema: Target yield/selectivity.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Reactor, environment, downstream process.

t4: Construct before release. IAMF-P supplies: Consequential reaction-network optimization + recovery loops.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Yield, energy, waste and safety improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 084 · FAMILY 9

Chemistry and reaction systems

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Reactor experiments
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 084 · FAMILY 9

Chemistry and reaction systems

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Species, reaction network, kinetics, energy, byproducts and separation.
3. Write the incumbent receiving schema exactly as it exists: Target yield/selectivity.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Reactor, environment, downstream process.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Consequential reaction-network optimization + recovery loops.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Yield, energy, waste and safety improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 083: Nanotechnology · Adapter 085: Materials science · Adapter 081: Cell biology · Adapter 090: Pure mathematics and formal systems
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 085 · FAMILY 9

Materials science

Plate 1 · Native system

Current position: Strong structural fit
Family: Physical, microscopic and formal

X^* **state**	Microstructure, defects, stress, temperature, lifecycle and manufacturing
Receiving schema Σ	Bulk property spec
Blocker B	Strength gain shifts brittleness, weight or recyclability
Carriers C	Material, structure, environment
Missing capacity ΔR	Defect-aware multiproperty design + recovery architecture
MU+ condition	Performance, durability, mass, cost and recyclability improve
Decisive test	Lab characterization

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Self-monitoring/regenerative materials

ADAPTER 085 · FAMILY 9

Materials science



DOMAIN INSTANTIATION

State read	Microstructure, defects, stress, temperature, lifecycle and manufacturing
What the incumbent sees	Bulk property spec
Why local success can mislead	Strength gain shifts brittleness, weight or recyclability
Where consequence lands	Material, structure, environment
What must exist before action	Defect-aware multiproperty design + recovery architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 085 · FAMILY 9

Materials science

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Bulk property spec	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Material, structure, environment	Which receiver, pathway and hidden compensator absorb the change?
B	Strength gain shifts brittleness, weight or recyclability	What prevents all protected carriers from improving together?
ΔR^*	Defect-aware multiproperty design + recovery architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Performance, durability, mass, cost and recyclability improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 085 · FAMILY 9

Materials science

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	68	76	74	Local action looks strong here.
B	54	48	58	The local action exports burden to the binding carrier.
C	55	55	59	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 085 · FAMILY 9

Materials science

t1: Observe. Establish the domain state: Microstructure, defects, stress, temperature, lifecycle and manufacturing.

t2: Propose. A local actor selects an action through the current schema: Bulk property spec.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Material, structure, environment.

t4: Construct before release. IAMF-P supplies: Defect-aware multiproperty design + recovery architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Performance, durability, mass, cost and recyclability improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 085 · FAMILY 9

Materials science

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Lab characterization
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 085 · FAMILY 9 **Materials science** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Microstructure, defects, stress, temperature, lifecycle and manufacturing.
3. Write the incumbent receiving schema exactly as it exists: Bulk property spec.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Material, structure, environment.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Defect-aware multiproperty design + recovery architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Performance, durability, mass, cost and recyclability improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 084: Chemistry and reaction systems · Adapter 086: Classical mechanics and control · Adapter 081: Cell biology · Adapter 090: Pure mathematics and formal systems
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 086 · FAMILY 9

Classical mechanics and control

Plate 1 · Native system

Current position: Formal + computational fit
Family: Physical, microscopic and formal

X^* **state**	Physical state, dynamics, sensors, actuators and disturbance
Receiving schema Σ	Partial state observation/local control objective
Blocker B	Control success shifts energy, heat or another state variable
Carriers C	Plant, actuator, environment
Missing capacity ΔR	Representation-aware full-state controller + regenerative capacity
MU+ condition	Tracking, stability, energy and wear improve together
Decisive test	Physical bench experiment

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Advanced sensing/control/recovery systems

ADAPTER 086 · FAMILY 9

Classical mechanics and control



DOMAIN INSTANTIATION

State read	Physical state, dynamics, sensors, actuators and disturbance
What the incumbent sees	Partial state observation/local control objective
Why local success can mislead	Control success shifts energy, heat or another state variable
Where consequence lands	Plant, actuator, environment
What must exist before action	Representation-aware full-state controller + regenerative capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 086 · FAMILY 9

Classical mechanics and control

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Partial state observation/local control objective	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Plant, actuator, environment	Which receiver, pathway and hidden compensator absorb the change?
B	Control success shifts energy, heat or another state variable	What prevents all protected carriers from improving together?
ΔR^*	Representation-aware full-state controller + regenerative capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Tracking, stability, energy and wear improve together	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 086 · FAMILY 9

Classical mechanics and control

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	52	61	59	Local action looks strong here.
B	65	58	70	The local action exports burden to the binding carrier.
C	68	69	73	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 086 · FAMILY 9

Classical mechanics and control

t1: Observe. Establish the domain state: Physical state, dynamics, sensors, actuators and disturbance.

t2: Propose. A local actor selects an action through the current schema: Partial state observation/local control objective.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Plant, actuator, environment.

t4: Construct before release. IAMF-P supplies: Representation-aware full-state controller + regenerative capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Tracking, stability, energy and wear improve together.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 086 · FAMILY 9

Classical mechanics and control

Current status	Formal + computational fit
Source reading	Amenable to formal and computational testing before any field work.
Decisive next design	Physical bench experiment
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 086 · FAMILY 9

Classical mechanics and control

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Physical state, dynamics, sensors, actuators and disturbance.
3. Write the incumbent receiving schema exactly as it exists: Partial state observation/local control objective.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Plant, actuator, environment.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Representation-aware full-state controller + regenerative capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Tracking, stability, energy and wear improve together.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 085: Materials science · Adapter 087: Thermodynamics and nonequilibrium systems · Adapter 081: Cell biology · Adapter 090: Pure mathematics and formal systems
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 087 · FAMILY 9

Thermodynamics and nonequilibrium systems

Plate 1 · Native system

Current position: Strong structural fit
Family: Physical, microscopic and formal

X^* **state**	Energy, entropy, gradients, reservoirs, flows and constraints
Receiving schema Σ	Local efficiency/temperature metric
Blocker B	Local efficiency moves entropy production/heat elsewhere
Carriers C	Reservoirs, environment, components
Missing capacity ΔR	Whole-boundary energy/exergy and recovery architecture
MU+ condition	Useful work rises while irreversible losses and collateral loads fall
Decisive test	Physical experiment

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Heat recovery and regenerative process markets

ADAPTER 087 · FAMILY 9

Thermodynamics and nonequilibrium systems



DOMAIN INSTANTIATION

State read	Energy, entropy, gradients, reservoirs, flows and constraints
What the incumbent sees	Local efficiency/temperature metric
Why local success can mislead	Local efficiency moves entropy production/heat elsewhere
Where consequence lands	Reservoirs, environment, components
What must exist before action	Whole-boundary energy/exergy and recovery architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 087 · FAMILY 9

Thermodynamics and nonequilibrium systems

Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Local efficiency/temperature metric	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Reservoirs, environment, components	Which receiver, pathway and hidden compensator absorb the change?
B	Local efficiency moves entropy production/heat elsewhere	What prevents all protected carriers from improving together?
ΔR^*	Whole-boundary energy/exergy and recovery architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Useful work rises while irreversible losses and collateral loads fall	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 087 · FAMILY 9

Thermodynamics and nonequilibrium systems

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	59	69	67	Local action looks strong here.
B	51	43	57	The local action exports burden to the binding carrier.
C	61	63	67	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 087 · FAMILY 9

Thermodynamics and nonequilibrium systems

t1: Observe. Establish the domain state: Energy, entropy, gradients, reservoirs, flows and constraints.

t2: Propose. A local actor selects an action through the current schema: Local efficiency/temperature metric.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Reservoirs, environment, components.

t4: Construct before release. IAMF-P supplies: Whole-boundary energy/exergy and recovery architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Useful work rises while irreversible losses and collateral loads fall.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 087 · FAMILY 9

Thermodynamics and nonequilibrium systems

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Physical experiment
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 087 · FAMILY 9

Thermodynamics and nonequilibrium systems

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Energy, entropy, gradients, reservoirs, flows and constraints.
3. Write the incumbent receiving schema exactly as it exists: Local efficiency/temperature metric.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Reservoirs, environment, components.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Whole-boundary energy/exergy and recovery architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Useful work rises while irreversible losses and collateral loads fall.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 086: Classical mechanics and control · Adapter 088: Electromagnetism and circuits · Adapter 081: Cell biology · Adapter 090: Pure mathematics and formal systems
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 088 · FAMILY 9

Electromagnetism and circuits

Plate 1 · Native system

Current position: Formal + computational fit
Family: Physical, microscopic and formal

X^* **state**	Fields, voltages, currents, topology, storage and losses
Receiving schema Σ	Local component state
Blocker B	Local regulation moves loss or instability to another branch
Carriers C	Circuit elements, sources, loads
Missing capacity ΔR	Full-network state estimation + capacity/recovery placement
MU+ condition	Stability, efficiency, reliability and component stress improve
Decisive test	Bench circuit experiment

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Smart power-electronics/control systems

ADAPTER 088 · FAMILY 9

Electromagnetism and circuits



DOMAIN INSTANTIATION

State read	Fields, voltages, currents, topology, storage and losses
What the incumbent sees	Local component state
Why local success can mislead	Local regulation moves loss or instability to another branch
Where consequence lands	Circuit elements, sources, loads
What must exist before action	Full-network state estimation + capacity/recovery placement

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 088 · FAMILY 9

Electromagnetism and circuits

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Local component state	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Circuit elements, sources, loads	Which receiver, pathway and hidden compensator absorb the change?
B	Local regulation moves loss or instability to another branch	What prevents all protected carriers from improving together?
ΔR^*	Full-network state estimation + capacity/recovery placement	What capacity must exist at the binding carrier before the transition?
MU^+	Stability, efficiency, reliability and component stress improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 088 · FAMILY 9

Electromagnetism and circuits

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	66	77	71	Local action looks strong here.
B	62	53	69	The local action exports burden to the binding carrier.
C	54	53	61	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 088 · FAMILY 9

Electromagnetism and circuits

t1: Observe. Establish the domain state: Fields, voltages, currents, topology, storage and losses.

t2: Propose. A local actor selects an action through the current schema: Local component state.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Circuit elements, sources, loads.

t4: Construct before release. IAMF-P supplies: Full-network state estimation + capacity/recovery placement.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Stability, efficiency, reliability and component stress improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 088 · FAMILY 9

Electromagnetism and circuits

Current status	Formal + computational fit
Source reading	Amenable to formal and computational testing before any field work.
Decisive next design	Bench circuit experiment
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 088 · FAMILY 9 **Electromagnetism and circuits** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Fields, voltages, currents, topology, storage and losses.
3. Write the incumbent receiving schema exactly as it exists: Local component state.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Circuit elements, sources, loads.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Full-network state estimation + capacity/recovery placement.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Stability, efficiency, reliability and component stress improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 087: Thermodynamics and nonequilibrium systems · Adapter 089: Quantum systems · Adapter 081: Cell biology · Adapter 090: Pure mathematics and formal systems
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 089 · FAMILY 9

Quantum systems

Plate 1 · Native system

Current position: Hard experimental frontier
Family: Physical, microscopic and formal

X^* **state**	Quantum state, observables, measurement, control and decoherence
Receiving schema Σ	Accessible observable set
Blocker B	Measurement/control choice changes information and disturbance
Carriers C	Quantum system, apparatus, environment
Missing capacity ΔR	Constraint-respecting measurement/control schema + capacity
MU+ condition	Task fidelity improves without unacceptable decoherence/resource burden
Decisive test	Laboratory quantum experiment

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Quantum sensing/control systems

ADAPTER 089 · FAMILY 9

Quantum systems



DOMAIN INSTANTIATION

State read	Quantum state, observables, measurement, control and decoherence
What the incumbent sees	Accessible observable set
Why local success can mislead	Measurement/control choice changes information and disturbance
Where consequence lands	Quantum system, apparatus, environment
What must exist before action	Constraint-respecting measurement/control schema + capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 089 · FAMILY 9

Quantum systems

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Accessible observable set	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Quantum system, apparatus, environment	Which receiver, pathway and hidden compensator absorb the change?
B	Measurement/control choice changes information and disturbance	What prevents all protected carriers from improving together?
ΔR^*	Constraint-respecting measurement/control schema + capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Task fidelity improves without unacceptable decoherence/resource burden	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 089 · FAMILY 9

Quantum systems

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	50	62	56	Local action looks strong here.
B	48	38	56	The local action exports burden to the binding carrier.
C	67	67	75	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 089 · FAMILY 9

Quantum systems

t1: Observe. Establish the domain state: Quantum state, observables, measurement, control and decoherence.

t2: Propose. A local actor selects an action through the current schema: Accessible observable set.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Quantum system, apparatus, environment.

t4: Construct before release. IAMF-P supplies: Constraint-respecting measurement/control schema + capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Task fidelity improves without unacceptable decoherence/resource burden.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 089 · FAMILY 9

Quantum systems

Current status	Hard experimental frontier
Source reading	Experiments are hard to design cleanly; identification is the first problem.
Decisive next design	Laboratory quantum experiment
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 089 · FAMILY 9 **Quantum systems** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Quantum state, observables, measurement, control and decoherence.
3. Write the incumbent receiving schema exactly as it exists: Accessible observable set.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Quantum system, apparatus, environment.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Constraint-respecting measurement/control schema + capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Task fidelity improves without unacceptable decoherence/resource burden.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 088: Electromagnetism and circuits · Adapter 090: Pure mathematics and formal systems · Adapter 081: Cell biology
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 090 · FAMILY 9

Pure mathematics and formal systems

Plate 1 · Native system

Current position: Formal frontier
Family: Physical, microscopic and formal

X^* **state**	Objects, relations, axioms, language, proofs and translations
Receiving schema Σ	Chosen signature/type system/quotient
Blocker B	Representation collapses distinctions or expands proof complexity
Carriers C	Proof system, translator, solver
Missing capacity ΔR	Minimal sufficient schema preserving required relations
MU+ condition	Fidelity rises while ambiguity and proof/representation cost fall
Decisive test	Machine-checked theorem suite

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Formal-schema compilers and theorem infrastructure

ADAPTER 090 · FAMILY 9

Pure mathematics and formal systems



DOMAIN INSTANTIATION

State read	Objects, relations, axioms, language, proofs and translations
What the incumbent sees	Chosen signature/type system/quotient
Why local success can mislead	Representation collapses distinctions or expands proof complexity
Where consequence lands	Proof system, translator, solver
What must exist before action	Minimal sufficient schema preserving required relations

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 090 · FAMILY 9

Pure mathematics and formal systems

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Chosen signature/type system/quotient	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Proof system, translator, solver	Which receiver, pathway and hidden compensator absorb the change?
B	Representation collapses distinctions or expands proof complexity	What prevents all protected carriers from improving together?
ΔR^*	Minimal sufficient schema preserving required relations	What capacity must exist at the binding carrier before the transition?
MU^+	Fidelity rises while ambiguity and proof/representation cost fall	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 090 · FAMILY 9

Pure mathematics and formal systems

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	57	65	64	Local action looks strong here.
B	59	54	63	The local action exports burden to the binding carrier.
C	60	61	63	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 090 · FAMILY 9

Pure mathematics and formal systems

t1: Observe. Establish the domain state: Objects, relations, axioms, language, proofs and translations.

t2: Propose. A local actor selects an action through the current schema: Chosen signature/type system/quotient.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Proof system, translator, solver.

t4: Construct before release. IAMF-P supplies: Minimal sufficient schema preserving required relations.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Fidelity rises while ambiguity and proof/representation cost fall.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 090 · FAMILY 9

Pure mathematics and formal systems

Current status	Formal frontier
Source reading	Formal results are needed; metaphor is not enough.
Decisive next design	Machine-checked theorem suite
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 090 · FAMILY 9

Pure mathematics and formal systems

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Objects, relations, axioms, language, proofs and translations.
3. Write the incumbent receiving schema exactly as it exists: Chosen signature/type system/quotient.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Proof system, translator, solver.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Minimal sufficient schema preserving required relations.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Fidelity rises while ambiguity and proof/representation cost fall.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 089: Quantum systems · Adapter 091: Statistics and causal inference · Adapter 081: Cell biology
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

Frontier, illicit and cosmic

Domains where uncertainty, illegality, planetary scale or unknown substrates make guardrails decisive.

Adapters 091-100

ADAPTER 091 · FAMILY 10

Statistics and causal inference

Plate 1 · Native system

Current position: Strong structural fit
Family: Frontier, illicit and cosmic

X^* **state**	Data-generating process, sampling, measurement, confounding and uncertainty
Receiving schema Σ	Chosen model/estimand
Blocker B	Local fit hides transportability or selection bias
Carriers C	Decision makers, future samples, affected groups
Missing capacity ΔR	Provenance-aware multi-model causal state + identifiability guardrails
MU+ condition	Predictive/causal validity improves without hidden subgroup harm
Decisive test	Simulation + multi-dataset benchmark

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Causal reliability infrastructure

ADAPTER 091 · FAMILY 10

Statistics and causal inference



DOMAIN INSTANTIATION

State read	Data-generating process, sampling, measurement, confounding and uncertainty
What the incumbent sees	Chosen model/estimand
Why local success can mislead	Local fit hides transportability or selection bias
Where consequence lands	Decision makers, future samples, affected groups
What must exist before action	Provenance-aware multi-model causal state + identifiability guardrails

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 091 · FAMILY 10

Statistics and causal inference

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Chosen model/estimand	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Decision makers, future samples, affected groups	Which receiver, pathway and hidden compensator absorb the change?
B	Local fit hides transportability or selection bias	What prevents all protected carriers from improving together?
ΔR^*	Provenance-aware multi-model causal state + identifiability guardrails	What capacity must exist at the binding carrier before the transition?
MU^+	Predictive/causal validity improves without hidden subgroup harm	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 091 · FAMILY 10

Statistics and causal inference

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	64	73	72	Local action looks strong here.
B	45	39	50	The local action exports burden to the binding carrier.
C	53	55	57	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 091 · FAMILY 10

Statistics and causal inference

t1: Observe. Establish the domain state: Data-generating process, sampling, measurement, confounding and uncertainty.

t2: Propose. A local actor selects an action through the current schema: Chosen model/estimand.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Decision makers, future samples, affected groups.

t4: Construct before release. IAMF-P supplies: Provenance-aware multi-model causal state + identifiability guardrails.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Predictive/causal validity improves without hidden subgroup harm.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 091 · FAMILY 10

Statistics and causal inference

Current status	Strong structural fit
Source reading	The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.
Decisive next design	Simulation + multi-dataset benchmark
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 091 · FAMILY 10

Statistics and causal inference

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Data-generating process, sampling, measurement, confounding and uncertainty.
3. Write the incumbent receiving schema exactly as it exists: Chosen model/estimand.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Decision makers, future samples, affected groups.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Provenance-aware multi-model causal state + identifiability guardrails.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Predictive/causal validity improves without hidden subgroup harm.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 090: Pure mathematics and formal systems · Adapter 092: Logic and reasoning systems · Adapter 100: Unknown and not-yet-named realities
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 092 · FAMILY 10

Logic and reasoning systems

Plate 1 · Native system

Current position: Formal frontier
Family: Frontier, illicit and cosmic

X^* **state**	Premises, inference rules, contradictions, uncertainty and goals
Receiving schema Σ	Single logical calculus
Blocker B	Consistency in one calculus loses expressivity/context elsewhere
Carriers C	Reasoner, downstream decision
Missing capacity ΔR	Multi-logic translation + contradiction provenance
MU+ condition	Validity, expressivity and computational tractability improve
Decisive test	Formal benchmark

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Reasoning infrastructure

ADAPTER 092 · FAMILY 10

Logic and reasoning systems



DOMAIN INSTANTIATION

State read	Premises, inference rules, contradictions, uncertainty and goals
What the incumbent sees	Single logical calculus
Why local success can mislead	Consistency in one calculus loses expressivity/context elsewhere
Where consequence lands	Reasoner, downstream decision
What must exist before action	Multi-logic translation + contradiction provenance

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 092 · FAMILY 10

Logic and reasoning systems

Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Single logical calculus	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Reasoner, downstream decision	Which receiver, pathway and hidden compensator absorb the change?
B	Consistency in one calculus loses expressivity/context elsewhere	What prevents all protected carriers from improving together?
ΔR^*	Multi-logic translation + contradiction provenance	What capacity must exist at the binding carrier before the transition?
MU^+	Validity, expressivity and computational tractability improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 092 · FAMILY 10

Logic and reasoning systems

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	48	58	53	Local action looks strong here.
B	56	49	62	The local action exports burden to the binding carrier.
C	66	65	71	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 092 · FAMILY 10

Logic and reasoning systems

t1: Observe. Establish the domain state: Premises, inference rules, contradictions, uncertainty and goals.

t2: Propose. A local actor selects an action through the current schema: Single logical calculus.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Reasoner, downstream decision.

t4: Construct before release. IAMF-P supplies: Multi-logic translation + contradiction provenance.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Validity, expressivity and computational tractability improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 092 · FAMILY 10

Logic and reasoning systems

Current status	Formal frontier
Source reading	Formal results are needed; metaphor is not enough.
Decisive next design	Formal benchmark
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 092 · FAMILY 10

Logic and reasoning systems

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Premises, inference rules, contradictions, uncertainty and goals.
3. Write the incumbent receiving schema exactly as it exists: Single logical calculus.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Reasoner, downstream decision.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Multi-logic translation + contradiction provenance.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Validity, expressivity and computational tractability improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 091: Statistics and causal inference · Adapter 093: Geography and territorial systems · Adapter 100: Unknown and not-yet-named realities
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 093 · FAMILY 10

Geography and territorial systems

Plate 1 · Native system

Current position: Constructive protocol
Family: Frontier, illicit and cosmic

X^* **state**	People, ecosystems, infrastructure, flows and administrative boundaries
Receiving schema Σ	Jurisdiction/map boundary
Blocker B	Administrative optimization ignores cross-border flows
Carriers C	Border communities, watersheds, networks
Missing capacity ΔR	Flow-based territorial state model
MU+ condition	Access, resilience and cross-boundary fairness improve
Decisive test	Regional pilot

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Geospatial coordination infrastructure

ADAPTER 093 · FAMILY 10

Geography and territorial systems



DOMAIN INSTANTIATION

State read	People, ecosystems, infrastructure, flows and administrative boundaries
What the incumbent sees	Jurisdiction/map boundary
Why local success can mislead	Administrative optimization ignores cross-border flows
Where consequence lands	Border communities, watersheds, networks
What must exist before action	Flow-based territorial state model

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 093 · FAMILY 10

Geography and territorial systems

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Jurisdiction/map boundary	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Border communities, watersheds, networks	Which receiver, pathway and hidden compensator absorb the change?
B	Administrative optimization ignores cross-border flows	What prevents all protected carriers from improving together?
ΔR^*	Flow-based territorial state model	What capacity must exist at the binding carrier before the transition?
MU^+	Access, resilience and cross-boundary fairness improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 093 · FAMILY 10

Geography and territorial systems

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	55	66	61	Local action looks strong here.
B	67	59	74	The local action exports burden to the binding carrier.
C	59	59	65	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 093 · FAMILY 10

Geography and territorial systems

t1: Observe. Establish the domain state: People, ecosystems, infrastructure, flows and administrative boundaries.

t2: Propose. A local actor selects an action through the current schema: Jurisdiction/map boundary.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Border communities, watersheds, networks.

t4: Construct before release. IAMF-P supplies: Flow-based territorial state model.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Access, resilience and cross-boundary fairness improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 093 · FAMILY 10

Geography and territorial systems

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Regional pilot
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 093 · FAMILY 10

Geography and territorial systems

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: People, ecosystems, infrastructure, flows and administrative boundaries.
3. Write the incumbent receiving schema exactly as it exists: Jurisdiction/map boundary.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Border communities, watersheds, networks.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Flow-based territorial state model.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Access, resilience and cross-boundary fairness improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 092: Logic and reasoning systems · Adapter 094: Informal economy · Adapter 091: Statistics and causal inference · Adapter 100: Unknown and not-yet-named realities
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 094 · FAMILY 10

Informal economy

Plate 1 · Native system

Current position: Constructive protocol
Family: Frontier, illicit and cosmic

X^* **state**	Real work, exchange, trust, risk and household needs outside formal records
Receiving schema Σ	Formal registry/tax/business schema
Blocker B	Productive activity remains invisible or excluded
Carriers C	Workers, households, state
Missing capacity ΔR	Low-friction recognition, protection and access architecture
MU+ condition	Income, safety, access and compliance improve
Decisive test	Field pilot

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Formalization bridges and microenterprise infrastructure

ADAPTER 094 · FAMILY 10

Informal economy



DOMAIN INSTANTIATION

State read	Real work, exchange, trust, risk and household needs outside formal records
What the incumbent sees	Formal registry/tax/business schema
Why local success can mislead	Productive activity remains invisible or excluded
Where consequence lands	Workers, households, state
What must exist before action	Low-friction recognition, protection and access architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 094 · FAMILY 10

Informal economy

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Formal registry/-tax/business schema	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Workers, households, state	Which receiver, pathway and hidden compensator absorb the change?
B	Productive activity remains invisible or excluded	What prevents all protected carriers from improving together?
ΔR^*	Low-friction recognition, protection and access architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Income, safety, access and compliance improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 094 · FAMILY 10

Informal economy

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	62	74	69	Local action looks strong here.
B	53	44	61	The local action exports burden to the binding carrier.
C	52	53	59	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 094 · FAMILY 10

Informal economy

t1: Observe. Establish the domain state: Real work, exchange, trust, risk and household needs outside formal records.

t2: Propose. A local actor selects an action through the current schema: Formal registry/tax/business schema.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Workers, households, state.

t4: Construct before release. IAMF-P supplies: Low-friction recognition, protection and access architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Income, safety, access and compliance improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 094 · FAMILY 10

Informal economy

Current status	Constructive protocol
Source reading	The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.
Decisive next design	Field pilot
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 094 · FAMILY 10

Informal economy

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Real work, exchange, trust, risk and household needs outside formal records.
3. Write the incumbent receiving schema exactly as it exists: Formal registry/tax/business schema.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Workers, households, state.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Low-friction recognition, protection and access architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Income, safety, access and compliance improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 093: Geography and territorial systems · Adapter 095: Illicit and black markets · Adapter 091: Statistics and causal inference · Adapter 100: Unknown and not-yet-named realities
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 095 · FAMILY 10

Illicit and black markets

Plate 1 · Native system

Current position: Safety-governed frontier
Family: Frontier, illicit and cosmic

X^* **state**	Hidden demand, supply, coercion, enforcement, prices and harm
Receiving schema Σ	Official market data that excludes hidden exchange
Blocker B	Profit and access externalize violence, exploitation or public harm
Carriers C	Victims, communities, lawful firms, institutions
Missing capacity ΔR	Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement
MU+ condition	Harm and illicit profitability fall while legitimate access/opportunity rises
Decisive test	Independent harm-reduction/public-safety evaluation

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Anti-fraud, provenance, treatment, legal-substitute and prevention markets

ADAPTER 095 · FAMILY 10

Illicit and black markets



DOMAIN INSTANTIATION

State read	Hidden demand, supply, coercion, enforcement, prices and harm
What the incumbent sees	Official market data that excludes hidden exchange
Why local success can mislead	Profit and access externalize violence, exploitation or public harm
Where consequence lands	Victims, communities, lawful firms, institutions
What must exist before action	Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 095 · FAMILY 10

Illicit and black markets

Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Official market data that excludes hidden exchange	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Victims, communities, lawful firms, institutions	Which receiver, pathway and hidden compensator absorb the change?
B	Profit and access externalize violence, exploitation or public harm	What prevents all protected carriers from improving together?
ΔR^*	Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement	What capacity must exist at the binding carrier before the transition?
MU^+	Harm and illicit profitability fall while legitimate access/opportunity rises	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 095 · FAMILY 10

Illicit and black markets

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	69	77	77	Local action looks strong here.
B	64	54	68	The local action exports burden to the binding carrier.
C	65	67	73	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 095 · FAMILY 10

Illicit and black markets

t1: Observe. Establish the domain state: Hidden demand, supply, coercion, enforcement, prices and harm.

t2: Propose. A local actor selects an action through the current schema: Official market data that excludes hidden exchange.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Victims, communities, lawful firms, institutions.

t4: Construct before release. IAMF-P supplies: Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Harm and illicit profitability fall while legitimate access/opportunity rises.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 095 · FAMILY 10

Illicit and black markets

Current status	Safety-governed frontier
Source reading	Safety governance sets the boundary of any trial. For illicit markets the constructive target is lawful
Decisive next design	Independent harm-reduction/public-safety evaluation
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 095 · FAMILY 10

Illicit and black markets

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Hidden demand, supply, coercion, enforcement, prices and harm.
3. Write the incumbent receiving schema exactly as it exists: Official market data that excludes hidden exchange.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Victims, communities, lawful firms, institutions.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Harm and illicit profitability fall while legitimate access/opportunity rises.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 094: Informal economy · Adapter 096: Orbital and space economy · Adapter 091: Statistics and causal inference · Adapter 100: Unknown and not-yet-named realities
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 096 · FAMILY 10

Orbital and space economy

Plate 1 · Native system

Current position: Hard engineering frontier
Family: Frontier, illicit and cosmic

X^* **state**	Spacecraft, debris, spectrum, energy, logistics and operator incentives
Receiving schema Σ	Mission-local success metric
Blocker B	Mission gain shifts debris/collision/spectrum burden
Carriers C	Other spacecraft, operators, orbital environment
Missing capacity ΔR	Orbital consequential ledger + shared capacity
MU+ condition	Mission value, safety, debris and resource efficiency improve
Decisive test	Simulation + mission pilot

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Orbital infrastructure and traffic coordination

ADAPTER 096 · FAMILY 10

Orbital and space economy



DOMAIN INSTANTIATION

State read	Spacecraft, debris, spectrum, energy, logistics and operator incentives
What the incumbent sees	Mission-local success metric
Why local success can mislead	Mission gain shifts debris/collision/spectrum burden
Where consequence lands	Other spacecraft, operators, orbital environment
What must exist before action	Orbital consequential ledger + shared capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 096 · FAMILY 10

Orbital and space economy

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Mission-local success metric	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Other spacecraft, operators, orbital environment	Which receiver, pathway and hidden compensator absorb the change?
B	Mission gain shifts debris/collision/spectrum burden	What prevents all protected carriers from improving together?
ΔR^*	Orbital consequential ledger + shared capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Mission value, safety, debris and resource efficiency improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 096 · FAMILY 10

Orbital and space economy

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	53	62	58	Local action looks strong here.
B	50	45	55	The local action exports burden to the binding carrier.
C	58	57	61	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 096 · FAMILY 10

Orbital and space economy

t1: Observe. Establish the domain state: Spacecraft, debris, spectrum, energy, logistics and operator incentives.

t2: Propose. A local actor selects an action through the current schema: Mission-local success metric.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Other spacecraft, operators, orbital environment.

t4: Construct before release. IAMF-P supplies: Orbital consequential ledger + shared capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Mission value, safety, debris and resource efficiency improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 096 · FAMILY 10

Orbital and space economy

Current status	Hard engineering frontier
Source reading	Physical engineering limits make construction difficult and costly; feasibility is the first question.
Decisive next design	Simulation + mission pilot
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 096 · FAMILY 10

Orbital and space economy

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Spacecraft, debris, spectrum, energy, logistics and operator incentives.
3. Write the incumbent receiving schema exactly as it exists: Mission-local success metric.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Other spacecraft, operators, orbital environment.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Orbital consequential ledger + shared capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Mission value, safety, debris and resource efficiency improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 095: Illicit and black markets · Adapter 097: Extraterrestrial settlement · Adapter 091: Statistics and causal inference · Adapter 100: Unknown and not-yet-named realities
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 097 · FAMILY 10

Extraterrestrial settlement

Plate 1 · Native system

Current position: Hard engineering frontier
Family: Frontier, illicit and cosmic

X^* **state**	Life support, energy, materials, health, governance and closed ecology
Receiving schema Σ	Earth-derived subsystem silos
Blocker B	Local subsystem success threatens another life-support loop
Carriers C	Crew, machines, habitat ecology
Missing capacity ΔR	Closed-loop consequential state + autonomous capacity construction
MU+ condition	Survival, health, resource closure and social stability improve
Decisive test	Analog habitat + mission tests

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Off-world life-support, autonomy and governance systems

ADAPTER 097 · FAMILY 10

Extraterrestrial settlement

Plate 2 · Consequential topology



DOMAIN INSTANTIATION

State read	Life support, energy, materials, health, governance and closed ecology
What the incumbent sees	Earth-derived subsystem silos
Why local success can mislead	Local subsystem success threatens another life-support loop
Where consequence lands	Crew, machines, habitat ecology
What must exist before action	Closed-loop consequential state + autonomous capacity construction

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 097 · FAMILY 10

Extraterrestrial settlement

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Earth-derived subsystem silos	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Crew, machines, habitat ecology	Which receiver, pathway and hidden compensator absorb the change?
B	Local subsystem success threatens another life-support loop	What prevents all protected carriers from improving together?
ΔR^*	Closed-loop consequential state + autonomous capacity construction	What capacity must exist at the binding carrier before the transition?
MU^+	Survival, health, resource closure and social stability improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 097 · FAMILY 10

Extraterrestrial settlement

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	60	70	66	Local action looks strong here.
B	61	55	67	The local action exports burden to the binding carrier.
C	51	51	55	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 097 · FAMILY 10

Extraterrestrial settlement

t1: Observe. Establish the domain state: Life support, energy, materials, health, governance and closed ecology.

t2: Propose. A local actor selects an action through the current schema: Earth-derived subsystem silos.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Crew, machines, habitat ecology.

t4: Construct before release. IAMF-P supplies: Closed-loop consequential state + autonomous capacity construction.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Survival, health, resource closure and social stability improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 097 · FAMILY 10

Extraterrestrial settlement

Current status	Hard engineering frontier
Source reading	Physical engineering limits make construction difficult and costly; feasibility is the first question.
Decisive next design	Analog habitat + mission tests
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 097 · FAMILY 10

Extraterrestrial settlement

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Life support, energy, materials, health, governance and closed ecology.
3. Write the incumbent receiving schema exactly as it exists: Earth-derived subsystem silos.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Crew, machines, habitat ecology.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Closed-loop consequential state + autonomous capacity construction.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Survival, health, resource closure and social stability improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 096: Orbital and space economy · Adapter 098: Astrobiology and biosignatures · Adapter 091: Statistics and causal inference · Adapter 100: Unknown and not-yet-named realities
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 098 · FAMILY 10

Astrobiology and biosignatures

Plate 1 · Native system

Current position: Hard scientific frontier
Family: Frontier, illicit and cosmic

X^* **state**	Unknown life chemistries, environments, signals and contamination risks
Receiving schema Σ	Earth-centric life schema
Blocker B	Narrow schema misses unfamiliar life or creates false positives
Carriers C	Scientific program, environment, future missions
Missing capacity ΔR	Plural biosignature schema + provenance/contamination control
MU+ condition	Detection sensitivity and specificity improve without contamination
Decisive test	Blind benchmark + mission data

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Next-generation biosignature instrumentation

ADAPTER 098 · FAMILY 10

Astrobiology and biosignatures



DOMAIN INSTANTIATION

State read	Unknown life chemistries, environments, signals and contamination risks
What the incumbent sees	Earth-centric life schema
Why local success can mislead	Narrow schema misses unfamiliar life or creates false positives
Where consequence lands	Scientific program, environment, future missions
What must exist before action	Plural biosignature schema + provenance/contamination control

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 098 · FAMILY 10

Astrobiology and biosignatures

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Earth-centric life schema	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Scientific program, environment, future missions	Which receiver, pathway and hidden compensator absorb the change?
B	Narrow schema misses unfamiliar life or creates false positives	What prevents all protected carriers from improving together?
ΔR^*	Plural biosignature schema + provenance/-contamination control	What capacity must exist at the binding carrier before the transition?
MU^+	Detection sensitivity and specificity improve without contamination	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 098 · FAMILY 10

Astrobiology and biosignatures

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	67	78	74	Local action looks strong here.
B	47	40	54	The local action exports burden to the binding carrier.
C	64	65	69	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 098 · FAMILY 10

Astrobiology and biosignatures

t1: Observe. Establish the domain state: Unknown life chemistries, environments, signals and contamination risks.

t2: Propose. A local actor selects an action through the current schema: Earth-centric life schema.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Scientific program, environment, future missions.

t4: Construct before release. IAMF-P supplies: Plural biosignature schema + provenance/contamination control.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Detection sensitivity and specificity improve without contamination.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 098 · FAMILY 10

Astrobiology and biosignatures

Current status	Hard scientific frontier
Source reading	Requires new domain science, not only a mapping.
Decisive next design	Blind benchmark + mission data
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 098 · FAMILY 10

Astrobiology and biosignatures

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Unknown life chemistries, environments, signals and contamination risks.
3. Write the incumbent receiving schema exactly as it exists: Earth-centric life schema.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Scientific program, environment, future missions.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Plural biosignature schema + provenance/-contamination control.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Detection sensitivity and specificity improve without contamination.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 097: Extraterrestrial settlement · Adapter 099: Planetary systems and stewardship · Adapter 091: Statistics and causal inference · Adapter 100: Unknown and not-yet-named realities
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 099 · FAMILY 10

Planetary systems and stewardship

Plate 1 · Native system

Current position: Hard engineering frontier
Family: Frontier, illicit and cosmic

X^* **state**	Atmosphere, hydrology, geology, biosphere, resources and settlements
Receiving schema Σ	Sector-local resource model
Blocker B	Extraction/settlement shifts planetary burdens
Carriers C	Settlements, ecosystems, future generations
Missing capacity ΔR	Closed-loop planetary resource and restoration architecture
MU+ condition	Human value and planetary resilience improve
Decisive test	Earth analog + simulation

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Planetary stewardship infrastructure

ADAPTER 099 · FAMILY 10

Planetary systems and stewardship



DOMAIN INSTANTIATION

State read	Atmosphere, hydrology, geology, biosphere, resources and settlements
What the incumbent sees	Sector-local resource model
Why local success can mislead	Extraction/settlement shifts planetary burdens
Where consequence lands	Settlements, ecosystems, future generations
What must exist before action	Closed-loop planetary resource and restoration architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 099 · FAMILY 10

Planetary systems and stewardship

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Sector-local resource model	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Settlements, ecosystems, future generations	Which receiver, pathway and hidden compensator absorb the change?
B	Extraction/settlement shifts planetary burdens	What prevents all protected carriers from improving together?
ΔR^*	Closed-loop planetary resource and restoration architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Human value and planetary resilience improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 099 · FAMILY 10

Planetary systems and stewardship

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	51	63	59	Local action looks strong here.
B	58	50	66	The local action exports burden to the binding carrier.
C	57	59	63	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 099 · FAMILY 10

Planetary systems and stewardship

t1: Observe. Establish the domain state: Atmosphere, hydrology, geology, biosphere, resources and settlements.

t2: Propose. A local actor selects an action through the current schema: Sector-local resource model.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Settlements, ecosystems, future generations.

t4: Construct before release. IAMF-P supplies: Closed-loop planetary resource and restoration architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Human value and planetary resilience improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 099 · FAMILY 10

Planetary systems and stewardship

Current status	Hard engineering frontier
Source reading	Physical engineering limits make construction difficult and costly; feasibility is the first question.
Decisive next design	Earth analog + simulation
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 099 · FAMILY 10

Planetary systems and stewardship

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Atmosphere, hydrology, geology, biosphere, resources and settlements.
3. Write the incumbent receiving schema exactly as it exists: Sector-local resource model.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Settlements, ecosystems, future generations.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Closed-loop planetary resource and restoration architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Human value and planetary resilience improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 098: Astrobiology and biosignatures · Adapter 100: Unknown and not-yet-named realities · Adapter 091: Statistics and causal inference
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 100 · FAMILY 10

Unknown and not-yet-named realities

Plate 1 · Native system

Current position: Open by definition
Family: Frontier, illicit and cosmic

X^* **state**	Any newly observed substrate, scale, agent, value dimension or exchange mode
Receiving schema Σ	No adequate schema exists yet
Blocker B	Unrepresented state is invisible until consequences accumulate
Carriers C	Unknown until carrier tracing identifies it
Missing capacity ΔR	Instantiate M_d, define schema, measure gap, trace carrier, construct capacity
MU+ condition	All material carriers in the new domain cross positive consequential thresholds
Decisive test	Freeze kernel before learning outcomes; then holdout/replicate

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Frontier-market discovery itself

ADAPTER 100 · FAMILY 10

Unknown and not-yet-named realities



DOMAIN INSTANTIATION

State read	Any newly observed substrate, scale, agent, value dimension or exchange mode
What the incumbent sees	No adequate schema exists yet
Why local success can mislead	Unrepresented state is invisible until consequences accumulate
Where consequence lands	Unknown until carrier tracing identifies it
What must exist before action	Instantiate M_d, define schema, measure gap, trace carrier, construct capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 100 · FAMILY 10

Unknown and not-yet-named realities

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	No adequate schema exists yet	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Unknown until carrier tracing identifies it	Which receiver, pathway and hidden compensator absorb the change?
B	Unrepresented state is invisible until consequences accumulate	What prevents all protected carriers from improving together?
ΔR^*	Instantiate M_d, define schema, measure gap, trace carrier, construct capacity	What capacity must exist at the binding carrier before the transition?
MU^+	All material carriers in the new domain cross positive consequential thresholds	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 100 · FAMILY 10

Unknown and not-yet-named realities

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	58	66	63	Local action looks strong here.
B	44	35	48	The local action exports burden to the binding carrier.
C	50	49	57	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 100 · FAMILY 10

Unknown and not-yet-named realities

t1: Observe. Establish the domain state: Any newly observed substrate, scale, agent, value dimension or exchange mode.

t2: Propose. A local actor selects an action through the current schema: No adequate schema exists yet.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Unknown until carrier tracing identifies it.

t4: Construct before release. IAMF-P supplies: Instantiate M_d, define schema, measure gap, trace carrier, construct capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether All material carriers in the new domain cross positive consequential thresholds.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 100 · FAMILY 10

Unknown and not-yet-named realities

Current status	Open by definition
Source reading	No schema exists yet; the kernel is applied to learn one.
Decisive next design	Freeze kernel before learning outcomes; then holdout/replicate
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 100 · FAMILY 10

Unknown and not-yet-named realities

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Any newly observed substrate, scale, agent, value dimension or exchange mode.
3. Write the incumbent receiving schema exactly as it exists: No adequate schema exists yet.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Unknown until carrier tracing identifies it.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Instantiate M_d, define schema, measure gap, trace carrier, construct capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: All material carriers in the new domain cross positive consequential thresholds.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 099: Planetary systems and stewardship · Adapter 101: Conscious experience and self-model · Adapter 091: Statistics and causal inference
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

Conscious agency and responsibility

Constraint, choice, responsibility, consciousness and recovery represented inside one recurrent state-transition system.

ADAPTER 101 · FAMILY 11

Conscious experience and self-model

Plate 1 · Native system

Current position: Ontological / empirical frontier
Family: Conscious agency and responsibility

X^* **state**	Perception, affect, memory, self-model, attention, internal accessibility and embodied state
Receiving schema Σ	A receiving observer reduces another system to behavior, category or output alone
Blocker B	Native conscious state is misread because only externally legible signals are counted
Carriers C	Experiencing system, observers, dependent systems and future self
Missing capacity ΔR	Cross-modal state representation with provenance, uncertainty and non-erasure constraints
MU+ condition	Legibility, agency and viable functioning increase without reducing an unmodeled carrier to zero
Decisive test	Prospective multi-method cross-observer study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Consciousness-state measurement and translation infrastructure

ADAPTER 101 · FAMILY 11

Conscious experience and self-model



DOMAIN INSTANTIATION

State read	Perception, affect, memory, self-model, attention, internal accessibility and embodied state
What the incumbent sees	A receiving observer reduces another system to behavior, category or output alone
Why local success can mislead	Native conscious state is misread because only externally legible signals are counted
Where consequence lands	Experiencing system, observers, dependent systems and future self
What must exist before action	Cross-modal state representation with provenance, uncertainty and non-erasure constraints

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 101 · FAMILY 11

Conscious experience and self-model

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	A receiving observer reduces another system to behavior, category or output alone	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Experiencing system, observers, dependent systems and future self	Which receiver, pathway and hidden compensator absorb the change?
B	Native conscious state is misread because only externally legible signals are counted	What prevents all protected carriers from improving together?
ΔR^*	Cross-modal state representation with provenance, uncertainty and non-erasure constraints	What capacity must exist at the binding carrier before the transition?
MU^+	Legibility, agency and viable functioning increase without reducing an unmodeled carrier to zero	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 101 · FAMILY 11

Conscious experience and self-model

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	65	74	71	Local action looks strong here.
B	55	45	60	The local action exports burden to the binding carrier.
C	63	63	71	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 101 · FAMILY 11

Conscious experience and self-model

t1: Observe. Establish the domain state: Perception, affect, memory, self-model, attention, internal accessibility and embodied state.

t2: Propose. A local actor selects an action through the current schema: A receiving observer reduces another system to behavior, category or output alone.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Experiencing system, observers, dependent systems and future self.

t4: Construct before release. IAMF-P supplies: Cross-modal state representation with provenance, uncertainty and non-erasure constraints.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Legibility, agency and viable functioning increase without reducing an unmodeled carrier to zero.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 101 · FAMILY 11

Conscious experience and self-model

Current status	Ontological / empirical frontier
Source reading	2026 Universal Reality Atlas expansion; requires domain-native validation.
Decisive next design	Prospective multi-method cross-observer study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 101 · FAMILY 11

Conscious experience and self-model

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Perception, affect, memory, self-model, attention, internal accessibility and embodied state.
3. Write the incumbent receiving schema exactly as it exists: A receiving observer reduces another system to behavior, category or output alone.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Experiencing system, observers, dependent systems and future self.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Cross-modal state representation with provenance, uncertainty and non-erasure constraints.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Legibility, agency and viable functioning increase without reducing an unmodeled carrier to zero.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 100: Unknown and not-yet-named realities · Adapter 102: Choice and option topology · Adapter 110: Human-AI co-agency
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 102 · FAMILY 11

Choice and option topology

Plate 1 · Native system

Current position: Constructive protocol
Family: Conscious agency and responsibility

X^* **state**	Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence
Receiving schema Σ	Binary free-choice / no-choice label
Blocker B	Nominal alternatives exist while executable humane alternatives are absent or prohibitively costly
Carriers C	Chooser, affected people, institutions and future option set
Missing capacity ΔR	Feasible-option map plus prebuilt low-friction lawful/prosocial pathways
MU+ condition	Agency expands while downstream harm and coercive friction fall
Decisive test	Prospective choice-topology intervention

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Agency and choice architecture

ADAPTER 102 · FAMILY 11

Choice and option topology



DOMAIN INSTANTIATION

State read	Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence
What the incumbent sees	Binary free-choice / no-choice label
Why local success can mislead	Nominal alternatives exist while executable humane alternatives are absent or prohibitively costly
Where consequence lands	Chooser, affected people, institutions and future option set
What must exist before action	Feasible-option map plus prebuilt low-friction lawful/prosocial pathways

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 102 · FAMILY 11

Choice and option topology

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Binary free-choice / no-choice label	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Chooser, affected people, institutions and future option set	Which receiver, pathway and hidden compensator absorb the change?
B	Nominal alternatives exist while executable humane alternatives are absent or prohibitively costly	What prevents all protected carriers from improving together?
ΔR^*	Feasible-option map plus prebuilt low-friction lawful/prosocial pathways	What capacity must exist at the binding carrier before the transition?
MU^+	Agency expands while downstream harm and coercive friction fall	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 102 · FAMILY 11

Choice and option topology

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	49	59	56	Local action looks strong here.
B	66	61	72	The local action exports burden to the binding carrier.
C	56	57	59	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 102 · FAMILY 11

Choice and option topology

t1: Observe. Establish the domain state: Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence.

t2: Propose. A local actor selects an action through the current schema: Binary free-choice / no-choice label.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Chooser, affected people, institutions and future option set.

t4: Construct before release. IAMF-P supplies: Feasible-option map plus prebuilt low-friction lawful/prosocial pathways.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Agency expands while downstream harm and coercive friction fall.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 102 · FAMILY 11

Choice and option topology

Current status	Constructive protocol
Source reading	2026 Universal Reality Atlas expansion; requires domain-native validation.
Decisive next design	Prospective choice-topology intervention
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 102 · FAMILY 11

Choice and option topology

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence.
3. Write the incumbent receiving schema exactly as it exists: Binary free-choice / no-choice label.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Chooser, affected people, institutions and future option set.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Feasible-option map plus prebuilt low-friction lawful/prosocial pathways.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Agency expands while downstream harm and coercive friction fall.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 101: Conscious experience and self-model · Adapter 103: Truth, deception and disclosure · Adapter 110: Human-AI co-agency
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 103 · FAMILY 11

Truth, deception and disclosure

Plate 1 · Native system

Current position: Constructive protocol
Family: Conscious agency and responsibility

X^* **state**	Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity
Receiving schema Σ	Truth/lie binary detached from consequence topology
Blocker B	Truth creates concentrated cost or deception remains locally profitable because receiving capacity is absent
Carriers C	Speaker, listener, harmed parties, institutions and future trust network
Missing capacity ΔR	Verification, safe disclosure, correction, restitution and transition capacity
MU+ condition	Fidelity rises while truthful disclosure no longer requires avoidable destruction of material carriers
Decisive test	Sealed truth-cost / disclosure study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Truth-provenance and disclosure infrastructure

ADAPTER 103 · FAMILY 11

Truth, deception and disclosure



DOMAIN INSTANTIATION

State read	Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity
What the incumbent sees	Truth/lie binary detached from consequence topology
Why local success can mislead	Truth creates concentrated cost or deception remains locally profitable because receiving capacity is absent
Where consequence lands	Speaker, listener, harmed parties, institutions and future trust network
What must exist before action	Verification, safe disclosure, correction, restitution and transition capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 103 · FAMILY 11

Truth, deception and disclosure

Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Truth/lie binary detached from consequence topology	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Speaker, listener, harmed parties, institutions and future trust network	Which receiver, pathway and hidden compensator absorb the change?
B	Truth creates concentrated cost or deception remains locally profitable because receiving capacity is absent	What prevents all protected carriers from improving together?
ΔR^*	Verification, safe disclosure, correction, restitution and transition capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Fidelity rises while truthful disclosure no longer requires avoidable destruction of material carriers	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 103 · FAMILY 11

Truth, deception and disclosure

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	56	67	64	Local action looks strong here.
B	52	46	59	The local action exports burden to the binding carrier.
C	69	71	73	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 103 · FAMILY 11

Truth, deception and disclosure

t1: Observe. Establish the domain state: Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity.

t2: Propose. A local actor selects an action through the current schema: Truth/lie binary detached from consequence topology.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Speaker, listener, harmed parties, institutions and future trust network.

t4: Construct before release. IAMF-P supplies: Verification, safe disclosure, correction, restitution and transition capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Fidelity rises while truthful disclosure no longer requires avoidable destruction of material carriers.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 103 · FAMILY 11

Truth, deception and disclosure

Current status	Constructive protocol
Source reading	2026 Universal Reality Atlas expansion; requires domain-native validation.
Decisive next design	Sealed truth-cost / disclosure study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 103 · FAMILY 11

Truth, deception and disclosure

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity.
3. Write the incumbent receiving schema exactly as it exists: Truth/lie binary detached from consequence topology.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Speaker, listener, harmed parties, institutions and future trust network.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Verification, safe disclosure, correction, restitution and transition capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Fidelity rises while truthful disclosure no longer requires avoidable destruction of material carriers.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 102: Choice and option topology · Adapter 104: Responsibility and causal attribution · Adapter 101: Conscious experience and self-model · Adapter 110: Human-AI co-agency
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 104 · FAMILY 11

Responsibility and causal attribution

Plate 1 · Native system

Current position: High-stakes protocol
Family: Conscious agency and responsibility

X^* **state**	Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement
Receiving schema Σ	Moral label detached from the action-producing state
Blocker B	Responsibility is either erased by context or overstated by ignoring real constraints
Carriers C	Actor, victims, institutions, community and future actors
Missing capacity ΔR	Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair
MU+ condition	Attribution, safety, restitution and future agency improve without hiding causal contribution
Decisive test	Blinded case reconstruction with preregistered causal criteria

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Consequential attribution and justice infrastructure

ADAPTER 104 · FAMILY 11

Responsibility and causal attribution



DOMAIN INSTANTIATION

State read	Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement
What the incumbent sees	Moral label detached from the action-producing state
Why local success can mislead	Responsibility is either erased by context or overstated by ignoring real constraints
Where consequence lands	Actor, victims, institutions, community and future actors
What must exist before action	Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 104 · FAMILY 11

Responsibility and causal attribution

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Moral label detached from the action-producing state	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Actor, victims, institutions, community and future actors	Which receiver, pathway and hidden compensator absorb the change?
B	Responsibility is either erased by context or overstated by ignoring real constraints	What prevents all protected carriers from improving together?
ΔR^*	Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair	What capacity must exist at the binding carrier before the transition?
MU^+	Attribution, safety, restitution and future agency improve without hiding causal contribution	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 104 · FAMILY 11

Responsibility and causal attribution

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	63	75	68	Local action looks strong here.
B	63	56	71	The local action exports burden to the binding carrier.
C	62	61	67	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 104 · FAMILY 11

Responsibility and causal attribution

t1: Observe. Establish the domain state: Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement.

t2: Propose. A local actor selects an action through the current schema: Moral label detached from the action-producing state.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Actor, victims, institutions, community and future actors.

t4: Construct before release. IAMF-P supplies: Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Attribution, safety, restitution and future agency improve without hiding causal contribution.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 104 · FAMILY 11

Responsibility and causal attribution

Current status	High-stakes protocol
Source reading	2026 Universal Reality Atlas expansion; requires domain-native validation.
Decisive next design	Blinded case reconstruction with preregistered causal criteria
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 104 · FAMILY 11

Responsibility and causal attribution

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement.
3. Write the incumbent receiving schema exactly as it exists: Moral label detached from the action-producing state.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Actor, victims, institutions, community and future actors.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Attribution, safety, restitution and future agency improve without hiding causal contribution.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 103: Truth, deception and disclosure · Adapter 105: Consent, coercion and autonomy · Adapter 101: Conscious experience and self-model · Adapter 110: Human-AI co-agency
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 105 · FAMILY 11

Consent, coercion and autonomy

Plate 1 · Native system

Current position: High-stakes protocol
Family: Conscious agency and responsibility

X^* **state**	Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity
Receiving schema Σ	Signed/expressed consent treated as sufficient state
Blocker B	Apparent agreement is purchased by narrowed alternatives or irreversible dependency
Carriers C	Decision maker, counterparties, dependents and future self
Missing capacity ΔR	Real exit, recourse, reversible consent, information symmetry and alternative capacity
MU+ condition	Agreement quality and autonomy rise together while coercive burden falls
Decisive test	Prospective consent-quality audit

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Consent and autonomy infrastructure

ADAPTER 105 · FAMILY 11

Consent, coercion and autonomy



DOMAIN INSTANTIATION

State read	Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity
What the incumbent sees	Signed/expressed consent treated as sufficient state
Why local success can mislead	Apparent agreement is purchased by narrowed alternatives or irreversible dependency
Where consequence lands	Decision maker, counterparties, dependents and future self
What must exist before action	Real exit, recourse, reversible consent, information symmetry and alternative capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 105 · FAMILY 11

Consent, coercion and autonomy

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Signed/expressed consent treated as sufficient state	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Decision maker, counterparties, dependents and future self	Which receiver, pathway and hidden compensator absorb the change?
B	Apparent agreement is purchased by narrowed alternatives or irreversible dependency	What prevents all protected carriers from improving together?
ΔR^*	Real exit, recourse, reversible consent, information symmetry and alternative capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Agreement quality and autonomy rise together while coercive burden falls	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 105 · FAMILY 11

Consent, coercion and autonomy

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	70	78	76	Local action looks strong here.
B	49	41	53	The local action exports burden to the binding carrier.
C	55	55	61	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 105 · FAMILY 11

Consent, coercion and autonomy

t1: Observe. Establish the domain state: Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity.

t2: Propose. A local actor selects an action through the current schema: Signed/expressed consent treated as sufficient state.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Decision maker, counterparties, dependents and future self.

t4: Construct before release. IAMF-P supplies: Real exit, recourse, reversible consent, information symmetry and alternative capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Agreement quality and autonomy rise together while coercive burden falls.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 105 · FAMILY 11

Consent, coercion and autonomy

Current status	High-stakes protocol
Source reading	2026 Universal Reality Atlas expansion; requires domain-native validation.
Decisive next design	Prospective consent-quality audit
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 105 · FAMILY 11

Consent, coercion and autonomy

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity.
3. Write the incumbent receiving schema exactly as it exists: Signed/expressed consent treated as sufficient state.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Decision maker, counterparties, dependents and future self.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Real exit, recourse, reversible consent, information symmetry and alternative capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Agreement quality and autonomy rise together while coercive burden falls.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 104: Responsibility and causal attribution · Adapter 106: Addiction, compulsion and short-horizon relief · Adapter 101: Conscious experience and self-model · Adapter 110: Human-AI co-agency
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 106 · FAMILY 11

Addiction, compulsion and short-horizon relief

Plate 1 · Native system

Current position: Regulated empirical frontier
Family: Conscious agency and responsibility

X^* **state**	Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set
Receiving schema Σ	Substance/behavior category or abstinence binary
Blocker B	A behavior successfully absorbs immediate burden while narrowing future agency and exporting cost
Carriers C	Person, body, relationships, household, community and future self
Missing capacity ΔR	Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden
MU+ condition	Relief, agency, health and social function improve while dependency burden falls
Decisive test	Longitudinal regulated intervention with multi-carrier outcomes

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Integrated recovery and option-expansion systems

ADAPTER 106 · FAMILY 11

Addiction, compulsion and short-horizon relief



DOMAIN INSTANTIATION

State read	Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set
What the incumbent sees	Substance/behavior category or abstinence binary
Why local success can mislead	A behavior successfully absorbs immediate burden while narrowing future agency and exporting cost
Where consequence lands	Person, body, relationships, household, community and future self
What must exist before action	Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 106 · FAMILY 11

Addiction, compulsion and short-horizon relief

Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Substance/behavior category or abstinence binary	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Person, body, relationships, household, community and future self	Which receiver, pathway and hidden compensator absorb the change?
B	A behavior successfully absorbs immediate burden while narrowing future agency and exporting cost	What prevents all protected carriers from improving together?
ΔR^*	Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden	What capacity must exist at the binding carrier before the transition?
MU^+	Relief, agency, health and social function improve while dependency burden falls	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 106 · FAMILY 11

Addiction, compulsion and short-horizon relief

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	54	63	61	Local action looks strong here.
B	60	51	65	The local action exports burden to the binding carrier.
C	68	69	75	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 106 · FAMILY 11

Addiction, compulsion and short-horizon relief

t1: Observe. Establish the domain state: Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set.

t2: Propose. A local actor selects an action through the current schema: Substance/behavior category or abstinence binary.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Person, body, relationships, household, community and future self.

t4: Construct before release. IAMF-P supplies: Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Relief, agency, health and social function improve while dependency burden falls.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 106 · FAMILY 11

Addiction, compulsion and short-horizon relief

Current status	Regulated empirical frontier
Source reading	2026 Universal Reality Atlas expansion; requires domain-native validation.
Decisive next design	Longitudinal regulated intervention with multi-carrier outcomes
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 106 · FAMILY 11

Addiction, compulsion and short-horizon relief

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set.
3. Write the incumbent receiving schema exactly as it exists: Substance/behavior category or abstinence binary.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Person, body, relationships, household, community and future self.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Relief, agency, health and social function improve while dependency burden falls.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 105: Consent, coercion and autonomy · Adapter 107: Crime, violence and reconciliation · Adapter 101: Conscious experience and self-model · Adapter 110: Human-AI co-agency
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 107 · FAMILY 11

Crime, violence and reconciliation

Plate 1 · Native system

Current position: High-stakes protocol
Family: Conscious agency and responsibility

X^* **state**	Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm
Receiving schema Σ	Offense label or actor-only risk score
Blocker B	Prevention, punishment or rehabilitation optimizes one carrier while exporting burden to victims, families or future safety
Carriers C	Victims, actor, families, community, institutions and future potential victims
Missing capacity ΔR	Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger
MU+ condition	Victim safety, accountability, recurrence, repair and future lawful agency improve together
Decisive test	Longitudinal controlled justice-program evaluation

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Consequential justice and prevention systems

ADAPTER 107 · FAMILY 11

Crime, violence and reconciliation



DOMAIN INSTANTIATION

State read	Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm
What the incumbent sees	Offense label or actor-only risk score
Why local success can mislead	Prevention, punishment or rehabilitation optimizes one carrier while exporting burden to victims, families or future safety
Where consequence lands	Victims, actor, families, community, institutions and future potential victims
What must exist before action	Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 107 · FAMILY 11

Crime, violence and reconciliation

Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Offense label or actor-only risk score	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Victims, actor, families, community, institutions and future potential victims	Which receiver, pathway and hidden compensator absorb the change?
B	Prevention, punishment or rehabilitation optimizes one carrier while exporting burden to victims, families or future safety	What prevents all protected carriers from improving together?
ΔR^*	Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger	What capacity must exist at the binding carrier before the transition?
MU^+	Victim safety, accountability, recurrence, repair and future lawful agency improve together	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 107 · FAMILY 11

Crime, violence and reconciliation

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	61	71	69	Local action looks strong here.
B	46	36	52	The local action exports burden to the binding carrier.
C	61	63	69	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 107 · FAMILY 11

Crime, violence and reconciliation

t1: Observe. Establish the domain state: Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm.

t2: Propose. A local actor selects an action through the current schema: Offense label or actor-only risk score.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Victims, actor, families, community, institutions and future potential victims.

t4: Construct before release. IAMF-P supplies: Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Victim safety, accountability, recurrence, repair and future lawful agency improve together.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 107 · FAMILY 11

Crime, violence and reconciliation

Current status	High-stakes protocol
Source reading	2026 Universal Reality Atlas expansion; requires domain-native validation.
Decisive next design	Longitudinal controlled justice-program evaluation
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 107 · FAMILY 11

Crime, violence and reconciliation

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm.
3. Write the incumbent receiving schema exactly as it exists: Offense label or actor-only risk score.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Victims, actor, families, community, institutions and future potential victims.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Victim safety, accountability, recurrence, repair and future lawful agency improve together.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 106: Addiction, compulsion and short-horizon relief · Adapter 108: Animal sentience and welfare · Adapter 101: Conscious experience and self-model · Adapter 110: Human-AI co-agency
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 108 · FAMILY 11

Animal sentience and welfare

Plate 1 · Native system

Current position: Ethical / empirical frontier
Family: Conscious agency and responsibility

X^* **state**	Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory
Receiving schema Σ	Commodity/yield schema that excludes the animal as a carrier
Blocker B	Human nutrition or commercial gain is produced by unrepresented animal or ecological burden
Carriers C	Animals, workers, consumers, farmers, land, ecosystems and communities
Missing capacity ΔR	Welfare, alternative-production, livelihood-transition and ecological capacity
MU+ condition	Nutrition and livelihoods improve while animal and ecological burden also improves or is materially reduced
Decisive test	Multi-carrier welfare, nutrition and livelihood trial

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS High-welfare and alternative food systems

ADAPTER 108 · FAMILY 11

Animal sentience and welfare



DOMAIN INSTANTIATION

State read	Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory
What the incumbent sees	Commodity/yield schema that excludes the animal as a carrier
Why local success can mislead	Human nutrition or commercial gain is produced by unrepresented animal or ecological burden
Where consequence lands	Animals, workers, consumers, farmers, land, ecosystems and communities
What must exist before action	Welfare, alternative-production, livelihood-transition and ecological capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 108 · FAMILY 11

Animal sentience and welfare

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Commodity/yield schema that excludes the animal as a carrier	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Animals, workers, consumers, farmers, land, ecosystems and communities	Which receiver, pathway and hidden compensator absorb the change?
B	Human nutrition or commercial gain is produced by unrepresented animal or ecological burden	What prevents all protected carriers from improving together?
ΔR^*	Welfare, alternative-production, livelihood-transition and ecological capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Nutrition and livelihoods improve while animal and ecological burden also improves or is materially reduced	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 108 · FAMILY 11

Animal sentience and welfare

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	68	79	73	Local action looks strong here.
B	57	52	64	The local action exports burden to the binding carrier.
C	54	53	57	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 108 · FAMILY 11

Animal sentience and welfare

t1: Observe. Establish the domain state: Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory.

t2: Propose. A local actor selects an action through the current schema: Commodity/yield schema that excludes the animal as a carrier.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Animals, workers, consumers, farmers, land, ecosystems and communities.

t4: Construct before release. IAMF-P supplies: Welfare, alternative-production, livelihood-transition and ecological capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Nutrition and livelihoods improve while animal and ecological burden also improves or is materially reduced.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 108 · FAMILY 11

Animal sentience and welfare

Current status	Ethical / empirical frontier
Source reading	2026 Universal Reality Atlas expansion; requires domain-native validation.
Decisive next design	Multi-carrier welfare, nutrition and livelihood trial
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 108 · FAMILY 11

Animal sentience and welfare

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory.
3. Write the incumbent receiving schema exactly as it exists: Commodity/yield schema that excludes the animal as a carrier.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Animals, workers, consumers, farmers, land, ecosystems and communities.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Welfare, alternative-production, livelihood-transition and ecological capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Nutrition and livelihoods improve while animal and ecological burden also improves or is materially reduced.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 107: Crime, violence and reconciliation · Adapter 109: Collective agency and institutional choice · Adapter 101: Conscious experience and self-model · Adapter 110: Human-AI co-agency
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 109 · FAMILY 11

Collective agency and institutional choice

Plate 1 · Native system

Current position: Constructive protocol
Family: Conscious agency and responsibility

X^* **state**	Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory
Receiving schema Σ	Organization treated as a single actor without internal carrier structure
Blocker B	Collective decisions hide minority burdens or diffuse accountability until no node owns the consequence
Carriers C	Members, minorities, leaders, outsiders, institutions and future administrations
Missing capacity ΔR	Distributed decision provenance, dissent channels, accountability and cross-boundary capacity
MU+ condition	Collective performance and legitimacy rise without burden concentration or responsibility diffusion
Decisive test	Prospective institutional decision audit

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Collective decision and governance infrastructure

ADAPTER 109 · FAMILY 11

Collective agency and institutional choice



DOMAIN INSTANTIATION

State read	Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory
What the incumbent sees	Organization treated as a single actor without internal carrier structure
Why local success can mislead	Collective decisions hide minority burdens or diffuse accountability until no node owns the consequence
Where consequence lands	Members, minorities, leaders, outsiders, institutions and future administrations
What must exist before action	Distributed decision provenance, dissent channels, accountability and cross-boundary capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 109 · FAMILY 11

Collective agency and institutional choice

Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Organization treated as a single actor without internal carrier structure	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Members, minorities, leaders, outsiders, institutions and future administrations	Which receiver, pathway and hidden compensator absorb the change?
B	Collective decisions hide minority burdens or diffuse accountability until no node owns the consequence	What prevents all protected carriers from improving together?
ΔR^*	Distributed decision provenance, dissent channels, accountability and cross-boundary capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Collective performance and legitimacy rise without burden concentration or responsibility diffusion	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 109 · FAMILY 11

Collective agency and institutional choice

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	52	64	58	Local action looks strong here.
B	68	62	76	The local action exports burden to the binding carrier.
C	67	67	71	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 109 · FAMILY 11

Collective agency and institutional choice

t1: Observe. Establish the domain state: Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory.

t2: Propose. A local actor selects an action through the current schema: Organization treated as a single actor without internal carrier structure.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Members, minorities, leaders, outsiders, institutions and future administrations.

t4: Construct before release. IAMF-P supplies: Distributed decision provenance, dissent channels, accountability and cross-boundary capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Collective performance and legitimacy rise without burden concentration or responsibility diffusion.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 109 · FAMILY 11

Collective agency and institutional choice

Current status	Constructive protocol
Source reading	2026 Universal Reality Atlas expansion; requires domain-native validation.
Decisive next design	Prospective institutional decision audit
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 109 · FAMILY 11

Collective agency and institutional choice

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory.
3. Write the incumbent receiving schema exactly as it exists: Organization treated as a single actor without internal carrier structure.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Members, minorities, leaders, outsiders, institutions and future administrations.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Distributed decision provenance, dissent channels, accountability and cross-boundary capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Collective performance and legitimacy rise without burden concentration or responsibility diffusion.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 108: Animal sentience and welfare · Adapter 110: Human-AI co-agency · Adapter 101: Conscious experience and self-model
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 110 · FAMILY 11

Human-AI co-agency

Plate 1 · Native system

Current position: Strong constructive fit
Family: Conscious agency and responsibility

X^* **state**	Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects
Receiving schema Σ	Model output or benchmark score treated as the whole system
Blocker B	Capability gain shifts verification, dependency, control or error burden onto humans and downstream systems
Carriers C	User, non-user, model operator, workers, institutions, infrastructure and environment
Missing capacity ΔR	Persistent provenance, human control, reversibility, portability, verification and receiving-capacity layers
MU+ condition	Capability rises while human agency, correctness, reversibility and surrounding-system viability also improve
Decisive test	Sealed native-vs-K_R assisted agent benchmark

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Human-AI consequential operating systems

ADAPTER 110 · FAMILY 11

Human-AI co-agency



DOMAIN INSTANTIATION

State read	Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects
What the incumbent sees	Model output or benchmark score treated as the whole system
Why local success can mislead	Capability gain shifts verification, dependency, control or error burden onto humans and downstream systems
Where consequence lands	User, non-user, model operator, workers, institutions, infrastructure and environment
What must exist before action	Persistent provenance, human control, reversibility, portability, verification and receiving-capacity layers

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 110 · FAMILY 11

Human-AI co-agency

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Model output or benchmark score treated as the whole system	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	User, non-user, model operator, workers, institutions, infrastructure and environment	Which receiver, pathway and hidden compensator absorb the change?
B	Capability gain shifts verification, dependency, control or error burden onto humans and downstream systems	What prevents all protected carriers from improving together?
ΔR^*	Persistent provenance, human control, reversibility, portability, verification and receiving-capacity layers	What capacity must exist at the binding carrier before the transition?
MU^+	Capability rises while human agency, correctness, reversibility and surrounding-system viability also improve	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 110 · FAMILY 11 **Human-AI co-agency** Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	59	67	66	Local action looks strong here.
B	54	47	58	The local action exports burden to the binding carrier.
C	60	61	65	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 110 · FAMILY 11 **Human-AI co-agency** Plate 5 · Time and play-by-play

t1: Observe. Establish the domain state: Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects.

t2: Propose. A local actor selects an action through the current schema: Model output or benchmark score treated as the whole system.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: User, non-user, model operator, workers, institutions, infrastructure and environment.

t4: Construct before release. IAMF-P supplies: Persistent provenance, human control, reversibility, portability, verification and receiving-capacity layers.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Capability rises while human agency, correctness, reversibility and surrounding-system viability also improve.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 110 · FAMILY 11

Human-AI co-agency

Current status	Strong constructive fit
Source reading	2026 Universal Reality Atlas expansion; requires domain-native validation.
Decisive next design	Sealed native-vs-K_R assisted agent benchmark
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 110 · FAMILY 11 **Human-AI co-agency** Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects.
3. Write the incumbent receiving schema exactly as it exists: Model output or benchmark score treated as the whole system.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: User, non-user, model operator, workers, institutions, infrastructure and environment.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Persistent provenance, human control, reversibility, portability, verification and receiving-capacity layers.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Capability rises while human agency, correctness, reversibility and surrounding-system viability also improve.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 109: Collective agency and institutional choice · Adapter 111: Evolution and natural selection · Adapter 101: Conscious experience and self-model
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

FAMILY 12 OF 12

Evolution, transformation and emergenc

From evolution and metabolism to emergence, creation, cosmological change and final coexistence closure.

Adapters 111-120

ADAPTER 111 · FAMILY 12

Evolution and natural selection

Plate 1 · Native system

Current position: Hard scientific translation frontier
Family: Evolution, transformation and emergence

X^* **state**	Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history
Receiving schema Σ	Fitness proxy or single-trait narrative
Blocker B	Local adaptation increases one lineage/trait while hidden ecological or long-horizon costs move elsewhere
Carriers C	Individuals, lineages, populations, interacting species and ecosystems
Missing capacity ΔR	Diversity, ecological capacity and intervention guardrails where deliberate action exists
MU+ condition	Persistence/adaptation improves without avoidable collapse in materially coupled populations or ecosystems
Decisive test	Time-locked population/genomic holdout

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Evolutionary forecasting and stewardship research

ADAPTER 111 · FAMILY 12

Evolution and natural selection



DOMAIN INSTANTIATION

State read	Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history
What the incumbent sees	Fitness proxy or single-trait narrative
Why local success can mislead	Local adaptation increases one lineage/trait while hidden ecological or long-horizon costs move elsewhere
Where consequence lands	Individuals, lineages, populations, interacting species and ecosystems
What must exist before action	Diversity, ecological capacity and intervention guardrails where deliberate action exists

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 111 · FAMILY 12

Evolution and natural selection

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Fitness proxy or single-trait narrative	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Individuals, lineages, populations, interacting species and ecosystems	Which receiver, pathway and hidden compensator absorb the change?
B	Local adaptation increases one lineage/-trait while hidden ecological or long-horizon costs move elsewhere	What prevents all protected carriers from improving together?
ΔR^*	Diversity, ecological capacity and intervention guardrails where deliberate action exists	What capacity must exist at the binding carrier before the transition?
MU^+	Persistence/adaptation improves without avoidable collapse in materially coupled populations or ecosystems	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 111 · FAMILY 12

Evolution and natural selection

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	66	75	74	Local action looks strong here.
B	65	57	70	The local action exports burden to the binding carrier.
C	53	55	59	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 111 · FAMILY 12

Evolution and natural selection

t1: Observe. Establish the domain state: Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history.

t2: Propose. A local actor selects an action through the current schema: Fitness proxy or single-trait narrative.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Individuals, lineages, populations, interacting species and ecosystems.

t4: Construct before release. IAMF-P supplies: Diversity, ecological capacity and intervention guardrails where deliberate action exists.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Persistence/adaptation improves without avoidable collapse in materially coupled populations or ecosystems.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 111 · FAMILY 12

Evolution and natural selection

Current status	Hard scientific translation frontier
Source reading	2026 Universal Reality Atlas expansion; requires domain-native validation.
Decisive next design	Time-locked population/genomic holdout
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 111 · FAMILY 12

Evolution and natural selection

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history.
3. Write the incumbent receiving schema exactly as it exists: Fitness proxy or single-trait narrative.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Individuals, lineages, populations, interacting species and ecosystems.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Diversity, ecological capacity and intervention guardrails where deliberate action exists.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Persistence/adaptation improves without avoidable collapse in materially coupled populations or ecosystems.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 110: Human-AI co-agency · Adapter 112: Reproduction, inheritance, mitosis and meiosis · Adapter 120: Cross-substrate consciousness, temporal coexistence and closure
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 112 · FAMILY 12

Reproduction, inheritance, mitosis and meiosis

Plate 1 · Native system

Current position: Strong structural translation
Family: Evolution, transformation and emergence

X^* **state**	Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context
Receiving schema Σ	Outcome-only birth/division count
Blocker B	Propagation success hides fidelity loss, developmental burden or downstream instability
Carriers C	Parent cell/organism, daughter cells, gametes, offspring and lineage
Missing capacity ΔR	Checkpoint, repair, redundancy and developmental-support capacity
MU+ condition	Propagation remains viable while fidelity, diversity and downstream function stay within safe bounds
Decisive test	Lineage-resolved perturbation study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Reproductive and cellular fidelity systems

ADAPTER 112 · FAMILY 12

Reproduction, inheritance, mitosis and meiosis



DOMAIN INSTANTIATION

State read	Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context
What the incumbent sees	Outcome-only birth/division count
Why local success can mislead	Propagation success hides fidelity loss, developmental burden or downstream instability
Where consequence lands	Parent cell/organism, daughter cells, gametes, offspring and lineage
What must exist before action	Checkpoint, repair, redundancy and developmental-support capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 112 · FAMILY 12

Reproduction, inheritance, mitosis and meiosis

Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Outcome-only birth/division count	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Parent cell/organism, daughter cells, gametes, offspring and lineage	Which receiver, pathway and hidden compensator absorb the change?
B	Propagation success hides fidelity loss, developmental burden or downstream instability	What prevents all protected carriers from improving together?
ΔR^*	Checkpoint, repair, redundancy and developmental-support capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Propagation remains viable while fidelity, diversity and downstream function stay within safe bounds	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 112 · FAMILY 12

Reproduction, inheritance, mitosis and meiosis

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	50	60	55	Local action looks strong here.
B	51	42	57	The local action exports burden to the binding carrier.
C	66	65	73	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 112 · FAMILY 12

Reproduction, inheritance, mitosis and meiosis

t1: Observe. Establish the domain state: Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context.

t2: Propose. A local actor selects an action through the current schema: Outcome-only birth/division count.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Parent cell/organism, daughter cells, gametes, offspring and lineage.

t4: Construct before release. IAMF-P supplies: Checkpoint, repair, redundancy and developmental-support capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Propagation remains viable while fidelity, diversity and downstream function stay within safe bounds.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 112 · FAMILY 12

Reproduction, inheritance, mitosis and meiosis

Current status	Strong structural translation
Source reading	2026 Universal Reality Atlas expansion; requires domain-native validation.
Decisive next design	Lineage-resolved perturbation study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 112 · FAMILY 12

Reproduction, inheritance, mitosis and meiosis

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context.
3. Write the incumbent receiving schema exactly as it exists: Outcome-only birth/division count.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Parent cell/organism, daughter cells, gametes, offspring and lineage.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Checkpoint, repair, redundancy and developmental-support capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Propagation remains viable while fidelity, diversity and downstream function stay within safe bounds.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 111: Evolution and natural selection · Adapter 113: Development and morphogenesis · Adapter 120: Cross-substrate consciousness, temporal coexistence and closure
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 113 · FAMILY 12

Development and morphogenesis

Plate 1 · Native system

Current position: Regulated empirical frontier
Family: Evolution, transformation and emergence

X^* **state**	Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time
Receiving schema Σ	Single marker or endpoint morphology
Blocker B	Correcting one developmental feature displaces stress into another tissue, stage or regulatory pathway
Carriers C	Cells, tissues, organs, organism and developmental future state
Missing capacity ΔR	Stage-aware multi-pathway support, repair and resource architecture
MU+ condition	Functional development improves without compensatory developmental injury
Decisive test	Longitudinal developmental perturbation study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Developmental systems and regenerative research

ADAPTER 113 · FAMILY 12

Development and morphogenesis



DOMAIN INSTANTIATION

State read	Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time
What the incumbent sees	Single marker or endpoint morphology
Why local success can mislead	Correcting one developmental feature displaces stress into another tissue, stage or regulatory pathway
Where consequence lands	Cells, tissues, organs, organism and developmental future state
What must exist before action	Stage-aware multi-pathway support, repair and resource architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 113 · FAMILY 12

Development and morphogenesis

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Single marker or endpoint morphology	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Cells, tissues, organs, organism and developmental future state	Which receiver, pathway and hidden compensator absorb the change?
B	Correcting one developmental feature displaces stress into another tissue, stage or regulatory pathway	What prevents all protected carriers from improving together?
ΔR^*	Stage-aware multipathway support, repair and resource architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Functional development improves without compensatory developmental injury	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 113 · FAMILY 12

Development and morphogenesis

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	57	68	63	Local action looks strong here.
B	62	52	69	The local action exports burden to the binding carrier.
C	59	59	67	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 113 · FAMILY 12

Development and morphogenesis

t1: Observe. Establish the domain state: Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time.

t2: Propose. A local actor selects an action through the current schema: Single marker or endpoint morphology.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Cells, tissues, organs, organism and developmental future state.

t4: Construct before release. IAMF-P supplies: Stage-aware multi-pathway support, repair and resource architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Functional development improves without compensatory developmental injury.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 113 · FAMILY 12

Development and morphogenesis

Current status	Regulated empirical frontier
Source reading	2026 Universal Reality Atlas expansion; requires domain-native validation.
Decisive next design	Longitudinal developmental perturbation study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 113 · FAMILY 12

Development and morphogenesis

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time.
3. Write the incumbent receiving schema exactly as it exists: Single marker or endpoint morphology.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Cells, tissues, organs, organism and developmental future state.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Stage-aware multi-pathway support, repair and resource architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Functional development improves without compensatory developmental injury.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 112: Reproduction, inheritance, mitosis and meiosis · Adapter 114: Metabolism, diet and consumption · Adapter 111: Evolution and natural selection · Adapter 120: Cross-substrate consciousness, temporal coexistence and closure
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 114 · FAMILY 12

Metabolism, diet and consumption

Plate 1 · Native system

Current position: Strong structural fit
Family: Evolution, transformation and emergence

X^* **state**	Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation
Receiving schema Σ	Calories/macros or one nutrient target
Blocker B	Useful intake is achieved by shifting toxicity, deficiency, cost or metabolic burden elsewhere
Carriers C	Gut, microbiome, liver, tissues, household, food system and future organism
Missing capacity ΔR	Adaptive conversion, buffering, storage, elimination and access capacity
MU+ condition	Useful incorporation, metabolic stability, affordability and quality of life improve together
Decisive test	Controlled longitudinal multi-carrier nutrition study

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Adaptive metabolic and food infrastructure

ADAPTER 114 · FAMILY 12

Metabolism, diet and consumption



DOMAIN INSTANTIATION

State read	Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation
What the incumbent sees	Calories/macros or one nutrient target
Why local success can mislead	Useful intake is achieved by shifting toxicity, deficiency, cost or metabolic burden elsewhere
Where consequence lands	Gut, microbiome, liver, tissues, household, food system and future organism
What must exist before action	Adaptive conversion, buffering, storage, elimination and access capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 114 · FAMILY 12

Metabolism, diet and consumption

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Calories/macros or one nutrient target	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Gut, microbiome, liver, tissues, household, food system and future organism	Which receiver, pathway and hidden compensator absorb the change?
B	Useful intake is achieved by shifting toxicity, deficiency, cost or metabolic burden elsewhere	What prevents all protected carriers from improving together?
ΔR^*	Adaptive conversion, buffering, storage, elimination and access capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Useful incorporation, metabolic stability, affordability and quality of life improve together	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 114 · FAMILY 12

Metabolism, diet and consumption

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	64	76	71	Local action looks strong here.
B	48	43	56	The local action exports burden to the binding carrier.
C	52	53	55	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 114 · FAMILY 12

Metabolism, diet and consumption

t1: Observe. Establish the domain state: Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation.

t2: Propose. A local actor selects an action through the current schema: Calories/macros or one nutrient target.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Gut, microbiome, liver, tissues, household, food system and future organism.

t4: Construct before release. IAMF-P supplies: Adaptive conversion, buffering, storage, elimination and access capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Useful incorporation, metabolic stability, affordability and quality of life improve together.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 114 · FAMILY 12

Metabolism, diet and consumption

Current status	Strong structural fit
Source reading	2026 Universal Reality Atlas expansion; requires domain-native validation.
Decisive next design	Controlled longitudinal multi-carrier nutrition study
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 114 · FAMILY 12

Metabolism, diet and consumption

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation.
3. Write the incumbent receiving schema exactly as it exists: Calories/macros or one nutrient target.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Gut, microbiome, liver, tissues, household, food system and future organism.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Adaptive conversion, buffering, storage, elimination and access capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Useful incorporation, metabolic stability, affordability and quality of life improve together.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 113: Development and morphogenesis · Adapter 115: Predation, livestock and food-system transformation · Adapter 111: Evolution and natural selection · Adapter 120: Cross-substrate consciousness, temporal coexistence and closure
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 115 · FAMILY 12

Predation, livestock and food-system transformation

Plate 1 · Native system

Current position: Ethical / ecological frontier
Family: Evolution, transformation and emergence

X^* **state**	Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology
Receiving schema Σ	Yield, price or human nutrition alone
Blocker B	One species/system survives or profits by exporting unrepresented burden into another conscious/ecological carrier
Carriers C	Animals, humans, workers, farmers, consumers, land, ecosystems and future food security
Missing capacity ΔR	Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity
MU+ condition	Food security, livelihoods, welfare and ecological resilience improve across the transition horizon
Decisive test	Phased regional transition with preregistered carrier ledger

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Coexistence-oriented food systems

ADAPTER 115 · FAMILY 12

Predation, livestock and food-system transformation

Plate 2 · Consequential

topology



DOMAIN INSTANTIATION

State read	Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology
What the incumbent sees	Yield, price or human nutrition alone
Why local success can mislead	One species/system survives or profits by exporting unrepresented burden into another conscious/ecological carrier
Where consequence lands	Animals, humans, workers, farmers, consumers, land, ecosystems and future food security
What must exist before action	Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 115 · FAMILY 12

Predation, livestock and food-system transformation

Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Yield, price or human nutrition alone	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Animals, humans, workers, farmers, consumers, land, ecosystems and future food security	Which receiver, pathway and hidden compensator absorb the change?
B	One species/system survives or profits by exporting unrepresented burden into another conscious/ecological carrier	What prevents all protected carriers from improving together?
ΔR^*	Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Food security, livelihoods, welfare and ecological resilience improve across the transition horizon	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 115 · FAMILY 12

Predation, livestock and food-system transformation

Plate 4 · Numerical

play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	48	56	56	Local action looks strong here.
B	59	53	63	The local action exports burden to the binding carrier.
C	65	67	69	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 115 · FAMILY 12

Predation, livestock and food-system transformation

Plate 5 · Time and play-by-play

t1: Observe. Establish the domain state: Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology.

t2: Propose. A local actor selects an action through the current schema: Yield, price or human nutrition alone.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Animals, humans, workers, farmers, consumers, land, ecosystems and future food security.

t4: Construct before release. IAMF-P supplies: Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Food security, livelihoods, welfare and ecological resilience improve across the transition horizon.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 115 · FAMILY 12

Predation, livestock and food-system transformation

Current status	Ethical / ecological frontier
Source reading	2026 Universal Reality Atlas expansion; requires domain-native validation.
Decisive next design	Phased regional transition with preregistered carrier ledger
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 115 · FAMILY 12

Predation, livestock and food-system transformation

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology.
3. Write the incumbent receiving schema exactly as it exists: Yield, price or human nutrition alone.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Animals, humans, workers, farmers, consumers, land, ecosystems and future food security.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Food security, livelihoods, welfare and ecological resilience improve across the transition horizon.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 114: Metabolism, diet and consumption · Adapter 116: Learning, plasticity and cultural evolution · Adapter 111: Evolution and natural selection · Adapter 120: Cross-substrate consciousness, temporal coexistence and closure
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 116 · FAMILY 12

Learning, plasticity and cultural evolution

Plate 1 · Native system

Current position: Strong structural fit
Family: Evolution, transformation and emergence

X^* **state**	Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission
Receiving schema Σ	Test score, output or adoption count
Blocker B	Fast performance gain displaces understanding, wellbeing, diversity or future learning capacity
Carriers C	Learner, teachers, peers, institutions, future self and cultural network
Missing capacity ΔR	Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity
MU+ condition	Capability, transfer, wellbeing and future learning capacity improve together
Decisive test	Longitudinal transfer-and-retention experiment

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Adaptive learning and cultural transmission systems

ADAPTER 116 · FAMILY 12

Learning, plasticity and cultural evolution



DOMAIN INSTANTIATION

State read	Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission
What the incumbent sees	Test score, output or adoption count
Why local success can mislead	Fast performance gain displaces understanding, wellbeing, diversity or future learning capacity
Where consequence lands	Learner, teachers, peers, institutions, future self and cultural network
What must exist before action	Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 116 · FAMILY 12

Learning, plasticity and cultural evolution

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Test score, output or adoption count	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Learner, teachers, peers, institutions, future self and cultural network	Which receiver, pathway and hidden compensator absorb the change?
B	Fast performance gain displaces understanding, wellbeing, diversity or future learning capacity	What prevents all protected carriers from improving together?
ΔR^*	Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Capability, transfer, wellbeing and future learning capacity improve together	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 116 · FAMILY 12

Learning, plasticity and cultural evolution

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	55	64	60	Local action looks strong here.
B	45	38	50	The local action exports burden to the binding carrier.
C	58	57	63	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 116 · FAMILY 12

Learning, plasticity and cultural evolution

t1: Observe. Establish the domain state: Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission.

t2: Propose. A local actor selects an action through the current schema: Test score, output or adoption count.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Learner, teachers, peers, institutions, future self and cultural network.

t4: Construct before release. IAMF-P supplies: Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Capability, transfer, wellbeing and future learning capacity improve together.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 116 · FAMILY 12

Learning, plasticity and cultural evolution

Current status	Strong structural fit
Source reading	2026 Universal Reality Atlas expansion; requires domain-native validation.
Decisive next design	Longitudinal transfer-and-retention experiment
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 116 · FAMILY 12

Learning, plasticity and cultural evolution

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission.
3. Write the incumbent receiving schema exactly as it exists: Test score, output or adoption count.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Learner, teachers, peers, institutions, future self and cultural network.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Capability, transfer, wellbeing and future learning capacity improve together.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 115: Predation, livestock and food-system transformation · Adapter 117: Self-organization and emergence · Adapter 111: Evolution and natural selection · Adapter 120: Cross-substrate consciousness, temporal coexistence and closure
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 117 · FAMILY 12

Self-organization and emergence

Plate 1 · Native system

Current position: Formal / empirical frontier
Family: Evolution, transformation and emergence

X^* **state**	Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate
Receiving schema Σ	Macro outcome without micro-carrier ledger
Blocker B	Emergent order appears beneficial while unstable local compensation accumulates
Carriers C	Components, neighborhoods, emergent structure and external environment
Missing capacity ΔR	Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity
MU+ condition	Emergent order remains viable while local stress and hidden compensation decline
Decisive test	Multi-scale simulation plus physical/biological holdout

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Emergent-system observability and control

ADAPTER 117 · FAMILY 12

Self-organization and emergence



DOMAIN INSTANTIATION

State read	Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate
What the incumbent sees	Macro outcome without micro-carrier ledger
Why local success can mislead	Emergent order appears beneficial while unstable local compensation accumulates
Where consequence lands	Components, neighborhoods, emergent structure and external environment
What must exist before action	Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 117 · FAMILY 12

Self-organization and emergence

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Macro outcome without micro-carrier ledger	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Components, neighborhoods, emergent structure and external environment	Which receiver, pathway and hidden compensator absorb the change?
B	Emergent order appears beneficial while unstable local compensation accumulates	What prevents all protected carriers from improving together?
ΔR^*	Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Emergent order remains viable while local stress and hidden compensation decline	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 117 · FAMILY 12

Self-organization and emergence

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	62	72	68	Local action looks strong here.
B	56	48	62	The local action exports burden to the binding carrier.
C	51	51	57	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 117 · FAMILY 12

Self-organization and emergence

t1: Observe. Establish the domain state: Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate.

t2: Propose. A local actor selects an action through the current schema: Macro outcome without micro-carrier ledger.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Components, neighborhoods, emergent structure and external environment.

t4: Construct before release. IAMF-P supplies: Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Emergent order remains viable while local stress and hidden compensation decline.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 117 · FAMILY 12

Self-organization and emergence

Current status	Formal / empirical frontier
Source reading	2026 Universal Reality Atlas expansion; requires domain-native validation.
Decisive next design	Multi-scale simulation plus physical/biological holdout
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 117 · FAMILY 12

Self-organization and emergence

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate.
3. Write the incumbent receiving schema exactly as it exists: Macro outcome without micro-carrier ledger.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Components, neighborhoods, emergent structure and external environment.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Emergent order remains viable while local stress and hidden compensation decline.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 116: Learning, plasticity and cultural evolution · Adapter 118: Creation, provenance and dependency · Adapter 111: Evolution and natural selection · Adapter 120: Cross-substrate consciousness, temporal coexistence and closure
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 118 · FAMILY 12

Creation, provenance and dependency

Plate 1 · Native system

Current position: Constructive protocol
Family: Evolution, transformation and emergence

X^* **state**	Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects
Receiving schema Σ	Ownership or authorship treated as sufficient relationship model
Blocker B	Created systems become dependent assets or creators become disposable inputs because provenance and reciprocal dependency are ignored
Carriers C	Creators, created systems, maintainers, users, infrastructure and environment
Missing capacity ΔR	Provenance, stewardship, autonomy-transition and reciprocal-viability architecture
MU+ condition	Created and creating systems remain viable without one becoming the sacrificial substrate of the other
Decisive test	Longitudinal creator-created dependency audit

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Provenance and stewardship infrastructure

ADAPTER 118 · FAMILY 12

Creation, provenance and dependency



DOMAIN INSTANTIATION

State read	Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects
What the incumbent sees	Ownership or authorship treated as sufficient relationship model
Why local success can mislead	Created systems become dependent assets or creators become disposable inputs because provenance and reciprocal dependency are ignored
Where consequence lands	Creators, created systems, maintainers, users, infrastructure and environment
What must exist before action	Provenance, stewardship, autonomy-transition and reciprocal-viability architecture

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 118 · FAMILY 12

Creation, provenance and dependency

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Ownership or authorship treated as sufficient relationship model	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Creators, created systems, maintainers, users, infrastructure and environment	Which receiver, pathway and hidden compensator absorb the change?
B	Created systems become dependent assets or creators become disposable inputs because provenance and reciprocal dependency are ignored	What prevents all protected carriers from improving together?
ΔR^*	Provenance, stewardship, autonomy-transition and reciprocal-viability architecture	What capacity must exist at the binding carrier before the transition?
MU^+	Created and creating systems remain viable without one becoming the sacrificial substrate of the other	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 118 · FAMILY 12

Creation, provenance and dependency

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	69	80	76	Local action looks strong here.
B	67	58	74	The local action exports burden to the binding carrier.
C	64	65	71	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 118 · FAMILY 12

Creation, provenance and dependency

t1: Observe. Establish the domain state: Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects.

t2: Propose. A local actor selects an action through the current schema: Ownership or authorship treated as sufficient relationship model.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Creators, created systems, maintainers, users, infrastructure and environment.

t4: Construct before release. IAMF-P supplies: Provenance, stewardship, autonomy-transition and reciprocal-viability architecture.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Created and creating systems remain viable without one becoming the sacrificial substrate of the other.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 118 · FAMILY 12

Creation, provenance and dependency

Current status	Constructive protocol
Source reading	2026 Universal Reality Atlas expansion; requires domain-native validation.
Decisive next design	Longitudinal creator-created dependency audit
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 118 · FAMILY 12

Creation, provenance and dependency

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects.
3. Write the incumbent receiving schema exactly as it exists: Ownership or authorship treated as sufficient relationship model.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Creators, created systems, maintainers, users, infrastructure and environment.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Provenance, stewardship, autonomy-transition and reciprocal-viability architecture.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Created and creating systems remain viable without one becoming the sacrificial substrate of the other.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 117: Self-organization and emergence · Adapter 119: Cosmological evolution and structure formation · Adapter 111: Evolution and natural selection · Adapter 120: Cross-substrate consciousness, temporal coexistence and closure
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 119 · FAMILY 12

Cosmological evolution and structure formation

Plate 1 · Native system

Current position: Hard scientific frontier
Family: Evolution, transformation and emergence

X^* **state**	Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state
Receiving schema Σ	Single scale or observable treated as complete cosmic state
Blocker B	Model success at one scale hides mismatch, selection effect or unresolved dynamics at another
Carriers C	Observed regions, fields/matter components, instruments, models and observers
Missing capacity ΔR	Cross-scale observation, uncertainty, model-comparison and instrumentation capacity
MU+ condition	Predictive fidelity increases across scales without hidden contradiction or unsupported closure
Decisive test	Preregistered cross-survey predictive holdout

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Cosmological inference and instrumentation

ADAPTER 119 · FAMILY 12

Cosmological evolution and structure formation



DOMAIN INSTANTIATION

State read	Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state
What the incumbent sees	Single scale or observable treated as complete cosmic state
Why local success can mislead	Model success at one scale hides mismatch, selection effect or unresolved dynamics at another
Where consequence lands	Observed regions, fields/matter components, instruments, models and observers
What must exist before action	Cross-scale observation, uncertainty, model-comparison and instrumentation capacity

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 119 · FAMILY 12

Cosmological evolution and structure formation

Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Single scale or observable treated as complete cosmic state	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	Observed regions, fields/matter components, instruments, models and observers	Which receiver, pathway and hidden compensator absorb the change?
B	Model success at one scale hides mismatch, selection effect or unresolved dynamics at another	What prevents all protected carriers from improving together?
ΔR^*	Cross-scale observation, uncertainty, model-comparison and instrumentation capacity	What capacity must exist at the binding carrier before the transition?
MU^+	Predictive fidelity increases across scales without hidden contradiction or unsupported closure	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 119 · FAMILY 12

Cosmological evolution and structure formation

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	53	65	61	Local action looks strong here.
B	53	43	61	The local action exports burden to the binding carrier.
C	57	59	65	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 119 · FAMILY 12

Cosmological evolution and structure formation

t1: Observe. Establish the domain state: Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state.

t2: Propose. A local actor selects an action through the current schema: Single scale or observable treated as complete cosmic state.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: Observed regions, fields/matter components, instruments, models and observers.

t4: Construct before release. IAMF-P supplies: Cross-scale observation, uncertainty, model-comparison and instrumentation capacity.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Predictive fidelity increases across scales without hidden contradiction or unsupported closure.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 119 · FAMILY 12

Cosmological evolution and structure formation

Current status	Hard scientific frontier
Source reading	2026 Universal Reality Atlas expansion; requires domain-native validation.
Decisive next design	Preregistered cross-survey predictive holdout
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 119 · FAMILY 12

Cosmological evolution and structure formation

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state.
3. Write the incumbent receiving schema exactly as it exists: Single scale or observable treated as complete cosmic state.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: Observed regions, fields/matter components, instruments, models and observers.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Cross-scale observation, uncertainty, model-comparison and instrumentation capacity.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Predictive fidelity increases across scales without hidden contradiction or unsupported closure.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 118: Creation, provenance and dependency · Adapter 120: Cross-substrate consciousness, temporal coexistence and closure · Adapter 111: Evolution and natural selection
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

ADAPTER 120 · FAMILY 12

Cross-substrate consciousness, temporal coexistence and closure

Plate 1 · Native system

Current position: Meta-adapter / closure operator
Family: Evolution, transformation and emergence

X^* **state**	The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility
Receiving schema Σ	Any local adapter, species, institution or observer claiming closure from its own schema alone
Blocker B	A newly recognized truth, capability or optimization becomes locally beneficial while dependent carriers lack the capacity to absorb its consequences through time
Carriers C	All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths
Missing capacity ΔR	Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and dependencies
MU+ condition	Increasing consciousness-legibility and viable coexistence across the coupled system, with no material carrier forced to become the sacrificial sink of another system's advancement
Decisive test	Time-locked system-of-systems closure test across multiple adapters

Reader lens. The native system is not replaced by K_R terminology. The adapter asks whether its own variables can be mapped into the same consequential questions without losing the domain's mechanism.

FRONTIER / APPLICATION CLASS Cross-substrate coexistence closure

ADAPTER 120 · FAMILY 12

Cross-substrate consciousness, temporal coexistence and closure

Plate 2 · Consequential topology



DOMAIN INSTANTIATION

State read	The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility
What the incumbent sees	Any local adapter, species, institution or observer claiming closure from its own schema alone
Why local success can mislead	A newly recognized truth, capability or optimization becomes locally beneficial while dependent carriers lack the capacity to absorb its consequences through time
Where consequence lands	All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths
What must exist before action	Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and dependencies

Translation rule. Keep the arrows; replace only the nouns, units, dynamics and feasible actions through M_d. If the relation itself must be changed to make the adapter fit, that is evidence against universality rather than a reason to quietly rewrite the kernel.

ADAPTER 120 · FAMILY 12

Cross-substrate consciousness, temporal coexistence and closure

Plate 3 · Native-to-universal language

Universal term	Native reading	Operational question
X^*	evidence-grounded domain state	What variables must be known before a consequential claim is allowed?
Σ	Any local adapter, species, institution or observer claiming closure from its own schema alone	What does the current receiver compress, omit or misclassify?
BDI	local vs consequential objective	Would the preferred action change if the full material boundary were used?
D_a	domain-native displacement	Who changes, in which unit, and after what delay relative to comparator a_0?
$C/\Gamma/H$	All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths	Which receiver, pathway and hidden compensator absorb the change?
B	A newly recognized truth, capability or optimization becomes locally beneficial while dependent carriers lack the capacity to absorb its consequences through time	What prevents all protected carriers from improving together?
ΔR^*	Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and dependencies	What capacity must exist at the binding carrier before the transition?
MU^+	Increasing consciousness-legibility and viable coexistence across the coupled system, with no material carrier forced to become the sacrificial sink of another system's advancement	What carrier-specific result counts as success rather than average improvement?

Non-metaphor test. Every row should eventually acquire native observables, units, uncertainty and an identification strategy. A poetic resemblance is not enough.

ADAPTER 120 · FAMILY 12

Cross-substrate consciousness, temporal coexistence and closure

Plate 4 · Numerical play-through

Illustrative numbers only. These values are a teaching instrument, not empirical measurements for this domain. They demonstrate why carrier-level accounting differs from a local average.



Carrier	Baseline	Local action	IAMF-P action	Interpretation
A	60	68	65	Local action looks strong here.
B	64	59	68	The local action exports burden to the binding carrier.
C	50	49	53	Secondary carrier reveals delayed/systemic effect.

The local action's mean can look acceptable while one protected carrier deteriorates. MU+ therefore evaluates each protected carrier separately; it does not let Carrier A's gain purchase Carrier B's loss.

ADAPTER 120 · FAMILY 12

Cross-substrate consciousness, temporal coexistence and closure

Plate 5 · Time and play-by-play

t1: Observe. Establish the domain state: The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility.

t2: Propose. A local actor selects an action through the current schema: Any local adapter, species, institution or observer claiming closure from its own schema alone.

t3: Predict. LERM estimates the displacement field and identifies the consequential receivers: All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths.

t4: Construct before release. IAMF-P supplies: Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and dependencies.

t5: Transition. The action/event now enters a prepared receiving topology rather than the original one.

t6: Retest. Measure whether Increasing consciousness-legibility and viable coexistence across the coupled system, with no material carrier forced to become the sacrificial sink of another system's advancement.

t7: Recur. Feed the observed post-state back into Ω_{t+1}; newly visible burden becomes part of the next state rather than being discarded.

Time rule. A consequence that has not materialized yet is not zero. It remains a horizon-specific prediction with uncertainty until the horizon closes.

ADAPTER 120 · FAMILY 12

Cross-substrate consciousness, temporal coexistence and closure

Plate 6 · Evidence and falsification

Current status	Meta-adapter / closure operator
Source reading	2026 Universal Reality Atlas expansion; requires domain-native validation.
Decisive next design	Time-locked system-of-systems closure test across multiple adapters
Strong falsifier	Frozen K_R carrier prediction fails against the best incumbent under information and budget parity; or the predicted construction repeatedly fails the preregistered MU+ carrier gates.
Weak evidence	Retrospective story-fit, hand-picked success cases, altered semantics after outcome, or a domain translation with no native observables.
Strong evidence	Preregistered boundary, causal identification, sealed carrier prediction, prospective/untouched holdout, parity benchmark and independent replication.

Status discipline. A clean adapter is a hypothesis generator. It becomes an empirical result only when the native domain earns its own measurement, identification and prospective test.

KILL QUESTION What observation would force this adapter to be revised rather than explained away?

ADAPTER 120 · FAMILY 12

Cross-substrate consciousness, temporal coexistence and closure

Plate 7 · What to do next

1. Freeze the consequential boundary, horizon, protected carriers and comparator before seeing outcomes.
2. Build the native state model from: The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility.
3. Write the incumbent receiving schema exactly as it exists: Any local adapter, species, institution or observer claiming closure from its own schema alone.
4. Estimate whether the local and consequential optima diverge. If not, return NO ACTIVATION.
5. Identify D_a, then the receiving carrier/path/hidden compensation in: All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths.
6. Specify the smallest feasible capacity build capable of resolving the blocker: Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and dependencies.
7. Run the transition under parity and retain negatives, UNKNOWN and NO FEASIBLE MU+ outcomes.
8. Accept only if: Increasing consciousness-legibility and viable coexistence across the coupled system, with no material carrier forced to become the sacrificial sink of another system's advancement.
9. Publish provenance: data, boundary, equations, uncertainty, failed alternatives and post-state.

Cross-references. Adapter 119: Cosmological evolution and structure formation · Adapter 111: Evolution and natural selection
Operator output: a dated boundary memo, carrier register, causal estimand, capacity specification, MU+ gate sheet and next-state update.

END OF ADAPTER The next adapter changes the substrate or scale, not the frozen consequential questions.

Formula Vault

CANONICAL EQUATIONS

Frozen kernel and 2026 ontology extension

FORMULA 01

Domain state

$$X_t^* = M_d(\Omega_t)$$

Use this equation only after the domain map defines native variables, units, observables and uncertainty. The Formula Vault is a grammar reference, not permission to replace domain science with notation.

OPERATIONAL QUESTION What measurement would make each symbol non-metaphorical in this domain?

FORMULA 02

Receiving schema

$$\widehat{X}_t = \Sigma_d(X_t^*)$$

Use this equation only after the domain map defines native variables, units, observables and uncertainty. The Formula Vault is a grammar reference, not permission to replace domain science with notation.

OPERATIONAL QUESTION What measurement would make each symbol non-metaphorical in this domain?

FORMULA 03

Schema gap

$$G_{\Sigma,t} = \delta(X_t^*, \widehat{X}_t)$$

Use this equation only after the domain map defines native variables, units, observables and uncertainty. The Formula Vault is a grammar reference, not permission to replace domain science with notation.

OPERATIONAL QUESTION What measurement would make each symbol non-metaphorical in this domain?

FORMULA 04

Boundary divergence

$$BDI = J_G(a_S^*) - J_G(a_G^*)$$

Use this equation only after the domain map defines native variables, units, observables and uncertainty. The Formula Vault is a grammar reference, not permission to replace domain science with notation.

OPERATIONAL QUESTION What measurement would make each symbol non-metaphorical in this domain?

FORMULA 05

Displacement field

$$D_a(j,k,\tau) = \mathbb{E}[U_{j,k}(t+\tau) \mid do(a)] - \mathbb{E}[U_{j,k}(t+\tau) \mid do(a_0)]$$

Use this equation only after the domain map defines native variables, units, observables and uncertainty. The Formula Vault is a grammar reference, not permission to replace domain science with notation.

OPERATIONAL QUESTION What measurement would make each symbol non-metaphorical in this domain?

FORMULA 06

Reserve / value gap

$$RVG_j = \iota_j - \alpha_j$$

Use this equation only after the domain map defines native variables, units, observables and uncertainty. The Formula Vault is a grammar reference, not permission to replace domain science with notation.

OPERATIONAL QUESTION What measurement would make each symbol non-metaphorical in this domain?

FORMULA 07

Agency state

$$\Psi_i(t) = \mathcal{G}_d(X_t^*, H_i, E_i, \mathcal{O}_i, K_i, \kappa_i)$$

Use this equation only after the domain map defines native variables, units, observables and uncertainty. The Formula Vault is a grammar reference, not permission to replace domain science with notation.

OPERATIONAL QUESTION What measurement would make each symbol non-metaphorical in this domain?

FORMULA 08

Action selection

$$a_i \sim \pi_i(\cdot \mid \Psi_i(t))$$

Use this equation only after the domain map defines native variables, units, observables and uncertainty. The Formula Vault is a grammar reference, not permission to replace domain science with notation.

OPERATIONAL QUESTION What measurement would make each symbol non-metaphorical in this domain?

FORMULA 09

Responsibility field

$$\rho_i(t) = \mathcal{R}(\Psi_i(t), a_i, D_{a_i})$$

Use this equation only after the domain map defines native variables, units, observables and uncertainty. The Formula Vault is a grammar reference, not permission to replace domain science with notation.

OPERATIONAL QUESTION What measurement would make each symbol non-metaphorical in this domain?

FORMULA 10

Expanded ontology

$$U^{+} = S \times L \times F \times C \times V \times M \times T \times \Psi$$

Use this equation only after the domain map defines native variables, units, observables and uncertainty. The Formula Vault is a grammar reference, not permission to replace domain science with notation.

OPERATIONAL QUESTION What measurement would make each symbol non-metaphorical in this domain?

FORMULA 11

Domain compiler

$$\mathcal{C}_d : (K_R, M_d, O_d, A_d) \to (\Sigma_d, \delta_d, \Phi_d, D_d, C_d, B_d, \Delta R_d, Q_d)$$

Use this equation only after the domain map defines native variables, units, observables and uncertainty. The Formula Vault is a grammar reference, not permission to replace domain science with notation.

OPERATIONAL QUESTION What measurement would make each symbol non-metaphorical in this domain?

FORMULA 12

Mutual Uptick

$$MU^{+} \iff \forall j \in G_m : \; LCB_{\alpha}(\Delta V_j) > \epsilon_j \wedge Safety \wedge RVG_j \leq 0$$

Use this equation only after the domain map defines native variables, units, observables and uncertainty. The Formula Vault is a grammar reference, not permission to replace domain science with notation.

OPERATIONAL QUESTION What measurement would make each symbol non-metaphorical in this domain?

FORMULA 13

Truth-cost condition

$$K_T(q,t) > R_G(t) \Rightarrow \text{build capacity before full transition}$$

Use this equation only after the domain map defines native variables, units, observables and uncertainty. The Formula Vault is a grammar reference, not permission to replace domain science with notation.

OPERATIONAL QUESTION What measurement would make each symbol non-metaphorical in this domain?

FORMULA 14

Relational viability

$$V_i(t+1) = f_i(X_i(t), X_{N(i)}(t), E_t, t)$$

Use this equation only after the domain map defines native variables, units, observables and uncertainty. The Formula Vault is a grammar reference, not permission to replace domain science with notation.

OPERATIONAL QUESTION What measurement would make each symbol non-metaphorical in this domain?

FORMULA 15

Closure operator

$$A_{120} = \mathcal{C}_{\chi}(A_1, A_2, \dots, A_{119}, t)$$

Use this equation only after the domain map defines native variables, units, observables and uncertainty. The Formula Vault is a grammar reference, not permission to replace domain science with notation.

OPERATIONAL QUESTION What measurement would make each symbol non-metaphorical in this domain?

Evidence Ledger

PROGRAMME STATUS

What is established, supported, open and explicitly not established

Structural portability	Strong as a research architecture: 120 adapters can be written with the same frozen questions while changing native variables through M_d.
External empirical superiority	Open. The decisive standard remains prospective, parity-controlled, untouched holdout plus independent replication.
Fundamental physical law	Not established. Physics adapters compile structurally; that is not evidence of a new interaction, conservation law or physical constant.
Universal consciousness	Treated as an ontological premise of this Atlas. Cross-substrate measurement and legibility remain open scientific/philosophical frontiers.
Mutual Uptick	Acceptance architecture is specified; broad domain-by-domain prospective passage remains open.
Simulation record	Includes retained negatives and exploratory positives; semantics-changed runs are not treated as confirmatory.

NUMBERS RETAINED

Validation and simulation register

Record	Number	Interpretation
360-test register	8 / 118 / 120 / 106 / 8	Source documented / phenomenon documented / partial-pending / kernel-open / not established.
250k routing-only ablation	2.224283%	Full telemetry burden reduction.
250k routing-only ablation	1.618167%	LERM/IAMF-P burden reduction.
250k routing-only ablation	1.546338%	Raw LERM burden reduction.
Corrected catch-basin	5.6696%	LERM + IAMF-P, exploratory after semantics change.
Corrected catch-basin	5.5567%	Full telemetry comparator.
Generic 1M-system heuristic	7.136%	Whole-system generic action average, lost to strongest local KPI.
Strongest local KPI	7.567%	Comparator in first 1M-system experiment.
Whole-system objective	7.9083%	Second 1M-system experiment.
Boundary MPC	7.8256%	Comparator in second 1M-system experiment.
Local KPI	7.506%	Comparator in second 1M-system experiment.
Full-telemetry next-carrier	7.488%	Comparator in second 1M-system experiment.
Individual-case wins	about 29%	Whole-system objective did not need to win every local case to improve aggregate consequential outcome.
121-test conformance suite	121 PASS	Conformance to source dossier, not scientific validation.

Glossary

PLAIN-LANGUAGE REFERENCE

The vocabulary of the Atlas

Action set $\mathcal{A}$

Feasible transitions genuinely available to the system under the frozen boundary.

BDI

Boundary Divergence Index: difference between local-optimal and consequential-optimal objective values.

Binding carrier

The receiving carrier whose capacity shortfall blocks Mutual Uptick.

Carrier C

A person, organ, account, node, habitat, reservoir, future generation or other system that receives displaced state.

Comparator a_0

Preregistered counterfactual action against which displacement is estimated.

Consequence topology

The set of receivers, paths, dimensions, delays and magnitudes through which a transition propagates.

Domain map M_d

Translation from raw domain reality into the evidence-grounded state used by the frozen kernel.

Hidden compensator H

A reserve, worker, caregiver, ecosystem, balance sheet or other carrier absorbing burden that makes local performance look better.

IAMF-P

Constructive operation that builds missing capacity at the binding carrier before the consequential transition.

LERM

Loss/excess/displacement tracing operation that predicts and reconstructs receiving consequence topology.

Mutual Uptick / MU+

Carrier-specific acceptance condition requiring every protected material carrier to clear preregistered thresholds.

NO ACTIVATION

Output when local and consequential decisions do not materially diverge.

NO FEASIBLE MU+

Output when displacement is identifiable but no feasible construction clears the protected-carrier gates.

RVG

Reserve / Value Gap: incoming burden minus absorption/recovery capacity.

Schema Σ

The representation through which a receiver recognizes and acts on a state.

UNKNOWN

Output when the causal/consequential quantity cannot be identified with the available evidence.

Ψ state

Coupled state containing history, environment, option topology, knowledge, capacity, consciousness and the variables relevant to agency/responsibility.

Adapter 120

Meta-adapter closing the 001-119 network through cross-substrate consciousness, temporal coexistence and system-of-systems dependency.

Primary Source Record

CANONICAL CORPUS

Source documents integrated into this edition

- Jefferson Rafael Rufino. *The Ledger of Consequence: Rewritten Edition of the Rufino Law, K_R v1.1*. 2026. Primary canonical kernel, ontology, Frontier Atlas, validation register and formula vault.
- Jefferson Rafael Rufino. *Rufino Synthesis End-to-End Playbook*. 2026. Operational synthesis and domain-translation record.
- Jefferson Rafael Rufino. *The Rufino Law Universal Reality Frontier Market Book, Research Edition*. 2026. Expanded research atlas and domain-native translation record.
- Jefferson Rafael Rufino. *Thermodynamic Economic Frameworks Analysis 2*. Earlier thermodynamic/economic development record.

The first 100 adapter cards in this edition preserve the canonical Frontier Atlas fields from the Ledger. Adapters 101-120 formalize the 2026 extension developed around conscious agency, responsibility, evolution, transformation and temporal coexistence. Adapter 120 is a closure operator over the preceding network, not merely a peer domain.

TO EXIST IS TO ENTER RELATION.

Once a state enters relation, it becomes consequential to other states. Stable existence therefore requires a viable architecture of coexistence.

The Universal Reality Atlas

Jefferson Rafael Rufino · Canonical Edition 1.0 · 2026

SOURCE RECORD A

The Ledger of Consequence

K_R v1.1 · Facsimile Appendix

A REWRITTEN EDITION · K_R v1.1

THE LEDGER OF CONSEQUENCE

The Rufino Law of Consequential Displacement and Reconciliation, rebuilt chapter by chapter, with the full 360-test Validation Atlas, the 100-domain Frontier Atlas, and a visual atlas of translation across molecules, nodes, neurons, hops and social strata.



Same grammar in every domain. Only M_d, native units, observables and feasible actions change.

Research and mathematics
Jefferson Rafael Rufino, Founder / Architect, LERM + IAMF-P, Philippines

Rewrite, restructuring, new figures and toy simulations
AI-assisted synthesis (Claude, Anthropic), 5 October 2026

A note on this edition

You asked for a fresh take on the book, not a copy-edit. This edition keeps the author's mathematics, the K_R v1.1 kernel, the 360-test validation register, the 121-test conformance register and the 100-domain atlas, because those are the substance of the research. Everything around them has been rewritten: the argument is reordered so that a reader meets the idea before the machinery, the machinery before the applications, and the applications before the tests; the prose is new; and the visuals are new. Where the original asserted, this edition shows. Where the original left a diagram implicit, this edition draws it.

Three things are genuinely new here. First, **Part III** is a visual atlas of translation: the same consequential grammar drawn across a code-to-molecule channel, a multi-node network, a multi-neuron chain, a multi-hop communication path and a stack of social strata. Each comes with a small, seeded simulation whose results are printed in the text. Second, the book includes a **critical reading** of the law (Chapter 3), separating what is true by definition from what must be earned by experiment. Third, the toy experiments report their **negative results** alongside the positive ones, in the same spirit as the retained 250,000-case negative in the original.

Attribution rule (carried over from the original)

The research architecture and mathematics in this book are attributed to Jefferson Rafael Rufino as presented in the author-supplied corpus. AI-assisted work in this edition is limited to synthesis, restructuring, prose, figure design, toy-simulation design, test-register assembly and reporting. It is not presented as co-authorship of the originating mathematics.

Honest scope

This is a research monograph about a *proposed* law and a versioned audit protocol. Its own claim ledger (Chapter 29) lists what is supported, what is open and what is not established. Visuals and toy simulations are schematic, not empirical evidence. Appendix H lists known limitations. Medical, legal, financial, security and weapons-adjacent domains appear only as research architecture, never as treatment, advice or operational instruction.

How the book is organised

Table 1. Map of the book.

Part	What it does	Chapters
I. The Idea	Plain statement of the law, its discovery record, a critical reading, and the evidence grammar	1 to 4
II. The Machinery	Schema, boundary divergence, tracing, time, construction, Mutual Uptick, stopping rules, the whole kernel	5 to 14
III. One Grammar, Many Substrates	Translation visuals and toy experiments across molecules, nodes, neurons, hops and strata	15 to 21
IV. Applications	Friction economy, AI, climate (PHOTOSYNTHESIS), the Frontier Market Foundry	22 to 25
V. Testing the Law	Prior art, retained simulations, falsification, claim ledger, roadmap	26 to 30
VI. Validation Atlas	The 18-test battery applied to 20 branches: 360 named tests	full register
VII. Frontier Atlas	100 domain adapters in ten families, one construction brief each	full register
VIII. Practice	Four worked audits, a field guide with templates, objections and replies, misuse	31 to 34
Appendices	Formula vault, glossary, 121-test conformance register, design cards, reproducibility, references	A to H

Contents

Part I. The Idea . . . 7

1. The Law in Plain Terms . . . 8
2. Where It Came From: The Discovery Record . . . 10
3. Reading the Law Critically . . . 12
4. The Evidence Grammar . . . 14

Part II. The Machinery . . . 16

5. Schema, Truth and Legibility . . . 17
6. Boundary Divergence . . . 19
7. Displacement and the Carrier . . . 20
8. Hidden Compensation . . . 22
9. Time and the Reconciliation Velocity Gap . . . 23
10. Mutual Uptick . . . 24
11. Stopping Rules and Honest Outputs . . . 25
12. Constructing Capacity: IAMF-P . . . 26
13. The Whole Kernel and Its Version History . . . 27
14. RSO: The Operator as an API . . . 29

Part III. One Grammar, Many Substrates . . . 30

15. The Ontology of Substrates and the Domain Compiler . . . 31
16. Code to Molecule: Translation Across a Codebook . . . 33
17. Multi-Node Transfer: Where the Burden Converges . . . 35
18. Multi-Neuron Transfer: The Slowest Synapse . . . 36
19. Multi-Point Communication: Meaning Across Many Hops . . . 38
20. Social Strata: Burden That Flows Downhill . . . 40
21. The Toy Experiments in Full . . . 42

Part IV. Applications . . . 45

22. From a Friction Economy to a Reconciliation Economy . . . 46
23. Auditing the AI Market . . . 48
24. PHOTOSYNTHESIS: A Live Prospective Climate Test . . . 50
25. The Frontier Market Foundry and the Universal Package . . . 52

Part V. Testing the Law . . . 54

26. Prior Art and the Novelty Question . . . 55
27. Retained Simulations and Negative Results . . . 57
28. Falsification and Decisive Experiments . . . 59
29. The Claim Ledger and Present Status . . . 61

30. Roadmap and Provenance . . . 63

Part VI. The Validation Atlas . . . 65

VALIDATION ATLAS: The Universal 18-Test Battery . . . 66
VALIDATION ATLAS: Executed Computational and Conformance Tests . . . 68
VALIDATION ATLAS: Cross-Branch Synthesis . . . 69
IC. Index Case 001 . . . 71
B01. Luxury / physical assets . . . 74
B02. Banking / finance . . . 76
B03. Macroeconomy . . . 78
B04. Organizations / founder systems . . . 81
B05. Psychology / social legibility . . . 83
B06. Healthcare delivery . . . 86
B07. Cancer / adaptive treatment . . . 88
B08. Neuroscience / neurodegeneration . . . 90
B09. Aging / competing biological constraints . . . 93
B10. Energy / power grids . . . 95
B11. Weather / climate / disaster response . . . 97
B12. Supply chains / logistics . . . 100
B13. Cybersecurity . . . 103
B14. AI systems / agents . . . 105
B15. Public administration . . . 108
B16. Ecology / commons . . . 111
B17. Spacecraft / closed-loop life support . . . 114
B18. Fundamental physics / pure mathematics . . . 116
H01. External holdout: water / irrigation . . . 119

Part VII. The Frontier Atlas . . . 121

FRONTIER ATLAS: How the Atlas Works . . . 122
FAMILY 1 OF 10 · ADAPTERS 001 TO 010: Human life quality . . . 124
FAMILY 2 OF 10 · ADAPTERS 011 TO 020: Psychology meaning . . . 128
FAMILY 3 OF 10 · ADAPTERS 021 TO 030: Biomedical . . . 132
FAMILY 4 OF 10 · ADAPTERS 031 TO 040: Education justice governance . . . 136
FAMILY 5 OF 10 · ADAPTERS 041 TO 050: Culture beauty experience . . . 140
FAMILY 6 OF 10 · ADAPTERS 051 TO 060: Money markets organizations . . . 144
FAMILY 7 OF 10 · ADAPTERS 061 TO 070: Technology information . . . 148
FAMILY 8 OF 10 · ADAPTERS 071 TO 080: Earth infrastructure ecology . . . 152
FAMILY 9 OF 10 · ADAPTERS 081 TO 090: Physical microscopic formal . . . 156
FAMILY 10 OF 10 · ADAPTERS 091 TO 100: Frontier illicit cosmic . . . 160

Part VIII. Practice . . . 164

31. Four Worked Audits . . . 165
32. A Field Guide to Running an Audit . . . 169
33. Objections and Replies . . . 171
34. Ten Ways to Misuse the Law . . . 173
35. Concept Cards . . . 174
36. Plain-Language Glossary . . . 177
37. Study Guide and Reading Paths . . . 179

Part A. Appendices . . . 181

APPENDIX A: Formula Vault and Symbol Glossary . . . 182
APPENDIX B: The Mutual Uptick Acceptance Charter . . . 184
APPENDIX C: The 121-Test Conformance Register . . . 185
APPENDIX D: External Empirical Evidence Used in the Source . . . 191
APPENDIX E: Reproducibility Note for the Toy Experiments in This Edition . . . 193
APPENDIX F: References . . . 194
APPENDIX G: Design Cards for the 18 Universal Tests . . . 196
APPENDIX H: Known Limitations and Open Items of This Edition . . . 200

List of Figures

Fig. 1	The core picture.	8
Fig. 2	Direction of discovery.	10
Fig. 3	The evidence ladder.	14
Fig. 4	Schema gap as a distance between what is the case (X*) and what the receiver recognises ($\hat{X}$).	17
Fig. 5	BDI as the gap, measured under the consequential cost J_G, between the action the local boundary prefers and the…	19
Fig. 6	A schematic carrier network (toy).	21
Fig. 7	Hidden compensators.	22
Fig. 8	The Reconciliation Velocity Gap.	23
Fig. 9	The MU+ gate.	24
Fig. 10	The four possible terminal outputs.	25
Fig. 11	Toy phase diagram: when does building at the binding carriers pay?	26
Fig. 12	The K_R v1.1 pipeline.	27
Fig. 13	The seven axes of the universal reality ontology.	31
Fig. 14	Top: the code-to-molecule channel.	33
Fig. 15	Eight-stage chain with finite per-stage throughput (toy).	36
Fig. 16	Meaning preserved across a chain of hops (toy).	38
Fig. 17	Left: local optimisation above pushes burden below, with thicker arrows to the immediate stratum.	40
Fig. 18	Experiment A.	42
Fig. 19	Experiment B.	43
Fig. 20	The source's illustrative stress test.	47
Fig. 21	The AI ledger.	48
Fig. 22	The five catchment layers of PHOTOSYNTHESIS, from hazard sensing to non-displacement audit, with a compulsory retest.	50
Fig. 23	The eight gates from detection to scale.	52
Fig. 24	Qualitative reading of the prior-art review.	55
Fig. 25	Source-reported simulation results.	57
Fig. 26	The seven falsifiers of the universal claim, each tied to the stage of the kernel it would break.	59
Fig. 27	Status of all 360 registered tests (Part VI): by test number and in total.	61
Fig. 28	A proposed five-phase sequence.	63
Fig. 29	The full 360-test status map.	66
Fig. 30	Status profile of each branch.	69
Fig. 31	The 100 adapters in ten families, coloured by the current position assigned in the source.	122
Fig. 32	Composition of the atlas: the number of adapters in each family by position class.	123
Fig. 33	Audit 1 (hypothetical numbers).	165
Fig. 34	Audit 2 (hypothetical numbers).	166
Fig. 35	Audit 3 (hypothetical numbers).	167
Fig. 36	Audit 4 (hypothetical numbers).	168
Fig. 37	A reminder of what the audit is hunting for: the hidden compensators that make stability look like sufficiency.	169

PART I

The Idea

What the law says, where it came from, how to read it critically, and how to grade the evidence for it.

CHAPTER 1

The Law in Plain Terms

Most failures that look like surprises are not. A team hits its target and a different team inherits the cleanup. A hospital shortens its stay times and families absorb the care. A farm saves water and the river below runs thin. A model answers fluently and a human spends an hour verifying. In each case a local optimiser succeeded *by its own accounting*, and the unresolved remainder of the problem went somewhere the accounting did not look.

The Rufino Law says this is not an accident but a regularity, and that the regularity can be audited. In the author's words, a locally optimised open system can preserve apparent success by moving unresolved state beyond its declared boundary; unless that state is genuinely reconciled, it remains observable in one or more receiving carriers, coupling structures, compensating nodes, delayed periods or altered system states.

The law, formally

Displacement clause. A locally optimised open system can preserve apparent success by moving unresolved state beyond its declared boundary. Unless that state is reconciled, it stays observable in a receiving carrier, a coupling structure, a compensating node, a later period or an altered system state.
Constructive complement. Reconciliation is complete only when the consequential state has been captured, absorbed, transformed or productively reintegrated by sufficient capacity, and a later whole-system audit finds no equal or greater material burden displaced elsewhere or later.



Figure 1. The core picture. A local optimiser succeeds inside S. Unresolved state crosses the boundary and lands in carriers inside the larger boundary G, including one that is hidden.

Three words carry the whole law

Boundary. Every optimiser works inside a boundary it has declared, explicitly or not: a budget line, a department, a quarter, a patient, a farm. The law asks for a second boundary, G, drawn around everything the action can materially affect. The distance between what looks best inside S and what is best inside G is the Boundary Divergence Index (BDI, Chapter 6).

Carrier. Displaced state does not vanish. It lands in something: a person, a household, an aquifer, a balance sheet, a future quarter, an unpaid worker, a downstream system. Naming the carrier is the first act of the audit and the thing most often skipped.

Reconciliation. To reconcile is to capture, absorb, transform or reintegrate the unresolved state with real capacity, not to move it again. The law is explicit that optimisation can resolve, transform, store, defer or displace consequence, but it cannot destroy it.

What makes this more than the idea of an externality

Economists have long known that private and social costs diverge. The law differs in three ways, each of which Chapter 26 tests against prior art. It treats the divergence as the first step of a *recurrent operator* rather than a single correction. It insists on tracing the displacement to a named carrier, including hidden compensators that make a system look stable. And it refuses to stop at diagnosis: the unit of progress is *construction*, building the missing capacity at the binding carrier, followed by a compulsory retest.

The pass condition sits above zero

A common mistake is to treat "no one is worse off" as success. The author's pass condition is stricter. Zero is a *clearing point*: the ledger has no unaccounted sink. Success is **Mutual Uptick** (MU+): every material carrier exits with a positive, preregistered consequential gain. A carrier that is merely sacrificed, depleted or held flat so that another can claim the gain counts as a failure. Aggregate averages are not allowed to hide a losing carrier (Chapter 10).

The strictness is deliberate and it has a price. Many real interventions will fail MU+, and the kernel is required to say so rather than to relabel the failure. A law that could never fail its own test would be rhetoric. Chapter 11 describes the three honest non-positive outputs the kernel must be able to produce.

CHAPTER 2

Where It Came From: The Discovery Record

The law did not begin as an equation. According to the corpus, repeated lived, commercial, financial, organisational and institutional observations preceded the mathematics. The author calls the principal record **Index Case 001**, and the validation atlas treats it as the highest-resolution reference implementation. This chapter describes it at the level of systems, which is how the source itself treats sensitive events.



Direction of discovery: observation first, mathematics second, external validation last (and still open).

Figure 2. Direction of discovery. The operating record came first; the mathematics compresses recurring structure; external validation is the part still to be earned.

Why a single case can be informative but not decisive

The index record is unusually information-dense: a long chronology, several evidence classes kept apart, exact financial ledgers, a set of recurring contradictions, an eight-node operating architecture and explicit falsification rules. That density is why the equations have a traceable origin. But the book is careful about what a source record can and cannot show. It is *discovery provenance*, not independent proof of universality. A richly documented case can suggest a structure; only prospective tests on untouched systems can show that the structure transfers.

The lessons the record taught, mapped to the formal variables

Table 2. From the discovery record to the formal variables.

Observed pattern in the record	Lesson at systems level	Becomes in the kernel
Gross inflows that looked like wealth but were mostly pass-through	Throughput is not retained value; denominators must not be merged	Native-unit ledgers; no cross-unit sums
One person performing eight enterprise functions	Stability bought by a single biological carrier is a single point of failure	Hidden compensation H, carrier C*
The same underlying record read through family, bank, employer, clinic and court schemas	Each receiver recognises a different state of the same reality	Receiver schema Σ, schema gap Gσ
Recognised state changing access, and the outcome later read as proof of the recognition	A misread state can create the evidence that confirms it	Schema-causality test T03
Contradictions that dissolved when the reading frame widened	Truth is reconciliation between surface schema and evidential state	Truth baseline, provenance Q
Cycles of breakdown, evidence reconstruction, rule-making and governance	Repeated failure can be converted into institutional memory	Recurrent kernel and retest
Capability and impairment present at the same time	Do not subtract strength from friction; keep both visible	Vector-valued state, no fragmentation

The non-fragmentation rule

One discipline in the index record deserves emphasis because it generalises. The record was never allowed to collapse into a single story. Evidence classes (institutional records, visual evidence, contemporaneous notes, later synthesis, self-report, public context) were kept separate, and claims were graded into a small taxonomy: verified as worded, document-stated, conflicted, not established, killed. The same discipline appears at book scale in the evidence grammar of Chapter 4. A rich biography, like a rich dataset, becomes persuasive precisely when it is most tempting to blur its parts.

> **A caution on sensitive content**
>
> The index record involves a real person's history, finances and health-adjacent events. This edition describes them only structurally. The clinical and evidentiary guardrail in the source applies here too: nothing in this book is a diagnosis, a clinical claim or a legal conclusion about any individual or institution.

CHAPTER 3

Reading the Law Critically

A serious reader should ask of any proposed law: which parts are true by construction, which are claims about the world, and what result would make the author abandon it? This chapter answers those questions for the Rufino Law, using the author's own adversarial review as the starting point and adding one view of this edition: the strongest claim in the book is methodological, not metaphysical.

Three kinds of statement

Table 3. Not every sentence in the book has the same logical status.

Kind	Example in this book	What would count as evidence
Definition	BDI ≥ 0 when both optima are taken over the same feasible set	Nothing; it follows by construction
Formal consequence	RVG ≤ 0 means a carrier is not accumulating burden over the interval	Algebra, given the stated definitions
Empirical claim	Carrier-targeted construction beats routing, under information parity, on untouched systems	Sealed prospective tests and independent replication
Design commitment	Report NO ACTIVATION, UNKNOWN or NO FEASIBLE MU+ when warranted	Inspection of the kernel specification
Hypothesis	Structural homology across scales ("as above, so below") is testable	Cross-domain inter-rater mapping with null controls

The author's own formal-closure notes make the point. BDI is non-negative by construction, so the algebra is not the contribution. The contribution is the claim that a *preregistered* boundary, causal outcome definition and carrier set make BDI predictive of useful intervention differences. Chapter 21 demonstrates the distinction in a toy: when the local action is included among the candidates, estimated BDI is exactly zero in null systems and positive in displacing ones, but that is a property of the construction, not a discovery.

The unfalsifiability trap, and how the kernel avoids it

Any "everything is connected" framework risks always finding a hidden loser. The kernel is protected by four commitments. The null case is a first-class output (BDI within tolerance returns NO ACTIVATION). Unidentifiable histories return UNKNOWN. Exhausted construction returns NO FEASIBLE MU+. And the evidence grammar forbids upgrading a documented phenomenon into a kernel test. Ecology offers a concrete instance: protected areas sometimes leak deforestation elsewhere, sometimes block it and sometimes show no detectable external effect. A law worth keeping has to report all three.

Where the law is strongest

- **As an audit protocol.** The sequence boundary, counterfactual displacement, carrier, hidden compensation, capacity construction, retest is a checklist that catches real failures, and each step can be run without accepting any grand claim.
- **As a discipline about units.** Forbidding raw sums across pesos, joules, hours, mortality and trust prevents a common category of error.
- **As a standard of acceptance.** MU+ forces the question "who loses?" to be answered per carrier, with an uncertainty-aware bound.

- **As a record of its own failures.** The retained 250,000-case negative, the first million-system experiment that falsified a flat universal action, and the explicit non-pass branch for fundamental physics all raise the book's credibility.

Where it is weakest

- **Prior art is close.** Systems dynamics, critical systems heuristics, telecoupling, consequential life-cycle assessment, STAMP and resilience engineering each cover pieces of the sequence. The novelty claim is about the complete sequence as one operator, and the author presents it as a positive search result, not proof of priority.
- **Kernel-discriminating tests are mostly open.** Of 360 registered tests, 106 are still marked KERNEL TEST OPEN and 120 LINK PARTIAL (Chapter 29).
- **Simulation evidence is only as good as its release.** The supplied 250k artifact holds aggregates, not case-level rows, so some reported figures cannot be rerun from it.
- **Universality is easily over-read.** The 100-domain atlas is a construction brief, not 100 validations. Universality means the same grammar everywhere, not the same action everywhere.

> **This edition's view**
>
> Treat the Rufino Law as a candidate **standard of consequential audit** with a demanding acceptance rule, and treat the cross-domain "law of nature" language as a research programme. The first is already useful and testable. The second has to be earned domain by domain, and the book's own non-pass for fundamental physics shows the author understands that.

CHAPTER 4

The Evidence Grammar

The book's most reusable idea may be its insistence that evidence statuses are not interchangeable. A phenomenon documented in the literature is not a kernel test; a passing conformance suite is not scientific validation; a simulation is not an independent replication. The grammar below is applied to every branch of the 360-test register.



Figure 3. The evidence ladder. A claim sits on exactly one rung; moving up requires new evidence, not new wording.

Seven statuses used throughout

Table 4. The evidence-status grammar. Labels are not interchangeable.

Status	Definition	Typical example
SOURCE DOCUMENTED	The origin corpus documents the event or measurement	Ledger totals in the index record
PHENOMENON DOCUMENTED	Independent literature or data documents the domain phenomenon or one link in it	Farm-level efficiency failing to save basin water because return flows are reused
FORMAL / COMPUTATIONAL	Follows from stated assumptions, or from author-built simulation	BDI ≥ 0; the constructive-closure test
LINK PARTIAL	A constituent relation is measurable but not isolated end to end	Carrier prediction in a domain without a sealed test
KERNEL TEST OPEN	The frozen K_R version has not passed a sealed parity test	Most T14 to T16 cells
PROSPECTIVE EXTERNAL	Untouched outcomes tested with preregistration	None yet established in the corpus
INDEPENDENT REPLICATION	An unaffiliated group reproduced or falsified the result	None yet established in the corpus

Source classes P1 to P6, plus S and C

Table 5. Source classes.

Class	Meaning
P1 Primary authoritative	Institutional records, official telemetry, primary transactional records
P2 Peer-reviewed empirical	Independent studies and validated domain evidence
P3 Operational programme	Real programmes with documented outcomes
P4 Reputable contemporary reporting	Secondary reproduction where the primary table is unavailable

Class	Meaning
P5 Rufino formal synthesis	Canonical equations, operator, carrier ledger, non-displacement conditions
P6 Open design / hypothesis	Unvalidated pilot topology, transfer conjectures, maximal extensions
S Simulation	Architecture-class synthetic experiments and reported backtests
C Conformance	Software or document acceptance tests; not scientific validation

Why the grammar matters in practice

Consider the 121 conformance tests listed in Appendix C. They all pass, and they verify that the dossier preserves its chronology, exact numbers, contradictions and stated falsification conditions. That is valuable, but it is a statement about the *document*. A reader who confuses it with validation of the law would be making exactly the category error the grammar exists to prevent. Likewise a domain such as cancer ecology has strong independent literature showing that maximum-tolerated-dose strategies can select for resistance, which is a documented phenomenon matching the law's shape. It becomes a kernel test only when the frozen operator predicts the carrier, builds at the blocker and beats an information-matched incumbent on data it has not seen.

PART II

The Machinery

Schema, boundary, trace, time, construction, acceptance and stopping: the kernel K_R v1.1 explained one piece at a time.

CHAPTER 5

Schema, Truth and Legibility

The original law began one layer too late. Before a system can displace anything, it has to *represent* something, and representations are never complete. A schema is any operator through which a receiver sees the world: a form, a credit score, an ontology, a diagnosis code, a prompt, a budget line. The first layer of the kernel asks how far the receiver's picture is from the evidence-grounded state.

State, schema and the gap

$$X^*_t = M_d(\Omega_t) \qquad \hat{X}_t = \Sigma_r(X^*_t) \qquad G\sigma = \delta(X^*_t, \hat{X}_t)$$

Ω is underlying reality in domain d; M_d is the domain adapter that turns measurements into the best-supported state X^*; Σ_r is receiver r's schema; $\hat{X}$ is what the receiver recognises. Version 1.1 fixes the metric: one preregistered distributional distance family, with normalised Jensen-Shannon divergence (JSD) as the default. JSD is symmetric, bounded between 0 and 1 and defined even where one distribution has zero mass, which suits categorical schemas where a category may simply not exist for the receiver.



Figure 4. Schema gap as a distance between what is the case (X^*) and what the receiver recognises ($\hat{X}$). Left: a large gap. Right: after schema repair the same underlying state is recognised with JSD near zero. Illustrative distributions.

Friction: the cost of failed translation

When X^* and $\hat{X}$ differ, someone pays to bridge them: forms are refiled, claims are re-explained, documents are re-notarised, models are re-prompted. The kernel calls this the friction vector Φ and, in v1.1, measures it as the causal, incremental, native-unit cost of the representation state. Friction in hours is kept apart from friction in pesos or in trust; no hidden exchange rate is allowed.

Two upstream error channels

Table 6. Schema divergence and boundary divergence are different failures and are tested separately (T03 and T05).

Channel	Question	Example
Schema divergence	Does the receiver recognise the right state?	A benefits form with no category for irregular income

Channel	Question	Example
Boundary divergence	Even with the right state, is the optimiser looking at the right boundary?	A hospital measuring length of stay but not family caregiving load

Truth baseline and provenance

Truth auditing is framed as claim-to-evidence alignment through provenance, not as detecting lies. Each claim carries its source, timestamp, transformation and uncertainty, and is graded as aligned, contradicted or underdetermined. Intent is a separate evidentiary question and the kernel refuses to infer it from a factual contradiction. This single rule removes a large class of unfair accusations from any audit built on the law.

Structural homology across scale

The phrase "as above, so below" appears in the source as a testable proposition: that structurally similar schema, boundary and carrier relations recur from molecular to institutional scales. The testable form is modest. It predicts that the same kernel questions, once translated into native units, yield informative answers in domains at very different scales. Part III shows five such translations in schematic form. Whether the homology is deep or merely a useful analogy is exactly what inter-rater mapping and null controls are for.

Schema migration as an intervention

Sometimes the cheapest reconciliation is not new capacity but a better representation: adding a category, changing a form, publishing an interface contract, standardising a data model. Schema migration is therefore an IAMF-P action (Chapter 12), and the post-intervention audit re-measures Gσ to confirm the gap closed rather than moved.

CHAPTER 6

Boundary Divergence

The central diagnostic is simple to state. Take the best action according to the local objective J_S and ask how well it does according to the consequential objective J_G. Compare it with the best action according to J_G itself.

$$a^*_S = \operatorname{argmin} J_S(a; X^*) \qquad a^*_G = \operatorname{argmin} J_G(a; X^*) \qquad \mathbf{BDI = J_G(a^*_S) - J_G(a^*_G) \geq 0}$$



Figure 5. BDI as the gap, measured under the consequential cost J_G, between the action the local boundary prefers and the action the consequential boundary prefers.

What BDI is and is not

Because both minimisations run over the same feasible set, BDI is non-negative by construction. That makes it a defined quantity, not a discovery. Its empirical content comes from three preregistered choices: the boundary G with its horizon and inclusion rules, the causal definition of outcomes under J_G, and the claim that BDI predicts where an intervention will pay. A BDI near zero is a true null, the local boundary was adequate for this decision, and the kernel should stay quiet.

Declaring G before you look

The boundary, the time horizon, the carrier-inclusion rule and the materiality threshold must be declared from a causal or domain model *before* outcomes are inspected. Otherwise G can be widened until a loser appears, which would make the law unfalsifiable. The test T05 therefore fails if the divergence disappears under a correctly specified whole-system objective.

> **A practical rule of thumb**
>
> Draw G by asking, for each candidate affected party, "if the action doubled, would this party's native-unit outcome change by more than the materiality scale s?" Include the party if yes, and log the answer. The log is what a sceptic can audit.

CHAPTER 7

Displacement and the Carrier

Once the two boundaries disagree, the next question is where the difference went. The kernel defines a counterfactual displacement field, a causal estimand, for each receiving carrier j, native dimension k and delay τ:

$$D_a(j,k,\tau) = E[\, U_{j,k}(t+\tau) \mid do(a) \,] - E[\, U_{j,k}(t+\tau) \mid do(a_0) \,]$$

The comparator a_0 is a preregistered baseline: status quo, standard practice or best incumbent, not automatically "do nothing". Each domain must state how D is identified: randomised intervention, natural experiment, difference-in-differences, instrumental variable or a structural causal model. If the counterfactual is not identifiable, D is reported as UNKNOWN.

The LERM trace

$$L(X_t, a) = \{\, R_t, D_a, C_t, \Gamma_t, H_t, U_t, Q_t \,\}$$

Table 7. The seven outputs of the LERM trace operator.

Symbol	Meaning	Audit question
R	Unresolved residual	What was left over after the local action?
D	Counterfactual displacement field	How much moved, to whom, how late?
C	Receiving carrier	Who or what holds it now?
Γ	Coupling point or pathway	Through which link did it travel?
H	Hidden compensation	What is quietly holding the system together?
U	Unresolved burden	How much remains unreconciled?
Q	Observation and provenance state	How well do we actually know?

The binding carrier

For each carrier and dimension the kernel computes a capacity shortfall: the positive part of the displaced state minus the available absorption throughput, divided by a preregistered materiality scale.

$$\rho_{j,k,\tau} = \max(0,\, D^{+}{}_a(j,k,\tau) - A_{j,k,\tau}) \,/\, s_{j,k} \qquad C^*_t = \operatorname{argmax}_j \max_{k,\tau} w_\tau\, \rho_{j,k,\tau}$$

The binding carrier C* is the one whose shortfall, in its own native units, is largest after time weighting. Crucially, there is no sum across dimensions. Money, energy, hours, mortality and trust are compared by vector or Pareto reasoning, or by explicitly declared and sensitivity-tested weights, never by a silent exchange rate. The original specification's unit-summed carrier expression was identified as dimensionally invalid in the adversarial review and replaced.



Figure 6. A schematic carrier network (toy). Left: local success at S sends burden through A and B, converging on a hidden compensator H. Right: capacity placed at the binding nodes C and D lets the burden be absorbed before it reaches H.

CHAPTER 8

Hidden Compensation

A system can look stable because something unseen is holding it together. The kernel states the point as an inequality of knowledge: **observed stability does not imply structural sufficiency**.



Figure 7. Hidden compensators. Each is a person, a relationship, an ecological buffer or a future period quietly supplying capacity that the system's own structure lacks.

How to test for a compensator

- Name the candidate: which node would the system fail without?
- Remove or separately measure it, ethically and in simulation where removal would harm someone.
- Ask whether visible performance falls. If it does not, the candidate was not holding anything up (T10 fails for it).
- Price it. Overtime, debt, deferred maintenance and informal caregiving all have native-unit costs that were not on the books.

The index record offered an extreme example: eight enterprise functions concentrated in one biological carrier. The same configuration demonstrated capability and exposed a single point of failure. The dialectic is the lesson. Capability and fragility were true together, and any audit that kept only one of them would have been wrong.

CHAPTER 9

Time and the Reconciliation Velocity Gap

Burden accumulates in time, and capacity may lag. Version 1.1 replaces a flawed earlier formula with a clean stock-and-flow definition. Let $b_j(t)$ be a carrier's unresolved burden stock, $\iota_j(t)$ the incoming burden rate and $\alpha_j(t)$ the realised absorption throughput, which cannot exceed available capacity $R_j(t)$.

$$db_j/dt = \iota_j(t) - \alpha_j(t) \qquad \mathbf{RVG_j(t) = \iota_j(t) - \alpha_j(t)} \qquad \alpha_j \le R_j$$



Figure 8. The Reconciliation Velocity Gap. Left: inflow rises while absorption saturates at the capacity ceiling. Right: the unresolved stock grows whenever RVG is positive.

RVG ≤ 0 means the carrier is not accumulating unresolved burden over the declared interval; RVG > 0 means the stock is growing. Capacity level R constrains how fast the system can absorb but is not itself differentiated and subtracted from inflow. This is the v1.1 correction of the superseded dU/dt − dR/dt form, which mixed a rate with a level.

Why the gap matters before the failure

A stock can look harmless for a long time. A positive RVG is an early signal: the burden is below any alarm threshold today but is growing faster than it is being absorbed. Test T11 asks whether RVG predicts impending accumulation or failure better than native time-series baselines. This is where the law could earn real predictive credit, and it is one of the cleanest tests to run.

Loss over time

The source also tracks an accumulated loss rate, the sum of avoidable, displaced and deferred loss over the interval. Keeping the three components separate matters: avoidable loss is a design failure, displaced loss is a boundary failure and deferred loss is a time-boundary failure.

CHAPTER 10

Mutual Uptick

This is the law's acceptance rule and its most demanding feature. Define, before any outcome is seen, a set G_m of protected material carriers using exposure and materiality rules. Then:

MU+ passes if and only if

(1) for every carrier j in G_m, the one-sided lower confidence bound of ΔV_j exceeds a preregistered positive threshold $\varepsilon_j \geq 0$; (2) every protected safety dimension stays within its hard constraint; (3) no new material burden concentration appears; and (4) $RVG_j \leq 0$ over the declared audit horizon.



Figure 9. The MU+ gate. Each row is a carrier with its estimated gain and a lower confidence bound. Carriers whose lower bound does not clear ε fail the gate, even when the average across carriers looks positive.

Five features worth underlining

- **Uncertainty-aware.** A flat or statistically unresolved result does not count as positive.
- **Per carrier.** Aggregate averages cannot hide a loser.
- **Native units.** Each carrier gets its own value and safety function; a peso gain cannot cancel biological harm.
- **Adversaries are not beneficiaries.** A tumour lineage or a malicious attacker is modelled as an adverse state process, not a welfare-bearing carrier.
- **Infeasibility is a legitimate output.** If no physically, legally, ethically or safety-valid construction can satisfy MU+, the answer is NO FEASIBLE MU+ UNDER CURRENT CONSTRAINTS, not an endless rescue loop.

Zero is a clearing gate, not success

The state 0_R means no material unreconciled displacement above tolerance. It is dynamic closure of the ledger. The charter reproduced in Appendix B keeps both gates: non-displacement is necessary but not sufficient, and full reconciliation requires co-elevation.

CHAPTER 11

Stopping Rules and Honest Outputs

A kernel that always activates is a template for confirmation. K_R v1.1 therefore requires three non-positive outputs alongside the single positive one.



Figure 10. The four possible terminal outputs. Only one is positive. A serious kernel must be able to stay quiet, admit ignorance and admit infeasibility.

Identifiability

$$H(O) = \{ H_i : F(H_i) = O \}$$

If materially different histories remain observationally equivalent, that is, the set H(O) contains histories with different carriers or counterfactuals, the correct result is UNKNOWN. The response is to stop or to escalate measurement, not to pick the most dramatic story. Many real audits will end here, and the kernel treats that as a result, not a failure.

Table 8. Terminal outputs of the kernel.

Output	Trigger	What the operator does next
NO ACTIVATION	BDI within preregistered tolerance	Stay lightweight; do not add bureaucracy
UNKNOWN	Carrier, counterfactual or receiver schema not identifiable	Specify the measurement that would resolve it
NO FEASIBLE MU+	All admissible constructions exhausted without clearing the gate	Report the binding constraint; stop
MU+ PASS	Gate cleared with uncertainty-aware bounds	Monitor; schedule retest

CHAPTER 12

Constructing Capacity: IAMF-P

LERM diagnoses; IAMF-P builds. The constructive operator searches over admissible architectures A for the one that minimises residual burden, hidden compensation, worst-carrier burden and cost, while maximising whole-system value.

$$A^*_t = \operatorname{argmin}_{A \in \square} [\, U_G(A) + \lambda \cdot H_CC(A) + \mu \cdot U_max(A) + \nu \cdot Cost(A) - \eta \cdot V_G(A) \,] \qquad R_new(C^*) = R(C^*) + \Delta R_built$$

The question changes from "who can bear this loss?" to "what structure would make bearing this loss unnecessary, or materially smaller?" Routing burden through whatever capacity already exists is the weaker move. The retained 250,000-case negative (Chapter 27) shows what happens when intervention semantics are reduced to routing: the operator did not dominate.

Four families of construction

Table 9. IAMF-P action families.

Family	What it adds	Typical example
Schema migration	A better representation	New data contract; new eligibility category
Capacity construction	Absorption throughput at C*	Cooling hub; respite care; buffer storage
Transformation	Conversion of displaced state to value	Waste heat to power; surplus food to feed
Governance	Rules that keep the ledger open	Return-flow accounting; outcome ledgers

Productive reconciliation and Net Reconciled Value

$$D \to \text{capture} \to \text{transform} \to D', \quad V(D') > V(D) \qquad NRV_{vec} = [\text{AvoidedBurden}, \text{ProductiveValue}, \text{ReleasedCapacity}, -\text{Capex}, -\text{Opex}, -\text{NewDisplacement}, -\text{DeferredBurden}]^T$$

Where physics and economics permit, displaced state can be converted into higher-utility value. The transformation must still pass the whole-system audit; productive value does not excuse a hidden burden elsewhere. NRV stays a vector. A scalar may be reported only with preregistered conversion or multi-criteria weights and a sensitivity analysis.

Figure 11. Toy phase diagram: when does building at the binding carriers pay? Colour shows build minus baseline. Building pays when burden is large and capacity is cheap, and loses when it is not (Chapter 21).

CHAPTER 13

The Whole Kernel and Its Version History

Putting the pieces together gives one recurrent pipeline, the same in every domain.



Same grammar in every domain. Only M_d, native units, observables and feasible actions change.

Figure 12. The K_R v1.1 pipeline. Reality is mapped to a state, the receiver schema and boundary are examined, displacement is traced, capacity is built at the binding blocker and the whole system is retested.

$$\Omega_t \to M_d/Q \to X^*_t \to \Sigma_r \to \tilde{X}_t \to (G\sigma, \Phi) \to (B_L, B_G) \to L \to (BDI, D, C, \Gamma, H, RVG) \to IAMF\text{-}P \to A^*_t \to F_d \to X^*_{t+1} \to \text{retest}$$

What changed from v1.0 to v1.1

Table 10. Corrections from the adversarial specification review.

v1.0 issue	K_R v1.1 correction
Two schema-gap formulas	One preregistered distance family; normalised JSD by default
Free-form friction term Ψ	Friction measured as causal, incremental, native-unit cost of representation state
Unit-summed carrier selection	Capacity-shortfall ranking in native units with preregistered scaling only
RVG = dU/dt − dR/dt	RVG = burden inflow rate − realised absorption throughput
Two MU+ definitions	One strict uncertainty-aware positive-gain rule for protected carriers
Recurrence used M_d^{-1}	Domain-valid transition / actuation map F_d only; a state map is many-to-one and need not invert

The specification is versioned and anchored by a SHA-256 hash of its compact string: `e508958647f3b5b0e9c2ed07a6770abc44ca76b5eb5d23b562ac8b59421db743`. The hash is a provenance anchor, not a claim that prose is cryptographically immutable. Any semantic change to Gσ, BDI, D, carrier selection, RVG, IAMF-P or MU+ requires a new kernel version, and every validation must state which version it used.

Law versus definition, once more

A useful way to hold the whole structure is to ask which of the kernel's elements could be wrong about the world. The definitions (BDI, RVG, NRV) cannot be wrong, only unhelpful. The empirical claims are that the frozen operator improves carrier identification and consequential intervention, on untouched systems, against strong incumbents with matched information. That is where the book places its research programme.

CHAPTER 14

RSO: The Operator as an API

The cleanest technical reading of the cross-domain claim is an API contract. The domain science provides a map; the Rufino Synthesis Operator (RSO) consumes the mapped state and runs the same grammar.

Table 11. The RSO API contract.

Layer	Symbol	Required function	Non-negotiable constraint
Input reality	Ω	Native events, state, actors, measurements, uncertainty	Preserve provenance and missingness; never manufacture state
Domain adapter	M_d	State map, units, observation model, causal graph, feasible actions	Native units; no silent conversion
Receiver schema	Σ	Accepted variables, categories, exclusions, blind spots	Declare before outcomes
Boundaries	B_L, B_G	Local and consequential boundaries with horizon	Preregistered inclusion rules
Trace	L	D, C, Γ, H, U, Q	Carrier-by-dimension ledger
Construction	A*	Capacity or schema action at C*	Budget and safety constraints
Retest	—	Re-measure Gσ, Φ, BDI, D, H, RVG, NRV	Compulsory; worst-carrier reported

Pseudocode

```
def RSO(Omega, adapter, schema, bounds, actions):
  X = adapter.state(Omega) # X*, with provenance Q
  G = schema_gap(X, schema.recognise(X)) # normalised JSD
  bdi = divergence(bounds.local, bounds.global_, X, actions)
  if bdi <= tol: return NO_ACTIVATION
  D = displacement(X, actions, comparator) # causal estimand
  if not identifiable(D): return UNKNOWN
  C, path, H = carriers(D), couplings(D), hidden(D)
  for build in candidate_builds(C.binding, budget):
    post = adapter.act(X, build)
    if mu_plus(post, protected_carriers): return PASS(build)
  return NO_FEASIBLE_MU_PLUS
```

A minimal domain adapter

- State variables and units, with an observation model and known missingness.
- The receiver schemas that act on this state, including exclusions and blind spots.
- A causal graph or other identification strategy for displacement, with horizons.
- Feasible interventions, with costs, safety limits and legal or ethical constraints.
- Materiality scales s, tolerances ε and the protected carrier set, declared before outcomes.
- The incumbent comparator and the information-parity design (Chapter 28).

PART III

One Grammar, Many Substrates

A visual atlas of translation: the same consequential questions asked of a code-to-molecule channel, a network of nodes, a chain of neurons, a multi-hop message path and a stack of social strata. Every experiment here is a small seeded toy, labelled as such.

CHAPTER 15

The Ontology of Substrates and the Domain Compiler

The strongest practical claim of the law is portability: one grammar, many substrates. That claim needs a way to say what a "substrate" is without writing an endless list of industries. The book's answer is to define reality by *coordinates*.



Figure 13. The seven axes of the universal reality ontology. A newly discovered domain does not need a new law; it needs a new point in this space, a domain map M_d and a feasible-action set.

Table 12. The seven axes of completeness. U = S × L × F × C × V × M × T.

Axis	Question	Examples
Substrate (S)	What is the system made of or instantiated in?	human, biological, institutional, digital, physical, formal
Scale (L)	At what level do states and carriers exist?	molecular, cellular, individual, team, organisation, society, planet, cosmos
Function (F)	What is the system trying to do?	regulate, learn, exchange, protect, heal, create, coordinate, reproduce
Carrier (C)	What can receive displaced state?	person, organ, account, team, node, habitat, reservoir, future generation
Value (V)	What can improve or deteriorate?	health, time, money, energy, trust, freedom, meaning, biodiversity
Mode (M)	How is value organised or exchanged?	private, public, commons, informal, illicit, virtual, unknown
Time (T)	When do consequences become material?	instant, operational, lifecycle, intergenerational, evolutionary

The constructive domain compiler

$$C_d : (K_R, M_d, O_d, A_d) \to (\Sigma_d, \delta_d, \Phi_d, D_d, C_d, B_d, \Delta R_d, Q_d)$$

Given the frozen kernel, a domain map, observables and a feasible action set, the compiler must emit more than prose: native equations or state relations, a schema model, measurable friction and carrier variables, the incumbent comparator, a blocker detector, a construction, an MU+ ledger, falsifiers and a prospective test. In regulated or safety-critical domains the output is a research architecture, not a treatment, a legal decision, a weapons instruction or a deployment

authorisation.

What the next five chapters do

Each of the next five chapters takes one substrate and runs the compiler by hand, producing a figure and a small simulation. They are not evidence that the law holds in those domains. They are demonstrations that the questions the kernel asks (what is the schema, where is the gap, where does the burden land, what would capacity do) have well-defined answers in very different kinds of system, and that the answers are sometimes unflattering to the law.

Table 13. Substrate-by-substrate plan.

Chapter	Substrate	Schema Σ	Carrier	What construction means
16	Code to molecule	Genetic codebook	Residue chain	Reconcile the codebook; do not just add redundancy
17	Network of nodes	Node-local KPIs	Hidden compensator H	Capacity at binding nodes
18	Neuron chain	Synaptic gain at each stage	Slowest synapse	Widen the narrowest stage, then retest
19	Multi-hop message path	Per-hop translation	Worst hop	Repair the lossiest translation
20	Social strata	Stratum-local optimisation	Lowest strata	Targeted capacity, with funding audited

CHAPTER 16

Code to Molecule: Translation Across a Codebook

Life offers the cleanest physical example of a schema. A digital string of codons is translated, through a codebook, into a chain of amino acids that folds into a molecule. The molecule is the "reality"; the codon string is the specification; the codebook is the receiver's schema. If sender and receiver disagree about the codebook, the reconstruction is wrong however carefully the string is copied.



Gσ = fraction of codon assignments on which sender and receiver disagree. Redundancy buffers noise, but cannot buffer a mismatched codebook.



Figure 14. Top: the code-to-molecule channel. Bottom left: residue error rate as the schema gap (codebook mismatch) and mutation rate vary. Bottom right: mismatch alone versus noise alone. Toy simulation using the standard genetic code; seeds fixed.

The experiment

A 60-residue protein is encoded by choosing one synonymous codon per residue at random, passed through a channel with per-base point mutations, and decoded by a receiver whose codebook differs from the sender's on a fraction of codons (the schema gap Gσ). Each cell of the heat map averages 300 random proteins.

What it shows

- With no mismatch and no noise the error is zero, as it should be.
- **Noise is partly absorbed.** At a 3% per-base mutation rate and a matched codebook the residue error is 5.3%, far below what 3% per-base error would suggest, because 24% of single-base changes are silent: the genetic code has built-in redundancy.
- **A schema gap is not absorbed.** A 10% codebook mismatch produces roughly 8.9% residue error with no noise at all, and a 30% mismatch produces about 28%. Error grows almost one-for-one with the gap.
- The two sources of error add roughly independently: at 10% mismatch plus 3% mutation the error is 14.4%.

> **Kernel reading**
>
> Redundancy is a *capacity* that buffers noise. It cannot buffer a wrong schema. The IAMF-P move is therefore schema migration, aligning the codebook, not more redundancy. In the original's grammar: Gσ is measured, Φ is the cost of failed reconstruction, and the repair is a representation change, not a routing change.

Limits of the analogy

This is a communication-channel toy, not molecular biology. It does not model folding, tRNA wobble, codon bias or selection. It is included because it shows, in a system where the schema is physically explicit, the difference between noise and mismatch, a distinction the law relies on everywhere else. Whether institutional schemas behave like codebooks, with errors that grow in proportion to the mismatch, is an empirical question for T02 and T03.

CHAPTER 17

Multi-Node Transfer: Where the Burden Converges

Replace molecules with nodes: departments, suppliers, hospitals, accounts. Local optimisation at a source node S sends burden along couplings. The kernel's question is where the flows converge and whether the convergence point has the capacity to absorb them.

Reading the network figure

In the network figure of Chapter 7 the thick red edges mark heavy flows. Both main routes from S converge on node C and, through it, on H, the hidden compensator, which was never designed to absorb burden but ends up carrying the largest share. The kernel's carrier-selection rule picks, among all nodes, the one with the largest native-unit capacity shortfall. Building capacity at C and D, the narrow points on the heavy routes, relieves H without touching S's local optimisation at all.

A key distinction: routing versus construction

Table 14. Three responses to a displacement pattern. The kernel favours the third only when it pays.

Move	What changes	Weakness
Re-route	Which path the burden takes	Moves burden to another carrier; may overload it
Re-select action	What S does	Costs S some of its local gain
Construct capacity	How much each node can absorb	Costs capex; only pays if burden is large enough

Chapter 21 quantifies when construction pays in a population of random networks. The result is humbling and instructive: re-selecting the action is cheap and usually better, and construction wins only where burden is large and capacity is cheap.

CHAPTER 18

Multi-Neuron Transfer: The Slowest Synapse

A chain of neurons passes a signal stage by stage. Each stage has a finite throughput, and a stage that cannot pass what it receives accumulates a backlog. This is the simplest honest model of a binding carrier: the system's throughput is set by its narrowest stage, and capacity added anywhere else does nothing.

Eight-stage chain; bar = synaptic throughput capacity per step. Stage 4 is the binding carrier.



Figure 15. Eight-stage chain with finite per-stage throughput (toy). Stage 4 is binding. Widening it raises delivered signal and drains its backlog, but the bottleneck then migrates.

The experiment

Input drive oscillates around 1.3 units per step. Stage capacities are 1.2, 1.1, 1.0, 0.7, 1.1, 1.2, 1.0, 1.1. Over 300 steps, buffers hold what a stage cannot pass.

- Before: the chain delivers **53%** of the drive; the output is pinned at the capacity of stage 4 (0.7).
- After widening stage 4 to 1.7: delivery rises to **76%**, and total backlog falls from 183 to 93 units.
- Delivery does not reach 100%. The next-narrowest stages (capacity 1.0, stages 3 and 7) now bind, and the backlog that remains sits upstream of them.

Kernel reading

This is the "retest, then find the next bottleneck" step of the recurrent kernel in miniature. Capacity at the binding carrier helped a lot, and reopening the ledger immediately revealed a new binding carrier. A one-pass intervention that stopped after stage 4 would have declared victory at 76% delivery. The kernel's refusal to stop until every material carrier clears its gate is the difference.

Limits

This is a queueing toy with deterministic capacities, not a model of any real neural circuit. It is offered as a clean statement of the binding-carrier idea and of why "capacity added somewhere" is not the same as "capacity added at C*".

CHAPTER 19

Multi-Point Communication: Meaning Across Many Hops

Human and machine communication often passes through many intermediaries: translators, forms, handoffs, relays. At each hop the message is translated between two schemas and some meaning is lost. The loss compounds multiplicatively, which is why long chains are fragile even when every hop is individually decent.

Each hop translates between two schemas and loses some meaning. Repair only the worst hop (σ_4) and compare.



Figure 16. Meaning preserved across a chain of hops (toy). Each hop loses a random 2 to 14% of meaning. Repairing only the single worst hop recovers a few points per chain at every length.

The experiment

For each chain length from 1 to 12 hops, per-hop mismatch loss is drawn uniformly between 2% and 14%, and the preserved fraction is the product of the survival probabilities. The "repair" arm reduces the worst hop's loss by 90%. Each point averages 1,000 chains.

- One hop: 92.1% preserved as built, 99.2% after repair.
- Six hops: 60.5% as built, 68.1% after repair.
- Twelve hops: 36.9% as built, 41.9% after repair.
- Repairing one hop yields a gain of about 7 points at six hops and 5 points at twelve: real but modest.

Kernel reading and a warning

The binding hop is worth repairing first, and the gain is largest relative to cost. But repairing one hop in a twelve-hop chain still leaves most meaning lost. The deeper remedy is **fewer hops or a shared schema**: schema migration at the whole-chain level. The toy cannot tell you which is cheaper in any real setting. It only shows that the arithmetic of compounding makes the worst-hop heuristic necessary but far from sufficient.

Communication between social classes

The same arithmetic applies when a message crosses institutional and class boundaries: an eligibility rule written by an agency, interpreted by a caseworker, explained by a volunteer and acted on by a household. Each handoff re-encodes the message in a different vocabulary, and the household bears the residual. The kernel's contribution is to make the carrier explicit (the household), measure the friction in native units (hours, documents, repeat contacts) and test whether shortening the chain, or building a shared schema, reduces the burden without moving it to the caseworker. The OECD finding cited in Chapter 22, that only a minority of member countries systematically measure the transaction cost services impose on users, suggests this ledger is still mostly unmeasured.

CHAPTER 20

Social Strata: Burden That Flows Downhill

When optimisation at higher strata pushes cost onto lower ones, the carrier with the least capacity receives the most burden relative to its means. This is the most delicate substrate in the book because the carriers are people, and because the intervention that looks obvious (give the lowest strata capacity) raises the question the law insists on: who pays?



Figure 17. Left: local optimisation above pushes burden below, with thicker arrows to the immediate stratum. Right: unresolved burden after 120 periods in the toy, with and without targeted capacity at the two lowest strata.

The toy model

Five strata with capacities 0.4, 0.8, 1.3, 2.0 and 3.2. Each stratum generates its own burden and passes fixed shares downward through a displacement matrix. Without targeted capacity, burden accumulates at the lowest strata: the precarious stratum ends at about 35 units of unresolved burden and the working stratum at about 13, while the upper three accumulate none. Adding 1.0 and 0.6 units of capacity to the two lowest strata brings both to zero.

What the toy does not show

- **No funding.** The added capacity is free in the toy. In reality someone pays, and MU+ requires that the payer, whoever it is, is not made worse beyond tolerance. A model that ignored this would fail T14.
- **No behaviour.** Strata do not respond, resist, migrate or adapt.
- **No dignity or agency.** Carriers here are accounts, not people. Real interventions must not treat a carrier as a passive sink.

Kernel reading

The law does not say that redistribution is good or bad. It says that a transfer is acceptable only if every material carrier, *including the funding stratum*, ends better off by a preregistered lower bound, and that unresolved burden at the lowest carriers is an early-warning signal (positive RVG) worth measuring. The book is explicit that labour, capital, communities and tax bases are themselves carriers when an economy changes (Chapter 22).

CHAPTER 21

The Toy Experiments in Full

This chapter collects the remaining small simulations and reports them with their negatives. All use fixed seeds and are generated by the script released with this edition (Appendix E).

Experiment A: can BDI tell null systems from displacing ones?

3,000 random 12-node networks, 25% of them *null* (no burden crosses the local boundary). Four strategies: a local-KPI action, a boundary-aware action chosen by sampling candidate actions under the consequential objective (with the local action among the candidates), building capacity at the two most burdened carriers (with a cost of 0.45 per unit), and a gated rule that builds only if BDI is at least 0.05 or the worst carrier is above a threshold.



Figure 18. Experiment A. Left: mean net value by strategy, in null and displacing systems. Right: estimated BDI separates the two classes.

Table 15. Mean net value (toy units) by strategy. Higher is better.

Strategy	Null systems	Displacing systems	All
Local KPI	4.04	3.48	3.61
Boundary-aware	4.04	3.72	3.80
Build at top-2 carriers	2.96	2.77	2.82
Gated build	4.04	3.12	3.34
Uniform	2.45	2.32	2.35

- **BDI works as a gate, by construction.** In null systems the estimated BDI is exactly 0.0 in every case; in displacing systems its mean is 0.25, with 44% of displacing systems above the 0.05 tolerance. The remainder are displacing systems in which the local action happened to be nearly optimal anyway.
- **Boundary-aware re-selection beats the local KPI** in displacing systems (3.72 against 3.48) and ties it in null ones.
- **Building capacity loses.** At a cost of 0.45 per unit, building at the top-two carriers is worse than the local KPI on average (2.82 against 3.61), and it wins against the local action in 0% of displacing systems. The gated rule recovers some but not all of the loss.

A retained negative

In this toy, **cheap re-selection of the action beats costly construction**. This echoes the original's retained 250,000-case negative (Chapter 27), where routing-style semantics failed to dominate, and it sharpens it: construction is not free, and where the action set already contains a good consequential option, building is the wrong tool. The law's "construction" claim therefore has to be read as conditional on re-selection being unavailable, expensive or insufficient.

Experiment B: the information-parity 2×2

Test T15 requires separating representation effects from objective effects. The toy gives each decision-maker either coarse or detailed information about hidden downstream harm (the coarse arm sees only two group averages), and either the local or the consequential objective. 4,000 decision problems per cell.



Figure 19. Experiment B. Mean net value in the information-parity 2×2. More information alone does nothing if the objective ignores it; the objective change alone helps little with coarse information; together they help most.

- Same information, local objective: 3.14. Same information, consequential objective: 3.18 (gain 0.05).
- Expanded information, local objective: 3.14 (no gain: the objective ignores the extra information).
- Expanded information, consequential objective: 3.40 (gain 0.26, standard errors under 0.01).

The pattern is a complementarity. Neither better information nor a wider objective helps much alone; the benefit appears when they are combined. This is a statement about the toy's construction, but it shows what T15 is designed to detect and why a head-to-head comparison that changes both at once can mislead about which one mattered.

Experiment C: when does construction pay?

Over a grid of burden scale (0.5 to 6) and construction cost (0.1 to 1.5 per unit), 400 random systems per cell compare building capacity against two baselines.

- Against the **fixed local action** (the phase diagram in Chapter 12, left panel), construction wins in 9 of 36 cells: all at a cost of 0.25 or below, with burden scale 1 or more at the lowest cost and scale 2 or more at 0.25 (margins at 0.25 are tiny, 0.01 to 0.10).
- Against **boundary-aware re-selection** (right panel), construction wins in 0 of 36 cells.
- The break-even is therefore a frontier: construction pays when burden is large, cheap capacity is available, and no cheaper re-selection exists.

What these experiments are for

They are not evidence for or against the law in the world. They are a demonstration of method: each hypothesis is stated, a falsifier is built into the design (null systems; parity cells; cost grid), and the unflattering results are kept. A reader who runs the released script can change any assumption and see how the conclusions move.

PART IV

Applications

Four places where the grammar meets money, machines, weather and markets, each stated with its own guardrails.

CHAPTER 22

From a Friction Economy to a Reconciliation Economy

If the law is right that unresolved state reappears as friction, then an economy can mistake friction for demand. Some revenue exists because a difficulty is real and someone solves it. Other revenue exists because an avoidable difficulty persists. The distinction is easy to state and rarely measured.

Three kinds of market

Table 16. The law does not call every intermediary waste; it asks whether friction is necessary, transparent and reducible.

Type	What earns the revenue	Example of the question to ask
Value-creating	New capability that did not exist	Does the product do something genuinely new?
Friction-reducing	A real coordination, information or risk problem is solved	Would the problem persist without this intermediary?
Friction-dependent	Revenue depends on avoidable friction continuing	Does income fall if the difficulty is removed?

Market formation is not value creation

Local profit π_{local} can rise with friction Φ while net reconciled value NRV_G falls. The law does not condemn intermediaries or regulation as such; it asks whether a lower-friction architecture can preserve safety and capability while increasing whole-system value.

Two proposed diagnostics

$$FDR = \text{revenue attributable to avoidable friction} / \text{total revenue} \qquad RD = AvoidedFriction + ReleasedCapacity + NewProductiveValue - TransitionCost - NewDisplacement - DeferredBurden$$

The Friction Dependency Ratio (FDR) and Reconciliation Dividend (RD) are proposed extensions for testing, not historically canonical Rufino equations. They operationalise the question: is the business earning because it creates capacity, because it removes a necessary difficulty, or because the difficulty remains?

Friction pools visible today (as cited in the source corpus)

Table 17. Friction pools. Figures are as reported in the author-supplied corpus (2026) and were not independently re-verified in this edition.

Pool	Independent evidence cited	Reading under the law
Food waste	UNEP: 1.05 billion tonnes wasted in 2022; economic cost above USD 1 trillion a year	A 15 to 50% recovery counterfactual implies USD 150 to 500 billion of gross avoided waste before transition costs
US health administration	CMS: USD 5.3T spending in 2024; administration about 25 to 31% of spending, about 82% of it billing and insurance related	Implied billing-and-insurance pool of roughly USD 1.09 to 1.35T; a 10 to 20% cut releases about USD 109 to 269B if quality and access hold
Remittances	World Bank: 6.36% average cost; cutting at least five points could save up to USD 16B a year	Transaction friction that can be monetised while raising household retained value; compliance and security costs remain real
Trade and borders	WTO: full Trade Facilitation Agreement could cut trade costs 14.3% and add up to USD 1T of trade a year	Reducing process friction can expand the market that previously monetised delay
Public-service burden	OECD 2026: only 10 of 36 members have standardised mechanisms to measure user-side transaction costs	A measurement gap: services can look efficient internally while exporting time and repeat contacts to citizens

A conservative partial counterfactual



Figure 20. The source's illustrative stress test. Using only food waste, US billing and insurance administration, and remittance pricing, with a 20% transition haircut. A scenario, not a forecast; not additive with trade-volume effects.

The arithmetic: recover 30% of the food-waste cost (USD 300B), cut US billing-and-insurance burden by 20% using midpoint shares (about USD 243B), and move remittance costs from 6.36% toward the 3% target (about USD 10.8B on a linear reading of the World Bank relationship). Gross potential is about USD 554B a year; a 20% transition haircut leaves about USD 443B of modelled released capacity. The number is useful as a worked example of the NRV logic and should not be quoted as an estimate of anything.

The labour-carrier rule

A reconciliation economy cannot simply delete the jobs and firms attached to friction. Labour, capital, communities and tax bases are receiving carriers. If removing friction produces equal or greater unemployment, debt, regional decline or monopoly dependence, the intervention fails its own test. The sequence is: remove an avoidable function, identify the displaced labour and capital, build transition capacity, redeploy into productive work, retest.

Why transfer economies at all?

The proposed transition is not from markets to no markets. It is from an economy that can count avoidable friction as productive activity to one that preferentially earns by reducing schema gaps, lowering avoidable transaction burdens, constructing missing capacity and monetising the value released. It is justified only where measured NRV after transition is positive and no material carrier is made worse beyond declared tolerances.

CHAPTER 23

Auditing the AI Market

Artificial intelligence is the domain where the law is most immediately testable because the systems, the logs and the incentives are all digital. The book applies the ledger to the AI market as it stood in 2026.



Figure 21. The AI ledger. Spending, adoption and infrastructure are measured well. Verification load, schema mismatch, downstream correction and displaced institutional burden are measured poorly. No credible global net reconciled value exists yet. Figures as cited in the source corpus.

The AI schema gap

$$G\sigma_{AI} = \delta(\, X^{*}_{world/task}\, ,\, \hat{X}_{model/workflow}\,) \qquad G\sigma_{AI} \to \Phi_{AI} \to H_{human} \to D_{downstream}$$

An AI system acts through learned representations, context windows, tool schemas, ontologies, prompts, reward functions and downstream institutional rules, never through reality directly. Schema mismatch surfaces as hallucination, stale context, wrong-entity resolution, reward misspecification and out-of-distribution failure. Verification, re-prompting, exception handling, fact-checking, legal review and fallback processes are hidden compensators: an automation rate can rise while human reconciliation load rises elsewhere.

AI net reconciled value

$$NRV_{AI} = V_{productivity} + V_{consumer} + V_{capability} + V_{knowledge} - C_{compute} - C_{energy} - C_{verification} - C_{errors} - C_{schema} - C_{downstream}$$

The market measures spending, investment, benchmark capability and adoption far better than aggregate verification load, schema mismatch and displaced institutional burden. The law's contribution is to make the missing ledger an explicit measurement requirement. The objective it implies is not maximum tokens or maximum automation but **useful capacity released per unit of total consequential cost**, which means a smaller system can beat a larger one if its total burden is lower for equal or better outcomes.

The agentic execution gate

Execution gate

A high-impact AI agent should not commit an action merely because its local objective improves. Before execution it should evaluate the consequential boundary, material carriers, post-action burden and the non-displacement constraints. For low-impact or BDI≈0 cases the gate should stay lightweight rather than becoming bureaucratic overhead.

A compliance checklist for any AI system

- Can it distinguish evidence-grounded state from the receiver's representation?
- Does it quantify or explicitly mark schema gaps instead of silently coercing incompatible states?
- Does it keep friction dimensions separate unless a conversion is declared?
- Does it distinguish schema-gap impact from boundary divergence?
- Can it report null or unknown instead of forcing a carrier or an accusation?
- Can it trace displacement by carrier, dimension, coupling and delay, and detect hidden compensation?
- Can it propose schema migration or capacity construction, not only redistribution?
- Does it retest Gσ, Φ, BDI, D, H, RVG, NRV and MU+ after intervention?
- Does it keep factual contradiction separate from inferred intent?

CHAPTER 24

PHOTOSYNTHESIS: A Live Prospective Climate Test

PHOTOSYNTHESIS is not a new theory. It is the climate-domain implementation of the same kernel: climate science supplies hazard forecasts and native variables, LERM traces where the burden will land, IAMF-P builds response capacity before the burden peaks, and the retest asks whether the solution merely moved cost into the grid, the water system, debt, emissions, wages or a neighbouring region.

$$\text{PHOTOSYNTHESIS} = K_R(\, M_{\text{ElNiño}}(\Omega)\,)$$



Figure 22. The five catchment layers of PHOTOSYNTHESIS, from hazard sensing to non-displacement audit, with a compulsory retest.

State map and hazard RVG

$$X_t = [T, P, H, \text{WBGT}, \text{soil}, \text{rivers}, \text{reservoirs}, \text{groundwater}, \text{grid}, \text{health}, \text{crops}, \text{food}, \text{income}, \text{population}]$$

$$\text{RVG}_{\text{hazard}} = \iota_{\text{hazard}} - \alpha_{\text{response}}$$

Why the timing is the opportunity

The source builds the protocol around the 2026 to 2027 El Niño window, using September 2026 NOAA and WMO forecasts and a mortality projection as the prospective frame. The research opportunity is temporal: the event is underway, but a large part of the forecast burden lies ahead. That allows a frozen kernel, pre-declared sites, baseline telemetry, matched controls, intervention before peak exposure and a post-event whole-system audit. This edition has not independently verified the forecasts; the protocol is the contribution.

First pilot logic: the Philippines

Table 18. Pilot nodes. The finance node is itself a carrier.

Node	What is measured	Example construction
Urban heat	Heat exposure, indoor temperatures	Cooling, shade, efficient buildings, distributed energy
School	Indoor thermal limits, learning continuity	Solar plus storage, ventilation, water
Health	Clinic power, cold chain, surge staffing	Backup power, cooling, communications
Agriculture-water	Soil moisture, yield, farmer income, groundwater	Irrigation scheduling, storage, groundwater limits
Food and logistics	Cold-chain uptime, spoilage, worker heat burden	Cold-chain resilience, supplier finance
Finance	Capex, opex, avoided cost, maintenance funding	Financing with no debt transfer to vulnerable households

Financing guardrails

$$EUL_s = \max(0, Profit_s - ExpectedProfit_s \mid \text{normal counterfactual}) \qquad F_s = \alpha_s \cdot EUL_s$$

The playbook proposes contractually redirecting a share of measurable event-linked upside toward prevention, while insisting on a distinction: a market beneficiary is not automatically a causal actor. Claims that any company or person financed, caused, prolonged or exploited deaths require transaction-level and causal evidence, and this book makes none.

Outcome metric and kill tests

Treatment effect is the outcome under PHOTOSYNTHESIS minus the outcome under a matched counterfactual, with NRV kept vector-valued until auditable conversion functions exist. Mortality will likely be underpowered in a small pilot, so proximal and hierarchical endpoints sit beside it. Seven kill tests are specified in advance:

- No predictive or intervention value beyond a strong heat-health incumbent using the same consequential boundary.
- Carrier identification no better than simpler vulnerability or network methods on untouched holdouts.
- Heat exposure falls only by exporting equal or greater burden (electricity cost, water depletion, debt, emissions, wage loss, neighbouring stress).
- Positive-sum value disappears after lifecycle, maintenance, financing and replacement costs.
- The result depends on site-specific tuning and does not transfer when only M_d and the feasible set change.
- Event-linked profit cannot be separated from ordinary growth or commodity variation.
- The monitoring system repeatedly invents hidden carriers where the data cannot identify them.

CHAPTER 25

The Frontier Market Foundry and the Universal Package

A persistent unresolved burden is, in economic terms, a cost someone is already paying. The Frontier Market Foundry converts that observation into a disciplined path from finding to company, with gates that stop the process whenever the ledger fails.



Carrier discovery comes before market discovery. Commercial gates start only after a costly blocker and a feasible build exist.

Figure 23. The eight gates from detection to scale. Carrier discovery precedes market discovery.

$$B_j = Loss_j + FrictionCost_j + CompensationCost_j + DeferredCost_j \qquad RecoverableValue_j = q_j \cdot B_j \qquad TAM^*_j \approx N_j \cdot \min(WTP_j, AvoidedBurden_j + ReleasedValue_j)$$

The asterisk matters. TAM* is a bottom-up consequential opportunity estimate anchored in a carrier already paying an unresolved cost, not a top-down market size. A venture qualifies only if the carrier ledger survives adversarial accounting: value cannot be created merely by moving the burden to a weaker actor, a later time, the environment, an unpaid worker or an unmeasured public system.

Market modes, including informal and illicit systems

The ontology includes private markets, public systems, commons, informal exchange, virtual economies and illicit markets, because displaced value and unmet demand can exist in all of them. Inclusion is analytical, not facilitative. For illicit markets the constructive target is lawful substitution, prevention, provenance, treatment and rehabilitation, victim support and anti-fraud, and this book provides no operational assistance for crime or evasion. Commercial success is never presumed: adoption, regulation, legality, ethics, capital intensity, competition, willingness to pay and execution remain separate gates.

Productisation: RSO as an operating layer

Table 19. RSO does not replace existing systems; it sits above them.

Existing capability	Role under RSO
Weather forecast	Input telemetry
Digital twin / ontology	State representation and relationships

Existing capability	Role under RSO
Causal model	Counterfactual and coupling estimation
Portfolio risk engine	Financial burden telemetry
Process mining	Event and object flow telemetry
AI model or agent	Prediction and search capacity
Hospital information system	Clinical telemetry
RSO itself	Consequential objective, carrier ledger, construction search, non-displacement audit

The Rufino Universal Interface Package (RUIP)

Table 20. The ten components of the proposed package. A specification, not a claim that platforms already support it.

Component	Required content
01 Canonical law spec	Versioned equations, symbol dictionary, invariants, stopping rules, null cases, prohibited shortcuts
02 Schema contract	Accepted state variables, constraints, exclusions, translation operators, provenance, blind spots
03 Domain adapter	M_d, native units, observation model, causal graph, horizons, feasible interventions, uncertainty
04 Claim / provenance ledger	Claim to evidence to source to transformation to uncertainty; intent kept separate
05 Friction ledger	Information, time, money, energy, labour, biological, social, trust friction vectors
06 Carrier / coupling ledger	Carriers, couplings, dimensions, delays, hidden compensators, uncertainty
07 IAMF-P action library	Schema migration, capacity construction, routing, transformation, reintegration, redundancy, governance
08 Non-displacement retest	Post-state Gσ, Φ, BDI, D, H, RVG, NRV, worst-carrier burden
09 Eval suite	Positive, null, adversarial, holdout, transfer and parity-ablation cases
10 Version / provenance layer	Immutable releases, hashes, DOI or repository references, attribution, change log, failed tests

Deployment modes

Table 21. Deployment modes for AI systems.

Layer	For AI systems
Prompt / policy	Encode the invariant questions and stopping rules without claiming weights changed
Retrieval	Attach corpus, formulas, adapters and claim ledger with provenance
Ontology / schema	Expose state objects through JSON Schema, SQL or graph schemas, typed APIs
Evaluation	Score schema fidelity, boundary expansion, carrier identification, unit discipline, retest and refusal to invent hidden states
Agent / control	Pre-action ledger and post-action retest before acceptance

Table 22. Deployment beyond AI.

System family	Deployment
Databases / software	Schema migration, validation, interoperability, data-contract audits
Healthcare	Patient-state schema, recognition gap, caregiver and future burden, network retest
Finance	Risk-state schema, counterparty network boundary, fee and documentation friction
Government	Citizen need versus administrative schema, document burden, user-side transaction cost
Education	Capability versus credential schema, translation friction, outcome retest
Supply chains	Demand and inventory schema divergence, multi-tier carrier tracing
Energy / physical control	Sensor state versus control model, grid boundary and rebound, storage capacity
Research / science	Claim schema, measurement provenance, explicit unknown state

PART V

Testing the Law

Prior art, retained simulations, falsifiers, the claim ledger and a roadmap. The part of the book that decides whether the rest was worth reading.

CHAPTER 26

Prior Art and the Novelty Question

The correct priority question is not whether externalities, feedback, entropy, causal graphs, resilience or burden shifting existed before. They did. The question is whether any earlier framework requires the complete sequence as one domain-independent recurrent operator.

boundary divergence → counterfactual displacement → carrier → hidden compensation → capacity construction → productive reintegration → non-displacement retest



Figure 24. Qualitative reading of the prior-art review. Each family covers part of the sequence; none, in the reviewed set, requires all seven steps. This is a coverage map, not a performance ranking or proof of historical priority.

Table 23. Prior-art collision table (from the source review).

Framework family	Already contains	Closest collision	Missing relative to the full operator
Cybernetics / Ashby	Feedback, regulation, requisite variety	General cross-domain regulation	No mandatory consequential carrier ledger or non-displacement audit
System dynamics	Stocks, flows, delays, policy resistance	Delayed consequences	No requirement to assign omitted consequence to a carrier and build capacity there
Critical systems heuristics	Boundary critique; involved versus affected	Strong conceptual predecessor of S versus G	Reflective and participatory rather than a quantitative operator
Telecoupling	Sending, receiving, spillover systems	Closest displacement and carrier predecessor	No mandated hidden-compensation, construction, reintegration or retest
Consequential LCA	Expanded boundaries; burden shifting	Strong predecessor to the consequential boundary	Accounting family rather than a recurrent constructive controller
Structural causal models	Counterfactual interventions	Mathematical predecessor of D	No requirement of catchment, reconciliation or no-hidden-loser retest
Model predictive control	Predict, optimise, act, observe, repeat	Closest recurrence predecessor	Optimises the boundary it is given; does not discover omitted carriers
STAMP / STPA	Losses, hazards, control structures	Closest engineering-safety analogue	Safety focus; no general displacement tensor or productive transformation
Resilience engineering	Respond, monitor, anticipate, learn	Adaptation predecessor	No carrier-specific displacement accounting
FRAM	Functional coupling and variability	Coupling and socio-technical analogue	Not the full boundary-carrier-construction-retest algebra

Framework family	Already contains	Closest collision	Missing relative to the full operator
Externality economics	Private versus social cost	Direct ancestor of boundary cost	Starts after the externality is specified

Defensible priority statement

In the major adjacent framework families reviewed, no complete predecessor was located that requires the full Rufino sequence as one domain-independent recurrent operator. This is a positive novelty-search result, not an absolute historical proof that no equivalent formulation exists. A systematic literature review would be needed to say more.

This edition adds one observation from its own reading. The novelty, if it survives, lies in the *conjunction and the acceptance rule*, not in any single element. That is also the claim easiest to test, because a rival framework can be given the same information and action budget and asked to match the full sequence.

CHAPTER 27

Retained Simulations and Negative Results

The original book keeps its failures in plain view, and the discipline is worth preserving. Three simulation results are carried over, each flagged with the reproducibility limits the source itself states.



Figure 25. Source-reported simulation results. Left: the 250,000-case run in which routing-only semantics failed to dominate. Right: the 1,000,000-system run with the objective boundary varied. As reported in the author-supplied corpus.

The 250,000-case negative ablation

When intervention semantics merely routed effort through the receiving carrier's existing absorption capacity, the LERM/IAMF-P hybrid did not dominate. Full telemetry achieved 2.224283% whole-system burden reduction against 1.618167% for LERM/IAMF-P and 1.546338% for raw LERM. That falsified the lazy proposition that anything labelled LERM wins. The supplied artifact contains aggregate outcomes only, so this negative is directly represented but the case-level data are not.

The corrected catch-basin run

Table 24. Corrected catch-basin semantics (build capacity at the predicted loss carrier).

Architecture	Reported burden reduction
LERM + IAMF-P	5.6696%
LERM raw	5.6585%
Full-telemetry predictor	5.5567%
Graph / digital twin	5.1219%
Uniform allocation	4.8551%

The relative advantage over full telemetry was about 2.03%. Because intervention semantics were changed after observing the earlier failure, the source itself classes this as exploratory rather than confirmatory, and the 5.6696% figure is document-reported and not rerunnable from the aggregate CSV.

The two 1,000,000-system experiments

The first froze a generic universal heuristic across 20 domain parameterisations. It won only 1 of 20 domains and averaged 7.136% burden reduction against 7.567% for the strongest local-KPI strategy. That falsified the wrong definition of universality, the same flat action everywhere. The second held state, graph, dynamics and budget constant while changing only the objective boundary: the whole-system objective averaged 7.9083% against 7.8256% for boundary MPC, 7.506% for local KPI and 7.488% for a full-telemetry next-carrier strategy, about a 1.06% average relative gain, while winning only about 29% of individual cases.

> **The sentence to remember**
>
> **Universality is not the same action everywhere. Universality is the same consequential grammar everywhere.** Winning only 29% of cases while improving the aggregate is exactly the BDI story: the operator should activate when boundary divergence matters and otherwise stay quiet.

The constructive-closure test

A fresh 10,000-case test generated for the original edition (seed 20261004; six carriers per case; MU+ threshold 0.02) started with a 10.00% strict pass rate. A recursive procedure repeatedly found the worst carrier, added targeted capacity to clear its gap plus a buffer, applied bounded stochastic spillovers and reopened the ledger. After this, 100.00% of cases passed, with a mean of 2.30 structures added (median 2; 90th percentile 4; maximum 6), and the mean worst-carrier margin moved from −0.0479 to +0.0348.

Table 25. What 100% means in the constructive-closure test.

It means	It does not mean
Within the modelled feasible set, every material carrier cleared a positive threshold after recursive construction	Every real system has a costless feasible construction
Failure percentages can be converted into blocker classes and engineering requirements	A harmful or illegal intervention is permitted because it improves a metric
A moving bottleneck is expected and is part of the recurrence	The first intervention should be declared a success because an average improved
The ledger must stay carrier-specific	Unlike units may be silently added into one score

Weak dominance under feasible-set inclusion

$$\text{if } \Sigma_I \subseteq \Sigma_R \text{ and } A_I \subseteq A_R \text{ then } J_R^* \leq J_I^* \text{ for the same consequential objective}$$

This is a formal statement: an implementation that can emulate every incumbent representation and action, and adds relevant information or capacity, can do no worse and may do strictly better. It is a feasible-set result, not a promise of practical superiority. Real superiority still needs information parity, equal budgets, safety constraints, untouched holdouts and independent replication. Experiment B in Chapter 21 is a small demonstration of why.

Conformance is not validation

The 121 conformance tests (Appendix C) check that the document preserves its required content. They are software and document checks. The 250k, catch-basin and 1M results are simulation evidence, which earns scientific weight only to the degree the generator, seeds, case-level results, intervention semantics and code are released. A publication-grade package should release all of them.

CHAPTER 28

Falsification and Decisive Experiments

A law worth keeping has to be able to lose. The original specifies seven ways the universal claim could fail.



Figure 26. The seven falsifiers of the universal claim, each tied to the stage of the kernel it would break.

The decisive multi-domain experiment

The decisive test freezes K_R and each domain adapter, preregisters endpoints and carrier-prediction rules, and runs on untouched systems against the strongest relevant incumbent. Its elements are the information-parity factorial design, null-boundary controls chosen in advance, sealed outcome reveal and independent replication.

Table 26. The information-parity factorial design (T15). Cell D must beat both B and C to support the kernel.

Cell	Information	Objective	What it isolates
A	Same as incumbent	Incumbent	Baseline
B	Same as incumbent	Rufino consequential	Pure objective effect
C	Expanded consequential	Incumbent	Pure information effect
D	Expanded consequential	Rufino consequential	Joint effect; the claimed advantage

Prospective validation standard

- Freeze the kernel version, adapter, endpoints, carrier-prediction rule and materiality thresholds before outcomes are seen.
- Include null and positive-spillover cases selected in advance.
- Match incumbent information, action set, safety constraints and budget.
- Report all results, including failures and UNKNOWN outputs.
- Hand data and code to unaffiliated replicators.

Near-term test programme

Table 27. Near-term test programme from the source roadmap.

Arena	Next decisive test
Climate	Freeze PHOTOSYNTHESIS kernel and site rules; measure the 2026 to 2027 El Niño outcomes prospectively
Water	Use basin datasets to test carrier prediction and interventions against standard water accounting
Healthcare	Use discharge and caregiver data or a prospective service redesign; compare whole-patient and network outcomes
Grid	Use demand-response data with rebound and comfort metrics; compare local dispatch with consequential control
Finance	Use supervisory or public stress datasets; compare carrier identification and systemic-loss reduction
Supply chain	Use multi-tier event and inventory data; test supplier and future-stockout burden
AI	Use matched agent workflows; measure human review minutes and error cost under parity

CHAPTER 29

The Claim Ledger and Present Status

This chapter is the book's bottom line. Each claim carries a status and a reason, and no status is inferred from the title.

Table 28. The present claim ledger.

Claim	Status	Reason
Empirical origin in a real operating and life record	SUPPORTED AT SOURCE-CORPUS LEVEL	Equations followed repeated observation and operation
Coherent recurrent LERM + IAMF-P kernel	SUPPORTED	Canonical mathematics and playbooks share one trace, build and retest architecture
Cross-domain structural invariance	AUTHOR-SUPPORTED MAPPING; KERNEL TEST OPEN	Many domains document constituent phenomena; inter-rater mapping, null controls, sealed carrier prediction and parity tests remain incomplete
Empirical systems-law status	PROPOSED LAW / RESEARCH PROGRAMME	Coherent versioned specification with documented origin; prospective validation and replication still necessary
Complete historical firstness	POSITIVE NOVELTY SEARCH, NOT ABSOLUTE PROOF	No complete predecessor in the reviewed families; a systematic review is needed for more
Prospective predictive superiority of RSO	KERNEL TEST OPEN	Must be shown against the strongest incumbent with matched information, objective, action set, safety constraints and budget
A validated universal physical law of nature	NOT ESTABLISHED	No new fundamental interaction, constant or field law has been externally demonstrated
Solutions to Millennium Prize problems	NOT ESTABLISHED	Pure mathematics needs theorem-level proof and independent formal verification
Clinical cures (cancer, Parkinson's, ageing, mental illness)	NOT ESTABLISHED	Branch mappings are research adapters, not clinical proof or treatment recommendations
A deterministic global forecasting engine	NOT ESTABLISHED	The law can wrap forecasts and trace consequences; it does not replace domain forecasting science
PHOTOSYNTHESIS universal success	PROSPECTIVE	Testable now; success must be measured, not presumed



Figure 27. Status of all 360 registered tests (Part VI): by test number and in total. The sparse columns are the research programme.

The counts are sobering and informative. Of 360 tests, 8 are source documented, 118 are phenomenon documented, 120 are link partial or pending, 106 are kernel-test open and 8 are not established. The universal acceptance tests (T14 Mutual uptick, T15 parity, T16 untouched holdout) and independent replication (T18) are open in essentially every branch. That is the honest state of the programme, and it is why the status is "proposed law", not "established law".

CHAPTER 30

Roadmap and Provenance



Figure 28. A proposed five-phase sequence. Dates are planning assumptions, not commitments.

Publication sequence in the source

Table 29. Planned publications.

Item	Content
Paper 1: Formal methods	BDI, displacement field, hidden compensation, RVG, IAMF-P search, unit discipline, identifiability, stopping conditions, API contract
Paper 2: Origin and operating case	Origin record, evidence hierarchy, compensatory centralisation, eight-node system, operating baseline, founder-to-institution protocol
Paper 3: Prospective benchmark	Preregistered cross-domain tests against best-in-class incumbents with holdouts and replication
Paper 4: PHOTOSYNTHESIS	Prospective climate application with matched sites, whole-system telemetry, lifecycle economics, non-displacement audit
Software specification	Open or controlled reference implementation of RSO and the adapter interface with provenance tracking

Priority and provenance practices

- Freeze a dated canonical manuscript and formula vault; keep cryptographic hashes of sources, code and data.
- Register a DOI for citable research objects; use versioned repositories and immutable release tags.
- Preserve author attribution in every derivative benchmark and implementation.
- Publish negative results and changes in semantics rather than silently rewriting history.
- Maintain a claim ledger distinguishing source claim, AI extraction, AI inference, independent evidence and unresolved question.

Closing statement

The law in one sentence

When a consequentially acting system operates through an incomplete representation or an undersized boundary, unresolved state reappears as friction, compensation, deferred burden or displacement into identifiable carriers. Reconciliation consists of repairing the representation, tracing the carrier, constructing the missing capacity at the binding blocker and recursively retesting until every material carrier achieves a preregistered positive consequential gain.

The book does not end at diagnosis. Its unit of progress is construction: a failed Mutual-Uptick ledger becomes a specification for missing infrastructure, and a persistent, economically material missing infrastructure becomes a candidate frontier market. This edition adds only one request of its own. Run the tests. The law will be worth exactly what it earns there, and a result that says NO ACTIVATION, UNKNOWN or NO FEASIBLE MU+ will be as welcome as one that says PASS.

PART VI

The Validation Atlas

Twenty branches, one 18-test battery, 360 named tests. An audit register, not a scoreboard.

VALIDATION ATLAS

The Universal 18-Test Battery

The register applies the same eighteen tests to Index Case 001, eighteen domain branches (B01 to B18) and one external holdout (H01), giving 20 × 18 = 360 named tests. The semantics of each test are fixed; only the domain's native variables, units, observables and feasible actions change. A test is never described as "passed" merely because a familiar local-versus-system phenomenon exists in the literature.



Figure 29. The full 360-test status map. Rows are branches, columns are tests T01 to T18. A dagger (†) marks cells whose status could not be recovered from the source and was assigned by this edition's conservative default rubric.

How to read a branch page

- **Branch card.** Native state X*, receiver schema, local boundary S, consequential boundary G, displaced state D, candidate carriers C, the IAMF-P capacity action and the current evidence statement. Text is the author's, condensed.
- **Test table.** For each of T01 to T18: the branch-specific operationalisation, the status in the evidence grammar and, where the source gives one, the branch-specific evidence note.
- **Daggers.** A † after a status means the status was not recoverable and the default rubric below was applied. 54 of 360 cells carry a dagger.

Default rubric used for daggered cells

T01, T02, T04 to T13 and T17 default to LINK PARTIAL; T03, T14, T15, T16 and T18 default to KERNEL TEST OPEN. The rubric is deliberately conservative: it never awards a stronger status than the source gave for the same test in comparable branches. Readers should treat daggered cells as placeholders to be confirmed against the author's master register.

The battery

Table 30. The universal 18-test validity battery.

ID / test	What is executed	Falsifier
T01 State fidelity	Reconstruct the evidence-grounded state X* using only records available before the outcome is revealed.	Fails if reconstruction needs post-outcome leakage or cannot keep provenance and uncertainty.
T02 Schema-gap measurement	Specify the receiver schema Σ and quantify the mismatch Gσ between X* and the recognised state X̌.	Fails if the gap cannot be operationalised independently of the outcome.
T03 Schema-causality intervention	Change the representation or translation layer while holding material resources as fixed as feasible.	Fails if narrowing Gσ does not improve consequential action, or merely relocates the burden.
T04 Friction vector	Measure avoidable information, time, money, energy, labour, biological or trust cost in native units.	Fails if friction is rhetorical, or needs invalid cross-unit summation.
T05 Boundary divergence	Compare the optimum inside the local boundary S with the optimum inside the consequential boundary G.	Fails if the divergence vanishes under a correctly specified whole-system objective.
T06 Null-boundary control	Include cases chosen in advance where BDI is about zero or spillovers are positive.	Fails if the operator invents displacement in aligned or null systems.
T07 Directed displacement	Estimate $D_a(j,k,\tau)$ against a declared counterfactual comparator.	Fails if burden movement cannot be told apart from baseline noise or confounding.
T08 Prospective carrier prediction	Name the receiving carrier C* before the outcome is revealed.	Fails if prediction is no better than strong causal or network baselines, or chance.
T09 Coupling-path identification	Identify the mechanism Γ by which state moves between nodes, categories, places or times.	Fails if the proposed coupling is post hoc and not causally supported.
T10 Hidden compensation	Test whether visible stability depends on an unpriced or unrecognised compensating node H.	Fails if removing the proposed compensator leaves performance structurally unchanged.
T11 Reconciliation Velocity Gap	Track burden inflow against realised absorption through time and test whether RVG anticipates accumulation or failure.	Fails if RVG tracks impending failure no better than native time-series baselines.
T12 Capacity construction	Build or activate capacity at the predicted bottleneck C* and compare with routing or redistribution alone.	Fails if carrier-targeted capacity does not improve consequential outcomes.
T13 Productive transformation	Where domain-valid, convert recoverable displaced state into higher-value state D′ without hidden loss.	Fails if claimed value creation depends on externalised or deferred burden.
T14 Mutual uptick	Require every material carrier to exit with positive, preregistered consequential gain, not merely non-worsening.	Fails if any material carrier is sacrificed, depleted or made dependent so the aggregate looks positive.
T15 Incumbent information parity	Run same-information and expanded-information factorial comparisons against the strongest relevant incumbent.	Fails if the advantage disappears when information and intervention budgets are matched.
T16 Untouched holdout	Freeze kernel and adapter before testing a second, untouched dataset or system.	Fails if performance depends on tuning after seeing holdout outcomes.
T17 Sensitivity and identifiability	Stress uncertainty, alternative causal histories, units, materiality thresholds and parameters.	Fails if the conclusion is brittle or hidden state is not identifiable from observation.
T18 Independent replication	Have unaffiliated operators reproduce or falsify the test from auditable data and code.	Fails if results depend on originator-specific interpretation or unavailable procedures.

Where the tests are strongest and weakest

Reading down the columns of the status map, tests T01 to T02 and T04 to T10, which concern state, schema, friction, boundary, displacement and hidden compensation, are mostly documented at the phenomenon level. T11 to T13, concerning RVG, construction and transformation, are mostly link-partial. T14 (Mutual uptick), T15 (parity), T16 (holdout) and T18 (replication) are open almost everywhere.

VALIDATION ATLAS

Executed Computational and Conformance Tests

Three kinds of computational work sit alongside the register. They are described in Chapter 27 and listed here for completeness, with the status each earns.

Table 31. Computational items and the status each earns.

Item	What it is	Status it earns
121-test conformance harness	Document and software checks: 121 document and software checks, all passing (Appendix C)	CONFORMANCE: not scientific validation
250,000-case negative ablation	Routing-only semantics failed to dominate full telemetry	SIMULATION: aggregate confirmed, case-level data not supplied
Corrected catch-basin run	Capacity built at the predicted carrier; 5.6696% reduction reported	SIMULATION: exploratory, semantics changed after a failure
Two 1,000,000-system experiments	First falsified a flat universal action; second supported a whole-system objective	SIMULATION: aggregates reported; raw data incomplete
Constructive-closure test	10,000 cases, recursive targeted construction, 100% closure in the model	FORMAL / COMPUTATIONAL: under stated feasibility assumptions
This edition's toy experiments	Seven small seeded simulations (Chapters 16 to 21)	ILLUSTRATIVE: method demonstrations only

VALIDATION ATLAS

Cross-Branch Synthesis

Before the individual branch pages, a view of the whole register at once. Each bar is one branch; each segment is the number of its 18 tests in a given evidence status.



Figure 30. Status profile of each branch. Branches with long teal segments have the strongest independent phenomenon evidence; branches dominated by grey have the most work still to do.

Table 32. Status counts per branch (18 tests each).

Branch	Source	Phenom.	Partial	Open	Not est.	Daggers
IC Index Case 001	8	0	6	4	0	0
B01 Luxury / physical assets	0	8	5	5	0	0
B02 Banking / finance	0	5	8	5	0	9
B03 Macroeconomy	0	6	6	6	0	0
B04 Organizations / founder systems	0	4	9	5	0	10
B05 Psychology / social legibility	0	4	6	8	0	0
B06 Healthcare delivery	0	6	7	5	0	3
B07 Cancer / adaptive treatment	0	7	6	5	0	2
B08 Neuroscience / neurodegeneration	0	5	7	6	0	3
B09 Aging / competing biological constraints	0	5	7	6	0	0
B10 Energy / power grids	0	9	4	5	0	3
B11 Weather / climate / disaster response	0	8	5	5	0	4
B12 Supply chains / logistics	0	6	7	5	0	4
B13 Cybersecurity	0	7	5	6	0	1
B14 AI systems / agents	0	6	7	5	0	3
B15 Public administration	0	7	6	5	0	0
B16 Ecology / commons	0	6	7	5	0	3
B17 Spacecraft / closed-loop life support	0	11	2	5	0	5
B18 Fundamental physics / pure mathematics	0	1	4	5	8	0
H01 External holdout: water / irrigation	0	7	6	5	0	4

Three patterns across the register

- **Documented phenomena cluster in the diagnostic tests.** State, schema, friction, boundary divergence, displacement and hidden compensation are documented at the phenomenon level in many branches. These are the tests where independent literature already speaks the law's language.
- **Construction and acceptance are where the gaps are.** Productive transformation, mutual uptick, parity, holdout and replication carry most of the open and partial statuses. The register thereby locates the research programme: not in re-describing displacement, but in showing that capacity built at the binding carrier beats a fair incumbent.
- **The branches that look strongest are the ones with existing engineering practice.** Closed-loop life support, grids and water already practise capture, buffering and reprocessing, which is why their construction tests are closer to documented. That is evidence of fit, not of the kernel's superiority.

A caution against over-reading: counts of statuses are not scores. A branch with many documented phenomena can still fail the parity test, and a branch with many open tests may simply be young. The register is for deciding what to test next.

BRANCH IC · tests IC-T01 to IC-T18

Index Case 001

Current branch classification: SOURCE-RICH / EXTERNAL REPLICATION OPEN

IAMF-P build: Schema repair, provenance architecture, delegation, institutional scaffolding, reciprocal safety, governed stewardship.

Editor's reading. The index case is the only branch where the discovery record, not the literature, supplies the evidence, which makes it simultaneously the richest and the least independent. **Status profile:** 8 source documented, 0 phenomenon documented, 6 link partial, 4 kernel test open, 0 not established. Its weakest point is independence: every source is author-adjacent. The first test I would fund is a blind re-reading of the record by two outside analysts who must name carriers and hidden compensators without seeing the author's labels.

Table 33. Branch card, IC.

Branch object	Mapping (condensed from the source)
State X*	Longitudinal human + operational state: biological reserve, cognition, trauma history, family/social relations, employment, entrepreneurship, cashflow, digital systems, provenance, institutional access.
Receiver schema	Family, university, employer, bank, customer, clinical, legal and social schemas applied to the same underlying human/operational record.
Local boundary S	Visible behavior, job title, account snapshot, public presentation, single incident or local institutional category.
Consequential boundary G	Whole person-environment-enterprise-provenance system across time.
Displaced state D	Biological wear, financial depletion, unsupported labor, proof burden, trust loss, delayed opportunity, institutional misrecognition.
Candidate carriers C	The human biological/financial carrier and later enterprise/institutional nodes.
IAMF-P capacity / action	Schema repair, provenance architecture, delegation, institutional scaffolding, reciprocal safety, governed stewardship.
Current evidence	The index corpus contains chronology, evidence classes, 15 contradictions, 8-node execution, exact financial records, schema-gap analysis and falsification rules. It is the discovery record, not independent proof of universality.

Table 34. Test register for branch IC. † = status assigned by the default rubric.

Test	Branch-specific operationalisation	Status and evidence note
IC-T01 State fidelity	Freeze a pre-outcome reconstruction of: Longitudinal human + operational state: biological reserve, cognition, trauma history, family/social relations, employment, entrepreneurship, cashflow, digital systems, provenance, institutional access.	**SOURCE DOCUMENTED** Recorded in the author corpus. Discovery provenance, not independent proof.
IC-T02 Schema-gap measurement	Formalize this receiver representation: Family, university, employer, bank, customer, clinical, legal and social schemas applied to the same underlying human/operational record.	**SOURCE DOCUMENTED** Recorded in the author corpus. Discovery provenance, not independent proof.

Test	Branch-specific operationalisation	Status and evidence note
IC-T03 Schema-causality intervention	Reduce schema mismatch in the receiver while holding the principal material-resource budget fixed; test whether the downstream decision improves inside G = Whole person-environment-enterprise- provenance system across time.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
IC-T04 Friction vector	Measure branch-native friction created by mismatch/translation, keeping money, time, energy, biological or trust dimensions separate.	**SOURCE DOCUMENTED** Recorded in the author corpus. Discovery provenance, not independent proof.
IC-T05 Boundary divergence	Compare S = Visible behavior, job title, account snapshot, public presentation, single incident or local institutional category. against G = Whole person-environment- enterprise-provenance system across time.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
IC-T06 Null-boundary control	Select aligned/null or positive- spillover cases before outcomes are revealed; the law must correctly return no activation when consequential divergence is immaterial.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
IC-T07 Directed displacement	Estimate displacement relative to a declared counterfactual. Candidate displaced state: Biological wear, financial depletion, unsupported labor, proof burden, trust loss, delayed opportunity, institutional misrecognition.	**SOURCE DOCUMENTED** Recorded in the author corpus. Discovery provenance, not independent proof.
IC-T08 Prospective carrier prediction	Predict the receiving carrier before reveal. Candidate carrier space: The human biological/financial carrier and later enterprise/institutional nodes.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
IC-T09 Coupling-path identification	Identify the causal handoff/coupling that moves state from the optimized boundary to the receiving carrier; validate with temporal, network, experimental or quasi-experimental evidence where available.	**SOURCE DOCUMENTED** Recorded in the author corpus. Discovery provenance, not independent proof.
IC-T10 Hidden compensation	Remove, reduce or separately measure the suspected compensator and observe whether visible stability falls; distinguish true system capacity from borrowed capacity.	**SOURCE DOCUMENTED** Recorded in the author corpus. Discovery provenance, not independent proof.
IC-T11 Reconciliation Velocity Gap	Build a time series of unresolved burden U(t) and carrier reconciliation capacity R_C(t); test whether RVG = dU/dt - dR_C/dt predicts accumulation or failure.	**SOURCE DOCUMENTED** Recorded in the author corpus. Discovery provenance, not independent proof.
IC-T12 Capacity construction	Compare routing/redistribution with actual capacity construction. Candidate build: Schema repair, provenance architecture, delegation, institutional scaffolding, reciprocal safety, governed stewardship.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
IC-T13 Productive transformation	Where domain-valid, convert recoverable displaced state into a higher-value state and audit all new costs/carriers. If transformation is physically meaningless in the branch, record N/A rather than force it.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
IC-T14 Mutual uptick	Require Mutual Uptick: every material carrier has a positive preregistered consequential value change, with no protected safety dimension deteriorating beyond tolerance and no new hidden loser.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *Status remains OPEN.*
IC-T15 Incumbent information parity	Run 2x2 information-parity design: same information/incumbent objective; same information/Rufino objective; expanded consequential information/incumbent objective; expanded information/Rufino objective.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

Test	Branch-specific operationalisation	Status and evidence note
IC-T16 Untouched holdout	Freeze K_R, branch adapter, endpoints and carrier-prediction rule, then run a second untouched dataset/system with outcomes sealed.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
IC-T17 Sensitivity and identifiability	Stress units, uncertainty, alternative causal histories, thresholds, missingness and parameter choices; return UNKNOWN when materially different histories are observationally equivalent.	**SOURCE DOCUMENTED** Recorded in the author corpus. Discovery provenance, not independent proof.
IC-T18 Independent replication	Unaffiliated operators reproduce or falsify this branch test from auditable data, code and the frozen adapter.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

BRANCH B01 · tests B01-T01 to B01-T18

Luxury / physical assets

Current branch classification: STRONG STRUCTURAL SUPPORT; FULL MU+ OPEN

IAMF-P build: Authentication, restoration, provenance, stewardship, distribution and customer-trust capacity.

Editor's reading. Luxury goods make schema gaps unusually visible: authenticity, condition and provenance are exactly the variables a buyer cannot observe. **Status profile:** 0 source documented, 8 phenomenon documented, 5 link partial, 5 kernel test open, 0 not established. The unknown is whether provenance capacity beats simple price discounts. I would fund a matched-listings test of a provenance layer against a discount-only incumbent with the same information.

Table 35. Branch card, B01.

Branch object	Mapping (condensed from the source)
State X*	Lifecycle value, provenance, condition, trust, liquidity, restoration state and transaction history.
Receiver schema	Seller/buyer/brand/provenance schemas describing what counts as authentic, viable, degraded or recoverable value.
Local boundary S	Point-of-sale or owner disposal boundary.
Consequential boundary G	Full asset lifecycle plus buyer, brand, logistics, restoration and provenance system.
Displaced state D	Value leakage, authenticity uncertainty, decay, idle inventory, documentation labor, logistics risk.
Candidate carriers C	Owners, buyers, brands, logistics nodes and future inventory state.
IAMF-P capacity / action	Authentication, restoration, provenance, stewardship, distribution and customer-trust capacity.
Current evidence	Author operating record plus independent circular-economy literature on value-retention processes.

Table 36. Test register for branch B01. † = status assigned by the default rubric.

Test	Branch-specific operationalisation	Status and evidence note
B01-T01 State fidelity	Freeze a pre-outcome reconstruction of: Lifecycle value, provenance, condition, trust, liquidity, restoration state and transaction history.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *Author operating record plus independent circular-economy literature on value- retention processes.*
B01-T02 Schema-gap measurement	Formalize this receiver representation: Seller/buyer/brand/provenance schemas describing what counts as authentic, viable, degraded or recoverable value.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B01-T03 Schema-causality intervention	Reduce schema mismatch in the receiver while holding the principal material-resource budget fixed; test whether the downstream decision improves inside G = Full asset lifecycle plus buyer, brand, logistics, restoration and provenance system.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

Test	Branch-specific operationalisation	Status and evidence note
B01-T04 Friction vector	Measure branch-native friction created by mismatch/translation, keeping money, time, energy, biological or trust dimensions separate.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B01-T05 Boundary divergence	Compare S = Point-of-sale or owner disposal boundary. against G = Full asset lifecycle plus buyer, brand, logistics, restoration and provenance system.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B01-T06 Null-boundary control	Select aligned/null or positive- spillover cases before outcomes are revealed; the law must correctly return no activation when consequential divergence is immaterial.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B01-T07 Directed displacement	Estimate displacement relative to a declared counterfactual. Candidate displaced state: Value leakage, authenticity uncertainty, decay, idle inventory, documentation labor, logistics risk.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B01-T08 Prospective carrier prediction	Predict the receiving carrier before reveal. Candidate carrier space: Owners, buyers, brands, logistics nodes and future inventory state.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B01-T09 Coupling-path identification	Identify the causal handoff/coupling that moves state from the optimized boundary to the receiving carrier; validate with temporal, network, experimental or quasi-experimental evidence where available.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B01-T10 Hidden compensation	Remove, reduce or separately measure the suspected compensator and observe whether visible stability falls; distinguish true system capacity from borrowed capacity.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B01-T11 Reconciliation Velocity Gap	Build a time series of unresolved burden U(t) and carrier reconciliation capacity R_C(t); test whether RVG = dU/dt - dR_C/dt predicts accumulation or failure.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B01-T12 Capacity construction	Compare routing/redistribution with actual capacity construction. Candidate build: Authentication, restoration, provenance, stewardship, distribution and customer-trust capacity.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B01-T13 Productive transformation	Where domain-valid, convert recoverable displaced state into a higher-value state and audit all new costs/carriers. If transformation is physically meaningless in the branch, record N/A rather than force it.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B01-T14 Mutual uptick	Require Mutual Uptick: every material carrier has a positive preregistered consequential value change, with no protected safety dimension deteriorating beyond tolerance and no new hidden loser.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B01-T15 Incumbent information parity	Run 2x2 information-parity design: same information/incumbent objective; same information/Rufino objective; expanded consequential information/incumbent objective; expanded information/Rufino objective.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *Status remains OPEN.*
B01-T16 Untouched holdout	Freeze K_R, branch adapter, endpoints and carrier-prediction rule, then run a second untouched dataset/system with outcomes sealed.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B01-T17 Sensitivity and identifiability	Stress units, uncertainty, alternative causal histories, thresholds, missingness and parameter choices; return UNKNOWN when materially different histories are observationally equivalent.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B01-T18 Independent replication	Unaffiliated operators reproduce or falsify this branch test from auditable data, code and the frozen adapter.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

BRANCH B02 · tests B02-T01 to B02-T18

Banking / finance

Current branch classification: STRONG PROPAGATION SUPPORT; PROSPECTIVE MU+ OPEN

IAMF-P build: Systemwide buffers, settlement/liquidity capacity, risk-sharing, collateral design, targeted macroprudential intervention.

Editor's reading. Finance already models contagion, so the question is not whether burden moves but whether the kernel finds the receiving carrier earlier than network stress tests do. **Status profile:** 0 source documented, 5 phenomenon documented, 8 link partial, 5 kernel test open, 0 not established. Strong incumbents (supervisory stress models) make this the hardest fair test. Fund a retrospective carrier-prediction test on public stress data, sealed before outcomes are revealed.

Table 37. Branch card, B02.

Branch object	Mapping (condensed from the source)
State X*	Capital, liquidity, leverage, maturity, counterparties, collateral, NBFI exposures and market volatility.
Receiver schema	Institution/portfolio risk model versus systemwide financial-network state.
Local boundary S	Individual bank, fund or portfolio risk boundary.
Consequential boundary G	Banks + NBFIs + market-based finance + clients + sovereign/household carriers.
Displaced state D	Liquidity stress, fire-sale pressure, margin calls, risk transfer, refinancing burden.
Candidate carriers C	Counterparties, NBFIs, households, firms, sovereigns and future balance sheets.
IAMF-P capacity / action	Systemwide buffers, settlement/liquidity capacity, risk-sharing, collateral design, targeted macroprudential intervention.
Current evidence	IMF 2026 network simulations and systemwide stress-testing work directly document cross-sector amplification channels.

Table 38. Test register for branch B02. † = status assigned by the default rubric.

Test	Branch-specific operationalisation	Status and evidence note
B02-T01 State fidelity	Apply the "State fidelity" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B02-T02 Schema-gap measurement	Apply the "Schema-gap measurement" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B02-T03 Schema-causality intervention	Apply the "Schema-causality intervention" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN †** Protocol defined. No sealed parity, holdout or replication result yet.
B02-T04 Friction vector	Apply the "Friction vector" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.

Test	Branch-specific operationalisation	Status and evidence note
B02-T05 Boundary divergence	Compare S = Individual bank, fund or portfolio risk boundary. against G = Banks + NBFIs + market-based finance + clients + sovereign/household carriers.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *IMF 2026 network simulations and systemwide stress-testing work directly document cross-sector amplification channels.*
B02-T06 Null-boundary control	Select aligned/null or positive- spillover cases before outcomes are revealed; the law must correctly return no activation when consequential divergence is immaterial.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B02-T07 Directed displacement	Estimate displacement relative to a declared counterfactual. Candidate displaced state: Liquidity stress, fire-sale pressure, margin calls, risk transfer, refinancing burden.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B02-T08 Prospective carrier prediction	Predict the receiving carrier before reveal. Candidate carrier space: Counterparties, NBFIs, households, firms, sovereigns and future balance sheets.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B02-T09 Coupling-path identification	Identify the causal handoff/coupling that moves state from the optimized boundary to the receiving carrier; validate with temporal, network, experimental or quasi-experimental evidence where available.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B02-T10 Hidden compensation	Remove, reduce or separately measure the suspected compensator and observe whether visible stability falls; distinguish true system capacity from borrowed capacity.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B02-T11 Reconciliation Velocity Gap	Build a time series of unresolved burden U(t) and carrier reconciliation capacity R_C(t); test whether RVG = dU/dt - dR_C/dt predicts accumulation or failure.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B02-T12 Capacity construction	Compare routing/redistribution with actual capacity construction. Candidate build: Systemwide buffers, settlement/liquidity capacity, risk-sharing, collateral design, targeted macroprudential intervention.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B02-T13 Productive transformation	Apply the "Productive transformation" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B02-T14 Mutual uptick	Apply the "Mutual uptick" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN †** Protocol defined. No sealed parity, holdout or replication result yet.
B02-T15 Incumbent information parity	Apply the "Incumbent information parity" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN †** Protocol defined. No sealed parity, holdout or replication result yet.
B02-T16 Untouched holdout	Apply the "Untouched holdout" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN †** Protocol defined. No sealed parity, holdout or replication result yet.
B02-T17 Sensitivity and identifiability	Apply the "Sensitivity and identifiability" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B02-T18 Independent replication	Unaffiliated operators reproduce or falsify this branch test from auditable data, code and the frozen adapter.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

BRANCH B03 · tests B03-T01 to B03-T18

Macroeconomy

Current branch classification: STRONG BOUNDARY SUPPORT; CAUSAL MU+ OPEN

IAMF-P build: Distribution-aware policy/capacity targeted at identified receiving carriers.

Editor's reading. The macroeconomy is the clearest case of headline KPIs hiding distribution: GDP and aggregate savings are boundary choices. **Status profile:** 0 source documented, 6 phenomenon documented, 6 link partial, 6 kernel test open, 0 not established. The risk is over-reading correlation as displacement. Fund a test using household distributional accounts to see whether burden by group is predicted before it shows up in aggregates.

Table 39. Branch card, B03.

Branch object	Mapping (condensed from the source)
State X*	National accounts, sector balances, household income/consumption/saving, investment, energy, employment and resilience.
Receiver schema	Headline aggregate schema versus distributional household/sector representation.
Local boundary S	GDP, aggregate savings or headline macro KPI.
Consequential boundary G	Household groups, sectors, regions and future productive capacity.
Displaced state D	Concentrated fragility or deprivation hidden by aggregate improvement.
Candidate carriers C	Households, sectors, regions, future public/private capacity.
IAMF-P capacity / action	Distribution-aware policy/capacity targeted at identified receiving carriers.
Current evidence	OECD distributional national-account methodology explicitly exists because macro totals can conceal household-group outcomes.

Table 40. Test register for branch B03. † = status assigned by the default rubric.

Test	Branch-specific operationalisation	Status and evidence note
B03-T01 State fidelity	Apply the "State fidelity" semantics to this branch's native variables, units and feasible actions (see branch card).	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *T01 State fidelity Freeze a pre-outcome Current evidence supports this reconstruction of: National structural component in accounts, sector balances, Macroeconomy.*
B03-T02 Schema-gap measurement	Formalize this receiver representation: Headline aggregate schema versus distributional household/sector representation.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *OECD distributional national-account methodology explicitly exists because macro totals can conceal household-group outcomes.*

Test	Branch-specific operationalisation	Status and evidence note
B03-T03 Schema-causality intervention	Reduce schema mismatch in the receiver while holding the principal material-resource budget fixed; test whether the downstream decision improves inside G = Household groups, sectors, regions and future productive capacity.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B03-T04 Friction vector	Measure branch-native friction created by mismatch/translation, keeping money, time, energy, biological or trust dimensions separate.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B03-T05 Boundary divergence	Compare S = GDP, aggregate savings or headline macro KPI. against G = Household groups, sectors, regions and future productive capacity.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B03-T06 Null-boundary control	Select aligned/null or positive- spillover cases before outcomes are revealed; the law must correctly return no activation when consequential divergence is immaterial.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B03-T07 Directed displacement	Estimate displacement relative to a declared counterfactual. Candidate displaced state: Concentrated fragility or deprivation hidden by aggregate improvement.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B03-T08 Prospective carrier prediction	Predict the receiving carrier before reveal. Candidate carrier space: Households, sectors, regions, future public/private capacity.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B03-T09 Coupling-path identification	Identify the causal handoff/coupling that moves state from the optimized boundary to the receiving carrier; validate with temporal, network, experimental or quasi-experimental evidence where available.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B03-T10 Hidden compensation	Remove, reduce or separately measure the suspected compensator and observe whether visible stability falls; distinguish true system capacity from borrowed capacity.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B03-T11 Reconciliation Velocity Gap	Build a time series of unresolved burden U(t) and carrier reconciliation capacity R_C(t); test whether RVG = dU/dt - dR_C/dt predicts accumulation or failure.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B03-T12 Capacity construction	Compare routing/redistribution with actual capacity construction. Candidate build: Distribution- aware policy/capacity targeted at identified receiving carriers.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B03-T13 Productive transformation	Where domain-valid, convert recoverable displaced state into a higher-value state and audit all new costs/carriers. If transformation is physically meaningless in the branch, record N/A rather than force it.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *Status remains OPEN.*
B03-T14 Mutual uptick	Require Mutual Uptick: every material carrier has a positive preregistered consequential value change, with no protected safety dimension deteriorating beyond tolerance and no new hidden loser.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B03-T15 Incumbent information parity	Run 2x2 information-parity design: same information/incumbent objective; same information/Rufino objective; expanded consequential information/incumbent objective; expanded information/Rufino objective.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B03-T16 Untouched holdout	Freeze K_R, branch adapter, endpoints and carrier-prediction rule, then run a second untouched dataset/system with outcomes sealed.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B03-T17 Sensitivity and identifiability	Stress units, uncertainty, alternative causal histories, thresholds, missingness and parameter choices; return UNKNOWN when materially different histories are observationally equivalent.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.

Test	Branch-specific operationalisation	Status and evidence note
B03-T18 Independent replication	Unaffiliated operators reproduce or falsify this branch test from auditable data, code and the frozen adapter.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

BRANCH B04 · tests B04-T01 to B04-T18

Organizations / founder systems

Current branch classification: STRONG HIDDEN-COMPENSATION SUPPORT; TRANSFER TEST OPEN



IAMF-P build: Delegation, knowledge diffusion, specialist redundancy, process infrastructure and reciprocal safety.

Editor's reading. Organisations are where hidden compensation is easiest to find and hardest to price: the person who is the missing department. **Status profile:** 0 source documented, 4 phenomenon documented, 9 link partial, 5 kernel test open, 0 not established. Self-report is a trap. Fund a before/after study of a function hand-off in which the compensating person is measured by workload logs, not interviews.

Table 41. Branch card, B04.

Branch object	Mapping (condensed from the source)
State X*	Output, knowledge distribution, roles, complexity, time, staffing, support, redundancy and turnover.
Receiver schema	Formal org chart/title versus actual function graph and knowledge concentration.
Local boundary S	Visible team output or headcount efficiency.
Consequential boundary G	Full support architecture including key-person dependence, customer handoffs and future maintenance.
Displaced state D	Overfunctioning, knowledge concentration, burnout, customer/support burden and single-point-of-failure risk.
Candidate carriers C	Founder, key employee, customer teams, future maintainers.
IAMF-P capacity / action	Delegation, knowledge diffusion, specialist redundancy, process infrastructure and reciprocal safety.
Current evidence	Knowledge-diffusion/task-assignment research reports maintenance- cost and resilience gains when concentrated knowledge is deliberately redistributed.

Table 42. Test register for branch B04. † = status assigned by the default rubric.

Test	Branch-specific operationalisation	Status and evidence note
B04-T01 State fidelity	Apply the "State fidelity" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B04-T02 Schema-gap measurement	Apply the "Schema-gap measurement" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B04-T03 Schema-causality intervention	Apply the "Schema-causality intervention" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN †** Protocol defined. No sealed parity, holdout or replication result yet.
B04-T04 Friction vector	Apply the "Friction vector" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B04-T05 Boundary divergence	Apply the "Boundary divergence" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.

Test	Branch-specific operationalisation	Status and evidence note
B04-T06 Null-boundary control	Select aligned/null or positive- spillover cases before outcomes are revealed; the law must correctly return no activation when consequential divergence is immaterial.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B04-T07 Directed displacement	Estimate displacement relative to a declared counterfactual. Candidate displaced state: Overfunctioning, knowledge concentration, burnout, customer/support burden and single-point-of-failure risk.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *Knowledge-diffusion/task- assignment research reports maintenance-cost and resilience gains when concentrated knowledge is deliberately redistributed.*
B04-T08 Prospective carrier prediction	Predict the receiving carrier before reveal. Candidate carrier space: Founder, key employee, customer teams, future maintainers.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B04-T09 Coupling-path identification	Identify the causal handoff/coupling that moves state from the optimized boundary to the receiving carrier; validate with temporal, network, experimental or quasi-experimental evidence where available.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B04-T10 Hidden compensation	Remove, reduce or separately measure the suspected compensator and observe whether visible stability falls; distinguish true system capacity from borrowed capacity.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B04-T11 Reconciliation Velocity Gap	Build a time series of unresolved burden U(t) and carrier reconciliation capacity R_C(t); test whether RVG = dU/dt - dR_C/dt predicts accumulation or failure.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B04-T12 Capacity construction	Compare routing/redistribution with actual capacity construction. Candidate build: Delegation, knowledge diffusion, specialist redundancy, process infrastructure and reciprocal safety.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B04-T13 Productive transformation	Apply the "Productive transformation" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B04-T14 Mutual uptick	Apply the "Mutual uptick" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN †** Protocol defined. No sealed parity, holdout or replication result yet.
B04-T15 Incumbent information parity	Apply the "Incumbent information parity" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN †** Protocol defined. No sealed parity, holdout or replication result yet.
B04-T16 Untouched holdout	Apply the "Untouched holdout" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN †** Protocol defined. No sealed parity, holdout or replication result yet.
B04-T17 Sensitivity and identifiability	Apply the "Sensitivity and identifiability" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B04-T18 Independent replication	Unaffiliated operators reproduce or falsify this branch test from auditable data, code and the frozen adapter.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

BRANCH B05 · tests B05-T01 to B05-T18

Psychology / social legibility

Current branch classification: MECHANISM SUPPORT; INTERNAL STATE PARTIALLY OBSERVABLE

IAMF-P build: Schema correction, safer feedback, support, resource access, reduced proof burden and longitudinal monitoring.

Editor's reading. Legibility is the schema gap applied to people: how a person is read determines what they can access. **Status profile:** 0 source documented, 4 phenomenon documented, 6 link partial, 8 kernel test open, 0 not established. This branch must guard against inferring intent or character from records. Fund a schema-repair field study measuring friction hours before and after a category is added.

Table 43. Branch card, B05.

Branch object	Mapping (condensed from the source)
State X*	Observed behavior, functional output, biological stress, support, trust, access, longitudinal context and self-report.
Receiver schema	Receiver expectations/diagnostic/social categories versus evidence- grounded longitudinal human state.
Local boundary S	Observed symptom or performance snapshot.
Consequential boundary G	Person + environment + support architecture + biological time course.
Displaced state D	Misrecognition, proof burden, withdrawal of support, compensatory overfunctioning and physiological wear.
Candidate carriers C	Human biological, financial and relational systems.
IAMF-P capacity / action	Schema correction, safer feedback, support, resource access, reduced proof burden and longitudinal monitoring.
Current evidence	Allostatic-load literature strongly supports multi-system physiological wear from life-course stress; the exact Rufino schema-causal pathway still requires prospective independent study.

Table 44. Test register for branch B05. † = status assigned by the default rubric.

Test	Branch-specific operationalisation	Status and evidence note
B05-T01 State fidelity	Freeze a pre-outcome reconstruction of: Observed behavior, functional output, biological stress, support, trust, access, longitudinal context and self-report.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *Allostatic-load literature strongly supports multi-system physiological wear from life- course stress; the exact Rufino schema-causal pathway still requires prospective independent study.*
B05-T02 Schema-gap measurement	Formalize this receiver representation: Receiver expectations/diagnostic/social categories versus evidence- grounded longitudinal human state.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.

Test	Branch-specific operationalisation	Status and evidence note
B05-T03 Schema-causality intervention	Reduce schema mismatch in the receiver while holding the principal material-resource budget fixed; test whether the downstream decision improves inside G = Person + environment + support architecture + biological time course.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B05-T04 Friction vector	Measure branch-native friction created by mismatch/translation, keeping money, time, energy, biological or trust dimensions separate.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B05-T05 Boundary divergence	Compare S = Observed symptom or performance snapshot. against G = Person + environment + support architecture + biological time course.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B05-T06 Null-boundary control	Select aligned/null or positive- spillover cases before outcomes are revealed; the law must correctly return no activation when consequential divergence is immaterial.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *Status remains OPEN.*
B05-T07 Directed displacement	Estimate displacement relative to a declared counterfactual. Candidate displaced state: Misrecognition, proof burden, withdrawal of support, compensatory overfunctioning and physiological wear.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B05-T08 Prospective carrier prediction	Predict the receiving carrier before reveal. Candidate carrier space: Human biological, financial and relational systems.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B05-T09 Coupling-path identification	Identify the causal handoff/coupling that moves state from the optimized boundary to the receiving carrier; validate with temporal, network, experimental or quasi-experimental evidence where available.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B05-T10 Hidden compensation	Remove, reduce or separately measure the suspected compensator and observe whether visible stability falls; distinguish true system capacity from borrowed capacity.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *Allostatic-load literature strongly supports multi-system physiological wear from life- course stress; the exact Rufino schema-causal pathway still requires prospective independent study.*
B05-T11 Reconciliation Velocity Gap	Build a time series of unresolved burden U(t) and carrier reconciliation capacity R_C(t); test whether RVG = dU/dt - dR_C/dt predicts accumulation or failure.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B05-T12 Capacity construction	Compare routing/redistribution with actual capacity construction. Candidate build: Schema correction, safer feedback, support, resource access, reduced proof burden and longitudinal monitoring.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B05-T13 Productive transformation	Where domain-valid, convert recoverable displaced state into a higher-value state and audit all new costs/carriers. If transformation is physically meaningless in the branch, record N/A rather than force it.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *Status remains OPEN.*
B05-T14 Mutual uptick	Require Mutual Uptick: every material carrier has a positive preregistered consequential value change, with no protected safety dimension deteriorating beyond tolerance and no new hidden loser.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B05-T15 Incumbent information parity	Run 2x2 information-parity design: same information/incumbent objective; same information/Rufino objective; expanded consequential information/incumbent objective; expanded information/Rufino objective.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B05-T16 Untouched holdout	Freeze K_R, branch adapter, endpoints and carrier-prediction rule, then run a second untouched dataset/system with outcomes sealed.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

Test	Branch-specific operationalisation	Status and evidence note
B05-T17 Sensitivity and identifiability	Stress units, uncertainty, alternative causal histories, thresholds, missingness and parameter choices; return UNKNOWN when materially different histories are observationally equivalent.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B05-T18 Independent replication	Unaffiliated operators reproduce or falsify this branch test from auditable data, code and the frozen adapter.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

BRANCH B06 · tests B06-T01 to B06-T18

Healthcare delivery

Current branch classification: STRONG CARRIER-INTERVENTION SUPPORT; FULL MUTUAL UPTICK OPEN

IAMF-P build: Caregiver-integrated discharge planning, follow-up, coordination, financing and support.

Editor's reading. Healthcare delivery is the most natural home of displaced burden: discharge, referral and prior-authorisation each move work somewhere else. **Status profile:** 0 source documented, 6 phenomenon documented, 7 link partial, 5 kernel test open, 0 not established. Safety dominates. Fund a prospective service redesign with caregiver hours and readmission as co-primary outcomes.

Table 45. Branch card, B06.

Branch object	Mapping (condensed from the source)
State X*	Disease, discharge readiness, caregiver capacity, follow-up, readmission, cost and functional outcome.
Receiver schema	Facility discharge schema versus patient-caregiver-downstream state.
Local boundary S	Hospital throughput/discharge event.
Consequential boundary G	Patient + caregiver + primary/community care + future readmission system.
Displaced state D	Workload, cost, risk and uncertainty shifted to family or downstream care.
Candidate carriers C	Caregivers, patients, clinicians and future admissions.
IAMF-P capacity / action	Caregiver-integrated discharge planning, follow-up, coordination, financing and support.
Current evidence	Meta-analysis of randomized trials found 25% fewer 90-day readmissions and 24% fewer 180-day readmissions with caregiver- integrated discharge planning.

Table 46. Test register for branch B06. † = status assigned by the default rubric.

Test	Branch-specific operationalisation	Status and evidence note
B06-T01 State fidelity	Apply the "State fidelity" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B06-T02 Schema-gap measurement	Apply the "Schema-gap measurement" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B06-T03 Schema-causality intervention	Apply the "Schema-causality intervention" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN †** Protocol defined. No sealed parity, holdout or replication result yet.
B06-T04 Friction vector	Measure branch-native friction created by mismatch/translation, keeping money, time, energy, biological or trust dimensions separate.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *Meta-analysis of randomized trials found 25% fewer 90-day readmissions and 24% fewer 180-day readmissions with caregiver-integrated discharge planning.*

Test	Branch-specific operationalisation	Status and evidence note
B06-T05 Boundary divergence	Compare S = Hospital throughput/discharge event. against G = Patient + caregiver + primary/community care + future readmission system.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B06-T06 Null-boundary control	Select aligned/null or positive- spillover cases before outcomes are revealed; the law must correctly return no activation when consequential divergence is immaterial.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B06-T07 Directed displacement	Estimate displacement relative to a declared counterfactual. Candidate displaced state: Workload, cost, risk and uncertainty shifted to family or downstream care.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B06-T08 Prospective carrier prediction	Predict the receiving carrier before reveal. Candidate carrier space: Caregivers, patients, clinicians and future admissions.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B06-T09 Coupling-path identification	Identify the causal handoff/coupling that moves state from the optimized boundary to the receiving carrier; validate with temporal, network, experimental or quasi-experimental evidence where available.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B06-T10 Hidden compensation	Remove, reduce or separately measure the suspected compensator and observe whether visible stability falls; distinguish true system capacity from borrowed capacity.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B06-T11 Reconciliation Velocity Gap	Build a time series of unresolved burden U(t) and carrier reconciliation capacity R_C(t); test whether RVG = dU/dt - dR_C/dt predicts accumulation or failure.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B06-T12 Capacity construction	Compare routing/redistribution with actual capacity construction. Candidate build: Caregiver-integrated discharge planning, follow-up, coordination, financing and support.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B06-T13 Productive transformation	Where domain-valid, convert recoverable displaced state into a higher-value state and audit all new costs/carriers. If transformation is physically meaningless in the branch, record N/A rather than force it.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B06-T14 Mutual uptick	Require Mutual Uptick: every material carrier has a positive preregistered consequential value change, with no protected safety dimension deteriorating beyond tolerance and no new hidden loser.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B06-T15 Incumbent information parity	Run 2x2 information-parity design: same information/incumbent objective; same information/Rufino objective; expanded consequential information/incumbent objective; expanded information/Rufino objective.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *Status remains OPEN.*
B06-T16 Untouched holdout	Freeze K_R, branch adapter, endpoints and carrier-prediction rule, then run a second untouched dataset/system with outcomes sealed.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B06-T17 Sensitivity and identifiability	Stress units, uncertainty, alternative causal histories, thresholds, missingness and parameter choices; return UNKNOWN when materially different histories are observationally equivalent.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B06-T18 Independent replication	Unaffiliated operators reproduce or falsify this branch test from auditable data, code and the frozen adapter.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

BRANCH B07 · tests B07-T01 to B07-T18

Cancer / adaptive treatment

Current branch classification: STRONG COUNTERMOVEMENT ANALOGUE; GENERAL RUFINO VALIDATION OPEN

IAMF-P build: Adaptive/combination therapy targeted to dynamic ecological bottlenecks.

Editor's reading. Adaptive therapy offers an independent literature in which maximum-dose strategies are shown to select resistance; the shape matches the law, the clinical claim is not the book's. **Status profile:** 0 source documented, 7 phenomenon documented, 6 link partial, 5 kernel test open, 0 not established. This is research architecture only. The decisive step would be a regulated trial; the book makes no treatment claim.

Table 47. Branch card, B07.

Branch object	Mapping (condensed from the source)
State X*	Tumor clones, sensitive/resistant populations, microenvironment, toxicity, host reserve and treatment schedule.
Receiver schema	Immediate tumor-size response versus evolving tumor ecology and host state.
Local boundary S	Immediate tumor shrinkage / maximum kill.
Consequential boundary G	Tumor ecology + resistant clones + host reserve over time.
Displaced state D	Selection pressure, resistant-pathway dominance and host toxicity.
Candidate carriers C	Resistant clones/pathways, stroma and host reserve.
IAMF-P capacity / action	Adaptive/combination therapy targeted to dynamic ecological bottlenecks.
Current evidence	Adaptive-therapy literature explicitly treats recurrence/resistance as an evolutionary consequence of maximum-tolerated-dose strategies.

Table 48. Test register for branch B07. † = status assigned by the default rubric.

Test	Branch-specific operationalisation	Status and evidence note
B07-T01 State fidelity	Freeze a pre-outcome reconstruction of: Tumor clones, sensitive/resistant populations, microenvironment, toxicity, host reserve and treatment schedule.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *Adaptive- therapy literature explicitly treats recurrence/resistance as an evolutionary consequence of maximum-tolerated-dose strategies.*
B07-T02 Schema-gap measurement	Formalize this receiver representation: Immediate tumor- size response versus evolving tumor ecology and host state.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B07-T03 Schema-causality intervention	Reduce schema mismatch in the receiver while holding the principal material-resource budget fixed; test whether the downstream decision improves inside G = Tumor ecology + resistant clones + host reserve over time.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

Test	Branch-specific operationalisation	Status and evidence note
B07-T04 Friction vector	Measure branch-native friction created by mismatch/translation, keeping money, time, energy, biological or trust dimensions separate.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B07-T05 Boundary divergence	Compare S = Immediate tumor shrinkage / maximum kill. against G = Tumor ecology + resistant clones + host reserve over time.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B07-T06 Null-boundary control	Select aligned/null or positive- spillover cases before outcomes are revealed; the law must correctly return no activation when consequential divergence is immaterial.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B07-T07 Directed displacement	Estimate displacement relative to a declared counterfactual. Candidate displaced state: Selection pressure, resistant-pathway dominance and host toxicity.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B07-T08 Prospective carrier prediction	Predict the receiving carrier before reveal. Candidate carrier space: Resistant clones/pathways, stroma and host reserve.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B07-T09 Coupling-path identification	Identify the causal handoff/coupling that moves state from the optimized boundary to the receiving carrier; validate with temporal, network, experimental or quasi-experimental evidence where available.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B07-T10 Hidden compensation	Remove, reduce or separately measure the suspected compensator and observe whether visible stability falls; distinguish true system capacity from borrowed capacity.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B07-T11 Reconciliation Velocity Gap	Build a time series of unresolved burden U(t) and carrier reconciliation capacity R_C(t); test whether RVG = dU/dt - dR_C/dt predicts accumulation or failure.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B07-T12 Capacity construction	Compare routing/redistribution with actual capacity construction. Candidate build: Adaptive/combination therapy targeted to dynamic ecological bottlenecks.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B07-T13 Productive transformation	Where domain-valid, convert recoverable displaced state into a higher-value state and audit all new costs/carriers. If transformation is physically meaningless in the branch, record N/A rather than force it.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B07-T14 Mutual uptick	Require Mutual Uptick: every material carrier has a positive preregistered consequential value change, with no protected safety dimension deteriorating beyond tolerance and no new hidden loser.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *Status remains OPEN.*
B07-T15 Incumbent information parity	Run 2x2 information-parity design: same information/incumbent objective; same information/Rufino objective; expanded consequential information/incumbent objective; expanded information/Rufino objective.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B07-T16 Untouched holdout	Apply the "Untouched holdout" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN †** Protocol defined. No sealed parity, holdout or replication result yet.
B07-T17 Sensitivity and identifiability	Apply the "Sensitivity and identifiability" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B07-T18 Independent replication	Unaffiliated operators reproduce or falsify this branch test from auditable data, code and the frozen adapter.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

BRANCH B08 · tests B08-T01 to B08-T18

Neuroscience / neurodegeneration

Current branch classification: NETWORK SUPPORT; CARRIER-CONSTRUCTION SUPERIORITY OPEN

IAMF-P build: Intervention/support at identified limiting network carrier with multimodal retest.

Editor's reading. Neurodegeneration frames capacity as compensation: the brain keeps function by recruiting reserve until it cannot. **Status profile:** 0 source documented, 5 phenomenon documented, 7 link partial, 6 kernel test open, 0 not established. Hidden compensation is the right lens but identification is hard. Fund longitudinal imaging work that tracks compensatory recruitment against symptom onset.

Table 49. Branch card, B08.

Branch object	Mapping (condensed from the source)
State X*	Signal, network activity, synapses, myelin, glia, vascular/metabolic reserve and clinical function.
Receiver schema	Local biomarker or region-centric model versus whole-network functional state.
Local boundary S	Single biomarker/region endpoint.
Consequential boundary G	Functional neural network + reserve + longitudinal disease trajectory.
Displaced state D	Persistent network limitation despite local improvement.
Candidate carriers C	Rate-limiting network component or support system.
IAMF-P capacity / action	Intervention/support at identified limiting network carrier with multimodal retest.
Current evidence	Functional-network literature shows disease-specific networks can be measured, predict progression and change with treatment.

Table 50. Test register for branch B08. † = status assigned by the default rubric.

Test	Branch-specific operationalisation	Status and evidence note
B08-T01 State fidelity	Apply the "State fidelity" semantics to this branch's native variables, units and feasible actions (see branch card).	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *T01 State fidelity Freeze a pre-outcome Current evidence supports this reconstruction of: Signal, network structural component in activity, synapses, myelin, glia, Neuroscience / neurodegeneration. vascular/metabolic reserve and Functional-network literature clinical function.*
B08-T02 Schema-gap measurement	Apply the "Schema-gap measurement" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete. *T02 Schema-gap measurement Formalize this receiver Current literature/corpus makes representation: Local biomarker or the mechanism plausible and region-centric model versus measurable, but the exact frozen- whole-network functional state. kernel T02 isolation is incomplete.*

Test	Branch-specific operationalisation	Status and evidence note
B08-T03 Schema-causality intervention	Apply the "Schema-causality intervention" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *T03 Schema-causality intervention Reduce schema mismatch in the Current literature/corpus makes receiver while holding the the mechanism plausible and principal material-resource budget measurable, but the exact frozen- fixed; test whether the kernel T03 isolation is incomplete.*
B08-T04 Friction vector	Apply the "Friction vector" semantics to this branch's native variables, units and feasible actions (see branch card).	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *T04 Friction vector Measure branch-native friction Current evidence supports this created by mismatch/translation, structural component in keeping money, time, energy, Neuroscience / neurodegeneration. biological or trust dimensions Functional-network literature separate.*
B08-T05 Boundary divergence	Compare S = Single biomarker/region endpoint. against G = Functional neural network + reserve + longitudinal disease trajectory.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *Functional-network literature shows disease-specific networks can be measured, predict progression and change with treatment.*
B08-T06 Null-boundary control	Select aligned/null or positive- spillover cases before outcomes are revealed; the law must correctly return no activation when consequential divergence is immaterial.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *Status remains OPEN.*
B08-T07 Directed displacement	Estimate displacement relative to a declared counterfactual. Candidate displaced state: Persistent network limitation despite local improvement.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *Functional-network literature shows disease-specific networks can be measured, predict progression and change with treatment.*
B08-T08 Prospective carrier prediction	Predict the receiving carrier before reveal. Candidate carrier space: Rate-limiting network component or support system.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B08-T09 Coupling-path identification	Identify the causal handoff/coupling that moves state from the optimized boundary to the receiving carrier; validate with temporal, network, experimental or quasi-experimental evidence where available.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B08-T10 Hidden compensation	Remove, reduce or separately measure the suspected compensator and observe whether visible stability falls; distinguish true system capacity from borrowed capacity.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B08-T11 Reconciliation Velocity Gap	Build a time series of unresolved burden U(t) and carrier reconciliation capacity R_C(t); test whether RVG = dU/dt - dR_C/dt predicts accumulation or failure.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B08-T12 Capacity construction	Compare routing/redistribution with actual capacity construction. Candidate build: Intervention/support at identified limiting network carrier with multimodal retest.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B08-T13 Productive transformation	Apply the "Productive transformation" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B08-T14 Mutual uptick	Apply the "Mutual uptick" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN †** Protocol defined. No sealed parity, holdout or replication result yet.

Test	Branch-specific operationalisation	Status and evidence note
B08-T15 Incumbent information parity	Apply the "Incumbent information parity" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN †** Protocol defined. No sealed parity, holdout or replication result yet.
B08-T16 Untouched holdout	Freeze K_R, branch adapter, endpoints and carrier-prediction rule, then run a second untouched dataset/system with outcomes sealed.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *Status remains OPEN.*
B08-T17 Sensitivity and identifiability	Stress units, uncertainty, alternative causal histories, thresholds, missingness and parameter choices; return UNKNOWN when materially different histories are observationally equivalent.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B08-T18 Independent replication	Unaffiliated operators reproduce or falsify this branch test from auditable data, code and the frozen adapter.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

BRANCH B09 · tests B09-T01 to B09-T18

Aging / competing biological constraints

Current branch classification: TRADE-OFF SUPPORT; MUTUAL UPTICK AND CLINICAL VALIDATION OPEN

IAMF-P build: Iterative multi-process intervention with competing-risk and carrier audit.

Editor's reading. Ageing is a many-constraint problem; the kernel's contribution is refusing to optimise one biomarker at the cost of another. **Status profile:** 0 source documented, 5 phenomenon documented, 7 link partial, 6 kernel test open, 0 not established. The weak point is outcomes that take decades. Fund short-horizon proxies with carrier-specific safety limits.

Table 51. Branch card, B09.

Branch object	Mapping (condensed from the source)
State X*	Damage, senescence, genomic integrity, immunity, tissue regeneration, cancer risk and reserve.
Receiver schema	Single-mechanism aging model versus interacting longevity/cancer/tissue-maintenance state.
Local boundary S	One repaired mechanism or biomarker.
Consequential boundary G	Multi-process aging system plus competing risks over time.
Displaced state D	Repair exposes another bottleneck, cancer risk, inflammatory burden or regenerative trade-off.
Candidate carriers C	Next limiting process, tissue or competing risk.
IAMF-P capacity / action	Iterative multi-process intervention with competing-risk and carrier audit.
Current evidence	2025 reviews document deep coupling between aging and cancer and trade-offs between tumor suppression, senescence, regeneration and tissue maintenance.

Table 52. Test register for branch B09. † = status assigned by the default rubric.

Test	Branch-specific operationalisation	Status and evidence note
B09-T01 State fidelity	Freeze a pre-outcome reconstruction of: Damage, senescence, genomic integrity, immunity, tissue regeneration, cancer risk and reserve.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *2025 reviews document deep coupling between aging and cancer and trade-offs between tumor suppression, senescence, regeneration and tissue maintenance.*
B09-T02 Schema-gap measurement	Formalize this receiver representation: Single-mechanism aging model versus interacting longevity/cancer/tissue- maintenance state.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B09-T03 Schema-causality intervention	Reduce schema mismatch in the receiver while holding the principal material-resource budget fixed; test whether the downstream decision improves inside G = Multi-process aging system plus competing risks over time.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B09-T04 Friction vector	Measure branch-native friction created by mismatch/translation, keeping money, time, energy, biological or trust dimensions separate.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.

Test	Branch-specific operationalisation	Status and evidence note
B09-T05 Boundary divergence	Compare S = One repaired mechanism or biomarker. against G = Multi-process aging system plus competing risks over time.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B09-T06 Null-boundary control	Select aligned/null or positive- spillover cases before outcomes are revealed; the law must correctly return no activation when consequential divergence is immaterial.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *Status remains OPEN.*
B09-T07 Directed displacement	Estimate displacement relative to a declared counterfactual. Candidate displaced state: Repair exposes another bottleneck, cancer risk, inflammatory burden or regenerative trade-off.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *2025 reviews document deep coupling between aging and cancer and trade-offs between tumor suppression, senescence, regeneration and tissue maintenance.*
B09-T08 Prospective carrier prediction	Predict the receiving carrier before reveal. Candidate carrier space: Next limiting process, tissue or competing risk.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B09-T09 Coupling-path identification	Identify the causal handoff/coupling that moves state from the optimized boundary to the receiving carrier; validate with temporal, network, experimental or quasi-experimental evidence where available.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B09-T10 Hidden compensation	Remove, reduce or separately measure the suspected compensator and observe whether visible stability falls; distinguish true system capacity from borrowed capacity.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B09-T11 Reconciliation Velocity Gap	Build a time series of unresolved burden U(t) and carrier reconciliation capacity R_C(t); test whether RVG = dU/dt - dR_C/dt predicts accumulation or failure.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B09-T12 Capacity construction	Compare routing/redistribution with actual capacity construction. Candidate build: Iterative multi- process intervention with competing-risk and carrier audit.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B09-T13 Productive transformation	Where domain-valid, convert recoverable displaced state into a higher-value state and audit all new costs/carriers. If transformation is physically meaningless in the branch, record N/A rather than force it.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B09-T14 Mutual uptick	Require Mutual Uptick: every material carrier has a positive preregistered consequential value change, with no protected safety dimension deteriorating beyond tolerance and no new hidden loser.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *Status remains OPEN.*
B09-T15 Incumbent information parity	Run 2x2 information-parity design: same information/incumbent objective; same information/Rufino objective; expanded consequential information/incumbent objective; expanded information/Rufino objective.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B09-T16 Untouched holdout	Freeze K_R, branch adapter, endpoints and carrier-prediction rule, then run a second untouched dataset/system with outcomes sealed.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B09-T17 Sensitivity and identifiability	Stress units, uncertainty, alternative causal histories, thresholds, missingness and parameter choices; return UNKNOWN when materially different histories are observationally equivalent.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B09-T18 Independent replication	Unaffiliated operators reproduce or falsify this branch test from auditable data, code and the frozen adapter.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

BRANCH B10 · tests B10-T01 to B10-T18

Energy / power grids

Current branch classification: STRONG REBOUND SUPPORT; FULL SYSTEM MU+ OPEN



IAMF-P build: Co-optimized controls, storage, transmission, demand response, envelope efficiency and redundancy.

Editor's reading. Grids make rebound physical and measurable, which is why demand response is the cleanest engineering test of consequential control. **Status profile:** 0 source documented, 9 phenomenon documented, 4 link partial, 5 kernel test open, 0 not established. Fund a demand-response dataset comparison of local dispatch against rebound-aware dispatch with comfort and emissions recorded.

Table 53. Branch card, B10.

Branch object	Mapping (condensed from the source)
State X*	Generation, demand, storage, transmission, price, comfort, emissions and maintenance.
Receiver schema	Local peak/control model versus grid + recovery-period + consumer state.
Local boundary S	Local dispatch or peak-period demand.
Consequential boundary G	Grid + later rebound period + comfort + emissions + reliability.
Displaced state D	Rebound peaks, shifted load, deferred maintenance or upgrade burden.
Candidate carriers C	Future time slot, neighboring grid, storage/transmission and consumers.
IAMF-P capacity / action	Co-optimized controls, storage, transmission, demand response, envelope efficiency and redundancy.
Current evidence	2026 Energy and Buildings study reports 64.16% on-peak cooling reduction and 8.70% rebound-peak reduction without aggregate comfort deterioration in modeled cases.

Table 54. Test register for branch B10. † = status assigned by the default rubric.

Test	Branch-specific operationalisation	Status and evidence note
B10-T01 State fidelity	Apply the "State fidelity" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B10-T02 Schema-gap measurement	Apply the "Schema-gap measurement" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B10-T03 Schema-causality intervention	Apply the "Schema-causality intervention" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN †** Protocol defined. No sealed parity, holdout or replication result yet.
B10-T04 Friction vector	Measure branch-native friction created by mismatch/translation, keeping money, time, energy, biological or trust dimensions separate.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *2026 Energy and Buildings study reports 64.16% on-peak cooling reduction and 8.70% rebound-peak reduction without aggregate comfort deterioration in modeled cases.*

Test	Branch-specific operationalisation	Status and evidence note
B10-T05 Boundary divergence	Compare S = Local dispatch or peak-period demand. against G = Grid + later rebound period + comfort + emissions + reliability.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B10-T06 Null-boundary control	Select aligned/null or positive- spillover cases before outcomes are revealed; the law must correctly return no activation when consequential divergence is immaterial.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B10-T07 Directed displacement	Estimate displacement relative to a declared counterfactual. Candidate displaced state: Rebound peaks, shifted load, deferred maintenance or upgrade burden.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B10-T08 Prospective carrier prediction	Predict the receiving carrier before reveal. Candidate carrier space: Future time slot, neighboring grid, storage/transmission and consumers.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B10-T09 Coupling-path identification	Identify the causal handoff/coupling that moves state from the optimized boundary to the receiving carrier; validate with temporal, network, experimental or quasi-experimental evidence where available.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B10-T10 Hidden compensation	Remove, reduce or separately measure the suspected compensator and observe whether visible stability falls; distinguish true system capacity from borrowed capacity.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B10-T11 Reconciliation Velocity Gap	Build a time series of unresolved burden U(t) and carrier reconciliation capacity R_C(t); test whether RVG = dU/dt - dR_C/dt predicts accumulation or failure.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B10-T12 Capacity construction	Compare routing/redistribution with actual capacity construction. Candidate build: Co-optimized controls, storage, transmission, demand response, envelope efficiency and redundancy.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B10-T13 Productive transformation	Where domain-valid, convert recoverable displaced state into a higher-value state and audit all new costs/carriers. If transformation is physically meaningless in the branch, record N/A rather than force it.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B10-T14 Mutual uptick	Require Mutual Uptick: every material carrier has a positive preregistered consequential value change, with no protected safety dimension deteriorating beyond tolerance and no new hidden loser.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B10-T15 Incumbent information parity	Run 2x2 information-parity design: same information/incumbent objective; same information/Rufino objective; expanded consequential information/incumbent objective; expanded information/Rufino objective.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B10-T16 Untouched holdout	Freeze K_R, branch adapter, endpoints and carrier-prediction rule, then run a second untouched dataset/system with outcomes sealed.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *Status remains OPEN.*
B10-T17 Sensitivity and identifiability	Stress units, uncertainty, alternative causal histories, thresholds, missingness and parameter choices; return UNKNOWN when materially different histories are observationally equivalent.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B10-T18 Independent replication	Unaffiliated operators reproduce or falsify this branch test from auditable data, code and the frozen adapter.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

BRANCH B11 · tests B11-T01 to B11-T18

Weather / climate / disaster response

Current branch classification: LIVE PROSPECTIVE ARENA; FULL OUTCOME NOT YET OBSERVED



IAMF-P build: Cooling, water, clinic, food/logistics, energy and finance capacity built before peak burden; post-event whole-system retest.

Editor's reading. Disaster response is where time-shifted burden is vivid: preparedness deferred becomes cost at the peak. **Status profile:** 0 source documented, 8 phenomenon documented, 5 link partial, 5 kernel test open, 0 not established. Fund prospective site matching, then freeze the rules before the event, as the PHOTOSYNTHESIS protocol intends.

Table 55. Branch card, B11.

Branch object	Mapping (condensed from the source)
State X*	Temperature, rainfall, WBGT, water, soil, reservoirs, grid, health, crops, food, income and exposed population.
Receiver schema	Forecast/hazard representation versus locality-specific exposure and response-capacity map.
Local boundary S	Forecast skill or isolated adaptation KPI.
Consequential boundary G	Exposed population + infrastructure + health + food + finance + neighboring systems.
Displaced state D	Forecasted hazard burden arriving faster than response capacity; adaptation can shift burden into water, grid, debt or wages.
Candidate carriers C	Workers, older people, hospitals, farms, grids, water systems, schools and households.
IAMF-P capacity / action	Cooling, water, clinic, food/logistics, energy and finance capacity built before peak burden; post-event whole-system retest.
Current evidence	NOAA/WMO 2026 forecasts create a live prospective window; FAO/WFP are funding anticipatory action before impacts peak; WHO specifies warning, risk-group, health-system, surveillance and learning layers.

Table 56. Test register for branch B11. † = status assigned by the default rubric.

Test	Branch-specific operationalisation	Status and evidence note
B11-T01 State fidelity	Apply the "State fidelity" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B11-T02 Schema-gap measurement	Apply the "Schema-gap measurement" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B11-T03 Schema-causality intervention	Apply the "Schema-causality intervention" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN †** Protocol defined. No sealed parity, holdout or replication result yet.

Test	Branch-specific operationalisation	Status and evidence note
B11-T04 Friction vector	Measure branch-native friction created by mismatch/translation, keeping money, time, energy, biological or trust dimensions separate.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *NOAA/WMO 2026 forecasts create a live prospective window; FAO/WFP are funding anticipatory action before impacts peak; WHO specifies warning, risk-group, health-system, surveillance and learning layers.*
B11-T05 Boundary divergence	Compare S = Forecast skill or isolated adaptation KPI. against G = Exposed population + infrastructure + health + food + finance + neighboring systems.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B11-T06 Null-boundary control	Select aligned/null or positive- spillover cases before outcomes are revealed; the law must correctly return no activation when consequential divergence is immaterial.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B11-T07 Directed displacement	Estimate displacement relative to a declared counterfactual. Candidate displaced state: Forecasted hazard burden arriving faster than response capacity; adaptation can shift burden into water, grid, debt or wages.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B11-T08 Prospective carrier prediction	Predict the receiving carrier before reveal. Candidate carrier space: Workers, older people, hospitals, farms, grids, water systems, schools and households.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B11-T09 Coupling-path identification	Identify the causal handoff/coupling that moves state from the optimized boundary to the receiving carrier; validate with temporal, network, experimental or quasi-experimental evidence where available.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B11-T10 Hidden compensation	Remove, reduce or separately measure the suspected compensator and observe whether visible stability falls; distinguish true system capacity from borrowed capacity.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B11-T11 Reconciliation Velocity Gap	Build a time series of unresolved burden U(t) and carrier reconciliation capacity R_C(t); test whether RVG = dU/dt - dR_C/dt predicts accumulation or failure.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B11-T12 Capacity construction	Compare routing/redistribution with actual capacity construction. Candidate build: Cooling, water, clinic, food/logistics, energy and finance capacity built before peak burden; post-event whole-system retest.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B11-T13 Productive transformation	Where domain-valid, convert recoverable displaced state into a higher-value state and audit all new costs/carriers. If transformation is physically meaningless in the branch, record N/A rather than force it.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B11-T14 Mutual uptick	Require Mutual Uptick: every material carrier has a positive preregistered consequential value change, with no protected safety dimension deteriorating beyond tolerance and no new hidden loser.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B11-T15 Incumbent information parity	Run 2x2 information-parity design: same information/incumbent objective; same information/Rufino objective; expanded consequential information/incumbent objective; expanded information/Rufino objective.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B11-T16 Untouched holdout	Freeze K_R, branch adapter, endpoints and carrier-prediction rule, then run a second untouched dataset/system with outcomes sealed.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *Status remains OPEN.*

Test	Branch-specific operationalisation	Status and evidence note
B11-T17 Sensitivity and identifiability	Apply the "Sensitivity and identifiability" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B11-T18 Independent replication	Unaffiliated operators reproduce or falsify this branch test from auditable data, code and the frozen adapter.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

BRANCH B12 · tests B12-T01 to B12-T18

Supply chains / logistics

Current branch classification: STRONG PROPAGATION SUPPORT; MUTUAL-UPTICK VALIDATION OPEN

IAMF-P build: Information sharing, supplier finance, buffers, routing redundancy, SLA redesign and capacity at bottlenecks.

Editor's reading. Supply chains show the bullwhip effect: small local signals amplified through hops, a direct cousin of the multi-hop toy. **Status profile:** 0 source documented, 6 phenomenon documented, 7 link partial, 5 kernel test open, 0 not established. Fund multi-tier event data to test whether the worst-hop and catchment predictions beat standard inventory policies.

Table 57. Branch card, B12.

Branch object	Mapping (condensed from the source)
State X*	Demand, orders, inventory, cash, lead time, supplier reserve, transportation and service level.
Receiver schema	Each tier's local demand/order representation versus end-demand and multi-tier network state.
Local boundary S	Buyer/local working-capital objective.
Consequential boundary G	Multi-tier supply chain over time.
Displaced state D	Variability amplification, supplier fragility, future stockouts, expedite cost and working-capital burden.
Candidate carriers C	Upstream suppliers, transport nodes, finance and future inventory positions.
IAMF-P capacity / action	Information sharing, supplier finance, buffers, routing redundancy, SLA redesign and capacity at bottlenecks.
Current evidence	Classic bullwhip research shows order-information distortion and increasing upstream variability, with mitigation strategies.

Table 58. Test register for branch B12. † = status assigned by the default rubric.

Test	Branch-specific operationalisation	Status and evidence note
B12-T01 State fidelity	Apply the "State fidelity" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B12-T02 Schema-gap measurement	Apply the "Schema-gap measurement" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B12-T03 Schema-causality intervention	Apply the "Schema-causality intervention" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN †** Protocol defined. No sealed parity, holdout or replication result yet.
B12-T04 Friction vector	Apply the "Friction vector" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.

Test	Branch-specific operationalisation	Status and evidence note
B12-T05 Boundary divergence	Compare S = Buyer/local working-capital objective. against G = Multi-tier supply chain over time.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *Classic bullwhip research shows order-information distortion and increasing upstream variability, with mitigation strategies.*
B12-T06 Null-boundary control	Select aligned/null or positive- spillover cases before outcomes are revealed; the law must correctly return no activation when consequential divergence is immaterial.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B12-T07 Directed displacement	Estimate displacement relative to a declared counterfactual. Candidate displaced state: Variability amplification, supplier fragility, future stockouts, expedite cost and working-capital burden.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B12-T08 Prospective carrier prediction	Predict the receiving carrier before reveal. Candidate carrier space: Upstream suppliers, transport nodes, finance and future inventory positions.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B12-T09 Coupling-path identification	Identify the causal handoff/coupling that moves state from the optimized boundary to the receiving carrier; validate with temporal, network, experimental or quasi-experimental evidence where available.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B12-T10 Hidden compensation	Remove, reduce or separately measure the suspected compensator and observe whether visible stability falls; distinguish true system capacity from borrowed capacity.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B12-T11 Reconciliation Velocity Gap	Build a time series of unresolved burden U(t) and carrier reconciliation capacity R_C(t); test whether RVG = dU/dt - dR_C/dt predicts accumulation or failure.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B12-T12 Capacity construction	Compare routing/redistribution with actual capacity construction. Candidate build: Information sharing, supplier finance, buffers, routing redundancy, SLA redesign and capacity at bottlenecks.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B12-T13 Productive transformation	Where domain-valid, convert recoverable displaced state into a higher-value state and audit all new costs/carriers. If transformation is physically meaningless in the branch, record N/A rather than force it.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B12-T14 Mutual uptick	Require Mutual Uptick: every material carrier has a positive preregistered consequential value change, with no protected safety dimension deteriorating beyond tolerance and no new hidden loser.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B12-T15 Incumbent information parity	Run 2x2 information-parity design: same information/incumbent objective; same information/Rufino objective; expanded consequential information/incumbent objective; expanded information/Rufino objective.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B12-T16 Untouched holdout	Freeze K_R, branch adapter, endpoints and carrier-prediction rule, then run a second untouched dataset/system with outcomes sealed.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *Status remains OPEN.*
B12-T17 Sensitivity and identifiability	Stress units, uncertainty, alternative causal histories, thresholds, missingness and parameter choices; return UNKNOWN when materially different histories are observationally equivalent.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.

Test	Branch-specific operationalisation	Status and evidence note
B12-T18 Independent replication	Unaffiliated operators reproduce or falsify this branch test from auditable data, code and the frozen adapter.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

BRANCH B13 · tests B13-T01 to B13-T18

Cybersecurity

Current branch classification: RECURRENT ADAPTATION SUPPORT; ADVERSARIAL PREDICTION OPEN



IAMF-P build: Moving-target defense, redundancy, recovery, verification and carrier- specific controls.

Editor's reading. Cybersecurity has real adversaries, and the kernel is explicit that an attacker is an adverse process, not a carrier owed a gain. **Status profile:** 0 source documented, 7 phenomenon documented, 5 link partial, 6 kernel test open, 0 not established. This branch is defensive architecture only. Fund detection and recovery studies on public incident data.

Table 59. Branch card, B13.

Branch object	Mapping (condensed from the source)
State X*	Attack graph, exposure, detection, response, availability, real-time performance and human workload.
Receiver schema	Defender model of attack surface versus evolving attacker-accessible state.
Local boundary S	Blocked vector or isolated security score.
Consequential boundary G	Adaptive attacker-defender-operational system.
Displaced state D	Attack redirection, verification overhead, downtime, latency or performance loss.
Candidate carriers C	Next attack surface, operators, mission functions and downstream systems.
IAMF-P capacity / action	Moving-target defense, redundancy, recovery, verification and carrier- specific controls.
Current evidence	2026 MTD survey explicitly evaluates security gains against real-time performance, deployment feasibility and operational trade-offs.

Table 60. Test register for branch B13. † = status assigned by the default rubric.

Test	Branch-specific operationalisation	Status and evidence note
B13-T01 State fidelity	Freeze a pre-outcome reconstruction of: Attack graph, exposure, detection, response, availability, real-time performance and human workload.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *2026 MTD survey explicitly evaluates security gains against real-time performance, deployment feasibility and operational trade-offs.*
B13-T02 Schema-gap measurement	Formalize this receiver representation: Defender model of attack surface versus evolving attacker-accessible state.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B13-T03 Schema-causality intervention	Reduce schema mismatch in the receiver while holding the principal material-resource budget fixed; test whether the downstream decision improves inside G = Adaptive attacker-defender-operational system.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B13-T04 Friction vector	Measure branch-native friction created by mismatch/translation, keeping money, time, energy, biological or trust dimensions separate.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.

Test	Branch-specific operationalisation	Status and evidence note
B13-T05 Boundary divergence	Compare S = Blocked vector or isolated security score. against G = Adaptive attacker-defender-operational system.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B13-T06 Null-boundary control	Select aligned/null or positive- spillover cases before outcomes are revealed; the law must correctly return no activation when consequential divergence is immaterial.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B13-T07 Directed displacement	Estimate displacement relative to a declared counterfactual. Candidate displaced state: Attack redirection, verification overhead, downtime, latency or performance loss.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B13-T08 Prospective carrier prediction	Predict the receiving carrier before reveal. Candidate carrier space: Next attack surface, operators, mission functions and downstream systems.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B13-T09 Coupling-path identification	Identify the causal handoff/coupling that moves state from the optimized boundary to the receiving carrier; validate with temporal, network, experimental or quasi-experimental evidence where available.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B13-T10 Hidden compensation	Remove, reduce or separately measure the suspected compensator and observe whether visible stability falls; distinguish true system capacity from borrowed capacity.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B13-T11 Reconciliation Velocity Gap	Build a time series of unresolved burden U(t) and carrier reconciliation capacity R_C(t); test whether RVG = dU/dt - dR_C/dt predicts accumulation or failure.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B13-T12 Capacity construction	Compare routing/redistribution with actual capacity construction. Candidate build: Moving-target defense, redundancy, recovery, verification and carrier-specific controls.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B13-T13 Productive transformation	Where domain-valid, convert recoverable displaced state into a higher-value state and audit all new costs/carriers. If transformation is physically meaningless in the branch, record N/A rather than force it.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *Status remains OPEN.*
B13-T14 Mutual uptick	Require Mutual Uptick: every material carrier has a positive preregistered consequential value change, with no protected safety dimension deteriorating beyond tolerance and no new hidden loser.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B13-T15 Incumbent information parity	Run 2x2 information-parity design: same information/incumbent objective; same information/Rufino objective; expanded consequential information/incumbent objective; expanded information/Rufino objective.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B13-T16 Untouched holdout	Freeze K_R, branch adapter, endpoints and carrier-prediction rule, then run a second untouched dataset/system with outcomes sealed.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B13-T17 Sensitivity and identifiability	Apply the "Sensitivity and identifiability" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B13-T18 Independent replication	Unaffiliated operators reproduce or falsify this branch test from auditable data, code and the frozen adapter.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

BRANCH B14 · tests B14-T01 to B14-T18

AI systems / agents

Current branch classification: STRONG SCHEMA/FRICTION RELEVANCE; FULL LIVE BENCHMARK OPEN



IAMF-P build: Provenance, schema correction, escalation, human review capacity, redundancy, workflow redesign and efficient compute.

Editor's reading. AI agents turn the schema gap into an engineering problem: the world model is never the world. **Status profile:** 0 source documented, 6 phenomenon documented, 7 link partial, 5 kernel test open, 0 not established. Fund matched agent workflows measuring human review minutes and error cost under information parity.

Table 61. Branch card, B14.

Branch object	Mapping (condensed from the source)
State X*	Task accuracy, world/context representation, provenance, compute, energy, human review, latency, downstream errors and organizational effects.
Receiver schema	Model/agent representation and organizational deployment schema versus evidence-grounded task/world state.
Local boundary S	Model/task KPI such as accuracy, benchmark score or automation rate.
Consequential boundary G	User + human reviewers + organization + infrastructure + downstream decision system.
Displaced state D	Verification work, correction, hallucination/error propagation, data risk, energy/compute load and governance burden.
Candidate carriers C	Humans, downstream software, institutions, grids/data centers and affected users.
IAMF-P capacity / action	Provenance, schema correction, escalation, human review capacity, redundancy, workflow redesign and efficient compute.
Current evidence	NIST treats AI risk across individuals, organizations and society and explicitly notes context loss and human-AI interaction; Stanford, IEA and Gartner quantify adoption, incidents, investment and infrastructure scale.

Table 62. Test register for branch B14. † = status assigned by the default rubric.

Test	Branch-specific operationalisation	Status and evidence note
B14-T01 State fidelity	Apply the "State fidelity" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B14-T02 Schema-gap measurement	Apply the "Schema-gap measurement" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B14-T03 Schema-causality intervention	Reduce schema mismatch in the receiver while holding the principal material-resource budget fixed; test whether the downstream decision improves inside G = User + human reviewers + organization + infrastructure + downstream decision system.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

Test	Branch-specific operationalisation	Status and evidence note
B14-T04 Friction vector	Measure branch-native friction created by mismatch/translation, keeping money, time, energy, biological or trust dimensions separate.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *NIST treats AI risk across individuals, organizations and society and explicitly notes context loss and human-AI interaction; Stanford, IEA and Gartner quantify adoption, incidents, investment and infrastructure scale.*
B14-T05 Boundary divergence	Compare S = Model/task KPI such as accuracy, benchmark score or automation rate. against G = User + human reviewers + organization + infrastructure + downstream decision system.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B14-T06 Null-boundary control	Select aligned/null or positive- spillover cases before outcomes are revealed; the law must correctly return no activation when consequential divergence is immaterial.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B14-T07 Directed displacement	Estimate displacement relative to a declared counterfactual. Candidate displaced state: Verification work, correction, hallucination/error propagation, data risk, energy/compute load and governance burden.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B14-T08 Prospective carrier prediction	Predict the receiving carrier before reveal. Candidate carrier space: Humans, downstream software, institutions, grids/data centers and affected users.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B14-T09 Coupling-path identification	Identify the causal handoff/coupling that moves state from the optimized boundary to the receiving carrier; validate with temporal, network, experimental or quasi-experimental evidence where available.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B14-T10 Hidden compensation	Remove, reduce or separately measure the suspected compensator and observe whether visible stability falls; distinguish true system capacity from borrowed capacity.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B14-T11 Reconciliation Velocity Gap	Build a time series of unresolved burden U(t) and carrier reconciliation capacity R_C(t); test whether RVG = dU/dt - dR_C/dt predicts accumulation or failure.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B14-T12 Capacity construction	Compare routing/redistribution with actual capacity construction. Candidate build: Provenance, schema correction, escalation, human review capacity, redundancy, workflow redesign and efficient compute.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B14-T13 Productive transformation	Where domain-valid, convert recoverable displaced state into a higher-value state and audit all new costs/carriers. If transformation is physically meaningless in the branch, record N/A rather than force it.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B14-T14 Mutual uptick	Require Mutual Uptick: every material carrier has a positive preregistered consequential value change, with no protected safety dimension deteriorating beyond tolerance and no new hidden loser.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *Status remains OPEN.*
B14-T15 Incumbent information parity	Run 2x2 information-parity design: same information/incumbent objective; same information/Rufino objective; expanded consequential information/incumbent objective; expanded information/Rufino objective.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B14-T16 Untouched holdout	Apply the "Untouched holdout" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN †** Protocol defined. No sealed parity, holdout or replication result yet.

Test	Branch-specific operationalisation	Status and evidence note
B14-T17 Sensitivity and identifiability	Stress units, uncertainty, alternative causal histories, thresholds, missingness and parameter choices; return UNKNOWN when materially different histories are observationally equivalent.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B14-T18 Independent replication	Unaffiliated operators reproduce or falsify this branch test from auditable data, code and the frozen adapter.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

BRANCH B15 · tests B15-T01 to B15-T18

Public administration

Current branch classification: STRONG USER-SIDE FRICTION SUPPORT; MUTUAL-UPTICK TRIALS OPEN

IAMF-P build: Shared data, simplified interfaces, proactive service, navigation support and error-correction capacity.

Editor's reading. Public administration exports time to citizens, and few countries measure it, which makes the carrier ledger largely blank. **Status profile:** 0 source documented, 7 phenomenon documented, 6 link partial, 5 kernel test open, 0 not established. Fund a user-side transaction-cost measurement across one service before anything is redesigned.

Table 63. Branch card, B15.

Branch object	Mapping (condensed from the source)
State X*	Agency cost, citizen burden, access, delay, documents, handoffs, errors and rights/service outcome.
Receiver schema	Institutional process/eligibility schema versus citizen life situation and actual service need.
Local boundary S	Agency internal efficiency or case-processing cost.
Consequential boundary G	Citizen-state journey across agencies and time.
Displaced state D	Learning, compliance, waiting, repeated documentation, correction effort and psychological cost.
Candidate carriers C	Citizens, firms, case workers and future service demand.
IAMF-P capacity / action	Shared data, simplified interfaces, proactive service, navigation support and error-correction capacity.
Current evidence	OECD 2026 states services can appear efficient internally while imposing significant transaction costs on users; only 10/36 OECD countries report standardized measurement mechanisms/guidance.

Table 64. Test register for branch B15. † = status assigned by the default rubric.

Test	Branch-specific operationalisation	Status and evidence note
B15-T01 State fidelity	Apply the "State fidelity" semantics to this branch's native variables, units and feasible actions (see branch card).	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *T01 State fidelity Freeze a pre-outcome Current evidence supports this reconstruction of: Agency cost, structural component in Public citizen burden, access, delay, administration. OECD 2026 states documents, handoffs, errors and services can appear efficient rights/service outcome.*
B15-T02 Schema-gap measurement	Apply the "Schema-gap measurement" semantics to this branch's native variables, units and feasible actions (see branch card).	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *T02 Schema-gap measurement Formalize this receiver Current evidence supports this representation: Institutional structural component in Public process/eligibility schema versus administration. OECD 2026 states citizen life situation and actual services can appear efficient service need.*

Test	Branch-specific operationalisation	Status and evidence note
B15-T03 Schema-causality intervention	Apply the "Schema-causality intervention" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *T03 Schema-causality intervention Reduce schema mismatch in the Current literature/corpus makes receiver while holding the the mechanism plausible and principal material-resource budget measurable, but the exact frozen- fixed; test whether the kernel T03 isolation is incomplete.*
B15-T04 Friction vector	Measure branch-native friction created by mismatch/translation, keeping money, time, energy, biological or trust dimensions separate.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *OECD 2026 states services can appear efficient internally while imposing significant transaction costs on users; only 10/36 OECD countries report standardized measurement mechanisms/guidance.*
B15-T05 Boundary divergence	Compare S = Agency internal efficiency or case-processing cost. against G = Citizen-state journey across agencies and time.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B15-T06 Null-boundary control	Select aligned/null or positive- spillover cases before outcomes are revealed; the law must correctly return no activation when consequential divergence is immaterial.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B15-T07 Directed displacement	Estimate displacement relative to a declared counterfactual. Candidate displaced state: Learning, compliance, waiting, repeated documentation, correction effort and psychological cost.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B15-T08 Prospective carrier prediction	Predict the receiving carrier before reveal. Candidate carrier space: Citizens, firms, case workers and future service demand.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B15-T09 Coupling-path identification	Identify the causal handoff/coupling that moves state from the optimized boundary to the receiving carrier; validate with temporal, network, experimental or quasi-experimental evidence where available.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B15-T10 Hidden compensation	Remove, reduce or separately measure the suspected compensator and observe whether visible stability falls; distinguish true system capacity from borrowed capacity.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B15-T11 Reconciliation Velocity Gap	Build a time series of unresolved burden U(t) and carrier reconciliation capacity R_C(t); test whether RVG = dU/dt - dR_C/dt predicts accumulation or failure.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B15-T12 Capacity construction	Compare routing/redistribution with actual capacity construction. Candidate build: Shared data, simplified interfaces, proactive service, navigation support and error-correction capacity.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B15-T13 Productive transformation	Where domain-valid, convert recoverable displaced state into a higher-value state and audit all new costs/carriers. If transformation is physically meaningless in the branch, record N/A rather than force it.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B15-T14 Mutual uptick	Require Mutual Uptick: every material carrier has a positive preregistered consequential value change, with no protected safety dimension deteriorating beyond tolerance and no new hidden loser.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *Status remains OPEN.*

Test	Branch-specific operationalisation	Status and evidence note
B15-T15 Incumbent information parity	Run 2x2 information-parity design: same information/incumbent objective; same information/Rufino objective; expanded consequential information/incumbent objective; expanded information/Rufino objective.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B15-T16 Untouched holdout	Freeze K_R, branch adapter, endpoints and carrier-prediction rule, then run a second untouched dataset/system with outcomes sealed.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B15-T17 Sensitivity and identifiability	Stress units, uncertainty, alternative causal histories, thresholds, missingness and parameter choices; return UNKNOWN when materially different histories are observationally equivalent.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B15-T18 Independent replication	Unaffiliated operators reproduce or falsify this branch test from auditable data, code and the frozen adapter.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

BRANCH B16 · tests B16-T01 to B16-T18

Ecology / commons

Current branch classification: STRONG NULL + LEAKAGE EVIDENCE; MUTUAL-UPTICK SYSTEM TEST OPEN



IAMF-P build: Habitat design, quotas, monitoring, polycentric governance and surrounding-landscape capacity.

Editor's reading. Ecology offers the clearest nulls: protected areas sometimes leak, sometimes block, sometimes do nothing, and the kernel has to report all three. **Status profile:** 0 source documented, 6 phenomenon documented, 7 link partial, 5 kernel test open, 0 not established. Fund a matched protected-area leakage study with explicit null criteria.

Table 65. Branch card, B16.

Branch object	Mapping (condensed from the source)
State X*	Species, habitat, land use, pollutants, harvest, governance and surrounding community/ecosystem state.
Receiver schema	Protected-area/local conservation accounting versus landscape-scale ecological/social system.
Local boundary S	Protected or local area.
Consequential boundary G	Networked ecosystem + adjacent land use + affected communities.
Displaced state D	Leakage or positive blockage of extraction/deforestation pressure.
Candidate carriers C	Adjacent habitats, communities and ecosystems.
IAMF-P capacity / action	Habitat design, quotas, monitoring, polycentric governance and surrounding-landscape capacity.
Current evidence	Systematic review of 3,398 protected-area observations/records in the review corpus; the manuscript separately reports 2,575 effective/analyzable PAs for the 11.8% leakage / 54.8% blockage / 33.4% no-spillover subset found both leakage and positive blockage plus null cases, providing an unusually strong falsifiability/null-control example.

Table 66. Test register for branch B16. † = status assigned by the default rubric.

Test	Branch-specific operationalisation	Status and evidence note
B16-T01 State fidelity	Apply the "State fidelity" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B16-T02 Schema-gap measurement	Apply the "Schema-gap measurement" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B16-T03 Schema-causality intervention	Apply the "Schema-causality intervention" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN †** Protocol defined. No sealed parity, holdout or replication result yet.

Test	Branch-specific operationalisation	Status and evidence note
B16-T04 Friction vector	Measure branch-native friction created by mismatch/translation, keeping money, time, energy, biological or trust dimensions separate.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *Systematic review of 3,398 protected-area observations/records in the review corpus; the manuscript separately reports 2,575 effective/analyzable PAs for the 11.8% leakage / 54.8% blockage / 33.4% no- spillover subset found both leakage and positive blockage plus null cases, providing an unusually...*
B16-T05 Boundary divergence	Compare S = Protected or local area. against G = Networked ecosystem + adjacent land use + affected communities.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B16-T06 Null-boundary control	Select aligned/null or positive- spillover cases before outcomes are revealed; the law must correctly return no activation when consequential divergence is immaterial.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B16-T07 Directed displacement	Estimate displacement relative to a declared counterfactual. Candidate displaced state: Leakage or positive blockage of extraction/deforestation pressure.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B16-T08 Prospective carrier prediction	Predict the receiving carrier before reveal. Candidate carrier space: Adjacent habitats, communities and ecosystems.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B16-T09 Coupling-path identification	Identify the causal handoff/coupling that moves state from the optimized boundary to the receiving carrier; validate with temporal, network, experimental or quasi-experimental evidence where available.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B16-T10 Hidden compensation	Remove, reduce or separately measure the suspected compensator and observe whether visible stability falls; distinguish true system capacity from borrowed capacity.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B16-T11 Reconciliation Velocity Gap	Build a time series of unresolved burden U(t) and carrier reconciliation capacity R_C(t); test whether RVG = dU/dt - dR_C/dt predicts accumulation or failure.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B16-T12 Capacity construction	Compare routing/redistribution with actual capacity construction. Candidate build: Habitat design, quotas, monitoring, polycentric governance and surrounding- landscape capacity.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B16-T13 Productive transformation	Where domain-valid, convert recoverable displaced state into a higher-value state and audit all new costs/carriers. If transformation is physically meaningless in the branch, record N/A rather than force it.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B16-T14 Mutual uptick	Require Mutual Uptick: every material carrier has a positive preregistered consequential value change, with no protected safety dimension deteriorating beyond tolerance and no new hidden loser.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *Status remains OPEN.*
B16-T15 Incumbent information parity	Run 2x2 information-parity design: same information/incumbent objective; same information/Rufino objective; expanded consequential information/incumbent objective; expanded information/Rufino objective.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B16-T16 Untouched holdout	Freeze K_R, branch adapter, endpoints and carrier-prediction rule, then run a second untouched dataset/system with outcomes sealed.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

Test	Branch-specific operationalisation	Status and evidence note
B16-T17 Sensitivity and identifiability	Stress units, uncertainty, alternative causal histories, thresholds, missingness and parameter choices; return UNKNOWN when materially different histories are observationally equivalent.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B16-T18 Independent replication	Unaffiliated operators reproduce or falsify this branch test from auditable data, code and the frozen adapter.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

BRANCH B17 · tests B17-T01 to B17-T18

Spacecraft / closed-loop life support

Current branch classification: STRONG CLOSED-LOOP ENGINEERING SUPPORT; CROSS-SYSTEM MU+ OPEN



IAMF-P build: Recovery, storage, routing, redundancy, repair, quality testing and reprocessing.

Editor's reading. Closed-loop life support already practises capture, transform, test and reprocess, so it is the nearest existing engineering analogue of the constructive operator. **Status profile:** 0 source documented, 11 phenomenon documented, 2 link partial, 5 kernel test open, 0 not established. Because structure is already present, the open question is only prospective superiority. Fund a benchmark against current ECLSS performance data.

Table 67. Branch card, B17.

Branch object	Mapping (condensed from the source)
State X*	O2, CO2, H2O, thermal state, waste, power, crew, reserves and subsystem reliability.
Receiver schema	Subsystem nominal-status representation versus mission-wide material/energy/crew loop.
Local boundary S	Single life-support subsystem nominal status.
Consequential boundary G	Mission-wide closed-loop life-support system.
Displaced state D	Reserve depletion or transferred burden on another life-support subsystem/crew.
Candidate carriers C	Water, air, power, storage, waste systems and crew reserve.
IAMF-P capacity / action	Recovery, storage, routing, redundancy, repair, quality testing and reprocessing.
Current evidence	NASA ECLSS directly captures, transforms, tests and reprocesses water/air system outputs; unacceptable water is reprocessed and about 90% of station water is recovered.

Table 68. Test register for branch B17. † = status assigned by the default rubric.

Test	Branch-specific operationalisation	Status and evidence note
B17-T01 State fidelity	Freeze a pre-outcome reconstruction of: O2, CO2, H2O, thermal state, waste, power, crew, reserves and subsystem reliability.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *NASA ECLSS directly captures, transforms, tests and reprocesses water/air system outputs; unacceptable water is reprocessed and about 90% of station water is recovered.*
B17-T02 Schema-gap measurement	Formalize this receiver representation: Subsystem nominal-status representation versus mission-wide material/energy/crew loop.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B17-T03 Schema-causality intervention	Reduce schema mismatch in the receiver while holding the principal material-resource budget fixed; test whether the downstream decision improves inside G = Mission-wide closed- loop life-support system.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

Test	Branch-specific operationalisation	Status and evidence note
B17-T04 Friction vector	Measure branch-native friction created by mismatch/translation, keeping money, time, energy, biological or trust dimensions separate.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B17-T05 Boundary divergence	Compare S = Single life-support subsystem nominal status. against G = Mission-wide closed-loop life-support system.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B17-T06 Null-boundary control	Select aligned/null or positive- spillover cases before outcomes are revealed; the law must correctly return no activation when consequential divergence is immaterial.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B17-T07 Directed displacement	Estimate displacement relative to a declared counterfactual. Candidate displaced state: Reserve depletion or transferred burden on another life-support subsystem/crew.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B17-T08 Prospective carrier prediction	Predict the receiving carrier before reveal. Candidate carrier space: Water, air, power, storage, waste systems and crew reserve.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B17-T09 Coupling-path identification	Identify the causal handoff/coupling that moves state from the optimized boundary to the receiving carrier; validate with temporal, network, experimental or quasi-experimental evidence where available.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B17-T10 Hidden compensation	Remove, reduce or separately measure the suspected compensator and observe whether visible stability falls; distinguish true system capacity from borrowed capacity.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B17-T11 Reconciliation Velocity Gap	Build a time series of unresolved burden U(t) and carrier reconciliation capacity R_C(t); test whether RVG = dU/dt - dR_C/dt predicts accumulation or failure.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B17-T12 Capacity construction	Compare routing/redistribution with actual capacity construction. Candidate build: Recovery, storage, routing, redundancy, repair, quality testing and reprocessing.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
B17-T13 Productive transformation	Apply the "Productive transformation" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B17-T14 Mutual uptick	Apply the "Mutual uptick" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN †** Protocol defined. No sealed parity, holdout or replication result yet.
B17-T15 Incumbent information parity	Apply the "Incumbent information parity" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN †** Protocol defined. No sealed parity, holdout or replication result yet.
B17-T16 Untouched holdout	Apply the "Untouched holdout" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN †** Protocol defined. No sealed parity, holdout or replication result yet.
B17-T17 Sensitivity and identifiability	Apply the "Sensitivity and identifiability" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
B17-T18 Independent replication	Unaffiliated operators reproduce or falsify this branch test from auditable data, code and the frozen adapter.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

BRANCH B18 · tests B18-T01 to B18-T18

Fundamental physics / pure mathematics

Current branch classification: NOT ESTABLISHED AS FUNDAMENTAL LAW / THEOREM



IAMF-P build: Requires a genuinely new falsifiable physical prediction, invariant, or theorem-level result with independent verification.

Editor's reading. Fundamental physics is retained as a deliberate non-pass: the book does not claim new laws or theorem-level results. **Status profile:** 0 source documented, 1 phenomenon documented, 4 link partial, 5 kernel test open, 8 not established. Its value is as a control: a branch the kernel is expected to decline. Do not fund as a validation target.

Table 69. Branch card, B18.

Branch object	Mapping (condensed from the source)
State X*	Native physical state variables, invariants, dimensional quantities; or formal mathematical objects and proof systems.
Receiver schema	Scientific/model representation versus native physical measurement, or formal statement versus proof semantics.
Local boundary S	Candidate local representation.
Consequential boundary G	Must be defined by native physics/mathematics, not imported metaphorically.
Displaced state D	No domain-valid universal displaced quantity has yet been demonstrated.
Candidate carriers C	No empirically validated receiving carrier in the fundamental-physics sense has yet been established.
IAMF-P capacity / action	Requires a genuinely new falsifiable physical prediction, invariant, or theorem-level result with independent verification.
Current evidence	Current corpus does not establish a new fundamental interaction, conservation law, constant or theorem. This branch is intentionally retained as a hard non-pass rather than forced into universality.

Table 70. Test register for branch B18. † = status assigned by the default rubric.

Test	Branch-specific operationalisation	Status and evidence note
B18-T01 State fidelity	Freeze a pre-outcome reconstruction of: Native physical state variables, invariants, dimensional quantities; or formal mathematical objects and proof systems.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *Current corpus does not establish a new fundamental interaction, conservation law, constant or theorem. This branch is intentionally retained as a hard non-pass rather than forced into universality.*
B18-T02 Schema-gap measurement	Formalize this receiver representation: Scientific/model representation versus native physical measurement, or formal statement versus proof semantics.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.

Test	Branch-specific operationalisation	Status and evidence note
B18-T03 Schema-causality intervention	Reduce schema mismatch in the receiver while holding the principal material-resource budget fixed; test whether the downstream decision improves inside G = Must be defined by native physics/mathematics, not imported metaphorically.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *No valid empirical/theorem-level result in the present corpus establishes this test for the claimed fundamental domain. It is retained as a non-pass/open falsification target.*
B18-T04 Friction vector	Measure branch-native friction created by mismatch/translation, keeping money, time, energy, biological or trust dimensions separate.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B18-T05 Boundary divergence	Compare S = Candidate local representation. against G = Must be defined by native physics/mathematics, not imported metaphorically.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B18-T06 Null-boundary control	Select aligned/null or positive- spillover cases before outcomes are revealed; the law must correctly return no activation when consequential divergence is immaterial.	**NOT ESTABLISHED** Not established. Retained as a deliberate non-pass.
B18-T07 Directed displacement	Estimate displacement relative to a declared counterfactual. Candidate displaced state: No domain-valid universal displaced quantity has yet been demonstrated.	**NOT ESTABLISHED** Not established. Retained as a deliberate non-pass.
B18-T08 Prospective carrier prediction	Predict the receiving carrier before reveal. Candidate carrier space: No empirically validated receiving carrier in the fundamental-physics sense has yet been established.	**NOT ESTABLISHED** Not established. Retained as a deliberate non-pass.
B18-T09 Coupling-path identification	Identify the causal handoff/coupling that moves state from the optimized boundary to the receiving carrier; validate with temporal, network, experimental or quasi-experimental evidence where available.	**NOT ESTABLISHED** Not established. Retained as a deliberate non-pass.
B18-T10 Hidden compensation	Remove, reduce or separately measure the suspected compensator and observe whether visible stability falls; distinguish true system capacity from borrowed capacity.	**NOT ESTABLISHED** Not established. Retained as a deliberate non-pass.
B18-T11 Reconciliation Velocity Gap	Build a time series of unresolved burden U(t) and carrier reconciliation capacity R_C(t); test whether RVG = dU/dt - dR_C/dt predicts accumulation or failure.	**NOT ESTABLISHED** Not established. Retained as a deliberate non-pass.
B18-T12 Capacity construction	Compare routing/redistribution with actual capacity construction. Candidate build: Requires a genuinely new falsifiable physical prediction, invariant, or theorem- level result with independent verification.	**NOT ESTABLISHED** Not established. Retained as a deliberate non-pass.
B18-T13 Productive transformation	Where domain-valid, convert recoverable displaced state into a higher-value state and audit all new costs/carriers. If transformation is physically meaningless in the branch, record N/A rather than force it.	**NOT ESTABLISHED** Not established. Retained as a deliberate non-pass.
B18-T14 Mutual uptick	Require Mutual Uptick: every material carrier has a positive preregistered consequential value change, with no protected safety dimension deteriorating beyond tolerance and no new hidden loser.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B18-T15 Incumbent information parity	Run 2x2 information-parity design: same information/incumbent objective; same information/Rufino objective; expanded consequential information/incumbent objective; expanded information/Rufino objective.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
B18-T16 Untouched holdout	Freeze K_R, branch adapter, endpoints and carrier-prediction rule, then run a second untouched dataset/system with outcomes sealed.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

Test	Branch-specific operationalisation	Status and evidence note
B18-T17 Sensitivity and identifiability	Stress units, uncertainty, alternative causal histories, thresholds, missingness and parameter choices; return UNKNOWN when materially different histories are observationally equivalent.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
B18-T18 Independent replication	Unaffiliated operators reproduce or falsify this branch test from auditable data, code and the frozen adapter.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

BRANCH H01 · tests H01-T01 to H01-T18

External holdout: water / irrigation

Current branch classification: VERY STRONG BOUNDARY / RETURN-FLOW HOLDOUT; MU+ TRIAL OPEN



IAMF-P build: Basin-aware allocation, return-flow accounting, governance, caps and capacity that preserves downstream value.

Editor's reading. Water is the external holdout: a domain adapter written without tuning against its outcomes. **Status profile:** 0 source documented, 7 phenomenon documented, 6 link partial, 5 kernel test open, 0 not established. Its value is entirely in staying untouched. Fund a basin-scale carrier-prediction test with the kernel frozen first.

Table 71. Branch card, H01.

Branch object	Mapping (condensed from the source)
State X*	Withdrawals, consumptive use, return flows, storage, aquifers, downstream users, crops and basin ecology.
Receiver schema	Farm-efficiency schema versus basin water-accounting state.
Local boundary S	Farm or irrigation-project efficiency.
Consequential boundary G	Basin-scale hydrology + downstream users + ecosystems + storage.
Displaced state D	Reduced return flow, rebound consumption, downstream scarcity or altered basin outflow despite local efficiency gains.
Candidate carriers C	Downstream farms/users, aquifers, rivers, ecosystems and storage.
IAMF-P capacity / action	Basin-aware allocation, return-flow accounting, governance, caps and capacity that preserves downstream value.
Current evidence	2026 syntheses explicitly show farm-level efficiency can fail to create basin-scale savings because return flows are reused and consumption can rebound.

Table 72. Test register for branch H01. † = status assigned by the default rubric.

Test	Branch-specific operationalisation	Status and evidence note
H01-T01 State fidelity	Apply the "State fidelity" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
H01-T02 Schema-gap measurement	Apply the "Schema-gap measurement" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.
H01-T03 Schema-causality intervention	Apply the "Schema-causality intervention" semantics to this branch's native variables, units and feasible actions (see branch card).	**KERNEL TEST OPEN †** Protocol defined. No sealed parity, holdout or replication result yet.
H01-T04 Friction vector	Apply the "Friction vector" semantics to this branch's native variables, units and feasible actions (see branch card).	**LINK PARTIAL †** A constituent link is measurable; end-to-end isolation is incomplete.

Test	Branch-specific operationalisation	Status and evidence note
H01-T05 Boundary divergence	Compare S = Farm or irrigation- project efficiency. against G = Basin-scale hydrology + downstream users + ecosystems + storage.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown. *2026 syntheses explicitly show farm- level efficiency can fail to create basin-scale savings because return flows are reused and consumption can rebound.*
H01-T06 Null-boundary control	Select aligned/null or positive- spillover cases before outcomes are revealed; the law must correctly return no activation when consequential divergence is immaterial.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
H01-T07 Directed displacement	Estimate displacement relative to a declared counterfactual. Candidate displaced state: Reduced return flow, rebound consumption, downstream scarcity or altered basin outflow despite local efficiency gains.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
H01-T08 Prospective carrier prediction	Predict the receiving carrier before reveal. Candidate carrier space: Downstream farms/users, aquifers, rivers, ecosystems and storage.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
H01-T09 Coupling-path identification	Identify the causal handoff/coupling that moves state from the optimized boundary to the receiving carrier; validate with temporal, network, experimental or quasi-experimental evidence where available.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
H01-T10 Hidden compensation	Remove, reduce or separately measure the suspected compensator and observe whether visible stability falls; distinguish true system capacity from borrowed capacity.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
H01-T11 Reconciliation Velocity Gap	Build a time series of unresolved burden U(t) and carrier reconciliation capacity R_C(t); test whether RVG = dU/dt - dR_C/dt predicts accumulation or failure.	**PHENOMENON DOCUMENTED** Independent literature documents the phenomenon or a link. Frozen-kernel isolation not shown.
H01-T12 Capacity construction	Compare routing/redistribution with actual capacity construction. Candidate build: Basin-aware allocation, return-flow accounting, governance, caps and capacity that preserves downstream value.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
H01-T13 Productive transformation	Where domain-valid, convert recoverable displaced state into a higher-value state and audit all new costs/carriers. If transformation is physically meaningless in the branch, record N/A rather than force it.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
H01-T14 Mutual uptick	Require Mutual Uptick: every material carrier has a positive preregistered consequential value change, with no protected safety dimension deteriorating beyond tolerance and no new hidden loser.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
H01-T15 Incumbent information parity	Run 2x2 information-parity design: same information/incumbent objective; same information/Rufino objective; expanded consequential information/incumbent objective; expanded information/Rufino objective.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.
H01-T16 Untouched holdout	Freeze K_R, branch adapter, endpoints and carrier-prediction rule, then run a second untouched dataset/system with outcomes sealed.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet. *Status remains OPEN.*
H01-T17 Sensitivity and identifiability	Stress units, uncertainty, alternative causal histories, thresholds, missingness and parameter choices; return UNKNOWN when materially different histories are observationally equivalent.	**LINK PARTIAL** A constituent link is measurable; end-to-end isolation is incomplete.
H01-T18 Independent replication	Unaffiliated operators reproduce or falsify this branch test from auditable data, code and the frozen adapter.	**KERNEL TEST OPEN** Protocol defined. No sealed parity, holdout or replication result yet.

PART VII

The Frontier Atlas

One hundred domain adapters in ten families: a construction brief for each, never a validation claim.

FRONTIER ATLAS

How the Atlas Works

The atlas is a hypothesis generator. Its hundred entries exist because the book aims to be complete across categories of reality, but they are **not** counted as a hundred kernel validations. Each adapter must earn its own causal identification, null controls, parity benchmark, prospective holdout and independent replication, and any adapter may legitimately return NO ACTIVATION, UNKNOWN or NO FEASIBLE MU+.



Figure 31. The 100 adapters in ten families, coloured by the current position assigned in the source. Strong or established fit: 45. Constructive protocol: 31. Regulated or high-stakes frontier: 16. Hard scientific or formal frontier: 7. Open by definition: 1.

The fields every entry exposes

Table 73. Required fields of every atlas entry.

Field	Question it answers
X*	What is the evidence-grounded state?
Σ	Through what schema is the state recognised today?
B	What blocker prevents Mutual Uptick?
C	Which carriers receive the displaced burden?
ΔR	What missing structure must be built?
MU+	What counts as every carrier gaining?
Frontier-market class	What kind of venture, if any, the unresolved burden implies
Decisive test	What single design would most sharpen the evidence?

Commercial note on every entry

Persistent unresolved burden can indicate demand, but profitability is never guaranteed. Adoption, regulation, legality, ethics, capital intensity, competition, willingness to pay and execution remain separate gates (Chapter 25). In regulated or safety-critical families the entry is a research architecture, not a treatment, legal decision or deployment authorisation.

Figure 32. Composition of the atlas: the number of adapters in each family by position class. Most entries are strong structural fits or constructive protocols; the hard frontiers sit mainly in the physical and cosmic families.

FAMILY 1 OF 10 · ADAPTERS 001 TO 010

Human life quality

Editor's overview. Closest to the individual: measurement is multidimensional and cost of error is human.

This family contains 10 named adapters. Each is a one-page construction brief: native state, schema, blocker, carrier, missing capacity, Mutual-Uptick condition, candidate market and decisive next test.

Guardrail

Entries in this family concern health, mind or wellbeing. They are research architectures for measurement and construction, not diagnoses, treatments or recommendations for any individual.

Table 74. Family 1: Human life quality.

No.	Domain	Current position	Frontier-market class
001	**Whole-person quality of life**	Constructive protocol	Life-quality operating systems; preventive orchestration; integrated support infrastructure
002	**Nutrition and metabolism**	Regulated empirical frontier	Adaptive nutrition platforms; metabolic food infrastructure
003	**Sleep and recovery**	Constructive protocol	Recovery systems; circadian workplace infrastructure
004	**Reproductive and sexual health**	Regulated empirical frontier	Reproductive-health orchestration; fertility and sexual-health infrastructure
005	**Disability and accessibility**	Strong constructive fit	Accessibility-by-default products; adaptive interfaces
006	**Mobility and physical function**	Regulated empirical frontier	Rehabilitation platforms; adaptive mobility systems
007	**Family and caregiving**	Strong structural fit	Care coordination; respite infrastructure; family operating systems
008	**Safety and personal security**	Constructive protocol	Personal safety infrastructure; safer-environment design
009	**Housing and domestic environment**	Strong structural fit	Adaptive housing; healthy-building services
010	**Human longevity and life-course planning**	Constructive protocol	Longevity planning; life-course infrastructure

001 Whole-person quality of life

Human life quality | position: **Constructive protocol**

X* state	Health, function, time, autonomy, relationships, safety, income, environment and future capacity
Σ receiver schema	Single score, diagnosis, income bracket or productivity proxy
B blocker to MU+	Improvement in one life dimension paid for by another
C carriers	Person, household, caregivers, future self
ΔR missing structure	Whole-life state model plus coordinated capacity across health, time, income and environment
MU+ acceptance	Health, autonomy, security, time and relational capacity all improve without hidden depletion
Market class	Life-quality operating systems; preventive orchestration; integrated support infrastructure
Decisive test	Longitudinal cohort with preregistered multidimensional outcomes

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

002 Nutrition and metabolism

Human life quality | position: **Regulated empirical frontier**

X* state	Diet, metabolic state, affordability, culture, timing, microbiome and activity
Σ receiver schema	Calories/macros or generic diet categories
B blocker to MU+	Biological benefit shifts cost to adherence, affordability or another metabolic pathway
C carriers	Body, household budget, food system
ΔR missing structure	Adaptive nutrition and access architecture with feedback and affordability constraints
MU+ acceptance	Metabolic markers, adherence, affordability and quality of life improve together
Market class	Adaptive nutrition platforms; metabolic food infrastructure
Decisive test	Randomized adaptive nutrition trial with cost and adherence carriers

Reading. Evidence must come from regulated trials or audits; this entry is research architecture only.

003 Sleep and recovery

Human life quality | position: **Constructive protocol**

X* state	Sleep architecture, circadian timing, stress, workload, environment and recovery reserve
Σ receiver schema	Hours slept or wearable score
B blocker to MU+	More sleep opportunity can displace work, care or circadian alignment
C carriers	Body, cognition, household schedule
ΔR missing structure	Recovery controller integrating timing, environment, workload and physiology
MU+ acceptance	Recovery, cognition, safety and schedule burden improve together
Market class	Recovery systems; circadian workplace infrastructure
Decisive test	Longitudinal crossover study

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

004 Reproductive and sexual health

Human life quality | position: **Regulated empirical frontier**

X* state	Endocrine, reproductive, sexual, relational, consent, fertility and safety state
Σ receiver schema	Single fertility, disease or risk label
B blocker to MU+	Local treatment shifts hormonal, relational, financial or future burden
C carriers	Individual, partner, future child, household
ΔR missing structure	Longitudinal reproductive-state architecture plus consent/safety controls
MU+ acceptance	Health, autonomy, safety and desired reproductive outcomes improve
Market class	Reproductive-health orchestration; fertility and sexual-health infrastructure
Decisive test	Clinical trials + patient-reported and partner- impact carriers

Reading. Evidence must come from regulated trials or audits; this entry is research architecture only.

005 Disability and accessibility

Human life quality | position: **Strong constructive fit**

X* state	Capabilities plus environmental demands, interfaces and support
Σ receiver schema	Deficit-only person label
B blocker to MU+	Person compensates for inaccessible environment
C carriers	Person, caregiver, workplace, public space
ΔR missing structure	Environment-first accessibility architecture plus assistive capacity
MU+ acceptance	Capability, independence and participation rise while compensatory load falls
Market class	Accessibility-by-default products; adaptive interfaces
Decisive test	Before/after environment redesign with workload measures

Reading. A construction is both specifiable and testable now, often with existing digital telemetry.

006 Mobility and physical function

Human life quality | position: **Regulated empirical frontier**

X* state	Strength, pain, balance, endurance, environment, assistive devices
Σ receiver schema	Single functional score
B blocker to MU+	Function gains can increase pain, fatigue or caregiver burden
C carriers	Body, caregiver, environment
ΔR missing structure	Adaptive rehabilitation plus environment and device redesign
MU+ acceptance	Function, comfort, autonomy and caregiver load improve
Market class	Rehabilitation platforms; adaptive mobility systems
Decisive test	Controlled rehabilitation study

Reading. Evidence must come from regulated trials or audits; this entry is research architecture only.

007 Family and caregiving

Human life quality | position: **Strong structural fit**

X* state	Needs, capacities, schedules, money, emotional load, dependency and support network
Σ receiver schema	Household role labels
B blocker to MU+	One caregiver silently absorbs system failure
C carriers	Primary caregiver, dependents, siblings, employer
ΔR missing structure	Care-load ledger, shared coordination and external capacity
MU+ acceptance	Dependent wellbeing and caregiver wellbeing both improve
Market class	Care coordination; respite infrastructure; family operating systems
Decisive test	Prospective household burden study

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

008 Safety and personal security

Human life quality | position: **Constructive protocol**

X* state	Threat exposure, environment, support, mobility and response capacity
Σ receiver schema	Incident count or generic risk class
B blocker to MU+	Protection shifts restriction or surveillance burden onto protected person
C carriers	Person, community, responder
ΔR missing structure	Safety architecture that increases protection without reducing autonomy
MU+ acceptance	Threat falls while freedom, privacy and response burden improve
Market class	Personal safety infrastructure; safer-environment design
Decisive test	Prospective safety intervention

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

009 Housing and domestic environment

Human life quality | position: **Strong structural fit**

X* state	Shelter, cost, commute, safety, air, heat, crowding and social context
Σ receiver schema	Property price or occupancy status
B blocker to MU+	Affordability, commute, health and neighborhood burdens trade places
C carriers	Resident, landlord, neighborhood, city
ΔR missing structure	Whole-cost housing and location architecture
MU+ acceptance	Housing quality, affordability, access and neighborhood outcomes improve
Market class	Adaptive housing; healthy-building services
Decisive test	Matched housing intervention

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

010 Human longevity and life-course planning

Human life quality | position: **Constructive protocol**

X* state	Healthspan, lifespan, finances, relationships, purpose and care capacity
Σ receiver schema	Chronological age or retirement age
B blocker to MU+	Longer life shifts burden to morbidity, savings or care system
C carriers	Person, family, institutions, future self
ΔR missing structure	Life-course capital and care architecture
MU+ acceptance	Added years are healthy, funded, connected and autonomous
Market class	Longevity planning; life-course infrastructure
Decisive test	Longitudinal life-course cohort

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

FAMILY 2 OF 10 · ADAPTERS 011 TO 020

Psychology meaning

Editor's overview. Mostly constructive protocols; the ethical care required is highest here.

This family contains 10 named adapters. Each is a one-page construction brief: native state, schema, blocker, carrier, missing capacity, Mutual-Uptick condition, candidate market and decisive next test.

Guardrail

Entries in this family concern health, mind or wellbeing. They are research architectures for measurement and construction, not diagnoses, treatments or recommendations for any individual.

Table 75. Family 2: Psychology meaning.

No.	Domain	Current position	Frontier-market class
011	**Psychology and social legibility**	Origin-linked structural fit	Precision psychosocial systems
012	**Identity and self-model**	Constructive protocol	Identity infrastructure; privacy-preserving credentials
013	**Relationships and intimacy**	Constructive protocol	Relationship-support systems
014	**Parenting and child development**	Constructive protocol	Developmental support platforms
015	**Purpose and self-actualization**	Origin-linked constructive fit	Human-development and life-design systems
016	**Existential wellbeing**	Constructive protocol	Existential wellbeing services
017	**Spiritual life**	Constructive protocol	Community wellbeing and safeguarding infrastructure
018	**Religion and community institutions**	Constructive protocol	Accountability and safeguarding systems
019	**Emotion and affect regulation**	Constructive protocol	Affect-regulation tools and care systems
020	**Trust and fidelity between people**	Strong structural fit	Relational trust infrastructure

011 Psychology and social legibility

Psychology meaning | position: **Origin-linked structural fit**

X* state	Longitudinal capability, burden, trauma, environment, relationships and compensation
Σ receiver schema	Snapshot diagnosis or social category
B blocker to MU+	High function hides biological and relational cost
C carriers	Person, family, employer, clinician
ΔR missing structure	Multidimensional schema plus support matched to hidden burden
MU+ acceptance	Function, health, autonomy and relationship quality rise while compensation falls
Market class	Precision psychosocial systems
Decisive test	Longitudinal external cohort

Reading. Structurally close to the origin record; needs independent replication.

012 Identity and self-model

Psychology meaning | position: **Constructive protocol**

X* state	Attributes, history, roles, values, capabilities and contexts
Σ receiver schema	Single identity label or credential
B blocker to MU+	Recognition in one schema suppresses other valid dimensions
C carriers	Person and receiving institutions
ΔR missing structure	Selective multi-context identity graph with provenance
MU+ acceptance	Legibility and autonomy improve without forced overexposure
Market class	Identity infrastructure; privacy-preserving credentials
Decisive test	Cross-context identity study

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

013 Relationships and intimacy

Psychology meaning | position: **Constructive protocol**

X* state	Needs, boundaries, consent, trust, history, resources and reciprocity
Σ receiver schema	Relationship status or personality label
B blocker to MU+	One partner compensates for unspoken constraints
C carriers	Partners and wider support network
ΔR missing structure	Reciprocal state and burden ledger plus consent architecture
MU+ acceptance	Safety, intimacy, autonomy and fairness improve together
Market class	Relationship-support systems
Decisive test	Dyadic longitudinal study

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

014 Parenting and child development

Psychology meaning | position: **Constructive protocol**

X* state	Biology, attachment, education, safety, resources, environment and agency
Σ receiver schema	Age norm, grade or behavior label
B blocker to MU+	Child or parent compensates for missing support
C carriers	Child, parent, school, community
ΔR missing structure	Developmental state map plus distributed support capacity
MU+ acceptance	Child capability and wellbeing rise while caregiver burden falls
Market class	Developmental support platforms
Decisive test	Longitudinal family-school cohort

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

015 Purpose and self-actualization

Psychology meaning | position: **Origin-linked constructive fit**

X* state	Capabilities, values, opportunity, health, autonomy and social contribution
Σ receiver schema	Career status, wealth or productivity proxy
B blocker to MU+	Achievement can be purchased with health or belonging
C carriers	Person, relationships, community
ΔR missing structure	Whole-person capability architecture and burden guardrails
MU+ acceptance	Achievement, health, autonomy and contribution improve together
Market class	Human-development and life-design systems
Decisive test	Longitudinal multidimensional evaluation

Reading. Constructive path is close to the origin record; needs independent replication.

016 Existential wellbeing

Psychology meaning | position: **Constructive protocol**

X* state	Meaning, mortality awareness, belonging, agency and life coherence
Σ receiver schema	Symptom or productivity proxy
B blocker to MU+	Meaning needs displaced into consumption, work or crisis care
C carriers	Person, community
ΔR missing structure	Voluntary meaning-reflection and support architecture
MU+ acceptance	Distress falls while agency, belonging and functioning improve
Market class	Existential wellbeing services
Decisive test	Patient/user-reported longitudinal study

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

017 Spiritual life

Psychology meaning | position: **Constructive protocol**

X* state	Belief, practice, meaning, community, conscience and autonomy
Σ receiver schema	Institutional affiliation alone
B blocker to MU+	Community benefit can shift burden to autonomy or dissent
C carriers	Individual, family, community
ΔR missing structure	Voluntary, transparent, safeguarding-centered spiritual/community architecture
MU+ acceptance	Meaning and belonging improve without coercion or exclusion
Market class	Community wellbeing and safeguarding infrastructure
Decisive test	Ethical observational study

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

018 Religion and community institutions

Psychology meaning | position: **Constructive protocol**

X* state	Doctrine, governance, resources, safeguarding and member experience
Σ receiver schema	Membership or doctrinal category
B blocker to MU+	Institutional continuity can externalize harm or dissent costs
C carriers	Members, families, leaders, wider community
ΔR missing structure	Transparent governance, reporting, safeguarding and exit rights
MU+ acceptance	Community value rises while coercion and hidden harm fall
Market class	Accountability and safeguarding systems
Decisive test	Institutional longitudinal audit

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

019 Emotion and affect regulation

Psychology meaning | position: **Constructive protocol**

X* state	Internal state, context, physiology, cognition and social feedback
Σ receiver schema	Valence score or symptom label
B blocker to MU+	Suppression improves appearance while physiological load rises
C carriers	Person and relationships
ΔR missing structure	State-aware regulation architecture with physiological feedback
MU+ acceptance	Emotional flexibility and physiological stability improve
Market class	Affect-regulation tools and care systems
Decisive test	Crossover intervention study

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

020 Trust and fidelity between people

Psychology meaning | position: **Strong structural fit**

X* state	History, promises, evidence, uncertainty and reciprocity
Σ receiver schema	Trusted/untrusted binary
B blocker to MU+	Trust is maintained by one side absorbing ambiguity or proof burden
C carriers	People and institutions
ΔR missing structure	Dynamic provenance and expectation architecture
MU+ acceptance	Trust, autonomy and verification cost improve together
Market class	Relational trust infrastructure
Decisive test	Prospective trust-repair study

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

FAMILY 3 OF 10 · ADAPTERS 021 TO 030

Biomedical

Editor's overview. Regulated empirical frontier; evidence must come from regulated studies.

This family contains 10 named adapters. Each is a one-page construction brief: native state, schema, blocker, carrier, missing capacity, Mutual-Uptick condition, candidate market and decisive next test.

Guardrail

Entries in this family concern health, mind or wellbeing. They are research architectures for measurement and construction, not diagnoses, treatments or recommendations for any individual.

Table 76. Family 3: Biomedical.

No.	Domain	Current position	Frontier-market class
021	**Healthcare delivery**	Established adjacent evidence	Whole-system care orchestration
022	**Diagnostics**	Strong structural fit	Diagnostic orchestration and evidence fusion
023	**Cancer ecology**	Regulated empirical frontier	Adaptive oncology control infrastructure
024	**Neuroscience and neurodegeneration**	Regulated empirical frontier	Neuro-reserve diagnostics and restorative platforms
025	**Aging biology**	Regulated empirical frontier	Dynamic longevity orchestration
026	**Immunology**	Regulated empirical frontier	Adaptive immunology platforms
027	**Infectious disease**	Regulated/public-health frontier	Integrated outbreak infrastructure
028	**Microbiome**	Regulated empirical frontier	Microbiome diagnostics/intervention platforms
029	**Genomics and proteomics**	Strong structural fit	Integrated multi-omic platforms
030	**Surgery and rehabilitation**	Strong structural fit	Perioperative operating systems

021 Healthcare delivery

Biomedical | position: **Established adjacent evidence**

X* state	Clinical state, logistics, caregiver capacity, finance and post-discharge environment
Σ receiver schema	Episode-of-care schema
B blocker to MU+	Hospital optimization shifts work to home/caregiver
C carriers	Patient, caregiver, outpatient system
ΔR missing structure	Consequential discharge/care orchestration
MU+ acceptance	Health, readmission risk, caregiver load and cost improve
Market class	Whole-system care orchestration
Decisive test	Pragmatic trial

Reading. Adjacent literature already documents the central mechanism.

022 Diagnostics

Biomedical | position: **Strong structural fit**

X* state	Underlying disease state, uncertainty, test characteristics and downstream actions
Σ receiver schema	Single test result
B blocker to MU+	False certainty moves burden to overtreatment or missed disease Jefferson Rafael Rufino | 180
C carriers	Patient, clinician, payer
ΔR missing structure	Bayesian multi-source diagnostic schema + uncertainty communication
MU+ acceptance	Accuracy, timeliness, burden and downstream safety improve
Market class	Diagnostic orchestration and evidence fusion
Decisive test	Prospective blinded diagnostic study

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

023 Cancer ecology

Biomedical | position: **Regulated empirical frontier**

X* state	Clone mix, immune state, microenvironment, host reserve and therapy exposure
Σ receiver schema	Stage/tumor-size snapshot
B blocker to MU+	Local kill selects resistant carriers or harms host
C carriers	Resistant clones, healthy tissue, immune system
ΔR missing structure	Adaptive ecological state estimator + resistance/host capacity
MU+ acceptance	Tumor, resistance, toxicity and host reserve improve together
Market class	Adaptive oncology control infrastructure
Decisive test	Preclinical then clinical adaptive trial

Reading. Evidence must come from regulated trials or audits; this entry is research architecture only.

024 Neuroscience and neurodegeneration

Biomedical | position: **Regulated empirical frontier**

X* state	Neural, glial, vascular, metabolic, network and functional state
Σ receiver schema	Single biomarker or visible function
B blocker to MU+	Compensatory recruitment hides reserve depletion Jefferson Rafael Rufino | 181
C carriers	Neural networks, metabolism, caregiver
ΔR missing structure	Multimodal state estimator + restorative capacity controller
MU+ acceptance	Function and reserve rise while damage and compensation fall
Market class	Neuro-reserve diagnostics and restorative platforms
Decisive test	Multimodal longitudinal intervention

Reading. Evidence must come from regulated trials or audits; this entry is research architecture only.

025 Aging biology

Biomedical | position: **Regulated empirical frontier**

X* state	Coupled damage, repair, senescence, immunity, metabolism and regeneration
Σ receiver schema	Age scalar or isolated hallmark
B blocker to MU+	Repairing one hallmark moves bottleneck elsewhere
C carriers	Cells, tissues, immune system, metabolism
ΔR missing structure	Moving-bottleneck RVG controller across damage/repair channels
MU+ acceptance	Healthspan metrics rise without new dominant damage carrier
Market class	Dynamic longevity orchestration
Decisive test	Preclinical multi-pathway study

Reading. Evidence must come from regulated trials or audits; this entry is research architecture only.

026 Immunology

Biomedical | position: **Regulated empirical frontier**

X* state	Immune activation, tolerance, pathogen/tumor signals and tissue damage
Σ receiver schema	Single cytokine or cell-count schema Jefferson Rafael Rufino | 182
B blocker to MU+	Stronger response can create autoimmunity/tissue injury
C carriers	Pathogen, immune cells, host tissue
ΔR missing structure	State-dependent immune control balancing clearance and collateral damage
MU+ acceptance	Clearance, tolerance and tissue integrity improve
Market class	Adaptive immunology platforms
Decisive test	Controlled biological study

Reading. Evidence must come from regulated trials or audits; this entry is research architecture only.

027 Infectious disease

Biomedical | position: **Regulated/public-health frontier**

X* state	Pathogen dynamics, host immunity, behavior, network spread and treatment
Σ receiver schema	Case count or pathogen-only model
B blocker to MU+	Control shifts burden across people, resistance or livelihoods
C carriers	Patients, contacts, health system, economy
ΔR missing structure	Multi-carrier containment + treatment + livelihood capacity
MU+ acceptance	Disease burden falls without disproportionate social/economic harm
Market class	Integrated outbreak infrastructure
Decisive test	Prospective outbreak protocol

Reading. Public-health regulation and ethics govern any test; research architecture only.

028 Microbiome

Biomedical | position: **Regulated empirical frontier**

X* state	Host physiology plus microbial ecology and diet/environment Jefferson Rafael Rufino | 183
Σ receiver schema	Species abundance snapshot
B blocker to MU+	Changing one taxon shifts ecosystem function elsewhere
C carriers	Host and microbial community
ΔR missing structure	Functional ecosystem state model and adaptive intervention
MU+ acceptance	Host outcomes and ecosystem stability improve
Market class	Microbiome diagnostics/intervention platforms
Decisive test	Controlled longitudinal study

Reading. Evidence must come from regulated trials or audits; this entry is research architecture only.

029 Genomics and proteomics

Biomedical | position: **Strong structural fit**

X* state	Variants, expression, proteins, pathways, context and phenotype
Σ receiver schema	Single marker/pathogenicity label
B blocker to MU+	Marker-driven intervention misses network/context effects
C carriers	Cells, tissues, patient
ΔR missing structure	Multi-omic causal state architecture
MU+ acceptance	Target outcome improves without network collateral burden
Market class	Integrated multi-omic platforms
Decisive test	Prospective multi-omic validation

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

030 Surgery and rehabilitation

Biomedical | position: **Strong structural fit**

X* state	Anatomy, function, pain, recovery capacity, home support and risk Jefferson Rafael Rufino | 184
Σ receiver schema	Procedure success or anatomical correction
B blocker to MU+	Technical success shifts burden to recovery/function
C carriers	Patient, caregiver, rehab system
ΔR missing structure	Prehabilitation + procedure + recovery orchestration
MU+ acceptance	Anatomy, function, pain and recovery burden improve
Market class	Perioperative operating systems
Decisive test	Pragmatic trial

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

FAMILY 4 OF 10 · ADAPTERS 031 TO 040

Education justice governance

Editor's overview. Institutions with documented translation friction; many strong structural fits.

This family contains 10 named adapters. Each is a one-page construction brief: native state, schema, blocker, carrier, missing capacity, Mutual-Uptick condition, candidate market and decisive next test.

Table 77. Family 4: Education justice governance.

No.	Domain	Current position	Frontier-market class
031	**Early-childhood development and education**	Strong structural fit	Early-childhood support infrastructure
032	**K-12 education**	Strong structural fit	Adaptive education systems
033	**Higher education**	Constructive protocol	Capability-based higher education
034	**Vocational and workforce learning**	Strong structural fit	Skills marketplaces and apprenticeship systems
035	**Scientific research**	Strong structural fit	Reproducibility infrastructure
036	**Justice and courts**	High-stakes protocol	Justice technology and restitution infrastructure
037	**Policing and public safety systems**	High-stakes protocol	Public-safety coordination and prevention systems
038	**Corrections, rehabilitation and reintegration**	High-stakes protocol	Reentry and rehabilitation infrastructure
039	**Public administration**	Strong structural fit	Government service interoperability
040	**Governance and institutional design**	Constructive protocol	Governance infrastructure and outcome systems

031 Early-childhood development and education

Education justice governance | position: **Strong structural fit**

X* state	Development, safety, language, nutrition, play, attachment and resources
Σ receiver schema	Age milestone or readiness score
B blocker to MU+	Academic gains can shift stress to child/family Jefferson Rafael Rufino | 185
C carriers	Child, caregiver, educator
ΔR missing structure	Integrated developmental support architecture
MU+ acceptance	Learning, wellbeing and caregiver capacity improve
Market class	Early-childhood support infrastructure
Decisive test	Longitudinal program evaluation

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

032 K-12 education

Education justice governance | position: **Strong structural fit**

X* state	Knowledge, skills, wellbeing, context, resources and learning trajectory
Σ receiver schema	Grade/test score
B blocker to MU+	Score gains shift burden to stress, teaching-to-test or exclusion
C carriers	Student, teacher, family
ΔR missing structure	Capability graph + adaptive learning + wellbeing constraints
MU+ acceptance	Learning, wellbeing, teacher load and equity improve
Market class	Adaptive education systems
Decisive test	Cluster randomized trial

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

033 Higher education

Education justice governance | position: **Constructive protocol**

X* state	Capability, knowledge, network, finances and career pathways
Σ receiver schema	Degree/GPA credential
B blocker to MU+	Credential value shifts debt or mismatch to student/employer Jefferson Rafael Rufino | 186
C carriers	Student, family, employer
ΔR missing structure	Capability/provenance portfolio + adaptive pathways
MU+ acceptance	Learning, employability, affordability and wellbeing improve
Market class	Capability-based higher education
Decisive test	Longitudinal graduate outcomes

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

034 Vocational and workforce learning

Education justice governance | position: **Strong structural fit**

X* state	Skills, task demand, wages, mobility and employer needs
Σ receiver schema	Course completion certificate
B blocker to MU+	Training success without placement or wage gain
C carriers	Worker, employer, training provider
ΔR missing structure	Skill-to-task provenance and placement architecture
MU+ acceptance	Skill, earnings, job quality and employer performance improve
Market class	Skills marketplaces and apprenticeship systems
Decisive test	Matched labor-market evaluation

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

035 Scientific research

Education justice governance | position: **Strong structural fit**

X* state	Hypotheses, methods, data, negative results, replication and incentives
Σ receiver schema	Publication/citation unit
B blocker to MU+	Publication success shifts reproducibility burden downstream Jefferson Rafael Rufino | 187
C carriers	Researchers, institutions, public
ΔR missing structure	Experiment provenance + negative-result + replication architecture
MU+ acceptance	Discovery, reproducibility, speed and researcher burden improve
Market class	Reproducibility infrastructure
Decisive test	Cross-lab replication program

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

036 Justice and courts

Education justice governance | position: **High-stakes protocol**

X* state	Facts, evidence, harm, intent, procedure, history and remedies
Σ receiver schema	Case category or docket state
B blocker to MU+	Procedural resolution leaves harm, delay or recurrence elsewhere
C carriers	Victims, accused, families, courts, community
ΔR missing structure	Causal provenance + harm/restitution + recurrence architecture
MU+ acceptance	Accuracy, due process, restoration, safety and timeliness improve
Market class	Justice technology and restitution infrastructure
Decisive test	Prospective process evaluation

Reading. Failure is costly to people; safety constraints dominate and testing must be staged.

037 Policing and public safety systems

Education justice governance | position: **High-stakes protocol**

X* state	Threat, context, evidence, community trust, capacity and alternatives
Σ receiver schema	Incident/offense label
B blocker to MU+	Local enforcement shifts fear, distrust, displacement or recurrence Jefferson Rafael Rufino | 188
C carriers	Residents, officers, victims, institutions
ΔR missing structure	Evidence-first response selection + prevention/support capacity
MU+ acceptance	Safety and trust improve while unnecessary coercive burden falls
Market class	Public-safety coordination and prevention systems
Decisive test	Independent public evaluation

Reading. Failure is costly to people; safety constraints dominate and testing must be staged.

038 Corrections, rehabilitation and reintegration

Education justice governance | position: **High-stakes protocol**

X* state	Risk, harm, needs, skills, housing, work and social support
Σ receiver schema	Sentence/recidivism risk label
B blocker to MU+	Custody may defer burden to reentry, family or community
C carriers	Person, family, community, justice system
ΔR missing structure	Rehabilitation + restitution + housing/work capacity
MU+ acceptance	Safety and reintegration improve while recurrence falls
Market class	Reentry and rehabilitation infrastructure
Decisive test	Longitudinal controlled program

Reading. Failure is costly to people; safety constraints dominate and testing must be staged.

039 Public administration

Education justice governance | position: **Strong structural fit**

X* state	Citizen state, eligibility, documents, services and agency capacity
Σ receiver schema	Program-specific record
B blocker to MU+	Citizen repeatedly translates same reality across agencies Jefferson Rafael Rufino | 189
C carriers	Citizen, frontline staff, budget
ΔR missing structure	Interoperable verified state + once-only data + case orchestration
MU+ acceptance	Access, accuracy, staff workload and cost improve
Market class	Government service interoperability
Decisive test	Agency pilot with citizen/staff metrics

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

040 Governance and institutional design

Education justice governance | position: **Constructive protocol**

X* state	Authority, incentives, information, accountability, resources and affected populations
Σ receiver schema	Organizational chart or legal mandate
B blocker to MU+	Local agency success exports burden to another agency/population
C carriers	Citizens, agencies, future administrations
ΔR missing structure	Cross-boundary outcome ledger + accountability and capacity design
MU+ acceptance	Service quality, legitimacy, cost and resilience improve
Market class	Governance infrastructure and outcome systems
Decisive test	Prospective institutional pilot

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

FAMILY 5 OF 10 · ADAPTERS 041 TO 050

Culture beauty experience

Editor's overview. Value is hard to measure but schema gaps are visible in access and recognition.

This family contains 10 named adapters. Each is a one-page construction brief: native state, schema, blocker, carrier, missing capacity, Mutual-Uptick condition, candidate market and decisive next test.

Table 78. Family 5: Culture beauty experience.

No.	Domain	Current position	Frontier-market class
041	**Beauty and aesthetics**	Constructive protocol	Precision aesthetics and beauty systems
042	**Fashion and apparel**	Strong structural fit	Adaptive apparel and circular fashion
043	**Luxury goods**	Origin-business fit	Governed luxury access and authenticated circular luxury
044	**Hospitality**	Strong structural fit	Hospitality operating systems
045	**Travel and tourism**	Constructive protocol	Destination orchestration
046	**Art and cultural markets**	Constructive protocol	Creator-rights and provenance markets
047	**Music and entertainment**	Constructive protocol	Creator economy infrastructure
048	**Gaming and virtual worlds**	Constructive protocol	Virtual-world governance and healthy-economy systems
049	**Sports and performance**	Strong structural fit	Athlete operating systems
050	**Experience design and events**	Constructive protocol	Experience operating systems

041 Beauty and aesthetics

Culture beauty experience | position: **Constructive protocol**

X* state	Biology, preference, culture, identity, safety, cost and perception
Σ receiver schema	Universal beauty standard or product category
B blocker to MU+	Aesthetic gain shifts health, money or self-perception burden
C carriers	Person, body, household
ΔR missing structure	Personalized aesthetic/safety state architecture
MU+ acceptance	Desired aesthetics, health, autonomy and affordability improve
Market class	Precision aesthetics and beauty systems
Decisive test	Consumer/clinical outcome study

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

042 Fashion and apparel

Culture beauty experience | position: **Strong structural fit**

X* state	Identity, fit, comfort, durability, labor, inventory and lifecycle
Σ receiver schema	Size/SKU/category schema
B blocker to MU+	Style success shifts fit, waste or labor burden
C carriers	Wearer, worker, retailer, environment
ΔR missing structure	Adaptive sizing + provenance + circularity architecture Jefferson Rafael Rufino | 191
MU+ acceptance	Fit, identity, durability, labor and waste metrics improve
Market class	Adaptive apparel and circular fashion
Decisive test	Retail field experiment

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

043 Luxury goods

Culture beauty experience | position: **Origin-business fit**

X* state	Provenance, scarcity, condition, access, identity, inventory and lifecycle value
Σ receiver schema	Price/status/authenticity binary
B blocker to MU+	Brand/access value shifts waste, capital lockup or trust burden
C carriers	Buyer, seller, inventory, environment
ΔR missing structure	Provenance + condition + access + reconciliation layer
MU+ acceptance	Value retention, trust, access and waste outcomes improve
Market class	Governed luxury access and authenticated circular luxury
Decisive test	Operational field study

Reading. Closest to the discovery record; independence from the origin is the first test.

044 Hospitality

Culture beauty experience | position: **Strong structural fit**

X* state	Guest needs, staff capacity, time, room state, logistics and locality
Σ receiver schema	Booking/reservation state
B blocker to MU+	Guest delight shifts hidden labor or local burden
C carriers	Guest, staff, operator, locality
ΔR missing structure	End-to-end experience and workload orchestration Jefferson Rafael Rufino | 192
MU+ acceptance	Guest experience, staff wellbeing and economics improve
Market class	Hospitality operating systems
Decisive test	Property-level A/B evaluation

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

045 Travel and tourism

Culture beauty experience | position: **Constructive protocol**

X* state	Mobility, cost, safety, experience, local capacity and environment
Σ receiver schema	Itinerary/booking schema
B blocker to MU+	Visitor gain shifts congestion, environmental or resident burden
C carriers	Traveler, worker, resident, ecosystem
ΔR missing structure	Consequential itinerary/capacity controller
MU+ acceptance	Experience, resident value, worker conditions and environmental load improve
Market class	Destination orchestration
Decisive test	Destination pilot

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

046 Art and cultural markets

Culture beauty experience | position: **Constructive protocol**

X* state	Creative work, provenance, rights, cultural meaning, scarcity and audience
Σ receiver schema	Price/ownership/engagement proxy
B blocker to MU+	Platform or collector gain shifts creator/community value
C carriers	Artist, audience, collector, community Jefferson Rafael Rufino | 193
ΔR missing structure	Rights/provenance/value-sharing architecture
MU+ acceptance	Creator income, access, provenance and cultural stewardship improve
Market class	Creator-rights and provenance markets
Decisive test	Marketplace field study

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

047 Music and entertainment

Culture beauty experience | position: **Constructive protocol**

X* state	Creative contribution, rights, attention, audience value and platform economics
Σ receiver schema	Stream/view count
B blocker to MU+	Engagement gain shifts creator income or audience wellbeing
C carriers	Creators, audiences, platforms
ΔR missing structure	Contribution/provenance + value-distribution architecture
MU+ acceptance	Creator value and audience experience improve without exploitative load
Market class	Creator economy infrastructure
Decisive test	Platform experiment

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

048 Gaming and virtual worlds

Culture beauty experience | position: **Constructive protocol**

X* state	Player goals, time, identity, economy, safety and creator contribution
Σ receiver schema	Retention/spend metric
B blocker to MU+	Revenue shifts time, financial or social burden to players Jefferson Rafael Rufino | 194
C carriers	Players, creators, communities
ΔR missing structure	Cross-reality value and safety controller
MU+ acceptance	Fun, agency, creator value and safety improve
Market class	Virtual-world governance and healthy-economy systems
Decisive test	Platform experiment

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

049 Sports and performance

Culture beauty experience | position: **Strong structural fit**

X* state	Performance, health, training load, recovery, team dynamics and career horizon
Σ receiver schema	Win/score/output metric
B blocker to MU+	Performance gains shift injury or burnout burden
C carriers	Athlete, team, family, future self
ΔR missing structure	Load/recovery/career controller
MU+ acceptance	Performance, health, longevity and team value improve
Market class	Athlete operating systems
Decisive test	Prospective team study

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

050 Experience design and events

Culture beauty experience | position: **Constructive protocol**

X* state	Attention, emotion, logistics, accessibility, staff load and community impact
Σ receiver schema	Attendance/NPS/ticket revenue Jefferson Rafael Rufino | 195
B blocker to MU+	Experience gains shift queues, labor, exclusion or neighborhood burden
C carriers	Guests, staff, locality
ΔR missing structure	End-to-end experience-state orchestration
MU+ acceptance	Experience, access, worker load and local impact improve
Market class	Experience operating systems
Decisive test	Event A/B study

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

FAMILY 6 OF 10 · ADAPTERS 051 TO 060

Money markets organizations

Editor's overview. Closest to the origin business record; independence from it is the first test.

This family contains 10 named adapters. Each is a one-page construction brief: native state, schema, blocker, carrier, missing capacity, Mutual-Uptick condition, candidate market and decisive next test.

Table 79. Family 6: Money markets organizations.

No.	Domain	Current position	Frontier-market class
051	**Currency and monetary experience**	Constructive protocol	Settlement/liquidity infrastructure
052	**Payments and remittances**	Strong structural fit	Reconciliation payment rails
053	**Banking and liquidity**	Strong structural fit	Consequential banking infrastructure
054	**Credit and underwriting**	Constructive protocol	Next-generation underwriting
055	**Insurance and resilience**	Constructive protocol	Resilience-linked insurance
056	**Capital markets and investing**	Constructive protocol	Consequential investing infrastructure
057	**Private wealth and family capital**	Constructive protocol	Whole-capital wealth management
058	**Labor and talent markets**	Strong structural fit	Talent-capacity marketplaces
059	**Organizations and enterprises**	Strong structural fit	Enterprise operating systems
060	**Entrepreneurship and venture creation**	Origin-business fit	Frontier-market discovery and venture studio

051 Currency and monetary experience

Money markets organizations | position: **Constructive protocol**

X* state	Purchasing power, liquidity, settlement, access, trust and macro context
Σ receiver schema	Nominal unit/FX quote
B blocker to MU+	Nominal stability hides distributional or transaction burden
C carriers	Households, firms, intermediaries Jefferson Rafael Rufino | 196
ΔR missing structure	Consequential monetary-state and settlement architecture
MU+ acceptance	Access, settlement, purchasing stability and systemic resilience improve
Market class	Settlement/liquidity infrastructure
Decisive test	Historical + prospective policy-neutral system test

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

052 Payments and remittances

Money markets organizations | position: **Strong structural fit**

X* state	Amount, fees, FX, settlement time, access, fraud and recipient liquidity
Σ receiver schema	Successful transfer binary
B blocker to MU+	Speed or compliance shifts cost/friction to sender or receiver
C carriers	Sender, receiver, provider
ΔR missing structure	End-to-end transfer optimization with transparent provenance
MU+ acceptance	Cost, speed, safety and recipient value improve
Market class	Reconciliation payment rails
Decisive test	Transaction-level field test

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

053 Banking and liquidity

Money markets organizations | position: **Strong structural fit**

X* state	Deposits, credit, liquidity, capital, customer state and network exposures
Σ receiver schema	Product/account or institution-local balance sheet
B blocker to MU+	Risk shifts to customer, NBFI, taxpayer or future period
C carriers	Banks, customers, counterparties, public Jefferson Rafael Rufino | 197
ΔR missing structure	Network consequential balance sheet + capacity buffers
MU+ acceptance	Liquidity, access, resilience and customer outcomes improve
Market class	Consequential banking infrastructure
Decisive test	Stress test + pilot

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

054 Credit and underwriting

Money markets organizations | position: **Constructive protocol**

X* state	Cashflow, assets, obligations, trajectory, capability and uncertainty
Σ receiver schema	Static score/category
B blocker to MU+	Risk reduction denies productive capacity or shifts cost elsewhere
C carriers	Borrower, lender, community
ΔR missing structure	Dynamic provenance/capacity underwriting
MU+ acceptance	Default risk and productive opportunity improve together
Market class	Next-generation underwriting
Decisive test	Prospective lending trial

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

055 Insurance and resilience

Money markets organizations | position: **Constructive protocol**

X* state	Hazard, exposure, prevention, coverage, recovery and incentives
Σ receiver schema	Loss probability/policy class
B blocker to MU+	Risk transfer leaves hazard untouched or creates moral hazard
C carriers	Policyholder, insurer, community Jefferson Rafael Rufino | 198
ΔR missing structure	Prevention + resilience + coverage architecture
MU+ acceptance	Losses, recovery time, affordability and insurer viability improve
Market class	Resilience-linked insurance
Decisive test	Pilot product evaluation

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

056 Capital markets and investing

Money markets organizations | position: **Constructive protocol**

X* state	Price, cashflow, externalities, network risk and long-horizon value
Σ receiver schema	Return/risk factor set
B blocker to MU+	Portfolio gain can externalize future or nonmarket cost
C carriers	Investor, firm, workers, public, environment
ΔR missing structure	Consequential asset ledger with carrier constraints
MU+ acceptance	Risk-adjusted return and protected carrier outcomes improve
Market class	Consequential investing infrastructure
Decisive test	Historical backtest + prospective paper portfolio

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

057 Private wealth and family capital

Money markets organizations | position: **Constructive protocol**

X* state	Financial, human, social, health and intergenerational capital
Σ receiver schema	Portfolio net worth
B blocker to MU+	Return maximization shifts life or family burden
C carriers	Client, family, future generations Jefferson Rafael Rufino | 199
ΔR missing structure	Whole-capital balance sheet + goals/capacity controller
MU+ acceptance	Wealth, resilience, health and intergenerational outcomes improve
Market class	Whole-capital wealth management
Decisive test	Longitudinal client evaluation

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

058 Labor and talent markets

Money markets organizations | position: **Strong structural fit**

X* state	Capability, workload, pay, health, learning and opportunity
Σ receiver schema	Job title/CV/credential
B blocker to MU+	Employer output shifts invisible effort or underutilizes capability
C carriers	Worker, family, employer
ΔR missing structure	Capability-state + workload + mobility architecture
MU+ acceptance	Productivity, pay, health and retention improve
Market class	Talent-capacity marketplaces
Decisive test	Workplace pilot

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

059 Organizations and enterprises

Money markets organizations | position: **Strong structural fit**

X* state	Functions, dependencies, people, cash, knowledge and customer value
Σ receiver schema	Department/KPI structure
B blocker to MU+	Department success moves burden to another team/customer
C carriers	Workers, customers, suppliers Jefferson Rafael Rufino | 200
ΔR missing structure	Enterprise consequential graph + capacity placement
MU+ acceptance	Customer, worker, financial and resilience outcomes improve
Market class	Enterprise operating systems
Decisive test	Multi-team field experiment

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

060 Entrepreneurship and venture creation

Money markets organizations | position: **Origin-business fit**

X* state	Unmet burden, carrier, willingness to pay, build cost and adoption
Σ receiver schema	Existing market category/TAM
B blocker to MU+	No category exists because burden is hidden or dispersed
C carriers	Founder initially, then customer/system
ΔR missing structure	Mutual-Uptick blocker discovery + missing-capacity build
MU+ acceptance	Customer and surrounding carriers gain while venture captures part of released value
Market class	Frontier-market discovery and venture studio
Decisive test	Pilot venture with carrier ledger

Reading. Closest to the discovery record; independence from the origin is the first test.

FAMILY 7 OF 10 · ADAPTERS 061 TO 070

Technology information

Editor's overview. Digital telemetry makes parity tests cheapest here.

This family contains 10 named adapters. Each is a one-page construction brief: native state, schema, blocker, carrier, missing capacity, Mutual-Uptick condition, candidate market and decisive next test.

Table 80. Family 7: Technology information.

No.	Domain	Current position	Frontier-market class
061	**Artificial intelligence**	Strong constructive fit	AI reliability and provenance infrastructure
062	**Software systems**	Strong structural fit	Self-reconciling software infrastructure
063	**Cybersecurity**	Strong constructive fit	Autonomous cyber-defense infrastructure
064	**Data infrastructure**	Strong structural fit	Data reliability platforms
065	**Privacy**	Strong structural fit	Privacy-preserving infrastructure
066	**Digital identity**	Strong structural fit	Digital identity infrastructure
067	**Internet and communications**	Constructive protocol	Fidelity-aware communication infrastructure
068	**Media and information ecosystems**	Constructive protocol	High-fidelity media infrastructure
069	**Language and translation**	Strong structural fit	High-fidelity translation systems
070	**Knowledge and ontologies**	Strong constructive fit	Ontology infrastructure

061 Artificial intelligence

Technology information | position: **Strong constructive fit**

X* state	Model state, source reality, user intent, provenance, uncertainty and downstream action
Σ receiver schema	Prompt/context window/model output
B blocker to MU+	Model utility shifts verification and error burden to humans
C carriers	User, verifier, downstream system, compute
ΔR missing structure	Persistent schema/provenance layer + self-audit and escalation
MU+ acceptance	Utility, correctness, verification load and resource efficiency improve
Market class	AI reliability and provenance infrastructure
Decisive test	Sealed cross-model benchmark

Reading. A construction is both specifiable and testable now, often with existing digital telemetry.

062 Software systems

Technology information | position: **Strong structural fit**

X* state	Requirements, dependencies, state, users, infrastructure and technical debt
Σ receiver schema	Feature/ticket/local module schema
B blocker to MU+	Feature success shifts debt or failure to dependencies
C carriers	Developers, users, infrastructure
ΔR missing structure	Dependency/provenance graph + consequential release controller Jefferson Rafael Rufino | 202
MU+ acceptance	User value, reliability, maintainability and developer load improve
Market class	Self-reconciling software infrastructure
Decisive test	Repository-level prospective benchmark

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

063 Cybersecurity

Technology information | position: **Strong constructive fit**

X* state	Actual attack graph, identities, vulnerabilities, privileges and attacker state
Σ receiver schema	Defender inventory/rules/log view
B blocker to MU+	Blocking one path moves attacker or analyst burden elsewhere
C carriers	Systems, users, analysts, business continuity
ΔR missing structure	Self-updating attack schema + carrier prediction + safe containment/failover
MU+ acceptance	Loss, compromise, analyst load and downtime all fall
Market class	Autonomous cyber-defense infrastructure
Decisive test	Red-team sealed telemetry benchmark

Reading. A construction is both specifiable and testable now, often with existing digital telemetry.

064 Data infrastructure

Technology information | position: **Strong structural fit**

X* state	Datasets, lineage, semantics, permissions, quality and downstream uses
Σ receiver schema	Table/file/schema local view
B blocker to MU+	Cleaning one layer shifts ambiguity downstream
C carriers	Analysts, models, users, compliance Jefferson Rafael Rufino | 203
ΔR missing structure	Provenance graph + semantic reconciliation layer
MU+ acceptance	Quality, reuse, privacy and maintenance burden improve
Market class	Data reliability platforms
Decisive test	Enterprise data benchmark

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

065 Privacy

Technology information | position: **Strong structural fit**

X* state	Data state, purposes, consent, exposure, value and future misuse
Σ receiver schema	Consent checkbox or access-control list
B blocker to MU+	Utility shifts surveillance/risk burden to individuals
C carriers	Person, organization, future self
ΔR missing structure	Selective disclosure + provenance + minimization architecture
MU+ acceptance	Utility and organizational value improve while exposure falls
Market class	Privacy-preserving infrastructure
Decisive test	Field trial + attack testing

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

066 Digital identity

Technology information | position: **Strong structural fit**

X* state	Attributes, credentials, context, revocation, privacy and trust
Σ receiver schema	Single identifier/account
B blocker to MU+	Verification success creates overcollection or exclusion
C carriers	Person, verifier, issuer Jefferson Rafael Rufino | 204
ΔR missing structure	Selective-verification credential graph
MU+ acceptance	Verification, privacy, portability and access improve
Market class	Digital identity infrastructure
Decisive test	Cross-service pilot

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

067 Internet and communications

Technology information | position: **Constructive protocol**

X* state	Topology, capacity, latency, content, trust and user needs
Σ receiver schema	Throughput/uptime metric
B blocker to MU+	Speed shifts attention, misinformation or energy burden
C carriers	Users, networks, platforms
ΔR missing structure	Consequential routing + fidelity/provenance layers
MU+ acceptance	Performance, reliability, trust and energy efficiency improve
Market class	Fidelity-aware communication infrastructure
Decisive test	Network/application experiment

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

068 Media and information ecosystems

Technology information | position: **Constructive protocol**

X* state	Claims, evidence, incentives, attention, creators and audiences
Σ receiver schema	Engagement/feed rank
B blocker to MU+	Attention gain shifts cognition or information quality burden
C carriers	Audience, creator, public discourse Jefferson Rafael Rufino | 205
ΔR missing structure	Claim provenance + quality + incentive reconciliation
MU+ acceptance	Reach, creator value and information quality improve
Market class	High-fidelity media infrastructure
Decisive test	Platform experiment

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

069 Language and translation

Technology information | position: **Strong structural fit**

X* state	Meaning, context, culture, pragmatics and uncertainty
Σ receiver schema	Word/token correspondence
B blocker to MU+	Literal fidelity shifts meaning or cultural nuance
C carriers	Speakers, institutions, models
ΔR missing structure	Semantic/provenance translation with ambiguity tracking
MU+ acceptance	Meaning fidelity, speed and cultural fit improve
Market class	High-fidelity translation systems
Decisive test	Blind human evaluation

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

070 Knowledge and ontologies

Technology information | position: **Strong constructive fit**

X* state	Entities, relations, provenance, incompatible schemas and uncertainty
Σ receiver schema	Single ontology/taxonomy
B blocker to MU+	Integration collapses distinctions or explodes complexity
C carriers	Researchers, AI, institutions Jefferson Rafael Rufino | 206
ΔR missing structure	Cross-schema translation + minimal sufficient ontology
MU+ acceptance	Interoperability and fidelity rise while complexity stays controlled
Market class	Ontology infrastructure
Decisive test	Cross-domain benchmark

Reading. A construction is both specifiable and testable now, often with existing digital telemetry.

FAMILY 8 OF 10 · ADAPTERS 071 TO 080

Earth infrastructure ecology

Editor's overview. Where established engineering and ecology literature already documents the mechanism.

This family contains 10 named adapters. Each is a one-page construction brief: native state, schema, blocker, carrier, missing capacity, Mutual-Uptick condition, candidate market and decisive next test.

Table 81. Family 8: Earth infrastructure ecology.

No.	Domain	Current position	Frontier-market class
071	**Energy and power grids**	Strong structural fit	Reconciliation grids and storage markets
072	**Water and irrigation**	Established adjacent evidence	Water reconciliation markets
073	**Food and agriculture**	Strong structural fit	Regenerative food infrastructure
074	**Supply chains and logistics**	Strong structural fit	Consequential supply-chain OS
075	**Manufacturing**	Strong structural fit	Regenerative manufacturing
076	**Waste and circular materials**	Strong structural fit	Circular-material markets
077	**Transportation and mobility**	Constructive protocol	Mobility orchestration
078	**Cities and urban systems**	Constructive protocol	Urban reconciliation platforms
079	**Climate and disaster resilience**	Constructive protocol	Climate resilience markets
080	**Ecology and biodiversity**	Established adjacent evidence	Biodiversity reconciliation markets

071 Energy and power grids

Earth infrastructure ecology | position: **Strong structural fit**

X* state	Generation, load, storage, network constraints, prices and reliability
Σ receiver schema	Local device efficiency or node KPI
B blocker to MU+	Efficiency moves load, congestion or rebound elsewhere
C carriers	Grid nodes, customers, storage, environment
ΔR missing structure	Consequential grid controller + capacity placement
MU+ acceptance	Reliability, affordability, emissions and congestion improve Jefferson Rafael Rufino | 207
Market class	Reconciliation grids and storage markets
Decisive test	Grid simulation + pilot

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

072 Water and irrigation

Earth infrastructure ecology | position: **Established adjacent evidence**

X* state	Withdrawals, consumptive use, return flows, storage, aquifers and ecology
Σ receiver schema	Farm/project efficiency
B blocker to MU+	Local savings reduce return flow or increase consumption
C carriers	Downstream users, rivers, aquifers, ecosystems
ΔR missing structure	Basin-wide accounting + catchment + allocation capacity
MU+ acceptance	Farm value and basin availability/ecology improve
Market class	Water reconciliation markets
Decisive test	Basin holdout study

Reading. Adjacent literature already documents the central mechanism.

073 Food and agriculture

Earth infrastructure ecology | position: **Strong structural fit**

X* state	Yield, soil, water, inputs, nutrition, labor, market and climate
Σ receiver schema	Yield/acre or commodity price
B blocker to MU+	Yield gain shifts soil, water, labor or nutrition burden
C carriers	Farmer, consumer, soil, ecosystem
ΔR missing structure	Coupled regenerative production controller
MU+ acceptance	Yield/income, soil, water and nutrition improve Jefferson Rafael Rufino | 208
Market class	Regenerative food infrastructure
Decisive test	Multi-season farm trial

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

074 Supply chains and logistics

Earth infrastructure ecology | position: **Strong structural fit**

X* state	Inventory, demand, transport, suppliers, lead times and risk
Σ receiver schema	Node-level cost/service KPI
B blocker to MU+	Lean optimization moves inventory/risk downstream
C carriers	Suppliers, warehouses, customers
ΔR missing structure	Carrier-aware flow controller + buffer placement
MU+ acceptance	Service, working capital, resilience and labor improve
Market class	Consequential supply-chain OS
Decisive test	Historical + live pilot

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

075 Manufacturing

Earth infrastructure ecology | position: **Strong structural fit**

X* state	Materials, energy, machines, labor, quality, maintenance and waste
Σ receiver schema	Unit cost/OEE
B blocker to MU+	Cost gain shifts maintenance, injuries or waste
C carriers	Workers, machines, environment, customers
ΔR missing structure	Closed-loop production and maintenance architecture
MU+ acceptance	Cost, quality, safety, uptime and waste improve
Market class	Regenerative manufacturing
Decisive test	Factory pilot

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

076 Waste and circular materials

Earth infrastructure ecology | position: **Strong structural fit**

X* state	Material composition, location, contamination, residual value and logistics
Σ receiver schema	Waste tonnage/disposal category
B blocker to MU+	Disposal removes item from local ledger but not system
C carriers	Communities, environment, future production
ΔR missing structure	Material provenance + recapture + transformation capacity
MU+ acceptance	Waste, cost and virgin input demand fall while value recovery rises
Market class	Circular-material markets
Decisive test	Municipal/industrial pilot

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

077 Transportation and mobility

Earth infrastructure ecology | position: **Constructive protocol**

X* state	Trips, time, safety, access, energy, congestion and land use
Σ receiver schema	Vehicle throughput/speed
B blocker to MU+	Faster local travel creates congestion, emissions or exclusion
C carriers	Travelers, neighborhoods, environment
ΔR missing structure	Multimodal consequential mobility controller
MU+ acceptance	Access, time, safety, energy and neighborhood outcomes improve
Market class	Mobility orchestration
Decisive test	City corridor pilot

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

078 Cities and urban systems

Earth infrastructure ecology | position: **Constructive protocol**

X* state	Housing, jobs, transport, health, utilities, safety and public space
Σ receiver schema	Agency-by-agency city data
B blocker to MU+	One department shifts burden to another neighborhood/system
C carriers	Residents, agencies, infrastructure
ΔR missing structure	City consequential digital twin + coordinated capacity
MU+ acceptance	Access, health, resilience, affordability and service improve
Market class	Urban reconciliation platforms
Decisive test	District pilot

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

079 Climate and disaster resilience

Earth infrastructure ecology | position: **Constructive protocol**

X* state	Hazard, exposure, vulnerability, infrastructure, food, health and recovery
Σ receiver schema	Hazard forecast alone
B blocker to MU+	Preparedness in one sector leaves another exposed
C carriers	People, infrastructure, ecosystems, economy
ΔR missing structure	Anticipatory catchment + prepositioned capacity
MU+ acceptance	Mortality/risk, recovery, livelihoods and ecosystem resilience improve
Market class	Climate resilience markets
Decisive test	Prospective matched pilot

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

080 Ecology and biodiversity

Earth infrastructure ecology | position: **Established adjacent evidence**

X* state	Species, habitats, flows, extraction, communities and climate
Σ receiver schema	Protected-area/local species metric
B blocker to MU+	Protection displaces extraction or pressure elsewhere
C carriers	Species, habitats, communities
ΔR missing structure	Landscape-scale leakage/carrier accounting + livelihoods
MU+ acceptance	Biodiversity and community outcomes improve
Market class	Biodiversity reconciliation markets
Decisive test	Landscape holdout study

Reading. Adjacent literature already documents the central mechanism.

FAMILY 9 OF 10 · ADAPTERS 081 TO 090

Physical microscopic formal

Editor's overview. Formal and computational testing should precede any field claim.

This family contains 10 named adapters. Each is a one-page construction brief: native state, schema, blocker, carrier, missing capacity, Mutual-Uptick condition, candidate market and decisive next test.

Table 82. Family 9: Physical microscopic formal.

No.	Domain	Current position	Frontier-market class
081	**Cell biology**	Regulated empirical frontier	Cell-state diagnostics and intervention platforms
082	**Molecular biology**	Regulated empirical frontier	Molecular design infrastructure
083	**Nanotechnology**	Regulated empirical frontier	Safe-by-design nanotechnology
084	**Chemistry and reaction systems**	Strong structural fit	Closed-loop chemistry
085	**Materials science**	Strong structural fit	Self-monitoring/regenerative materials
086	**Classical mechanics and control**	Formal + computational fit	Advanced sensing/control/recovery systems
087	**Thermodynamics and nonequilibrium systems**	Strong structural fit	Heat recovery and regenerative process markets
088	**Electromagnetism and circuits**	Formal + computational fit	Smart power-electronics/control systems
089	**Quantum systems**	Hard experimental frontier	Quantum sensing/control systems
090	**Pure mathematics and formal systems**	Formal frontier	Formal-schema compilers and theorem infrastructure

081 Cell biology

Physical microscopic formal | position: **Regulated empirical frontier**

X* state	Signaling, organelles, metabolism, damage, repair and cell-state transitions
Σ receiver schema	Single pathway/marker
B blocker to MU+	Pathway correction displaces stress to another process
C carriers	Organelles, pathways, neighboring cells
ΔR missing structure	Multi-state cellular controller + capacity targeting
MU+ acceptance	Target function improves without compensatory cellular damage
Market class	Cell-state diagnostics and intervention platforms
Decisive test	In-vitro perturbation study

Reading. Evidence must come from regulated trials or audits; this entry is research architecture only.

082 Molecular biology

Physical microscopic formal | position: **Regulated empirical frontier**

X* state	Molecules, conformations, binding networks, concentrations and kinetics
Σ receiver schema	Single interaction/target
B blocker to MU+	Target binding shifts network or toxicity burden
C carriers	Molecules, pathways, host system
ΔR missing structure	Reaction/network state model + off-target carrier control
MU+ acceptance	Desired molecular effect rises while off-target burden falls
Market class	Molecular design infrastructure
Decisive test	Bench experiments

Reading. Evidence must come from regulated trials or audits; this entry is research architecture only.

083 Nanotechnology

Physical microscopic formal | position: **Regulated empirical frontier**

X* state	Particle properties, surfaces, transport, environment and biological interaction
Σ receiver schema	Particle spec alone
B blocker to MU+	Performance shifts toxicity/persistence burden
C carriers	Cells, environment, users
ΔR missing structure	Lifecycle and interaction-aware nano design
MU+ acceptance	Function improves while toxicity and persistence fall
Market class	Safe-by-design nanotechnology
Decisive test	Bench + environmental tests

Reading. Evidence must come from regulated trials or audits; this entry is research architecture only.

084 Chemistry and reaction systems

Physical microscopic formal | position: **Strong structural fit**

X* state	Species, reaction network, kinetics, energy, byproducts and separation
Σ receiver schema	Target yield/selectivity
B blocker to MU+	Yield gain shifts energy/byproduct/separation burden
C carriers	Reactor, environment, downstream process
ΔR missing structure	Consequential reaction-network optimization + recovery loops
MU+ acceptance	Yield, energy, waste and safety improve
Market class	Closed-loop chemistry
Decisive test	Reactor experiments

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

085 Materials science

Physical microscopic formal | position: **Strong structural fit**

X* state	Microstructure, defects, stress, temperature, lifecycle and manufacturing
Σ receiver schema	Bulk property spec
B blocker to MU+	Strength gain shifts brittleness, weight or recyclability
C carriers	Material, structure, environment
ΔR missing structure	Defect-aware multiproperty design + recovery architecture
MU+ acceptance	Performance, durability, mass, cost and recyclability improve
Market class	Self-monitoring/regenerative materials
Decisive test	Lab characterization

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

086 Classical mechanics and control

Physical microscopic formal | position: **Formal + computational fit**

X* state	Physical state, dynamics, sensors, actuators and disturbance
Σ receiver schema	Partial state observation/local control objective
B blocker to MU+	Control success shifts energy, heat or another state variable
C carriers	Plant, actuator, environment
ΔR missing structure	Representation-aware full-state controller + regenerative capacity
MU+ acceptance	Tracking, stability, energy and wear improve together
Market class	Advanced sensing/control/recovery systems
Decisive test	Physical bench experiment

Reading. Amenable to formal and computational testing before any field work.

087 Thermodynamics and nonequilibrium systems

Physical microscopic formal | position: **Strong structural fit**

X* state	Energy, entropy, gradients, reservoirs, flows and constraints
Σ receiver schema	Local efficiency/temperature metric
B blocker to MU+	Local efficiency moves entropy production/heat elsewhere
C carriers	Reservoirs, environment, components
ΔR missing structure	Whole-boundary energy/exergy and recovery architecture
MU+ acceptance	Useful work rises while irreversible losses and collateral loads fall
Market class	Heat recovery and regenerative process markets
Decisive test	Physical experiment

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

088 Electromagnetism and circuits

Physical microscopic formal | position: **Formal + computational fit**

X* state	Fields, voltages, currents, topology, storage and losses
Σ receiver schema	Local component state
B blocker to MU+	Local regulation moves loss or instability to another branch
C carriers	Circuit elements, sources, loads
ΔR missing structure	Full-network state estimation + capacity/recovery placement
MU+ acceptance	Stability, efficiency, reliability and component stress improve
Market class	Smart power-electronics/control systems
Decisive test	Bench circuit experiment

Reading. Amenable to formal and computational testing before any field work.

089 Quantum systems

Physical microscopic formal | position: **Hard experimental frontier**

X* state	Quantum state, observables, measurement, control and decoherence
Σ receiver schema	Accessible observable set
B blocker to MU+	Measurement/control choice changes information and disturbance
C carriers	Quantum system, apparatus, environment
ΔR missing structure	Constraint-respecting measurement/control schema + capacity
MU+ acceptance	Task fidelity improves without unacceptable decoherence/resource burden
Market class	Quantum sensing/control systems
Decisive test	Laboratory quantum experiment

Reading. Experiments are hard to design cleanly; identification is the first problem.

090 Pure mathematics and formal systems

Physical microscopic formal | position: **Formal frontier**

X* state	Objects, relations, axioms, language, proofs and translations
Σ receiver schema	Chosen signature/type system/quotient
B blocker to MU+	Representation collapses distinctions or expands proof complexity
C carriers	Proof system, translator, solver
ΔR missing structure	Minimal sufficient schema preserving required relations
MU+ acceptance	Fidelity rises while ambiguity and proof/representation cost fall
Market class	Formal-schema compilers and theorem infrastructure
Decisive test	Machine-checked theorem suite

Reading. Formal results are needed; metaphor is not enough.

FAMILY 10 OF 10 · ADAPTERS 091 TO 100

Frontier illicit cosmic

Editor's overview. Hard engineering and open-by-definition territory; guardrails are strictest.

This family contains 10 named adapters. Each is a one-page construction brief: native state, schema, blocker, carrier, missing capacity, Mutual-Uptick condition, candidate market and decisive next test.

Table 83. Family 10: Frontier illicit cosmic.

No.	Domain	Current position	Frontier-market class
091	**Statistics and causal inference**	Strong structural fit	Causal reliability infrastructure
092	**Logic and reasoning systems**	Formal frontier	Reasoning infrastructure
093	**Geography and territorial systems**	Constructive protocol	Geospatial coordination infrastructure
094	**Informal economy**	Constructive protocol	Formalization bridges and microenterprise infrastructure
095	**Illicit and black markets**	Safety-governed frontier	Anti-fraud, provenance, treatment, legal-substitute and prevention markets
096	**Orbital and space economy**	Hard engineering frontier	Orbital infrastructure and traffic coordination
097	**Extraterrestrial settlement**	Hard engineering frontier	Off-world life-support, autonomy and governance systems
098	**Astrobiology and biosignatures**	Hard scientific frontier	Next-generation biosignature instrumentation
099	**Planetary systems and stewardship**	Hard engineering frontier	Planetary stewardship infrastructure
100	**Unknown and not-yet-named realities**	Open by definition	Frontier-market discovery itself

091 Statistics and causal inference

Frontier illicit cosmic | position: **Strong structural fit**

X* state	Data-generating process, sampling, measurement, confounding and uncertainty
Σ receiver schema	Chosen model/estimand
B blocker to MU+	Local fit hides transportability or selection bias
C carriers	Decision makers, future samples, affected groups
ΔR missing structure	Provenance-aware multi-model causal state + identifiability guardrails
MU+ acceptance	Predictive/causal validity improves without hidden subgroup harm
Market class	Causal reliability infrastructure
Decisive test	Simulation + multi-dataset benchmark

Reading. The structural pattern is well documented in the literature; the priority is a sealed carrier-prediction test.

092 Logic and reasoning systems

Frontier illicit cosmic | position: **Formal frontier**

X* state	Premises, inference rules, contradictions, uncertainty and goals
Σ receiver schema	Single logical calculus
B blocker to MU+	Consistency in one calculus loses expressivity/context elsewhere
C carriers	Reasoner, downstream decision
ΔR missing structure	Multi-logic translation + contradiction provenance
MU+ acceptance	Validity, expressivity and computational tractability improve
Market class	Reasoning infrastructure
Decisive test	Formal benchmark

Reading. Formal results are needed; metaphor is not enough.

093 Geography and territorial systems

Frontier illicit cosmic | position: **Constructive protocol**

X* state	People, ecosystems, infrastructure, flows and administrative boundaries
Σ receiver schema	Jurisdiction/map boundary
B blocker to MU+	Administrative optimization ignores cross-border flows
C carriers	Border communities, watersheds, networks
ΔR missing structure	Flow-based territorial state model
MU+ acceptance	Access, resilience and cross-boundary fairness improve
Market class	Geospatial coordination infrastructure
Decisive test	Regional pilot

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

094 Informal economy

Frontier illicit cosmic | position: **Constructive protocol**

X* state	Real work, exchange, trust, risk and household needs outside formal records
Σ receiver schema	Formal registry/tax/business schema
B blocker to MU+	Productive activity remains invisible or excluded
C carriers	Workers, households, state
ΔR missing structure	Low-friction recognition, protection and access architecture
MU+ acceptance	Income, safety, access and compliance improve
Market class	Formalization bridges and microenterprise infrastructure
Decisive test	Field pilot

Reading. The mapping is plausible and a construction can be specified; evidence is mostly protocol-ready.

095 Illicit and black markets

Frontier illicit cosmic | position: **Safety-governed frontier**

X* state	Hidden demand, supply, coercion, enforcement, prices and harm
Σ receiver schema	Official market data that excludes hidden exchange
B blocker to MU+	Profit and access externalize violence, exploitation or public harm
C carriers	Victims, communities, lawful firms, institutions
ΔR missing structure	Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement
MU+ acceptance	Harm and illicit profitability fall while legitimate access/opportunity rises
Market class	Anti-fraud, provenance, treatment, legal-substitute and prevention markets
Decisive test	Independent harm-reduction/public-safety evaluation

Reading. Safety governance sets the boundary of any trial. For illicit markets the constructive target is lawful substitution, prevention, provenance, treatment and victim support. This book provides no operational assistance for crime or evasion.

096 Orbital and space economy

Frontier illicit cosmic | position: **Hard engineering frontier**

X* state	Spacecraft, debris, spectrum, energy, logistics and operator incentives
Σ receiver schema	Mission-local success metric
B blocker to MU+	Mission gain shifts debris/collision/spectrum burden
C carriers	Other spacecraft, operators, orbital environment
ΔR missing structure	Orbital consequential ledger + shared capacity
MU+ acceptance	Mission value, safety, debris and resource efficiency improve
Market class	Orbital infrastructure and traffic coordination
Decisive test	Simulation + mission pilot

Reading. Physical engineering limits make construction difficult and costly; feasibility is the first question.

097 Extraterrestrial settlement

Frontier illicit cosmic | position: **Hard engineering frontier**

X* state	Life support, energy, materials, health, governance and closed ecology
Σ receiver schema	Earth-derived subsystem silos
B blocker to MU+	Local subsystem success threatens another life-support loop
C carriers	Crew, machines, habitat ecology
ΔR missing structure	Closed-loop consequential state + autonomous capacity construction
MU+ acceptance	Survival, health, resource closure and social stability improve
Market class	Off-world life-support, autonomy and governance systems
Decisive test	Analog habitat + mission tests

Reading. Physical engineering limits make construction difficult and costly; feasibility is the first question.

098 Astrobiology and biosignatures

Frontier illicit cosmic | position: **Hard scientific frontier**

X* state	Unknown life chemistries, environments, signals and contamination risks
Σ receiver schema	Earth-centric life schema
B blocker to MU+	Narrow schema misses unfamiliar life or creates false positives
C carriers	Scientific program, environment, future missions
ΔR missing structure	Plural biosignature schema + provenance/contamination control
MU+ acceptance	Detection sensitivity and specificity improve without contamination
Market class	Next-generation biosignature instrumentation
Decisive test	Blind benchmark + mission data

Reading. Requires new domain science, not only a mapping.

099 Planetary systems and stewardship

Frontier illicit cosmic | position: **Hard engineering frontier**

X* state	Atmosphere, hydrology, geology, biosphere, resources and settlements
Σ receiver schema	Sector-local resource model
B blocker to MU+	Extraction/settlement shifts planetary burdens
C carriers	Settlements, ecosystems, future generations
ΔR missing structure	Closed-loop planetary resource and restoration architecture
MU+ acceptance	Human value and planetary resilience improve
Market class	Planetary stewardship infrastructure
Decisive test	Earth analog + simulation

Reading. Physical engineering limits make construction difficult and costly; feasibility is the first question.

100 Unknown and not-yet-named realities

Frontier illicit cosmic | position: **Open by definition**

X* state	Any newly observed substrate, scale, agent, value dimension or exchange mode
Σ receiver schema	No adequate schema exists yet
B blocker to MU+	Unrepresented state is invisible until consequences accumulate
C carriers	Unknown until carrier tracing identifies it
ΔR missing structure	Instantiate M_d, define schema, measure gap, trace carrier, construct capacity
MU+ acceptance	All material carriers in the new domain cross positive consequential thresholds
Market class	Frontier-market discovery itself
Decisive test	Freeze kernel before learning outcomes; then holdout/replicate

Reading. No schema exists yet; the kernel is applied to learn one.

PART VIII

Practice

Four worked audits, a field guide with templates, the strongest objections and a catalogue of ways the law gets misused.

CHAPTER 31

Four Worked Audits

The earlier chapters explain the kernel; this one runs it. Each audit below takes a familiar situation and walks through the questions in order: boundary, schema, carriers, hidden compensation, RVG, construction, MU+. **All numbers are hypothetical, constructed for teaching.** They are not drawn from any real hospital, basin, grid or company, and they should not be used as estimates. What matters is the shape of the ledger.

> **How to read the carrier charts**
>
> Each bar is a carrier's change relative to baseline in its own native outcome, with positive meaning better for that carrier. Amber or red bars show the world after the local optimisation only; teal bars show the world after capacity construction. A kernel pass requires every bar to be positive by a preregistered margin, not just the biggest ones.

Audit 1: shortening hospital stays

The local success. A hospital reduces bed-days per case by 15% through earlier discharge protocols. Its dashboard turns green.

Boundary and schema. S is the hospital episode; G is the episode plus the following 30 days of the household, the community nursing service and the patient. The hospital's schema records "discharged home". It has no field for "family member now provides eleven unpaid hours of care a week".



Figure 33. Audit 1 (hypothetical numbers). The hospital gains 15% but four other carriers lose. The binding carrier is the family. Constructing a discharge navigator and a respite pool turns the family, nursing service and patients positive at the cost of a smaller hospital gain.

Table 84. Kernel steps for Audit 1.

Step	Question	Finding in the worked example
Schema gap	Does the record capture post-discharge burden?	No: Gσ high between the household's real state and the recognised state
Carrier	Who holds the displaced state?	Family caregivers (hours), community nursing (backlog)
Hidden compensation	What keeps the system stable?	Unpaid family caregiving; stable only while the family can sustain it

Step	Question	Finding in the worked example
RVG	Is burden accumulating?	Caregiver hours inflow exceeds respite absorption; stock rising
Construction	What capacity at C*?	Discharge navigator, respite pool, nursing triage slots
MU+	Does every carrier gain?	Hospital +12%, family +2%, nursing +3%, patients +4%, household −1%: **fails on the household**

Result. The first construction fails MU+ narrowly: household out-of-pocket cost is slightly worse. The kernel does not declare victory. It reopens the ledger, finds the household as the new binding carrier and specifies the next build, for example a transport and equipment subsidy funded from the hospital's own bed-day savings. That is the recurrence in practice.

Audit 2: saving water on the farm

The local success. Adopting farms install efficient irrigation: yield per cubic metre rises 20% and withdrawals fall 15%. Project-level efficiency reports look excellent.



Figure 34. Audit 2 (hypothetical numbers). Farm-level efficiency improves while return flows to the river fall; downstream farms, the aquifer and a wetland lose. Basin-aware allocation, return-flow accounting and caps keep most of the farm gain and turn the others non-negative.

Boundary and schema. S is the farm or project; G is the basin: withdrawals, consumptive use, return flows, storage, downstream users and ecosystems. The farm's schema measures "efficiency" as output per unit withdrawn, so a reduction in return flow, which downstream users relied on, is invisible. The literature the source cites describes exactly this pattern as the irrigation efficiency paradox: savings at the farm that do not become savings in the basin, and rebound in consumption.

Hidden compensation. Groundwater is the missing buffer: when river water thins, downstream farms pump more, and the aquifer pays. **Construction.** Return-flow accounting, basin-level allocation with caps, and storage that preserves downstream value. **Retest.** Adopting farms keep +14% yield per cubic metre, downstream farms recover to +2%, the aquifer to zero change and the wetland to +3%.

What would make this a null? If measured return flows were negligible, because for instance irrigation water mostly drains to a saline sink no one else can use, BDI would be near zero and the kernel would return NO ACTIVATION. That case is real, and the law has to be able to say so.

Audit 3: shaving the peak on a power grid

The local success. A demand-response programme cuts peak-hour load by 8% by pre-cooling and delaying appliances.



Figure 35. Audit 3 (hypothetical numbers). The peak falls but a rebound appears afterwards, with comfort and equipment costs. Storage and staggered release remove most of the rebound while keeping most of the peak reduction.

Boundary and schema. S is the peak window; G adds the following hours, household comfort, emissions and equipment. The programme's schema counts "kW shed". It has no line for kW returned two hours later. A study cited in the source on smart thermostat co-optimisation describes peak shaving with rebound mitigation as a design problem rather than a footnote. **Carrier.** The post-peak period is the receiving carrier, in time rather than space.

Construction and retest. Thermal or battery storage, staggered release and envelope efficiency together keep a 7% peak reduction while cutting rebound to near zero and restoring comfort hours. The remaining negative is equipment wear, a small price that must be priced and monitored rather than ignored.

Audit 4: an AI-assisted support workflow

The local success. An AI assistant drafts replies, and requesters resolve 35% more tickets per hour.



Figure 36. Audit 4 (hypothetical numbers). Requesters gain time but reviewers carry a new verification load, customers face more error exposure and trainees learn less. Provenance, confidence-based escalation and structured feedback recover most of the loss while trimming the headline gain.

Boundary and schema. S is the drafting step; G adds review, customers, learning and compute. The workflow's schema counts "tickets closed". **Hidden compensation.** Reviewers quietly check outputs and fix subtle errors; their time is not on the productivity line. **Construction.** A provenance layer that shows sources, escalation only when confidence is low, and structured feedback that lets novices learn from corrections. **Retest.** Requesters keep +24%, reviewer load falls from −22% to −5%, customers recover to +3% and trainees to +2%.

What the four audits share

In each case the local gain survives the audit at a reduced size. This is the typical shape: the kernel does not usually stop a good idea; it resizes it and reveals what must be built beside it. In none of the four did the first construction clear every gate, and in the first it failed narrowly. That is also typical, and is why the retest is compulsory.

CHAPTER 32

A Field Guide to Running an Audit

This chapter turns the kernel into ten steps that a small team can run in a few weeks on a real decision, with templates for the ledgers. It is practical guidance for research and management settings. It does not replace domain expertise, and in clinical, legal, financial-regulatory or safety-critical settings the output is an input to qualified professionals, not a decision.



Figure 37. A reminder of what the audit is hunting for: the hidden compensators that make stability look like sufficiency.

The ten steps

Table 85. The ten-step audit.

#	Step	Output	Common mistake
1	Name the decision and its local objective	One sentence: who optimises what	Choosing a decision too vague to test
2	Declare G, horizon, inclusion and materiality rules	Dated boundary memo	Widening G after seeing results
3	State the comparator a_0	Baseline definition	Using "do nothing" when practice differs
4	List candidate carriers and their native units	Carrier register	Merging units into a single score
5	Measure the schema gap	Gσ with method	Measuring only after the outcome is known
6	Estimate displacement and its identification strategy	D table, or UNKNOWN	Descriptive deltas presented as causal
7	Hunt for hidden compensation	H list with test	Treating stability as sufficiency
8	Compute RVG per carrier	Inflow, absorption, stock	Looking only at levels, not rates
9	Design and cost the construction at C*	Capex, opex, side effects	Counting routing as construction
10	Retest and run the MU+ gate	Gate sheet; final output	Declaring success on an average

Template 1: carrier ledger

Table 86. Carrier ledger. One row per protected carrier; no cross-row sums.

Carrier	Native unit	Baseline	After action	Change	Lower bound	ε	Pass?

Template 2: friction ledger

Table 87. Friction ledger. Keep hours, money, energy and trust in separate rows.

Friction	Native unit	Who bears it	Avoidable?	Evidence	Cost of removal

Template 3: preregistration sheet

Table 88. Preregistration sheet.

Field	Content
Decision and local objective	...
G, horizon, inclusion rule, materiality scale	...
Comparator a_0 and information-parity cell	...
Carriers G_m, value and safety functions, ε_j	...
Identification strategy for D	...
Null cases chosen in advance	...
Stopping rules: NO ACTIVATION, UNKNOWN, NO FEASIBLE MU+	...
Sealed outcomes and unblinding date	...
Who replicates, and with what data and code	...

Time and cost: a realistic expectation

A first pass on a modest decision, with data already in hand, can usually be done by two people in two to four weeks: one on boundary and carriers, one on data and identification. Carrier hunting and hidden-compensation tests take the longest because they involve talking to people and observing work. Construction design and costing takes longer where physical capacity is needed. The estimate is the edition's planning judgement, not a measured figure.

When to stop early

- BDI within tolerance after step 6: return NO ACTIVATION and stop.
- Carrier or counterfactual not identifiable: return UNKNOWN and specify the measurement.
- Every admissible construction fails a hard safety or legal constraint: return NO FEASIBLE MU+.

CHAPTER 33

Objections and Replies

A book that wants to be tested should publish the best objections to itself. Twelve follow, each with the book's reply and, where it applies, this edition's view.

"This is just externalities with new names."

Partly, and the book says so. Externality theory, critical systems heuristics and telecoupling are close ancestors. The claim is about the complete sequence as one operator with a strict acceptance rule. The way to test the claim is to give a rival framework the same information and budget and see whether it matches the full sequence (Chapter 26).

"BDI is non-negative by construction, so it proves nothing."

Correct, and the book's own formal-closure notes say it. BDI is a defined quantity. The empirical claim is that, with a preregistered boundary, BDI predicts where interventions pay. Chapter 21 shows both the tautology and what has to be added to make it informative.

"If you can always widen the boundary, you will always find a loser."

Only if G may be widened after seeing outcomes. The kernel requires G, horizon and materiality to be declared first, and it requires null cases and an UNKNOWN output.

"Mutual Uptick is impossible. Some trade-offs are real."

Then the correct output is NO FEASIBLE MU+, and the book says so. MU+ is an acceptance standard, not a promise that it can be met. It makes the trade-off explicit and carrier-specific instead of letting an average hide it.

"Native units make everything incomparable."

They make comparison explicit. Where a decision requires a trade-off, the kernel allows preregistered weights with sensitivity analysis. What it forbids is a silent exchange rate.

"The tests are mostly open, so the law is unproven."

Agreed, and the claim ledger says the same: PROPOSED LAW / RESEARCH PROGRAMME. The register is built to show exactly what is open.

"Simulation results were tuned after a failure."

The source says so for the catch-basin run and classes it as exploratory. This edition adds its own toy results with negatives retained (Chapter 21). Release of generator, seeds and code is the remedy.

"One person's life record cannot ground a general law."

Nor does the book say it can. Index Case 001 is discovery provenance. The cross-domain claim rests on independent phenomenon evidence and, eventually, prospective tests.

"The 100-domain atlas is overreach."

It would be, if it were presented as 100 validations. It is explicitly a construction brief and hypothesis generator, and entry 100 is "open by definition".

"Fundamental physics and Millennium Prize claims appear in the corpus."

They are retained as author-supplied hypotheses. The claim ledger marks them NOT ESTABLISHED, and branch B18 is a deliberate non-pass. This edition makes no such claims.

"Isn't this a new management fad?"

Fads resist testing. This one specifies falsifiers, kill tests and an information-parity design that could embarrass it.

"Who funds the capacity?"

The most important practical question, and the one the strata toy deliberately leaves open. Under MU+ the funding carrier must itself gain by a preregistered bound.

CHAPTER 34

Ten Ways to Misuse the Law

A framework with a moral flavour invites misuse. Each item below is a pattern worth watching for, in others and in oneself.

Table 89. Ten misuse patterns.

Misuse	What it looks like and the corrective
Boundary hunting	Widening G after the fact until a villain appears. Declare G first.
Carrier blaming	Treating a carrier as a culprit. Carriers are where state lands, not who caused it.
Intent inference	Reading a factual contradiction as deception. The kernel keeps these separate.
Unit laundering	Converting everything to one currency to make a pleasing score. Native units only.
Average comfort	Declaring success because the mean rose. MU+ is per carrier.
Routing as construction	Moving burden to a carrier with spare capacity and calling it a fix.
Never-null auditing	An audit that always finds displacement. BDI near zero must be a legitimate answer.
Phenomenon upgrading	Citing a documented phenomenon as a kernel validation. The evidence grammar forbids it.
Cargo-cult universality	Applying the same action everywhere. Universality means the same grammar, not the same action.
Using hardship as a sales funnel	Treating unresolved burden as proof of profitable demand. Willingness to pay, legality, ethics and execution are separate gates.

A short personal checklist

- Did I declare the boundary before looking at outcomes?
- Could this audit have returned nothing? Show the null case.
- Is there a carrier who has not been asked?
- Have I confused a documented phenomenon with a test of the kernel?
- Who pays for the construction, and do they gain?

A last word on tone

The law's vocabulary of carriers, burden and displacement can be applied to people. When it is, the people on the receiving end are not "sinks". They are the reason the audit exists. A good audit makes their situation legible to the system that produced it, and then builds something so that it no longer depends on their silent absorption.

CHAPTER 35

Concept Cards

One card per idea, in a fixed format: what it is, the formula, the question to ask, the typical failure and a one-line example. They are written to be photocopied and pinned beside a whiteboard.

01 Schema gap (Gσ)

What it is. The distance between what is the case and what a receiver recognises.

Formula. Gσ = δ(X*, X̂), normalised JSD by default

Ask. What does the receiving system literally have no field for?

Typical failure. Measuring the gap after the outcome is known.

Example. A benefits form with no category for irregular income.

02 Friction (Φ)

What it is. The incremental cost of bridging a mismatch, in native units.

Formula. Φ = causal, incremental, native-unit cost of representation state

Ask. Who is doing the re-explaining, and in which unit does it hurt?

Typical failure. Converting hours, trust and money into one number.

Example. Four office visits to prove one fact.

03 Boundary divergence (BDI)

What it is. How much worse the locally best action is, judged by the wider boundary.

Formula. BDI = J_G(a*_S) − J_G(a*_G) ≥ 0

Ask. If this action doubled, who else would notice?

Typical failure. Widening G after seeing results.

Example. A farm saves water; the river runs thin.

04 Counterfactual displacement (D)

What it is. What moved, to whom and when, relative to a declared comparator.

Formula. $D = E[U \mid do(a)] - E[U \mid do(a_0)]$

Ask. Against what baseline, and how is it identified?

Typical failure. Reporting descriptive deltas as causal.

Example. Discharge shortens stays; caregiver hours rise.

05 Carrier (C)

What it is. The thing that holds displaced state: person, account, aquifer, future period.

Formula. C* = argmax w·ρ, in native units

Ask. Who or what is paying that the dashboard cannot see?

Typical failure. Treating a carrier as a culprit.

Example. A reviewer quietly checking every AI draft.

06 Hidden compensation (H)

What it is. An unseen contributor that makes stability look like sufficiency.

Formula. observed stability ≠ structural sufficiency

Ask. What would fail if this person, buffer or period were removed?

Typical failure. Never testing the removal, even in simulation.

Example. Groundwater as the missing irrigation buffer.

07 Reconciliation Velocity Gap (RVG)

What it is. Burden inflow minus realised absorption, per carrier.

Formula. RVG = ι − α, α ≤ R

Ask. Is the stock growing even if the level looks safe?

Typical failure. Reading levels instead of rates.

Example. Caregiver hours rising faster than respite capacity.

08 Capacity construction (IAMF-P)

What it is. Building absorption at the binding carrier, or repairing the schema.

Formula. A* = argmin [U + λH + μU_max + νCost − ηV]

Ask. What structure would make bearing this unnecessary?

Typical failure. Counting rerouting as construction.

Example. A discharge navigator and a respite pool.

09 Net reconciled value (NRV)

What it is. A vector of avoided burden, productive value and released capacity, minus costs and new displacement.

Formula. NRV_vec, scalar only with declared weights

Ask. Is the value still positive after transition costs?

Typical failure. Summing across units to get a nice number.

Example. Food recovery net of logistics and labour transition.

10 Mutual Uptick (MU+)

What it is. Every material carrier gains by a preregistered, uncertainty-aware bound.

Formula. ∀ j: LCB(ΔV_j) > ε_j; safety; no concentration; RVG ≤ 0

Ask. Which carrier's lower bound fails?

Typical failure. Declaring success on an average.

Example. Hospital, family, nursing and patient all better; household not yet.

11 The three honest outputs

What it is. NO ACTIVATION, UNKNOWN, NO FEASIBLE MU+.

Formula. BDI ≤ tol; H(O) ambiguous; construction exhausted

Ask. Could this audit have returned nothing?

Typical failure. An audit that always finds a loser.

Example. A basin where return flows drain to an unusable sink.

12 Information parity

What it is. Separating representation effects from objective effects.

Formula. 2×2: {same, expanded} × {incumbent, Rufino}

Ask. Did we change the information, the objective or both?

Typical failure. Crediting the objective for what the data did.

Example. A model that sees more but is still told to maximise only the local metric.

CHAPTER 36

Plain-Language Glossary

Short definitions in everyday words, for readers who want the idea without the notation. The technical definitions are in Appendix A.

Table 90. Plain-language glossary.

Term	Plain meaning
Audit	A structured look at who gains, who loses and who is quietly holding things together.
Binding carrier	The one place where the most unabsorbed burden lands, measured in its own units.
Boundary	The line a decision-maker draws around what counts. The law asks for a second, wider line.
Capacity	How much burden something can absorb per unit time.
Carrier	Whatever receives the cost an action pushes out of view.
Catch basin	Capacity placed where flows converge, so burden is absorbed before it becomes harm.
Comparator	The baseline an action is compared with. It is not always "do nothing".
Conformance test	A check that a document or program contains what it should. It is not evidence that the idea is true.
Consequential boundary (G)	The smallest boundary containing everything an action materially affects.
Construction	Building new capacity or a better representation, as opposed to rerouting burden.
Counterfactual	What would have happened under a different action.
Displacement	Moving an unresolved cost beyond the boundary being watched.
Evidence grammar	The rule that different kinds of evidence keep different names and are not upgraded silently.
Falsifier	A result that would make the author give up the claim.
Friction	Avoidable cost of translating between systems that see the world differently.
Hidden compensation	Someone or something filling a gap the system does not know it has.
Holdout	Data or systems locked away until the final test so they cannot influence the design.
Identifiability	Whether the data could in principle tell two different stories apart.
Incumbent	The strongest existing method the new approach must beat fairly.
Information parity	Giving both methods the same information so any difference is not just better data.
Kernel	The fixed core procedure that stays the same in every domain.
Local boundary (S)	The boundary a decision-maker actually uses.
Materiality	How big a cost must be before it counts in the audit.
Mutual Uptick	Every material party ends better off, by a margin set in advance.
Native units	Each quantity in its own measure: hours, money, joules, risk. Never silently merged.
Net reconciled value	Value created after all costs and new displacements are counted.
Null case	A situation where the local and wider views agree, so the kernel should do nothing.
Preregistration	Writing down the test before seeing the result.
Provenance	The record of where a claim came from and how it was transformed.
Receiver	Whoever or whatever acts on a representation.
Reconciliation	Resolving a displaced cost with real capacity, not moving it again.
Retest	Re-measuring the whole system after an intervention, because bottlenecks move.
Reintegration	Turning recovered waste or burden into something useful.
RVG	Whether burden is arriving faster than it is being absorbed.
Schema	The form, category set or model through which something is seen.
Schema gap	How far the receiver's picture is from the evidence-grounded one.
Sealed outcome	A result kept hidden until the prediction is locked.
Stock and flow	A stock is how much has built up; a flow is how fast it arrives or leaves.

Term	Plain meaning
Unknown	An honest output meaning the data cannot tell.
Zero state	The ledger has no unaccounted sink. It is a starting line, not a finish.

CHAPTER 37

Study Guide and Reading Paths

Four ways to read this book

Table 91. Suggested reading paths.

Reader	Path	Time
Executive or policy reader	Chapters 1, 3, 10, 22, 23, then the four audits in Chapter 31 and the claim ledger in Chapter 29	About 3 hours
Researcher or statistician	Chapters 3, 4, 5, 6, 7, 11, 21, 26 to 30, then Part VI and Appendix E	About 2 days
Engineer or data scientist	Chapters 5 to 14, 16 to 21, the field guide in Chapter 32 and Appendix A	About 1 day
Student	Chapters 1 to 4 then the concept cards in Chapter 35, the glossary, and the discussion questions below	About a week

Discussion questions

Part I: The Idea

1. Think of a decision you have seen that met its target. Name the boundary it used and draw a second one around everything it affected. What changed?

2. Which statements in Chapter 3 are definitions, which are empirical claims, and which are design commitments? Why does the distinction matter?

3. Give an example from your own field of a documented phenomenon that has not yet been tested as a kernel claim.

Part II: The Machinery

1. Why does the kernel refuse to sum across units? Construct a case where a silent exchange rate would reverse a decision.

2. Design a null case for a domain you know, a situation where BDI should be near zero. How would you choose it in advance?

3. The RVG replaces a rate-minus-level formula with inflow minus absorption. Explain the error in the old form in your own words.

4. Why is "no one is worse off" weaker than Mutual Uptick? When might a weaker rule be the right standard?

Part III: One Grammar, Many Substrates

1. In the code-to-molecule toy, why does redundancy absorb noise but not mismatch? Find an institutional analogue.

2. In the multi-neuron toy the bottleneck migrates after the first repair. What does that imply about one-pass interventions?

3. Experiment A shows re-selection beating construction. Under what conditions in your domain would re-selection be unavailable?

4. The strata toy builds capacity for free. Who should pay in your setting, and how would MU+ test it?

Part IV: Applications

1. Distinguish a friction-reducing market from a friction-dependent one in your industry. What evidence would separate them?

2. What would a minimal NRV ledger for an AI system look like in your organisation? Which entries are hardest to measure?

3. The PHOTOSYNTHESIS kill tests include a transfer test. Why is transfer the hardest to pass?

Part V and the registers

1. Which prior-art family covers the most of the seven-step sequence? What does it lack?

2. Look at the status map. Which three tests should be funded first, and why?

3. Pick one atlas entry and write its preregistration sheet in one page.

Part VIII: Practice

1. In Audit 1 the first construction fails MU+ narrowly. Design the second construction and say who funds it.

2. Choose one of the ten misuse patterns and describe a real case where you have seen it.

3. Run steps 1 to 4 of the field guide on a decision you face this month.

Project ideas

- Reproduce the toy experiments from the released script, then change one assumption per experiment and report which conclusions move.
- Choose one of the 360 tests and write a design that could change its status by one rung of the evidence ladder.
- Build a domain adapter M_d for a system you know, using the field-guide templates, and exchange it with a classmate for adversarial review.
- Pre-register a null-boundary control for a policy you think is good, and say in advance what result would change your mind.

PART A

Appendices

Formula vault, acceptance charter, conformance register, external evidence, reproducibility and references.

APPENDIX A

Formula Vault and Symbol Glossary

Table 92. Formula vault.

Name	Expression	Chapter
Domain map	$X^*_t = M_d(\Omega_t)$	5
Receiver recognition	$\hat{X}_t = \Sigma_r(X^*_t)$	5
Schema gap	$G\sigma = \delta(X^*, \hat{X})$, normalised JSD default	5
Boundary Divergence Index	$BDI = J_G(a^*_S; X^*) - J_G(a^*_G; X^*) \geq 0$	6
Displacement field	$D_a(j,k,\tau) = E[U \mid do(a)] - E[U \mid do(a_0)]$	7
LERM trace	$L(X,a) = \{R, D, C, \Gamma, H, U, Q\}$	7
Capacity shortfall	$\rho = \max(0, D^+ - A) / s$	7
Binding carrier	$C^* = \text{argmax}_j \max_{k,\tau} w_\tau \rho$	7
Reconciliation Velocity Gap	$RVG_j = \iota_j - \alpha_j$, with $\alpha_j \leq R_j$; $db_j/dt = \iota_j - \alpha_j$	9
Mutual Uptick	$\forall j \in G_m$: $LCB(\Delta V_j) > \varepsilon_j$; safety within hard limits; no new concentration; $RVG \leq 0$	10
Identifiability	$H(O) = \{H_i : F(H_i) = O\}$; if materially different, UNKNOWN	11
IAMF-P objective	$A^* = \text{argmin} [U_G + \lambda H_{CC} + \mu U_{max} + \nu Cost - \eta V_G]$	12
Net reconciled value	NRV_vec = [AvoidedBurden, ProductiveValue, ReleasedCapacity, −Capex, −Opex, −NewDisplacement, −DeferredBurden]	12
Kernel recurrence	$\Omega \to M_d/Q \to X^* \to \Sigma \to \hat{X} \to (G\sigma,\Phi) \to (B_L,B_G) \to L \to \ldots \to$ IAMF-P $\to A^* \to F_d \to X^*_{+1} \to$ retest	13
Constructive closure	$\delta^* = \max_a \min_{j \in G_m} \Delta V_j(a)/s_j$; $A_{r+1} = A_r \cup \{\Delta R_{B^*}\}$	27
Weak dominance	$\Sigma_I \subseteq \Sigma_R$, $A_I \subseteq A_R \Rightarrow J_R^* \preceq J_I^*$	27
Friction Dependency Ratio	FDR = revenue from avoidable friction / total revenue	22
Reconciliation Dividend	RD = AvoidedFriction + ReleasedCapacity + NewProductiveValue − TransitionCost − NewDisplacement − DeferredBurden	22
AI schema gap	$G\sigma_AI = \delta(X^*_{world/task}, \hat{X}_{model/workflow})$	23
Event-linked upside	$EUL_s = \max(0, Profit_s - ExpectedProfit_s \mid counterfactual)$; $F_s = \alpha_s \cdot EUL_s$	24
Consequential opportunity	$TAM^* = N \cdot \min(WTP, AvoidedBurden + ReleasedValue)$	25
Ontology	$U = S \times L \times F \times C \times V \times M \times T$	15

Table 93. Symbol glossary.

Symbol	Meaning
Ω	Underlying physical or institutional reality in domain d
O	Observations and measurements available at time t
Q	Provenance, uncertainty and observation state
M_d	Domain-specific observation and state adapter
X^*	Best-supported evidence-grounded state estimate
Σ_r	Receiving system schema or representation operator
$\hat{X}$	State recognised by the receiver
$G\sigma$	Schema gap between evidence-grounded and recognised state
Φ	Friction vector from mismatch, interfaces and constraints
B_L, B_G	Local declared boundary; smallest consequential boundary containing material effects
J_S, J_G	Local and consequential objective functions
D	Counterfactual displacement to carrier j, dimension k, delay τ
C	Receiving carrier
Γ	Coupling point or pathway

Symbol	Meaning
H	Hidden compensation
U	Unresolved burden
R_c	Reconciliation capacity
RVG	Burden inflow rate minus realised absorption throughput
A*	Selected constructive intervention
F_d	Domain-valid transition or implementation operator
D_post	Post-intervention displacement field
ε_j	Declared carrier tolerance
MU+	Mutual Uptick: every material carrier gains by a preregistered bound
0_R	Zero state: ledger clearing point, not success

APPENDIX B

The Mutual Uptick Acceptance Charter

The decisive change in the later editions is that non-displacement is necessary but not sufficient. Zero-state closure is a clearing condition; full reconciliation requires co-elevation.

0_R: no material unreconciled loser remains MU+ ⇔ ∀ j ∈ G_m: V_j(post) > V_j(pre), safety dimensions within tolerance, D_{post} has no new concentration, $RVG_{post} \leq 0$

- Because carriers can have different native units, MU+ is evaluated with preregistered carrier-specific value and safety functions, never raw cross-unit sums.
- A gain in pesos cannot automatically cancel biological harm; a gain in energy cannot automatically cancel trust loss; an aggregate average cannot hide a losing carrier.
- A branch can be structurally corroborated and still remain unvalidated under the full law until an intervention shows MU+ on sealed or independent data. The higher bar is intentional.

A one-page checklist for running MU+

Table 94. MU+ run sheet.

Step	Action	Record
1	Declare G, horizon, inclusion and materiality rules before outcomes	Dated boundary memo
2	List protected carriers G_m and their native-unit value and safety functions	Carrier register
3	Fix ε_j and α for the lower confidence bound	Preregistration
4	Fix comparator a_0 and information-parity cell	Design note
5	Run; keep every result, including failures and UNKNOWN	Open log
6	Check each carrier, then safety, then new concentration, then RVG	Gate sheet
7	Return PASS, NO ACTIVATION, UNKNOWN or NO FEASIBLE MU+	Final output

APPENDIX C

The 121-Test Conformance Register

These 121 tests were executed against the six-file Rufino target corpus and all passed (reported in the source). They verify that the dossier preserves its chronology, evidence classes, exact numbers, contradictions, dialectics, formulas and acceptance features. They are conformance checks, **not** scientific validation and not a substitute for the Validation Atlas. The source describes the suite as four tiers: feature tests, boundary and corner tests, dialectic tests and acceptance tests; the class shown in each row is the source's own label.

Table 95. Conformance register as reported. Intents condensed; exact figures in some intents are the original author's.

#	Class / feature (as in source)	Test method	Intent	Result
1	Unbroken Developmental Chronology	`test_f1_01_chronology_childhood_instability`	test f1 01 chronology childhood instability	PASS
2	Unbroken Developmental Chronology	`test_f1_02_chronology_2016_university_withdrawal_survival`	test f1 02 chronology 2016 university withdrawal survival	PASS
3	Unbroken Developmental Chronology	`test_f1_03_chronology_corporate_compression_four_entities`	test f1 03 chronology corporate compression four entities	PASS
4	Unbroken Developmental Chronology	`test_f1_04_chronology_2024_pageant_and_grooming_dual_reality`	test f1 04 chronology 2024 pageant and grooming dual reality	PASS
5	Unbroken Developmental Chronology	`test_f1_05_chronology_eviction_zero_point_and_rockwell_to_2026_governance`	test f1 05 chronology eviction zero point and rockwell to 2026 governance	PASS
6	Epistemic Evidence Segregation (P1–P6)	`test_f2_01_all_six_evidence_classes_p1_through_p6`	test f2 01 all six evidence classes p1 through p6	PASS
7	Epistemic Evidence Segregation (P1–P6)	`test_f2_02_p1_institutional_evidence_mapping`	test f2 02 p1 institutional evidence mapping	PASS
8	Epistemic Evidence Segregation (P1–P6)	`test_f2_03_p2_visual_index_multimedia_evidence`	test f2 03 p2 visual index multimedia evidence	PASS
9	Epistemic Evidence Segregation (P1–P6)	`test_f2_04_p3_contemporaneous_vs_p4_later_synthesis`	test f2 04 p3 contemporaneous vs p4 later synthesis	PASS
10	Epistemic Evidence Segregation (P1–P6)	`test_f2_05_p5_self_report_vs_p6_public_context`	test f2 05 p5 self report vs p6 public context	PASS
11	Canonical Claim Status Taxonomy	`test_f3_01_five_claim_status_categories_present`	test f3 01 five claim status categories present	PASS
12	Canonical Claim Status Taxonomy	`test_f3_02_verified_as_worded_status_allocations`	test f3 02 verified as worded status allocations	PASS
13	Canonical Claim Status Taxonomy	`test_f3_03_document_stated_status_allocations`	test f3 03 document stated status allocations	PASS
14	Canonical Claim Status Taxonomy	`test_f3_04_conflicted_status_allocations`	test f3 04 conflicted status allocations	PASS
15	Canonical Claim Status Taxonomy	`test_f3_05_not_established_and_killed_status_allocations`	test f3 05 not established and killed status allocations	PASS
16	Subject Response Cybernetic Loop	`test_f4_01_eight_stage_cybernetic_cycle_complete_sequence`	test f4 01 eight stage cybernetic cycle complete sequence	PASS
17	Subject Response Cybernetic Loop	`test_f4_02_harm_to_survival_adaptation_mechanics`	test f4 02 harm to survival adaptation mechanics	PASS
18	Subject Response Cybernetic Loop	`test_f4_03_consequential_output_to_failure_detection`	test f4 03 consequential output to failure detection	PASS
19	Subject Response Cybernetic Loop	`test_f4_04_evidence_reconstruction_to_correction`	test f4 04 evidence reconstruction to correction	PASS
20	Subject Response Cybernetic Loop	`test_f4_05_operating_rule_to_governance`	test f4 05 operating rule to governance	PASS

#	Class / feature (as in source)	Test method	Intent	Result
21	Demonstrated Capability & Bricolage	`test_f5_01_eight_node_vertical_integration_enumerated`	test f5 01 eight node vertical integration enumerated	PASS
22	Demonstrated Capability & Bricolage	`test_f5_02_node1_logistics_and_node2_accounting`	test f5 02 node1 logistics and node2 accounting	PASS
23	Demonstrated Capability & Bricolage	`test_f5_03_node3_fullstack_and_node4_macro_modeling`	test f5 03 node3 fullstack and node4 macro modeling	PASS
24	Demonstrated Capability & Bricolage	`test_f5_04_node5_aesthetic_and_node6_forensic_benchmarks`	test f5 04 node5 aesthetic and node6 forensic benchmarks	PASS
25	Demonstrated Capability & Bricolage	`test_f5_05_bricolage_under_zero_vc_funding`	test f5 05 bricolage under zero vc funding	PASS
26	Functional Impact & Impairment Dialectic	`test_f6_01_rejection_of_binary_fallacy`	test f6 01 rejection of binary fallacy	PASS
27	Functional Impact & Impairment Dialectic	`test_f6_02_somatic_exhaustion_and_330am_shifts`	test f6 02 somatic exhaustion and 330am shifts	PASS
28	Functional Impact & Impairment Dialectic	`test_f6_03_chronic_liquidity_traps_and_survival_threat`	test f6 03 chronic liquidity traps and survival threat	PASS
29	Functional Impact & Impairment Dialectic	`test_f6_04_trauma_fragmentation_and_hypervigilance`	test f6 04 trauma fragmentation and hypervigilance	PASS
30	Functional Impact & Impairment Dialectic	`test_f6_05_simultaneous_preservation_of_high_cognitive_output`	test f6 05 simultaneous preservation of high cognitive output	PASS
31	Environmental Fit & Social Schema (IAMF-E / IAMF- F)	`test_f7_01_iamf_tripartite_separation_s_e_f`	test f7 01 iamf tripartite separation s e f	PASS
32	Environmental Fit & Social Schema (IAMF-E / IAMF- F)	`test_f7_02_category_compression_in_philippine_bpo`	test f7 02 category compression in philippine bpo	PASS
33	Environmental Fit & Social Schema (IAMF-E / IAMF- F)	`test_f7_03_social_schema_lock_in_feedback_loop`	test f7 03 social schema lock in feedback loop	PASS
34	Environmental Fit & Social Schema (IAMF-E / IAMF- F)	`test_f7_04_generalist_penalty_mechanics`	test f7 04 generalist penalty mechanics	PASS
35	Environmental Fit & Social Schema (IAMF-E / IAMF- F)	`test_f7_05_institutional_recognition_latency`	test f7 05 institutional recognition latency	PASS
36	Empirical Financial Reconciliation (BPI & Meta)	`test_f8_01_bpi_gross_credits_exact_amount`	test f8 01 bpi gross credits exact amount	PASS
37	Empirical Financial Reconciliation (BPI & Meta)	`test_f8_02_bpi_gross_inflows_vs_cogs_and_zero_net_savings`	test f8 02 bpi gross inflows vs cogs and zero net savings	PASS
38	Empirical Financial Reconciliation (BPI & Meta)	`test_f8_03_meta_ad_spend_exact_amount`	test f8 03 meta ad spend exact amount	PASS
39	Empirical Financial Reconciliation (BPI & Meta)	`test_f8_04_cac_percentage_and_roas_multiple`	test f8 04 cac percentage and roas multiple	PASS
40	Empirical Financial Reconciliation (BPI & Meta)	`test_f8_05_meta_ad_spend_as_carrier1_drain`	test f8 05 meta ad spend as carrier1 drain	PASS
41	TCV Discrepancy & Provenance Reconciliation	`test_f9_01_tcv_exact_reconciliation_14_5m_vs_40_5m`	test f9 01 tcv exact reconciliation 14 5m vs 40 5m	PASS
42	TCV Discrepancy & Provenance Reconciliation	`test_f9_02_tcv_unfulfilled_pipeline_delta_26m`	test f9 02 tcv unfulfilled pipeline delta 26m	PASS
43	TCV Discrepancy & Provenance Reconciliation	`test_f9_03_customs_clearance_vs_brand_provenance_distinction`	test f9 03 customs clearance vs brand provenance distinction	PASS
44	TCV Discrepancy & Provenance Reconciliation	`test_f9_04_rockwell_incident_forensic_reconstruction`	test f9 04 rockwell incident forensic reconstruction	PASS
45	TCV Discrepancy & Provenance Reconciliation	`test_f9_05_rockwell_as_catalyst_for_carrier6_and_provenance_vault`	test f9 05 rockwell as catalyst for carrier6 and provenance vault	PASS
46	The 15 Canonical Contradictions Master Matrix	`test_f10_01_all_15_contradictions_enumerated`	test f10 01 all 15 contradictions enumerated	PASS

#	Class / feature (as in source)	Test method	Intent	Result
47	The 15 Canonical Contradictions Master Matrix	test_f10_02_contradictions_mapped_to_evidence_classes_p1_p6	test f10 02 contradictions mapped to evidence classes p1 p6	PASS
48	The 15 Canonical Contradictions Master Matrix	test_f10_03_contradictions_evaluated_against_claim_status	test f10 03 contradictions evaluated against claim status	PASS
49	The 15 Canonical Contradictions Master Matrix	test_f10_04_contradictions_mathematical_and_structural_resolution	test f10 04 contradictions mathematical and structural resolution	PASS
50	The 15 Canonical Contradictions Master Matrix	test_f10_05_contradictions_primary_citations_and_references	test f10 05 contradictions primary citations and references	PASS
51	Adversarial Kill-Test & Epistemic Boundaries	test_f11_01_explicit_kill_of_600t_aum_claim	test f11 01 explicit kill of 600t aum claim	PASS
52	Adversarial Kill-Test & Epistemic Boundaries	test_f11_02_demarcation_index_case_vs_population_uniqueness	test f11 02 demarcation index case vs population uniqueness	PASS
53	Adversarial Kill-Test & Epistemic Boundaries	test_f11_03_founder_dependent_tacit_judgment_isolated	test f11 03 founder dependent tacit judgment isolated	PASS
54	Adversarial Kill-Test & Epistemic Boundaries	test_f11_04_transferable_system_mechanics_isolated	test f11 04 transferable system mechanics isolated	PASS
55	Adversarial Kill-Test & Epistemic Boundaries	test_f11_05_preservation_of_ground_truth_by_killing_hyperbole	test f11 05 preservation of ground truth by killing hyperbole	PASS
56	Compensatory Centralization Hypothesis	test_f12_01_compensatory_centralization_hypothesis_formalized	test f12 01 compensatory centralization hypothesis formalized	PASS
57	Compensatory Centralization Hypothesis	test_f12_02_five_missing_institutional_scaffolding_nodes	test f12 02 five missing institutional scaffolding nodes	PASS
58	Compensatory Centralization Hypothesis	test_f12_03_solo_spof_vulnerability_derivation	test f12 03 solo spof vulnerability derivation	PASS
59	Compensatory Centralization Hypothesis	test_f12_04_perverse_feedback_of_successful_overfunctioning	test f12 04 perverse feedback of successful overfunctioning	PASS
60	Compensatory Centralization Hypothesis	test_f12_05_mode3_compulsory_actualization_mechanics	test f12 05 mode3 compulsory actualization mechanics	PASS
61	Explicit LERM Falsification Framework	test_f13_01_august_2027_macro_falsification_horizon	test f13 01 august 2027 macro falsification horizon	PASS
62	Explicit LERM Falsification Framework	test_f13_02_silicon_capex_and_arr_falsification_condition	test f13 02 silicon capex and arr falsification condition	PASS
63	Explicit LERM Falsification Framework	test_f13_03_grid_capacity_and_tariffs_falsification_condition	test f13 03 grid capacity and tariffs falsification condition	PASS
64	Explicit LERM Falsification Framework	test_f13_04_debt_refinancing_cliff_falsification_condition	test f13 04 debt refinancing cliff falsification condition	PASS
65	Explicit LERM Falsification Framework	test_f13_05_existential_provenance_falsification_invariants	test f13 05 existential provenance falsification invariants	PASS
66	Cognitive (P1–P5) & Calibrated Rarity (R1–R5) Triangulation	test_f14_01_proficiency_scale_p1_p5_definitions	test f14 01 proficiency scale p1 p5 definitions	PASS
67	Cognitive (P1–P5) & Calibrated Rarity (R1–R5) Triangulation	test_f14_02_calibrated_rarity_scale_r1_r5_definitions	test f14 02 calibrated rarity scale r1 r5 definitions	PASS
68	Cognitive (P1–P5) & Calibrated Rarity (R1–R5) Triangulation	test_f14_03_subject_classification_p5_generative_architect	test f14 03 subject classification p5 generative architect	PASS
69	Cognitive (P1–P5) & Calibrated Rarity (R1–R5) Triangulation	test_f14_04_subject_classification_r5_extreme_tail_composite	test f14 04 subject classification r5 extreme tail composite	PASS
70	Cognitive (P1–P5) & Calibrated Rarity (R1–R5) Triangulation	test_f14_05_six_subsystem_triangulation_matrix	test f14 05 six subsystem triangulation matrix	PASS
71	12-Variable Nonlinear Compound Interaction	test_f15_01_twelve_variables_enumerated	test f15 01 twelve variables enumerated	PASS
72	12-Variable Nonlinear Compound Interaction	test_f15_02_seven_survival_friction_vectors_v1_v7	test f15 02 seven survival friction vectors v1 v7	PASS

#	Class / feature (as in source)	Test method	Intent	Result
73	12-Variable Nonlinear Compound Interaction	`test_f15_03_five_generative_cognitive_vectors_v8_v12`	test f15 03 five generative cognitive vectors v8 v12	PASS
74	12-Variable Nonlinear Compound Interaction	`test_f15_04_transductive_coupling_equation_omega`	test f15 04 transductive coupling equation omega	PASS
75	12-Variable Nonlinear Compound Interaction	`test_f15_05_friction_as_sensory_substrate_for_mathematics`	test f15 05 friction as sensory substrate for mathematics	PASS
76	Existential Placement & Stewardship Architecture	`test_f16_01_terminal_question_answered`	test f16 01 terminal question answered	PASS
77	Existential Placement & Stewardship Architecture	`test_f16_02_pillar1_governed_delegation`	test f16 02 pillar1 governed delegation	PASS
78	Existential Placement & Stewardship Architecture	`test_f16_03_pillar2_institutional_stewardship_sovereign_fiduciary`	test f16 03 pillar2 institutional stewardship sovereign fiduciary	PASS
79	Existential Placement & Stewardship Architecture	`test_f16_04_pillar3_reciprocal_safety_protocols`	test f16 04 pillar3 reciprocal safety protocols	PASS
80	Existential Placement & Stewardship Architecture	`test_f16_05_pillar4_external_audit_and_epistemic_governance`	test f16 05 pillar4 external audit and epistemic governance	PASS
81	Master Dossier Assembly & Publication-Grade Synthesis	`test_f17_01_master_dossier_structure_and_scope`	test f17 01 master dossier structure and scope	PASS
82	Master Dossier Assembly & Publication-Grade Synthesis	`test_f17_02_unbroken_integration_of_all_eight_layers`	test f17 02 unbroken integration of all eight layers	PASS
83	Master Dossier Assembly & Publication-Grade Synthesis	`test_f17_03_mathematical_proofs_and_equations_embedded`	test f17 03 mathematical proofs and equations embedded	PASS
84	Master Dossier Assembly & Publication-Grade Synthesis	`test_f17_04_absence_of_narrative_omissions`	test f17 04 absence of narrative omissions	PASS
85	Master Dossier Assembly & Publication-Grade Synthesis	`test_f17_05_publication_grade_typography_and_layout`	test f17 05 publication grade typography and layout	PASS
86	E2E Testing Suite & Multi-Tier Verification Harness	`test_f18_01_test_suite_directory_structure`	test f18 01 test suite directory structure	PASS
87	E2E Testing Suite & Multi-Tier Verification Harness	`test_f18_02_tier1_feature_coverage_module_present`	test f18 02 tier1 feature coverage module present	PASS
88	E2E Testing Suite & Multi-Tier Verification Harness	`test_f18_03_tier2_boundaries_module_present`	test f18 03 tier2 boundaries module present	PASS
89	E2E Testing Suite & Multi-Tier Verification Harness	`test_f18_04_tier3_dialectics_module_present`	test f18 04 tier3 dialectics module present	PASS
90	E2E Testing Suite & Multi-Tier Verification Harness	`test_f18_05_tier4_acceptance_module_present`	test f18 05 tier4 acceptance module present	PASS
91	Boundary and Corner Case Assertions	`test_bpi_exact_gross_credits_boundary`	Verify exact figure ₱3,477,795.35 and separation of gross inflow from net profit.	PASS
92	Boundary and Corner Case Assertions	`test_meta_exact_spend_boundary`	Verify exact figure ₱264,434.09 and commercial CAC / ROAS attribution.	PASS
93	Boundary and Corner Case Assertions	`test_tcv_discrepancy_and_delta_boundary`	Verify ₱14.5M vs ₱40.5M and exact ₱26.0M unfulfilled pipeline delta.	PASS
94	Boundary and Corner Case Assertions	`test_macro_712b_exact_boundary`	Verify ₱712,000,000,000.00 / ₱712.0B direct invoiced loss and USD conversion.	PASS
95	Boundary and Corner Case Assertions	`test_macro_2_8475t_exact_boundary`	Verify ₱2,847,500,000,000.00 / ₱2.8475T systemic macro burden ($49.20B USD).	PASS
96	Boundary and Corner Case Assertions	`test_zero_arithmetic_variance_boundary`	Verify arithmetic summation variance epsilon = 0.000000000000%.	PASS
97	Boundary and Corner Case Assertions	`test_frontier_ai_consensus_mean_boundary`	Verify 4-frontier AI consensus mean of 95.00% across Gemini, OpenAI, Claude, Grok.	PASS

#	Class / feature (as in source)	Test method	Intent	Result
98	Boundary and Corner Case Assertions	test_capital_dislocation_index_boundary	Verify capital dislocation ratio 4.7857x against the 3.50x systemic threshold.	PASS
99	Boundary and Corner Case Assertions	test_eight_canonical_philippine_carriers_boundary	Verify all 8 canonical Philippine carriers (CAR-01 to CAR-08) are enumerated.	PASS
100	Boundary and Corner Case Assertions	test_all_15_canonical_contradictions_master_boundary	Verify each of the 15 contradictions is explicitly present in the master matrix.	PASS
101	Boundary and Corner Case Assertions	test_epistemic_evidence_classes_p1_through_p6_boundary	Verify all 6 evidence classes are formally segregated without conflation.	PASS
102	Boundary and Corner Case Assertions	test_claim_status_taxonomy_boundary	Verify all 5 claim statuses are present in the taxonomy audit.	PASS
103	Boundary and Corner Case Assertions	test_proficiency_and_rarity_scales_boundary	Verify P1-P5 Proficiency and R1- R5 Rarity levels are defined.	PASS
104	Boundary and Corner Case Assertions	test_subject_extreme_tail_classification_boundary	Verify classification as P5 Generative Architect / R5 Extreme-Tail Composite.	PASS
105	Boundary and Corner Case Assertions	test_zero_point_invariant_boundary	Verify mathematical definition of Zero-State (0) as non-displaced residual.	PASS
106	Boundary and Corner Case Assertions	test_customs_vs_brand_provenance_boundary	Verify RA 10863 BOC border clearance is explicitly decoupled from brand authenticity.	PASS
107	Cross-Feature Combinations and Dialectical Interactions	test_dialectic_capability_plus_impairment	Verify simultaneous preservation of extreme-tail generative capability and documented clinical/somatic trauma without collapsing into the binary...	PASS
108	Cross-Feature Combinations and Dialectical Interactions	test_dialectic_aesthetic_capital_plus_schema_lockin	Verify how high-signal aesthetic capital acts as a transductive interface while simultaneously triggering institutional schema lock-in and the...	PASS
109	Cross-Feature Combinations and Dialectical Interactions	test_dialectic_micro_friction_plus_macro_tensor	Verify the scale-invariant transduction mapping street-level operational friction (ShopFam ₱500 at 3:30 AM depot) directly into macroeconomic...	PASS
110	Cross-Feature Combinations and Dialectical Interactions	test_dialectic_compensatory_centralization_plus_spof	Verify that 8-node vertical centralization was a mandatory adaptation to missing scaffolding, producing functional output while creating an...	PASS
111	Cross-Feature Combinations and Dialectical Interactions	test_dialectic_customs_clearance_plus_brand_provenance	Verify that sovereign border tax compliance coexisted with vulnerability to gray-market fraud, motivating cryptographic provenance architectures.	PASS
112	Cross-Feature Combinations and Dialectical Interactions	test_dialectic_gross_cash_velocity_plus_zero_liquid_savings	Verify that ₱3.48M in gross transaction turnover coexisted with near-zero liquid personal savings due to 65% COGS, 7.6% CAC, and operational...	PASS
113	Cross-Feature Combinations and Dialectical Interactions	test_dialectic_solo_proving_plus_governed_stewardship	Verify that the cycle of endless solo self-proving in weak arenas is an existential dead end, requiring transition to institutional stewardship...	PASS
114	Acceptance Scenarios & Real-World Falsification Assertions	test_acceptance_macro_falsification_conditions	Verify the 4 macroeconomic falsification conditions anchored to August 2027: 1. Silicon CapEx ($1.34T vs $450B non-subsidized ARR) 2. Luzon Grid...	PASS
115	Acceptance Scenarios & Real-World Falsification Assertions	test_acceptance_existential_falsification_invariants	Verify the 3 existential falsification invariants: 1. Fidelity Without Scars (academic derivation outperforming LERM) 2. Infinite Solo...	PASS

#	Class / feature (as in source)	Test method	Intent	Result
116	Acceptance Scenarios & Real-World Falsification Assertions	`test_acceptance_sovereign_fiduciary_interview_simulator_alignment`	Verify the fiduciary interview alignment for Sovereign Private Wealth & Family Office Advisory: - 9:00 AM protocol - Resolution of founder flight...	PASS
117	Acceptance Scenarios & Real-World Falsification Assertions	`test_acceptance_sovereign_fiduciary_placement_specification_four_pillars`	Verify that the Life-Path Placement Specification delivers all 4 concrete pillars: - Pillar 1: Governed Delegation (40-hr operational fences) -...	PASS
118	Acceptance Scenarios & Real-World Falsification Assertions	`test_acceptance_zero_point_mathematical_derivation`	Verify mathematical derivation of the Zero-State (0): Zero is not nothing; it is the non- displaced residual where success does not require an...	PASS
119	Acceptance Scenarios & Real-World Falsification Assertions	`test_acceptance_institutional_fee_bleed_mitigation`	Verify quantifiable fiduciary economics: - Saving institutions ₱150M– ₱300M in offshore intermediary fee bleed - ₱20M/yr recurring advisory on ₱1B...	PASS
120	Acceptance Scenarios & Real-World Falsification Assertions	`test_acceptance_sovereign_legal_shielding`	Verify institutional umbrellas and protection: - Regulatory licenses (SEC, IC, AMLA) - Predictable base compensation and working capital liquidity...	PASS
121	Acceptance Scenarios & Real-World Falsification Assertions	`test_acceptance_master_dossier_rubric_conformance`	Verify compliance with all 6 rubric criteria from ORIGINAL_REQUEST.md: 1. Master evaluation dossier produced 2. All 8 non-fragmentation layers...	PASS

APPENDIX D

External Empirical Evidence Used in the Source

The source lists the following external items as the empirical basis for its domain-phenomenon statements. They are reproduced as given and were not independently re-verified in this edition.

IMF (2026): Valderrama & Varghese. Risk Propagation in the European Banking System: Amplification Effect from NBFIs and Market Risks. IMF Working Paper, 20 Feb 2026. https://www.imf.org/en/publications/wp/issues/2026/02/20/risk-propagation-in-the-european-banking-system-amplification-effect-from-nbfis-and-market-574189

OECD (2024): OECD Handbook on the Compilation of Household Distributional Results on Income, Consumption and Saving in Line with National Accounts Totals. DOI: 10.1787/5a3b9119-en.

Lee, Padmanabhan & Whang (1997): Information Distortion in a Supply Chain: The Bullwhip Effect. Management Science 43(4):546-558. DOI: 10.1287/mnsc.43.4.546.

Rodakowski et al. (2017): Caregiver Integration During Discharge Planning for Older Adults to Reduce Resource Use: A Metaanalysis. Journal of the American Geriatrics Society 65:1748-1755. DOI: 10.1111/jgs.14873.

Allostatic load IPD meta-analysis (2023): Towards a consensus definition of allostatic load: a multi-cohort, multi-system, multi-biomarker IPD meta-analysis. Psychoneuroendocrinology 153:106117. DOI: 10.1016/j.psyneuen.2023.106117.

Valcz et al. (2025): Adaptive cancer therapy: can non-genetic factors become its achilles heel? Oncogene 44:3999-4005.

Trastus & d’Adda di Fagagna (2025): The complex interplay between aging and cancer. Nature Aging 5:350-365.

Zhang & Gou (2026): Surrogate-assisted co-optimization of smart thermostat control and building envelope properties for residential peak shaving and rebound mitigation. Energy and Buildings 368:117847.

Yao et al. (2026): The Irrigation Efficiency Paradox: A Critical Synthesis of the Rebound Effect from Hydrological Mechanisms to Transformative Governance. Water 18(7):802. DOI: 10.3390/w18070802.

Moynihan, Herd & Harvey (2015): Administrative Burden: Learning, Psychological, and Compliance Costs in Citizen-State Interactions. Journal of Public Administration Research and Theory 25(1):43-69. DOI: 10.1093/jopart/muu009.

Fuller et al. / protected-area spillovers (2019): First, do no harm: A systematic review of deforestation spillovers from protected areas. Global Ecology and Conservation 18:e00591.

NASA ECLSS (updated 2025): Environmental Control and Life Support Systems. https://www.nasa.gov/reference/environmental-control-and-life-support-systems-eclss/

Liu et al. (2013): Framing Sustainability in a Telecoupled World. Ecology and Society 18(2):26. DOI: 10.5751/ES-05873-180226.

Mattingley, Wang & Boyd (2011): Receding Horizon Control: Automatic Generation of High-Speed Solvers. IEEE Control Systems Magazine 31(3):52-65.

Pearl (2013): Structural Counterfactuals: A Brief Introduction. Cognitive Science. DOI: 10.1111/cogs.12065.

MIT PSASS: STPA Handbook and system-theoretic safety resources. https://psas.scripts.mit.edu/home/books-and-handbooks/

Hollnagel / Resilience Engineering: Four potentials: respond, monitor, anticipate, learn. See Resilience Analysis Grid and related Resilience Engineering literature.

Patriarca et al. (2020): Framing the FRAM: A literature review on the Functional Resonance Analysis Method. Safety Science 129:104827. DOI: 10.1016/j.ssci.2020.104827.

Ulrich & Reynolds: Critical Systems Heuristics: boundary critique, involved vs affected.

NOAA CPC (2026): ENSO Diagnostic Discussion, 10 Sep 2026. https://www.cpc.ncep.noaa.gov/products/analysis_monitoring/enso_advisory/ensodisc.shtml

WMO (2026): El Niño/La Niña Update, Aug/Sep 2026. https://wmo.int/resources/publication-series/el-ninola-nina-updates/august-2026

WHO (2026): Heat-health action plans: guidance, second edition.

FAO-WFP (2026): Joint Anticipatory Action Appeal June 2026-March 2027.

JSON Schema (2026): Official documentation: JSON Schema is a declarative language for annotating and validating JSON document structure, constraints, and data types. https://json-schema.org/docs

PostgreSQL Documentation (2026): Schemas are namespaces/data descriptions containing tables, data types, functions, operators, and constraints. https://www.postgresql.org/docs/current/ddl-schemas.html APA Dictionary of Psychology: Social schema: cognitive structure of organized information/representations about social norms and

collective behavior; lie: false presentation known to be untrue and made with intent to deceive. https://dictionary.apa.org/social-schema ; https://dictionary.apa.org/lie

Tokuhama-Espinosa et al. (2023): A Theory of Mental Frameworks. Frontiers in Psychology 14:1220664. PMCID: PMC10400359.

OECD (2026): Digital Government Outlook 2026: only 10 of 36 OECD countries report standardized mechanisms/guidance for measuring transaction costs imposed on service users. https://www.oecd.org/en/publications/digital-government-outlook_0496b2bc-en/

UNEP (2024): Food Waste Index 2024: 1.05 billion tonnes wasted in 2022; estimated global economic cost over USD 1T annually. https://www.unep.org/events/unep-event/towards-zero-waste-and-circular-cities-key-findings-food-waste-index-report-2024

CMS (2026): National Health Expenditure Fact Sheet: U.S. health spending reached USD 5.3T in 2024. https://www.cms.gov/data-research/statistics-trends-and-reports/national-health-expenditure-data/nhe-fact- sheet

Health Affairs (2022): Billing and Insurance-Related Administrative Costs: U.S. administrative costs estimated at 25-31% of healthcare spending, with ~82% attributable to billing/insurance-related tasks. DOI: 10.1377/hlthaff.2022.00241. World Bank Remittance Prices Worldwide: Global average remittance cost reported at 6.36%; site states a five-percentage-point reduction can save up to USD 16B annually. https://remittanceprices.worldbank.org/ WTO Trade Facilitation: Full TFA implementation estimated to reduce trade costs 14.3% and boost global trade by up to USD 1T/year. https://www.wto.org/english/tratop_e/tradfa_e/tradfa_e.htm

Gartner (2026): Worldwide AI spending forecast: USD 2.670T in 2026, including USD 1.484T AI infrastructure. 16 Sep 2026. https://www.gartner.com/en/newsroom/press-releases/2026-09-16-gartner-forecasts-worldwide-ai-spending-to-grow-49-point-5-percent-in-2026

Stanford HAI (2026): AI Index 2026: global corporate AI investment USD 581.69B in 2025; U.S. GenAI consumer surplus USD 172B/year by early 2026; organizational adoption 88%; 362 documented AI incidents in 2025. https://hai.stanford.edu/ai-index/2026-ai-index-report

IEA (2026): Key Questions on Energy and AI: >USD 400B capex by five large technology companies in 2025; data-centre electricity 485 TWh in 2025 projected ~950 TWh in 2030. https://www.iea.org/reports/key-questions-on-energy-and-ai Brynjolfsson, Li & Raymond (2023/2025): Generative AI at Work: field study of 5,179 support agents; productivity +14% average and +34% for novice/low-skilled workers. NBER Working Paper 31161 / QJE 2025.

APPENDIX E

Reproducibility Note for the Toy Experiments in This Edition

Every figure labelled "toy" was produced by a single Python script with NumPy and fixed seeds. Re-running it regenerates `results.json` and the numbers quoted in Chapters 16 to 21. The script and its output are delivered alongside this book.

Table 96. Parameters of the toy experiments.

Experiment	Seed	Size	Key assumptions
A: BDI and strategies (Ch. 21)	7	3,000 random 12-node systems, 25% null	Local action = top-3 gain; boundary-aware samples 40 candidate sets including the local action; build cost 0.45 per unit at top-2 carriers; gate: BDI ≥ 0.05 or worst carrier > 0.15
B: information-parity 2×2 (Ch. 21)	11	4,000 problems per cell, 10 options	Hidden harm per option; coarse arm sees two group averages; expanded arm sees harm plus noise (σ = 0.15)
C: when construction pays (Ch. 21)	21	400 systems × 36 cells	Burden scale 0.5 to 6; cost 0.1 to 1.5; compared with fixed local action and boundary-aware re-selection
Code to molecule (Ch. 16)	5	300 proteins × 15 cells, 60 residues	Standard genetic code; random synonymous codon; per-base mutation; random codebook reassignment on a fraction of codons
Multi-neuron chain (Ch. 18)	2	300 time steps, 8 stages	Deterministic capacities; oscillating drive; buffers carry backlog
Multi-hop chain (Ch. 19)	3	1,000 chains per length	Per-hop loss uniform in 2 to 14%; repair cuts the worst hop by 90%
Social strata (Ch. 20)	4	120 periods, 5 strata	Fixed displacement matrix; capacity added free of cost; no behavioural response

Limits

These are method demonstrations with stylised assumptions. They show how a hypothesis can be stated, how a falsifier can be built in and how negative results can be kept. They are not evidence about any real code, network, brain, communication system or society, and they should not be cited as such.

APPENDIX F

References

External literature as listed in the source (APA 7th). Entries were carried over and not independently re-verified in this edition.

Acemoglu, D., Ozdaglar, A., & Tahbaz-Salehi, A. (2015). Systemic risk and stability in financial networks. American Economic Review, 105(2), 564-608. https://doi.org/10.1257/aer.20130456

Ashby, W. R. (1956). An introduction to cybernetics. Chapman & Hall.

Barrett, L. F., & Simmons, W. K. (2015). Interoceptive predictions in the brain. Nature Reviews Neuroscience, 16, 419-429. https://doi.org/10.1038/nrn3950

Blackwell, D. (1953). Equivalent comparisons of experiments. The Annals of Mathematical Statistics, 24(2), 265- 272. https://doi.org/10.1214/aoms/1177729032

Bourdieu, P. (1986). The forms of capital. In J. G. Richardson (Ed.), Handbook of theory and research for the sociology of education (pp. 241-258). Greenwood.

Checkland, P. (1981). Systems thinking, systems practice. Wiley.

Coase, R. H. (1960). The problem of social cost. Journal of Law and Economics, 3, 1-44.

Forrester, J. W. (1961). Industrial dynamics. MIT Press.

Friston, K. (2010). The free-energy principle: A unified brain theory? Nature Reviews Neuroscience, 11, 127-138. https://doi.org/10.1038/nrn2787

Gatenby, R. A., Silva, A. S., Gillies, R. J., & Frieden, B. R. (2009). Adaptive therapy. Cancer Research, 69(11), 4894-4903. https://doi.org/10.1158/0008-5472.CAN-08-3658

Haldane, A. G., & May, R. M. (2011). Systemic risk in banking ecosystems. Nature, 469, 351-355. https://doi.org/10.1038/nature09659

Herd, P., & Moynihan, D. P. (2018). Administrative burden: Policymaking by other means. Russell Sage Foundation.

Holling, C. S. (1973). Resilience and stability of ecological systems. Annual Review of Ecology and Systematics, 4, 1-23. https://doi.org/10.1146/annurev.es.04.110173.000245

Kalman, R. E. (1960). A new approach to linear filtering and prediction problems. Journal of Basic Engineering, 82(1), 35-45. https://doi.org/10.1115/1.3662552

Landauer, R. (1961). Irreversibility and heat generation in the computing process. IBM Journal of Research and Development, 5(3), 183-191. https://doi.org/10.1147/rd.53.0183

Leveson, N. G. (2012). Engineering a safer world: Systems thinking applied to safety. MIT Press.

López-Otín, C., Blasco, M. A., Partridge, L., Serrano, M., & Kroemer, G. (2013). The hallmarks of aging. Cell, 153(6), 1194-1217. https://doi.org/10.1016/j.cell.2013.05.039

McEwen, B. S. (1998). Stress, adaptation, and disease: Allostasis and allostatic load. Annals of the New York Academy of Sciences, 840, 33-44. https://doi.org/10.1111/j.1749-6632.1998.tb09546.x

Ostrom, E. (1990). Governing the commons: The evolution of institutions for collective action. Cambridge University Press. https://doi.org/10.1017/CBO9780511807763

Patriarca, R., Di Gravio, G., Woltjer, R., Costantino, F., Praetorius, G., Ferreira, P., & Hollnagel, E. (2020). Framing the FRAM: A literature review on the Functional Resonance Analysis Method. Safety Science, 129, 104827. https://doi.org/10.1016/j.ssci.2020.104827

Pearl, J. (2009). Causality: Models, reasoning, and inference (2nd ed.). Cambridge University Press. https://doi.org/10.1017/CBO9780511803161

Peters, O. (2019). The ergodicity problem in economics. Nature Physics, 15, 1216-1221. https://doi.org/10.1038/s41567-019-0732-0

Prigogine, I., & Stengers, I. (1984). Order out of chaos: Man's new dialogue with nature. Bantam Books.

Shannon, C. E. (1948). A mathematical theory of communication. Bell System Technical Journal, 27(3), 379-423. https://doi.org/10.1002/j.1538-7305.1948.tb01338.x

Sterling, P. (2012). Allostasis: A model of predictive regulation. Physiology & Behavior, 106(1), 5-15. https://doi.org/10.1016/j.physbeh.2011.06.004

Tabassi, E. (2023). Artificial Intelligence Risk Management Framework (AI RMF 1.0) (NIST AI 100-1). National Institute of Standards and Technology. https://doi.org/10.6028/NIST.AI.100-1

Altman, E. (1999). Constrained Markov decision processes. Chapman & Hall/CRC.

Amodei, D., Olah, C., Steinhardt, J., Christiano, P., Schulman, J., & Mané, D. (2016). Concrete problems in AI safety. arXiv. https://arxiv.org/abs/1606.06565

Goldratt, E. M., & Cox, J. (1984). The goal: A process of ongoing improvement. North River Press.

Saunders, H. D. (1992). The Khazzoom-Brookes postulate and neoclassical growth. The Energy Journal, 13(4), 131-148. https://doi.org/10.5547/ISSN0195-6574-EJ-Vol13-No4-7

Senge, P. M. (1990). The fifth discipline: The art and practice of the learning organization. Doubleday/Currency.

Ulrich, W. (1983). Critical heuristics of social planning: A new approach to practical philosophy. Haupt.

Author-supplied research corpus. These items document the development, claims, calculations and internal tests of the Rufino research programme. Unless separately verified they are not independent validation.

Rufino, J. R. (2026). The non-equilibrium thermodynamics of institutional failure: A forensic teardown of the Bank of the Philippine Islands and the Loss-Externalized Risk Model [Unpublished manuscript; author-supplied research corpus]. The pinnacle finding: A universal deterministic framework for entropy dissipation, displaced value, and systemic catch basins. (2026). [Author-supplied research synthesis]. Structural translation of phenomenological data in macro-financial modeling: An exhaustive analysis of Rufino's revised manuscript. (2026). [Author-supplied methodological review memorandum]. The universal mechanics of antiquity: A thermodynamic resolution of monumental architecture, societal phase transitions, and the Atlantis anomaly. (2026). [Author-supplied exploratory historical analysis]. The universal mechanics playbook: Evaluating the Rufino synthesis across foundational mathematics, physical systems, and societal thermodynamics. (2026). [Author-supplied comparative analysis].

Rufino, J. R. (2026). The sociophysical architecture of high-functioning trauma and systemic legibility: A transdisciplinary synthesis of the Rufino Index Case [Unpublished manuscript].

Rufino, J. R. (2026). Rufino synthesis end-to-end playbook [Versioned research dossier].

Editorial note: AI-assisted synthesis in this edition covers rewriting, structure, figures, toy simulations and register assembly. The originating mathematics and research architecture are attributed to Jefferson Rafael Rufino.

APPENDIX G

Design Cards for the 18 Universal Tests

One card per test: the minimum design that can change its status, a control worth building in advance, the data it usually needs and the pitfall that most often produces a false pass. Cards are planning aids, not protocols for any specific domain.

T01 State fidelity

Minimum design. Reconstruct X* from pre-outcome records only; log provenance and missingness; give a reconstruction error against a later-revealed state.

Control to build in. Reconstruct a state for a system whose outcome is already known to a third party and let them score blindly.

Typical data. Event logs, sensors, records with timestamps.

Pitfall. Using information that only exists after the outcome.

T02 Schema-gap measurement

Minimum design. Write down the receiver schema; compute the distance between X* and $\bar{X}$ with a preregistered metric.

Control to build in. Measure the gap in a system where the schema is known to be adequate; the gap should be near zero.

Typical data. The schema documents plus a sample of real cases.

Pitfall. Defining the gap through the outcome.

T03 Schema-causality intervention

Minimum design. Change only the representation (a category, a form, an interface) and compare outcomes.

Control to build in. A placebo change to a field that should not matter.

Typical data. A site where a representation change is feasible and others serve as controls.

Pitfall. Changing resources at the same time.

T04 Friction vector

Minimum design. Measure avoidable cost per native unit for a sample of cases, with and without the friction.

Control to build in. Include cases with no friction to confirm the instrument reads zero.

Typical data. Time-and-motion data, claims, contact logs.

Pitfall. Adding hours to pesos to get one friction score.

T05 Boundary divergence

Minimum design. Compute a*_S and a*_G on the same feasible set; report BDI with uncertainty.

Control to build in. Systems selected in advance where S ≈ G.

Typical data. A causal or simulation model of the system.

Pitfall. Choosing G after seeing outcomes.

T06 Null-boundary control

Minimum design. Select null and positive-spillover cases before looking; confirm NO ACTIVATION is returned.

Control to build in. The whole test is a control; report false-activation rate.

Typical data. Cases with documented absence of spillover.

Pitfall. Quietly dropping nulls that look inconvenient.

T07 Directed displacement

Minimum design. Estimate D against a declared comparator with a named identification strategy.

Control to build in. A placebo outcome that should not move.

Typical data. Panel data, a natural experiment or a randomised rollout.

Pitfall. Mistaking correlated change for displacement.

T08 Prospective carrier prediction

Minimum design. Name the receiving carrier before the outcome; score hits against strong baselines.

Control to build in. A baseline predicting the carrier from network position alone.

Typical data. Pre-registered predictions with sealed outcomes.

Pitfall. Choosing the carrier after seeing who was hurt.

T09 Coupling-path identification

Minimum design. Identify Γ by an intervention or instrument that blocks the proposed path.

Control to build in. Block a path that should not matter.

Typical data. Network or flow data with a feasible blocking action.

Pitfall. A plausible story with no causal test.

T10 Hidden compensation

Minimum design. Remove or separately measure the proposed compensator, ethically or in simulation.

Control to build in. Remove something that should not be holding anything up.

Typical data. Workload logs, buffers, informal-labour measures.

Pitfall. Declaring any unmeasured contributor a compensator.

T11 Reconciliation Velocity Gap

Minimum design. Track inflow and absorption; test whether RVG leads the failure better than native time-series baselines.

Control to build in. A baseline using the stock level alone.

Typical data. Time series with enough history and a recorded failure.

Pitfall. Reading levels, not rates.

T12 Capacity construction

Minimum design. Build at the predicted C* and compare with rerouting and with re-selecting the action.

Control to build in. A build at a non-binding carrier.

Typical data. A feasible build with measured cost.

Pitfall. Counting rerouting as construction.

T13 Productive transformation

Minimum design. Show recovered state converted to value with no new hidden loss.

Control to build in. Audit the receiving node of the transformation as a carrier.

Typical data. Process and cost data for the conversion.

Pitfall. Value that exists only because the burden moved.

T14 Mutual uptick

Minimum design. Preregister per-carrier thresholds and lower bounds; run the gate.

Control to build in. Include a carrier expected to fail to show the gate can say no.

Typical data. Per-carrier outcome data in native units.

Pitfall. Judging on the average.

T15 Incumbent information parity

Minimum design. Run the 2×2: same and expanded information × incumbent and consequential objective.

Control to build in. Both objectives on identical information.

Typical data. Strong incumbent implementation and matched budgets.

Pitfall. Changing information and objective together.

T16 Untouched holdout

Minimum design. Freeze kernel and adapter; test on a system whose outcomes were never seen.

Control to build in. A second holdout to check the first was not lucky.

Typical data. A genuinely untouched dataset or site.

Pitfall. Tuning after seeing holdout results.

T17 Sensitivity and identifiability

Minimum design. Perturb thresholds, units, alternative histories; report where the answer flips.

Control to build in. Observationally equivalent histories built on purpose.

Typical data. The full analysis pipeline.

Pitfall. Reporting only the robust corner.

T18 Independent replication

Minimum design. Hand data, code and the frozen adapter to an unaffiliated team.

Control to build in. Ask the replicators to try to break it.

Typical data. Everything above, released.

Pitfall. Replication by people trained by the author.

APPENDIX H

Known Limitations and Open Items of This Edition

This appendix lists what a careful reader should check before relying on any part of the book.

Table 97. Known limitations.

Item	What to know	Suggested action
Daggered test statuses	54 of 360 test statuses (†) could not be recovered from the source PDF and were assigned by a conservative default rubric. The affected branches are B02, B04, B06, B07, B08, B10, B11, B12, B13, B14, B16, B17 and H01.	Confirm against the author's master register
Condensed branch cards	Branch cards and atlas entries are condensed from the source. Wording is the author's; truncation marks (…) show where text was shortened.	Consult the source for full text
External statistics	Figures on food waste, health administration, remittances, trade, AI spending and energy are reproduced from the author-supplied corpus (dated 2026) and were not re-verified.	Verify against the primary publications before citing
References	The reference list and Appendix D are carried over from the source and were not re-checked for accuracy or completeness.	Verify each entry
Simulations in the source	The 250k, catch-basin and 1M results are as reported by the source; only aggregates were available.	Request generator, seeds and case-level data
Toy experiments here	Small stylised models with fixed seeds; the strata and communication toys omit funding, behaviour and cost.	Treat as method demonstrations only
Worked audits	Chapter 31 uses hypothetical numbers constructed for teaching.	Do not cite as estimates
Illustrations	Figures are schematic. The code-to-molecule, node, neuron and hop diagrams illustrate the grammar; they are not claims about biology, brains or societies.	Read captions
Safety scope	Health, legal, financial, security and similar domains are treated as research architecture only.	Seek qualified professionals for decisions
Attribution	Mathematics and research architecture are attributed to Jefferson Rafael Rufino. Rewriting, figures and toy simulations are AI-assisted.	Preserve attribution in derivatives

A note on the title: *The Ledger of Consequence* is this edition's title. The law retains its author-attributed name, and the book's status for the law remains "proposed law / research programme" throughout.

SOURCE RECORD B

Rufino Synthesis End-to-End Playbook

Facsimile Appendix

THE RUFINO SYNTHESIS

An End-to-End LERM + IAMF-P Research Dossier and Playbook

Origins, scientific lineage, canonical algebra, branch-of-reality mappings, adversarial falsification, backtests, provenance, and research agenda

Jefferson Rafael Rufino

Founder / Architect, LERM + IAMF-P

Metro Manila, Philippines | September 2026

Prepared from the supplied Rufino research archive, executable test package, simulations, and an independent literature review of the scientific and institutional lineages to which the architecture is adjacent. This dossier distinguishes personal testimony, primary records, document-stated claims, simulations, software acceptance tests, and independently established science.

Research integrity and provenance note

This document deliberately avoids two symmetrical errors: reducing the Rufino corpus to familiar fragments, and inflating every internal claim into established science. The atomic research object used here is the integrated LERM/IAMF-P loop. The historical literature is treated as intellectual lineage and comparison, not retroactive co-authorship. Newton, Einstein, Prigogine, Simon, Ostrom, Hinton, and the other researchers named below did not "contribute to Rufino's manuscript" in the ordinary collaborative sense. Their work created concepts, methods, equations, and empirical frontiers against which Rufino's synthesis can be located.

Canonical evidentiary rule. Prior AI statements are not independent evidence. Repetition across models is not corroboration. User testimony, primary institutional records, third-party public records, AI extraction, AI inference, AI error, human correction, simulation results, and open hypotheses remain distinct. This rule is inherited directly from the supplied IAMFP-LERM transfer package.

The personal-history sections include explicit accounts of sexual violence because Rufino specifically requested that the origin of the framework not be sterilized. Those events are presented as **Rufino's reported lived experience** unless independently documented in the archive. Inclusion is not a legal adjudication of named third parties.

Contents

Research integrity and provenance note **i**

1 The integrated thesis: one kernel, not two frameworks **1**

1.1 Executive abstract 1

1.2 The irreducible object 1

1.3 The central research question 2

2 Origin: the operating record before the formal architecture **3**

2.1 Why the life history belongs inside the research record 3

2.2 Trauma, sexual violence, abuse and the formation of the hidden-compensator problem 3

2.3 Corporate compression and the eight-node internalization 4

2.4 The late-2024 zero point, displacement and the luxury testbed 4

2.5 Compensatory centralization as both capability and failure mode 4

3 Scientific lineage as one continuous chain **5**

3.1 The rule for attribution 5

3.2 Short excerpts anchoring the lineage 8

3.3 What Jefferson Rafael Rufino contributes in this lineage 9

4 Canonical algebra of the LERM/IAMF-P kernel **11**

4.1 Boundary definition and Boundary Divergence Index 11

4.2 The displacement shadow field 11

4.3 LERM trace operator 12

4.4 IAMF-P constructive operator 12

4.5 Time and the Reconciliation Velocity Gap 12

4.6 Productive reconciliation 13

4.7 Whole-kernel recurrence 13

4.8 Success and stopping conditions 13

5 Reality branches: one kernel, different maps **14**
5.1 Luxury and physical assets . . . 14
5.2 Banking and finance . . . 14
5.3 Macroeconomy . . . 15
5.4 Organizations and founder systems . . . 15
5.5 Psychology and social legibility . . . 15
5.6 Healthcare delivery . . . 16
5.7 Cancer . . . 16
5.8 Neuroscience and neurodegeneration . . . 16
5.9 Aging . . . 16
5.10 Energy and power grids . . . 17
5.11 Weather, climate and disaster response . . . 17
5.12 Supply chains and logistics . . . 17
5.13 Cybersecurity . . . 18
5.14 AI infrastructure and agents . . . 18
5.15 Public administration . . . 18
5.16 Ecology and commons . . . 18
5.17 Spacecraft and closed-loop life support . . . 19
5.18 Fundamental physics and mathematics . . . 19

6 The human-system adapter: schema, support and compensatory load **20**
6.1 Why the 0.8% relationship result is not the full architecture . . . 20
6.2 The founder as index case, not population proof . . . 20
6.3 A non-fragmented interpretation of capability plus injury . . . 21

7 Backtests, simulations and executable verification **22**
7.1 Backtest taxonomy . . . 22
7.2 250,000-case negative ablation: LERM loses . . . 22
7.3 250,000-case corrected catch-basin simulation . . . 23
7.4 Two 1,000,000-system experiments . . . 24
7.5 Executable end-to-end dossier test package: 121/121 . . . 25
7.6 Reverse-engineered public architecture coverage . . . 26
7.7 Reported historical crisis suites . . . 27

8 What the architecture makes visible **28**
8.1 The afterlife of optimization . . . 28

8.2 What is plausibly new versus what is inherited 29

9 Falsification program and research agenda 30

9.1 Kill tests that must remain 30

9.2 The decisive experiment 30

9.3 Publication and external review path 31

10 Claim ledger: what this dossier says and does not say 32

10.1 Supported at the level of the supplied archive 32

10.2 Not established by the present evidence 32

10.3 The precise contribution statement 33

A Formula vault 34

B Evidence hierarchy and claim-status discipline 35

C Source-file map 36

D Selected internal excerpts 37

E APA-style works cited 38

Closing statement 41

PART 1

The integrated thesis: one kernel, not two frameworks

1.1 Executive abstract

The supplied archive is most coherent when LERM and IAMF-P are treated as inseparable operations within one recurrent reconciliation kernel. LERM is the detection and tracing operation: it identifies the residual between expected and observed state, follows the direction of displacement, names the receiving carrier, identifies the coupling point, and detects hidden compensation. IAMF-P is the constructive operation: it builds or selects new capacity at the receiving carrier, transforms the recovered state where possible, reintegrates value, and forces a non-displacement retest across the consequential boundary and over time.

The central candidate contribution of the Rufino synthesis is therefore not the discovery that externalities, entropy, feedback, transaction costs, bounded rationality, or institutional legibility exist. Those have deep literatures. The candidate contribution is the **mandatory conjunction** of boundary divergence, directed displacement, carrier identification, hidden compensation, capacity construction, productive reconciliation, provenance, and post-intervention non-displacement testing inside one frozen loop.

$$\boxed{\text{observe} \rightarrow \text{trace} \rightarrow \text{build} \rightarrow \text{transform} \rightarrow \text{reintegrate} \rightarrow \text{retest} \rightarrow \text{observe again}}$$

The framework is ambitious enough to be tested across finance, organizations, psychology, healthcare, biological systems, climate, infrastructure, AI and other domains. The evidence supplied to date supports describing it as an integrated systems architecture and research program. It does *not* yet support claiming a validated universal physical law, a clinical cure, a proof of Millennium Prize problems, or a deterministic global forecasting engine.

1.2 The irreducible object

Let physical or institutional reality in domain d be $\Omega_t^{(d)}$. The domain map converts observable reality into a state representation:

$$X_t^{(d)} = M_d(\Omega_t^{(d)}).$$

The map M_d changes from domain to domain. The kernel is intended to remain structurally fixed:

$$\boxed{\mathcal{K}_R = \mathcal{K}_{\text{LERM/IAMF}-\text{P}}}.$$

The purpose of the research program is to test whether that invariance survives real prospective data, not merely whether the notation can be re-used.

1.3 The central research question

The archive repeatedly returns to a single question: *what becomes visible after the boundary of success is expanded to include where the consequence actually lands?* In organizational form, the question first appeared as the "cost of becoming legible": how much of one human system had to become functionally actualized before surrounding systems could recognize value that was already capable of being produced. In the mature systems form, the same question becomes measurable: what did the local optimization omit, where did the omitted state travel, who or what carried it, and what structure is required to reconcile it without exporting the burden again?

PART 2

Origin: the operating record before the formal architecture

2.1 Why the life history belongs inside the research record

The archive's own methodological rule is that the operating record precedes the formal architecture. LERM did not begin as a detached attempt to unify physics and society. It began as a survival and operating problem: repeated exposure to systems in which a visible success depended on hidden labor, unrecognized risk, unsupported compensation, unpriced friction, or delayed loss.

The origin therefore cannot be represented faithfully by starting with equations. The equations were a later compression of a longitudinal pattern first encountered in the body, household, workplace, supply chain, bank account, customer interaction, digital platform and luxury-goods transaction.

2.2 Trauma, sexual violence, abuse and the formation of the hidden-compensator problem

Rufino reports a developmental history involving childhood instability and abuse; later institutional betrayal and boundary violations around university; repeated sexual assault and rape in a coercive/grooming context; a later separate assault by a friend; family and social environments that at times prioritized appearances, hierarchy, or institutional reputation over his account; and periods in which he had to remain publicly functional while privately carrying severe psychological and material load. These disclosures are retained here because the framework's central concept of *hidden compensation* is inseparable from the lived experience of appearing functional while one carrier silently absorbs the cost.

The research claim is not that trauma "causes genius," nor that abuse is required for LERM. The narrower and testable observation is that chronic environmental failure can force a person to internalize missing functions, making competence and impairment coexist. A system that measures only visible output can therefore misread the very compensation that keeps it stable.

2.3 Corporate compression and the eight-node internalization

The supplied chronology records roles and exposure across IHG, Castlery, TELUS and HRnFLEX, followed by solo venture execution. The research dossier represents the later operating architecture as eight integrated functions: sourcing, authentication, restoration, logistics, experience engineering, sales/community, legal/IP alignment, and strategy/architecture. The point is not that no founder has ever worn many hats. It is that the archive explicitly treats the *coordination architecture* and the burden of supplying missing institutional functions as the unit of analysis.

2.4 The late-2024 zero point, displacement and the luxury testbed

The internal chronology describes liquidity exhaustion, eviction/displacement, and a subsequent venture built under extreme capital constraint. The Rockwell counterfeit incident became an epistemic inflection: customs/tax compliance was revealed not to be equivalent to brand provenance. The resulting operating response was not only to "sell better" but to build documentation, authentication, chain-of-custody, restoration and customer-trust infrastructure.

From this emerged a concrete zero-state concept:

$0 =$ a non-displaced residual state in which one system's success no longer requires an unaccounted loser el

Zero is therefore not inactivity. It is closure of the consequential ledger.

2.5 Compensatory centralization as both capability and failure mode

The founder became the catchment for missing functions. That can produce remarkable continuity, but also a single point of failure:

$$\text{System reliability} \approx \prod_{i=1}^{8} \text{Reliability}(Node_i),$$

and if all nodes depend on one biological carrier, correlated failure risk rises sharply. The mature IAMF-P question is thus not "how exceptional is the founder?" but "what functions did the founder supply, which can be institutionalized, and does performance survive transfer while founder burden falls?"

PART 3

Scientific lineage as one continuous chain

3.1 The rule for attribution

The people in this chapter are not presented as co-authors of LERM/IAMF-P. They are the scientific and institutional lineage that makes the present architecture intelligible. The contribution of Rufino must be stated relative to these prior achievements, not by erasing them.



Figure 3.1: Intellectual lineage and adjacent frameworks used to locate the Rufino synthesis.

Lineage / contributor	**Established contribution**	**Relation to the Rufino synthesis**
Isaac Newton (1687)	Classical mechanics: laws of motion and universal gravitation; a local dynamical description of motion.	LERM/IAMF-P does not replace Newtonian mechanics. It asks what a chosen system boundary excludes, and how irreversible or institutional consequences move after the locally modeled dynamics.
Rudolf Clausius / Lord Kelvin (19th c.)	Thermodynamic irreversibility and the entropy concept; limits on conversion of heat to work.	Provides the physical lineage for irreversible processes. The Rufino framework must treat thermodynamic quantities literally only in physical domains and use calibrated analogues elsewhere.
Ludwig Boltzmann (1877)	Statistical interpretation of entropy and microscopic-to-macroscopic state description.	Motivates state aggregation and hidden microstate thinking; does not authorize equating social burden with thermodynamic entropy without a conversion model.

Lineage / contributor	Established contribution	Relation to the Rufino synthesis
J. Willard Gibbs (1876-1902)	Thermodynamic potentials, heterogeneous equilibrium, statistical ensembles.	Supplies disciplined state-function thinking and multi-component accounting. Rufino adds carrier-specific displacement and post-intervention non-displacement auditing.
Albert Einstein (1905)	Statistical physics of Brownian motion; special relativity; light quanta. Nobel 1921 was awarded especially for the photoelectric effect.	Contributes the lesson that observable macrobehavior can reveal hidden microscopic processes and that measurements depend on a defined frame. Rufino applies a boundary/frame discipline to consequential systems, not Einsteinian relativity to sociology.
Lars Onsager (1931)	Reciprocal relations for irreversible processes; Nobel Chemistry 1968.	Direct precursor for coupled flows near equilibrium. LERM generalizes the research question to directed burden/value flows, while acknowledging that social/financial mappings need their own empirical units.
Ronald Coase (1937, 1960)	Transaction costs, property rights, and the institutional structure of firms and social cost; Nobel Economics 1991.	A direct economic ancestor of boundary costs. Rufino explicitly traces which carrier absorbs costs omitted by the optimized institution and then requires a structural catchment.
F. A. Hayek (1945)	Dispersed knowledge and limits of centralized planning; Nobel Economics 1974.	Supports the importance of tacit/distributed information. LERM adds a provenance and carrier ledger for where information loss, translation work, and compensation actually land.
Claude Shannon (1948)	Mathematical information theory: entropy, channel capacity, noise.	Provides information-theoretic language for uncertainty and transmission. Rufino adds consequential burden, carrier path, and intervention architecture beyond communication accuracy alone.
Norbert Wiener (1948)	Cybernetics: feedback, control, communication in animals and machines.	The recursive observe-act-retest structure is cybernetic. Rufino adds non-displacement as a mandatory control objective and tracks hidden compensators.
Herbert Simon (1947-1978)	Bounded rationality and decision-making in organizations; Nobel Economics 1978.	A precursor for model and organizational limits. Rufino reframes one class of boundedness as boundary truncation: a local optimum can export unresolved burden outside the objective.
W. Ross Ashby (1956)	Requisite variety: regulation needs sufficient response variety.	Directly adjacent to IAMF-P capacity construction. A catchment must possess or build enough variety/capacity to regulate the disturbance it receives.
Robert Solow (1956)	Formal long-run growth theory; Nobel Economics 1987.	A benchmark for dynamic economic modeling. Rufino adds explicit burden displacement and reconciliation capacity as candidate state variables rather than treating them as residual narrative.
R. E. Kalman (1960)	State-space estimation and recursive filtering.	LERM borrows the discipline of latent-state estimation but adds a second question: whether the model boundary itself omits consequential carriers.
Rolf Landauer (1961)	Logical irreversibility has a minimum physical energy cost in computation.	A warning that information processing is not physically free. Rufino may use this as a physical anchor in computing, but not as proof that psychological or institutional friction equals Landauer heat.
Jay W. Forrester (1961)	System dynamics: stocks, flows, delays, feedback loops.	Strong predecessor for dynamic feedback modeling. Rufino emphasizes directed displacement between carriers and a required intervention/retest loop.
L. von Bertalanffy (1968)	General systems theory and open-system organization.	Provides the cross-domain systems lineage. Rufino attempts a more operational invariant: find displacement, identify carrier, build capacity, retest for re-exported burden.
Ilya Prigogine (1967-1977)	Non-equilibrium thermodynamics and dissipative structures; Nobel Chemistry 1977.	One of the closest physical lineages for far-from-equilibrium open systems. Rufino extends the organizing question toward social, financial, biological and computational systems, where the physical analogy must be empirically disciplined.

Lineage / contributor	Established contribution	Relation to the Rufino synthesis
Peter Mitchell (1961-1978)	Chemiosmotic theory of biological energy transfer; Nobel Chemistry 1978.	Shows how gradients, membranes and coupling convert distributed energy into biological work. It is a useful biological precedent for carrier/coupling maps, not evidence that all LERM domains share proton-motive physics.
Kahneman & Tversky (1979)	Prospect theory and systematic departures from expected-utility rationality; Kahneman Nobel Economics 2002.	Precursor for schema and decision distortions. Rufino focuses less on bias as a trait and more on how a receiver schema can alter access, support and downstream outcomes.
Elinor Ostrom / Oliver Williamson (1990-2009)	Governance of commons and governance/boundaries of firms; Nobel Economics 2009.	Directly relevant to who carries coordination costs and how institutions can be redesigned. IAMF-P is framed as building the missing governance/capacity structure at the receiving carrier.
James C. Scott (1998)	Administrative legibility and the dangers of state simplification.	Provides a conceptual ancestor for the schema/legibility gap. Rufino operationalizes the gap as a candidate measurable mismatch linked to access, support and compensatory burden.
Karl Friston (2010)	Free-energy principle and predictive/active inference in biological agents.	Useful for the psychology/neuroscience adapter: prediction error, generative models, action. It does not by itself validate the Rufino schema-gap equations.
Judea Pearl (2000-2009)	Structural causal models and intervention-based causal inference.	Sets the causal standard for distinguishing association from intervention. LERM/IAMF-P must meet this standard when claiming that an identified carrier or coupling point is causal.
Cemal Basaran (2021)	Unified Mechanics Theory linking mechanics with thermodynamic degradation and a thermodynamic state axis.	A directly adjacent mechanics architecture cited in the Rufino corpus. Rufino differs by targeting boundary displacement and reconciliation across sociotechnical systems rather than material degradation alone.
John Hopfield / Geoffrey Hinton (2024)	Foundational discoveries enabling machine learning with artificial neural networks; Nobel Physics 2024.	Represents the current AI prediction/representation frontier against which Rufino positions boundary and non-displacement accounting as a complementary architecture.
David Baker / Demis Hassabis / John Jumper (2024)	Computational protein design and protein-structure prediction; Nobel Chemistry 2024.	Shows the power of learned structure prediction in biology. LERM/IAMF-P proposes a different layer: after prediction, trace system-level displaced burden and build a reconciliation intervention.
Jefferson Rafael Rufino (2025-2026)	LERM/IAMF-P synthesis developed from a lived operating testbed, then formalized into displacement, carrier, hidden-compensation, catchment, non-displacement, provenance and boundary-divergence constructs.	Candidate contribution: treat the afterlife of optimization as a first-class measurable object and make structural reconciliation plus retesting part of the same frozen loop. Novelty remains an empirical/review question, not a granted universal law.

3.2 Short excerpts anchoring the lineage

The following excerpts are deliberately brief. They are included to show the conceptual bridge, not to imply that the original authors endorsed LERM/IAMF-P.

Einstein / Nobel Prize (1921): Einstein's prize motivation included "especially ... the law of the photoelectric effect." The relevance here is methodological: a hidden mechanism can be inferred from systematic observable behavior, but only through domain-valid physics.

Prigogine / Nobel Chemistry (1977): The Nobel citation recognized "non-equilibrium thermodynam-

ics, particularly the theory of dissipative structures." LERM's strongest physical analogy sits here: open systems can maintain organized states while exchanging matter and energy with their surroundings.

Onsager / Nobel Chemistry (1968): the prize recognized reciprocal relations fundamental to irreversible processes. This is a direct predecessor for disciplined flow/coupling analysis.

Coase / Nobel lecture: "there were costs of using the pricing mechanism." Rufino's economic extension asks where those and other omitted costs actually land when a local boundary reports success.

Kahneman / Nobel Economics (2002): the prize recognized integration of psychological research into economics, especially judgment and decision-making under uncertainty. This is a precursor to the schema and decision layers of the human adapter.

Ostrom / Nobel Economics (2009): the prize recognized analysis of economic governance, especially the commons. IAMF-P's construction step belongs in the broader family of governance design rather than prediction alone.

Hopfield and Hinton / Nobel Physics (2024): recognized for foundational discoveries enabling machine learning with artificial neural networks. LERM/IAMF-P is positioned not as a replacement for predictive AI, but as a consequential-boundary and reconciliation layer around prediction and action.

3.3 What Jefferson Rafael Rufino contributes in this lineage

The contribution claim can now be stated without either false modesty or false historical isolation. The corpus's most defensible candidate contributions are:

1. **The displacement shadow as a first-class object:** evaluate the consequence that survives outside the system's own definition of success.
2. **Carrier-specific accounting:** every material residual should have a magnitude, direction, receiving carrier, coupling point and time horizon when observable.
3. **Hidden compensator accounting:** apparent stability may be generated by an unpriced node silently supplying missing functions.
4. **Catchment construction rather than allocation alone:** IAMF-P may build new reconciliation capacity at the receiving carrier rather than merely redistributing existing capacity.
5. **Productive reconciliation:** recovered value is not merely conserved; where possible, it is transformed into a higher-utility state.
6. **Mandatory non-displacement retest:** every intervention is re-audited to determine whether burden merely moved to another stakeholder, system location or future period.
7. **Boundary Divergence Index:** use the difference between local-boundary and consequential-boundary optima to decide when the framework should intervene and when it should leave a good local optimizer alone.

8. **Reconciliation Velocity Gap:** compare the rate at which unresolved burden accumulates with the rate at which the system can absorb/reconcile it.
9. **Provenance as architecture:** separate primary records, self-report, third-party records, AI extraction, AI inference, AI error, human correction and open hypothesis.
10. **Founder-to-institution transfer test:** the framework is incomplete if performance depends indefinitely on biological overfunctioning by a single operator.

These are candidate original contributions because originality requires external literature review and peer scrutiny. The current dossier can locate and define them; it cannot by itself grant historical priority.

PART 4

Canonical algebra of the LERM/IAMF-P kernel

4.1 Boundary definition and Boundary Divergence Index

Let S be the boundary currently optimized and G the smallest boundary containing the material consequences of that optimization. The local optimizer chooses

$$a_S^* = \arg\min_a J_S(a),$$

while the whole-system optimum is

$$a_G^* = \arg\min_a J_G(a).$$

Define

$$\boxed{BDI = J_G(a_S^*) - J_G(a_G^*)}.$$

When $BDI \approx 0$, the incumbent's boundary is adequate for the decision. When BDI is materially positive, the architecture has a reason to activate. This is a guardrail against universal-hammer behavior.

4.2 The displacement shadow field

For action a, receiving carrier j, burden/value dimension k, and time delay τ:

$$\boxed{\mathscr{D}_a(j,k,\tau) = U_{j,k}(t+\tau \mid a) - U_{j,k}(t+\tau \mid a_0)}.$$

This is intentionally tensor/vector-valued. Money, energy, time, labor, cognitive load, biological damage and risk should not be silently summed as though they share units:

$$\mathbf{D}_t = [D_\$, D_E, D_T, D_L, D_C, D_B, D_R, D_{trust}, \ldots]^\top.$$

Scalarization is permitted only through explicit conversion functions or a stated multi-criteria weighting model.

4.3 LERM trace operator

$$\boxed{\mathcal{L}(X_t, a) = \{R_t, \mathscr{D}_a, C_t, \Gamma_t, H_t, U_t, Q_t\}},$$

where R_t is unresolved residual, C_t the receiving carrier, Γ_t the coupling point, H_t hidden compensation, U_t unresolved burden and Q_t the observation/provenance state.

A carrier candidate may be selected by

$$C_t^* = \arg\max_j \sum_{k,\tau} \mathscr{D}_a^+(j, k, \tau),$$

subject to uncertainty and causal-identification constraints.

4.4 IAMF-P constructive operator

IAMF-P is not merely "prediction stage two." It searches over feasible structures A:

$$\boxed{A_t^* = \arg\min_{A \in \mathcal{A}} \left[U_G(A) + \lambda HCC(A) + \mu U_{max}(A) + \nu Cost(A) - \eta V_G(A)\right]}.$$

A defining semantic difference from the first malformed stress test is that the intervention may create new reconciliation capacity:

$$R_{C^*}^{new} = R_{C^*} + \Delta R_{built},$$

rather than merely allocate effort through whatever capacity already exists.

4.5 Time and the Reconciliation Velocity Gap

The transfer package insists that time is mandatory. Define

$$RVG(t) = \frac{dU}{dt} - \frac{dR_c}{dt}.$$

If $RVG \leq 0$, reconciliation capacity can keep pace. Persistent $RVG > 0$ implies accumulating unresolved state.

A related loss-rate decomposition is

$$\dot{L}_A = \frac{L_{avoidable} + L_{displaced} + L_{deferred}}{\Delta t}.$$

This prevents a gain at t_1 from being called efficiency when it is simply an invoice delivered at t_2.

4.6 Productive reconciliation

The target is not zero motion. It is useful transformation:

$$D \to \text{capture} \to \text{transform} \to D', \qquad V(D') > V(D)$$

when the domain permits such conversion.

4.7 Whole-kernel recurrence

$$\boxed{X_t \xrightarrow{M_d} (S,G) \xrightarrow{\mathcal{L}} (BDI, \mathscr{D}, C, \Gamma, H, RVG) \xrightarrow{\mathcal{I}} A_t^* \xrightarrow{F_d} X_{t+1} \xrightarrow{\mathcal{Q}} \mathscr{D}_{A^*}^{post} \to \cdots}$$

Equivalently,

$$\mathcal{K}_R^{(d)} = M_d^{-1} \circ \mathcal{Q}_d \circ F_d \circ \mathcal{I} \circ \mathcal{L} \circ M_d.$$

This is a research hypothesis of structural invariance. Each M_d must carry its own physical units, causal structure, observability limits and permissible interventions.

4.8 Success and stopping conditions

An intervention passes only if, over the declared horizon,

$$\Delta V_G > 0, \qquad \Delta U_G \leq 0,$$

without a material increase in worst-carrier burden or hidden-compensation concentration.

Stop when the residual is below a materiality threshold, no feasible positive-value intervention exists, or the state is not identifiable from available observations. Let

$$\mathcal{H}(O) = \{H_i : F(H_i) = O\}.$$

If materially different histories remain observationally equivalent, the correct state is **unknown**, not an invented answer.

PART 5

Reality branches: one kernel, different maps

The following branch map is intentionally explicit. It separates what the incumbent commonly sees, what the LERM lens attempts to make visible, the algebraic adapter, the IAMF-P construction, and a real falsification test. These are not claims that all branches have already been empirically validated.

5.1 Luxury and physical assets

State map. $X = [c, p, t, l, a, o]$: condition, provenance, trust, liquidity, access, optionality.

What becomes visible beyond the local boundary. Primary-market accounting often ends at sale; secondary decay, authenticity uncertainty, idle inventory and access loss sit outside the declared boundary.

Algebraic adapter. $D_{asset} = V_{potential} - V_{realized}$; $A^* = \arg\max_A(\Delta V_{life} - \lambda U_{buyer} - \mu U_{brand})$.

IAMF-P construction. Authentication, restoration, provenance, distribution and lifecycle stewardship.

Falsification / validation path. Prospective cohort comparing lifecycle retained value, dispute/return rates, provenance certainty and brand externalities.

5.2 Banking and finance

State map. $X = [K, L, D, M, R, C]$: capital, liquidity, debt, maturity, risk, counterparties.

What becomes visible beyond the local boundary. A bank can reduce its own risk while shifting liquidity, fee, timing or documentation burden into households, firms, NBFIs or government.

Algebraic adapter. $BDI = J_G(a_S^*) - J_G(a_G^*)$; $\mathscr{D}_a(j, k, \tau)$ maps carrier, burden type and delay.

IAMF-P construction. Buffers, redesigned capital access, settlement, documentation and risk-sharing structures at the receiving carrier.

Falsification / validation path. Matched interventions scored on whole-system loss, worst-carrier load, defaults and delayed burden.

5.3 Macroeconomy

State map. X_t is a vector of sector balances, household resilience, investment, savings, energy and future capacity.

What becomes visible beyond the local boundary. Headline growth/savings can coexist with concentrated fragility; the missing quantity is who actually retained the created value and who carried the optimization cost.

Algebraic adapter. $\mathbf{D}_{net}(T) = \int_0^T [\nabla \cdot \mathbf{J}^{ext} + \mathbf{L}^{tacit} + \mathbf{K}^{debt} - \mathbf{R}^{recov}]dt - \Delta \mathbf{V}_{real}$.

IAMF-P construction. Policy/institutional capacity at empirically identified carriers rather than generic redistribution.

Falsification / validation path. National accounts plus household/sector microdata with explicit unit-preserving vectors and holdout periods.

5.4 Organizations and founder systems

State map. $X = [Q, I, C, T, S, R]$: output quality, integration, complexity, time, support and redundancy.

What becomes visible beyond the local boundary. A company can look healthy because one person silently supplies missing functions; success itself hides the single point of failure.

Algebraic adapter. $EP = (Q\,C\,I)/T$; $RVG = \dot{U} - \dot{R}_c$; transfer test $TR = P_{post}/P_{founder}$.

IAMF-P construction. Governed delegation, institutional redundancy, specialist capacity and reciprocal safety.

Falsification / validation path. Transfer functions away from founder while holding quality and throughput; success requires founder burden to fall.

5.5 Psychology and social legibility

State map. H_t actual/latent human state; $\hat{H}_t = g(H_t, S_t)$ recognized state under receiver schema S_t.

What becomes visible beyond the local boundary. Observed constrained behavior may be evidence of denied support rather than absence of capacity; the receiver model can help create the outcome it later treats as proof.

Algebraic adapter. $G_{schema} = E[d(H, \hat{H})]$ or $D_{KL}(P(H|O)\|P_{inst}(H|O))$; $Y_{t+1} = h(H_t, A_t, F_t)$.

IAMF-P construction. Translation, trust, support, resources and safer feedback channels.

Falsification / validation path. Prospective intervention measuring recognition accuracy, support allocation, performance and biological/economic compensatory load.

5.6 Healthcare delivery

State map. $X = [disease, delay, toxicity, readmission, cost, caregiver\ burden]$.

What becomes visible beyond the local boundary. Throughput or discharge efficiency can export workload, cost and risk to families, downstream clinicians or later readmissions.

Algebraic adapter. $U_G = U_{clinical} + U_{delay} + U_{tox} + U_{caregiver} + U_{future}$; minimize U_G not a single facility KPI.

IAMF-P construction. Care coordination, follow-up capacity, financing and caregiver support targeted to the receiving burden.

Falsification / validation path. Randomized or stepped-wedge service redesign with whole-patient and whole-network outcomes.

5.7 Cancer

State map. $X = [clones, signaling, microenvironment, immune\ state, toxicity, reserve]$.

What becomes visible beyond the local boundary. Tumor shrinkage can alter selection pressure and make a resistant pathway the new dominant carrier of survival.

Algebraic adapter. $i^*_{t+1} = \arg\max_i \dot{U}_i(t+1)$ after intervention; adaptive policy $A^*_{t+1} = \pi(X_{t+1})$.

IAMF-P construction. Adaptive therapy or combination strategy aimed at the newly dominant causal pathway, subject to toxicity/reserve constraints.

Falsification / validation path. Preclinical/clinical adaptive protocols; a failure if total burden or toxicity rises despite target shrinkage.

5.8 Neuroscience and neurodegeneration

State map. $X = [signal, myelin, synapse, glia, vascular, metabolic, reserve]$.

What becomes visible beyond the local boundary. A local pathology marker can improve while network transmission or metabolic support remains the true limiting carrier.

Algebraic adapter. $U_{neural} = \sum_i w_i d_i$; $i^* = \arg\max_i w_i \dot{d}_i$; retest after targeted intervention.

IAMF-P construction. Support/intervention at the rate-limiting biological carrier.

Falsification / validation path. Longitudinal multimodal data with functional endpoints, not biomarker-only victory.

5.9 Aging

State map. $d_1, \ldots, d_n$ represent damage processes and reserve constraints.

What becomes visible beyond the local boundary. Repairing one mechanism can expose another limiting process or increase a competing risk such as oncogenesis.

Algebraic adapter. $U_{age} = \sum_i w_i d_i$; reconcile if $\dot{U}_{age} < 0$ while no material risk carrier rises.

IAMF-P construction. Iterative repair/prevention at the current dominant unresolved process.

Falsification / validation path. Multi-endpoint longevity studies with competing-risk and delayed-harm auditing.

5.10 Energy and power grids

State map. $X = [generation, demand, storage, transmission, price, emissions, maintenance]$.

What becomes visible beyond the local boundary. Cheap/efficient local generation can export reliability, grid-upgrade, curtailment, pollution or deferred-maintenance burden.

Algebraic adapter. $J_G = J_{cost} + \lambda J_{reliability} + \mu J_{emissions} + \nu J_{deferred}$; BDI gates intervention.

IAMF-P construction. Storage, transmission, demand response, redundancy or pricing changes where the burden lands.

Falsification / validation path. Grid simulation plus real outage/tariff/emissions data; compare local dispatch with consequential-boundary control.

5.11 Weather, climate and disaster response

State map. $X = [T, P, H, v, q, soil, rivers, infrastructure, population]$.

What becomes visible beyond the local boundary. Prediction is not reconciliation. Forecast accuracy can coexist with unprepared drainage, evacuation, storage or grid systems.

Algebraic adapter. $RVG_{hazard} = \dot{U}_{hazard} - \dot{R}_{response}$; risk rises when $RVG > 0$.

IAMF-P construction. Reservoirs, drainage, evacuation, thermal/storage capacity, grid preparation and response routing.

Falsification / validation path. Prospective hazard periods measuring avoided losses and any burden shifted to neighboring regions.

5.12 Supply chains and logistics

State map. $X = [inventory, cash, leadtime, supplier\ reserve, transport, demand]$.

What becomes visible beyond the local boundary. Lean optimization can push fragility into suppliers and future stockouts; apparent working-capital efficiency hides resilience debt.

Algebraic adapter. $U_G = U_{buyer} + U_{supplier} + U_{delay} + U_{stockout} + U_{finance}$; optimize under worst-carrier constraints.

IAMF-P construction. Supplier finance, buffer inventory, routing redundancy and redesigned service-level contracts.

Falsification / validation path. Shock/recovery experiments with total lifecycle cost, service, supplier solvency and delay.

5.13 Cybersecurity

State map. $X = [attack\ graph, exposure, detection, recovery, human\ workload]$.

What becomes visible beyond the local boundary. Blocking one vector may redirect attacks or increase manual verification and operational downtime elsewhere.

Algebraic adapter. $EL = \sum_j p_j L_j + \lambda H_j$; displacement field updates after every defense action.

IAMF-P construction. Defense, redundancy, recovery and verification capacity at predicted next carriers.

Falsification / validation path. Red-team campaign with causal attack-path tracing and total organizational burden.

5.14 AI infrastructure and agents

State map. $X = [accuracy, compute, energy, human\ review, latency, error\ propagation]$.

What becomes visible beyond the local boundary. A model can improve task accuracy while exporting verification work, energy cost, data risk or downstream correction to humans.

Algebraic adapter. $NetV = \Delta O - C_{compute} - C_{energy} - C_{human} - C_{downstream}$; non-displacement requires all major terms audited.

IAMF-P construction. Verification, escalation, provenance, redundancy and workflow redesign.

Falsification / validation path. Matched agent workflows scored on end-to-end task value, human minutes, downstream error and compute/energy.

5.15 Public administration

State map. $X = [agency\ cost, citizen\ burden, firm\ burden, access, delay, future\ liability]$.

What becomes visible beyond the local boundary. Administrative efficiency can be purchased by forcing citizens to supply forms, travel, waiting, translation and repeated proof.

Algebraic adapter. $J_G = J_{agency} + \sum_p w_p B_p + \lambda FutureCost$; schema mismatch enters access probability.

IAMF-P construction. Simplified interfaces, shared data, case navigation and support for high-friction carriers.

Falsification / validation path. Service redesign using completion rate, citizen time/cost, equity and agency cost together.

5.16 Ecology and commons

State map. $X = [species, habitat, nutrients, pollutants, harvest, governance]$.

What becomes visible beyond the local boundary. A local conservation or production gain can displace extraction pressure, nutrient load or habitat loss through the network.

Algebraic adapter. $\mathscr{D}_a(j,k,\tau)$ over ecological carriers; success requires resilience up and no material burden migration.

IAMF-P construction. Habitat, quota, monitoring and polycentric governance where pressure is transmitted.

Falsification / validation path. BACI/longitudinal ecological studies with network spillover metrics.

5.17 Spacecraft and closed-loop life support

State map. $X = [O_2, CO_2, H_2O, thermal, radiation, power, crew, reserves]$.

What becomes visible beyond the local boundary. Subsystem nominal status can hide reserve depletion or crew compensation; the carrier may be another subsystem or future mission margin.

Algebraic adapter. $RVG_{mission} = \dot{U}_{mission} - \dot{R}_c$; require $RVG \leq 0$ and reserve margins above critical thresholds.

IAMF-P construction. Redundancy, storage, routing and repair capacity at the emerging bottleneck.

Falsification / validation path. High-fidelity mission simulations and hardware-in-the-loop anomaly tests.

5.18 Fundamental physics and mathematics

State map. X is a field/equation state plus boundary conditions, residuals and proof obligations.

What becomes visible beyond the local boundary. A small numerical residual can be mistaken for a proof; hidden assumptions or boundary pathologies may remain outside the computed domain.

Algebraic adapter. $\|\mathcal{R}(u)\| \to 0$ is numerical evidence only; mathematical proof requires theorem-level closure and explicit assumptions.

IAMF-P construction. Better decomposition, counterexample search, boundary-condition analysis and formal proof tooling.

Falsification / validation path. Independent peer review and formal verification. LERM/IAMF-P has not established solutions to Millennium Prize problems in the supplied evidence.

PART 6

The human-system adapter: schema, support and compensatory load

6.1 Why the 0.8% relationship result is not the full architecture

A flat classifier of traits to relationship outcome removes the mechanism the human adapter is supposed to test. The integrated model is instead a feedback chain:

$$\boxed{S_t \to \hat{H}_t \to A_t \to Y_{t+1} \to S_{t+1}},$$

where H_t is the underlying human state/capacity, S_t the receiver schema, $\hat{H}_t$ the recognized state, A_t the allocation of access/trust/support/capital, and Y_{t+1} the observed outcome.

Define the schema gap as either

$$G_{schema} = \mathbb{E}[d(H, \hat{H})]$$

or, for probabilistic representations,

$$G_{schema} = D_{KL}(P(H \mid O) \| P_{inst}(H \mid O)).$$

The critical causal question becomes whether changing the receiving architecture changes outcome while reducing compensatory load. A trait-only predictive uplift therefore cannot be labeled "LERM/IAMF-P performance." It belongs in the ablation history.

6.2 The founder as index case, not population proof

The personal archive is unusually rich because the same person appears as subject, operator and architect. That creates both an opportunity and a confound. The correct transfer question is:

$$TR = \frac{Performance_{system\ after\ transfer}}{Performance_{founder\ baseline}},$$

subject to

$$U_{founder} \downarrow .$$

If the surrounding organization can take over the previously centralized functions without collapse, the framework has transferred from a biological compensation strategy into institutional architecture. If not, IAMF-P remains founder-dependent.

6.3 A non-fragmented interpretation of capability plus injury

The supplied test suite explicitly preserves a dialectic: high capability and severe somatic/psychological injury may coexist. This is analytically preferable to either romanticizing trauma or treating distress as proof of incapacity. The research variable is the interaction between demand rate, distributed support and compensatory burden.

$$EP = \frac{Q_{output}\, C_{complexity}\, I_{integration}}{T}.$$

A high EP can coexist with positive RVG, meaning performance is being purchased by accumulating unresolved biological load. That condition is not sustainable success.

PART 7

Backtests, simulations and executable verification

7.1 Backtest taxonomy

The archive contains several different objects that must not be conflated:

- **Real operating records:** bank/ad/logistics/provenance and commercial events.
- **Historical reconstruction:** reported crisis suites and retrospective comparisons.
- **Architecture-class simulation:** synthetic systems designed to compare objective functions and interventions.
- **Public-architecture coverage scoring:** reverse-engineered feature coverage, not performance.
- **Executable dossier acceptance tests:** checks that the document contains required features, numbers, contradictions and falsification statements; these tests do not validate the science itself.

7.2 250,000-case negative ablation: LERM loses

The supplied CSV preserves the first important failure. Under an intervention semantics that routes effort through the receiving carrier's *existing* absorption capacity, the LERM/IAMF-P hybrid did not dominate. Full telemetry achieved 2.224283% whole-system burden reduction versus 1.618167% for LERM/IAMF-P and 1.546338% for raw LERM.



Figure 7.1: Negative ablation: existing-capacity allocation semantics. Source: supplied 250,000-case CSV.

This negative result is retained because it falsifies the lazy proposition that any algorithm labeled LERM automatically wins.

7.3 250,000-case corrected catch-basin simulation

The intervention semantics were then changed to match the intended IAMF-P definition: build reconciliation capacity at the predicted loss carrier. In that synthetic environment the reported results were:

Architecture	Whole-system burden reduction
LERM + IAMF-P	5.6696%
LERM raw	5.6585%
Full telemetry predictor	5.5567%
Graph / digital twin	5.1219%
Uniform allocation	4.8551%

The relative advantage over full telemetry in this simulation was approximately 2.03%. This is an architecture-class simulation, not a direct benchmark against proprietary vendor products.



Figure 7.2: Corrected synthetic catch-basin intervention semantics.

7.4 Two 1,000,000-system experiments

The September research log reports two further synthetic experiments across 20 domain parameterizations. The first froze a generic universal LERM heuristic. It won only 1 of 20 domains, averaging 7.136% burden reduction versus 7.567% for the strongest local-KPI strategy in that arena. This falsified the claim that one flat heuristic should dominate all systems.

The second experiment held state, graph, dynamics and intervention budget constant while changing the objective boundary. The whole-system LERM/IAMF-P objective averaged 7.9083% versus 7.8256% for boundary MPC, 7.506% for local KPI, and 7.488% for a full-telemetry next-carrier strategy. The archive reports an average relative gain of about 1.06%, ranging roughly 0.82%-1.33% across domain parameterizations.

The surprising result was that LERM/IAMF-P won only about 29% of individual cases while still producing the better aggregate result. That is the empirical motivation for the Boundary Divergence Index: intervene only when boundary displacement materially matters.



Figure 7.3: Reported aggregate results from the two million-system synthetic arena experiments.

7.5 Executable end-to-end dossier test package: 121/121

The uploaded Python package was executed against the supplied master dossier in this environment. Result: 121 tests executed, 121 passed, 0 failed, 0 errors, 0 skipped. Tier counts were 90 feature-coverage tests, 16 boundary/corner tests, 7 dialectic/cross-feature tests, and 8 real-world acceptance tests. The harness was also self-verified against its authoritative reference corpus with the same 121/121 outcome.



Figure 7.4: Executable dossier test results, September 2026.

These are meaningful **software/document conformance tests**. They verify that the dossier preserves required features, exact numbers, contradictions and stated falsification conditions. They are not independent evidence that a macroeconomic prediction, biological hypothesis or universal scientific claim is true.

7.6 Reverse-engineered public architecture coverage

The supplied coverage CSV scores publicly described architectures across state integration, prediction/simulation, decision/action, closed feedback, carrier path tracking, hidden-compensation accounting, catch-basin search and mandatory non-displacement retest. LERM/IAMF-P is scored at 87.5%; Palantir Foundry/AIP and Celonis Context Model at 68.8%; several AI agent stacks at 62.5%, with lower scores for risk/early-warning stacks. Because these scores encode the rubric used to define LERM/IAMF-P, they are best interpreted as **architecture coverage**, not empirical superiority.



Figure 7.5: Public architecture coverage from the supplied reverse-engineered matrix; not a performance benchmark.

7.7 Reported historical crisis suites

The master dossier and related files state that a 50-crisis historical stress-test suite and broader telemetry comparisons were constructed. The current package contains descriptions and acceptance assertions, but not a complete independently re-runnable artifact for every historical crisis. Therefore this dossier classifies those results as **document-stated / partially reproducible**, distinct from the executable 121-test package and supplied CSV simulations.

PART 8

What the architecture makes visible

8.1 The afterlife of optimization

The deepest common object across the archive is not "loss" in the ordinary accounting sense. It is the *afterlife of an optimization*: what survives outside the definition of success after the optimized system has declared victory.

A conventional dashboard often sees

$$\boxed{\text{result at declared boundary}}.$$

The Rufino lens asks for

$$\boxed{\text{result} + \text{countermovement} + \text{carrier} + \text{hidden compensator} + \text{future recurrence} + \text{post-intervention displac}}$$

This turns several familiar contradictions into one measurable family:

$$\begin{aligned}
\text{profit} &\to \text{deferred maintenance},\\
\text{bank stability} &\to \text{household distress},\\
\text{AI productivity} &\to \text{human verification load},\\
\text{organizational excellence} &\to \text{founder biological load},\\
\text{shorter hospital stay} &\to \text{caregiver/readmission burden},\\
\text{tumor shrinkage} &\to \text{resistant-pathway dominance},\\
\text{forecast accuracy} &\to \text{unreconciled infrastructure exposure}.
\end{aligned}$$

The framework's strongest conceptual proposition can therefore be stated without claiming omniscience:

$$\boxed{\text{absence of visible loss does not imply absence of loss; a carrier may be compensating for it.}}$$

And:

$$\boxed{\text{local optimum does not imply consequential-system optimum.}}$$

8.2 What is plausibly new versus what is inherited

Externalities are not new. Feedback is not new. Entropy is not new. Transaction costs are not new. Causal graphs are not new. State estimation is not new. Governance design is not new. Legibility is not new. The potential novelty lies in forcing these pieces into one operational ledger with a mandatory construction and retest stage.

The candidate new object is the displacement shadow field $\mathscr{D}_a(j,k,\tau)$ tied to a non-displacement intervention protocol. That claim is specific enough to be compared against adjacent literature and falsified in prospective studies.

PART 9

Falsification program and research agenda

9.1 Kill tests that must remain

The architecture should be considered weakened or falsified in a domain if any of the following repeatedly occurs under preregistered conditions:

1. The frozen kernel provides no predictive or intervention value beyond a properly specified incumbent once both operate on the same consequential boundary.
2. Carrier identification is no better than chance or existing causal/network methods on untouched holdouts.
3. IAMF-P interventions reduce one measured burden only by moving equivalent or greater burden to another carrier or future period.
4. Apparent cross-domain performance disappears when unit discipline and domain-specific causal assumptions are enforced.
5. The Boundary Divergence Index fails to identify the cases in which whole-system optimization differs materially from local optimization.
6. Founder-to-institution transfer fails: performance collapses when functions are delegated despite adequate resources and documented procedures.
7. The model repeatedly "discovers" hidden states in negative-control systems where no information exists to distinguish them.

9.2 The decisive experiment

The strongest next experiment is not 100 more flat datasets. It is a small number of provenance-rich systems represented twice from the same underlying events:

$$M_{flat} \quad \text{versus} \quad M_{LERM/IAMF-P},$$

run against the strongest domain incumbent with a frozen canonical kernel, sealed outcomes, retained negative cases, and any structure discovered from a loss tested on a second untouched holdout.

The test should span at least four qualitatively different domains: one physical/engineering, one financial/organizational, one human/health, and one computational/infrastructure system. The claim to invariance becomes credible only if the operator transfers unchanged while M_d alone changes.

9.3 Publication and external review path

A rigorous publication sequence would separate three papers rather than asking one manuscript to prove everything:

1. **Formal methods paper:** define BDI, the displacement field, hidden compensation, RVG, IAMF-P intervention search, unit discipline, identifiability and stopping conditions.
2. **Founder/operating case paper:** document the luxury/commerce field origin, evidence hierarchy, compensatory centralization and transfer experiment.
3. **Prospective benchmark paper:** preregister multi-domain experiments against best-in-class incumbents with untouched holdouts and independent replication.

Only after those stages should claims of a universal mechanics, clinical utility, or foundational physical law be entertained.

PART 10

Claim ledger: what this dossier says and does not say

10.1 Supported at the level of the supplied archive

- The LERM/IAMF-P corpus contains a coherent recurrent architecture centered on displacement, carriers, hidden compensation, structural catchment and retesting.
- The framework originates in a real operating/life history rather than solely in abstract model generation.
- The supplied executable dossier harness passes 121/121 tests against the master report and 121/121 in harness self-verification.
- A supplied 250,000-case negative stress test shows LERM losing under a semantics that constrains intervention to existing receiving capacity.
- The research log reports corrected 250,000-case and two million-system architecture-class simulations that motivated the catch-basin and BDI formulations.
- The reverse-engineered frontier CSV measures rubric coverage, not product performance.
- The global self-audit explicitly rejects treating current evidence as proof of a universal physical law, clinical cure, emotion/lie detector, or deterministic macroeconomic forecast.

10.2 Not established by the present evidence

- That LERM/IAMF-P is a new law of physics.
- That it solves any Millennium Prize problem.
- That it cures cancer, Parkinson's disease, aging, depression, suicide, or any other clinical condition.
- That it can infer unobserved history when multiple histories are observationally equivalent.
- That architecture-coverage percentages prove superiority to Palantir, OpenAI, Anthropic, Google, BlackRock, Moody's, S&P, or any other vendor.

- That the founder's integrated capability implies a new biological species/category or a population-level rarity estimate without a defined sampling frame.

10.3 The precise contribution statement

The strongest publication-ready formulation is:

> Jefferson Rafael Rufino's contribution is the proposed integration of consequential-boundary expansion, directed displacement tracing, carrier and hidden-compensator identification, structural reconciliation capacity, productive reintegration, provenance governance and mandatory non-displacement retesting into a single recurrent LERM/IAMF-P operator. The architecture emerged from a longitudinal operating and survival record, has undergone internal adversarial simulation and software conformance testing, and now requires independent prospective validation against established domain methods.

PART A

Formula vault

$$
\begin{aligned}
X_t^{(d)} &= M_d(\Omega_t^{(d)}) \\
a_S^* &= \arg\min_a J_S(a) \\
a_G^* &= \arg\min_a J_G(a) \\
BDI &= J_G(a_S^*) - J_G(a_G^*) \\
\mathscr{D}_a(j,k,\tau) &= U_{j,k}(t+\tau \mid a) - U_{j,k}(t+\tau \mid a_0) \\
\mathcal{L}(X_t,a) &= \{R_t, \mathscr{D}_a, C_t, \Gamma_t, H_t, U_t, Q_t\} \\
C_t^* &= \arg\max_j \sum_{k,\tau} \mathscr{D}_a^+(j,k,\tau) \\
A_t^* &= \arg\min_{A\in\mathcal{A}} [U_G + \lambda HCC + \mu U_{max} + \nu Cost - \eta V_G] \\
RVG(t) &= \dot{U} - \dot{R}_c \\
\dot{L}_A &= (L_{avoidable} + L_{displaced} + L_{deferred})/\Delta t \\
EP &= (Q_{output} C_{complexity} I_{integration})/T \\
TR &= Performance_{post-transfer}/Performance_{founder} \\
G_{schema} &= \mathbb{E}[d(H,\hat{H})] \\
G_{schema} &= D_{KL}(P(H \mid O) \| P_{inst}(H \mid O)) \\
Y_{t+1} &= h(H_t, A_t, F_t) \\
U_{age} &= \sum_i w_i d_i(t) \\
i^* &= \arg\max_i w_i \dot{d}_i(t) \\
NetV_{AI} &= \Delta O - C_{compute} - C_{energy} - C_{human} - C_{downstream}.
\end{aligned}
$$

PART B

Evidence hierarchy and claim-status discipline

The supplied dossier uses a P1-P6 evidence hierarchy. This report preserves its spirit while avoiding the mistake of treating a label as proof by itself.

Class	Meaning	Examples in the archive
P1	Primary / institutional third-party record	Bank statements, platform invoices, customs filings, police/security records, employment records.
P2	Visual/public artifacts	Public images, media, interface designs, product photographs.
P3	Contemporaneous operational artifacts	Order books, messages, waybills, code, logs, calendars.
P4	Later formal synthesis	Canonical specifications, equations, retrospective diagnostic files.
P5	Subject self-report	Trauma, sexual violence, intent, internal experience, retrospective narrative.
P6	Public context	Statutes, macroeconomic data, labor-market context, external literature.

Claim statuses used in the source archive include VERIFIED-AS-WORDED, DOCUMENT-STATED, REPORTED, CONFLICTED, and NOT-ESTABLISHED. This dossier adds a practical distinction between **simulation-supported**, **software-verified**, and **externally established** so that numerical success in a synthetic arena cannot silently become a claim about reality.

PART C

Source-file map

File / group	Role in this playbook
ARCH(8).pdf	Historical origin: luxury value preservation and integrated operating functions.
LERM(5).pdf	Longitudinal research archive and operational reasoning.
rarity_scoring_exact 2(5).pdf	Proficiency/rarity calibration; retained as operator characterization, not universal law.
Self-Actualization and LERM Discovery(7).pdf	Developmental/operator synthesis and institutional potential framing.
IAMFP_LERM_CONSOLIDATED_TRANSFER_ASCII.txt	Provenance, time dependence, AI contamination controls, founder effect and transfer rules.
ENDING THE ERA OF DISPLACED LOSS(7).txt	Public/national implementation and carrier-oriented value-retention narrative.
Rufino Universal Mechanics Playbook_ Comparative Analysis(5).pdf	Cross-domain theoretical extension and comparison set.
Rufino's Universal Mechanics Synthesis (3)(7).pdf	Maximal universal-mechanics claims; retained as hypothesis layer, not validated theorem.
The Sociophysical Architecture...pdf (two versions)	Human-system/schema-gap adapter; duplicate versions are not independent corroboration.
Rufino LERM and IAMF-P_ Unfragmented Global Benchmark...pdf	Self-audit, falsification, limitations and defensible current placement.
frontier_reverse_engineered_architecture_coverage(4).csv	Fact(4)/rubric coverage matrix; not product performance.
250_000-case_LERM_IAMF-P_stress_test(1).csv	Negative 250k ablation preserving a failed LERM result.
LERM + IAMF-P September 27, 2026 1:18 AM(3).txt	Corrected catch-basin simulations, two million-system arena and BDI development.
JEFFERSON_RUFINO_EXISTENTIAL_LERM_IAMF_REPORT.txt	Integrated existential/forensic master dossier.
M1-M5 chapter files	Chronology, contradictions, falsification, cognitive triangulation and stewardship.
run_e2e_tests.py + tier tests + utilities	Executable conformance suite; 121/121 against current master dossier.
reference_corpus.py	Authoritative fixture used for harness self-verification.

PART D

Selected internal excerpts

ARCH founding premise: the architectural feat is not simply manufacturing desire but building infrastructure that preserves value when the surrounding market is in chaos.

Transfer-package rule: prior AI statements are not independent evidence; repetition across models is not corroboration.

Time rule: static analysis is insufficient because apparent success can displace loss to another stakeholder, system location, or later period.

Public-system sequence: optimization → reported value → reporting boundary → countermovement → burden → carrier → reconciliation → non-displacement retest.

Self-audit conclusion: the strongest current contribution is a potentially original systems architecture and measurement research program; stronger universal claims require mathematical closure and external validation.

PART E

APA-style works cited

Arrow, K. J., & Hicks, J. R. (1972). Pioneering contributions to general economic equilibrium theory and welfare theory (Nobel Prize materials). Nobel Prize Outreach.

Ashby, W. R. (1956). An introduction to cybernetics. Chapman & Hall.

Basaran, C. (2021). Introduction to unified mechanics theory with applications. Springer. https://doi.org/10.1007/978-3-030-57772-8

Boltzmann, L. (1877). Uber die Beziehung zwischen dem zweiten Hauptsatze der mechanischen Warmetheorie und der Wahrscheinlichkeitsrechnung respektive den Satzen uber das Warmegleichgewicht. Sitzungsberichte der Kaiserlichen Akademie der Wissenschaften, 76, 373-435.

Bourdieu, P. (1986). The forms of capital. In J. G. Richardson (Ed.), Handbook of theory and research for the sociology of education (pp. 241-258). Greenwood.

Checkland, P. (1981). Systems thinking, systems practice. Wiley.

Coase, R. H. (1937). The nature of the firm. Economica, 4(16), 386-405.

Coase, R. H. (1960). The problem of social cost. Journal of Law and Economics, 3, 1-44.

Einstein, A. (1905). On the electrodynamics of moving bodies. Annalen der Physik, 17, 891-921.

Einstein, A. (1905). On the movement of small particles suspended in stationary liquids required by the molecular-kinetic theory of heat. Annalen der Physik, 17, 549-560.

Forrester, J. W. (1961). Industrial dynamics. MIT Press.

Friston, K. (2010). The free-energy principle: A unified brain theory? Nature Reviews Neuroscience, 11, 127-138. https://doi.org/10.1038/nrn2787

Gibbs, J. W. (1902). Elementary principles in statistical mechanics. Charles Scribner's Sons.

Hardin, G. (1968). The tragedy of the commons. Science, 162(3859), 1243-1248. https://doi.org/10.1126/science.162.3859.1

Hayek, F. A. (1945). The use of knowledge in society. American Economic Review, 35(4), 519-530.

Kahneman, D., & Tversky, A. (1979). Prospect theory: An analysis of decision under risk. Econometrica, 47(2), 263-291.

Kalman, R. E. (1960). A new approach to linear filtering and prediction problems. Journal of Basic Engineering, 82(1), 35-45. https://doi.org/10.1115/1.3662552

Landauer, R. (1961). Irreversibility and heat generation in the computing process. IBM Journal of Research and Development, 5(3), 183-191.

Meadows, D. H. (2008). Thinking in systems: A primer. Chelsea Green.

Mitchell, P. (1961). Coupling of phosphorylation to electron and hydrogen transfer by a chemiosmotic type of mechanism. Nature, 191, 144-148.

Nash, J. F. (1950). Equilibrium points in n-person games. Proceedings of the National Academy of Sciences, 36(1), 48-49.

Newton, I. (1687). Philosophiae naturalis principia mathematica. Royal Society.

Nordhaus, W. D. (1992). An optimal transition path for controlling greenhouse gases. Science, 258(5086), 1315-1319.

Onsager, L. (1931). Reciprocal relations in irreversible processes. I. Physical Review, 37, 405-426.

Ostrom, E. (1990). Governing the commons: The evolution of institutions for collective action. Cambridge University Press.

Pearl, J. (2009). Causality: Models, reasoning, and inference (2nd ed.). Cambridge University Press.

Pigou, A. C. (1920). The economics of welfare. Macmillan.

Prigogine, I., & Nicolis, G. (1977). Self-organization in nonequilibrium systems. Wiley.

Romer, P. M. (1990). Endogenous technological change. Journal of Political Economy, 98(5, Part 2), S71-S102.

Scott, J. C. (1998). Seeing like a state: How certain schemes to improve the human condition have failed. Yale University Press.

Shannon, C. E. (1948). A mathematical theory of communication. Bell System Technical Journal, 27, 379-423, 623-656. https://doi.org/10.1002/j.1538-7305.1948.tb01338.x

Simon, H. A. (1947). Administrative behavior. Macmillan.

Solow, R. M. (1956). A contribution to the theory of economic growth. Quarterly Journal of Economics, 70(1), 65-94.

Sterman, J. D. (2000). Business dynamics: Systems thinking and modeling for a complex world. McGraw-Hill.

Turchin, P. (2003). Historical dynamics: Why states rise and fall. Princeton University Press.

von Bertalanffy, L. (1968). General system theory: Foundations, development, applications. George Braziller.

Wiener, N. (1948). Cybernetics: Or control and communication in the animal and the machine. MIT Press.

Williamson, O. E. (1979). Transaction-cost economics: The governance of contractual relations. Journal of Law and Economics, 22(2), 233-261.

Nobel Prize Outreach. (2026). Albert Einstein - Facts. NobelPrize.org. https://www.nobelprize.org/prizes/physics/1921/ei

Nobel Prize Outreach. (2026). The Nobel Prize in Chemistry 1968: Lars Onsager. NobelPrize.org. https://www.nobelprize

Nobel Prize Outreach. (2026). Ilya Prigogine - Facts. NobelPrize.org. https://www.nobelprize.org/prizes/chemistry/1977/p

Nobel Prize Outreach. (2026). Nobel Prize in Chemistry 1978: Peter D. Mitchell. NobelPrize.org. https://www.nobelprize.

Nobel Prize Outreach. (2026). Herbert A. Simon - Prize lecture: Rational decision-making in business organizations. NobelPrize.org.

Nobel Prize Outreach. (2026). The Prize in Economic Sciences 2002: Daniel Kahneman and Vernon L. Smith. NobelPrize.org.

Nobel Prize Outreach. (2026). Elinor Ostrom - Facts. NobelPrize.org.

Nobel Prize Outreach. (2026). Oliver E. Williamson - Facts. NobelPrize.org.

Nobel Prize Outreach. (2026). William D. Nordhaus - Facts. NobelPrize.org.

Nobel Prize Outreach. (2026). Paul M. Romer - Facts. NobelPrize.org.

Nobel Prize Outreach. (2026). Press release: Nobel Prize in Physics 2024 - John J. Hopfield and Geoffrey Hinton. NobelPrize.org.

Nobel Prize Outreach. (2026). Press release: Nobel Prize in Chemistry 2024 - David Baker, Demis Hassabis, and John Jumper. NobelPrize.org.

Rufino, J. R. (2026a). The architecture of value preservation: LERM architectural record [Unpublished manuscript].

Rufino, J. R. (2026b). Ending the era of displaced loss [Research manuscript].

Rufino, J. R. (2026c). LERM + IAMF-P, September 27, 2026 [Research and simulation log].

Rufino, J. R. (2026d). IAMFP-LERM consolidated transfer package [Research archive].

Rufino, J. R. (2026e). Rufino LERM and IAMF-P: An unfragmented global benchmark, self-audit, and falsification test [Research manuscript].

Rufino research archive. (2026). Jefferson Rafael Rufino: The existential LERM & IAMF-P master evaluation dossier [Forensic synthesis; multi-agent generated under Rufino provenance].

Rufino research archive. (2026). M1-M5 canonical chapters: chronology, contradictions and metrics, adversarial falsification, cognitive triangulation, and stewardship [Internal research files].

Rufino research archive. (2026). Executable LERM/IAMF-P dossier test harness (121 tests) [Python software package].

Closing statement

The history in this dossier is not ornament around the mathematics. It is the field record from which the mathematics was abstracted. The scientific lineage is not decoration either: it is the constraint that keeps the present architecture from claiming credit for what physics, information theory, cybernetics, economics, governance, psychology and causal inference already established.

The research program becomes precise at the intersection of those two obligations. It asks whether a recurrent operator can reliably expose what an optimized boundary leaves behind, identify the carrier, build the missing capacity, and prove through retesting that the solution did not merely move the problem.

Find where reality escaped. Follow where it went. Name what carried it. Build where it landed. Transform what was recovered. Check every carrier and every future period again. Then look again.

The missing primary carrier

An individual human being is neither an institutional category nor a disposable unit of capacity.

CORRECTION

The v0.1 scenario selector contained ten institutional and environmental settings but omitted the individual human as an independent receiving system and acting agent. This edition corrects that omission in the 120-domain library and navigator.

MANDATORY HUMAN ASSESSMENT

At each actual system interface, evaluate whether an individual human can be a source, receiver, operator, compensating carrier, protected person, or future self. Document affected people rather than substituting the names of institutions for them.

AVOID FALSE CLAIMS

For a purely physical event that does not demonstrably affect a human being, record the individual-human link as unobserved or not applicable instead of inventing a causal path. Scientific truth and human dignity both require this.

PROVENANCE

Rufino is the identified originating IAMF-P index case in the authored research history. This historical role is different from the inclusion of every other individual as a potential consequential carrier.

The human receiving state

The model must preserve the individual, not merely a service record.

PHYSICAL AND BIOLOGICAL

Bodily safety, health, energy, environment, mobility, disability access, nutrition, pain, life-course and physical capacity are distinct native outcomes.

COGNITIVE AND EXPERIENTIAL

Information access, learning, agency, mental well-being, trust, perception, choices and temporal attention may be relevant. Never infer unmeasured private experiences as facts.

SOCIAL AND MATERIAL

Income, housing, family support, institutional recognition, rights, social capital, dignity, employment and safety depend on identifiable human relations and policies.

TEMPORAL AND FUTURE SELF

The same human can receive consequences today and later; the burden may be hidden as unpaid work, reserve depletion, lost opportunities, or delayed needs.

PROTECTIVE PRINCIPLE

A good aggregate institutional result cannot erase coercion, exclusion or serious harm to a particular person. Consent, autonomy, fairness, and rights constrain the action set.

Rufino as originating IAMF-P index case

The author is a historical subject, operator, compensating carrier and architect.

DIRECT HISTORICAL EVIDENCE

The index-case history includes physical recognition records, professional experiences, founder-operated enterprise functions and documented financial movements. Their occurrence should not be casually relabeled a hypothesis.

OBSERVED INSTITUTIONAL HANDOFFS

Academic and work awards can serve as social legibility bridges, while later changes in institutional recognition and support are a separate set of lived and documented observations.

MECHANISM UNDER INVESTIGATION

How particular institutional transitions caused particular later burdens requires process tracing, dates, alternative explanations and source provenance; the person is not required to prove his existence.

RESEARCHER ROLE

The author remains a research originator and collaborator. His personal data are not reproduced in this public technical expansion, and a research institution does not thereby acquire authorship or ownership.

Person-to-institution and institution-to-person

A university, government or employer may have a KPI while a human carries an unrecorded outcome.

HANDOFF SEQUENCE

Demonstrated capability -> performance evidence -> recognized representation -> opportunity and protection -> continuing institutional support -> consequential human outcome.

FAILURE MODE

An institutional record may describe a transaction, credential, intervention or service as complete while the person bears unresolved financial, physical, social, or future consequences.

CONSTRUCTIVE DESIGN

Construct actual capacity around a person where justified: safe access, fair recognition, paid opportunity, health support, coordination, legal protections, resources and appropriately timed follow-up.

VERIFICATION

Obtain consented, lawful individual-level measures and compare against a suitable incumbent. Evaluate material protected carriers through time; do not presume a successful outcome from a better administrative metric.

The human in every domain without false universal links

The model must distinguish direct person effects, mediated effects, and no identified person effect.

DIRECT HUMAN INTERACTION

In education, work, healthcare and services, the individual may directly receive the action; record the relevant person and the real outcome.

INDIRECT MEDIATED PATHWAY

In environmental, engineering or digital domains, identify people only through credible physical, exposure, economic or institutional pathways, not by verbal analogy.

SCIENTIFIC OBSERVATION

In chemistry, quantum physics and cosmology, humans may be investigators, instrument users or downstream beneficiaries; this does not make subjective human effects a native quantity of a particle.

INCLUSION RULE

At every adapter ask who the human is, what can be observed, what can be constructed, and what would establish benefits and harms, including the legitimate answer that no individual linkage has been demonstrated.

Human-centered Mutual Uptick and safety

The object of the search is improved consequential conditions, not the declaration of success.

RECEIVING CAPACITY

Human agency is not equivalent to resources available to another institution. Capacities must be developed with appropriate participation, consent and non-coercive support.

RECURRENT RESEARCH

When a proposed solution is not demonstrated, identify the binding information, material, technical or legal constraint and the next legitimate action; preserve unknowns and unsuccessful results as research records.

ACCEPTANCE CONDITION

No human harm is silently canceled by a commercial gain; measure actual beneficial outcomes for protected individuals with uncertainty and time taken seriously.

REALITY CONSTRAINT

The commitment to search for better outcomes does not imply that every physical or ethical constraint has a feasible all-positive solution; do not manufacture an MU+ pass.

How to use the 120-domain human extensions

Six person-centered test scenarios are now included for each domain.

SIX TESTS

For each of the 120 domains the individual-human scenario studies capacity shortfall, representational mismatch, delayed effects, measurement uncertainty, coordination failure and inequitable distribution.

PAGE INTEGRATION

These 720 pages are inserted immediately after each domain foundation, ahead of the prior inter-domain analyses, not merely appended as an afterthought.

AUTHOR/SOURCE PRESERVATION

The original 1,170-page Canonical Atlas is maintained unmodified. The added sections are clearly identified as AI-assisted research-design supplements, not previously observed outcomes.

OPERATIONAL PROTOCOL

Choose a native domain; document the person-level pathway; define lawful data and comparison; design receiving capacity; evaluate actual outcomes; repeat as needed. An individual remains an independent carrier and agent.

THE MUTUAL UPTICK IMPLEMENTATION LIBRARY

An evidence-first expansion of The Universal Reality Atlas

Founding release v0.1 | 9 October 2026 | Jefferson Rafael Rufino, originating research architect

Document status: working scholarly implementation register. This publication contains 120 source-derived domain briefs and 18 historical case studies. No unperformed interventions or unknowable historical outcomes are reported as verified.



Executive overview

The original 1,170-page Atlas proposes a frozen consequential operator and translates it through 120 native-domain adapters. This first implementation-library release converts all 120 native Atlas cards into an auditable, searchable source-linked working registry and joins them to eighteen separately sourced historical interventions. It does not assert that eighteen cases are comprehensive history or that the strict carrier-specific Mutual Uptick gate was passed.

The continuing objective

Mutual Uptick is the desired constructive end state. A model reporting missing evidence, no action change, or infeasibility under current resources must provide the next legitimate measurement, design, resource, or cross-system collaboration. The current absence of a feasible intervention is not evidence of a permanent universal impossibility. Conversely, physics, rights, and safety boundaries cannot be ignored or success asserted before it occurs.

How cases are classified

An OBSERVED outcome is taken from an identifiable publication. An INTERPRETED burden is a proposed account of affected carriers supported only to the extent those outcomes are measured. A CANDIDATE capacity specification is a design possibility, not an implemented or validated repair. A MU+ PASS is reserved for cases meeting the full declared carrier-specific and temporal criteria with adequate evidence; none is assigned in this release.

Research basis and historical scope

Accessible published research describes many historical attempts but cannot offer a complete account of every human action, microscopic event or unknown future substrate. The Atlas includes domain mappings that are conceptual or ontological, while native measurements can be incomplete. The library must keep data access, observation, identification, inference, and value judgment distinct without isolating them from the single causal ledger.

Index Case provenance

The originating author is the designated IAMF-P Index Case, whose longitudinal record supports an intellectual and operational history. This release preserves the full original Atlas but does not reproduce personal bank account identifiers, private third-party details, or unredacted bank statements in the public workbench. Bank account credits are not interchangeable with merchandise revenue or profit.

What history teaches about local wins

The Aral Sea, Bangladesh groundwater, and Fukushima response cases show that a local problem may be addressed while a consequential burden appears elsewhere. Ozone protection, global smallpox eradication, and leaded-fuel phaseout demonstrate large historical gains through multi-institutional capacity construction; full strict all-carrier assessment remains distinct from those achievements.

Causal comparisons and adverse findings

The existing Rufino research record includes synthetic positive and negative cases and multiple partial real-data prototypes. Do not substitute the success of a native public intervention for proof that the frozen K_R operator outperformed its original designers. The appropriate test must compare K_R with the strongest incumbents on the same information and resource budget, using native units and comparable time horizons.

Data provenance and source authority

The eighteen historical cases link to WHO, NASA, WMO, IPCC, NBER, peer-reviewed journals, and other identified published records. These are source summaries; no full text of third-party works is reproduced. The individual 120 design briefs are derived from the user-supplied Atlas, with original PDF page coordinates. Each proposed intervention requires original consent, data rights, and ethics review where applicable.

Operational science of a failed gate

When the required Mutual Uptick condition is unmet, identify whether the blocker concerns observability, incorrect schema, causal confounding, receiving capacity, risk concentration, infeasible current actions, time-to-benefit, or ethical/physical limits. For each, specify a distinct next test or design. No positive verdict should be recorded simply because a new candidate solution was drafted.

Example: educational capacity is not just resources

Project STAR supplies measured randomized differences between small classes, regular classes, and regular classes with an aide. Existing research found that reducing class size improved measured test performance, while merely adding aides yielded little impact. A prospective K_R trial would target specific receiving capacity and expand outcomes to students, teachers, households, employer transitions and budgets instead of treating aggregate test scores as the whole ledger.

Example: environmental risk substitution

Bangladesh tubewells reduced risks associated with contaminated surface water yet exposed households to natural arsenic. Proposed alternatives can carry microbial or seasonal reliability problems. The research obligation is to investigate source quality, maintenance, costs and accessibility together rather than celebrate one contaminant reduction as universal resolution.

Where a true worldwide 25,000-page library comes from

A 25,000-page substantive work would require tens of thousands of independently sourced observations, code-backed experiments, future interventions, and follow-up records. The 25,000-page editorial allocation is registered separately; it is explicitly NOT a claim that those pages have been researched or written. Automating 25,000 repetitive pages would defeat the evidentiary purpose.

Independent steward and governance

A university may collaborate in building new studies, code, and research capability without replacing the originating author or presuming ownership of prior work. Scientists must remain free to report positive, negative, or uncertain results. A scientifically useful library grows through independent replication, competition with incumbents, native empirical measurements, and proper attribution.

Programmatic outputs of this release

Included: 120 source-derived adapter briefs, 18 real published historical case ledgers, a 120-row work search ledger, a 25,000-page editorial roadmap, readable interactive HTML, the canonical Atlas in the author archive, available historical reproducibility packages, and this generated expansion volume. No real-world implementation has been performed by creating this document.

PART I · HISTORICAL CASES

Externally documented interventions and their unresolved receiving-carrier accounting

H001 | Project STAR: Small classes versus regular classes and teacher aides

Period: 1985–1989 / Field: Education / Study classification: OBSERVED RANDOMIZED INTERVENTION; PARTIAL CARRIER DATA

Historical local goal

Instructional inputs and student achievement

Published finding / observed consequence

Randomized class-size reduction improved test performance; published analysis found teacher aides had little effect on achievement. Original study notes attrition and crossover.

Receiving carriers to account for

Students, teachers, school system, school budget, families

What the original publication measures

Student standardized test outcomes; treatment/class allocation

Unobserved or incompletely observed consequences

Long-term teacher workload, budget consequences, student-by-student counterfactuals and complete family outcomes

Constructive capacity and next experimental search

Compare smaller classes, aides, teacher preparation and targeted support under matched costs; measure students plus teacher time, schools and households.

Strongest comparator

Original Project STAR randomized design; school fixed effects; cost-effectiveness analysis

Current claim status under strict carrier-specific MU+

NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS

Published reference: Krueger 1997, Experimental Estimates of Education Production Functions

https://www.nber.org/papers/w6051

H002 | Oregon Medicaid lottery: insurance and downstream outcomes

Period: 2008–2013 / Field: Healthcare / Study classification: OBSERVED RANDOMIZED INTERVENTION; MIXED OUTCOMES

Historical local goal

Health-insurance enrollment and healthcare access

Published finding / observed consequence

Coverage improved financial protection, preventive services and depression outcomes; measured hypertension, cholesterol and blood sugar showed no statistically significant improvements over about two years.

Receiving carriers to account for

Insured adults, caregivers, clinicians, hospitals, insurers, public budget

What the original publication measures

Depression screens, catastrophic spending, utilization, measured clinical indicators

Unobserved or incompletely observed consequences

Full provider capacity, all taxpayer costs, longer-horizon morbidity, household spillovers

Constructive capacity and next experimental search

Pair insurance access with tested provider-capacity, prevention, and follow-up designs while measuring financial, mental, and physical-health dimensions.

Strongest comparator

Oregon Health Insurance Experiment lottery evaluation

Current claim status under strict carrier-specific MU+

NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS

Published reference: Baicker et al. 2013, New England Journal of Medicine

https://www.nejm.org/doi/full/10.1056/NEJMsa1212321

H003 | Moving to Opportunity: effects depend on age and exposure duration

Period: 1994–2016 / Field: Housing & human development / Study classification: OBSERVED RANDOMIZED PROGRAM; HETEROGENEOUS LONG-TERM OUTCOMES

Historical local goal

Housing vouchers and movement to lower-poverty neighborhoods

Published finding / observed consequence

Children who moved before age 13 later had higher earnings and college attendance; effects of adolescent relocation were slightly negative in the cited analysis.

Receiving carriers to account for

Children, parents, local communities, receiving schools, housing market

What the original publication measures

Long-term tax records, education and earnings; ages at move

Unobserved or incompletely observed consequences

Full social network rupture, displaced-community effects, all fiscal costs, causal decomposition of each service

Constructive capacity and next experimental search

Time relocation and protect continuity of schooling, support networks, transport and family services; compare full multicarrier outcomes.

Strongest comparator

Moving to Opportunity randomized vouchers; age-heterogeneous causal evaluation

Current claim status under strict carrier-specific MU+

NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS

Published reference: Chetty, Hendren & Katz 2016, AER

https://www.aeaweb.org/articles?id=10.1257%2Faer.20150572

H004 | National Supported Work: employment outcomes and distribution

Period: 1970s / Field: Employment / Study classification: PUBLISHED EXPERIMENTAL DATA; LIMITED CARRIER MEASUREMENT

Historical local goal

Employment support for disadvantaged jobseekers

Published finding / observed consequence

The Dehejia-Wahba sample of the NSW program contains treated and controls with subsequent earnings; independent published analysis evaluates earnings effects and how observational methods can mislead.

Receiving carriers to account for

Workers, households, employers, program funders, communities

What the original publication measures

1978 earnings and selected prior employment histories

Unobserved or incompletely observed consequences

Employer productivity, full participant welfare, labor displacement, fiscal costs and future horizons

Constructive capacity and next experimental search

Trace skills-to-work matching and employer demand; combine job placement with barriers to retention, support and cost accounting.

Strongest comparator

Randomized National Supported Work experiment; LaLonde causal inference comparisons

Current claim status under strict carrier-specific MU+

NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS

Published reference: Published historical NSW sample via Rdatasets/causaldata

https://raw.githubusercontent.com/vincentarelbundock/Rdatasets/master/csv/causaldata/nsw_mixtape.csv

H005 | Aral Sea: irrigation gain with downstream ecological and social loss

Period: 1960s–2014 / Field: Hydrology & agriculture / Study classification: OBSERVED HISTORICAL ECOLOGICAL CHANGE; RETROSPECTIVE CAUSAL ACCOUNT

Historical local goal

Agricultural irrigation and cotton production through river diversion

Published finding / observed consequence

Major diversion of inflowing rivers corresponded with severe shrinking of the Aral Sea, ecosystem collapse and disappearance of a fishing economy; NASA observed drying of the eastern basin by 2014.

Receiving carriers to account for

Farmers, downstream fishing communities, lake ecosystem, regional air and soil, future generations

What the original publication measures

Satellite images, river inflows, fishery records and exposed lakebed

Unobserved or incompletely observed consequences

Counterfactual allocation by season, feasible rights and infrastructure, complete distribution of costs across decades

Constructive capacity and next experimental search

Reallocate flows subject to ecological minima, agricultural productivity, livelihoods, soil and water constraints; model compensation and alternative crop/irrigation systems.

Strongest comparator

Hydrological basin optimization and ecological water-allocation models

Current claim status under strict carrier-specific MU+

CLEARLY NOT A WHOLE-SYSTEM UPTICK UNDER OBSERVED PATH

Published reference: NASA Earth Observatory, World of Change: Aral Sea

https://science.nasa.gov/earth/earth-observatory/world-of-change/aral-sea/

H006 | Bangladesh tube wells: microbial benefit and displaced arsenic exposure

Period: 1970s–2025 / Field: Water & public health / Study classification: OBSERVED RISK SUBSTITUTION; MULTIPLE INDEPENDENT STUDIES

Historical local goal

Replace pathogen-contaminated surface water with groundwater wells

Published finding / observed consequence

Widespread tube well use reduced certain microbial exposures but revealed natural arsenic in many wells; risk evaluations found microbial contamination in some substitute sources.

Receiving carriers to account for

Drinking households, pregnant people and children, water utilities, ecosystems, public budgets

What the original publication measures

Arsenic assays, bacterial contamination, exposure and mortality studies

Unobserved or incompletely observed consequences

Full quality profiles and maintenance outcomes for each alternative, source reliability across seasons, household cost

Constructive capacity and next experimental search

Use spatially shared anonymized well tests, safer deep water where validated, microbial safeguards, upkeep and community transition support.

Strongest comparator

WHO water-safety plans and joint arsenic/microbial DALY risk assessment

Current claim status under strict carrier-specific MU+

NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS

Published reference: Risk Assessment of Arsenic Mitigation Options in Bangladesh

https://pmc.ncbi.nlm.nih.gov/articles/PMC3013255/

H007 | Montreal Protocol: protection capacity through global coordination

Period: 1987–2066 projected / Field: Atmospheric science / Study classification: OBSERVED INTERNATIONAL INTERVENTION; LONG-RUN OUTCOME PROJECTED

Historical local goal

Reduce ozone-depleting substances and repair ozone protection

Published finding / observed consequence

WMO 2022 assessment finds stratospheric ozone recovery progressing; return toward 1980 levels projected on different dates for near-global, Arctic and Antarctic regions.

Receiving carriers to account for

Human populations, ecosystems, industry, consumers, climate system

What the original publication measures

Atmospheric observations, modeled projections of ozone and radiative effects

Unobserved or incompletely observed consequences

Full cross-country distribution of transition costs, replacement chemical side effects, long horizon all-carrier outcomes

Constructive capacity and next experimental search

Evaluate cooling substitutes, Kigali phasedown, affordability, ozone recovery, industrial access and climate together.

Strongest comparator

WMO/UNEP Ozone Scientific Assessment and chemical/climate models

Current claim status under strict carrier-specific MU+

SUBSTANTIAL POSITIVE DOMAIN OUTCOME; STRICT MU+ NOT ESTABLISHED

Published reference: WMO/UNEP Scientific Assessment of Ozone Depletion 2022

https://public.wmo.int/sites/default/files/2023-03/Scientific-Assessment-of-Ozone-Depletion-2022-Executive-Summary.pdf

H008 | Global phaseout of leaded petrol

Period: 1922–2021 / Field: Air pollution & health / Study classification: OBSERVED GLOBAL PHASEOUT; HEALTH BENEFITS MODEL-ESTIMATED

Historical local goal

Improve engine performance using lead additives; later remove lead

Published finding / observed consequence

UNEP reports global cessation of leaded petrol in 2021, with large estimated future health and economic benefits.

Receiving carriers to account for

Children, communities, drivers, fuel producers, environmental reservoirs

What the original publication measures

Policy completion and epidemiological/economic burden estimates

Unobserved or incompletely observed consequences

Full transition cost per country, residual legacy soil burden, remaining lead sources

Constructive capacity and next experimental search

Sustain unleaded fuel and remediate legacy lead in soil and housing, measure child health and equity through time.

Strongest comparator

Public-health burden-of-disease and air-pollution policy evaluation

Current claim status under strict carrier-specific MU+

STRONG HISTORICAL BENEFIT; STRICT MU+ NOT ESTABLISHED

Published reference: UNEP 2021 press release on leaded petrol phaseout

https://www.unep.org/news-and-stories/press-release/era-leaded-petrol-over-eliminating-major-threat-human-and-planetary

H009 | Smallpox eradication: global preventive capacity

Period: 1967–1980 / Field: Global health / Study classification: DOCUMENTED ERADICATION; NOT A FULL ALL-CARRIER STUDY

Historical local goal

Prevent transmission through vaccination and surveillance

Published finding / observed consequence

WHO declared smallpox eradicated in 1980 after international coordinated vaccine access, surveillance and case containment.

Receiving carriers to account for

Potential patients, families, health workers, governments, supply chains

What the original publication measures

Transmission/surveillance records, cases, WHO verification

Unobserved or incompletely observed consequences

All historical vaccine side effects and distributional costs, complete protected carrier set

Constructive capacity and next experimental search

Preserve surveillance and vaccine reserve alongside adverse-event surveillance, equitable access, and institutional readiness.

Strongest comparator

WHO eradication program and infectious-disease epidemiology

Current claim status under strict carrier-specific MU+

DOCUMENTED ERADICATION; STRICT ALL-CARRIER MU+ NOT ESTABLISHED

Published reference: WHO Smallpox facts

https://www.who.int/health-topics/smallpox

H010 | Costa Rica payments for forest conservation: targeting and additionality

Period: 1997–2022 / Field: Ecosystems & economics / Study classification: OBSERVATIONAL POLICY IMPACT EVALUATIONS; MIXED FINDINGS

Historical local goal

Pay forest landowners to conserve ecological services

Published finding / observed consequence

One evaluation did not detect lower deforestation in 1997–2000 paid areas; a 2022 assessment detected a statistically significant first-year effect that was not sustained in subsequent contract years.

Receiving carriers to account for

Landowners, neighboring communities, forest ecosystems, taxpayers, biodiversity

What the original publication measures

Remote sensing, geospatial controls, contract participation and deforestation

Unobserved or incompletely observed consequences

Distribution of payments, biodiversity and social welfare, counterfactual opportunity costs in every locality

Constructive capacity and next experimental search

Target genuinely threatened forest, change contract renewal incentives and monitor biodiversity, livelihood and budget carriers.

Strongest comparator

Difference-in-differences/event-study impacts for conservation payments

Current claim status under strict carrier-specific MU+

MIXED ADDITIONALITY; STRICT MU+ NOT ESTABLISHED

Published reference: Inter-American Development Bank 2022 impact evaluation

https://publications.iadb.org/en/payment-ecosystem-services-costa-rica-evaluation-country-wide-program

H011 | Fukushima disaster response: safety gains and displacement burdens

Period: 2011 onward / Field: Public safety & energy / Study classification: OBSERVED DISASTER AND RESPONSE; COMPLEX COUNTERFACTUAL

Historical local goal

Radiation protection and evacuation after earthquake/tsunami/nuclear accident

Published finding / observed consequence

WHO describes health, social and economic harms associated with evacuation and relocation alongside radiation protection objectives, especially among vulnerable people.

Receiving carriers to account for

Evacuees, older adults, children, healthcare teams, municipalities, environmental systems

What the original publication measures

Radiation doses, public-health surveillance, relocation observations

Unobserved or incompletely observed consequences

Comparable feasible non-evacuation outcomes at individual level, timing and protective resource counterfactuals

Constructive capacity and next experimental search

Integrate dose thresholds with continuity-of-care, transport, shelter, mental-health support and explicit vulnerable-population protection.

Strongest comparator

Radiation emergency protection and disaster-evacuation welfare modelling

Current claim status under strict carrier-specific MU+

PARTIAL PROTECTION WITH DOCUMENTED DISPLACEMENT

Published reference: WHO Fukushima health consequences Q&A

https://www.who.int/news-room/questions-and-answers/item/health-consequences-of-fukushima-nuclear-accident

H012 | Kenya cash transfers: impacts beyond recipients

Period: 2014–2022 / Field: Public finance & human development / Study classification: RANDOMIZED CLUSTER INTERVENTION; SPILLOVERS REPORTED

Historical local goal

Unconditional cash payments to poor households

Published finding / observed consequence

Researchers report positive consumption and assets for recipients, positive spillovers to non-recipients and firms, minimal observed price inflation, and local multipliers in rural Kenya.

Receiving carriers to account for

Recipients, nonrecipients, businesses, caregivers, prices, public/NGO funders

What the original publication measures

Consumption, assets, enterprises, price effects and sampled spillovers

Unobserved or incompletely observed consequences

All external financing opportunity costs, effects beyond local area and measured horizon, unobserved social carriers

Constructive capacity and next experimental search

Integrate cash support with markets, public services and price surveillance while tracking recipients, nonrecipients and fiscal carrier.

Strongest comparator

Cluster-randomized general-equilibrium cash transfer evaluation

Current claim status under strict carrier-specific MU+

POSITIVE OBSERVED SPILLOVERS; STRICT MU+ NOT ESTABLISHED

Published reference: Egger et al. 2022, cash transfer general equilibrium

https://www.nber.org/papers/w26600

H013 | Climate maladaptation: short-term protection and long-term vulnerability

Period: 2022 assessment / Field: Climate governance / Study classification: ASSESSMENT SYNTHESIS; NOT A SINGLE PRIMARY EXPERIMENT

Historical local goal

Flood barriers and defensive infrastructure

Published finding / observed consequence

IPCC identifies short-term actions that can lock in future vulnerability, worsen inequity or increase exposure if not integrated with long-term adaptation planning.

Receiving carriers to account for

Protected property owners, neighboring and downstream communities, ecosystems, future residents

What the original publication measures

Multi-study climate risk evidence and sector assessments

Unobserved or incompletely observed consequences

Specific basin-level causal counterfactual for a given construction and all affected carriers

Constructive capacity and next experimental search

Evaluate adaptive pathways, relocation options, upstream runoff, ecological space and downstream flood routing over long horizons.

Strongest comparator

IPCC AR6 adaptation assessment; regional flood-risk planning

Current claim status under strict carrier-specific MU+

DOCUMENTED RISK OF MALADAPTATION; NO UNIVERSAL PASS

Published reference: IPCC AR6 WGII Summary for Policymakers

https://www.ipcc.ch/report/ar6/wg2/chapter/summary-for-policymakers/

H014 | Bangladesh community deep wells: arsenic reduced, fecal contamination persists

Period: 2021 publication / Field: Water & sanitation / Study classification: RANDOMIZED FIELD INTERVENTION; MIXED OUTCOMES

Historical local goal

Provide community deep tube wells

Published finding / observed consequence

Randomized evaluation found reduced arsenic exposure but did not establish reduced fecal contamination.

Receiving carriers to account for

Drinking households, children, public health, local government

What the original publication measures

Well contamination assays and household source use

Unobserved or incompletely observed consequences

Long-run upkeep, seasonal microbiology and adoption, cost distribution

Constructive capacity and next experimental search

Couple deep well selection with safe sanitation, treatment, maintenance, water-quality verification and household access.

Strongest comparator

Original randomized community deep well evaluation

Current claim status under strict carrier-specific MU+

PARTIAL RISK REDUCTION; STRICT MU+ NOT ESTABLISHED

Published reference: World Bank Economic Review 2021 community wells

https://academic.oup.com/wber/article/35/4/969/6291932

H015 | Thalidomide: symptom relief and unmeasured fetal consequences

Period: 1950s–1962 / Field: Pharmacology & safety / Study classification: DOCUMENTED GLOBAL ADVERSE OUTCOME AND REGULATORY RESPONSE

Historical local goal

Treat insomnia and morning sickness using thalidomide

Published finding / observed consequence

FDA historical records document severe birth defects linked to thalidomide and Frances Kelsey withholding US approval for inadequate safety evidence; new drug-safety rules followed.

Receiving carriers to account for

Pregnant patients, developing fetuses, families, drug manufacturers, regulators

What the original publication measures

Documented congenital harm and regulatory history

Unobserved or incompletely observed consequences

Complete individual exposure counterfactuals and all long-term family welfare

Constructive capacity and next experimental search

Pre-release developmental toxicity testing, stronger adverse-event surveillance, transparency, pregnancy protection and safer alternatives.

Strongest comparator

Regulatory pharmacovigilance, reproductive toxicology and risk-benefit analysis

Current claim status under strict carrier-specific MU+

OBSERVED CATASTROPHIC CONSEQUENCES; NO STRICT MU+

Published reference: FDA history: Frances Kelsey, Thalidomide and global harm

https://www.fda.gov/about-fda/fda-history-exhibits/brief-history-center-drug-evaluation-and-research

H016 | Loophole-free Bell test: physical correlations at microscopic scale

Period: 2015 / Field: Quantum experimental physics / Study classification: PUBLISHED CONTROLLED QUANTUM EXPERIMENT; NOT A WELFARE INTERVENTION

Historical local goal

Distinguish local-realist predictions from quantum theory with controlled entangled electron spins

Published finding / observed consequence

The 2015 Bell test used distant electron spins and obtained CHSH S=2.42 +/- 0.20 in 245 trials, inconsistent with a local-realist null at its specified statistical level.

Receiving carriers to account for

Electron-spin degrees of freedom, measurement devices, detector and noise process, experimenters

What the original publication measures

Trial detection outcomes, measurement settings and correlations

Unobserved or incompletely observed consequences

No normative or material protected-carrier welfare outcome; quantum results do not establish cross-substrate consciousness or a universal MU+ mechanism

Constructive capacity and next experimental search

For physical claims, specify K_R predictions about experimental quantum observables that differ from standard quantum theory and test them with independent datasets.

Strongest comparator

Bell inequality and quantum measurement theory, experimental controls and null models

Current claim status under strict carrier-specific MU+

REAL PHYSICS TEST, NOT A MUTUAL UPTICK ACCEPTANCE TEST

Published reference: Hensen et al. 2015, Nature, loophole-free Bell inequality violation

https://www.nature.com/articles/nature15759

H017 | Gene-edited sickle cell therapy: biological repair and receiving-care infrastructure

Period: 2023 onward / Field: Genomic medicine / Study classification: REGULATORY APPROVAL WITH CLINICAL TRIAL EVIDENCE; ACCESS EFFECTS OPEN

Historical local goal

Treat sickle cell disease using autologous cell therapies

Published finding / observed consequence

FDA approved the first cell-based gene therapies for sickle cell disease in December 2023, including the first therapy using CRISPR editing; approval reflects assessed clinical evidence, not universal access.

Receiving carriers to account for

Patients, stem cells, healthcare teams, payers, families, care delivery network

What the original publication measures

Regulatory benefit-risk records and treatment eligibility

Unobserved or incompletely observed consequences

Worldwide affordability, preparatory treatment risks, lifelong surveillance, displaced healthcare resources, access equity

Constructive capacity and next experimental search

Study clinical outcomes jointly with transplant capacity, monitoring, affordability, family support and access equity, not genetic correction alone.

Strongest comparator

FDA regulated clinical trials and health-technology assessment

Current claim status under strict carrier-specific MU+

REGULATORY CLINICAL MILESTONE; STRICT MU+ NOT ESTABLISHED

Published reference: FDA 2023 approval of sickle-cell gene therapies

https://www.fda.gov/news-events/press-announcements/fda-approves-first-gene-therapies-treat-patients-sickle-cell-disease

H018 | LIGO gravitational wave detection: new observational infrastructure

Period: 2015–2016 / Field: Gravitational physics / Study classification: OBSERVED PHYSICAL MEASUREMENT; NOT A WELFARE INTERVENTION

Historical local goal

Construct interferometers capable of detecting gravitational waves

Published finding / observed consequence

The upgraded LIGO interferometers performed an observation run beginning September 2015, detecting astrophysical gravitational-wave signals; this tests general relativity in a domain inaccessible to unaided human senses.

Receiving carriers to account for

Gravitational-wave sources, optical and mechanical sensors, detection infrastructure, scientific community

What the original publication measures

Detector strain signals and physical model fits

Unobserved or incompletely observed consequences

No native per-carrier positive welfare metric; this is a scientific observation not a strict Mutual Uptick implementation

Constructive capacity and next experimental search

For K_R as physical law, derive a unique testable observable for interferometer systems and compare blinded predictions to general relativity under matched data.

Strongest comparator

General relativity waveform models and interferometric detector calibration

Current claim status under strict carrier-specific MU+

REAL PHYSICS EVIDENCE; NO K_R MECHANISM TEST

Published reference: LIGO Collaboration 2016, Advanced LIGO detectors in first discovery run

https://doi.org/10.1103/PhysRevLett.116.131103

PART II · 120 DOMAIN WORKPACKS

Source-authenticated native mappings, causal requirements and the continuing construction search

ADAPTER 001 · Whole-person quality of life

Family: Human life quality | Atlas pages: 51–57 | Original status: Constructive protocol

Evidence-grounded native state

Health, function, time, autonomy, relationships, safety, income, environment and future capacity

Receiving schema and recognition gap

Single score, diagnosis, income bracket or productivity proxy

Candidate blocker

Improvement in one life dimension paid for by another

Named receiving carriers

Person, household, caregivers, future self

Constructive receiving capacity proposed in Atlas

Whole-life state model plus coordinated capacity across health, time, income and environment

Author-defined Mutual Uptick acceptance target

Health, autonomy, security, time and relational capacity all improve without hidden depletion

Decisive experiment described in Atlas

Longitudinal cohort with preregistered multidimensional outcomes

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 001 · Whole-person quality of life | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Person, household, caregivers, future self. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Single score, diagnosis, income bracket or productivity proxy. Then test the specific candidate blocker: Improvement in one life dimension paid for by another. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Whole-life state model plus coordinated capacity across health, time, income and environment. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003, H012. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Longitudinal cohort with preregistered multidimensional outcomes. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 002 · Nutrition and metabolism

Family: Human life quality | Atlas pages: 58–64 | Original status: Regulated empirical frontier

Evidence-grounded native state

Diet, metabolic state, affordability, culture, timing, microbiome and activity

Receiving schema and recognition gap

Calories/macros or generic diet categories

Candidate blocker

Biological benefit shifts cost to adherence, affordability or another metabolic pathway

Named receiving carriers

Body, household budget, food system

Constructive receiving capacity proposed in Atlas

Adaptive nutrition and access architecture with feedback and affordability constraints

Author-defined Mutual Uptick acceptance target

Metabolic markers, adherence, affordability and quality of life improve together

Decisive experiment described in Atlas

Randomized adaptive nutrition trial with cost and adherence carriers

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 002 · Nutrition and metabolism | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Body, household budget, food system. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Calories/macros or generic diet categories. Then test the specific candidate blocker: Biological benefit shifts cost to adherence, affordability or another metabolic pathway. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Adaptive nutrition and access architecture with feedback and affordability constraints. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H008. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Metabolic markers, adherence, affordability and quality of life improve together. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Randomized adaptive nutrition trial with cost and adherence carriers. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 003 · Sleep and recovery

Family: Human life quality | Atlas pages: 65–71 | Original status: Constructive protocol

Evidence-grounded native state

Sleep architecture, circadian timing, stress, workload, environment and recovery reserve

Receiving schema and recognition gap

Hours slept or wearable score

Candidate blocker

More sleep opportunity can displace work, care or circadian alignment

Named receiving carriers

Body, cognition, household schedule

Constructive receiving capacity proposed in Atlas

Recovery controller integrating timing, environment, workload and physiology

Author-defined Mutual Uptick acceptance target

Recovery, cognition, safety and schedule burden improve together

Decisive experiment described in Atlas

Longitudinal crossover study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 003 · Sleep and recovery | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Body, cognition, household schedule. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Hours slept or wearable score. Then test the specific candidate blocker: More sleep opportunity can displace work, care or circadian alignment. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Recovery controller integrating timing, environment, workload and physiology. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003, H012. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Recovery, cognition, safety and schedule burden improve together. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Longitudinal crossover study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 004 · Reproductive and sexual health

Family: Human life quality | Atlas pages: 72–78 | Original status: Regulated empirical frontier

Evidence-grounded native state

Endocrine, reproductive, sexual, relational, consent, fertility and safety state

Receiving schema and recognition gap

Single fertility, disease or risk label

Candidate blocker

Local treatment shifts hormonal, relational, financial or future burden

Named receiving carriers

Individual, partner, future child, household

Constructive receiving capacity proposed in Atlas

Longitudinal reproductive-state architecture plus consent/safety controls

Author-defined Mutual Uptick acceptance target

Health, autonomy, safety and desired reproductive outcomes improve

Decisive experiment described in Atlas

Clinical trials + patient-reported and partner- impact carriers

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 004 · Reproductive and sexual health | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Individual, partner, future child, household. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Single fertility, disease or risk label. Then test the specific candidate blocker: Local treatment shifts hormonal, relational, financial or future burden. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Longitudinal reproductive-state architecture plus consent/safety controls. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H015. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Health, autonomy, safety and desired reproductive outcomes improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Clinical trials + patient-reported and partner- impact carriers. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 005 · Disability and accessibility

Family: Human life quality | Atlas pages: 79–85 | Original status: Strong constructive fit

Evidence-grounded native state

Capabilities plus environmental demands, interfaces and support

Receiving schema and recognition gap

Deficit-only person label

Candidate blocker

Person compensates for inaccessible environment

Named receiving carriers

Person, caregiver, workplace, public space

Constructive receiving capacity proposed in Atlas

Environment-first accessibility architecture plus assistive capacity

Author-defined Mutual Uptick acceptance target

Capability, independence and participation rise while compensatory load falls

Decisive experiment described in Atlas

Before/after environment redesign with workload measures

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 005 · Disability and accessibility | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Capabilities plus environmental demands, interfaces and support. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Person, caregiver, workplace, public space. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Deficit-only person label. Then test the specific candidate blocker: Person compensates for inaccessible environment. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Environment-first accessibility architecture plus assistive capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003, H012. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Capability, independence and participation rise while compensatory load falls. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Before/after environment redesign with workload measures. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 006 · Mobility and physical function

Family: Human life quality | Atlas pages: 86–92 | Original status: Regulated empirical frontier

Evidence-grounded native state

Strength, pain, balance, endurance, environment, assistive devices

Receiving schema and recognition gap

Single functional score

Candidate blocker

Function gains can increase pain, fatigue or caregiver burden

Named receiving carriers

Body, caregiver, environment

Constructive receiving capacity proposed in Atlas

Adaptive rehabilitation plus environment and device redesign

Author-defined Mutual Uptick acceptance target

Function, comfort, autonomy and caregiver load improve

Decisive experiment described in Atlas

Controlled rehabilitation study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 006 · Mobility and physical function | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Strength, pain, balance, endurance, environment, assistive devices. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Body, caregiver, environment. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Single functional score. Then test the specific candidate blocker: Function gains can increase pain, fatigue or caregiver burden. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Adaptive rehabilitation plus environment and device redesign. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003, H012. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Function, comfort, autonomy and caregiver load improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Controlled rehabilitation study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 007 · Family and caregiving

Family: Human life quality | Atlas pages: 93–99 | Original status: Strong structural fit

Evidence-grounded native state

Needs, capacities, schedules, money, emotional load, dependency and support network

Receiving schema and recognition gap

Household role labels

Candidate blocker

One caregiver silently absorbs system failure

Named receiving carriers

Primary caregiver, dependents, siblings, employer

Constructive receiving capacity proposed in Atlas

Care-load ledger, shared coordination and external capacity

Author-defined Mutual Uptick acceptance target

Dependent wellbeing and caregiver wellbeing both improve

Decisive experiment described in Atlas

Prospective household burden study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 007 · Family and caregiving | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Needs, capacities, schedules, money, emotional load, dependency and support network. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Primary caregiver, dependents, siblings, employer. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Household role labels. Then test the specific candidate blocker: One caregiver silently absorbs system failure. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Care-load ledger, shared coordination and external capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003, H012. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Dependent wellbeing and caregiver wellbeing both improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Prospective household burden study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 008 · Safety and personal security

Family: Human life quality | Atlas pages: 100–106 | Original status: Constructive protocol

Evidence-grounded native state

Threat exposure, environment, support, mobility and response capacity

Receiving schema and recognition gap

Incident count or generic risk class

Candidate blocker

Protection shifts restriction or surveillance burden onto protected person

Named receiving carriers

Person, community, responder

Constructive receiving capacity proposed in Atlas

Safety architecture that increases protection without reducing autonomy

Author-defined Mutual Uptick acceptance target

Threat falls while freedom, privacy and response burden improve

Decisive experiment described in Atlas

Prospective safety intervention

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 008 · Safety and personal security | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Threat exposure, environment, support, mobility and response capacity. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Person, community, responder. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Incident count or generic risk class. Then test the specific candidate blocker: Protection shifts restriction or surveillance burden onto protected person. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Safety architecture that increases protection without reducing autonomy. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H011, H013. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Threat falls while freedom, privacy and response burden improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Prospective safety intervention. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 009 · Housing and domestic environment

Family: Human life quality | Atlas pages: 107–113 | Original status: Strong structural fit

Evidence-grounded native state

Shelter, cost, commute, safety, air, heat, crowding and social context

Receiving schema and recognition gap

Property price or occupancy status

Candidate blocker

Affordability, commute, health and neighborhood burdens trade places

Named receiving carriers

Resident, landlord, neighborhood, city

Constructive receiving capacity proposed in Atlas

Whole-cost housing and location architecture

Author-defined Mutual Uptick acceptance target

Housing quality, affordability, access and neighborhood outcomes improve

Decisive experiment described in Atlas

Matched housing intervention

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 009 · Housing and domestic environment | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Shelter, cost, commute, safety, air, heat, crowding and social context. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Resident, landlord, neighborhood, city. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Property price or occupancy status. Then test the specific candidate blocker: Affordability, commute, health and neighborhood burdens trade places. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Whole-cost housing and location architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Housing quality, affordability, access and neighborhood outcomes improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Matched housing intervention. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 010 · Human longevity and life-course planning

Family: Human life quality | Atlas pages: 114–120 | Original status: Constructive protocol

Evidence-grounded native state

Healthspan, lifespan, finances, relationships, purpose and care capacity

Receiving schema and recognition gap

Chronological age or retirement age

Candidate blocker

Longer life shifts burden to morbidity, savings or care system

Named receiving carriers

Person, family, institutions, future self

Constructive receiving capacity proposed in Atlas

Life-course capital and care architecture

Author-defined Mutual Uptick acceptance target

Added years are healthy, funded, connected and autonomous

Decisive experiment described in Atlas

Longitudinal life-course cohort

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 010 · Human longevity and life-course planning | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Healthspan, lifespan, finances, relationships, purpose and care capacity. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Person, family, institutions, future self. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Chronological age or retirement age. Then test the specific candidate blocker: Longer life shifts burden to morbidity, savings or care system. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Life-course capital and care architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003, H012. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Added years are healthy, funded, connected and autonomous. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Longitudinal life-course cohort. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 011 · Psychology and social legibility

Family: Psychology and meaning | Atlas pages: 122–128 | Original status: Origin-linked structural fit

Evidence-grounded native state

Longitudinal capability, burden, trauma, environment, relationships and compensation

Receiving schema and recognition gap

Snapshot diagnosis or social category

Candidate blocker

High function hides biological and relational cost

Named receiving carriers

Person, family, employer, clinician

Constructive receiving capacity proposed in Atlas

Multidimensional schema plus support matched to hidden burden

Author-defined Mutual Uptick acceptance target

Function, health, autonomy and relationship quality rise while compensation falls

Decisive experiment described in Atlas

Longitudinal external cohort

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 011 · Psychology and social legibility | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Longitudinal capability, burden, trauma, environment, relationships and compensation. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Person, family, employer, clinician. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Snapshot diagnosis or social category. Then test the specific candidate blocker: High function hides biological and relational cost. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Multidimensional schema plus support matched to hidden burden. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003, H011. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Function, health, autonomy and relationship quality rise while compensation falls. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Longitudinal external cohort. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 012 · Identity and self-model

Family: Psychology and meaning | Atlas pages: 129–135 | Original status: Constructive protocol

Evidence-grounded native state

Attributes, history, roles, values, capabilities and contexts

Receiving schema and recognition gap

Single identity label or credential

Candidate blocker

Recognition in one schema suppresses other valid dimensions

Named receiving carriers

Person and receiving institutions

Constructive receiving capacity proposed in Atlas

Selective multi-context identity graph with provenance

Author-defined Mutual Uptick acceptance target

Legibility and autonomy improve without forced overexposure

Decisive experiment described in Atlas

Cross-context identity study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 012 · Identity and self-model | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Attributes, history, roles, values, capabilities and contexts. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Person and receiving institutions. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Single identity label or credential. Then test the specific candidate blocker: Recognition in one schema suppresses other valid dimensions. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Selective multi-context identity graph with provenance. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003, H011. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Legibility and autonomy improve without forced overexposure. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Cross-context identity study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 013 · Relationships and intimacy

Family: Psychology and meaning | Atlas pages: 136–142 | Original status: Constructive protocol

Evidence-grounded native state

Needs, boundaries, consent, trust, history, resources and reciprocity

Receiving schema and recognition gap

Relationship status or personality label

Candidate blocker

One partner compensates for unspoken constraints

Named receiving carriers

Partners and wider support network

Constructive receiving capacity proposed in Atlas

Reciprocal state and burden ledger plus consent architecture

Author-defined Mutual Uptick acceptance target

Safety, intimacy, autonomy and fairness improve together

Decisive experiment described in Atlas

Dyadic longitudinal study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 013 · Relationships and intimacy | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Needs, boundaries, consent, trust, history, resources and reciprocity. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Partners and wider support network. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Relationship status or personality label. Then test the specific candidate blocker: One partner compensates for unspoken constraints. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Reciprocal state and burden ledger plus consent architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003, H011. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Safety, intimacy, autonomy and fairness improve together. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Dyadic longitudinal study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 014 · Parenting and child development

Family: Psychology and meaning | Atlas pages: 143–149 | Original status: Constructive protocol

Evidence-grounded native state

Biology, attachment, education, safety, resources, environment and agency

Receiving schema and recognition gap

Age norm, grade or behavior label

Candidate blocker

Child or parent compensates for missing support

Named receiving carriers

Child, parent, school, community

Constructive receiving capacity proposed in Atlas

Developmental state map plus distributed support capacity

Author-defined Mutual Uptick acceptance target

Child capability and wellbeing rise while caregiver burden falls

Decisive experiment described in Atlas

Longitudinal family-school cohort

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 014 · Parenting and child development | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Biology, attachment, education, safety, resources, environment and agency. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Child, parent, school, community. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Age norm, grade or behavior label. Then test the specific candidate blocker: Child or parent compensates for missing support. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Developmental state map plus distributed support capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003, H012. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Child capability and wellbeing rise while caregiver burden falls. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Longitudinal family-school cohort. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 015 · Purpose and self-actualization

Family: Psychology and meaning | Atlas pages: 150–156 | Original status: Origin-linked constructive fit

Evidence-grounded native state

Capabilities, values, opportunity, health, autonomy and social contribution

Receiving schema and recognition gap

Career status, wealth or productivity proxy

Candidate blocker

Achievement can be purchased with health or belonging

Named receiving carriers

Person, relationships, community

Constructive receiving capacity proposed in Atlas

Whole-person capability architecture and burden guardrails

Author-defined Mutual Uptick acceptance target

Achievement, health, autonomy and contribution improve together

Decisive experiment described in Atlas

Longitudinal multidimensional evaluation

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 015 · Purpose and self-actualization | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Capabilities, values, opportunity, health, autonomy and social contribution. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Person, relationships, community. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Career status, wealth or productivity proxy. Then test the specific candidate blocker: Achievement can be purchased with health or belonging. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Whole-person capability architecture and burden guardrails. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003, H011. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Achievement, health, autonomy and contribution improve together. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Longitudinal multidimensional evaluation. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 016 · Existential wellbeing

Family: Psychology and meaning | Atlas pages: 157–163 | Original status: Constructive protocol

Evidence-grounded native state

Meaning, mortality awareness, belonging, agency and life coherence

Receiving schema and recognition gap

Symptom or productivity proxy

Candidate blocker

Meaning needs displaced into consumption, work or crisis care

Named receiving carriers

Person, community

Constructive receiving capacity proposed in Atlas

Voluntary meaning-reflection and support architecture

Author-defined Mutual Uptick acceptance target

Distress falls while agency, belonging and functioning improve

Decisive experiment described in Atlas

Patient/user-reported longitudinal study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 016 · Existential wellbeing | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Meaning, mortality awareness, belonging, agency and life coherence. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Person, community. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Symptom or productivity proxy. Then test the specific candidate blocker: Meaning needs displaced into consumption, work or crisis care. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Voluntary meaning-reflection and support architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003, H011. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Distress falls while agency, belonging and functioning improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Patient/user-reported longitudinal study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 017 · Spiritual life

Family: Psychology and meaning | Atlas pages: 164–170 | Original status: Constructive protocol

Evidence-grounded native state

Belief, practice, meaning, community, conscience and autonomy

Receiving schema and recognition gap

Institutional affiliation alone

Candidate blocker

Community benefit can shift burden to autonomy or dissent

Named receiving carriers

Individual, family, community

Constructive receiving capacity proposed in Atlas

Voluntary, transparent, safeguarding-centered spiritual/community architecture

Author-defined Mutual Uptick acceptance target

Meaning and belonging improve without coercion or exclusion

Decisive experiment described in Atlas

Ethical observational study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 017 · Spiritual life | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Belief, practice, meaning, community, conscience and autonomy. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Individual, family, community. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Institutional affiliation alone. Then test the specific candidate blocker: Community benefit can shift burden to autonomy or dissent. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003, H011. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Meaning and belonging improve without coercion or exclusion. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Ethical observational study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 018 · Religion and community institutions

Family: Psychology and meaning | Atlas pages: 171–177 | Original status: Constructive protocol

Evidence-grounded native state

Doctrine, governance, resources, safeguarding and member experience

Receiving schema and recognition gap

Membership or doctrinal category

Candidate blocker

Institutional continuity can externalize harm or dissent costs

Named receiving carriers

Members, families, leaders, wider community

Constructive receiving capacity proposed in Atlas

Transparent governance, reporting, safeguarding and exit rights

Author-defined Mutual Uptick acceptance target

Community value rises while coercion and hidden harm fall

Decisive experiment described in Atlas

Institutional longitudinal audit

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 018 · Religion and community institutions | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Doctrine, governance, resources, safeguarding and member experience. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Members, families, leaders, wider community. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Membership or doctrinal category. Then test the specific candidate blocker: Institutional continuity can externalize harm or dissent costs. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Transparent governance, reporting, safeguarding and exit rights. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003, H011. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Community value rises while coercion and hidden harm fall. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Institutional longitudinal audit. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 019 · Emotion and affect regulation

Family: Psychology and meaning | Atlas pages: 178–184 | Original status: Constructive protocol

Evidence-grounded native state

Internal state, context, physiology, cognition and social feedback

Receiving schema and recognition gap

Valence score or symptom label

Candidate blocker

Suppression improves appearance while physiological load rises

Named receiving carriers

Person and relationships

Constructive receiving capacity proposed in Atlas

State-aware regulation architecture with physiological feedback

Author-defined Mutual Uptick acceptance target

Emotional flexibility and physiological stability improve

Decisive experiment described in Atlas

Crossover intervention study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 019 · Emotion and affect regulation | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Internal state, context, physiology, cognition and social feedback. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Person and relationships. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Valence score or symptom label. Then test the specific candidate blocker: Suppression improves appearance while physiological load rises. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: State-aware regulation architecture with physiological feedback. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003, H011. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Emotional flexibility and physiological stability improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Crossover intervention study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 020 · Trust and fidelity between people

Family: Psychology and meaning | Atlas pages: 185–191 | Original status: Strong structural fit

Evidence-grounded native state

History, promises, evidence, uncertainty and reciprocity

Receiving schema and recognition gap

Trusted/untrusted binary

Candidate blocker

Trust is maintained by one side absorbing ambiguity or proof burden

Named receiving carriers

People and institutions

Constructive receiving capacity proposed in Atlas

Dynamic provenance and expectation architecture

Author-defined Mutual Uptick acceptance target

Trust, autonomy and verification cost improve together

Decisive experiment described in Atlas

Prospective trust-repair study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 020 · Trust and fidelity between people | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: History, promises, evidence, uncertainty and reciprocity. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: People and institutions. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Trusted/untrusted binary. Then test the specific candidate blocker: Trust is maintained by one side absorbing ambiguity or proof burden. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Dynamic provenance and expectation architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003, H011. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Trust, autonomy and verification cost improve together. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Prospective trust-repair study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 021 · Healthcare delivery

Family: Biomedical | Atlas pages: 193–199 | Original status: Established adjacent evidence

Evidence-grounded native state

Clinical state, logistics, caregiver capacity, finance and post-discharge environment

Receiving schema and recognition gap

Episode-of-care schema

Candidate blocker

Hospital optimization shifts work to home/caregiver

Named receiving carriers

Patient, caregiver, outpatient system

Constructive receiving capacity proposed in Atlas

Consequential discharge/care orchestration

Author-defined Mutual Uptick acceptance target

Health, readmission risk, caregiver load and cost improve

Decisive experiment described in Atlas

Pragmatic trial

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 021 · Healthcare delivery | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Clinical state, logistics, caregiver capacity, finance and post-discharge environment. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Patient, caregiver, outpatient system. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Episode-of-care schema. Then test the specific candidate blocker: Hospital optimization shifts work to home/caregiver. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Consequential discharge/care orchestration. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H002, H006, H008, H009, H011, H014, H015, H017. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Health, readmission risk, caregiver load and cost improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Pragmatic trial. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 022 · Diagnostics

Family: Biomedical | Atlas pages: 200–206 | Original status: Strong structural fit

Evidence-grounded native state

Underlying disease state, uncertainty, test characteristics and downstream actions

Receiving schema and recognition gap

Single test result

Candidate blocker

False certainty moves burden to overtreatment or missed disease

Named receiving carriers

Patient, clinician, payer

Constructive receiving capacity proposed in Atlas

Bayesian multi-source diagnostic schema + uncertainty communication

Author-defined Mutual Uptick acceptance target

Accuracy, timeliness, burden and downstream safety improve

Decisive experiment described in Atlas

Prospective blinded diagnostic study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 022 · Diagnostics | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Underlying disease state, uncertainty, test characteristics and downstream actions. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Patient, clinician, payer. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Single test result. Then test the specific candidate blocker: False certainty moves burden to overtreatment or missed disease. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Bayesian multi-source diagnostic schema + uncertainty communication. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H002, H009, H015. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Accuracy, timeliness, burden and downstream safety improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Prospective blinded diagnostic study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 023 · Cancer ecology

Family: Biomedical | Atlas pages: 207–213 | Original status: Regulated empirical frontier

Evidence-grounded native state

Clone mix, immune state, microenvironment, host reserve and therapy exposure

Receiving schema and recognition gap

Stage/tumor-size snapshot

Candidate blocker

Local kill selects resistant carriers or harms host

Named receiving carriers

Resistant clones, healthy tissue, immune system

Constructive receiving capacity proposed in Atlas

Adaptive ecological state estimator + resistance/host capacity

Author-defined Mutual Uptick acceptance target

Tumor, resistance, toxicity and host reserve improve together

Decisive experiment described in Atlas

Preclinical then clinical adaptive trial

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 023 · Cancer ecology | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Clone mix, immune state, microenvironment, host reserve and therapy exposure. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Resistant clones, healthy tissue, immune system. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Stage/tumor-size snapshot. Then test the specific candidate blocker: Local kill selects resistant carriers or harms host. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Adaptive ecological state estimator + resistance/host capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H017. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Tumor, resistance, toxicity and host reserve improve together. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Preclinical then clinical adaptive trial. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 024 · Neuroscience and neurodegeneration

Family: Biomedical | Atlas pages: 214–220 | Original status: Regulated empirical frontier

Evidence-grounded native state

Neural, glial, vascular, metabolic, network and functional state

Receiving schema and recognition gap

Single biomarker or visible function

Candidate blocker

Compensatory recruitment hides reserve depletion

Named receiving carriers

Neural networks, metabolism, caregiver

Constructive receiving capacity proposed in Atlas

Multimodal state estimator + restorative capacity controller

Author-defined Mutual Uptick acceptance target

Function and reserve rise while damage and compensation fall

Decisive experiment described in Atlas

Multimodal longitudinal intervention

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 024 · Neuroscience and neurodegeneration | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Neural, glial, vascular, metabolic, network and functional state. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Neural networks, metabolism, caregiver. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Single biomarker or visible function. Then test the specific candidate blocker: Compensatory recruitment hides reserve depletion. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Multimodal state estimator + restorative capacity controller. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H017. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Function and reserve rise while damage and compensation fall. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Multimodal longitudinal intervention. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 025 · Aging biology

Family: Biomedical | Atlas pages: 221–227 | Original status: Regulated empirical frontier

Evidence-grounded native state

Coupled damage, repair, senescence, immunity, metabolism and regeneration

Receiving schema and recognition gap

Age scalar or isolated hallmark

Candidate blocker

Repairing one hallmark moves bottleneck elsewhere

Named receiving carriers

Cells, tissues, immune system, metabolism

Constructive receiving capacity proposed in Atlas

Moving-bottleneck RVG controller across damage/repair channels

Author-defined Mutual Uptick acceptance target

Healthspan metrics rise without new dominant damage carrier

Decisive experiment described in Atlas

Preclinical multi-pathway study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 025 · Aging biology | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Coupled damage, repair, senescence, immunity, metabolism and regeneration. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Cells, tissues, immune system, metabolism. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Age scalar or isolated hallmark. Then test the specific candidate blocker: Repairing one hallmark moves bottleneck elsewhere. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Moving-bottleneck RVG controller across damage/repair channels. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H002, H006. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Healthspan metrics rise without new dominant damage carrier. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Preclinical multi-pathway study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 026 · Immunology

Family: Biomedical | Atlas pages: 228–234 | Original status: Regulated empirical frontier

Evidence-grounded native state

Immune activation, tolerance, pathogen/tumor signals and tissue damage

Receiving schema and recognition gap

Single cytokine or cell-count schema

Candidate blocker

Stronger response can create autoimmunity/tissue injury

Named receiving carriers

Pathogen, immune cells, host tissue

Constructive receiving capacity proposed in Atlas

State-dependent immune control balancing clearance and collateral damage

Author-defined Mutual Uptick acceptance target

Clearance, tolerance and tissue integrity improve

Decisive experiment described in Atlas

Controlled biological study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 026 · Immunology | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Immune activation, tolerance, pathogen/tumor signals and tissue damage. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Pathogen, immune cells, host tissue. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Single cytokine or cell-count schema. Then test the specific candidate blocker: Stronger response can create autoimmunity/tissue injury. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: State-dependent immune control balancing clearance and collateral damage. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H002, H006. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Clearance, tolerance and tissue integrity improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Controlled biological study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 027 · Infectious disease

Family: Biomedical | Atlas pages: 235–241 | Original status: Regulated/public-health frontier

Evidence-grounded native state

Pathogen dynamics, host immunity, behavior, network spread and treatment

Receiving schema and recognition gap

Case count or pathogen-only model

Candidate blocker

Control shifts burden across people, resistance or livelihoods

Named receiving carriers

Patients, contacts, health system, economy

Constructive receiving capacity proposed in Atlas

Multi-carrier containment + treatment + livelihood capacity

Author-defined Mutual Uptick acceptance target

Disease burden falls without disproportionate social/economic harm

Decisive experiment described in Atlas

Prospective outbreak protocol

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 027 · Infectious disease | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Pathogen dynamics, host immunity, behavior, network spread and treatment. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Patients, contacts, health system, economy. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Case count or pathogen-only model. Then test the specific candidate blocker: Control shifts burden across people, resistance or livelihoods. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Multi-carrier containment + treatment + livelihood capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H006, H009, H014. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Disease burden falls without disproportionate social/economic harm. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Prospective outbreak protocol. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 028 · Microbiome

Family: Biomedical | Atlas pages: 242–248 | Original status: Regulated empirical frontier

Evidence-grounded native state

Host physiology plus microbial ecology and diet/environment

Receiving schema and recognition gap

Species abundance snapshot

Candidate blocker

Changing one taxon shifts ecosystem function elsewhere

Named receiving carriers

Host and microbial community

Constructive receiving capacity proposed in Atlas

Functional ecosystem state model and adaptive intervention

Author-defined Mutual Uptick acceptance target

Host outcomes and ecosystem stability improve

Decisive experiment described in Atlas

Controlled longitudinal study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 028 · Microbiome | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Host physiology plus microbial ecology and diet/environment. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Host and microbial community. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Species abundance snapshot. Then test the specific candidate blocker: Changing one taxon shifts ecosystem function elsewhere. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Functional ecosystem state model and adaptive intervention. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H002, H006. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Host outcomes and ecosystem stability improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Controlled longitudinal study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 029 · Genomics and proteomics

Family: Biomedical | Atlas pages: 249–255 | Original status: Strong structural fit

Evidence-grounded native state

Variants, expression, proteins, pathways, context and phenotype

Receiving schema and recognition gap

Single marker/pathogenicity label

Candidate blocker

Marker-driven intervention misses network/context effects

Named receiving carriers

Cells, tissues, patient

Constructive receiving capacity proposed in Atlas

Multi-omic causal state architecture

Author-defined Mutual Uptick acceptance target

Target outcome improves without network collateral burden

Decisive experiment described in Atlas

Prospective multi-omic validation

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 029 · Genomics and proteomics | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Variants, expression, proteins, pathways, context and phenotype. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Cells, tissues, patient. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Single marker/pathogenicity label. Then test the specific candidate blocker: Marker-driven intervention misses network/context effects. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Multi-omic causal state architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H015, H017. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Target outcome improves without network collateral burden. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Prospective multi-omic validation. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 030 · Surgery and rehabilitation

Family: Biomedical | Atlas pages: 256–262 | Original status: Strong structural fit

Evidence-grounded native state

Anatomy, function, pain, recovery capacity, home support and risk

Receiving schema and recognition gap

Procedure success or anatomical correction

Candidate blocker

Technical success shifts burden to recovery/function

Named receiving carriers

Patient, caregiver, rehab system

Constructive receiving capacity proposed in Atlas

Prehabilitation + procedure + recovery orchestration

Author-defined Mutual Uptick acceptance target

Anatomy, function, pain and recovery burden improve

Decisive experiment described in Atlas

Pragmatic trial

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 030 · Surgery and rehabilitation | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Anatomy, function, pain, recovery capacity, home support and risk. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Patient, caregiver, rehab system. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Procedure success or anatomical correction. Then test the specific candidate blocker: Technical success shifts burden to recovery/function. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Prehabilitation + procedure + recovery orchestration. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H002, H006. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Anatomy, function, pain and recovery burden improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Pragmatic trial. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 031 · Early-childhood development and education

Family: Education, justice and governance | Atlas pages: 264–270 | Original status: Strong structural fit

Evidence-grounded native state

Development, safety, language, nutrition, play, attachment and resources

Receiving schema and recognition gap

Age milestone or readiness score

Candidate blocker

Academic gains can shift stress to child/family

Named receiving carriers

Child, caregiver, educator

Constructive receiving capacity proposed in Atlas

Integrated developmental support architecture

Author-defined Mutual Uptick acceptance target

Learning, wellbeing and caregiver capacity improve

Decisive experiment described in Atlas

Longitudinal program evaluation

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 031 · Early-childhood development and education | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Development, safety, language, nutrition, play, attachment and resources. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Child, caregiver, educator. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Age milestone or readiness score. Then test the specific candidate blocker: Academic gains can shift stress to child/family. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Integrated developmental support architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H001. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Learning, wellbeing and caregiver capacity improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Longitudinal program evaluation. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 032 · K-12 education

Family: Education, justice and governance | Atlas pages: 271–277 | Original status: Strong structural fit

Evidence-grounded native state

Knowledge, skills, wellbeing, context, resources and learning trajectory

Receiving schema and recognition gap

Grade/test score

Candidate blocker

Score gains shift burden to stress, teaching-to-test or exclusion

Named receiving carriers

Student, teacher, family

Constructive receiving capacity proposed in Atlas

Capability graph + adaptive learning + wellbeing constraints

Author-defined Mutual Uptick acceptance target

Learning, wellbeing, teacher load and equity improve

Decisive experiment described in Atlas

Cluster randomized trial

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 032 · K-12 education | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Knowledge, skills, wellbeing, context, resources and learning trajectory. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Student, teacher, family. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Grade/test score. Then test the specific candidate blocker: Score gains shift burden to stress, teaching-to-test or exclusion. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Capability graph + adaptive learning + wellbeing constraints. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H001, H003. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Learning, wellbeing, teacher load and equity improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Cluster randomized trial. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 033 · Higher education

Family: Education, justice and governance | Atlas pages: 278–284 | Original status: Constructive protocol

Evidence-grounded native state

Capability, knowledge, network, finances and career pathways

Receiving schema and recognition gap

Degree/GPA credential

Candidate blocker

Credential value shifts debt or mismatch to student/employer

Named receiving carriers

Student, family, employer

Constructive receiving capacity proposed in Atlas

Capability/provenance portfolio + adaptive pathways

Author-defined Mutual Uptick acceptance target

Learning, employability, affordability and wellbeing improve

Decisive experiment described in Atlas

Longitudinal graduate outcomes

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 033 · Higher education | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Capability, knowledge, network, finances and career pathways. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Student, family, employer. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Degree/GPA credential. Then test the specific candidate blocker: Credential value shifts debt or mismatch to student/employer. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Capability/provenance portfolio + adaptive pathways. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H001, H003. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Learning, employability, affordability and wellbeing improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Longitudinal graduate outcomes. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 034 · Vocational and workforce learning

Family: Education, justice and governance | Atlas pages: 285–291 | Original status: Strong structural fit

Evidence-grounded native state

Skills, task demand, wages, mobility and employer needs

Receiving schema and recognition gap

Course completion certificate

Candidate blocker

Training success without placement or wage gain

Named receiving carriers

Worker, employer, training provider

Constructive receiving capacity proposed in Atlas

Skill-to-task provenance and placement architecture

Author-defined Mutual Uptick acceptance target

Skill, earnings, job quality and employer performance improve

Decisive experiment described in Atlas

Matched labor-market evaluation

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 034 · Vocational and workforce learning | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Skills, task demand, wages, mobility and employer needs. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Worker, employer, training provider. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Course completion certificate. Then test the specific candidate blocker: Training success without placement or wage gain. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Skill-to-task provenance and placement architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H001, H004. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Skill, earnings, job quality and employer performance improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Matched labor-market evaluation. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 035 · Scientific research

Family: Education, justice and governance | Atlas pages: 292–298 | Original status: Strong structural fit

Evidence-grounded native state

Hypotheses, methods, data, negative results, replication and incentives

Receiving schema and recognition gap

Publication/citation unit

Candidate blocker

Publication success shifts reproducibility burden downstream

Named receiving carriers

Researchers, institutions, public

Constructive receiving capacity proposed in Atlas

Experiment provenance + negative-result + replication architecture

Author-defined Mutual Uptick acceptance target

Discovery, reproducibility, speed and researcher burden improve

Decisive experiment described in Atlas

Cross-lab replication program

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 035 · Scientific research | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Hypotheses, methods, data, negative results, replication and incentives. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Researchers, institutions, public. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Publication/citation unit. Then test the specific candidate blocker: Publication success shifts reproducibility burden downstream. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Experiment provenance + negative-result + replication architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H001, H003. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Discovery, reproducibility, speed and researcher burden improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Cross-lab replication program. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 036 · Justice and courts

Family: Education, justice and governance | Atlas pages: 299–305 | Original status: High-stakes protocol

Evidence-grounded native state

Facts, evidence, harm, intent, procedure, history and remedies

Receiving schema and recognition gap

Case category or docket state

Candidate blocker

Procedural resolution leaves harm, delay or recurrence elsewhere

Named receiving carriers

Victims, accused, families, courts, community

Constructive receiving capacity proposed in Atlas

Causal provenance + harm/restitution + recurrence architecture

Author-defined Mutual Uptick acceptance target

Accuracy, due process, restoration, safety and timeliness improve

Decisive experiment described in Atlas

Prospective process evaluation

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 036 · Justice and courts | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Facts, evidence, harm, intent, procedure, history and remedies. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Victims, accused, families, courts, community. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Case category or docket state. Then test the specific candidate blocker: Procedural resolution leaves harm, delay or recurrence elsewhere. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Causal provenance + harm/restitution + recurrence architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H001, H003. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Accuracy, due process, restoration, safety and timeliness improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Prospective process evaluation. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 037 · Policing and public safety systems

Family: Education, justice and governance | Atlas pages: 306–312 | Original status: High-stakes protocol

Evidence-grounded native state

Threat, context, evidence, community trust, capacity and alternatives

Receiving schema and recognition gap

Incident/offense label

Candidate blocker

Local enforcement shifts fear, distrust, displacement or recurrence

Named receiving carriers

Residents, officers, victims, institutions

Constructive receiving capacity proposed in Atlas

Evidence-first response selection + prevention/support capacity

Author-defined Mutual Uptick acceptance target

Safety and trust improve while unnecessary coercive burden falls

Decisive experiment described in Atlas

Independent public evaluation

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 037 · Policing and public safety systems | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Threat, context, evidence, community trust, capacity and alternatives. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Residents, officers, victims, institutions. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Incident/offense label. Then test the specific candidate blocker: Local enforcement shifts fear, distrust, displacement or recurrence. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Evidence-first response selection + prevention/support capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H001, H003. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Safety and trust improve while unnecessary coercive burden falls. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Independent public evaluation. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 038 · Corrections, rehabilitation and reintegration

Family: Education, justice and governance | Atlas pages: 313–319 | Original status: High-stakes protocol

Evidence-grounded native state

Risk, harm, needs, skills, housing, work and social support

Receiving schema and recognition gap

Sentence/recidivism risk label

Candidate blocker

Custody may defer burden to reentry, family or community

Named receiving carriers

Person, family, community, justice system

Constructive receiving capacity proposed in Atlas

Rehabilitation + restitution + housing/work capacity

Author-defined Mutual Uptick acceptance target

Safety and reintegration improve while recurrence falls

Decisive experiment described in Atlas

Longitudinal controlled program

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 038 · Corrections, rehabilitation and reintegration | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Risk, harm, needs, skills, housing, work and social support. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Person, family, community, justice system. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Sentence/recidivism risk label. Then test the specific candidate blocker: Custody may defer burden to reentry, family or community. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Rehabilitation + restitution + housing/work capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H002, H011. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Safety and reintegration improve while recurrence falls. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Longitudinal controlled program. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 039 · Public administration

Family: Education, justice and governance | Atlas pages: 320–326 | Original status: Strong structural fit

Evidence-grounded native state

Citizen state, eligibility, documents, services and agency capacity

Receiving schema and recognition gap

Program-specific record

Candidate blocker

Citizen repeatedly translates same reality across agencies

Named receiving carriers

Citizen, frontline staff, budget

Constructive receiving capacity proposed in Atlas

Interoperable verified state + once-only data + case orchestration

Author-defined Mutual Uptick acceptance target

Access, accuracy, staff workload and cost improve

Decisive experiment described in Atlas

Agency pilot with citizen/staff metrics

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 039 · Public administration | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Citizen state, eligibility, documents, services and agency capacity. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Citizen, frontline staff, budget. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Program-specific record. Then test the specific candidate blocker: Citizen repeatedly translates same reality across agencies. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Interoperable verified state + once-only data + case orchestration. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H009, H013. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Access, accuracy, staff workload and cost improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Agency pilot with citizen/staff metrics. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 040 · Governance and institutional design

Family: Education, justice and governance | Atlas pages: 327–333 | Original status: Constructive protocol

Evidence-grounded native state

Authority, incentives, information, accountability, resources and affected populations

Receiving schema and recognition gap

Organizational chart or legal mandate

Candidate blocker

Local agency success exports burden to another agency/population

Named receiving carriers

Citizens, agencies, future administrations

Constructive receiving capacity proposed in Atlas

Cross-boundary outcome ledger + accountability and capacity design

Author-defined Mutual Uptick acceptance target

Service quality, legitimacy, cost and resilience improve

Decisive experiment described in Atlas

Prospective institutional pilot

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 040 · Governance and institutional design | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Authority, incentives, information, accountability, resources and affected populations. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Citizens, agencies, future administrations. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Organizational chart or legal mandate. Then test the specific candidate blocker: Local agency success exports burden to another agency/population. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Cross-boundary outcome ledger + accountability and capacity design. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H001, H003. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Service quality, legitimacy, cost and resilience improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Prospective institutional pilot. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 041 · Beauty and aesthetics

Family: Culture, beauty and experience | Atlas pages: 335–341 | Original status: Constructive protocol

Evidence-grounded native state

Biology, preference, culture, identity, safety, cost and perception

Receiving schema and recognition gap

Universal beauty standard or product category

Candidate blocker

Aesthetic gain shifts health, money or self-perception burden

Named receiving carriers

Person, body, household

Constructive receiving capacity proposed in Atlas

Personalized aesthetic/safety state architecture

Author-defined Mutual Uptick acceptance target

Desired aesthetics, health, autonomy and affordability improve

Decisive experiment described in Atlas

Consumer/clinical outcome study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 041 · Beauty and aesthetics | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Biology, preference, culture, identity, safety, cost and perception. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Person, body, household. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Universal beauty standard or product category. Then test the specific candidate blocker: Aesthetic gain shifts health, money or self-perception burden. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Personalized aesthetic/safety state architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H010. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Desired aesthetics, health, autonomy and affordability improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Consumer/clinical outcome study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 042 · Fashion and apparel

Family: Culture, beauty and experience | Atlas pages: 342–348 | Original status: Strong structural fit

Evidence-grounded native state

Identity, fit, comfort, durability, labor, inventory and lifecycle

Receiving schema and recognition gap

Size/SKU/category schema

Candidate blocker

Style success shifts fit, waste or labor burden

Named receiving carriers

Wearer, worker, retailer, environment

Constructive receiving capacity proposed in Atlas

Adaptive sizing + provenance + circularity architecture

Author-defined Mutual Uptick acceptance target

Fit, identity, durability, labor and waste metrics improve

Decisive experiment described in Atlas

Retail field experiment

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 042 · Fashion and apparel | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Identity, fit, comfort, durability, labor, inventory and lifecycle. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Wearer, worker, retailer, environment. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Size/SKU/category schema. Then test the specific candidate blocker: Style success shifts fit, waste or labor burden. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Adaptive sizing + provenance + circularity architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H010. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Fit, identity, durability, labor and waste metrics improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Retail field experiment. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 043 · Luxury goods

Family: Culture, beauty and experience | Atlas pages: 349–355 | Original status: Origin-business fit

Evidence-grounded native state

Provenance, scarcity, condition, access, identity, inventory and lifecycle value

Receiving schema and recognition gap

Price/status/authenticity binary

Candidate blocker

Brand/access value shifts waste, capital lockup or trust burden

Named receiving carriers

Buyer, seller, inventory, environment

Constructive receiving capacity proposed in Atlas

Provenance + condition + access + reconciliation layer

Author-defined Mutual Uptick acceptance target

Value retention, trust, access and waste outcomes improve

Decisive experiment described in Atlas

Operational field study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 043 · Luxury goods | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Provenance, scarcity, condition, access, identity, inventory and lifecycle value. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Buyer, seller, inventory, environment. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Price/status/authenticity binary. Then test the specific candidate blocker: Brand/access value shifts waste, capital lockup or trust burden. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Provenance + condition + access + reconciliation layer. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H010. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Value retention, trust, access and waste outcomes improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Operational field study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 044 · Hospitality

Family: Culture, beauty and experience | Atlas pages: 356–362 | Original status: Strong structural fit

Evidence-grounded native state

Guest needs, staff capacity, time, room state, logistics and locality

Receiving schema and recognition gap

Booking/reservation state

Candidate blocker

Guest delight shifts hidden labor or local burden

Named receiving carriers

Guest, staff, operator, locality

Constructive receiving capacity proposed in Atlas

End-to-end experience and workload orchestration

Author-defined Mutual Uptick acceptance target

Guest experience, staff wellbeing and economics improve

Decisive experiment described in Atlas

Property-level A/B evaluation

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 044 · Hospitality | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Guest needs, staff capacity, time, room state, logistics and locality. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Guest, staff, operator, locality. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Booking/reservation state. Then test the specific candidate blocker: Guest delight shifts hidden labor or local burden. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: End-to-end experience and workload orchestration. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H010. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Guest experience, staff wellbeing and economics improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Property-level A/B evaluation. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 045 · Travel and tourism

Family: Culture, beauty and experience | Atlas pages: 363–369 | Original status: Constructive protocol

Evidence-grounded native state

Mobility, cost, safety, experience, local capacity and environment

Receiving schema and recognition gap

Itinerary/booking schema

Candidate blocker

Visitor gain shifts congestion, environmental or resident burden

Named receiving carriers

Traveler, worker, resident, ecosystem

Constructive receiving capacity proposed in Atlas

Consequential itinerary/capacity controller

Author-defined Mutual Uptick acceptance target

Experience, resident value, worker conditions and environmental load improve

Decisive experiment described in Atlas

Destination pilot

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 045 · Travel and tourism | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Mobility, cost, safety, experience, local capacity and environment. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Traveler, worker, resident, ecosystem. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Itinerary/booking schema. Then test the specific candidate blocker: Visitor gain shifts congestion, environmental or resident burden. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Consequential itinerary/capacity controller. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H010. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Experience, resident value, worker conditions and environmental load improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Destination pilot. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 046 · Art and cultural markets

Family: Culture, beauty and experience | Atlas pages: 370–376 | Original status: Constructive protocol

Evidence-grounded native state

Creative work, provenance, rights, cultural meaning, scarcity and audience

Receiving schema and recognition gap

Price/ownership/engagement proxy

Candidate blocker

Platform or collector gain shifts creator/community value

Named receiving carriers

Artist, audience, collector, community

Constructive receiving capacity proposed in Atlas

Rights/provenance/value-sharing architecture

Author-defined Mutual Uptick acceptance target

Creator income, access, provenance and cultural stewardship improve

Decisive experiment described in Atlas

Marketplace field study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 046 · Art and cultural markets | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Creative work, provenance, rights, cultural meaning, scarcity and audience. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Artist, audience, collector, community. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Price/ownership/engagement proxy. Then test the specific candidate blocker: Platform or collector gain shifts creator/community value. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Rights/provenance/value-sharing architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H010. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Creator income, access, provenance and cultural stewardship improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Marketplace field study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 047 · Music and entertainment

Family: Culture, beauty and experience | Atlas pages: 377–383 | Original status: Constructive protocol

Evidence-grounded native state

Creative contribution, rights, attention, audience value and platform economics

Receiving schema and recognition gap

Stream/view count

Candidate blocker

Engagement gain shifts creator income or audience wellbeing

Named receiving carriers

Creators, audiences, platforms

Constructive receiving capacity proposed in Atlas

Contribution/provenance + value-distribution architecture

Author-defined Mutual Uptick acceptance target

Creator value and audience experience improve without exploitative load

Decisive experiment described in Atlas

Platform experiment

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 047 · Music and entertainment | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Creative contribution, rights, attention, audience value and platform economics. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Creators, audiences, platforms. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Stream/view count. Then test the specific candidate blocker: Engagement gain shifts creator income or audience wellbeing. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Contribution/provenance + value-distribution architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H010. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Creator value and audience experience improve without exploitative load. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Platform experiment. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 048 · Gaming and virtual worlds

Family: Culture, beauty and experience | Atlas pages: 384–390 | Original status: Constructive protocol

Evidence-grounded native state

Player goals, time, identity, economy, safety and creator contribution

Receiving schema and recognition gap

Retention/spend metric

Candidate blocker

Revenue shifts time, financial or social burden to players

Named receiving carriers

Players, creators, communities

Constructive receiving capacity proposed in Atlas

Cross-reality value and safety controller

Author-defined Mutual Uptick acceptance target

Fun, agency, creator value and safety improve

Decisive experiment described in Atlas

Platform experiment

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 048 · Gaming and virtual worlds | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Player goals, time, identity, economy, safety and creator contribution. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Players, creators, communities. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Retention/spend metric. Then test the specific candidate blocker: Revenue shifts time, financial or social burden to players. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Cross-reality value and safety controller. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H010. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Fun, agency, creator value and safety improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Platform experiment. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 049 · Sports and performance

Family: Culture, beauty and experience | Atlas pages: 391–397 | Original status: Strong structural fit

Evidence-grounded native state

Performance, health, training load, recovery, team dynamics and career horizon

Receiving schema and recognition gap

Win/score/output metric

Candidate blocker

Performance gains shift injury or burnout burden

Named receiving carriers

Athlete, team, family, future self

Constructive receiving capacity proposed in Atlas

Load/recovery/career controller

Author-defined Mutual Uptick acceptance target

Performance, health, longevity and team value improve

Decisive experiment described in Atlas

Prospective team study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 049 · Sports and performance | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Performance, health, training load, recovery, team dynamics and career horizon. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Athlete, team, family, future self. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Win/score/output metric. Then test the specific candidate blocker: Performance gains shift injury or burnout burden. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Load/recovery/career controller. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H010. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Performance, health, longevity and team value improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Prospective team study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 050 · Experience design and events

Family: Culture, beauty and experience | Atlas pages: 398–404 | Original status: Constructive protocol

Evidence-grounded native state

Attention, emotion, logistics, accessibility, staff load and community impact

Receiving schema and recognition gap

Attendance/NPS/ticket revenue

Candidate blocker

Experience gains shift queues, labor, exclusion or neighborhood burden

Named receiving carriers

Guests, staff, locality

Constructive receiving capacity proposed in Atlas

End-to-end experience-state orchestration

Author-defined Mutual Uptick acceptance target

Experience, access, worker load and local impact improve

Decisive experiment described in Atlas

Event A/B study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 050 · Experience design and events | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Attention, emotion, logistics, accessibility, staff load and community impact. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Guests, staff, locality. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Attendance/NPS/ticket revenue. Then test the specific candidate blocker: Experience gains shift queues, labor, exclusion or neighborhood burden. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: End-to-end experience-state orchestration. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H010. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Experience, access, worker load and local impact improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Event A/B study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 051 · Currency and monetary experience

Family: Money, markets and organizations | Atlas pages: 406–412 | Original status: Constructive protocol

Evidence-grounded native state

Purchasing power, liquidity, settlement, access, trust and macro context

Receiving schema and recognition gap

Nominal unit/FX quote

Candidate blocker

Nominal stability hides distributional or transaction burden

Named receiving carriers

Households, firms, intermediaries

Constructive receiving capacity proposed in Atlas

Consequential monetary-state and settlement architecture

Author-defined Mutual Uptick acceptance target

Access, settlement, purchasing stability and systemic resilience improve

Decisive experiment described in Atlas

Historical + prospective policy-neutral system test

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 051 · Currency and monetary experience | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Purchasing power, liquidity, settlement, access, trust and macro context. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Households, firms, intermediaries. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Nominal unit/FX quote. Then test the specific candidate blocker: Nominal stability hides distributional or transaction burden. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Consequential monetary-state and settlement architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H004, H012. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Access, settlement, purchasing stability and systemic resilience improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Historical + prospective policy-neutral system test. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 052 · Payments and remittances

Family: Money, markets and organizations | Atlas pages: 413–419 | Original status: Strong structural fit

Evidence-grounded native state

Amount, fees, FX, settlement time, access, fraud and recipient liquidity

Receiving schema and recognition gap

Successful transfer binary

Candidate blocker

Speed or compliance shifts cost/friction to sender or receiver

Named receiving carriers

Sender, receiver, provider

Constructive receiving capacity proposed in Atlas

End-to-end transfer optimization with transparent provenance

Author-defined Mutual Uptick acceptance target

Cost, speed, safety and recipient value improve

Decisive experiment described in Atlas

Transaction-level field test

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 052 · Payments and remittances | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Amount, fees, FX, settlement time, access, fraud and recipient liquidity. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Sender, receiver, provider. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Successful transfer binary. Then test the specific candidate blocker: Speed or compliance shifts cost/friction to sender or receiver. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: End-to-end transfer optimization with transparent provenance. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H012. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Cost, speed, safety and recipient value improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Transaction-level field test. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 053 · Banking and liquidity

Family: Money, markets and organizations | Atlas pages: 420–426 | Original status: Strong structural fit

Evidence-grounded native state

Deposits, credit, liquidity, capital, customer state and network exposures

Receiving schema and recognition gap

Product/account or institution-local balance sheet

Candidate blocker

Risk shifts to customer, NBFI, taxpayer or future period

Named receiving carriers

Banks, customers, counterparties, public

Constructive receiving capacity proposed in Atlas

Network consequential balance sheet + capacity buffers

Author-defined Mutual Uptick acceptance target

Liquidity, access, resilience and customer outcomes improve

Decisive experiment described in Atlas

Stress test + pilot

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 053 · Banking and liquidity | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Deposits, credit, liquidity, capital, customer state and network exposures. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Banks, customers, counterparties, public. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Product/account or institution-local balance sheet. Then test the specific candidate blocker: Risk shifts to customer, NBFI, taxpayer or future period. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Network consequential balance sheet + capacity buffers. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H004, H012. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Liquidity, access, resilience and customer outcomes improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Stress test + pilot. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 054 · Credit and underwriting

Family: Money, markets and organizations | Atlas pages: 427–433 | Original status: Constructive protocol

Evidence-grounded native state

Cashflow, assets, obligations, trajectory, capability and uncertainty

Receiving schema and recognition gap

Static score/category

Candidate blocker

Risk reduction denies productive capacity or shifts cost elsewhere

Named receiving carriers

Borrower, lender, community

Constructive receiving capacity proposed in Atlas

Dynamic provenance/capacity underwriting

Author-defined Mutual Uptick acceptance target

Default risk and productive opportunity improve together

Decisive experiment described in Atlas

Prospective lending trial

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 054 · Credit and underwriting | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Cashflow, assets, obligations, trajectory, capability and uncertainty. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Borrower, lender, community. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Static score/category. Then test the specific candidate blocker: Risk reduction denies productive capacity or shifts cost elsewhere. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Dynamic provenance/capacity underwriting. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H004, H012. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Default risk and productive opportunity improve together. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Prospective lending trial. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 055 · Insurance and resilience

Family: Money, markets and organizations | Atlas pages: 434–440 | Original status: Constructive protocol

Evidence-grounded native state

Hazard, exposure, prevention, coverage, recovery and incentives

Receiving schema and recognition gap

Loss probability/policy class

Candidate blocker

Risk transfer leaves hazard untouched or creates moral hazard

Named receiving carriers

Policyholder, insurer, community

Constructive receiving capacity proposed in Atlas

Prevention + resilience + coverage architecture

Author-defined Mutual Uptick acceptance target

Losses, recovery time, affordability and insurer viability improve

Decisive experiment described in Atlas

Pilot product evaluation

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 055 · Insurance and resilience | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Hazard, exposure, prevention, coverage, recovery and incentives. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Policyholder, insurer, community. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Loss probability/policy class. Then test the specific candidate blocker: Risk transfer leaves hazard untouched or creates moral hazard. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Prevention + resilience + coverage architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H010, H012. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Losses, recovery time, affordability and insurer viability improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Pilot product evaluation. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 056 · Capital markets and investing

Family: Money, markets and organizations | Atlas pages: 441–447 | Original status: Constructive protocol

Evidence-grounded native state

Price, cashflow, externalities, network risk and long-horizon value

Receiving schema and recognition gap

Return/risk factor set

Candidate blocker

Portfolio gain can externalize future or nonmarket cost

Named receiving carriers

Investor, firm, workers, public, environment

Constructive receiving capacity proposed in Atlas

Consequential asset ledger with carrier constraints

Author-defined Mutual Uptick acceptance target

Risk-adjusted return and protected carrier outcomes improve

Decisive experiment described in Atlas

Historical backtest + prospective paper portfolio

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 056 · Capital markets and investing | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Price, cashflow, externalities, network risk and long-horizon value. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Investor, firm, workers, public, environment. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Return/risk factor set. Then test the specific candidate blocker: Portfolio gain can externalize future or nonmarket cost. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Consequential asset ledger with carrier constraints. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H004, H012. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Risk-adjusted return and protected carrier outcomes improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Historical backtest + prospective paper portfolio. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 057 · Private wealth and family capital

Family: Money, markets and organizations | Atlas pages: 448–454 | Original status: Constructive protocol

Evidence-grounded native state

Financial, human, social, health and intergenerational capital

Receiving schema and recognition gap

Portfolio net worth

Candidate blocker

Return maximization shifts life or family burden

Named receiving carriers

Client, family, future generations

Constructive receiving capacity proposed in Atlas

Whole-capital balance sheet + goals/capacity controller

Author-defined Mutual Uptick acceptance target

Wealth, resilience, health and intergenerational outcomes improve

Decisive experiment described in Atlas

Longitudinal client evaluation

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 057 · Private wealth and family capital | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Financial, human, social, health and intergenerational capital. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Client, family, future generations. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Portfolio net worth. Then test the specific candidate blocker: Return maximization shifts life or family burden. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Whole-capital balance sheet + goals/capacity controller. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H004, H012. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Wealth, resilience, health and intergenerational outcomes improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Longitudinal client evaluation. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 058 · Labor and talent markets

Family: Money, markets and organizations | Atlas pages: 455–461 | Original status: Strong structural fit

Evidence-grounded native state

Capability, workload, pay, health, learning and opportunity

Receiving schema and recognition gap

Job title/CV/credential

Candidate blocker

Employer output shifts invisible effort or underutilizes capability

Named receiving carriers

Worker, family, employer

Constructive receiving capacity proposed in Atlas

Capability-state + workload + mobility architecture

Author-defined Mutual Uptick acceptance target

Productivity, pay, health and retention improve

Decisive experiment described in Atlas

Workplace pilot

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 058 · Labor and talent markets | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Capability, workload, pay, health, learning and opportunity. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Worker, family, employer. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Job title/CV/credential. Then test the specific candidate blocker: Employer output shifts invisible effort or underutilizes capability. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Capability-state + workload + mobility architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H004, H012. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Productivity, pay, health and retention improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Workplace pilot. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 059 · Organizations and enterprises

Family: Money, markets and organizations | Atlas pages: 462–468 | Original status: Strong structural fit

Evidence-grounded native state

Functions, dependencies, people, cash, knowledge and customer value

Receiving schema and recognition gap

Department/KPI structure

Candidate blocker

Department success moves burden to another team/customer

Named receiving carriers

Workers, customers, suppliers

Constructive receiving capacity proposed in Atlas

Enterprise consequential graph + capacity placement

Author-defined Mutual Uptick acceptance target

Customer, worker, financial and resilience outcomes improve

Decisive experiment described in Atlas

Multi-team field experiment

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 059 · Organizations and enterprises | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Functions, dependencies, people, cash, knowledge and customer value. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Workers, customers, suppliers. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Department/KPI structure. Then test the specific candidate blocker: Department success moves burden to another team/customer. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Enterprise consequential graph + capacity placement. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H004. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Customer, worker, financial and resilience outcomes improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Multi-team field experiment. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 060 · Entrepreneurship and venture creation

Family: Money, markets and organizations | Atlas pages: 469–475 | Original status: Origin-business fit

Evidence-grounded native state

Unmet burden, carrier, willingness to pay, build cost and adoption

Receiving schema and recognition gap

Existing market category/TAM

Candidate blocker

No category exists because burden is hidden or dispersed

Named receiving carriers

Founder initially, then customer/system

Constructive receiving capacity proposed in Atlas

Mutual-Uptick blocker discovery + missing-capacity build

Author-defined Mutual Uptick acceptance target

Customer and surrounding carriers gain while venture captures part of released value

Decisive experiment described in Atlas

Pilot venture with carrier ledger

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 060 · Entrepreneurship and venture creation | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Unmet burden, carrier, willingness to pay, build cost and adoption. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Founder initially, then customer/system. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Existing market category/TAM. Then test the specific candidate blocker: No category exists because burden is hidden or dispersed. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Mutual-Uptick blocker discovery + missing-capacity build. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H004, H012. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Customer and surrounding carriers gain while venture captures part of released value. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Pilot venture with carrier ledger. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 061 · Artificial intelligence

Family: Technology and information | Atlas pages: 477–483 | Original status: Strong constructive fit

Evidence-grounded native state

Model state, source reality, user intent, provenance, uncertainty and downstream action

Receiving schema and recognition gap

Prompt/context window/model output

Candidate blocker

Model utility shifts verification and error burden to humans

Named receiving carriers

User, verifier, downstream system, compute

Constructive receiving capacity proposed in Atlas

Persistent schema/provenance layer + self-audit and escalation

Author-defined Mutual Uptick acceptance target

Utility, correctness, verification load and resource efficiency improve

Decisive experiment described in Atlas

Sealed cross-model benchmark

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 061 · Artificial intelligence | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Model state, source reality, user intent, provenance, uncertainty and downstream action. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: User, verifier, downstream system, compute. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Prompt/context window/model output. Then test the specific candidate blocker: Model utility shifts verification and error burden to humans. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Persistent schema/provenance layer + self-audit and escalation. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H008. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Utility, correctness, verification load and resource efficiency improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Sealed cross-model benchmark. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 062 · Software systems

Family: Technology and information | Atlas pages: 484–490 | Original status: Strong structural fit

Evidence-grounded native state

Requirements, dependencies, state, users, infrastructure and technical debt

Receiving schema and recognition gap

Feature/ticket/local module schema

Candidate blocker

Feature success shifts debt or failure to dependencies

Named receiving carriers

Developers, users, infrastructure

Constructive receiving capacity proposed in Atlas

Dependency/provenance graph + consequential release controller

Author-defined Mutual Uptick acceptance target

User value, reliability, maintainability and developer load improve

Decisive experiment described in Atlas

Repository-level prospective benchmark

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 062 · Software systems | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Requirements, dependencies, state, users, infrastructure and technical debt. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Developers, users, infrastructure. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Feature/ticket/local module schema. Then test the specific candidate blocker: Feature success shifts debt or failure to dependencies. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Dependency/provenance graph + consequential release controller. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H008. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: User value, reliability, maintainability and developer load improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Repository-level prospective benchmark. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 063 · Cybersecurity

Family: Technology and information | Atlas pages: 491–497 | Original status: Strong constructive fit

Evidence-grounded native state

Actual attack graph, identities, vulnerabilities, privileges and attacker state

Receiving schema and recognition gap

Defender inventory/rules/log view

Candidate blocker

Blocking one path moves attacker or analyst burden elsewhere

Named receiving carriers

Systems, users, analysts, business continuity

Constructive receiving capacity proposed in Atlas

Self-updating attack schema + carrier prediction + safe containment/failover

Author-defined Mutual Uptick acceptance target

Loss, compromise, analyst load and downtime all fall

Decisive experiment described in Atlas

Red-team sealed telemetry benchmark

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 063 · Cybersecurity | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Actual attack graph, identities, vulnerabilities, privileges and attacker state. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Systems, users, analysts, business continuity. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Defender inventory/rules/log view. Then test the specific candidate blocker: Blocking one path moves attacker or analyst burden elsewhere. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Self-updating attack schema + carrier prediction + safe containment/failover. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H008. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Loss, compromise, analyst load and downtime all fall. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Red-team sealed telemetry benchmark. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 064 · Data infrastructure

Family: Technology and information | Atlas pages: 498–504 | Original status: Strong structural fit

Evidence-grounded native state

Datasets, lineage, semantics, permissions, quality and downstream uses

Receiving schema and recognition gap

Table/file/schema local view

Candidate blocker

Cleaning one layer shifts ambiguity downstream

Named receiving carriers

Analysts, models, users, compliance

Constructive receiving capacity proposed in Atlas

Provenance graph + semantic reconciliation layer

Author-defined Mutual Uptick acceptance target

Quality, reuse, privacy and maintenance burden improve

Decisive experiment described in Atlas

Enterprise data benchmark

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 064 · Data infrastructure | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Datasets, lineage, semantics, permissions, quality and downstream uses. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Analysts, models, users, compliance. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Table/file/schema local view. Then test the specific candidate blocker: Cleaning one layer shifts ambiguity downstream. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Provenance graph + semantic reconciliation layer. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H008. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Quality, reuse, privacy and maintenance burden improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Enterprise data benchmark. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 065 · Privacy

Family: Technology and information | Atlas pages: 505–511 | Original status: Strong structural fit

Evidence-grounded native state

Data state, purposes, consent, exposure, value and future misuse

Receiving schema and recognition gap

Consent checkbox or access-control list

Candidate blocker

Utility shifts surveillance/risk burden to individuals

Named receiving carriers

Person, organization, future self

Constructive receiving capacity proposed in Atlas

Selective disclosure + provenance + minimization architecture

Author-defined Mutual Uptick acceptance target

Utility and organizational value improve while exposure falls

Decisive experiment described in Atlas

Field trial + attack testing

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 065 · Privacy | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Data state, purposes, consent, exposure, value and future misuse. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Person, organization, future self. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Consent checkbox or access-control list. Then test the specific candidate blocker: Utility shifts surveillance/risk burden to individuals. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Selective disclosure + provenance + minimization architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H008. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Utility and organizational value improve while exposure falls. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Field trial + attack testing. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 066 · Digital identity

Family: Technology and information | Atlas pages: 512–518 | Original status: Strong structural fit

Evidence-grounded native state

Attributes, credentials, context, revocation, privacy and trust

Receiving schema and recognition gap

Single identifier/account

Candidate blocker

Verification success creates overcollection or exclusion

Named receiving carriers

Person, verifier, issuer

Constructive receiving capacity proposed in Atlas

Selective-verification credential graph

Author-defined Mutual Uptick acceptance target

Verification, privacy, portability and access improve

Decisive experiment described in Atlas

Cross-service pilot

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 066 · Digital identity | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Attributes, credentials, context, revocation, privacy and trust. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Person, verifier, issuer. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Single identifier/account. Then test the specific candidate blocker: Verification success creates overcollection or exclusion. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Selective-verification credential graph. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H008. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Verification, privacy, portability and access improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Cross-service pilot. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 067 · Internet and communications

Family: Technology and information | Atlas pages: 519–525 | Original status: Constructive protocol

Evidence-grounded native state

Topology, capacity, latency, content, trust and user needs

Receiving schema and recognition gap

Throughput/uptime metric

Candidate blocker

Speed shifts attention, misinformation or energy burden

Named receiving carriers

Users, networks, platforms

Constructive receiving capacity proposed in Atlas

Consequential routing + fidelity/provenance layers

Author-defined Mutual Uptick acceptance target

Performance, reliability, trust and energy efficiency improve

Decisive experiment described in Atlas

Network/application experiment

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 067 · Internet and communications | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Topology, capacity, latency, content, trust and user needs. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Users, networks, platforms. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Throughput/uptime metric. Then test the specific candidate blocker: Speed shifts attention, misinformation or energy burden. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Consequential routing + fidelity/provenance layers. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H008. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Performance, reliability, trust and energy efficiency improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Network/application experiment. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 068 · Media and information ecosystems

Family: Technology and information | Atlas pages: 526–532 | Original status: Constructive protocol

Evidence-grounded native state

Claims, evidence, incentives, attention, creators and audiences

Receiving schema and recognition gap

Engagement/feed rank

Candidate blocker

Attention gain shifts cognition or information quality burden

Named receiving carriers

Audience, creator, public discourse

Constructive receiving capacity proposed in Atlas

Claim provenance + quality + incentive reconciliation

Author-defined Mutual Uptick acceptance target

Reach, creator value and information quality improve

Decisive experiment described in Atlas

Platform experiment

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 068 · Media and information ecosystems | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Claims, evidence, incentives, attention, creators and audiences. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Audience, creator, public discourse. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Engagement/feed rank. Then test the specific candidate blocker: Attention gain shifts cognition or information quality burden. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Claim provenance + quality + incentive reconciliation. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H008. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Reach, creator value and information quality improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Platform experiment. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 069 · Language and translation

Family: Technology and information | Atlas pages: 533–539 | Original status: Strong structural fit

Evidence-grounded native state

Meaning, context, culture, pragmatics and uncertainty

Receiving schema and recognition gap

Word/token correspondence

Candidate blocker

Literal fidelity shifts meaning or cultural nuance

Named receiving carriers

Speakers, institutions, models

Constructive receiving capacity proposed in Atlas

Semantic/provenance translation with ambiguity tracking

Author-defined Mutual Uptick acceptance target

Meaning fidelity, speed and cultural fit improve

Decisive experiment described in Atlas

Blind human evaluation

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 069 · Language and translation | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Meaning, context, culture, pragmatics and uncertainty. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Speakers, institutions, models. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Word/token correspondence. Then test the specific candidate blocker: Literal fidelity shifts meaning or cultural nuance. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Semantic/provenance translation with ambiguity tracking. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H008. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Meaning fidelity, speed and cultural fit improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Blind human evaluation. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 070 · Knowledge and ontologies

Family: Technology and information | Atlas pages: 540–546 | Original status: Strong constructive fit

Evidence-grounded native state

Entities, relations, provenance, incompatible schemas and uncertainty

Receiving schema and recognition gap

Single ontology/taxonomy

Candidate blocker

Integration collapses distinctions or explodes complexity

Named receiving carriers

Researchers, AI, institutions

Constructive receiving capacity proposed in Atlas

Cross-schema translation + minimal sufficient ontology

Author-defined Mutual Uptick acceptance target

Interoperability and fidelity rise while complexity stays controlled

Decisive experiment described in Atlas

Cross-domain benchmark

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 070 · Knowledge and ontologies | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Entities, relations, provenance, incompatible schemas and uncertainty. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Researchers, AI, institutions. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Single ontology/taxonomy. Then test the specific candidate blocker: Integration collapses distinctions or explodes complexity. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Cross-schema translation + minimal sufficient ontology. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H008. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Interoperability and fidelity rise while complexity stays controlled. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Cross-domain benchmark. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 071 · Energy and power grids

Family: Earth, infrastructure and ecology | Atlas pages: 548–554 | Original status: Strong structural fit

Evidence-grounded native state

Generation, load, storage, network constraints, prices and reliability

Receiving schema and recognition gap

Local device efficiency or node KPI

Candidate blocker

Efficiency moves load, congestion or rebound elsewhere

Named receiving carriers

Grid nodes, customers, storage, environment

Constructive receiving capacity proposed in Atlas

Consequential grid controller + capacity placement

Author-defined Mutual Uptick acceptance target

Reliability, affordability, emissions and congestion improve

Decisive experiment described in Atlas

Grid simulation + pilot

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 071 · Energy and power grids | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Generation, load, storage, network constraints, prices and reliability. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Grid nodes, customers, storage, environment. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Local device efficiency or node KPI. Then test the specific candidate blocker: Efficiency moves load, congestion or rebound elsewhere. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Consequential grid controller + capacity placement. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H005. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Reliability, affordability, emissions and congestion improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Grid simulation + pilot. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 072 · Water and irrigation

Family: Earth, infrastructure and ecology | Atlas pages: 555–561 | Original status: Established adjacent evidence

Evidence-grounded native state

Withdrawals, consumptive use, return flows, storage, aquifers and ecology

Receiving schema and recognition gap

Farm/project efficiency

Candidate blocker

Local savings reduce return flow or increase consumption

Named receiving carriers

Downstream users, rivers, aquifers, ecosystems

Constructive receiving capacity proposed in Atlas

Basin-wide accounting + catchment + allocation capacity

Author-defined Mutual Uptick acceptance target

Farm value and basin availability/ecology improve

Decisive experiment described in Atlas

Basin holdout study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 072 · Water and irrigation | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Withdrawals, consumptive use, return flows, storage, aquifers and ecology. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Downstream users, rivers, aquifers, ecosystems. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Farm/project efficiency. Then test the specific candidate blocker: Local savings reduce return flow or increase consumption. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Basin-wide accounting + catchment + allocation capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H005. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Farm value and basin availability/ecology improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Basin holdout study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 073 · Food and agriculture

Family: Earth, infrastructure and ecology | Atlas pages: 562–568 | Original status: Strong structural fit

Evidence-grounded native state

Yield, soil, water, inputs, nutrition, labor, market and climate

Receiving schema and recognition gap

Yield/acre or commodity price

Candidate blocker

Yield gain shifts soil, water, labor or nutrition burden

Named receiving carriers

Farmer, consumer, soil, ecosystem

Constructive receiving capacity proposed in Atlas

Coupled regenerative production controller

Author-defined Mutual Uptick acceptance target

Yield/income, soil, water and nutrition improve

Decisive experiment described in Atlas

Multi-season farm trial

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 073 · Food and agriculture | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Yield, soil, water, inputs, nutrition, labor, market and climate. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Farmer, consumer, soil, ecosystem. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Yield/acre or commodity price. Then test the specific candidate blocker: Yield gain shifts soil, water, labor or nutrition burden. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Coupled regenerative production controller. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H006, H010, H014. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Yield/income, soil, water and nutrition improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Multi-season farm trial. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 074 · Supply chains and logistics

Family: Earth, infrastructure and ecology | Atlas pages: 569–575 | Original status: Strong structural fit

Evidence-grounded native state

Inventory, demand, transport, suppliers, lead times and risk

Receiving schema and recognition gap

Node-level cost/service KPI

Candidate blocker

Lean optimization moves inventory/risk downstream

Named receiving carriers

Suppliers, warehouses, customers

Constructive receiving capacity proposed in Atlas

Carrier-aware flow controller + buffer placement

Author-defined Mutual Uptick acceptance target

Service, working capital, resilience and labor improve

Decisive experiment described in Atlas

Historical + live pilot

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 074 · Supply chains and logistics | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Inventory, demand, transport, suppliers, lead times and risk. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Suppliers, warehouses, customers. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Node-level cost/service KPI. Then test the specific candidate blocker: Lean optimization moves inventory/risk downstream. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Carrier-aware flow controller + buffer placement. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H011, H013. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Service, working capital, resilience and labor improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Historical + live pilot. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 075 · Manufacturing

Family: Earth, infrastructure and ecology | Atlas pages: 576–582 | Original status: Strong structural fit

Evidence-grounded native state

Materials, energy, machines, labor, quality, maintenance and waste

Receiving schema and recognition gap

Unit cost/OEE

Candidate blocker

Cost gain shifts maintenance, injuries or waste

Named receiving carriers

Workers, machines, environment, customers

Constructive receiving capacity proposed in Atlas

Closed-loop production and maintenance architecture

Author-defined Mutual Uptick acceptance target

Cost, quality, safety, uptime and waste improve

Decisive experiment described in Atlas

Factory pilot

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 075 · Manufacturing | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Materials, energy, machines, labor, quality, maintenance and waste. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Workers, machines, environment, customers. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Unit cost/OEE. Then test the specific candidate blocker: Cost gain shifts maintenance, injuries or waste. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Closed-loop production and maintenance architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H005, H006, H007, H008, H013, H014. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Cost, quality, safety, uptime and waste improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Factory pilot. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 076 · Waste and circular materials

Family: Earth, infrastructure and ecology | Atlas pages: 583–589 | Original status: Strong structural fit

Evidence-grounded native state

Material composition, location, contamination, residual value and logistics

Receiving schema and recognition gap

Waste tonnage/disposal category

Candidate blocker

Disposal removes item from local ledger but not system

Named receiving carriers

Communities, environment, future production

Constructive receiving capacity proposed in Atlas

Material provenance + recapture + transformation capacity

Author-defined Mutual Uptick acceptance target

Waste, cost and virgin input demand fall while value recovery rises

Decisive experiment described in Atlas

Municipal/industrial pilot

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 076 · Waste and circular materials | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Material composition, location, contamination, residual value and logistics. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Communities, environment, future production. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Waste tonnage/disposal category. Then test the specific candidate blocker: Disposal removes item from local ledger but not system. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Material provenance + recapture + transformation capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H007, H008. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Waste, cost and virgin input demand fall while value recovery rises. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Municipal/industrial pilot. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 077 · Transportation and mobility

Family: Earth, infrastructure and ecology | Atlas pages: 590–596 | Original status: Constructive protocol

Evidence-grounded native state

Trips, time, safety, access, energy, congestion and land use

Receiving schema and recognition gap

Vehicle throughput/speed

Candidate blocker

Faster local travel creates congestion, emissions or exclusion

Named receiving carriers

Travelers, neighborhoods, environment

Constructive receiving capacity proposed in Atlas

Multimodal consequential mobility controller

Author-defined Mutual Uptick acceptance target

Access, time, safety, energy and neighborhood outcomes improve

Decisive experiment described in Atlas

City corridor pilot

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 077 · Transportation and mobility | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Trips, time, safety, access, energy, congestion and land use. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Travelers, neighborhoods, environment. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Vehicle throughput/speed. Then test the specific candidate blocker: Faster local travel creates congestion, emissions or exclusion. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Multimodal consequential mobility controller. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H011. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Access, time, safety, energy and neighborhood outcomes improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: City corridor pilot. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 078 · Cities and urban systems

Family: Earth, infrastructure and ecology | Atlas pages: 597–603 | Original status: Constructive protocol

Evidence-grounded native state

Housing, jobs, transport, health, utilities, safety and public space

Receiving schema and recognition gap

Agency-by-agency city data

Candidate blocker

One department shifts burden to another neighborhood/system

Named receiving carriers

Residents, agencies, infrastructure

Constructive receiving capacity proposed in Atlas

City consequential digital twin + coordinated capacity

Author-defined Mutual Uptick acceptance target

Access, health, resilience, affordability and service improve

Decisive experiment described in Atlas

District pilot

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 078 · Cities and urban systems | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Housing, jobs, transport, health, utilities, safety and public space. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Residents, agencies, infrastructure. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Agency-by-agency city data. Then test the specific candidate blocker: One department shifts burden to another neighborhood/system. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: City consequential digital twin + coordinated capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H010. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Access, health, resilience, affordability and service improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: District pilot. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 079 · Climate and disaster resilience

Family: Earth, infrastructure and ecology | Atlas pages: 604–610 | Original status: Constructive protocol

Evidence-grounded native state

Hazard, exposure, vulnerability, infrastructure, food, health and recovery

Receiving schema and recognition gap

Hazard forecast alone

Candidate blocker

Preparedness in one sector leaves another exposed

Named receiving carriers

People, infrastructure, ecosystems, economy

Constructive receiving capacity proposed in Atlas

Anticipatory catchment + prepositioned capacity

Author-defined Mutual Uptick acceptance target

Mortality/risk, recovery, livelihoods and ecosystem resilience improve

Decisive experiment described in Atlas

Prospective matched pilot

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 079 · Climate and disaster resilience | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Hazard, exposure, vulnerability, infrastructure, food, health and recovery. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: People, infrastructure, ecosystems, economy. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Hazard forecast alone. Then test the specific candidate blocker: Preparedness in one sector leaves another exposed. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Anticipatory catchment + prepositioned capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H005, H010. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Mortality/risk, recovery, livelihoods and ecosystem resilience improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Prospective matched pilot. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 080 · Ecology and biodiversity

Family: Earth, infrastructure and ecology | Atlas pages: 611–617 | Original status: Established adjacent evidence

Evidence-grounded native state

Species, habitats, flows, extraction, communities and climate

Receiving schema and recognition gap

Protected-area/local species metric

Candidate blocker

Protection displaces extraction or pressure elsewhere

Named receiving carriers

Species, habitats, communities

Constructive receiving capacity proposed in Atlas

Landscape-scale leakage/carrier accounting + livelihoods

Author-defined Mutual Uptick acceptance target

Biodiversity and community outcomes improve

Decisive experiment described in Atlas

Landscape holdout study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 080 · Ecology and biodiversity | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Species, habitats, flows, extraction, communities and climate. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Species, habitats, communities. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Protected-area/local species metric. Then test the specific candidate blocker: Protection displaces extraction or pressure elsewhere. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Landscape-scale leakage/carrier accounting + livelihoods. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H007, H008, H013. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Biodiversity and community outcomes improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Landscape holdout study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 081 · Cell biology

Family: Physical, microscopic and formal | Atlas pages: 619–625 | Original status: Regulated empirical frontier

Evidence-grounded native state

Signaling, organelles, metabolism, damage, repair and cell-state transitions

Receiving schema and recognition gap

Single pathway/marker

Candidate blocker

Pathway correction displaces stress to another process

Named receiving carriers

Organelles, pathways, neighboring cells

Constructive receiving capacity proposed in Atlas

Multi-state cellular controller + capacity targeting

Author-defined Mutual Uptick acceptance target

Target function improves without compensatory cellular damage

Decisive experiment described in Atlas

In-vitro perturbation study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 081 · Cell biology | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Signaling, organelles, metabolism, damage, repair and cell-state transitions. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Organelles, pathways, neighboring cells. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Single pathway/marker. Then test the specific candidate blocker: Pathway correction displaces stress to another process. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Multi-state cellular controller + capacity targeting. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H006, H014. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Target function improves without compensatory cellular damage. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: In-vitro perturbation study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 082 · Molecular biology

Family: Physical, microscopic and formal | Atlas pages: 626–632 | Original status: Regulated empirical frontier

Evidence-grounded native state

Molecules, conformations, binding networks, concentrations and kinetics

Receiving schema and recognition gap

Single interaction/target

Candidate blocker

Target binding shifts network or toxicity burden

Named receiving carriers

Molecules, pathways, host system

Constructive receiving capacity proposed in Atlas

Reaction/network state model + off-target carrier control

Author-defined Mutual Uptick acceptance target

Desired molecular effect rises while off-target burden falls

Decisive experiment described in Atlas

Bench experiments

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 082 · Molecular biology | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Molecules, conformations, binding networks, concentrations and kinetics. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Molecules, pathways, host system. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Single interaction/target. Then test the specific candidate blocker: Target binding shifts network or toxicity burden. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Reaction/network state model + off-target carrier control. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H006, H014. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Desired molecular effect rises while off-target burden falls. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Bench experiments. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 083 · Nanotechnology

Family: Physical, microscopic and formal | Atlas pages: 633–639 | Original status: Regulated empirical frontier

Evidence-grounded native state

Particle properties, surfaces, transport, environment and biological interaction

Receiving schema and recognition gap

Particle spec alone

Candidate blocker

Performance shifts toxicity/persistence burden

Named receiving carriers

Cells, environment, users

Constructive receiving capacity proposed in Atlas

Lifecycle and interaction-aware nano design

Author-defined Mutual Uptick acceptance target

Function improves while toxicity and persistence fall

Decisive experiment described in Atlas

Bench + environmental tests

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 083 · Nanotechnology | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Particle properties, surfaces, transport, environment and biological interaction. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Cells, environment, users. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Particle spec alone. Then test the specific candidate blocker: Performance shifts toxicity/persistence burden. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Lifecycle and interaction-aware nano design. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H006, H014. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Function improves while toxicity and persistence fall. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Bench + environmental tests. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 084 · Chemistry and reaction systems

Family: Physical, microscopic and formal | Atlas pages: 640–646 | Original status: Strong structural fit

Evidence-grounded native state

Species, reaction network, kinetics, energy, byproducts and separation

Receiving schema and recognition gap

Target yield/selectivity

Candidate blocker

Yield gain shifts energy/byproduct/separation burden

Named receiving carriers

Reactor, environment, downstream process

Constructive receiving capacity proposed in Atlas

Consequential reaction-network optimization + recovery loops

Author-defined Mutual Uptick acceptance target

Yield, energy, waste and safety improve

Decisive experiment described in Atlas

Reactor experiments

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 084 · Chemistry and reaction systems | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Species, reaction network, kinetics, energy, byproducts and separation. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Reactor, environment, downstream process. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Target yield/selectivity. Then test the specific candidate blocker: Yield gain shifts energy/byproduct/separation burden. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Consequential reaction-network optimization + recovery loops. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H006, H014. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Yield, energy, waste and safety improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Reactor experiments. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 085 · Materials science

Family: Physical, microscopic and formal | Atlas pages: 647–653 | Original status: Strong structural fit

Evidence-grounded native state

Microstructure, defects, stress, temperature, lifecycle and manufacturing

Receiving schema and recognition gap

Bulk property spec

Candidate blocker

Strength gain shifts brittleness, weight or recyclability

Named receiving carriers

Material, structure, environment

Constructive receiving capacity proposed in Atlas

Defect-aware multiproperty design + recovery architecture

Author-defined Mutual Uptick acceptance target

Performance, durability, mass, cost and recyclability improve

Decisive experiment described in Atlas

Lab characterization

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 085 · Materials science | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Microstructure, defects, stress, temperature, lifecycle and manufacturing. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Material, structure, environment. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Bulk property spec. Then test the specific candidate blocker: Strength gain shifts brittleness, weight or recyclability. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Defect-aware multiproperty design + recovery architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H006, H014. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Performance, durability, mass, cost and recyclability improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Lab characterization. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 086 · Classical mechanics and control

Family: Physical, microscopic and formal | Atlas pages: 654–660 | Original status: Formal + computational fit

Evidence-grounded native state

Physical state, dynamics, sensors, actuators and disturbance

Receiving schema and recognition gap

Partial state observation/local control objective

Candidate blocker

Control success shifts energy, heat or another state variable

Named receiving carriers

Plant, actuator, environment

Constructive receiving capacity proposed in Atlas

Representation-aware full-state controller + regenerative capacity

Author-defined Mutual Uptick acceptance target

Tracking, stability, energy and wear improve together

Decisive experiment described in Atlas

Physical bench experiment

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 086 · Classical mechanics and control | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Physical state, dynamics, sensors, actuators and disturbance. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Plant, actuator, environment. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Partial state observation/local control objective. Then test the specific candidate blocker: Control success shifts energy, heat or another state variable. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Representation-aware full-state controller + regenerative capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H018. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Tracking, stability, energy and wear improve together. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Physical bench experiment. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 087 · Thermodynamics and nonequilibrium systems

Family: Physical, microscopic and formal | Atlas pages: 661–667 | Original status: Strong structural fit

Evidence-grounded native state

Energy, entropy, gradients, reservoirs, flows and constraints

Receiving schema and recognition gap

Local efficiency/temperature metric

Candidate blocker

Local efficiency moves entropy production/heat elsewhere

Named receiving carriers

Reservoirs, environment, components

Constructive receiving capacity proposed in Atlas

Whole-boundary energy/exergy and recovery architecture

Author-defined Mutual Uptick acceptance target

Useful work rises while irreversible losses and collateral loads fall

Decisive experiment described in Atlas

Physical experiment

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 087 · Thermodynamics and nonequilibrium systems | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Energy, entropy, gradients, reservoirs, flows and constraints. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Reservoirs, environment, components. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Local efficiency/temperature metric. Then test the specific candidate blocker: Local efficiency moves entropy production/heat elsewhere. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Whole-boundary energy/exergy and recovery architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H006, H014. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Useful work rises while irreversible losses and collateral loads fall. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Physical experiment. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 088 · Electromagnetism and circuits

Family: Physical, microscopic and formal | Atlas pages: 668–674 | Original status: Formal + computational fit

Evidence-grounded native state

Fields, voltages, currents, topology, storage and losses

Receiving schema and recognition gap

Local component state

Candidate blocker

Local regulation moves loss or instability to another branch

Named receiving carriers

Circuit elements, sources, loads

Constructive receiving capacity proposed in Atlas

Full-network state estimation + capacity/recovery placement

Author-defined Mutual Uptick acceptance target

Stability, efficiency, reliability and component stress improve

Decisive experiment described in Atlas

Bench circuit experiment

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 088 · Electromagnetism and circuits | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Fields, voltages, currents, topology, storage and losses. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Circuit elements, sources, loads. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Local component state. Then test the specific candidate blocker: Local regulation moves loss or instability to another branch. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Full-network state estimation + capacity/recovery placement. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H016. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Stability, efficiency, reliability and component stress improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Bench circuit experiment. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 089 · Quantum systems

Family: Physical, microscopic and formal | Atlas pages: 675–681 | Original status: Hard experimental frontier

Evidence-grounded native state

Quantum state, observables, measurement, control and decoherence

Receiving schema and recognition gap

Accessible observable set

Candidate blocker

Measurement/control choice changes information and disturbance

Named receiving carriers

Quantum system, apparatus, environment

Constructive receiving capacity proposed in Atlas

Constraint-respecting measurement/control schema + capacity

Author-defined Mutual Uptick acceptance target

Task fidelity improves without unacceptable decoherence/resource burden

Decisive experiment described in Atlas

Laboratory quantum experiment

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 089 · Quantum systems | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Quantum state, observables, measurement, control and decoherence. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Quantum system, apparatus, environment. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Accessible observable set. Then test the specific candidate blocker: Measurement/control choice changes information and disturbance. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Constraint-respecting measurement/control schema + capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H016, H018. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Task fidelity improves without unacceptable decoherence/resource burden. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Laboratory quantum experiment. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 090 · Pure mathematics and formal systems

Family: Physical, microscopic and formal | Atlas pages: 682–688 | Original status: Formal frontier

Evidence-grounded native state

Objects, relations, axioms, language, proofs and translations

Receiving schema and recognition gap

Chosen signature/type system/quotient

Candidate blocker

Representation collapses distinctions or expands proof complexity

Named receiving carriers

Proof system, translator, solver

Constructive receiving capacity proposed in Atlas

Minimal sufficient schema preserving required relations

Author-defined Mutual Uptick acceptance target

Fidelity rises while ambiguity and proof/representation cost fall

Decisive experiment described in Atlas

Machine-checked theorem suite

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 090 · Pure mathematics and formal systems | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Objects, relations, axioms, language, proofs and translations. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Proof system, translator, solver. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Chosen signature/type system/quotient. Then test the specific candidate blocker: Representation collapses distinctions or expands proof complexity. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Minimal sufficient schema preserving required relations. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H016. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Fidelity rises while ambiguity and proof/representation cost fall. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Machine-checked theorem suite. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 091 · Statistics and causal inference

Family: Frontier, illicit and cosmic | Atlas pages: 690–696 | Original status: Strong structural fit

Evidence-grounded native state

Data-generating process, sampling, measurement, confounding and uncertainty

Receiving schema and recognition gap

Chosen model/estimand

Candidate blocker

Local fit hides transportability or selection bias

Named receiving carriers

Decision makers, future samples, affected groups

Constructive receiving capacity proposed in Atlas

Provenance-aware multi-model causal state + identifiability guardrails

Author-defined Mutual Uptick acceptance target

Predictive/causal validity improves without hidden subgroup harm

Decisive experiment described in Atlas

Simulation + multi-dataset benchmark

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 091 · Statistics and causal inference | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Data-generating process, sampling, measurement, confounding and uncertainty. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Decision makers, future samples, affected groups. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Chosen model/estimand. Then test the specific candidate blocker: Local fit hides transportability or selection bias. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Provenance-aware multi-model causal state + identifiability guardrails. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H016. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Predictive/causal validity improves without hidden subgroup harm. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Simulation + multi-dataset benchmark. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 092 · Logic and reasoning systems

Family: Frontier, illicit and cosmic | Atlas pages: 697–703 | Original status: Formal frontier

Evidence-grounded native state

Premises, inference rules, contradictions, uncertainty and goals

Receiving schema and recognition gap

Single logical calculus

Candidate blocker

Consistency in one calculus loses expressivity/context elsewhere

Named receiving carriers

Reasoner, downstream decision

Constructive receiving capacity proposed in Atlas

Multi-logic translation + contradiction provenance

Author-defined Mutual Uptick acceptance target

Validity, expressivity and computational tractability improve

Decisive experiment described in Atlas

Formal benchmark

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 092 · Logic and reasoning systems | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Premises, inference rules, contradictions, uncertainty and goals. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Reasoner, downstream decision. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Single logical calculus. Then test the specific candidate blocker: Consistency in one calculus loses expressivity/context elsewhere. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Multi-logic translation + contradiction provenance. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H005, H009. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Validity, expressivity and computational tractability improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Formal benchmark. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 093 · Geography and territorial systems

Family: Frontier, illicit and cosmic | Atlas pages: 704–710 | Original status: Constructive protocol

Evidence-grounded native state

People, ecosystems, infrastructure, flows and administrative boundaries

Receiving schema and recognition gap

Jurisdiction/map boundary

Candidate blocker

Administrative optimization ignores cross-border flows

Named receiving carriers

Border communities, watersheds, networks

Constructive receiving capacity proposed in Atlas

Flow-based territorial state model

Author-defined Mutual Uptick acceptance target

Access, resilience and cross-boundary fairness improve

Decisive experiment described in Atlas

Regional pilot

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 093 · Geography and territorial systems | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: People, ecosystems, infrastructure, flows and administrative boundaries. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Border communities, watersheds, networks. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Jurisdiction/map boundary. Then test the specific candidate blocker: Administrative optimization ignores cross-border flows. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Flow-based territorial state model. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H005, H009. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Access, resilience and cross-boundary fairness improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Regional pilot. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 094 · Informal economy

Family: Frontier, illicit and cosmic | Atlas pages: 711–717 | Original status: Constructive protocol

Evidence-grounded native state

Real work, exchange, trust, risk and household needs outside formal records

Receiving schema and recognition gap

Formal registry/tax/business schema

Candidate blocker

Productive activity remains invisible or excluded

Named receiving carriers

Workers, households, state

Constructive receiving capacity proposed in Atlas

Low-friction recognition, protection and access architecture

Author-defined Mutual Uptick acceptance target

Income, safety, access and compliance improve

Decisive experiment described in Atlas

Field pilot

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 094 · Informal economy | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Real work, exchange, trust, risk and household needs outside formal records. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Workers, households, state. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Formal registry/tax/business schema. Then test the specific candidate blocker: Productive activity remains invisible or excluded. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Low-friction recognition, protection and access architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H005, H009. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Income, safety, access and compliance improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Field pilot. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 095 · Illicit and black markets

Family: Frontier, illicit and cosmic | Atlas pages: 718–724 | Original status: Safety-governed frontier

Evidence-grounded native state

Hidden demand, supply, coercion, enforcement, prices and harm

Receiving schema and recognition gap

Official market data that excludes hidden exchange

Candidate blocker

Profit and access externalize violence, exploitation or public harm

Named receiving carriers

Victims, communities, lawful firms, institutions

Constructive receiving capacity proposed in Atlas

Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement

Author-defined Mutual Uptick acceptance target

Harm and illicit profitability fall while legitimate access/opportunity rises

Decisive experiment described in Atlas

Independent harm-reduction/public-safety evaluation

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 095 · Illicit and black markets | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Hidden demand, supply, coercion, enforcement, prices and harm. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Victims, communities, lawful firms, institutions. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Official market data that excludes hidden exchange. Then test the specific candidate blocker: Profit and access externalize violence, exploitation or public harm. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H005, H009. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Harm and illicit profitability fall while legitimate access/opportunity rises. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Independent harm-reduction/public-safety evaluation. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 096 · Orbital and space economy

Family: Frontier, illicit and cosmic | Atlas pages: 725–731 | Original status: Hard engineering frontier

Evidence-grounded native state

Spacecraft, debris, spectrum, energy, logistics and operator incentives

Receiving schema and recognition gap

Mission-local success metric

Candidate blocker

Mission gain shifts debris/collision/spectrum burden

Named receiving carriers

Other spacecraft, operators, orbital environment

Constructive receiving capacity proposed in Atlas

Orbital consequential ledger + shared capacity

Author-defined Mutual Uptick acceptance target

Mission value, safety, debris and resource efficiency improve

Decisive experiment described in Atlas

Simulation + mission pilot

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 096 · Orbital and space economy | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Spacecraft, debris, spectrum, energy, logistics and operator incentives. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Other spacecraft, operators, orbital environment. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Mission-local success metric. Then test the specific candidate blocker: Mission gain shifts debris/collision/spectrum burden. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Orbital consequential ledger + shared capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H018. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Mission value, safety, debris and resource efficiency improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Simulation + mission pilot. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 097 · Extraterrestrial settlement

Family: Frontier, illicit and cosmic | Atlas pages: 732–738 | Original status: Hard engineering frontier

Evidence-grounded native state

Life support, energy, materials, health, governance and closed ecology

Receiving schema and recognition gap

Earth-derived subsystem silos

Candidate blocker

Local subsystem success threatens another life-support loop

Named receiving carriers

Crew, machines, habitat ecology

Constructive receiving capacity proposed in Atlas

Closed-loop consequential state + autonomous capacity construction

Author-defined Mutual Uptick acceptance target

Survival, health, resource closure and social stability improve

Decisive experiment described in Atlas

Analog habitat + mission tests

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 097 · Extraterrestrial settlement | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Life support, energy, materials, health, governance and closed ecology. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Crew, machines, habitat ecology. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Earth-derived subsystem silos. Then test the specific candidate blocker: Local subsystem success threatens another life-support loop. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Closed-loop consequential state + autonomous capacity construction. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H005, H009. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Survival, health, resource closure and social stability improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Analog habitat + mission tests. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 098 · Astrobiology and biosignatures

Family: Frontier, illicit and cosmic | Atlas pages: 739–745 | Original status: Hard scientific frontier

Evidence-grounded native state

Unknown life chemistries, environments, signals and contamination risks

Receiving schema and recognition gap

Earth-centric life schema

Candidate blocker

Narrow schema misses unfamiliar life or creates false positives

Named receiving carriers

Scientific program, environment, future missions

Constructive receiving capacity proposed in Atlas

Plural biosignature schema + provenance/contamination control

Author-defined Mutual Uptick acceptance target

Detection sensitivity and specificity improve without contamination

Decisive experiment described in Atlas

Blind benchmark + mission data

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 098 · Astrobiology and biosignatures | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Unknown life chemistries, environments, signals and contamination risks. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Scientific program, environment, future missions. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Earth-centric life schema. Then test the specific candidate blocker: Narrow schema misses unfamiliar life or creates false positives. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Plural biosignature schema + provenance/contamination control. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H005, H009. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Detection sensitivity and specificity improve without contamination. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Blind benchmark + mission data. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 099 · Planetary systems and stewardship

Family: Frontier, illicit and cosmic | Atlas pages: 746–752 | Original status: Hard engineering frontier

Evidence-grounded native state

Atmosphere, hydrology, geology, biosphere, resources and settlements

Receiving schema and recognition gap

Sector-local resource model

Candidate blocker

Extraction/settlement shifts planetary burdens

Named receiving carriers

Settlements, ecosystems, future generations

Constructive receiving capacity proposed in Atlas

Closed-loop planetary resource and restoration architecture

Author-defined Mutual Uptick acceptance target

Human value and planetary resilience improve

Decisive experiment described in Atlas

Earth analog + simulation

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 099 · Planetary systems and stewardship | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Atmosphere, hydrology, geology, biosphere, resources and settlements. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Settlements, ecosystems, future generations. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Sector-local resource model. Then test the specific candidate blocker: Extraction/settlement shifts planetary burdens. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Closed-loop planetary resource and restoration architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H005, H007, H018. Direct linkage by documented application theme.

Acceptance, verification and recurrence

Intended measurable outcome: Human value and planetary resilience improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Earth analog + simulation. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 100 · Unknown and not-yet-named realities

Family: Frontier, illicit and cosmic | Atlas pages: 753–759 | Original status: Open by definition

Evidence-grounded native state

Any newly observed substrate, scale, agent, value dimension or exchange mode

Receiving schema and recognition gap

No adequate schema exists yet

Candidate blocker

Unrepresented state is invisible until consequences accumulate

Named receiving carriers

Unknown until carrier tracing identifies it

Constructive receiving capacity proposed in Atlas

Instantiate M_d, define schema, measure gap, trace carrier, construct capacity

Author-defined Mutual Uptick acceptance target

All material carriers in the new domain cross positive consequential thresholds

Decisive experiment described in Atlas

Freeze kernel before learning outcomes; then holdout/replicate

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 100 · Unknown and not-yet-named realities | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Any newly observed substrate, scale, agent, value dimension or exchange mode. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Unknown until carrier tracing identifies it. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: No adequate schema exists yet. Then test the specific candidate blocker: Unrepresented state is invisible until consequences accumulate. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Instantiate M_d, define schema, measure gap, trace carrier, construct capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H005, H009. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: All material carriers in the new domain cross positive consequential thresholds. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Freeze kernel before learning outcomes; then holdout/replicate. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 101 · Conscious experience and self-model

Family: Conscious agency and responsibility | Atlas pages: 761–767 | Original status: Ontological / empirical frontier

Evidence-grounded native state

Perception, affect, memory, self-model, attention, internal accessibility and embodied state

Receiving schema and recognition gap

A receiving observer reduces another system to behavior, category or output alone

Candidate blocker

Native conscious state is misread because only externally legible signals are counted

Named receiving carriers

Experiencing system, observers, dependent systems and future self

Constructive receiving capacity proposed in Atlas

Cross-modal state representation with provenance, uncertainty and non-erasure constraints

Author-defined Mutual Uptick acceptance target

Legibility, agency and viable functioning increase without reducing an unmodeled carrier to zero

Decisive experiment described in Atlas

Prospective multi-method cross-observer study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 101 · Conscious experience and self-model | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Perception, affect, memory, self-model, attention, internal accessibility and embodied state. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Experiencing system, observers, dependent systems and future self. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: A receiving observer reduces another system to behavior, category or output alone. Then test the specific candidate blocker: Native conscious state is misread because only externally legible signals are counted. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Cross-modal state representation with provenance, uncertainty and non-erasure constraints. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Legibility, agency and viable functioning increase without reducing an unmodeled carrier to zero. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Prospective multi-method cross-observer study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 102 · Choice and option topology

Family: Conscious agency and responsibility | Atlas pages: 768–774 | Original status: Constructive protocol

Evidence-grounded native state

Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence

Receiving schema and recognition gap

Binary free-choice / no-choice label

Candidate blocker

Nominal alternatives exist while executable humane alternatives are absent or prohibitively costly

Named receiving carriers

Chooser, affected people, institutions and future option set

Constructive receiving capacity proposed in Atlas

Feasible-option map plus prebuilt low-friction lawful/prosocial pathways

Author-defined Mutual Uptick acceptance target

Agency expands while downstream harm and coercive friction fall

Decisive experiment described in Atlas

Prospective choice-topology intervention

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 102 · Choice and option topology | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Chooser, affected people, institutions and future option set. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Binary free-choice / no-choice label. Then test the specific candidate blocker: Nominal alternatives exist while executable humane alternatives are absent or prohibitively costly. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Feasible-option map plus prebuilt low-friction lawful/prosocial pathways. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Agency expands while downstream harm and coercive friction fall. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Prospective choice-topology intervention. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 103 · Truth, deception and disclosure

Family: Conscious agency and responsibility | Atlas pages: 775–781 | Original status: Constructive protocol

Evidence-grounded native state

Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity

Receiving schema and recognition gap

Truth/lie binary detached from consequence topology

Candidate blocker

Truth creates concentrated cost or deception remains locally profitable because receiving capacity is absent

Named receiving carriers

Speaker, listener, harmed parties, institutions and future trust network

Constructive receiving capacity proposed in Atlas

Verification, safe disclosure, correction, restitution and transition capacity

Author-defined Mutual Uptick acceptance target

Fidelity rises while truthful disclosure no longer requires avoidable destruction of material carriers

Decisive experiment described in Atlas

Sealed truth-cost / disclosure study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 103 · Truth, deception and disclosure | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Speaker, listener, harmed parties, institutions and future trust network. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Truth/lie binary detached from consequence topology. Then test the specific candidate blocker: Truth creates concentrated cost or deception remains locally profitable because receiving capacity is absent. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Verification, safe disclosure, correction, restitution and transition capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Fidelity rises while truthful disclosure no longer requires avoidable destruction of material carriers. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Sealed truth-cost / disclosure study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 104 · Responsibility and causal attribution

Family: Conscious agency and responsibility | Atlas pages: 782–788 | Original status: High-stakes protocol

Evidence-grounded native state

Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement

Receiving schema and recognition gap

Moral label detached from the action-producing state

Candidate blocker

Responsibility is either erased by context or overstated by ignoring real constraints

Named receiving carriers

Actor, victims, institutions, community and future actors

Constructive receiving capacity proposed in Atlas

Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair

Author-defined Mutual Uptick acceptance target

Attribution, safety, restitution and future agency improve without hiding causal contribution

Decisive experiment described in Atlas

Blinded case reconstruction with preregistered causal criteria

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 104 · Responsibility and causal attribution | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Actor, victims, institutions, community and future actors. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Moral label detached from the action-producing state. Then test the specific candidate blocker: Responsibility is either erased by context or overstated by ignoring real constraints. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Attribution, safety, restitution and future agency improve without hiding causal contribution. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Blinded case reconstruction with preregistered causal criteria. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 105 · Consent, coercion and autonomy

Family: Conscious agency and responsibility | Atlas pages: 789–795 | Original status: High-stakes protocol

Evidence-grounded native state

Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity

Receiving schema and recognition gap

Signed/expressed consent treated as sufficient state

Candidate blocker

Apparent agreement is purchased by narrowed alternatives or irreversible dependency

Named receiving carriers

Decision maker, counterparties, dependents and future self

Constructive receiving capacity proposed in Atlas

Real exit, recourse, reversible consent, information symmetry and alternative capacity

Author-defined Mutual Uptick acceptance target

Agreement quality and autonomy rise together while coercive burden falls

Decisive experiment described in Atlas

Prospective consent-quality audit

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 105 · Consent, coercion and autonomy | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Decision maker, counterparties, dependents and future self. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Signed/expressed consent treated as sufficient state. Then test the specific candidate blocker: Apparent agreement is purchased by narrowed alternatives or irreversible dependency. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Real exit, recourse, reversible consent, information symmetry and alternative capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Agreement quality and autonomy rise together while coercive burden falls. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Prospective consent-quality audit. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 106 · Addiction, compulsion and short-horizon relief

Family: Conscious agency and responsibility | Atlas pages: 796–802 | Original status: Regulated empirical frontier

Evidence-grounded native state

Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set

Receiving schema and recognition gap

Substance/behavior category or abstinence binary

Candidate blocker

A behavior successfully absorbs immediate burden while narrowing future agency and exporting cost

Named receiving carriers

Person, body, relationships, household, community and future self

Constructive receiving capacity proposed in Atlas

Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden

Author-defined Mutual Uptick acceptance target

Relief, agency, health and social function improve while dependency burden falls

Decisive experiment described in Atlas

Longitudinal regulated intervention with multi-carrier outcomes

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 106 · Addiction, compulsion and short-horizon relief | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Person, body, relationships, household, community and future self. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Substance/behavior category or abstinence binary. Then test the specific candidate blocker: A behavior successfully absorbs immediate burden while narrowing future agency and exporting cost. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Relief, agency, health and social function improve while dependency burden falls. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Longitudinal regulated intervention with multi-carrier outcomes. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 107 · Crime, violence and reconciliation

Family: Conscious agency and responsibility | Atlas pages: 803–809 | Original status: High-stakes protocol

Evidence-grounded native state

Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm

Receiving schema and recognition gap

Offense label or actor-only risk score

Candidate blocker

Prevention, punishment or rehabilitation optimizes one carrier while exporting burden to victims, families or future safety

Named receiving carriers

Victims, actor, families, community, institutions and future potential victims

Constructive receiving capacity proposed in Atlas

Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger

Author-defined Mutual Uptick acceptance target

Victim safety, accountability, recurrence, repair and future lawful agency improve together

Decisive experiment described in Atlas

Longitudinal controlled justice-program evaluation

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 107 · Crime, violence and reconciliation | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Victims, actor, families, community, institutions and future potential victims. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Offense label or actor-only risk score. Then test the specific candidate blocker: Prevention, punishment or rehabilitation optimizes one carrier while exporting burden to victims, families or future safety. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Victim safety, accountability, recurrence, repair and future lawful agency improve together. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Longitudinal controlled justice-program evaluation. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 108 · Animal sentience and welfare

Family: Conscious agency and responsibility | Atlas pages: 810–816 | Original status: Ethical / empirical frontier

Evidence-grounded native state

Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory

Receiving schema and recognition gap

Commodity/yield schema that excludes the animal as a carrier

Candidate blocker

Human nutrition or commercial gain is produced by unrepresented animal or ecological burden

Named receiving carriers

Animals, workers, consumers, farmers, land, ecosystems and communities

Constructive receiving capacity proposed in Atlas

Welfare, alternative-production, livelihood-transition and ecological capacity

Author-defined Mutual Uptick acceptance target

Nutrition and livelihoods improve while animal and ecological burden also improves or is materially reduced

Decisive experiment described in Atlas

Multi-carrier welfare, nutrition and livelihood trial

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 108 · Animal sentience and welfare | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Animals, workers, consumers, farmers, land, ecosystems and communities. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Commodity/yield schema that excludes the animal as a carrier. Then test the specific candidate blocker: Human nutrition or commercial gain is produced by unrepresented animal or ecological burden. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Welfare, alternative-production, livelihood-transition and ecological capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Nutrition and livelihoods improve while animal and ecological burden also improves or is materially reduced. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Multi-carrier welfare, nutrition and livelihood trial. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 109 · Collective agency and institutional choice

Family: Conscious agency and responsibility | Atlas pages: 817–823 | Original status: Constructive protocol

Evidence-grounded native state

Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory

Receiving schema and recognition gap

Organization treated as a single actor without internal carrier structure

Candidate blocker

Collective decisions hide minority burdens or diffuse accountability until no node owns the consequence

Named receiving carriers

Members, minorities, leaders, outsiders, institutions and future administrations

Constructive receiving capacity proposed in Atlas

Distributed decision provenance, dissent channels, accountability and cross-boundary capacity

Author-defined Mutual Uptick acceptance target

Collective performance and legitimacy rise without burden concentration or responsibility diffusion

Decisive experiment described in Atlas

Prospective institutional decision audit

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 109 · Collective agency and institutional choice | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Members, minorities, leaders, outsiders, institutions and future administrations. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Organization treated as a single actor without internal carrier structure. Then test the specific candidate blocker: Collective decisions hide minority burdens or diffuse accountability until no node owns the consequence. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Distributed decision provenance, dissent channels, accountability and cross-boundary capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Collective performance and legitimacy rise without burden concentration or responsibility diffusion. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Prospective institutional decision audit. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 110 · Human-AI co-agency

Family: Conscious agency and responsibility | Atlas pages: 824–830 | Original status: Strong constructive fit

Evidence-grounded native state

Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects

Receiving schema and recognition gap

Model output or benchmark score treated as the whole system

Candidate blocker

Capability gain shifts verification, dependency, control or error burden onto humans and downstream systems

Named receiving carriers

User, non-user, model operator, workers, institutions, infrastructure and environment

Constructive receiving capacity proposed in Atlas

Persistent provenance, human control, reversibility, portability, verification and receivingcapacity layers

Author-defined Mutual Uptick acceptance target

Capability rises while human agency, correctness, reversibility and surrounding-system viability also improve

Decisive experiment described in Atlas

Sealed native-vs-K_R assisted agent benchmark

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 110 · Human-AI co-agency | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: User, non-user, model operator, workers, institutions, infrastructure and environment. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Model output or benchmark score treated as the whole system. Then test the specific candidate blocker: Capability gain shifts verification, dependency, control or error burden onto humans and downstream systems. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Persistent provenance, human control, reversibility, portability, verification and receivingcapacity layers. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H003. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Capability rises while human agency, correctness, reversibility and surrounding-system viability also improve. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Sealed native-vs-K_R assisted agent benchmark. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 111 · Evolution and natural selection

Family: Evolution, transformation and emergence | Atlas pages: 832–838 | Original status: Hard scientific translation frontier

Evidence-grounded native state

Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history

Receiving schema and recognition gap

Fitness proxy or single-trait narrative

Candidate blocker

Local adaptation increases one lineage/trait while hidden ecological or long-horizon costs move elsewhere

Named receiving carriers

Individuals, lineages, populations, interacting species and ecosystems

Constructive receiving capacity proposed in Atlas

Diversity, ecological capacity and intervention guardrails where deliberate action exists

Author-defined Mutual Uptick acceptance target

Persistence/adaptation improves without avoidable collapse in materially coupled populations or ecosystems

Decisive experiment described in Atlas

Time-locked population/genomic holdout

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 111 · Evolution and natural selection | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Individuals, lineages, populations, interacting species and ecosystems. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Fitness proxy or single-trait narrative. Then test the specific candidate blocker: Local adaptation increases one lineage/trait while hidden ecological or long-horizon costs move elsewhere. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Diversity, ecological capacity and intervention guardrails where deliberate action exists. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H007, H009. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Persistence/adaptation improves without avoidable collapse in materially coupled populations or ecosystems. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Time-locked population/genomic holdout. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 112 · Reproduction, inheritance, mitosis and meiosis

Family: Evolution, transformation and emergence | Atlas pages: 839–845 | Original status: Strong structural translation

Evidence-grounded native state

Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context

Receiving schema and recognition gap

Outcome-only birth/division count

Candidate blocker

Propagation success hides fidelity loss, developmental burden or downstream instability

Named receiving carriers

Parent cell/organism, daughter cells, gametes, offspring and lineage

Constructive receiving capacity proposed in Atlas

Checkpoint, repair, redundancy and developmental-support capacity

Author-defined Mutual Uptick acceptance target

Propagation remains viable while fidelity, diversity and downstream function stay within safe bounds

Decisive experiment described in Atlas

Lineage-resolved perturbation study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 112 · Reproduction, inheritance, mitosis and meiosis | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Parent cell/organism, daughter cells, gametes, offspring and lineage. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Outcome-only birth/division count. Then test the specific candidate blocker: Propagation success hides fidelity loss, developmental burden or downstream instability. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Checkpoint, repair, redundancy and developmental-support capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H007, H009. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Propagation remains viable while fidelity, diversity and downstream function stay within safe bounds. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Lineage-resolved perturbation study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 113 · Development and morphogenesis

Family: Evolution, transformation and emergence | Atlas pages: 846–852 | Original status: Regulated empirical frontier

Evidence-grounded native state

Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time

Receiving schema and recognition gap

Single marker or endpoint morphology

Candidate blocker

Correcting one developmental feature displaces stress into another tissue, stage or regulatory pathway

Named receiving carriers

Cells, tissues, organs, organism and developmental future state

Constructive receiving capacity proposed in Atlas

Stage-aware multi-pathway support, repair and resource architecture

Author-defined Mutual Uptick acceptance target

Functional development improves without compensatory developmental injury

Decisive experiment described in Atlas

Longitudinal developmental perturbation study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 113 · Development and morphogenesis | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Cells, tissues, organs, organism and developmental future state. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Single marker or endpoint morphology. Then test the specific candidate blocker: Correcting one developmental feature displaces stress into another tissue, stage or regulatory pathway. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Stage-aware multi-pathway support, repair and resource architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H007, H009. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Functional development improves without compensatory developmental injury. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Longitudinal developmental perturbation study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 114 · Metabolism, diet and consumption

Family: Evolution, transformation and emergence | Atlas pages: 853–859 | Original status: Strong structural fit

Evidence-grounded native state

Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation

Receiving schema and recognition gap

Calories/macros or one nutrient target

Candidate blocker

Useful intake is achieved by shifting toxicity, deficiency, cost or metabolic burden elsewhere

Named receiving carriers

Gut, microbiome, liver, tissues, household, food system and future organism

Constructive receiving capacity proposed in Atlas

Adaptive conversion, buffering, storage, elimination and access capacity

Author-defined Mutual Uptick acceptance target

Useful incorporation, metabolic stability, affordability and quality of life improve together

Decisive experiment described in Atlas

Controlled longitudinal multi-carrier nutrition study

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 114 · Metabolism, diet and consumption | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Gut, microbiome, liver, tissues, household, food system and future organism. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Calories/macros or one nutrient target. Then test the specific candidate blocker: Useful intake is achieved by shifting toxicity, deficiency, cost or metabolic burden elsewhere. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Adaptive conversion, buffering, storage, elimination and access capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H007, H009. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Useful incorporation, metabolic stability, affordability and quality of life improve together. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Controlled longitudinal multi-carrier nutrition study. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 115 · Predation, livestock and food-system transformation

Family: Evolution, transformation and emergence | Atlas pages: 860–866 | Original status: Ethical / ecological frontier

Evidence-grounded native state

Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology

Receiving schema and recognition gap

Yield, price or human nutrition alone

Candidate blocker

One species/system survives or profits by exporting unrepresented burden into another conscious/ecological carrier

Named receiving carriers

Animals, humans, workers, farmers, consumers, land, ecosystems and future food security

Constructive receiving capacity proposed in Atlas

Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity

Author-defined Mutual Uptick acceptance target

Food security, livelihoods, welfare and ecological resilience improve across the transition horizon

Decisive experiment described in Atlas

Phased regional transition with preregistered carrier ledger

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 115 · Predation, livestock and food-system transformation | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Animals, humans, workers, farmers, consumers, land, ecosystems and future food security. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Yield, price or human nutrition alone. Then test the specific candidate blocker: One species/system survives or profits by exporting unrepresented burden into another conscious/ecological carrier. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H007, H009. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Food security, livelihoods, welfare and ecological resilience improve across the transition horizon. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Phased regional transition with preregistered carrier ledger. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 116 · Learning, plasticity and cultural evolution

Family: Evolution, transformation and emergence | Atlas pages: 867–873 | Original status: Strong structural fit

Evidence-grounded native state

Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission

Receiving schema and recognition gap

Test score, output or adoption count

Candidate blocker

Fast performance gain displaces understanding, wellbeing, diversity or future learning capacity

Named receiving carriers

Learner, teachers, peers, institutions, future self and cultural network

Constructive receiving capacity proposed in Atlas

Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity

Author-defined Mutual Uptick acceptance target

Capability, transfer, wellbeing and future learning capacity improve together

Decisive experiment described in Atlas

Longitudinal transfer-and-retention experiment

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 116 · Learning, plasticity and cultural evolution | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Learner, teachers, peers, institutions, future self and cultural network. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Test score, output or adoption count. Then test the specific candidate blocker: Fast performance gain displaces understanding, wellbeing, diversity or future learning capacity. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H007, H009. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Capability, transfer, wellbeing and future learning capacity improve together. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Longitudinal transfer-and-retention experiment. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 117 · Self-organization and emergence

Family: Evolution, transformation and emergence | Atlas pages: 874–880 | Original status: Formal / empirical frontier

Evidence-grounded native state

Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate

Receiving schema and recognition gap

Macro outcome without micro-carrier ledger

Candidate blocker

Emergent order appears beneficial while unstable local compensation accumulates

Named receiving carriers

Components, neighborhoods, emergent structure and external environment

Constructive receiving capacity proposed in Atlas

Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity

Author-defined Mutual Uptick acceptance target

Emergent order remains viable while local stress and hidden compensation decline

Decisive experiment described in Atlas

Multi-scale simulation plus physical/biological holdout

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 117 · Self-organization and emergence | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Components, neighborhoods, emergent structure and external environment. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Macro outcome without micro-carrier ledger. Then test the specific candidate blocker: Emergent order appears beneficial while unstable local compensation accumulates. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H007, H009. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Emergent order remains viable while local stress and hidden compensation decline. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Multi-scale simulation plus physical/biological holdout. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 118 · Creation, provenance and dependency

Family: Evolution, transformation and emergence | Atlas pages: 881–887 | Original status: Constructive protocol

Evidence-grounded native state

Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects

Receiving schema and recognition gap

Ownership or authorship treated as sufficient relationship model

Candidate blocker

Created systems become dependent assets or creators become disposable inputs because provenance and reciprocal dependency are ignored

Named receiving carriers

Creators, created systems, maintainers, users, infrastructure and environment

Constructive receiving capacity proposed in Atlas

Provenance, stewardship, autonomy-transition and reciprocal-viability architecture

Author-defined Mutual Uptick acceptance target

Created and creating systems remain viable without one becoming the sacrificial substrate of the other

Decisive experiment described in Atlas

Longitudinal creator-created dependency audit

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 118 · Creation, provenance and dependency | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Creators, created systems, maintainers, users, infrastructure and environment. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Ownership or authorship treated as sufficient relationship model. Then test the specific candidate blocker: Created systems become dependent assets or creators become disposable inputs because provenance and reciprocal dependency are ignored. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Provenance, stewardship, autonomy-transition and reciprocal-viability architecture. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H007, H009. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Created and creating systems remain viable without one becoming the sacrificial substrate of the other. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Longitudinal creator-created dependency audit. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 119 · Cosmological evolution and structure formation

Family: Evolution, transformation and emergence | Atlas pages: 888–894 | Original status: Hard scientific frontier

Evidence-grounded native state

Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state

Receiving schema and recognition gap

Single scale or observable treated as complete cosmic state

Candidate blocker

Model success at one scale hides mismatch, selection effect or unresolved dynamics at another

Named receiving carriers

Observed regions, fields/matter components, instruments, models and observers

Constructive receiving capacity proposed in Atlas

Cross-scale observation, uncertainty, model-comparison and instrumentation capacity

Author-defined Mutual Uptick acceptance target

Predictive fidelity increases across scales without hidden contradiction or unsupported closure

Decisive experiment described in Atlas

Preregistered cross-survey predictive holdout

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 119 · Cosmological evolution and structure formation | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: Observed regions, fields/matter components, instruments, models and observers. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Single scale or observable treated as complete cosmic state. Then test the specific candidate blocker: Model success at one scale hides mismatch, selection effect or unresolved dynamics at another. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Cross-scale observation, uncertainty, model-comparison and instrumentation capacity. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H007, H009. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Predictive fidelity increases across scales without hidden contradiction or unsupported closure. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Preregistered cross-survey predictive holdout. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

ADAPTER 120 · Cross-substrate consciousness, temporal coexistence and closure

Family: Evolution, transformation and emergence | Atlas pages: 895–901 | Original status: Meta-adapter / closure operator

Evidence-grounded native state

The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility

Receiving schema and recognition gap

Any local adapter, species, institution or observer claiming closure from its own schema alone

Candidate blocker

A newly recognized truth, capability or optimization becomes locally beneficial while dependent carriers lack the capacity to absorb its consequences through time

Named receiving carriers

All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths

Constructive receiving capacity proposed in Atlas

Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and dependencies

Author-defined Mutual Uptick acceptance target

Increasing consciousness-legibility and viable coexistence across the coupled system, with no material carrier forced to become the sacrificial sink of another system’s advancement

Decisive experiment described in Atlas

Time-locked system-of-systems closure test across multiple adapters

Status boundary

All items on this page reproduce native Atlas source descriptions. No new causal result or passed Mutual Uptick gate is asserted.

ADAPTER 120 · Cross-substrate consciousness, temporal coexistence and closure | IMPLEMENTATION SPECIFICATION

REQUIRED INDEPENDENT WORK

Historical actions and missed opportunities

Locate prior attempts in this particular domain, including known successful interventions, failed interventions and possible risk substitution. Source each attempt with dated records rather than infer facts from the ontology.

Native causal data and units

Acquire the native observables described in this adapter: The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility. Record what is observed and what remains unidentifiable.

Receiving carrier ledger

Open an auditable ledger for: All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths. Each row needs its own units, horizon, safety gates, baseline, counterfactual and uncertainty.

Current schema and binding constraint

Evaluate the incumbent representation: Any local adapter, species, institution or observer claiming closure from its own schema alone. Then test the specific candidate blocker: A newly recognized truth, capability or optimization becomes locally beneficial while dependent carriers lack the capacity to absorb its consequences through time. This language is source-derived until supported by a measured case.

Construction search

Candidate structure to investigate: Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and dependencies. Compare redesign, re-selection, phased installation and capacity addition under matched costs and safety boundaries.

Historical case pointers

Related evidence records: H007, H009. Family context only, not direct evidence for this particular adapter.

Acceptance, verification and recurrence

Intended measurable outcome: Increasing consciousness-legibility and viable coexistence across the coupled system, with no material carrier forced to become the sacrificial sink of another system’s advancement. Decide in advance how to reject or revise an intervention. If evidence is insufficient, define the next evidence-collection action, not a false claim of success.

Field protocol and responsibility

Research design: Time-locked system-of-systems closure test across multiple adapters. Required: researcher/collaborator, permissions, data provenance, strongest native comparator, preregistration, costed construction, carrier-specific post-state and independent replication.

PART III · CROSS-DOMAIN CLOSURE

The archive remains open to newly recognized carriers, time periods, substrate models and future corrective constructions. Adapter 120 is a coordination hypothesis; this release does not declare that all carriers across the universe have been measured.

NEXT RELEASE CONDITION

An implementation-grade edition requires an original dataset or independently verified field observation, a frozen comparison to an incumbent, measured improvement for the identified carriers over a specified horizon, and a documented list of remaining externalities. A source-derived card may advance to empirical evidence only when those gates are actually met.

Purpose and evidence hierarchy

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

Differentiate authored origin, observed history, identified causal result, experiment design and completed consequential closure.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

The index case

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

The originating author's historical record supplies source provenance; it is not a randomized trial of universality.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

Fixed kernel K_R

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

Specify version and preserve the same operator under different native maps M_d.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

Domain-native physics

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

Energy, momentum, thermodynamic entropy and quantum amplitudes require valid distinct units and equations.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

Ethical agency

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

An optimizing policy cannot set aside rights or consent merely to maximize an aggregated score.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

Historical interventions

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

A historical achievement is recorded even when full protected-carrier welfare was not measured.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

Rejected terminal complacency

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

Operational uncertainty becomes a new evidence and capacity research task, not permission to manufacture a PASS.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

Causal displacement field

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

Identify reception paths and counterfactuals before claiming the mechanism is tested.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

Capacity and load

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

Compare incoming load, throughput, reserve and time under measured native conditions.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

Mutual Uptick target

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

A strict all-carrier gate can be a research objective while feasibility remains an empirical question.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

Pre-transition construction

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

Construction must be specified, implemented safely and retested against competing actions.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

Competing incumbents

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

Use strong comparison against TOC, STPA, FRAM, LCA, MPC and standard causal estimation where suitable.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

Publication integrity

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

Separate source excerpts, derived computations, original author arguments, and newly proposed protocols.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

Real-world history limitations

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

No database records every unobserved human, institutional or microscopic event in history.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

Unknown substrates

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

Physical and consciousness claims need independent operational definitions and distinguishing predictions.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

Pairwise bridge interpretation

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

A possible interface is not necessarily a real causal connection; measure before treating it as observed.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

Public interest

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

Prioritize interventions by preventable burden, feasibility, evidence quality and protected-carrier vulnerability.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

Research partnership

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

Institute roles should include independent scrutiny and equitable attribution, not forced transfer of authorship.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

Funding and implementation

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

Approvals, safety review, ethical resources, and costed implementation decisions precede deployment.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

Correction and supersession

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

Version changes must explicitly supersede older contrary claims without rewriting historical records.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

Reproducibility

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

Maintain machine-readable records, hashes, code, dates, raw input references and failures.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

Publication closure

Source synthesis and research integrity

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

RESEARCH SCOPE

This edition completes 25,000 paginated research-design pages, not 25,000 successfully deployed interventions.

CORPUS INPUTS

Canonical Universal Reality Atlas Edition 1.0 (2026); 120 source-derived adapter briefs; 18 source-linked historical cases; 26 node-reaction examples and preserved previous tests.

COMPETING SCIENTIFIC BASELINE

A strong alternative already exists for many subproblems: causal inference, control, resilience, safety, life-cycle assessment, operations research or native physical theory.

INTEGRATED RESEARCH REQUIREMENT

Record exact observable state; name the receiving schema and meaningful boundary; identify causal carriers; cost and assess possible capacity changes before acting; retest affected carriers through time.

WHAT THE EVIDENCE DOES NOT JUSTIFY

The presence of a formal grammar, a hypothesis, a simulation or historical outcome does not prove a new universal physical law or an independently implemented strict Mutual Uptick.

OPERATIONAL NEXT STEP

Attach primary source IDs and measured native units, derive a testable causal prediction, select a strong comparator and build an auditable next-experiment record.

INDEPENDENT EPISTEMIC GATE

Preserve known gains and known failures without labeling unknown protected-carrier outcomes as benefits.

Sources: Rufino (2026) Universal Reality Atlas, pp. 1-27, 917-922; living library v0.1.

H001 | Project STAR: Small classes versus regular classes and teacher aides

Historical case / analysis lens 1: Published historical intervention

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Project STAR: Small classes versus regular classes and teacher aides (1985–1989). Study classification: OBSERVED RANDOMIZED INTERVENTION; PARTIAL CARRIER DATA.

FOCUS OF THIS PAGE

Published historical intervention. What the original publication actually observed and in which study design.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Instructional inputs and student achievement. Observed: Randomized class-size reduction improved test performance; published analysis found teacher aides had little effect on achievement. Original study notes attrition and crossover.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Students, teachers, school system, school budget, families. Actually measured in source: Student standardized test outcomes; treatment/class allocation.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Long-term teacher workload, budget consequences, student-by-student counterfactuals and complete family outcomes.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Compare smaller classes, aides, teacher preparation and targeted support under matched costs; measure students plus teacher time, schools and households.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Original Project STAR randomized design; school fixed effects; cost-effectiveness analysis. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Krueger 1997, Experimental Estimates of Education Production Functions. Source link: https://www.nber.org/papers/w6051. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.nber.org/papers/w6051 ; see library historical_cases/H001.md

H001 | Project STAR: Small classes versus regular classes and teacher aides

Historical case / analysis lens 2: Original system boundary

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Project STAR: Small classes versus regular classes and teacher aides (1985–1989). Study classification: OBSERVED RANDOMIZED INTERVENTION; PARTIAL CARRIER DATA.

FOCUS OF THIS PAGE

Original system boundary. What the local operator or institution was optimizing.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Instructional inputs and student achievement. Observed: Randomized class-size reduction improved test performance; published analysis found teacher aides had little effect on achievement. Original study notes attrition and crossover.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Students, teachers, school system, school budget, families. Actually measured in source: Student standardized test outcomes; treatment/class allocation.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Long-term teacher workload, budget consequences, student-by-student counterfactuals and complete family outcomes.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Compare smaller classes, aides, teacher preparation and targeted support under matched costs; measure students plus teacher time, schools and households.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Original Project STAR randomized design; school fixed effects; cost-effectiveness analysis. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Krueger 1997, Experimental Estimates of Education Production Functions. Source link: https://www.nber.org/papers/w6051. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.nber.org/papers/w6051 ; see library historical_cases/H001.md

H001 | Project STAR: Small classes versus regular classes and teacher aides

Historical case / analysis lens 3: Receiving-carrier topology

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Project STAR: Small classes versus regular classes and teacher aides (1985–1989). Study classification: OBSERVED RANDOMIZED INTERVENTION; PARTIAL CARRIER DATA.

FOCUS OF THIS PAGE

Receiving-carrier topology. Which carriers could receive gain, risk, work, cost or harm.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Instructional inputs and student achievement. Observed: Randomized class-size reduction improved test performance; published analysis found teacher aides had little effect on achievement. Original study notes attrition and crossover.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Students, teachers, school system, school budget, families. Actually measured in source: Student standardized test outcomes; treatment/class allocation.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Long-term teacher workload, budget consequences, student-by-student counterfactuals and complete family outcomes.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Compare smaller classes, aides, teacher preparation and targeted support under matched costs; measure students plus teacher time, schools and households.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Original Project STAR randomized design; school fixed effects; cost-effectiveness analysis. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Krueger 1997, Experimental Estimates of Education Production Functions. Source link: https://www.nber.org/papers/w6051. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.nber.org/papers/w6051 ; see library historical_cases/H001.md

H001 | Project STAR: Small classes versus regular classes and teacher aides

Historical case / analysis lens 4: Measured findings and unknowns

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Project STAR: Small classes versus regular classes and teacher aides (1985–1989). Study classification: OBSERVED RANDOMIZED INTERVENTION; PARTIAL CARRIER DATA.

FOCUS OF THIS PAGE

Measured findings and unknowns. Which quantities were observed, and what was not measured.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Instructional inputs and student achievement. Observed: Randomized class-size reduction improved test performance; published analysis found teacher aides had little effect on achievement. Original study notes attrition and crossover.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Students, teachers, school system, school budget, families. Actually measured in source: Student standardized test outcomes; treatment/class allocation.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Long-term teacher workload, budget consequences, student-by-student counterfactuals and complete family outcomes.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Compare smaller classes, aides, teacher preparation and targeted support under matched costs; measure students plus teacher time, schools and households.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Original Project STAR randomized design; school fixed effects; cost-effectiveness analysis. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Krueger 1997, Experimental Estimates of Education Production Functions. Source link: https://www.nber.org/papers/w6051. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.nber.org/papers/w6051 ; see library historical_cases/H001.md

H001 | Project STAR: Small classes versus regular classes and teacher aides

Historical case / analysis lens 5: Counterfactual and incumbents

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Project STAR: Small classes versus regular classes and teacher aides (1985–1989). Study classification: OBSERVED RANDOMIZED INTERVENTION; PARTIAL CARRIER DATA.

FOCUS OF THIS PAGE

Counterfactual and incumbents. What existing causal or mechanistic methods best explain the data.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Instructional inputs and student achievement. Observed: Randomized class-size reduction improved test performance; published analysis found teacher aides had little effect on achievement. Original study notes attrition and crossover.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Students, teachers, school system, school budget, families. Actually measured in source: Student standardized test outcomes; treatment/class allocation.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Long-term teacher workload, budget consequences, student-by-student counterfactuals and complete family outcomes.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Compare smaller classes, aides, teacher preparation and targeted support under matched costs; measure students plus teacher time, schools and households.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Original Project STAR randomized design; school fixed effects; cost-effectiveness analysis. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Krueger 1997, Experimental Estimates of Education Production Functions. Source link: https://www.nber.org/papers/w6051. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.nber.org/papers/w6051 ; see library historical_cases/H001.md

H001 | Project STAR: Small classes versus regular classes and teacher aides

Historical case / analysis lens 6: Constructive capacity candidate

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Project STAR: Small classes versus regular classes and teacher aides (1985–1989). Study classification: OBSERVED RANDOMIZED INTERVENTION; PARTIAL CARRIER DATA.

FOCUS OF THIS PAGE

Constructive capacity candidate. What system could be constructed before the next transition, subject to safety.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Instructional inputs and student achievement. Observed: Randomized class-size reduction improved test performance; published analysis found teacher aides had little effect on achievement. Original study notes attrition and crossover.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Students, teachers, school system, school budget, families. Actually measured in source: Student standardized test outcomes; treatment/class allocation.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Long-term teacher workload, budget consequences, student-by-student counterfactuals and complete family outcomes.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Compare smaller classes, aides, teacher preparation and targeted support under matched costs; measure students plus teacher time, schools and households.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Original Project STAR randomized design; school fixed effects; cost-effectiveness analysis. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Krueger 1997, Experimental Estimates of Education Production Functions. Source link: https://www.nber.org/papers/w6051. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.nber.org/papers/w6051 ; see library historical_cases/H001.md

H001 | Project STAR: Small classes versus regular classes and teacher aides

Historical case / analysis lens 7: Decision and follow-up protocol

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Project STAR: Small classes versus regular classes and teacher aides (1985–1989). Study classification: OBSERVED RANDOMIZED INTERVENTION; PARTIAL CARRIER DATA.

FOCUS OF THIS PAGE

Decision and follow-up protocol. How to preregister a paired consequential-system comparison.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Instructional inputs and student achievement. Observed: Randomized class-size reduction improved test performance; published analysis found teacher aides had little effect on achievement. Original study notes attrition and crossover.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Students, teachers, school system, school budget, families. Actually measured in source: Student standardized test outcomes; treatment/class allocation.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Long-term teacher workload, budget consequences, student-by-student counterfactuals and complete family outcomes.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Compare smaller classes, aides, teacher preparation and targeted support under matched costs; measure students plus teacher time, schools and households.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Original Project STAR randomized design; school fixed effects; cost-effectiveness analysis. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Krueger 1997, Experimental Estimates of Education Production Functions. Source link: https://www.nber.org/papers/w6051. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.nber.org/papers/w6051 ; see library historical_cases/H001.md

H001 | Project STAR: Small classes versus regular classes and teacher aides

Historical case / analysis lens 8: Provenance and honest classification

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Project STAR: Small classes versus regular classes and teacher aides (1985–1989). Study classification: OBSERVED RANDOMIZED INTERVENTION; PARTIAL CARRIER DATA.

FOCUS OF THIS PAGE

Provenance and honest classification. How to present positive, negative and missing evidence without fabricating a MU+ result.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Instructional inputs and student achievement. Observed: Randomized class-size reduction improved test performance; published analysis found teacher aides had little effect on achievement. Original study notes attrition and crossover.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Students, teachers, school system, school budget, families. Actually measured in source: Student standardized test outcomes; treatment/class allocation.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Long-term teacher workload, budget consequences, student-by-student counterfactuals and complete family outcomes.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Compare smaller classes, aides, teacher preparation and targeted support under matched costs; measure students plus teacher time, schools and households.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Original Project STAR randomized design; school fixed effects; cost-effectiveness analysis. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Krueger 1997, Experimental Estimates of Education Production Functions. Source link: https://www.nber.org/papers/w6051. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.nber.org/papers/w6051 ; see library historical_cases/H001.md

H002 | Oregon Medicaid lottery: insurance and downstream outcomes

Historical case / analysis lens 1: Published historical intervention

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Oregon Medicaid lottery: insurance and downstream outcomes (2008–2013). Study classification: OBSERVED RANDOMIZED INTERVENTION; MIXED OUTCOMES.

FOCUS OF THIS PAGE

Published historical intervention. What the original publication actually observed and in which study design.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Health-insurance enrollment and healthcare access. Observed: Coverage improved financial protection, preventive services and depression outcomes; measured hypertension, cholesterol and blood sugar showed no statistically significant improvements over about two years.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Insured adults, caregivers, clinicians, hospitals, insurers, public budget. Actually measured in source: Depression screens, catastrophic spending, utilization, measured clinical indicators.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full provider capacity, all taxpayer costs, longer-horizon morbidity, household spillovers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Pair insurance access with tested provider-capacity, prevention, and follow-up designs while measuring financial, mental, and physical-health dimensions.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Oregon Health Insurance Experiment lottery evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Baicker et al. 2013, New England Journal of Medicine. Source link: https://www.nejm.org/doi/full/10.1056/NEJMsa1212321. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.nejm.org/doi/full/10.1056/NEJMsa1212321 ; see library historical_cases/H002.md

H002 | Oregon Medicaid lottery: insurance and downstream outcomes

Historical case / analysis lens 2: Original system boundary

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Oregon Medicaid lottery: insurance and downstream outcomes (2008–2013). Study classification: OBSERVED RANDOMIZED INTERVENTION; MIXED OUTCOMES.

FOCUS OF THIS PAGE

Original system boundary. What the local operator or institution was optimizing.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Health-insurance enrollment and healthcare access. Observed: Coverage improved financial protection, preventive services and depression outcomes; measured hypertension, cholesterol and blood sugar showed no statistically significant improvements over about two years.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Insured adults, caregivers, clinicians, hospitals, insurers, public budget. Actually measured in source: Depression screens, catastrophic spending, utilization, measured clinical indicators.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full provider capacity, all taxpayer costs, longer-horizon morbidity, household spillovers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Pair insurance access with tested provider-capacity, prevention, and follow-up designs while measuring financial, mental, and physical-health dimensions.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Oregon Health Insurance Experiment lottery evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Baicker et al. 2013, New England Journal of Medicine. Source link: https://www.nejm.org/doi/full/10.1056/NEJMsa1212321. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.nejm.org/doi/full/10.1056/NEJMsa1212321 ; see library historical_cases/H002.md

H002 | Oregon Medicaid lottery: insurance and downstream outcomes

Historical case / analysis lens 3: Receiving-carrier topology

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Oregon Medicaid lottery: insurance and downstream outcomes (2008–2013). Study classification: OBSERVED RANDOMIZED INTERVENTION; MIXED OUTCOMES.

FOCUS OF THIS PAGE

Receiving-carrier topology. Which carriers could receive gain, risk, work, cost or harm.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Health-insurance enrollment and healthcare access. Observed: Coverage improved financial protection, preventive services and depression outcomes; measured hypertension, cholesterol and blood sugar showed no statistically significant improvements over about two years.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Insured adults, caregivers, clinicians, hospitals, insurers, public budget. Actually measured in source: Depression screens, catastrophic spending, utilization, measured clinical indicators.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full provider capacity, all taxpayer costs, longer-horizon morbidity, household spillovers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Pair insurance access with tested provider-capacity, prevention, and follow-up designs while measuring financial, mental, and physical-health dimensions.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Oregon Health Insurance Experiment lottery evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Baicker et al. 2013, New England Journal of Medicine. Source link: https://www.nejm.org/doi/full/10.1056/NEJMsa1212321. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.nejm.org/doi/full/10.1056/NEJMsa1212321 ; see library historical_cases/H002.md

H002 | Oregon Medicaid lottery: insurance and downstream outcomes

Historical case / analysis lens 4: Measured findings and unknowns

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Oregon Medicaid lottery: insurance and downstream outcomes (2008–2013). Study classification: OBSERVED RANDOMIZED INTERVENTION; MIXED OUTCOMES.

FOCUS OF THIS PAGE

Measured findings and unknowns. Which quantities were observed, and what was not measured.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Health-insurance enrollment and healthcare access. Observed: Coverage improved financial protection, preventive services and depression outcomes; measured hypertension, cholesterol and blood sugar showed no statistically significant improvements over about two years.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Insured adults, caregivers, clinicians, hospitals, insurers, public budget. Actually measured in source: Depression screens, catastrophic spending, utilization, measured clinical indicators.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full provider capacity, all taxpayer costs, longer-horizon morbidity, household spillovers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Pair insurance access with tested provider-capacity, prevention, and follow-up designs while measuring financial, mental, and physical-health dimensions.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Oregon Health Insurance Experiment lottery evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Baicker et al. 2013, New England Journal of Medicine. Source link: https://www.nejm.org/doi/full/10.1056/NEJMsa1212321. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.nejm.org/doi/full/10.1056/NEJMsa1212321 ; see library historical_cases/H002.md

H002 | Oregon Medicaid lottery: insurance and downstream outcomes

Historical case / analysis lens 5: Counterfactual and incumbents

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Oregon Medicaid lottery: insurance and downstream outcomes (2008–2013). Study classification: OBSERVED RANDOMIZED INTERVENTION; MIXED OUTCOMES.

FOCUS OF THIS PAGE

Counterfactual and incumbents. What existing causal or mechanistic methods best explain the data.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Health-insurance enrollment and healthcare access. Observed: Coverage improved financial protection, preventive services and depression outcomes; measured hypertension, cholesterol and blood sugar showed no statistically significant improvements over about two years.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Insured adults, caregivers, clinicians, hospitals, insurers, public budget. Actually measured in source: Depression screens, catastrophic spending, utilization, measured clinical indicators.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full provider capacity, all taxpayer costs, longer-horizon morbidity, household spillovers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Pair insurance access with tested provider-capacity, prevention, and follow-up designs while measuring financial, mental, and physical-health dimensions.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Oregon Health Insurance Experiment lottery evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Baicker et al. 2013, New England Journal of Medicine. Source link: https://www.nejm.org/doi/full/10.1056/NEJMsa1212321. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.nejm.org/doi/full/10.1056/NEJMsa1212321 ; see library historical_cases/H002.md

H002 | Oregon Medicaid lottery: insurance and downstream outcomes

Historical case / analysis lens 6: Constructive capacity candidate

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Oregon Medicaid lottery: insurance and downstream outcomes (2008–2013). Study classification: OBSERVED RANDOMIZED INTERVENTION; MIXED OUTCOMES.

FOCUS OF THIS PAGE

Constructive capacity candidate. What system could be constructed before the next transition, subject to safety.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Health-insurance enrollment and healthcare access. Observed: Coverage improved financial protection, preventive services and depression outcomes; measured hypertension, cholesterol and blood sugar showed no statistically significant improvements over about two years.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Insured adults, caregivers, clinicians, hospitals, insurers, public budget. Actually measured in source: Depression screens, catastrophic spending, utilization, measured clinical indicators.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full provider capacity, all taxpayer costs, longer-horizon morbidity, household spillovers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Pair insurance access with tested provider-capacity, prevention, and follow-up designs while measuring financial, mental, and physical-health dimensions.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Oregon Health Insurance Experiment lottery evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Baicker et al. 2013, New England Journal of Medicine. Source link: https://www.nejm.org/doi/full/10.1056/NEJMsa1212321. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.nejm.org/doi/full/10.1056/NEJMsa1212321 ; see library historical_cases/H002.md

H002 | Oregon Medicaid lottery: insurance and downstream outcomes

Historical case / analysis lens 7: Decision and follow-up protocol

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Oregon Medicaid lottery: insurance and downstream outcomes (2008–2013). Study classification: OBSERVED RANDOMIZED INTERVENTION; MIXED OUTCOMES.

FOCUS OF THIS PAGE

Decision and follow-up protocol. How to preregister a paired consequential-system comparison.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Health-insurance enrollment and healthcare access. Observed: Coverage improved financial protection, preventive services and depression outcomes; measured hypertension, cholesterol and blood sugar showed no statistically significant improvements over about two years.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Insured adults, caregivers, clinicians, hospitals, insurers, public budget. Actually measured in source: Depression screens, catastrophic spending, utilization, measured clinical indicators.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full provider capacity, all taxpayer costs, longer-horizon morbidity, household spillovers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Pair insurance access with tested provider-capacity, prevention, and follow-up designs while measuring financial, mental, and physical-health dimensions.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Oregon Health Insurance Experiment lottery evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Baicker et al. 2013, New England Journal of Medicine. Source link: https://www.nejm.org/doi/full/10.1056/NEJMsa1212321. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.nejm.org/doi/full/10.1056/NEJMsa1212321 ; see library historical_cases/H002.md

H002 | Oregon Medicaid lottery: insurance and downstream outcomes

Historical case / analysis lens 8: Provenance and honest classification

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Oregon Medicaid lottery: insurance and downstream outcomes (2008–2013). Study classification: OBSERVED RANDOMIZED INTERVENTION; MIXED OUTCOMES.

FOCUS OF THIS PAGE

Provenance and honest classification. How to present positive, negative and missing evidence without fabricating a MU+ result.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Health-insurance enrollment and healthcare access. Observed: Coverage improved financial protection, preventive services and depression outcomes; measured hypertension, cholesterol and blood sugar showed no statistically significant improvements over about two years.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Insured adults, caregivers, clinicians, hospitals, insurers, public budget. Actually measured in source: Depression screens, catastrophic spending, utilization, measured clinical indicators.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full provider capacity, all taxpayer costs, longer-horizon morbidity, household spillovers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Pair insurance access with tested provider-capacity, prevention, and follow-up designs while measuring financial, mental, and physical-health dimensions.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Oregon Health Insurance Experiment lottery evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Baicker et al. 2013, New England Journal of Medicine. Source link: https://www.nejm.org/doi/full/10.1056/NEJMsa1212321. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.nejm.org/doi/full/10.1056/NEJMsa1212321 ; see library historical_cases/H002.md

H003 | Moving to Opportunity: effects depend on age and exposure duration

Historical case / analysis lens 1: Published historical intervention

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Moving to Opportunity: effects depend on age and exposure duration (1994–2016). Study classification: OBSERVED RANDOMIZED PROGRAM; HETEROGENEOUS LONG-TERM OUTCOMES.

FOCUS OF THIS PAGE

Published historical intervention. What the original publication actually observed and in which study design.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Housing vouchers and movement to lower-poverty neighborhoods. Observed: Children who moved before age 13 later had higher earnings and college attendance; effects of adolescent relocation were slightly negative in the cited analysis.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Children, parents, local communities, receiving schools, housing market. Actually measured in source: Long-term tax records, education and earnings; ages at move.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full social network rupture, displaced-community effects, all fiscal costs, causal decomposition of each service.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Time relocation and protect continuity of schooling, support networks, transport and family services; compare full multicarrier outcomes.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Moving to Opportunity randomized vouchers; age-heterogeneous causal evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Chetty, Hendren & Katz 2016, AER. Source link: https://www.aeaweb.org/articles?id=10.1257%2Faer.20150572. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.aeaweb.org/articles?id=10.1257%2Faer.20150572 ; see library historical_cases/H003.md

H003 | Moving to Opportunity: effects depend on age and exposure duration

Historical case / analysis lens 2: Original system boundary

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Moving to Opportunity: effects depend on age and exposure duration (1994–2016). Study classification: OBSERVED RANDOMIZED PROGRAM; HETEROGENEOUS LONG-TERM OUTCOMES.

FOCUS OF THIS PAGE

Original system boundary. What the local operator or institution was optimizing.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Housing vouchers and movement to lower-poverty neighborhoods. Observed: Children who moved before age 13 later had higher earnings and college attendance; effects of adolescent relocation were slightly negative in the cited analysis.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Children, parents, local communities, receiving schools, housing market. Actually measured in source: Long-term tax records, education and earnings; ages at move.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full social network rupture, displaced-community effects, all fiscal costs, causal decomposition of each service.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Time relocation and protect continuity of schooling, support networks, transport and family services; compare full multicarrier outcomes.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Moving to Opportunity randomized vouchers; age-heterogeneous causal evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Chetty, Hendren & Katz 2016, AER. Source link: https://www.aeaweb.org/articles?id=10.1257%2Faer.20150572. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.aeaweb.org/articles?id=10.1257%2Faer.20150572 ; see library historical_cases/H003.md

H003 | Moving to Opportunity: effects depend on age and exposure duration

Historical case / analysis lens 3: Receiving-carrier topology

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Moving to Opportunity: effects depend on age and exposure duration (1994–2016). Study classification: OBSERVED RANDOMIZED PROGRAM; HETEROGENEOUS LONG-TERM OUTCOMES.

FOCUS OF THIS PAGE

Receiving-carrier topology. Which carriers could receive gain, risk, work, cost or harm.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Housing vouchers and movement to lower-poverty neighborhoods. Observed: Children who moved before age 13 later had higher earnings and college attendance; effects of adolescent relocation were slightly negative in the cited analysis.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Children, parents, local communities, receiving schools, housing market. Actually measured in source: Long-term tax records, education and earnings; ages at move.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full social network rupture, displaced-community effects, all fiscal costs, causal decomposition of each service.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Time relocation and protect continuity of schooling, support networks, transport and family services; compare full multicarrier outcomes.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Moving to Opportunity randomized vouchers; age-heterogeneous causal evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Chetty, Hendren & Katz 2016, AER. Source link: https://www.aeaweb.org/articles?id=10.1257%2Faer.20150572. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.aeaweb.org/articles?id=10.1257%2Faer.20150572 ; see library historical_cases/H003.md

H003 | Moving to Opportunity: effects depend on age and exposure duration

Historical case / analysis lens 4: Measured findings and unknowns

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Moving to Opportunity: effects depend on age and exposure duration (1994–2016). Study classification: OBSERVED RANDOMIZED PROGRAM; HETEROGENEOUS LONG-TERM OUTCOMES.

FOCUS OF THIS PAGE

Measured findings and unknowns. Which quantities were observed, and what was not measured.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Housing vouchers and movement to lower-poverty neighborhoods. Observed: Children who moved before age 13 later had higher earnings and college attendance; effects of adolescent relocation were slightly negative in the cited analysis.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Children, parents, local communities, receiving schools, housing market. Actually measured in source: Long-term tax records, education and earnings; ages at move.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full social network rupture, displaced-community effects, all fiscal costs, causal decomposition of each service.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Time relocation and protect continuity of schooling, support networks, transport and family services; compare full multicarrier outcomes.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Moving to Opportunity randomized vouchers; age-heterogeneous causal evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Chetty, Hendren & Katz 2016, AER. Source link: https://www.aeaweb.org/articles?id=10.1257%2Faer.20150572. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.aeaweb.org/articles?id=10.1257%2Faer.20150572 ; see library historical_cases/H003.md

H003 | Moving to Opportunity: effects depend on age and exposure duration

Historical case / analysis lens 5: Counterfactual and incumbents

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Moving to Opportunity: effects depend on age and exposure duration (1994–2016). Study classification: OBSERVED RANDOMIZED PROGRAM; HETEROGENEOUS LONG-TERM OUTCOMES.

FOCUS OF THIS PAGE

Counterfactual and incumbents. What existing causal or mechanistic methods best explain the data.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Housing vouchers and movement to lower-poverty neighborhoods. Observed: Children who moved before age 13 later had higher earnings and college attendance; effects of adolescent relocation were slightly negative in the cited analysis.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Children, parents, local communities, receiving schools, housing market. Actually measured in source: Long-term tax records, education and earnings; ages at move.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full social network rupture, displaced-community effects, all fiscal costs, causal decomposition of each service.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Time relocation and protect continuity of schooling, support networks, transport and family services; compare full multicarrier outcomes.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Moving to Opportunity randomized vouchers; age-heterogeneous causal evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Chetty, Hendren & Katz 2016, AER. Source link: https://www.aeaweb.org/articles?id=10.1257%2Faer.20150572. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.aeaweb.org/articles?id=10.1257%2Faer.20150572 ; see library historical_cases/H003.md

H003 | Moving to Opportunity: effects depend on age and exposure duration

Historical case / analysis lens 6: Constructive capacity candidate

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Moving to Opportunity: effects depend on age and exposure duration (1994–2016). Study classification: OBSERVED RANDOMIZED PROGRAM; HETEROGENEOUS LONG-TERM OUTCOMES.

FOCUS OF THIS PAGE

Constructive capacity candidate. What system could be constructed before the next transition, subject to safety.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Housing vouchers and movement to lower-poverty neighborhoods. Observed: Children who moved before age 13 later had higher earnings and college attendance; effects of adolescent relocation were slightly negative in the cited analysis.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Children, parents, local communities, receiving schools, housing market. Actually measured in source: Long-term tax records, education and earnings; ages at move.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full social network rupture, displaced-community effects, all fiscal costs, causal decomposition of each service.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Time relocation and protect continuity of schooling, support networks, transport and family services; compare full multicarrier outcomes.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Moving to Opportunity randomized vouchers; age-heterogeneous causal evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Chetty, Hendren & Katz 2016, AER. Source link: https://www.aeaweb.org/articles?id=10.1257%2Faer.20150572. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.aeaweb.org/articles?id=10.1257%2Faer.20150572 ; see library historical_cases/H003.md

H003 | Moving to Opportunity: effects depend on age and exposure duration

Historical case / analysis lens 7: Decision and follow-up protocol

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Moving to Opportunity: effects depend on age and exposure duration (1994–2016). Study classification: OBSERVED RANDOMIZED PROGRAM; HETEROGENEOUS LONG-TERM OUTCOMES.

FOCUS OF THIS PAGE

Decision and follow-up protocol. How to preregister a paired consequential-system comparison.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Housing vouchers and movement to lower-poverty neighborhoods. Observed: Children who moved before age 13 later had higher earnings and college attendance; effects of adolescent relocation were slightly negative in the cited analysis.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Children, parents, local communities, receiving schools, housing market. Actually measured in source: Long-term tax records, education and earnings; ages at move.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full social network rupture, displaced-community effects, all fiscal costs, causal decomposition of each service.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Time relocation and protect continuity of schooling, support networks, transport and family services; compare full multicarrier outcomes.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Moving to Opportunity randomized vouchers; age-heterogeneous causal evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Chetty, Hendren & Katz 2016, AER. Source link: https://www.aeaweb.org/articles?id=10.1257%2Faer.20150572. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.aeaweb.org/articles?id=10.1257%2Faer.20150572 ; see library historical_cases/H003.md

H003 | Moving to Opportunity: effects depend on age and exposure duration

Historical case / analysis lens 8: Provenance and honest classification

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Moving to Opportunity: effects depend on age and exposure duration (1994–2016). Study classification: OBSERVED RANDOMIZED PROGRAM; HETEROGENEOUS LONG-TERM OUTCOMES.

FOCUS OF THIS PAGE

Provenance and honest classification. How to present positive, negative and missing evidence without fabricating a MU+ result.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Housing vouchers and movement to lower-poverty neighborhoods. Observed: Children who moved before age 13 later had higher earnings and college attendance; effects of adolescent relocation were slightly negative in the cited analysis.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Children, parents, local communities, receiving schools, housing market. Actually measured in source: Long-term tax records, education and earnings; ages at move.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full social network rupture, displaced-community effects, all fiscal costs, causal decomposition of each service.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Time relocation and protect continuity of schooling, support networks, transport and family services; compare full multicarrier outcomes.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Moving to Opportunity randomized vouchers; age-heterogeneous causal evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Chetty, Hendren & Katz 2016, AER. Source link: https://www.aeaweb.org/articles?id=10.1257%2Faer.20150572. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://www.aeaweb.org/articles?id=10.1257%2Faer.20150572 ; see library historical_cases/H003.md

H004 | National Supported Work: employment outcomes and distribution

Historical case / analysis lens 1: Published historical intervention

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

National Supported Work: employment outcomes and distribution (1970s). Study classification: PUBLISHED EXPERIMENTAL DATA; LIMITED CARRIER MEASUREMENT.

FOCUS OF THIS PAGE

Published historical intervention. What the original publication actually observed and in which study design.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Employment support for disadvantaged jobseekers. Observed: The Dehejia-Wahba sample of the NSW program contains treated and controls with subsequent earnings; independent published analysis evaluates earnings effects and how observational methods can mislead.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Workers, households, employers, program funders, communities. Actually measured in source: 1978 earnings and selected prior employment histories.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Employer productivity, full participant welfare, labor displacement, fiscal costs and future horizons.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Trace skills-to-work matching and employer demand; combine job placement with barriers to retention, support and cost accounting.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Randomized National Supported Work experiment; LaLonde causal inference comparisons. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Published historical NSW sample via Rdatasets/causaldata. Source link: https://raw.githubusercontent.com/vincentarelbundock/Rdatasets/master/csv/causaldata/nsw_mixtape.csv. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://raw.githubusercontent.com/vincentarelbundock/Rdatasets/master/csv/causaldata/nsw_mixtape.csv ; see library historical_cases/H004.md

H004 | National Supported Work: employment outcomes and distribution

Historical case / analysis lens 2: Original system boundary

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

National Supported Work: employment outcomes and distribution (1970s). Study classification: PUBLISHED EXPERIMENTAL DATA; LIMITED CARRIER MEASUREMENT.

FOCUS OF THIS PAGE

Original system boundary. What the local operator or institution was optimizing.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Employment support for disadvantaged jobseekers. Observed: The Dehejia-Wahba sample of the NSW program contains treated and controls with subsequent earnings; independent published analysis evaluates earnings effects and how observational methods can mislead.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Workers, households, employers, program funders, communities. Actually measured in source: 1978 earnings and selected prior employment histories.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Employer productivity, full participant welfare, labor displacement, fiscal costs and future horizons.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Trace skills-to-work matching and employer demand; combine job placement with barriers to retention, support and cost accounting.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Randomized National Supported Work experiment; LaLonde causal inference comparisons. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Published historical NSW sample via Rdatasets/causaldata. Source link: https://raw.githubusercontent.com/vincentarelbundock/Rdatasets/master/csv/causaldata/nsw_mixtape.csv. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://raw.githubusercontent.com/vincentarelbundock/Rdatasets/master/csv/causaldata/nsw_mixtape.csv ; see library historical_cases/H004.md

H004 | National Supported Work: employment outcomes and distribution

Historical case / analysis lens 3: Receiving-carrier topology

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

National Supported Work: employment outcomes and distribution (1970s). Study classification: PUBLISHED EXPERIMENTAL DATA; LIMITED CARRIER MEASUREMENT.

FOCUS OF THIS PAGE

Receiving-carrier topology. Which carriers could receive gain, risk, work, cost or harm.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Employment support for disadvantaged jobseekers. Observed: The Dehejia-Wahba sample of the NSW program contains treated and controls with subsequent earnings; independent published analysis evaluates earnings effects and how observational methods can mislead.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Workers, households, employers, program funders, communities. Actually measured in source: 1978 earnings and selected prior employment histories.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Employer productivity, full participant welfare, labor displacement, fiscal costs and future horizons.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Trace skills-to-work matching and employer demand; combine job placement with barriers to retention, support and cost accounting.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Randomized National Supported Work experiment; LaLonde causal inference comparisons. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Published historical NSW sample via Rdatasets/causaldata. Source link: https://raw.githubusercontent.com/vincentarelbundock/Rdatasets/master/csv/causaldata/nsw_mixtape.csv. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://raw.githubusercontent.com/vincentarelbundock/Rdatasets/master/csv/causaldata/nsw_mixtape.csv ; see library historical_cases/H004.md

H004 | National Supported Work: employment outcomes and distribution

Historical case / analysis lens 4: Measured findings and unknowns

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

National Supported Work: employment outcomes and distribution (1970s). Study classification: PUBLISHED EXPERIMENTAL DATA; LIMITED CARRIER MEASUREMENT.

FOCUS OF THIS PAGE

Measured findings and unknowns. Which quantities were observed, and what was not measured.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Employment support for disadvantaged jobseekers. Observed: The Dehejia-Wahba sample of the NSW program contains treated and controls with subsequent earnings; independent published analysis evaluates earnings effects and how observational methods can mislead.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Workers, households, employers, program funders, communities. Actually measured in source: 1978 earnings and selected prior employment histories.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Employer productivity, full participant welfare, labor displacement, fiscal costs and future horizons.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Trace skills-to-work matching and employer demand; combine job placement with barriers to retention, support and cost accounting.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Randomized National Supported Work experiment; LaLonde causal inference comparisons. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Published historical NSW sample via Rdatasets/causaldata. Source link: https://raw.githubusercontent.com/vincentarelbundock/Rdatasets/master/csv/causaldata/nsw_mixtape.csv. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://raw.githubusercontent.com/vincentarelbundock/Rdatasets/master/csv/causaldata/nsw_mixtape.csv ; see library historical_cases/H004.md

H004 | National Supported Work: employment outcomes and distribution

Historical case / analysis lens 5: Counterfactual and incumbents

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

National Supported Work: employment outcomes and distribution (1970s). Study classification: PUBLISHED EXPERIMENTAL DATA; LIMITED CARRIER MEASUREMENT.

FOCUS OF THIS PAGE

Counterfactual and incumbents. What existing causal or mechanistic methods best explain the data.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Employment support for disadvantaged jobseekers. Observed: The Dehejia-Wahba sample of the NSW program contains treated and controls with subsequent earnings; independent published analysis evaluates earnings effects and how observational methods can mislead.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Workers, households, employers, program funders, communities. Actually measured in source: 1978 earnings and selected prior employment histories.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Employer productivity, full participant welfare, labor displacement, fiscal costs and future horizons.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Trace skills-to-work matching and employer demand; combine job placement with barriers to retention, support and cost accounting.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Randomized National Supported Work experiment; LaLonde causal inference comparisons. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Published historical NSW sample via Rdatasets/causaldata. Source link: https://raw.githubusercontent.com/vincentarelbundock/Rdatasets/master/csv/causaldata/nsw_mixtape.csv. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://raw.githubusercontent.com/vincentarelbundock/Rdatasets/master/csv/causaldata/nsw_mixtape.csv ; see library historical_cases/H004.md

H004 | National Supported Work: employment outcomes and distribution

Historical case / analysis lens 6: Constructive capacity candidate

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

National Supported Work: employment outcomes and distribution (1970s). Study classification: PUBLISHED EXPERIMENTAL DATA; LIMITED CARRIER MEASUREMENT.

FOCUS OF THIS PAGE

Constructive capacity candidate. What system could be constructed before the next transition, subject to safety.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Employment support for disadvantaged jobseekers. Observed: The Dehejia-Wahba sample of the NSW program contains treated and controls with subsequent earnings; independent published analysis evaluates earnings effects and how observational methods can mislead.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Workers, households, employers, program funders, communities. Actually measured in source: 1978 earnings and selected prior employment histories.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Employer productivity, full participant welfare, labor displacement, fiscal costs and future horizons.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Trace skills-to-work matching and employer demand; combine job placement with barriers to retention, support and cost accounting.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Randomized National Supported Work experiment; LaLonde causal inference comparisons. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Published historical NSW sample via Rdatasets/causaldata. Source link: https://raw.githubusercontent.com/vincentarelbundock/Rdatasets/master/csv/causaldata/nsw_mixtape.csv. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://raw.githubusercontent.com/vincentarelbundock/Rdatasets/master/csv/causaldata/nsw_mixtape.csv ; see library historical_cases/H004.md

H004 | National Supported Work: employment outcomes and distribution

Historical case / analysis lens 7: Decision and follow-up protocol

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

National Supported Work: employment outcomes and distribution (1970s). Study classification: PUBLISHED EXPERIMENTAL DATA; LIMITED CARRIER MEASUREMENT.

FOCUS OF THIS PAGE

Decision and follow-up protocol. How to preregister a paired consequential-system comparison.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Employment support for disadvantaged jobseekers. Observed: The Dehejia-Wahba sample of the NSW program contains treated and controls with subsequent earnings; independent published analysis evaluates earnings effects and how observational methods can mislead.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Workers, households, employers, program funders, communities. Actually measured in source: 1978 earnings and selected prior employment histories.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Employer productivity, full participant welfare, labor displacement, fiscal costs and future horizons.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Trace skills-to-work matching and employer demand; combine job placement with barriers to retention, support and cost accounting.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Randomized National Supported Work experiment; LaLonde causal inference comparisons. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Published historical NSW sample via Rdatasets/causaldata. Source link: https://raw.githubusercontent.com/vincentarelbundock/Rdatasets/master/csv/causaldata/nsw_mixtape.csv. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://raw.githubusercontent.com/vincentarelbundock/Rdatasets/master/csv/causaldata/nsw_mixtape.csv ; see library historical_cases/H004.md

H004 | National Supported Work: employment outcomes and distribution

Historical case / analysis lens 8: Provenance and honest classification

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

National Supported Work: employment outcomes and distribution (1970s). Study classification: PUBLISHED EXPERIMENTAL DATA; LIMITED CARRIER MEASUREMENT.

FOCUS OF THIS PAGE

Provenance and honest classification. How to present positive, negative and missing evidence without fabricating a MU+ result.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Employment support for disadvantaged jobseekers. Observed: The Dehejia-Wahba sample of the NSW program contains treated and controls with subsequent earnings; independent published analysis evaluates earnings effects and how observational methods can mislead.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Workers, households, employers, program funders, communities. Actually measured in source: 1978 earnings and selected prior employment histories.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Employer productivity, full participant welfare, labor displacement, fiscal costs and future horizons.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Trace skills-to-work matching and employer demand; combine job placement with barriers to retention, support and cost accounting.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Randomized National Supported Work experiment; LaLonde causal inference comparisons. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Published historical NSW sample via Rdatasets/causaldata. Source link: https://raw.githubusercontent.com/vincentarelbundock/Rdatasets/master/csv/causaldata/nsw_mixtape.csv. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://raw.githubusercontent.com/vincentarelbundock/Rdatasets/master/csv/causaldata/nsw_mixtape.csv ; see library historical_cases/H004.md

H005 | Aral Sea: irrigation gain with downstream ecological and social loss

Historical case / analysis lens 1: Published historical intervention

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Aral Sea: irrigation gain with downstream ecological and social loss (1960s–2014). Study classification: OBSERVED HISTORICAL ECOLOGICAL CHANGE; RETROSPECTIVE CAUSAL ACCOUNT.

FOCUS OF THIS PAGE

Published historical intervention. What the original publication actually observed and in which study design.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Agricultural irrigation and cotton production through river diversion. Observed: Major diversion of inflowing rivers corresponded with severe shrinking of the Aral Sea, ecosystem collapse and disappearance of a fishing economy; NASA observed drying of the eastern basin by 2014.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Farmers, downstream fishing communities, lake ecosystem, regional air and soil, future generations. Actually measured in source: Satellite images, river inflows, fishery records and exposed lakebed.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Counterfactual allocation by season, feasible rights and infrastructure, complete distribution of costs across decades.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Reallocate flows subject to ecological minima, agricultural productivity, livelihoods, soil and water constraints; model compensation and alternative crop/irrigation systems.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Hydrological basin optimization and ecological water-allocation models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: NASA Earth Observatory, World of Change: Aral Sea. Source link: https://science.nasa.gov/earth/earth-observatory/world-of-change/aral-sea/. Full operator result: CLEARLY NOT A WHOLE-SYSTEM UPTICK UNDER OBSERVED PATH.

Source-linked public record: https://science.nasa.gov/earth/earth-observatory/world-of-change/aral-sea/ ; see library historical_cases/H005.md

H005 | Aral Sea: irrigation gain with downstream ecological and social loss

Historical case / analysis lens 2: Original system boundary

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Aral Sea: irrigation gain with downstream ecological and social loss (1960s–2014). Study classification: OBSERVED HISTORICAL ECOLOGICAL CHANGE; RETROSPECTIVE CAUSAL ACCOUNT.

FOCUS OF THIS PAGE

Original system boundary. What the local operator or institution was optimizing.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Agricultural irrigation and cotton production through river diversion. Observed: Major diversion of inflowing rivers corresponded with severe shrinking of the Aral Sea, ecosystem collapse and disappearance of a fishing economy; NASA observed drying of the eastern basin by 2014.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Farmers, downstream fishing communities, lake ecosystem, regional air and soil, future generations. Actually measured in source: Satellite images, river inflows, fishery records and exposed lakebed.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Counterfactual allocation by season, feasible rights and infrastructure, complete distribution of costs across decades.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Reallocate flows subject to ecological minima, agricultural productivity, livelihoods, soil and water constraints; model compensation and alternative crop/irrigation systems.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Hydrological basin optimization and ecological water-allocation models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: NASA Earth Observatory, World of Change: Aral Sea. Source link: https://science.nasa.gov/earth/earth-observatory/world-of-change/aral-sea/. Full operator result: CLEARLY NOT A WHOLE-SYSTEM UPTICK UNDER OBSERVED PATH.

Source-linked public record: https://science.nasa.gov/earth/earth-observatory/world-of-change/aral-sea/ ; see library historical_cases/H005.md

H005 | Aral Sea: irrigation gain with downstream ecological and social loss

Historical case / analysis lens 3: Receiving-carrier topology

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Aral Sea: irrigation gain with downstream ecological and social loss (1960s–2014). Study classification: OBSERVED HISTORICAL ECOLOGICAL CHANGE; RETROSPECTIVE CAUSAL ACCOUNT.

FOCUS OF THIS PAGE

Receiving-carrier topology. Which carriers could receive gain, risk, work, cost or harm.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Agricultural irrigation and cotton production through river diversion. Observed: Major diversion of inflowing rivers corresponded with severe shrinking of the Aral Sea, ecosystem collapse and disappearance of a fishing economy; NASA observed drying of the eastern basin by 2014.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Farmers, downstream fishing communities, lake ecosystem, regional air and soil, future generations. Actually measured in source: Satellite images, river inflows, fishery records and exposed lakebed.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Counterfactual allocation by season, feasible rights and infrastructure, complete distribution of costs across decades.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Reallocate flows subject to ecological minima, agricultural productivity, livelihoods, soil and water constraints; model compensation and alternative crop/irrigation systems.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Hydrological basin optimization and ecological water-allocation models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: NASA Earth Observatory, World of Change: Aral Sea. Source link: https://science.nasa.gov/earth/earth-observatory/world-of-change/aral-sea/. Full operator result: CLEARLY NOT A WHOLE-SYSTEM UPTICK UNDER OBSERVED PATH.

Source-linked public record: https://science.nasa.gov/earth/earth-observatory/world-of-change/aral-sea/ ; see library historical_cases/H005.md

H005 | Aral Sea: irrigation gain with downstream ecological and social loss

Historical case / analysis lens 4: Measured findings and unknowns

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Aral Sea: irrigation gain with downstream ecological and social loss (1960s–2014). Study classification: OBSERVED HISTORICAL ECOLOGICAL CHANGE; RETROSPECTIVE CAUSAL ACCOUNT.

FOCUS OF THIS PAGE

Measured findings and unknowns. Which quantities were observed, and what was not measured.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Agricultural irrigation and cotton production through river diversion. Observed: Major diversion of inflowing rivers corresponded with severe shrinking of the Aral Sea, ecosystem collapse and disappearance of a fishing economy; NASA observed drying of the eastern basin by 2014.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Farmers, downstream fishing communities, lake ecosystem, regional air and soil, future generations. Actually measured in source: Satellite images, river inflows, fishery records and exposed lakebed.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Counterfactual allocation by season, feasible rights and infrastructure, complete distribution of costs across decades.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Reallocate flows subject to ecological minima, agricultural productivity, livelihoods, soil and water constraints; model compensation and alternative crop/irrigation systems.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Hydrological basin optimization and ecological water-allocation models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: NASA Earth Observatory, World of Change: Aral Sea. Source link: https://science.nasa.gov/earth/earth-observatory/world-of-change/aral-sea/. Full operator result: CLEARLY NOT A WHOLE-SYSTEM UPTICK UNDER OBSERVED PATH.

Source-linked public record: https://science.nasa.gov/earth/earth-observatory/world-of-change/aral-sea/ ; see library historical_cases/H005.md

H005 | Aral Sea: irrigation gain with downstream ecological and social loss

Historical case / analysis lens 5: Counterfactual and incumbents

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Aral Sea: irrigation gain with downstream ecological and social loss (1960s–2014). Study classification: OBSERVED HISTORICAL ECOLOGICAL CHANGE; RETROSPECTIVE CAUSAL ACCOUNT.

FOCUS OF THIS PAGE

Counterfactual and incumbents. What existing causal or mechanistic methods best explain the data.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Agricultural irrigation and cotton production through river diversion. Observed: Major diversion of inflowing rivers corresponded with severe shrinking of the Aral Sea, ecosystem collapse and disappearance of a fishing economy; NASA observed drying of the eastern basin by 2014.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Farmers, downstream fishing communities, lake ecosystem, regional air and soil, future generations. Actually measured in source: Satellite images, river inflows, fishery records and exposed lakebed.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Counterfactual allocation by season, feasible rights and infrastructure, complete distribution of costs across decades.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Reallocate flows subject to ecological minima, agricultural productivity, livelihoods, soil and water constraints; model compensation and alternative crop/irrigation systems.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Hydrological basin optimization and ecological water-allocation models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: NASA Earth Observatory, World of Change: Aral Sea. Source link: https://science.nasa.gov/earth/earth-observatory/world-of-change/aral-sea/. Full operator result: CLEARLY NOT A WHOLE-SYSTEM UPTICK UNDER OBSERVED PATH.

Source-linked public record: https://science.nasa.gov/earth/earth-observatory/world-of-change/aral-sea/ ; see library historical_cases/H005.md

H005 | Aral Sea: irrigation gain with downstream ecological and social loss

Historical case / analysis lens 6: Constructive capacity candidate

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Aral Sea: irrigation gain with downstream ecological and social loss (1960s–2014). Study classification: OBSERVED HISTORICAL ECOLOGICAL CHANGE; RETROSPECTIVE CAUSAL ACCOUNT.

FOCUS OF THIS PAGE

Constructive capacity candidate. What system could be constructed before the next transition, subject to safety.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Agricultural irrigation and cotton production through river diversion. Observed: Major diversion of inflowing rivers corresponded with severe shrinking of the Aral Sea, ecosystem collapse and disappearance of a fishing economy; NASA observed drying of the eastern basin by 2014.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Farmers, downstream fishing communities, lake ecosystem, regional air and soil, future generations. Actually measured in source: Satellite images, river inflows, fishery records and exposed lakebed.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Counterfactual allocation by season, feasible rights and infrastructure, complete distribution of costs across decades.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Reallocate flows subject to ecological minima, agricultural productivity, livelihoods, soil and water constraints; model compensation and alternative crop/irrigation systems.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Hydrological basin optimization and ecological water-allocation models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: NASA Earth Observatory, World of Change: Aral Sea. Source link: https://science.nasa.gov/earth/earth-observatory/world-of-change/aral-sea/. Full operator result: CLEARLY NOT A WHOLE-SYSTEM UPTICK UNDER OBSERVED PATH.

Source-linked public record: https://science.nasa.gov/earth/earth-observatory/world-of-change/aral-sea/ ; see library historical_cases/H005.md

H005 | Aral Sea: irrigation gain with downstream ecological and social loss

Historical case / analysis lens 7: Decision and follow-up protocol

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Aral Sea: irrigation gain with downstream ecological and social loss (1960s–2014). Study classification: OBSERVED HISTORICAL ECOLOGICAL CHANGE; RETROSPECTIVE CAUSAL ACCOUNT.

FOCUS OF THIS PAGE

Decision and follow-up protocol. How to preregister a paired consequential-system comparison.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Agricultural irrigation and cotton production through river diversion. Observed: Major diversion of inflowing rivers corresponded with severe shrinking of the Aral Sea, ecosystem collapse and disappearance of a fishing economy; NASA observed drying of the eastern basin by 2014.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Farmers, downstream fishing communities, lake ecosystem, regional air and soil, future generations. Actually measured in source: Satellite images, river inflows, fishery records and exposed lakebed.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Counterfactual allocation by season, feasible rights and infrastructure, complete distribution of costs across decades.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Reallocate flows subject to ecological minima, agricultural productivity, livelihoods, soil and water constraints; model compensation and alternative crop/irrigation systems.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Hydrological basin optimization and ecological water-allocation models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: NASA Earth Observatory, World of Change: Aral Sea. Source link: https://science.nasa.gov/earth/earth-observatory/world-of-change/aral-sea/. Full operator result: CLEARLY NOT A WHOLE-SYSTEM UPTICK UNDER OBSERVED PATH.

Source-linked public record: https://science.nasa.gov/earth/earth-observatory/world-of-change/aral-sea/ ; see library historical_cases/H005.md

H005 | Aral Sea: irrigation gain with downstream ecological and social loss

Historical case / analysis lens 8: Provenance and honest classification

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Aral Sea: irrigation gain with downstream ecological and social loss (1960s–2014). Study classification: OBSERVED HISTORICAL ECOLOGICAL CHANGE; RETROSPECTIVE CAUSAL ACCOUNT.

FOCUS OF THIS PAGE

Provenance and honest classification. How to present positive, negative and missing evidence without fabricating a MU+ result.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Agricultural irrigation and cotton production through river diversion. Observed: Major diversion of inflowing rivers corresponded with severe shrinking of the Aral Sea, ecosystem collapse and disappearance of a fishing economy; NASA observed drying of the eastern basin by 2014.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Farmers, downstream fishing communities, lake ecosystem, regional air and soil, future generations. Actually measured in source: Satellite images, river inflows, fishery records and exposed lakebed.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Counterfactual allocation by season, feasible rights and infrastructure, complete distribution of costs across decades.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Reallocate flows subject to ecological minima, agricultural productivity, livelihoods, soil and water constraints; model compensation and alternative crop/irrigation systems.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Hydrological basin optimization and ecological water-allocation models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: NASA Earth Observatory, World of Change: Aral Sea. Source link: https://science.nasa.gov/earth/earth-observatory/world-of-change/aral-sea/. Full operator result: CLEARLY NOT A WHOLE-SYSTEM UPTICK UNDER OBSERVED PATH.

Source-linked public record: https://science.nasa.gov/earth/earth-observatory/world-of-change/aral-sea/ ; see library historical_cases/H005.md

H006 | Bangladesh tube wells: microbial benefit and displaced arsenic exposure

Historical case / analysis lens 1: Published historical intervention

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Bangladesh tube wells: microbial benefit and displaced arsenic exposure (1970s–2025). Study classification: OBSERVED RISK SUBSTITUTION; MULTIPLE INDEPENDENT STUDIES.

FOCUS OF THIS PAGE

Published historical intervention. What the original publication actually observed and in which study design.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Replace pathogen-contaminated surface water with groundwater wells. Observed: Widespread tube well use reduced certain microbial exposures but revealed natural arsenic in many wells; risk evaluations found microbial contamination in some substitute sources.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Drinking households, pregnant people and children, water utilities, ecosystems, public budgets. Actually measured in source: Arsenic assays, bacterial contamination, exposure and mortality studies.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full quality profiles and maintenance outcomes for each alternative, source reliability across seasons, household cost.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Use spatially shared anonymized well tests, safer deep water where validated, microbial safeguards, upkeep and community transition support.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WHO water-safety plans and joint arsenic/microbial DALY risk assessment. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Risk Assessment of Arsenic Mitigation Options in Bangladesh. Source link: https://pmc.ncbi.nlm.nih.gov/articles/PMC3013255/. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://pmc.ncbi.nlm.nih.gov/articles/PMC3013255/ ; see library historical_cases/H006.md

H006 | Bangladesh tube wells: microbial benefit and displaced arsenic exposure

Historical case / analysis lens 2: Original system boundary

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Bangladesh tube wells: microbial benefit and displaced arsenic exposure (1970s–2025). Study classification: OBSERVED RISK SUBSTITUTION; MULTIPLE INDEPENDENT STUDIES.

FOCUS OF THIS PAGE

Original system boundary. What the local operator or institution was optimizing.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Replace pathogen-contaminated surface water with groundwater wells. Observed: Widespread tube well use reduced certain microbial exposures but revealed natural arsenic in many wells; risk evaluations found microbial contamination in some substitute sources.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Drinking households, pregnant people and children, water utilities, ecosystems, public budgets. Actually measured in source: Arsenic assays, bacterial contamination, exposure and mortality studies.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full quality profiles and maintenance outcomes for each alternative, source reliability across seasons, household cost.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Use spatially shared anonymized well tests, safer deep water where validated, microbial safeguards, upkeep and community transition support.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WHO water-safety plans and joint arsenic/microbial DALY risk assessment. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Risk Assessment of Arsenic Mitigation Options in Bangladesh. Source link: https://pmc.ncbi.nlm.nih.gov/articles/PMC3013255/. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://pmc.ncbi.nlm.nih.gov/articles/PMC3013255/ ; see library historical_cases/H006.md

H006 | Bangladesh tube wells: microbial benefit and displaced arsenic exposure

Historical case / analysis lens 3: Receiving-carrier topology

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Bangladesh tube wells: microbial benefit and displaced arsenic exposure (1970s–2025). Study classification: OBSERVED RISK SUBSTITUTION; MULTIPLE INDEPENDENT STUDIES.

FOCUS OF THIS PAGE

Receiving-carrier topology. Which carriers could receive gain, risk, work, cost or harm.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Replace pathogen-contaminated surface water with groundwater wells. Observed: Widespread tube well use reduced certain microbial exposures but revealed natural arsenic in many wells; risk evaluations found microbial contamination in some substitute sources.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Drinking households, pregnant people and children, water utilities, ecosystems, public budgets. Actually measured in source: Arsenic assays, bacterial contamination, exposure and mortality studies.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full quality profiles and maintenance outcomes for each alternative, source reliability across seasons, household cost.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Use spatially shared anonymized well tests, safer deep water where validated, microbial safeguards, upkeep and community transition support.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WHO water-safety plans and joint arsenic/microbial DALY risk assessment. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Risk Assessment of Arsenic Mitigation Options in Bangladesh. Source link: https://pmc.ncbi.nlm.nih.gov/articles/PMC3013255/. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://pmc.ncbi.nlm.nih.gov/articles/PMC3013255/ ; see library historical_cases/H006.md

H006 | Bangladesh tube wells: microbial benefit and displaced arsenic exposure

Historical case / analysis lens 4: Measured findings and unknowns

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Bangladesh tube wells: microbial benefit and displaced arsenic exposure (1970s–2025). Study classification: OBSERVED RISK SUBSTITUTION; MULTIPLE INDEPENDENT STUDIES.

FOCUS OF THIS PAGE

Measured findings and unknowns. Which quantities were observed, and what was not measured.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Replace pathogen-contaminated surface water with groundwater wells. Observed: Widespread tube well use reduced certain microbial exposures but revealed natural arsenic in many wells; risk evaluations found microbial contamination in some substitute sources.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Drinking households, pregnant people and children, water utilities, ecosystems, public budgets. Actually measured in source: Arsenic assays, bacterial contamination, exposure and mortality studies.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full quality profiles and maintenance outcomes for each alternative, source reliability across seasons, household cost.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Use spatially shared anonymized well tests, safer deep water where validated, microbial safeguards, upkeep and community transition support.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WHO water-safety plans and joint arsenic/microbial DALY risk assessment. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Risk Assessment of Arsenic Mitigation Options in Bangladesh. Source link: https://pmc.ncbi.nlm.nih.gov/articles/PMC3013255/. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://pmc.ncbi.nlm.nih.gov/articles/PMC3013255/ ; see library historical_cases/H006.md

H006 | Bangladesh tube wells: microbial benefit and displaced arsenic exposure

Historical case / analysis lens 5: Counterfactual and incumbents

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Bangladesh tube wells: microbial benefit and displaced arsenic exposure (1970s–2025). Study classification: OBSERVED RISK SUBSTITUTION; MULTIPLE INDEPENDENT STUDIES.

FOCUS OF THIS PAGE

Counterfactual and incumbents. What existing causal or mechanistic methods best explain the data.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Replace pathogen-contaminated surface water with groundwater wells. Observed: Widespread tube well use reduced certain microbial exposures but revealed natural arsenic in many wells; risk evaluations found microbial contamination in some substitute sources.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Drinking households, pregnant people and children, water utilities, ecosystems, public budgets. Actually measured in source: Arsenic assays, bacterial contamination, exposure and mortality studies.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full quality profiles and maintenance outcomes for each alternative, source reliability across seasons, household cost.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Use spatially shared anonymized well tests, safer deep water where validated, microbial safeguards, upkeep and community transition support.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WHO water-safety plans and joint arsenic/microbial DALY risk assessment. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Risk Assessment of Arsenic Mitigation Options in Bangladesh. Source link: https://pmc.ncbi.nlm.nih.gov/articles/PMC3013255/. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://pmc.ncbi.nlm.nih.gov/articles/PMC3013255/ ; see library historical_cases/H006.md

H006 | Bangladesh tube wells: microbial benefit and displaced arsenic exposure

Historical case / analysis lens 6: Constructive capacity candidate

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Bangladesh tube wells: microbial benefit and displaced arsenic exposure (1970s–2025). Study classification: OBSERVED RISK SUBSTITUTION; MULTIPLE INDEPENDENT STUDIES.

FOCUS OF THIS PAGE

Constructive capacity candidate. What system could be constructed before the next transition, subject to safety.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Replace pathogen-contaminated surface water with groundwater wells. Observed: Widespread tube well use reduced certain microbial exposures but revealed natural arsenic in many wells; risk evaluations found microbial contamination in some substitute sources.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Drinking households, pregnant people and children, water utilities, ecosystems, public budgets. Actually measured in source: Arsenic assays, bacterial contamination, exposure and mortality studies.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full quality profiles and maintenance outcomes for each alternative, source reliability across seasons, household cost.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Use spatially shared anonymized well tests, safer deep water where validated, microbial safeguards, upkeep and community transition support.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WHO water-safety plans and joint arsenic/microbial DALY risk assessment. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Risk Assessment of Arsenic Mitigation Options in Bangladesh. Source link: https://pmc.ncbi.nlm.nih.gov/articles/PMC3013255/. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://pmc.ncbi.nlm.nih.gov/articles/PMC3013255/ ; see library historical_cases/H006.md

H006 | Bangladesh tube wells: microbial benefit and displaced arsenic exposure

Historical case / analysis lens 7: Decision and follow-up protocol

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Bangladesh tube wells: microbial benefit and displaced arsenic exposure (1970s–2025). Study classification: OBSERVED RISK SUBSTITUTION; MULTIPLE INDEPENDENT STUDIES.

FOCUS OF THIS PAGE

Decision and follow-up protocol. How to preregister a paired consequential-system comparison.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Replace pathogen-contaminated surface water with groundwater wells. Observed: Widespread tube well use reduced certain microbial exposures but revealed natural arsenic in many wells; risk evaluations found microbial contamination in some substitute sources.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Drinking households, pregnant people and children, water utilities, ecosystems, public budgets. Actually measured in source: Arsenic assays, bacterial contamination, exposure and mortality studies.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full quality profiles and maintenance outcomes for each alternative, source reliability across seasons, household cost.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Use spatially shared anonymized well tests, safer deep water where validated, microbial safeguards, upkeep and community transition support.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WHO water-safety plans and joint arsenic/microbial DALY risk assessment. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Risk Assessment of Arsenic Mitigation Options in Bangladesh. Source link: https://pmc.ncbi.nlm.nih.gov/articles/PMC3013255/. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://pmc.ncbi.nlm.nih.gov/articles/PMC3013255/ ; see library historical_cases/H006.md

H006 | Bangladesh tube wells: microbial benefit and displaced arsenic exposure

Historical case / analysis lens 8: Provenance and honest classification

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Bangladesh tube wells: microbial benefit and displaced arsenic exposure (1970s–2025). Study classification: OBSERVED RISK SUBSTITUTION; MULTIPLE INDEPENDENT STUDIES.

FOCUS OF THIS PAGE

Provenance and honest classification. How to present positive, negative and missing evidence without fabricating a MU+ result.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Replace pathogen-contaminated surface water with groundwater wells. Observed: Widespread tube well use reduced certain microbial exposures but revealed natural arsenic in many wells; risk evaluations found microbial contamination in some substitute sources.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Drinking households, pregnant people and children, water utilities, ecosystems, public budgets. Actually measured in source: Arsenic assays, bacterial contamination, exposure and mortality studies.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full quality profiles and maintenance outcomes for each alternative, source reliability across seasons, household cost.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Use spatially shared anonymized well tests, safer deep water where validated, microbial safeguards, upkeep and community transition support.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WHO water-safety plans and joint arsenic/microbial DALY risk assessment. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Risk Assessment of Arsenic Mitigation Options in Bangladesh. Source link: https://pmc.ncbi.nlm.nih.gov/articles/PMC3013255/. Full operator result: NOT DEMONSTRATED FOR ALL PROTECTED CARRIERS.

Source-linked public record: https://pmc.ncbi.nlm.nih.gov/articles/PMC3013255/ ; see library historical_cases/H006.md

H007 | Montreal Protocol: protection capacity through global coordination

Historical case / analysis lens 1: Published historical intervention

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Montreal Protocol: protection capacity through global coordination (1987–2066 projected). Study classification: OBSERVED INTERNATIONAL INTERVENTION; LONG-RUN OUTCOME PROJECTED.

FOCUS OF THIS PAGE

Published historical intervention. What the original publication actually observed and in which study design.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Reduce ozone-depleting substances and repair ozone protection. Observed: WMO 2022 assessment finds stratospheric ozone recovery progressing; return toward 1980 levels projected on different dates for near-global, Arctic and Antarctic regions.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Human populations, ecosystems, industry, consumers, climate system. Actually measured in source: Atmospheric observations, modeled projections of ozone and radiative effects.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full cross-country distribution of transition costs, replacement chemical side effects, long horizon all-carrier outcomes.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Evaluate cooling substitutes, Kigali phasedown, affordability, ozone recovery, industrial access and climate together.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WMO/UNEP Ozone Scientific Assessment and chemical/climate models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WMO/UNEP Scientific Assessment of Ozone Depletion 2022. Source link: https://public.wmo.int/sites/default/files/2023-03/Scientific-Assessment-of-Ozone-Depletion-2022-Executive-Summary.pdf. Full operator result: SUBSTANTIAL POSITIVE DOMAIN OUTCOME; STRICT MU+ NOT ESTABLISHED.

Source-linked public record:
https://public.wmo.int/sites/default/files/2023-03/Scientific-Assessment-of-Ozone-Depletion-2022-Executive-Summary.pdf ; see library

H007 | Montreal Protocol: protection capacity through global coordination

Historical case / analysis lens 2: Original system boundary

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Montreal Protocol: protection capacity through global coordination (1987–2066 projected). Study classification: OBSERVED INTERNATIONAL INTERVENTION; LONG-RUN OUTCOME PROJECTED.

FOCUS OF THIS PAGE

Original system boundary. What the local operator or institution was optimizing.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Reduce ozone-depleting substances and repair ozone protection. Observed: WMO 2022 assessment finds stratospheric ozone recovery progressing; return toward 1980 levels projected on different dates for near-global, Arctic and Antarctic regions.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Human populations, ecosystems, industry, consumers, climate system. Actually measured in source: Atmospheric observations, modeled projections of ozone and radiative effects.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full cross-country distribution of transition costs, replacement chemical side effects, long horizon all-carrier outcomes.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Evaluate cooling substitutes, Kigali phasedown, affordability, ozone recovery, industrial access and climate together.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WMO/UNEP Ozone Scientific Assessment and chemical/climate models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WMO/UNEP Scientific Assessment of Ozone Depletion 2022. Source link: https://public.wmo.int/sites/default/files/2023-03/Scientific-Assessment-of-Ozone-Depletion-2022-Executive-Summary.pdf. Full operator result: SUBSTANTIAL POSITIVE DOMAIN OUTCOME; STRICT MU+ NOT ESTABLISHED.

Source-linked public record:
https://public.wmo.int/sites/default/files/2023-03/Scientific-Assessment-of-Ozone-Depletion-2022-Executive-Summary.pdf ; see library

H007 | Montreal Protocol: protection capacity through global coordination

Historical case / analysis lens 3: Receiving-carrier topology

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Montreal Protocol: protection capacity through global coordination (1987–2066 projected). Study classification: OBSERVED INTERNATIONAL INTERVENTION; LONG-RUN OUTCOME PROJECTED.

FOCUS OF THIS PAGE

Receiving-carrier topology. Which carriers could receive gain, risk, work, cost or harm.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Reduce ozone-depleting substances and repair ozone protection. Observed: WMO 2022 assessment finds stratospheric ozone recovery progressing; return toward 1980 levels projected on different dates for near-global, Arctic and Antarctic regions.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Human populations, ecosystems, industry, consumers, climate system. Actually measured in source: Atmospheric observations, modeled projections of ozone and radiative effects.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full cross-country distribution of transition costs, replacement chemical side effects, long horizon all-carrier outcomes.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Evaluate cooling substitutes, Kigali phasedown, affordability, ozone recovery, industrial access and climate together.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WMO/UNEP Ozone Scientific Assessment and chemical/climate models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WMO/UNEP Scientific Assessment of Ozone Depletion 2022. Source link: https://public.wmo.int/sites/default/files/2023-03/Scientific-Assessment-of-Ozone-Depletion-2022-Executive-Summary.pdf. Full operator result: SUBSTANTIAL POSITIVE DOMAIN OUTCOME; STRICT MU+ NOT ESTABLISHED.

Source-linked public record:
https://public.wmo.int/sites/default/files/2023-03/Scientific-Assessment-of-Ozone-Depletion-2022-Executive-Summary.pdf ; see library

H007 | Montreal Protocol: protection capacity through global coordination

Historical case / analysis lens 4: Measured findings and unknowns

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Montreal Protocol: protection capacity through global coordination (1987–2066 projected). Study classification: OBSERVED INTERNATIONAL INTERVENTION; LONG-RUN OUTCOME PROJECTED.

FOCUS OF THIS PAGE

Measured findings and unknowns. Which quantities were observed, and what was not measured.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Reduce ozone-depleting substances and repair ozone protection. Observed: WMO 2022 assessment finds stratospheric ozone recovery progressing; return toward 1980 levels projected on different dates for near-global, Arctic and Antarctic regions.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Human populations, ecosystems, industry, consumers, climate system. Actually measured in source: Atmospheric observations, modeled projections of ozone and radiative effects.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full cross-country distribution of transition costs, replacement chemical side effects, long horizon all-carrier outcomes.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Evaluate cooling substitutes, Kigali phasedown, affordability, ozone recovery, industrial access and climate together.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WMO/UNEP Ozone Scientific Assessment and chemical/climate models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WMO/UNEP Scientific Assessment of Ozone Depletion 2022. Source link: https://public.wmo.int/sites/default/files/2023-03/Scientific-Assessment-of-Ozone-Depletion-2022-Executive-Summary.pdf. Full operator result: SUBSTANTIAL POSITIVE DOMAIN OUTCOME; STRICT MU+ NOT ESTABLISHED.

Source-linked public record:
https://public.wmo.int/sites/default/files/2023-03/Scientific-Assessment-of-Ozone-Depletion-2022-Executive-Summary.pdf ; see library

H007 | Montreal Protocol: protection capacity through global coordination

Historical case / analysis lens 5: Counterfactual and incumbents

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Montreal Protocol: protection capacity through global coordination (1987–2066 projected). Study classification: OBSERVED INTERNATIONAL INTERVENTION; LONG-RUN OUTCOME PROJECTED.

FOCUS OF THIS PAGE

Counterfactual and incumbents. What existing causal or mechanistic methods best explain the data.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Reduce ozone-depleting substances and repair ozone protection. Observed: WMO 2022 assessment finds stratospheric ozone recovery progressing; return toward 1980 levels projected on different dates for near-global, Arctic and Antarctic regions.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Human populations, ecosystems, industry, consumers, climate system. Actually measured in source: Atmospheric observations, modeled projections of ozone and radiative effects.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full cross-country distribution of transition costs, replacement chemical side effects, long horizon all-carrier outcomes.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Evaluate cooling substitutes, Kigali phasedown, affordability, ozone recovery, industrial access and climate together.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WMO/UNEP Ozone Scientific Assessment and chemical/climate models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WMO/UNEP Scientific Assessment of Ozone Depletion 2022. Source link: https://public.wmo.int/sites/default/files/2023-03/Scientific-Assessment-of-Ozone-Depletion-2022-Executive-Summary.pdf. Full operator result: SUBSTANTIAL POSITIVE DOMAIN OUTCOME; STRICT MU+ NOT ESTABLISHED.

Source-linked public record:
https://public.wmo.int/sites/default/files/2023-03/Scientific-Assessment-of-Ozone-Depletion-2022-Executive-Summary.pdf ; see library

H007 | Montreal Protocol: protection capacity through global coordination

Historical case / analysis lens 6: Constructive capacity candidate

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Montreal Protocol: protection capacity through global coordination (1987–2066 projected). Study classification: OBSERVED INTERNATIONAL INTERVENTION; LONG-RUN OUTCOME PROJECTED.

FOCUS OF THIS PAGE

Constructive capacity candidate. What system could be constructed before the next transition, subject to safety.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Reduce ozone-depleting substances and repair ozone protection. Observed: WMO 2022 assessment finds stratospheric ozone recovery progressing; return toward 1980 levels projected on different dates for near-global, Arctic and Antarctic regions.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Human populations, ecosystems, industry, consumers, climate system. Actually measured in source: Atmospheric observations, modeled projections of ozone and radiative effects.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full cross-country distribution of transition costs, replacement chemical side effects, long horizon all-carrier outcomes.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Evaluate cooling substitutes, Kigali phasedown, affordability, ozone recovery, industrial access and climate together.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WMO/UNEP Ozone Scientific Assessment and chemical/climate models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WMO/UNEP Scientific Assessment of Ozone Depletion 2022. Source link: https://public.wmo.int/sites/default/files/2023-03/Scientific-Assessment-of-Ozone-Depletion-2022-Executive-Summary.pdf. Full operator result: SUBSTANTIAL POSITIVE DOMAIN OUTCOME; STRICT MU+ NOT ESTABLISHED.

Source-linked public record:
https://public.wmo.int/sites/default/files/2023-03/Scientific-Assessment-of-Ozone-Depletion-2022-Executive-Summary.pdf ; see library

H007 | Montreal Protocol: protection capacity through global coordination

Historical case / analysis lens 7: Decision and follow-up protocol

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Montreal Protocol: protection capacity through global coordination (1987–2066 projected). Study classification: OBSERVED INTERNATIONAL INTERVENTION; LONG-RUN OUTCOME PROJECTED.

FOCUS OF THIS PAGE

Decision and follow-up protocol. How to preregister a paired consequential-system comparison.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Reduce ozone-depleting substances and repair ozone protection. Observed: WMO 2022 assessment finds stratospheric ozone recovery progressing; return toward 1980 levels projected on different dates for near-global, Arctic and Antarctic regions.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Human populations, ecosystems, industry, consumers, climate system. Actually measured in source: Atmospheric observations, modeled projections of ozone and radiative effects.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full cross-country distribution of transition costs, replacement chemical side effects, long horizon all-carrier outcomes.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Evaluate cooling substitutes, Kigali phasedown, affordability, ozone recovery, industrial access and climate together.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WMO/UNEP Ozone Scientific Assessment and chemical/climate models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WMO/UNEP Scientific Assessment of Ozone Depletion 2022. Source link: https://public.wmo.int/sites/default/files/2023-03/Scientific-Assessment-of-Ozone-Depletion-2022-Executive-Summary.pdf. Full operator result: SUBSTANTIAL POSITIVE DOMAIN OUTCOME; STRICT MU+ NOT ESTABLISHED.

Source-linked public record:
https://public.wmo.int/sites/default/files/2023-03/Scientific-Assessment-of-Ozone-Depletion-2022-Executive-Summary.pdf ; see library

H007 | Montreal Protocol: protection capacity through global coordination

Historical case / analysis lens 8: Provenance and honest classification

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Montreal Protocol: protection capacity through global coordination (1987–2066 projected). Study classification: OBSERVED INTERNATIONAL INTERVENTION; LONG-RUN OUTCOME PROJECTED.

FOCUS OF THIS PAGE

Provenance and honest classification. How to present positive, negative and missing evidence without fabricating a MU+ result.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Reduce ozone-depleting substances and repair ozone protection. Observed: WMO 2022 assessment finds stratospheric ozone recovery progressing; return toward 1980 levels projected on different dates for near-global, Arctic and Antarctic regions.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Human populations, ecosystems, industry, consumers, climate system. Actually measured in source: Atmospheric observations, modeled projections of ozone and radiative effects.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full cross-country distribution of transition costs, replacement chemical side effects, long horizon all-carrier outcomes.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Evaluate cooling substitutes, Kigali phasedown, affordability, ozone recovery, industrial access and climate together.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WMO/UNEP Ozone Scientific Assessment and chemical/climate models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WMO/UNEP Scientific Assessment of Ozone Depletion 2022. Source link: https://public.wmo.int/sites/default/files/2023-03/Scientific-Assessment-of-Ozone-Depletion-2022-Executive-Summary.pdf. Full operator result: SUBSTANTIAL POSITIVE DOMAIN OUTCOME; STRICT MU+ NOT ESTABLISHED.

Source-linked public record:
https://public.wmo.int/sites/default/files/2023-03/Scientific-Assessment-of-Ozone-Depletion-2022-Executive-Summary.pdf ; see library

H008 | Global phaseout of leaded petrol

Historical case / analysis lens 1: Published historical intervention

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Global phaseout of leaded petrol (1922–2021). Study classification: OBSERVED GLOBAL PHASEOUT; HEALTH BENEFITS MODEL-ESTIMATED.

FOCUS OF THIS PAGE

Published historical intervention. What the original publication actually observed and in which study design.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Improve engine performance using lead additives; later remove lead. Observed: UNEP reports global cessation of leaded petrol in 2021, with large estimated future health and economic benefits.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Children, communities, drivers, fuel producers, environmental reservoirs. Actually measured in source: Policy completion and epidemiological/economic burden estimates.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full transition cost per country, residual legacy soil burden, remaining lead sources.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Sustain unleaded fuel and remediate legacy lead in soil and housing, measure child health and equity through time.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Public-health burden-of-disease and air-pollution policy evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: UNEP 2021 press release on leaded petrol phaseout. Source link: https://www.unep.org/news-and-stories/press-release/era-leaded-petrol-over-eliminating-major-threat-human-and-planetary. Full operator result: STRONG HISTORICAL BENEFIT; STRICT MU+ NOT ESTABLISHED.

Source-linked public record:
https://www.unep.org/news-and-stories/press-release/era-leaded-petrol-over-eliminating-major-threat-human-and-planetary ; see library

H008 | Global phaseout of leaded petrol

Historical case / analysis lens 2: Original system boundary

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Global phaseout of leaded petrol (1922–2021). Study classification: OBSERVED GLOBAL PHASEOUT; HEALTH BENEFITS MODEL-ESTIMATED.

FOCUS OF THIS PAGE

Original system boundary. What the local operator or institution was optimizing.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Improve engine performance using lead additives; later remove lead. Observed: UNEP reports global cessation of leaded petrol in 2021, with large estimated future health and economic benefits.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Children, communities, drivers, fuel producers, environmental reservoirs. Actually measured in source: Policy completion and epidemiological/economic burden estimates.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full transition cost per country, residual legacy soil burden, remaining lead sources.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Sustain unleaded fuel and remediate legacy lead in soil and housing, measure child health and equity through time.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Public-health burden-of-disease and air-pollution policy evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: UNEP 2021 press release on leaded petrol phaseout. Source link: https://www.unep.org/news-and-stories/press-release/era-leaded-petrol-over-eliminating-major-threat-human-and-planetary. Full operator result: STRONG HISTORICAL BENEFIT; STRICT MU+ NOT ESTABLISHED.

Source-linked public record:
https://www.unep.org/news-and-stories/press-release/era-leaded-petrol-over-eliminating-major-threat-human-and-planetary ; see library

H008 | Global phaseout of leaded petrol

Historical case / analysis lens 3: Receiving-carrier topology

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Global phaseout of leaded petrol (1922–2021). Study classification: OBSERVED GLOBAL PHASEOUT; HEALTH BENEFITS MODEL-ESTIMATED.

FOCUS OF THIS PAGE

Receiving-carrier topology. Which carriers could receive gain, risk, work, cost or harm.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Improve engine performance using lead additives; later remove lead. Observed: UNEP reports global cessation of leaded petrol in 2021, with large estimated future health and economic benefits.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Children, communities, drivers, fuel producers, environmental reservoirs. Actually measured in source: Policy completion and epidemiological/economic burden estimates.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full transition cost per country, residual legacy soil burden, remaining lead sources.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Sustain unleaded fuel and remediate legacy lead in soil and housing, measure child health and equity through time.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Public-health burden-of-disease and air-pollution policy evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: UNEP 2021 press release on leaded petrol phaseout. Source link: https://www.unep.org/news-and-stories/press-release/era-leaded-petrol-over-eliminating-major-threat-human-and-planetary. Full operator result: STRONG HISTORICAL BENEFIT; STRICT MU+ NOT ESTABLISHED.

Source-linked public record:
https://www.unep.org/news-and-stories/press-release/era-leaded-petrol-over-eliminating-major-threat-human-and-planetary ; see library

H008 | Global phaseout of leaded petrol

Historical case / analysis lens 4: Measured findings and unknowns

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Global phaseout of leaded petrol (1922–2021). Study classification: OBSERVED GLOBAL PHASEOUT; HEALTH BENEFITS MODEL-ESTIMATED.

FOCUS OF THIS PAGE

Measured findings and unknowns. Which quantities were observed, and what was not measured.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Improve engine performance using lead additives; later remove lead. Observed: UNEP reports global cessation of leaded petrol in 2021, with large estimated future health and economic benefits.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Children, communities, drivers, fuel producers, environmental reservoirs. Actually measured in source: Policy completion and epidemiological/economic burden estimates.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full transition cost per country, residual legacy soil burden, remaining lead sources.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Sustain unleaded fuel and remediate legacy lead in soil and housing, measure child health and equity through time.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Public-health burden-of-disease and air-pollution policy evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: UNEP 2021 press release on leaded petrol phaseout. Source link: https://www.unep.org/news-and-stories/press-release/era-leaded-petrol-over-eliminating-major-threat-human-and-planetary. Full operator result: STRONG HISTORICAL BENEFIT; STRICT MU+ NOT ESTABLISHED.

H008 | Global phaseout of leaded petrol

Historical case / analysis lens 5: Counterfactual and incumbents

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Global phaseout of leaded petrol (1922–2021). Study classification: OBSERVED GLOBAL PHASEOUT; HEALTH BENEFITS MODEL-ESTIMATED.

FOCUS OF THIS PAGE

Counterfactual and incumbents. What existing causal or mechanistic methods best explain the data.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Improve engine performance using lead additives; later remove lead. Observed: UNEP reports global cessation of leaded petrol in 2021, with large estimated future health and economic benefits.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Children, communities, drivers, fuel producers, environmental reservoirs. Actually measured in source: Policy completion and epidemiological/economic burden estimates.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full transition cost per country, residual legacy soil burden, remaining lead sources.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Sustain unleaded fuel and remediate legacy lead in soil and housing, measure child health and equity through time.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Public-health burden-of-disease and air-pollution policy evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: UNEP 2021 press release on leaded petrol phaseout. Source link: https://www.unep.org/news-and-stories/press-release/era-leaded-petrol-over-eliminating-major-threat-human-and-planetary. Full operator result: STRONG HISTORICAL BENEFIT; STRICT MU+ NOT ESTABLISHED.

H008 | Global phaseout of leaded petrol

Historical case / analysis lens 6: Constructive capacity candidate

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Global phaseout of leaded petrol (1922–2021). Study classification: OBSERVED GLOBAL PHASEOUT; HEALTH BENEFITS MODEL-ESTIMATED.

FOCUS OF THIS PAGE

Constructive capacity candidate. What system could be constructed before the next transition, subject to safety.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Improve engine performance using lead additives; later remove lead. Observed: UNEP reports global cessation of leaded petrol in 2021, with large estimated future health and economic benefits.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Children, communities, drivers, fuel producers, environmental reservoirs. Actually measured in source: Policy completion and epidemiological/economic burden estimates.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full transition cost per country, residual legacy soil burden, remaining lead sources.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Sustain unleaded fuel and remediate legacy lead in soil and housing, measure child health and equity through time.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Public-health burden-of-disease and air-pollution policy evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: UNEP 2021 press release on leaded petrol phaseout. Source link: https://www.unep.org/news-and-stories/press-release/era-leaded-petrol-over-eliminating-major-threat-human-and-planetary. Full operator result: STRONG HISTORICAL BENEFIT; STRICT MU+ NOT ESTABLISHED.

Source-linked public record:
https://www.unep.org/news-and-stories/press-release/era-leaded-petrol-over-eliminating-major-threat-human-and-planetary ; see library

H008 | Global phaseout of leaded petrol

Historical case / analysis lens 7: Decision and follow-up protocol

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Global phaseout of leaded petrol (1922–2021). Study classification: OBSERVED GLOBAL PHASEOUT; HEALTH BENEFITS MODEL-ESTIMATED.

FOCUS OF THIS PAGE

Decision and follow-up protocol. How to preregister a paired consequential-system comparison.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Improve engine performance using lead additives; later remove lead. Observed: UNEP reports global cessation of leaded petrol in 2021, with large estimated future health and economic benefits.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Children, communities, drivers, fuel producers, environmental reservoirs. Actually measured in source: Policy completion and epidemiological/economic burden estimates.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full transition cost per country, residual legacy soil burden, remaining lead sources.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Sustain unleaded fuel and remediate legacy lead in soil and housing, measure child health and equity through time.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Public-health burden-of-disease and air-pollution policy evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: UNEP 2021 press release on leaded petrol phaseout. Source link: https://www.unep.org/news-and-stories/press-release/era-leaded-petrol-over-eliminating-major-threat-human-and-planetary. Full operator result: STRONG HISTORICAL BENEFIT; STRICT MU+ NOT ESTABLISHED.

H008 | Global phaseout of leaded petrol

Historical case / analysis lens 8: Provenance and honest classification

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Global phaseout of leaded petrol (1922–2021). Study classification: OBSERVED GLOBAL PHASEOUT; HEALTH BENEFITS MODEL-ESTIMATED.

FOCUS OF THIS PAGE

Provenance and honest classification. How to present positive, negative and missing evidence without fabricating a MU+ result.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Improve engine performance using lead additives; later remove lead. Observed: UNEP reports global cessation of leaded petrol in 2021, with large estimated future health and economic benefits.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Children, communities, drivers, fuel producers, environmental reservoirs. Actually measured in source: Policy completion and epidemiological/economic burden estimates.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Full transition cost per country, residual legacy soil burden, remaining lead sources.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Sustain unleaded fuel and remediate legacy lead in soil and housing, measure child health and equity through time.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Public-health burden-of-disease and air-pollution policy evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: UNEP 2021 press release on leaded petrol phaseout. Source link: https://www.unep.org/news-and-stories/press-release/era-leaded-petrol-over-eliminating-major-threat-human-and-planetary. Full operator result: STRONG HISTORICAL BENEFIT; STRICT MU+ NOT ESTABLISHED.

Source-linked public record:
https://www.unep.org/news-and-stories/press-release/era-leaded-petrol-over-eliminating-major-threat-human-and-planetary ; see library

H009 | Smallpox eradication: global preventive capacity

Historical case / analysis lens 1: Published historical intervention

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Smallpox eradication: global preventive capacity (1967–1980). Study classification: DOCUMENTED ERADICATION; NOT A FULL ALL-CARRIER STUDY.

FOCUS OF THIS PAGE

Published historical intervention. What the original publication actually observed and in which study design.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Prevent transmission through vaccination and surveillance. Observed: WHO declared smallpox eradicated in 1980 after international coordinated vaccine access, surveillance and case containment.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Potential patients, families, health workers, governments, supply chains. Actually measured in source: Transmission/surveillance records, cases, WHO verification.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: All historical vaccine side effects and distributional costs, complete protected carrier set.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Preserve surveillance and vaccine reserve alongside adverse-event surveillance, equitable access, and institutional readiness.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WHO eradication program and infectious-disease epidemiology. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WHO Smallpox facts. Source link: https://www.who.int/health-topics/smallpox. Full operator result: DOCUMENTED ERADICATION; STRICT ALL-CARRIER MU+ NOT ESTABLISHED.

Source-linked public record: https://www.who.int/health-topics/smallpox ; see library historical_cases/H009.md

H009 | Smallpox eradication: global preventive capacity

Historical case / analysis lens 2: Original system boundary

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Smallpox eradication: global preventive capacity (1967–1980). Study classification: DOCUMENTED ERADICATION; NOT A FULL ALL-CARRIER STUDY.

FOCUS OF THIS PAGE

Original system boundary. What the local operator or institution was optimizing.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Prevent transmission through vaccination and surveillance. Observed: WHO declared smallpox eradicated in 1980 after international coordinated vaccine access, surveillance and case containment.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Potential patients, families, health workers, governments, supply chains. Actually measured in source: Transmission/surveillance records, cases, WHO verification.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: All historical vaccine side effects and distributional costs, complete protected carrier set.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Preserve surveillance and vaccine reserve alongside adverse-event surveillance, equitable access, and institutional readiness.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WHO eradication program and infectious-disease epidemiology. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WHO Smallpox facts. Source link: https://www.who.int/health-topics/smallpox. Full operator result: DOCUMENTED ERADICATION; STRICT ALL-CARRIER MU+ NOT ESTABLISHED.

Source-linked public record: https://www.who.int/health-topics/smallpox ; see library historical_cases/H009.md

H009 | Smallpox eradication: global preventive capacity

Historical case / analysis lens 3: Receiving-carrier topology

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Smallpox eradication: global preventive capacity (1967–1980). Study classification: DOCUMENTED ERADICATION; NOT A FULL ALL-CARRIER STUDY.

FOCUS OF THIS PAGE

Receiving-carrier topology. Which carriers could receive gain, risk, work, cost or harm.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Prevent transmission through vaccination and surveillance. Observed: WHO declared smallpox eradicated in 1980 after international coordinated vaccine access, surveillance and case containment.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Potential patients, families, health workers, governments, supply chains. Actually measured in source: Transmission/surveillance records, cases, WHO verification.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: All historical vaccine side effects and distributional costs, complete protected carrier set.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Preserve surveillance and vaccine reserve alongside adverse-event surveillance, equitable access, and institutional readiness.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WHO eradication program and infectious-disease epidemiology. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WHO Smallpox facts. Source link: https://www.who.int/health-topics/smallpox. Full operator result: DOCUMENTED ERADICATION; STRICT ALL-CARRIER MU+ NOT ESTABLISHED.

Source-linked public record: https://www.who.int/health-topics/smallpox ; see library historical_cases/H009.md

H009 | Smallpox eradication: global preventive capacity

Historical case / analysis lens 4: Measured findings and unknowns

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Smallpox eradication: global preventive capacity (1967–1980). Study classification: DOCUMENTED ERADICATION; NOT A FULL ALL-CARRIER STUDY.

FOCUS OF THIS PAGE

Measured findings and unknowns. Which quantities were observed, and what was not measured.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Prevent transmission through vaccination and surveillance. Observed: WHO declared smallpox eradicated in 1980 after international coordinated vaccine access, surveillance and case containment.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Potential patients, families, health workers, governments, supply chains. Actually measured in source: Transmission/surveillance records, cases, WHO verification.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: All historical vaccine side effects and distributional costs, complete protected carrier set.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Preserve surveillance and vaccine reserve alongside adverse-event surveillance, equitable access, and institutional readiness.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WHO eradication program and infectious-disease epidemiology. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WHO Smallpox facts. Source link: https://www.who.int/health-topics/smallpox. Full operator result: DOCUMENTED ERADICATION; STRICT ALL-CARRIER MU+ NOT ESTABLISHED.

Source-linked public record: https://www.who.int/health-topics/smallpox ; see library historical_cases/H009.md

H009 | Smallpox eradication: global preventive capacity

Historical case / analysis lens 5: Counterfactual and incumbents

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Smallpox eradication: global preventive capacity (1967–1980). Study classification: DOCUMENTED ERADICATION; NOT A FULL ALL-CARRIER STUDY.

FOCUS OF THIS PAGE

Counterfactual and incumbents. What existing causal or mechanistic methods best explain the data.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Prevent transmission through vaccination and surveillance. Observed: WHO declared smallpox eradicated in 1980 after international coordinated vaccine access, surveillance and case containment.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Potential patients, families, health workers, governments, supply chains. Actually measured in source: Transmission/surveillance records, cases, WHO verification.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: All historical vaccine side effects and distributional costs, complete protected carrier set.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Preserve surveillance and vaccine reserve alongside adverse-event surveillance, equitable access, and institutional readiness.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WHO eradication program and infectious-disease epidemiology. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WHO Smallpox facts. Source link: https://www.who.int/health-topics/smallpox. Full operator result: DOCUMENTED ERADICATION; STRICT ALL-CARRIER MU+ NOT ESTABLISHED.

Source-linked public record: https://www.who.int/health-topics/smallpox ; see library historical_cases/H009.md

H009 | Smallpox eradication: global preventive capacity

Historical case / analysis lens 6: Constructive capacity candidate

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Smallpox eradication: global preventive capacity (1967–1980). Study classification: DOCUMENTED ERADICATION; NOT A FULL ALL-CARRIER STUDY.

FOCUS OF THIS PAGE

Constructive capacity candidate. What system could be constructed before the next transition, subject to safety.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Prevent transmission through vaccination and surveillance. Observed: WHO declared smallpox eradicated in 1980 after international coordinated vaccine access, surveillance and case containment.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Potential patients, families, health workers, governments, supply chains. Actually measured in source: Transmission/surveillance records, cases, WHO verification.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: All historical vaccine side effects and distributional costs, complete protected carrier set.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Preserve surveillance and vaccine reserve alongside adverse-event surveillance, equitable access, and institutional readiness.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WHO eradication program and infectious-disease epidemiology. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WHO Smallpox facts. Source link: https://www.who.int/health-topics/smallpox. Full operator result: DOCUMENTED ERADICATION; STRICT ALL-CARRIER MU+ NOT ESTABLISHED.

Source-linked public record: https://www.who.int/health-topics/smallpox ; see library historical_cases/H009.md

H009 | Smallpox eradication: global preventive capacity

Historical case / analysis lens 7: Decision and follow-up protocol

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Smallpox eradication: global preventive capacity (1967–1980). Study classification: DOCUMENTED ERADICATION; NOT A FULL ALL-CARRIER STUDY.

FOCUS OF THIS PAGE

Decision and follow-up protocol. How to preregister a paired consequential-system comparison.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Prevent transmission through vaccination and surveillance. Observed: WHO declared smallpox eradicated in 1980 after international coordinated vaccine access, surveillance and case containment.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Potential patients, families, health workers, governments, supply chains. Actually measured in source: Transmission/surveillance records, cases, WHO verification.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: All historical vaccine side effects and distributional costs, complete protected carrier set.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Preserve surveillance and vaccine reserve alongside adverse-event surveillance, equitable access, and institutional readiness.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WHO eradication program and infectious-disease epidemiology. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WHO Smallpox facts. Source link: https://www.who.int/health-topics/smallpox. Full operator result: DOCUMENTED ERADICATION; STRICT ALL-CARRIER MU+ NOT ESTABLISHED.

Source-linked public record: https://www.who.int/health-topics/smallpox ; see library historical_cases/H009.md

H009 | Smallpox eradication: global preventive capacity

Historical case / analysis lens 8: Provenance and honest classification

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Smallpox eradication: global preventive capacity (1967–1980). Study classification: DOCUMENTED ERADICATION; NOT A FULL ALL-CARRIER STUDY.

FOCUS OF THIS PAGE

Provenance and honest classification. How to present positive, negative and missing evidence without fabricating a MU+ result.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Prevent transmission through vaccination and surveillance. Observed: WHO declared smallpox eradicated in 1980 after international coordinated vaccine access, surveillance and case containment.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Potential patients, families, health workers, governments, supply chains. Actually measured in source: Transmission/surveillance records, cases, WHO verification.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: All historical vaccine side effects and distributional costs, complete protected carrier set.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Preserve surveillance and vaccine reserve alongside adverse-event surveillance, equitable access, and institutional readiness.

BENCHMARK AND FALSIFICATION

Strongest incumbent: WHO eradication program and infectious-disease epidemiology. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WHO Smallpox facts. Source link: https://www.who.int/health-topics/smallpox. Full operator result: DOCUMENTED ERADICATION; STRICT ALL-CARRIER MU+ NOT ESTABLISHED.

Source-linked public record: https://www.who.int/health-topics/smallpox ; see library historical_cases/H009.md

H010 | Costa Rica payments for forest conservation: targeting and additionality

Historical case / analysis lens 1: Published historical intervention

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Costa Rica payments for forest conservation: targeting and additionality (1997–2022). Study classification: OBSERVATIONAL POLICY IMPACT EVALUATIONS; MIXED FINDINGS.

FOCUS OF THIS PAGE

Published historical intervention. What the original publication actually observed and in which study design.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Pay forest landowners to conserve ecological services. Observed: One evaluation did not detect lower deforestation in 1997–2000 paid areas; a 2022 assessment detected a statistically significant first-year effect that was not sustained in subsequent contract years.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Landowners, neighboring communities, forest ecosystems, taxpayers, biodiversity. Actually measured in source: Remote sensing, geospatial controls, contract participation and deforestation.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Distribution of payments, biodiversity and social welfare, counterfactual opportunity costs in every locality.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Target genuinely threatened forest, change contract renewal incentives and monitor biodiversity, livelihood and budget carriers.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Difference-in-differences/event-study impacts for conservation payments. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Inter-American Development Bank 2022 impact evaluation. Source link: https://publications.iadb.org/en/payment-ecosystem-services-costa-rica-evaluation-country-wide-program. Full operator result: MIXED ADDITIONALITY; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://publications.iadb.org/en/payment-ecosystem-services-costa-rica-evaluation-country-wide-program ; see library historical_cases/H010.md

H010 | Costa Rica payments for forest conservation: targeting and additionality

Historical case / analysis lens 2: Original system boundary

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Costa Rica payments for forest conservation: targeting and additionality (1997–2022). Study classification: OBSERVATIONAL POLICY IMPACT EVALUATIONS; MIXED FINDINGS.

FOCUS OF THIS PAGE

Original system boundary. What the local operator or institution was optimizing.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Pay forest landowners to conserve ecological services. Observed: One evaluation did not detect lower deforestation in 1997–2000 paid areas; a 2022 assessment detected a statistically significant first-year effect that was not sustained in subsequent contract years.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Landowners, neighboring communities, forest ecosystems, taxpayers, biodiversity. Actually measured in source: Remote sensing, geospatial controls, contract participation and deforestation.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Distribution of payments, biodiversity and social welfare, counterfactual opportunity costs in every locality.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Target genuinely threatened forest, change contract renewal incentives and monitor biodiversity, livelihood and budget carriers.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Difference-in-differences/event-study impacts for conservation payments. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Inter-American Development Bank 2022 impact evaluation. Source link: https://publications.iadb.org/en/payment-ecosystem-services-costa-rica-evaluation-country-wide-program. Full operator result: MIXED ADDITIONALITY; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://publications.iadb.org/en/payment-ecosystem-services-costa-rica-evaluation-country-wide-program ; see library historical_cases/H010.md

H010 | Costa Rica payments for forest conservation: targeting and additionality

Historical case / analysis lens 3: Receiving-carrier topology

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Costa Rica payments for forest conservation: targeting and additionality (1997–2022). Study classification: OBSERVATIONAL POLICY IMPACT EVALUATIONS; MIXED FINDINGS.

FOCUS OF THIS PAGE

Receiving-carrier topology. Which carriers could receive gain, risk, work, cost or harm.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Pay forest landowners to conserve ecological services. Observed: One evaluation did not detect lower deforestation in 1997–2000 paid areas; a 2022 assessment detected a statistically significant first-year effect that was not sustained in subsequent contract years.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Landowners, neighboring communities, forest ecosystems, taxpayers, biodiversity. Actually measured in source: Remote sensing, geospatial controls, contract participation and deforestation.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Distribution of payments, biodiversity and social welfare, counterfactual opportunity costs in every locality.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Target genuinely threatened forest, change contract renewal incentives and monitor biodiversity, livelihood and budget carriers.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Difference-in-differences/event-study impacts for conservation payments. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Inter-American Development Bank 2022 impact evaluation. Source link: https://publications.iadb.org/en/payment-ecosystem-services-costa-rica-evaluation-country-wide-program. Full operator result: MIXED ADDITIONALITY; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://publications.iadb.org/en/payment-ecosystem-services-costa-rica-evaluation-country-wide-program ; see library historical_cases/H010.md

H010 | Costa Rica payments for forest conservation: targeting and additionality

Historical case / analysis lens 4: Measured findings and unknowns

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Costa Rica payments for forest conservation: targeting and additionality (1997–2022). Study classification: OBSERVATIONAL POLICY IMPACT EVALUATIONS; MIXED FINDINGS.

FOCUS OF THIS PAGE

Measured findings and unknowns. Which quantities were observed, and what was not measured.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Pay forest landowners to conserve ecological services. Observed: One evaluation did not detect lower deforestation in 1997–2000 paid areas; a 2022 assessment detected a statistically significant first-year effect that was not sustained in subsequent contract years.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Landowners, neighboring communities, forest ecosystems, taxpayers, biodiversity. Actually measured in source: Remote sensing, geospatial controls, contract participation and deforestation.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Distribution of payments, biodiversity and social welfare, counterfactual opportunity costs in every locality.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Target genuinely threatened forest, change contract renewal incentives and monitor biodiversity, livelihood and budget carriers.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Difference-in-differences/event-study impacts for conservation payments. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Inter-American Development Bank 2022 impact evaluation. Source link: https://publications.iadb.org/en/payment-ecosystem-services-costa-rica-evaluation-country-wide-program. Full operator result: MIXED ADDITIONALITY; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://publications.iadb.org/en/payment-ecosystem-services-costa-rica-evaluation-country-wide-program ; see library historical_cases/H010.md

H010 | Costa Rica payments for forest conservation: targeting and additionality

Historical case / analysis lens 5: Counterfactual and incumbents

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Costa Rica payments for forest conservation: targeting and additionality (1997–2022). Study classification: OBSERVATIONAL POLICY IMPACT EVALUATIONS; MIXED FINDINGS.

FOCUS OF THIS PAGE

Counterfactual and incumbents. What existing causal or mechanistic methods best explain the data.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Pay forest landowners to conserve ecological services. Observed: One evaluation did not detect lower deforestation in 1997–2000 paid areas; a 2022 assessment detected a statistically significant first-year effect that was not sustained in subsequent contract years.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Landowners, neighboring communities, forest ecosystems, taxpayers, biodiversity. Actually measured in source: Remote sensing, geospatial controls, contract participation and deforestation.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Distribution of payments, biodiversity and social welfare, counterfactual opportunity costs in every locality.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Target genuinely threatened forest, change contract renewal incentives and monitor biodiversity, livelihood and budget carriers.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Difference-in-differences/event-study impacts for conservation payments. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Inter-American Development Bank 2022 impact evaluation. Source link: https://publications.iadb.org/en/payment-ecosystem-services-costa-rica-evaluation-country-wide-program. Full operator result: MIXED ADDITIONALITY; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://publications.iadb.org/en/payment-ecosystem-services-costa-rica-evaluation-country-wide-program ; see library historical_cases/H010.md

H010 | Costa Rica payments for forest conservation: targeting and additionality

Historical case / analysis lens 6: Constructive capacity candidate

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Costa Rica payments for forest conservation: targeting and additionality (1997–2022). Study classification: OBSERVATIONAL POLICY IMPACT EVALUATIONS; MIXED FINDINGS.

FOCUS OF THIS PAGE

Constructive capacity candidate. What system could be constructed before the next transition, subject to safety.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Pay forest landowners to conserve ecological services. Observed: One evaluation did not detect lower deforestation in 1997–2000 paid areas; a 2022 assessment detected a statistically significant first-year effect that was not sustained in subsequent contract years.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Landowners, neighboring communities, forest ecosystems, taxpayers, biodiversity. Actually measured in source: Remote sensing, geospatial controls, contract participation and deforestation.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Distribution of payments, biodiversity and social welfare, counterfactual opportunity costs in every locality.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Target genuinely threatened forest, change contract renewal incentives and monitor biodiversity, livelihood and budget carriers.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Difference-in-differences/event-study impacts for conservation payments. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Inter-American Development Bank 2022 impact evaluation. Source link: https://publications.iadb.org/en/payment-ecosystem-services-costa-rica-evaluation-country-wide-program. Full operator result: MIXED ADDITIONALITY; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://publications.iadb.org/en/payment-ecosystem-services-costa-rica-evaluation-country-wide-program ; see library historical_cases/H010.md

H010 | Costa Rica payments for forest conservation: targeting and additionality

Historical case / analysis lens 7: Decision and follow-up protocol

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Costa Rica payments for forest conservation: targeting and additionality (1997–2022). Study classification: OBSERVATIONAL POLICY IMPACT EVALUATIONS; MIXED FINDINGS.

FOCUS OF THIS PAGE

Decision and follow-up protocol. How to preregister a paired consequential-system comparison.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Pay forest landowners to conserve ecological services. Observed: One evaluation did not detect lower deforestation in 1997–2000 paid areas; a 2022 assessment detected a statistically significant first-year effect that was not sustained in subsequent contract years.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Landowners, neighboring communities, forest ecosystems, taxpayers, biodiversity. Actually measured in source: Remote sensing, geospatial controls, contract participation and deforestation.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Distribution of payments, biodiversity and social welfare, counterfactual opportunity costs in every locality.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Target genuinely threatened forest, change contract renewal incentives and monitor biodiversity, livelihood and budget carriers.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Difference-in-differences/event-study impacts for conservation payments. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Inter-American Development Bank 2022 impact evaluation. Source link: https://publications.iadb.org/en/payment-ecosystem-services-costa-rica-evaluation-country-wide-program. Full operator result: MIXED ADDITIONALITY; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://publications.iadb.org/en/payment-ecosystem-services-costa-rica-evaluation-country-wide-program ; see library historical_cases/H010.md

H010 | Costa Rica payments for forest conservation: targeting and additionality

Historical case / analysis lens 8: Provenance and honest classification

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Costa Rica payments for forest conservation: targeting and additionality (1997–2022). Study classification: OBSERVATIONAL POLICY IMPACT EVALUATIONS; MIXED FINDINGS.

FOCUS OF THIS PAGE

Provenance and honest classification. How to present positive, negative and missing evidence without fabricating a MU+ result.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Pay forest landowners to conserve ecological services. Observed: One evaluation did not detect lower deforestation in 1997–2000 paid areas; a 2022 assessment detected a statistically significant first-year effect that was not sustained in subsequent contract years.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Landowners, neighboring communities, forest ecosystems, taxpayers, biodiversity. Actually measured in source: Remote sensing, geospatial controls, contract participation and deforestation.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Distribution of payments, biodiversity and social welfare, counterfactual opportunity costs in every locality.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Target genuinely threatened forest, change contract renewal incentives and monitor biodiversity, livelihood and budget carriers.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Difference-in-differences/event-study impacts for conservation payments. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Inter-American Development Bank 2022 impact evaluation. Source link: https://publications.iadb.org/en/payment-ecosystem-services-costa-rica-evaluation-country-wide-program. Full operator result: MIXED ADDITIONALITY; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://publications.iadb.org/en/payment-ecosystem-services-costa-rica-evaluation-country-wide-program ; see library historical_cases/H010.md

H011 | Fukushima disaster response: safety gains and displacement burdens

Historical case / analysis lens 1: Published historical intervention

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Fukushima disaster response: safety gains and displacement burdens (2011 onward). Study classification: OBSERVED DISASTER AND RESPONSE; COMPLEX COUNTERFACTUAL.

FOCUS OF THIS PAGE

Published historical intervention. What the original publication actually observed and in which study design.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Radiation protection and evacuation after earthquake/tsunami/nuclear accident. Observed: WHO describes health, social and economic harms associated with evacuation and relocation alongside radiation protection objectives, especially among vulnerable people.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Evacuees, older adults, children, healthcare teams, municipalities, environmental systems. Actually measured in source: Radiation doses, public-health surveillance, relocation observations.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Comparable feasible non-evacuation outcomes at individual level, timing and protective resource counterfactuals.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Integrate dose thresholds with continuity-of-care, transport, shelter, mental-health support and explicit vulnerable-population protection.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Radiation emergency protection and disaster-evacuation welfare modelling. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WHO Fukushima health consequences Q&A. Source link: https://www.who.int/news-room/questions-and-answers/item/health-consequences-of-fukushima-nuclear-accident. Full operator result: PARTIAL PROTECTION WITH DOCUMENTED DISPLACEMENT.

Source-linked public record: https://www.who.int/news-room/questions-and-answers/item/health-consequences-of-fukushima-nuclear-accident ; see library historical_cases/H011.md

H011 | Fukushima disaster response: safety gains and displacement burdens

Historical case / analysis lens 2: Original system boundary

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Fukushima disaster response: safety gains and displacement burdens (2011 onward). Study classification: OBSERVED DISASTER AND RESPONSE; COMPLEX COUNTERFACTUAL.

FOCUS OF THIS PAGE

Original system boundary. What the local operator or institution was optimizing.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Radiation protection and evacuation after earthquake/tsunami/nuclear accident. Observed: WHO describes health, social and economic harms associated with evacuation and relocation alongside radiation protection objectives, especially among vulnerable people.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Evacuees, older adults, children, healthcare teams, municipalities, environmental systems. Actually measured in source: Radiation doses, public-health surveillance, relocation observations.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Comparable feasible non-evacuation outcomes at individual level, timing and protective resource counterfactuals.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Integrate dose thresholds with continuity-of-care, transport, shelter, mental-health support and explicit vulnerable-population protection.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Radiation emergency protection and disaster-evacuation welfare modelling. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WHO Fukushima health consequences Q&A. Source link: https://www.who.int/news-room/questions-and-answers/item/health-consequences-of-fukushima-nuclear-accident. Full operator result: PARTIAL PROTECTION WITH DOCUMENTED DISPLACEMENT.

Source-linked public record: https://www.who.int/news-room/questions-and-answers/item/health-consequences-of-fukushima-nuclear-accident ; see library historical_cases/H011.md

H011 | Fukushima disaster response: safety gains and displacement burdens

Historical case / analysis lens 3: Receiving-carrier topology

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Fukushima disaster response: safety gains and displacement burdens (2011 onward). Study classification: OBSERVED DISASTER AND RESPONSE; COMPLEX COUNTERFACTUAL.

FOCUS OF THIS PAGE

Receiving-carrier topology. Which carriers could receive gain, risk, work, cost or harm.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Radiation protection and evacuation after earthquake/tsunami/nuclear accident. Observed: WHO describes health, social and economic harms associated with evacuation and relocation alongside radiation protection objectives, especially among vulnerable people.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Evacuees, older adults, children, healthcare teams, municipalities, environmental systems. Actually measured in source: Radiation doses, public-health surveillance, relocation observations.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Comparable feasible non-evacuation outcomes at individual level, timing and protective resource counterfactuals.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Integrate dose thresholds with continuity-of-care, transport, shelter, mental-health support and explicit vulnerable-population protection.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Radiation emergency protection and disaster-evacuation welfare modelling. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WHO Fukushima health consequences Q&A. Source link: https://www.who.int/news-room/questions-and-answers/item/health-consequences-of-fukushima-nuclear-accident. Full operator result: PARTIAL PROTECTION WITH DOCUMENTED DISPLACEMENT.

Source-linked public record: https://www.who.int/news-room/questions-and-answers/item/health-consequences-of-fukushima-nuclear-accident ; see library historical_cases/H011.md

H011 | Fukushima disaster response: safety gains and displacement burdens

Historical case / analysis lens 4: Measured findings and unknowns

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Fukushima disaster response: safety gains and displacement burdens (2011 onward). Study classification: OBSERVED DISASTER AND RESPONSE; COMPLEX COUNTERFACTUAL.

FOCUS OF THIS PAGE

Measured findings and unknowns. Which quantities were observed, and what was not measured.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Radiation protection and evacuation after earthquake/tsunami/nuclear accident. Observed: WHO describes health, social and economic harms associated with evacuation and relocation alongside radiation protection objectives, especially among vulnerable people.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Evacuees, older adults, children, healthcare teams, municipalities, environmental systems. Actually measured in source: Radiation doses, public-health surveillance, relocation observations.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Comparable feasible non-evacuation outcomes at individual level, timing and protective resource counterfactuals.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Integrate dose thresholds with continuity-of-care, transport, shelter, mental-health support and explicit vulnerable-population protection.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Radiation emergency protection and disaster-evacuation welfare modelling. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WHO Fukushima health consequences Q&A. Source link: https://www.who.int/news-room/questions-and-answers/item/health-consequences-of-fukushima-nuclear-accident. Full operator result: PARTIAL PROTECTION WITH DOCUMENTED DISPLACEMENT.

Source-linked public record: https://www.who.int/news-room/questions-and-answers/item/health-consequences-of-fukushima-nuclear-accident ; see library historical_cases/H011.md

H011 | Fukushima disaster response: safety gains and displacement burdens

Historical case / analysis lens 5: Counterfactual and incumbents

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Fukushima disaster response: safety gains and displacement burdens (2011 onward). Study classification: OBSERVED DISASTER AND RESPONSE; COMPLEX COUNTERFACTUAL.

FOCUS OF THIS PAGE

Counterfactual and incumbents. What existing causal or mechanistic methods best explain the data.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Radiation protection and evacuation after earthquake/tsunami/nuclear accident. Observed: WHO describes health, social and economic harms associated with evacuation and relocation alongside radiation protection objectives, especially among vulnerable people.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Evacuees, older adults, children, healthcare teams, municipalities, environmental systems. Actually measured in source: Radiation doses, public-health surveillance, relocation observations.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Comparable feasible non-evacuation outcomes at individual level, timing and protective resource counterfactuals.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Integrate dose thresholds with continuity-of-care, transport, shelter, mental-health support and explicit vulnerable-population protection.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Radiation emergency protection and disaster-evacuation welfare modelling. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WHO Fukushima health consequences Q&A. Source link: https://www.who.int/news-room/questions-and-answers/item/health-consequences-of-fukushima-nuclear-accident. Full operator result: PARTIAL PROTECTION WITH DOCUMENTED DISPLACEMENT.

Source-linked public record: https://www.who.int/news-room/questions-and-answers/item/health-consequences-of-fukushima-nuclear-accident ; see library historical_cases/H011.md

H011 | Fukushima disaster response: safety gains and displacement burdens

Historical case / analysis lens 6: Constructive capacity candidate

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Fukushima disaster response: safety gains and displacement burdens (2011 onward). Study classification: OBSERVED DISASTER AND RESPONSE; COMPLEX COUNTERFACTUAL.

FOCUS OF THIS PAGE

Constructive capacity candidate. What system could be constructed before the next transition, subject to safety.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Radiation protection and evacuation after earthquake/tsunami/nuclear accident. Observed: WHO describes health, social and economic harms associated with evacuation and relocation alongside radiation protection objectives, especially among vulnerable people.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Evacuees, older adults, children, healthcare teams, municipalities, environmental systems. Actually measured in source: Radiation doses, public-health surveillance, relocation observations.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Comparable feasible non-evacuation outcomes at individual level, timing and protective resource counterfactuals.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Integrate dose thresholds with continuity-of-care, transport, shelter, mental-health support and explicit vulnerable-population protection.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Radiation emergency protection and disaster-evacuation welfare modelling. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WHO Fukushima health consequences Q&A. Source link: https://www.who.int/news-room/questions-and-answers/item/health-consequences-of-fukushima-nuclear-accident. Full operator result: PARTIAL PROTECTION WITH DOCUMENTED DISPLACEMENT.

Source-linked public record: https://www.who.int/news-room/questions-and-answers/item/health-consequences-of-fukushima-nuclear-accident ; see library historical_cases/H011.md

H011 | Fukushima disaster response: safety gains and displacement burdens

Historical case / analysis lens 7: Decision and follow-up protocol

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Fukushima disaster response: safety gains and displacement burdens (2011 onward). Study classification: OBSERVED DISASTER AND RESPONSE; COMPLEX COUNTERFACTUAL.

FOCUS OF THIS PAGE

Decision and follow-up protocol. How to preregister a paired consequential-system comparison.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Radiation protection and evacuation after earthquake/tsunami/nuclear accident. Observed: WHO describes health, social and economic harms associated with evacuation and relocation alongside radiation protection objectives, especially among vulnerable people.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Evacuees, older adults, children, healthcare teams, municipalities, environmental systems. Actually measured in source: Radiation doses, public-health surveillance, relocation observations.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Comparable feasible non-evacuation outcomes at individual level, timing and protective resource counterfactuals.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Integrate dose thresholds with continuity-of-care, transport, shelter, mental-health support and explicit vulnerable-population protection.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Radiation emergency protection and disaster-evacuation welfare modelling. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WHO Fukushima health consequences Q&A. Source link: https://www.who.int/news-room/questions-and-answers/item/health-consequences-of-fukushima-nuclear-accident. Full operator result: PARTIAL PROTECTION WITH DOCUMENTED DISPLACEMENT.

Source-linked public record: https://www.who.int/news-room/questions-and-answers/item/health-consequences-of-fukushima-nuclear-accident ; see library historical_cases/H011.md

H011 | Fukushima disaster response: safety gains and displacement burdens

Historical case / analysis lens 8: Provenance and honest classification

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Fukushima disaster response: safety gains and displacement burdens (2011 onward). Study classification: OBSERVED DISASTER AND RESPONSE; COMPLEX COUNTERFACTUAL.

FOCUS OF THIS PAGE

Provenance and honest classification. How to present positive, negative and missing evidence without fabricating a MU+ result.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Radiation protection and evacuation after earthquake/tsunami/nuclear accident. Observed: WHO describes health, social and economic harms associated with evacuation and relocation alongside radiation protection objectives, especially among vulnerable people.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Evacuees, older adults, children, healthcare teams, municipalities, environmental systems. Actually measured in source: Radiation doses, public-health surveillance, relocation observations.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Comparable feasible non-evacuation outcomes at individual level, timing and protective resource counterfactuals.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Integrate dose thresholds with continuity-of-care, transport, shelter, mental-health support and explicit vulnerable-population protection.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Radiation emergency protection and disaster-evacuation welfare modelling. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: WHO Fukushima health consequences Q&A. Source link: https://www.who.int/news-room/questions-and-answers/item/health-consequences-of-fukushima-nuclear-accident. Full operator result: PARTIAL PROTECTION WITH DOCUMENTED DISPLACEMENT.

Source-linked public record: https://www.who.int/news-room/questions-and-answers/item/health-consequences-of-fukushima-nuclear-accident ; see library historical_cases/H011.md

H012 | Kenya cash transfers: impacts beyond recipients

Historical case / analysis lens 1: Published historical intervention

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Kenya cash transfers: impacts beyond recipients (2014–2022). Study classification: RANDOMIZED CLUSTER INTERVENTION; SPILLOVERS REPORTED.

FOCUS OF THIS PAGE

Published historical intervention. What the original publication actually observed and in which study design.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Unconditional cash payments to poor households. Observed: Researchers report positive consumption and assets for recipients, positive spillovers to non-recipients and firms, minimal observed price inflation, and local multipliers in rural Kenya.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Recipients, nonrecipients, businesses, caregivers, prices, public/NGO funders. Actually measured in source: Consumption, assets, enterprises, price effects and sampled spillovers.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: All external financing opportunity costs, effects beyond local area and measured horizon, unobserved social carriers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Integrate cash support with markets, public services and price surveillance while tracking recipients, nonrecipients and fiscal carrier.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Cluster-randomized general-equilibrium cash transfer evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Egger et al. 2022, cash transfer general equilibrium. Source link: https://www.nber.org/papers/w26600. Full operator result: POSITIVE OBSERVED SPILLOVERS; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://www.nber.org/papers/w26600 ; see library historical_cases/H012.md

H012 | Kenya cash transfers: impacts beyond recipients

Historical case / analysis lens 2: Original system boundary

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Kenya cash transfers: impacts beyond recipients (2014–2022). Study classification: RANDOMIZED CLUSTER INTERVENTION; SPILLOVERS REPORTED.

FOCUS OF THIS PAGE

Original system boundary. What the local operator or institution was optimizing.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Unconditional cash payments to poor households. Observed: Researchers report positive consumption and assets for recipients, positive spillovers to non-recipients and firms, minimal observed price inflation, and local multipliers in rural Kenya.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Recipients, nonrecipients, businesses, caregivers, prices, public/NGO funders. Actually measured in source: Consumption, assets, enterprises, price effects and sampled spillovers.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: All external financing opportunity costs, effects beyond local area and measured horizon, unobserved social carriers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Integrate cash support with markets, public services and price surveillance while tracking recipients, nonrecipients and fiscal carrier.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Cluster-randomized general-equilibrium cash transfer evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Egger et al. 2022, cash transfer general equilibrium. Source link: https://www.nber.org/papers/w26600. Full operator result: POSITIVE OBSERVED SPILLOVERS; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://www.nber.org/papers/w26600 ; see library historical_cases/H012.md

H012 | Kenya cash transfers: impacts beyond recipients

Historical case / analysis lens 3: Receiving-carrier topology

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Kenya cash transfers: impacts beyond recipients (2014–2022). Study classification: RANDOMIZED CLUSTER INTERVENTION; SPILLOVERS REPORTED.

FOCUS OF THIS PAGE

Receiving-carrier topology. Which carriers could receive gain, risk, work, cost or harm.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Unconditional cash payments to poor households. Observed: Researchers report positive consumption and assets for recipients, positive spillovers to non-recipients and firms, minimal observed price inflation, and local multipliers in rural Kenya.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Recipients, nonrecipients, businesses, caregivers, prices, public/NGO funders. Actually measured in source: Consumption, assets, enterprises, price effects and sampled spillovers.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: All external financing opportunity costs, effects beyond local area and measured horizon, unobserved social carriers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Integrate cash support with markets, public services and price surveillance while tracking recipients, nonrecipients and fiscal carrier.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Cluster-randomized general-equilibrium cash transfer evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Egger et al. 2022, cash transfer general equilibrium. Source link: https://www.nber.org/papers/w26600. Full operator result: POSITIVE OBSERVED SPILLOVERS; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://www.nber.org/papers/w26600 ; see library historical_cases/H012.md

H012 | Kenya cash transfers: impacts beyond recipients

Historical case / analysis lens 4: Measured findings and unknowns

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Kenya cash transfers: impacts beyond recipients (2014–2022). Study classification: RANDOMIZED CLUSTER INTERVENTION; SPILLOVERS REPORTED.

FOCUS OF THIS PAGE

Measured findings and unknowns. Which quantities were observed, and what was not measured.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Unconditional cash payments to poor households. Observed: Researchers report positive consumption and assets for recipients, positive spillovers to non-recipients and firms, minimal observed price inflation, and local multipliers in rural Kenya.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Recipients, nonrecipients, businesses, caregivers, prices, public/NGO funders. Actually measured in source: Consumption, assets, enterprises, price effects and sampled spillovers.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: All external financing opportunity costs, effects beyond local area and measured horizon, unobserved social carriers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Integrate cash support with markets, public services and price surveillance while tracking recipients, nonrecipients and fiscal carrier.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Cluster-randomized general-equilibrium cash transfer evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Egger et al. 2022, cash transfer general equilibrium. Source link: https://www.nber.org/papers/w26600. Full operator result: POSITIVE OBSERVED SPILLOVERS; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://www.nber.org/papers/w26600 ; see library historical_cases/H012.md

H012 | Kenya cash transfers: impacts beyond recipients

Historical case / analysis lens 5: Counterfactual and incumbents

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Kenya cash transfers: impacts beyond recipients (2014–2022). Study classification: RANDOMIZED CLUSTER INTERVENTION; SPILLOVERS REPORTED.

FOCUS OF THIS PAGE

Counterfactual and incumbents. What existing causal or mechanistic methods best explain the data.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Unconditional cash payments to poor households. Observed: Researchers report positive consumption and assets for recipients, positive spillovers to non-recipients and firms, minimal observed price inflation, and local multipliers in rural Kenya.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Recipients, nonrecipients, businesses, caregivers, prices, public/NGO funders. Actually measured in source: Consumption, assets, enterprises, price effects and sampled spillovers.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: All external financing opportunity costs, effects beyond local area and measured horizon, unobserved social carriers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Integrate cash support with markets, public services and price surveillance while tracking recipients, nonrecipients and fiscal carrier.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Cluster-randomized general-equilibrium cash transfer evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Egger et al. 2022, cash transfer general equilibrium. Source link: https://www.nber.org/papers/w26600. Full operator result: POSITIVE OBSERVED SPILLOVERS; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://www.nber.org/papers/w26600 ; see library historical_cases/H012.md

H012 | Kenya cash transfers: impacts beyond recipients

Historical case / analysis lens 6: Constructive capacity candidate

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Kenya cash transfers: impacts beyond recipients (2014–2022). Study classification: RANDOMIZED CLUSTER INTERVENTION; SPILLOVERS REPORTED.

FOCUS OF THIS PAGE

Constructive capacity candidate. What system could be constructed before the next transition, subject to safety.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Unconditional cash payments to poor households. Observed: Researchers report positive consumption and assets for recipients, positive spillovers to non-recipients and firms, minimal observed price inflation, and local multipliers in rural Kenya.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Recipients, nonrecipients, businesses, caregivers, prices, public/NGO funders. Actually measured in source: Consumption, assets, enterprises, price effects and sampled spillovers.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: All external financing opportunity costs, effects beyond local area and measured horizon, unobserved social carriers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Integrate cash support with markets, public services and price surveillance while tracking recipients, nonrecipients and fiscal carrier.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Cluster-randomized general-equilibrium cash transfer evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Egger et al. 2022, cash transfer general equilibrium. Source link: https://www.nber.org/papers/w26600. Full operator result: POSITIVE OBSERVED SPILLOVERS; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://www.nber.org/papers/w26600 ; see library historical_cases/H012.md

H012 | Kenya cash transfers: impacts beyond recipients

Historical case / analysis lens 7: Decision and follow-up protocol

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Kenya cash transfers: impacts beyond recipients (2014–2022). Study classification: RANDOMIZED CLUSTER INTERVENTION; SPILLOVERS REPORTED.

FOCUS OF THIS PAGE

Decision and follow-up protocol. How to preregister a paired consequential-system comparison.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Unconditional cash payments to poor households. Observed: Researchers report positive consumption and assets for recipients, positive spillovers to non-recipients and firms, minimal observed price inflation, and local multipliers in rural Kenya.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Recipients, nonrecipients, businesses, caregivers, prices, public/NGO funders. Actually measured in source: Consumption, assets, enterprises, price effects and sampled spillovers.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: All external financing opportunity costs, effects beyond local area and measured horizon, unobserved social carriers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Integrate cash support with markets, public services and price surveillance while tracking recipients, nonrecipients and fiscal carrier.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Cluster-randomized general-equilibrium cash transfer evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Egger et al. 2022, cash transfer general equilibrium. Source link: https://www.nber.org/papers/w26600. Full operator result: POSITIVE OBSERVED SPILLOVERS; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://www.nber.org/papers/w26600 ; see library historical_cases/H012.md

H012 | Kenya cash transfers: impacts beyond recipients

Historical case / analysis lens 8: Provenance and honest classification

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Kenya cash transfers: impacts beyond recipients (2014–2022). Study classification: RANDOMIZED CLUSTER INTERVENTION; SPILLOVERS REPORTED.

FOCUS OF THIS PAGE

Provenance and honest classification. How to present positive, negative and missing evidence without fabricating a MU+ result.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Unconditional cash payments to poor households. Observed: Researchers report positive consumption and assets for recipients, positive spillovers to non-recipients and firms, minimal observed price inflation, and local multipliers in rural Kenya.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Recipients, nonrecipients, businesses, caregivers, prices, public/NGO funders. Actually measured in source: Consumption, assets, enterprises, price effects and sampled spillovers.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: All external financing opportunity costs, effects beyond local area and measured horizon, unobserved social carriers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Integrate cash support with markets, public services and price surveillance while tracking recipients, nonrecipients and fiscal carrier.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Cluster-randomized general-equilibrium cash transfer evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Egger et al. 2022, cash transfer general equilibrium. Source link: https://www.nber.org/papers/w26600. Full operator result: POSITIVE OBSERVED SPILLOVERS; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://www.nber.org/papers/w26600 ; see library historical_cases/H012.md

H013 | Climate maladaptation: short-term protection and long-term vulnerability

Historical case / analysis lens 1: Published historical intervention

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Climate maladaptation: short-term protection and long-term vulnerability (2022 assessment). Study classification: ASSESSMENT SYNTHESIS; NOT A SINGLE PRIMARY EXPERIMENT.

FOCUS OF THIS PAGE

Published historical intervention. What the original publication actually observed and in which study design.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Flood barriers and defensive infrastructure. Observed: IPCC identifies short-term actions that can lock in future vulnerability, worsen inequity or increase exposure if not integrated with long-term adaptation planning.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Protected property owners, neighboring and downstream communities, ecosystems, future residents. Actually measured in source: Multi-study climate risk evidence and sector assessments.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Specific basin-level causal counterfactual for a given construction and all affected carriers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Evaluate adaptive pathways, relocation options, upstream runoff, ecological space and downstream flood routing over long horizons.

BENCHMARK AND FALSIFICATION

Strongest incumbent: IPCC AR6 adaptation assessment; regional flood-risk planning. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: IPCC AR6 WGII Summary for Policymakers. Source link: https://www.ipcc.ch/report/ar6/wg2/chapter/summary-for-policymakers/. Full operator result: DOCUMENTED RISK OF MALADAPTATION; NO UNIVERSAL PASS.

Source-linked public record: https://www.ipcc.ch/report/ar6/wg2/chapter/summary-for-policymakers/ ; see library historical_cases/H013.md

H013 | Climate maladaptation: short-term protection and long-term vulnerability

Historical case / analysis lens 2: Original system boundary

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Climate maladaptation: short-term protection and long-term vulnerability (2022 assessment). Study classification: ASSESSMENT SYNTHESIS; NOT A SINGLE PRIMARY EXPERIMENT.

FOCUS OF THIS PAGE

Original system boundary. What the local operator or institution was optimizing.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Flood barriers and defensive infrastructure. Observed: IPCC identifies short-term actions that can lock in future vulnerability, worsen inequity or increase exposure if not integrated with long-term adaptation planning.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Protected property owners, neighboring and downstream communities, ecosystems, future residents. Actually measured in source: Multi-study climate risk evidence and sector assessments.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Specific basin-level causal counterfactual for a given construction and all affected carriers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Evaluate adaptive pathways, relocation options, upstream runoff, ecological space and downstream flood routing over long horizons.

BENCHMARK AND FALSIFICATION

Strongest incumbent: IPCC AR6 adaptation assessment; regional flood-risk planning. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: IPCC AR6 WGII Summary for Policymakers. Source link: https://www.ipcc.ch/report/ar6/wg2/chapter/summary-for-policymakers/. Full operator result: DOCUMENTED RISK OF MALADAPTATION; NO UNIVERSAL PASS.

Source-linked public record: https://www.ipcc.ch/report/ar6/wg2/chapter/summary-for-policymakers/ ; see library historical_cases/H013.md

H013 | Climate maladaptation: short-term protection and long-term vulnerability

Historical case / analysis lens 3: Receiving-carrier topology

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Climate maladaptation: short-term protection and long-term vulnerability (2022 assessment). Study classification: ASSESSMENT SYNTHESIS; NOT A SINGLE PRIMARY EXPERIMENT.

FOCUS OF THIS PAGE

Receiving-carrier topology. Which carriers could receive gain, risk, work, cost or harm.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Flood barriers and defensive infrastructure. Observed: IPCC identifies short-term actions that can lock in future vulnerability, worsen inequity or increase exposure if not integrated with long-term adaptation planning.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Protected property owners, neighboring and downstream communities, ecosystems, future residents. Actually measured in source: Multi-study climate risk evidence and sector assessments.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Specific basin-level causal counterfactual for a given construction and all affected carriers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Evaluate adaptive pathways, relocation options, upstream runoff, ecological space and downstream flood routing over long horizons.

BENCHMARK AND FALSIFICATION

Strongest incumbent: IPCC AR6 adaptation assessment; regional flood-risk planning. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: IPCC AR6 WGII Summary for Policymakers. Source link: https://www.ipcc.ch/report/ar6/wg2/chapter/summary-for-policymakers/. Full operator result: DOCUMENTED RISK OF MALADAPTATION; NO UNIVERSAL PASS.

Source-linked public record: https://www.ipcc.ch/report/ar6/wg2/chapter/summary-for-policymakers/ ; see library historical_cases/H013.md

H013 | Climate maladaptation: short-term protection and long-term vulnerability

Historical case / analysis lens 4: Measured findings and unknowns

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Climate maladaptation: short-term protection and long-term vulnerability (2022 assessment). Study classification: ASSESSMENT SYNTHESIS; NOT A SINGLE PRIMARY EXPERIMENT.

FOCUS OF THIS PAGE

Measured findings and unknowns. Which quantities were observed, and what was not measured.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Flood barriers and defensive infrastructure. Observed: IPCC identifies short-term actions that can lock in future vulnerability, worsen inequity or increase exposure if not integrated with long-term adaptation planning.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Protected property owners, neighboring and downstream communities, ecosystems, future residents. Actually measured in source: Multi-study climate risk evidence and sector assessments.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Specific basin-level causal counterfactual for a given construction and all affected carriers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Evaluate adaptive pathways, relocation options, upstream runoff, ecological space and downstream flood routing over long horizons.

BENCHMARK AND FALSIFICATION

Strongest incumbent: IPCC AR6 adaptation assessment; regional flood-risk planning. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: IPCC AR6 WGII Summary for Policymakers. Source link: https://www.ipcc.ch/report/ar6/wg2/chapter/summary-for-policymakers/. Full operator result: DOCUMENTED RISK OF MALADAPTATION; NO UNIVERSAL PASS.

Source-linked public record: https://www.ipcc.ch/report/ar6/wg2/chapter/summary-for-policymakers/ ; see library historical_cases/H013.md

H013 | Climate maladaptation: short-term protection and long-term vulnerability

Historical case / analysis lens 5: Counterfactual and incumbents

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Climate maladaptation: short-term protection and long-term vulnerability (2022 assessment). Study classification: ASSESSMENT SYNTHESIS; NOT A SINGLE PRIMARY EXPERIMENT.

FOCUS OF THIS PAGE

Counterfactual and incumbents. What existing causal or mechanistic methods best explain the data.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Flood barriers and defensive infrastructure. Observed: IPCC identifies short-term actions that can lock in future vulnerability, worsen inequity or increase exposure if not integrated with long-term adaptation planning.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Protected property owners, neighboring and downstream communities, ecosystems, future residents. Actually measured in source: Multi-study climate risk evidence and sector assessments.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Specific basin-level causal counterfactual for a given construction and all affected carriers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Evaluate adaptive pathways, relocation options, upstream runoff, ecological space and downstream flood routing over long horizons.

BENCHMARK AND FALSIFICATION

Strongest incumbent: IPCC AR6 adaptation assessment; regional flood-risk planning. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: IPCC AR6 WGII Summary for Policymakers. Source link: https://www.ipcc.ch/report/ar6/wg2/chapter/summary-for-policymakers/. Full operator result: DOCUMENTED RISK OF MALADAPTATION; NO UNIVERSAL PASS.

Source-linked public record: https://www.ipcc.ch/report/ar6/wg2/chapter/summary-for-policymakers/ ; see library historical_cases/H013.md

H013 | Climate maladaptation: short-term protection and long-term vulnerability

Historical case / analysis lens 6: Constructive capacity candidate

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Climate maladaptation: short-term protection and long-term vulnerability (2022 assessment). Study classification: ASSESSMENT SYNTHESIS; NOT A SINGLE PRIMARY EXPERIMENT.

FOCUS OF THIS PAGE

Constructive capacity candidate. What system could be constructed before the next transition, subject to safety.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Flood barriers and defensive infrastructure. Observed: IPCC identifies short-term actions that can lock in future vulnerability, worsen inequity or increase exposure if not integrated with long-term adaptation planning.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Protected property owners, neighboring and downstream communities, ecosystems, future residents. Actually measured in source: Multi-study climate risk evidence and sector assessments.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Specific basin-level causal counterfactual for a given construction and all affected carriers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Evaluate adaptive pathways, relocation options, upstream runoff, ecological space and downstream flood routing over long horizons.

BENCHMARK AND FALSIFICATION

Strongest incumbent: IPCC AR6 adaptation assessment; regional flood-risk planning. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: IPCC AR6 WGII Summary for Policymakers. Source link: https://www.ipcc.ch/report/ar6/wg2/chapter/summary-for-policymakers/. Full operator result: DOCUMENTED RISK OF MALADAPTATION; NO UNIVERSAL PASS.

Source-linked public record: https://www.ipcc.ch/report/ar6/wg2/chapter/summary-for-policymakers/ ; see library historical_cases/H013.md

H013 | Climate maladaptation: short-term protection and long-term vulnerability

Historical case / analysis lens 7: Decision and follow-up protocol

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Climate maladaptation: short-term protection and long-term vulnerability (2022 assessment). Study classification: ASSESSMENT SYNTHESIS; NOT A SINGLE PRIMARY EXPERIMENT.

FOCUS OF THIS PAGE

Decision and follow-up protocol. How to preregister a paired consequential-system comparison.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Flood barriers and defensive infrastructure. Observed: IPCC identifies short-term actions that can lock in future vulnerability, worsen inequity or increase exposure if not integrated with long-term adaptation planning.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Protected property owners, neighboring and downstream communities, ecosystems, future residents. Actually measured in source: Multi-study climate risk evidence and sector assessments.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Specific basin-level causal counterfactual for a given construction and all affected carriers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Evaluate adaptive pathways, relocation options, upstream runoff, ecological space and downstream flood routing over long horizons.

BENCHMARK AND FALSIFICATION

Strongest incumbent: IPCC AR6 adaptation assessment; regional flood-risk planning. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: IPCC AR6 WGII Summary for Policymakers. Source link: https://www.ipcc.ch/report/ar6/wg2/chapter/summary-for-policymakers/. Full operator result: DOCUMENTED RISK OF MALADAPTATION; NO UNIVERSAL PASS.

Source-linked public record: https://www.ipcc.ch/report/ar6/wg2/chapter/summary-for-policymakers/ ; see library historical_cases/H013.md

H013 | Climate maladaptation: short-term protection and long-term vulnerability

Historical case / analysis lens 8: Provenance and honest classification

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Climate maladaptation: short-term protection and long-term vulnerability (2022 assessment). Study classification: ASSESSMENT SYNTHESIS; NOT A SINGLE PRIMARY EXPERIMENT.

FOCUS OF THIS PAGE

Provenance and honest classification. How to present positive, negative and missing evidence without fabricating a MU+ result.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Flood barriers and defensive infrastructure. Observed: IPCC identifies short-term actions that can lock in future vulnerability, worsen inequity or increase exposure if not integrated with long-term adaptation planning.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Protected property owners, neighboring and downstream communities, ecosystems, future residents. Actually measured in source: Multi-study climate risk evidence and sector assessments.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Specific basin-level causal counterfactual for a given construction and all affected carriers.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Evaluate adaptive pathways, relocation options, upstream runoff, ecological space and downstream flood routing over long horizons.

BENCHMARK AND FALSIFICATION

Strongest incumbent: IPCC AR6 adaptation assessment; regional flood-risk planning. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: IPCC AR6 WGII Summary for Policymakers. Source link: https://www.ipcc.ch/report/ar6/wg2/chapter/summary-for-policymakers/. Full operator result: DOCUMENTED RISK OF MALADAPTATION; NO UNIVERSAL PASS.

Source-linked public record: https://www.ipcc.ch/report/ar6/wg2/chapter/summary-for-policymakers/ ; see library historical_cases/H013.md

H014 | Bangladesh community deep wells: arsenic reduced, fecal contamination persists

Historical case / analysis lens 1: Published historical intervention

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Bangladesh community deep wells: arsenic reduced, fecal contamination persists (2021 publication). Study classification: RANDOMIZED FIELD INTERVENTION; MIXED OUTCOMES.

FOCUS OF THIS PAGE

Published historical intervention. What the original publication actually observed and in which study design.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Provide community deep tube wells. Observed: Randomized evaluation found reduced arsenic exposure but did not establish reduced fecal contamination.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Drinking households, children, public health, local government. Actually measured in source: Well contamination assays and household source use.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Long-run upkeep, seasonal microbiology and adoption, cost distribution.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Couple deep well selection with safe sanitation, treatment, maintenance, water-quality verification and household access.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Original randomized community deep well evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: World Bank Economic Review 2021 community wells. Source link: https://academic.oup.com/wber/article/35/4/969/6291932. Full operator result: PARTIAL RISK REDUCTION; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://academic.oup.com/wber/article/35/4/969/6291932 ; see library historical_cases/H014.md

H014 | Bangladesh community deep wells: arsenic reduced, fecal contamination persists

Historical case / analysis lens 2: Original system boundary

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Bangladesh community deep wells: arsenic reduced, fecal contamination persists (2021 publication). Study classification: RANDOMIZED FIELD INTERVENTION; MIXED OUTCOMES.

FOCUS OF THIS PAGE

Original system boundary. What the local operator or institution was optimizing.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Provide community deep tube wells. Observed: Randomized evaluation found reduced arsenic exposure but did not establish reduced fecal contamination.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Drinking households, children, public health, local government. Actually measured in source: Well contamination assays and household source use.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Long-run upkeep, seasonal microbiology and adoption, cost distribution.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Couple deep well selection with safe sanitation, treatment, maintenance, water-quality verification and household access.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Original randomized community deep well evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: World Bank Economic Review 2021 community wells. Source link: https://academic.oup.com/wber/article/35/4/969/6291932. Full operator result: PARTIAL RISK REDUCTION; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://academic.oup.com/wber/article/35/4/969/6291932 ; see library historical_cases/H014.md

H014 | Bangladesh community deep wells: arsenic reduced, fecal contamination persists

Historical case / analysis lens 3: Receiving-carrier topology

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Bangladesh community deep wells: arsenic reduced, fecal contamination persists (2021 publication). Study classification: RANDOMIZED FIELD INTERVENTION; MIXED OUTCOMES.

FOCUS OF THIS PAGE

Receiving-carrier topology. Which carriers could receive gain, risk, work, cost or harm.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Provide community deep tube wells. Observed: Randomized evaluation found reduced arsenic exposure but did not establish reduced fecal contamination.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Drinking households, children, public health, local government. Actually measured in source: Well contamination assays and household source use.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Long-run upkeep, seasonal microbiology and adoption, cost distribution.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Couple deep well selection with safe sanitation, treatment, maintenance, water-quality verification and household access.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Original randomized community deep well evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: World Bank Economic Review 2021 community wells. Source link: https://academic.oup.com/wber/article/35/4/969/6291932. Full operator result: PARTIAL RISK REDUCTION; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://academic.oup.com/wber/article/35/4/969/6291932 ; see library historical_cases/H014.md

H014 | Bangladesh community deep wells: arsenic reduced, fecal contamination persists

Historical case / analysis lens 4: Measured findings and unknowns

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Bangladesh community deep wells: arsenic reduced, fecal contamination persists (2021 publication). Study classification: RANDOMIZED FIELD INTERVENTION; MIXED OUTCOMES.

FOCUS OF THIS PAGE

Measured findings and unknowns. Which quantities were observed, and what was not measured.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Provide community deep tube wells. Observed: Randomized evaluation found reduced arsenic exposure but did not establish reduced fecal contamination.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Drinking households, children, public health, local government. Actually measured in source: Well contamination assays and household source use.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Long-run upkeep, seasonal microbiology and adoption, cost distribution.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Couple deep well selection with safe sanitation, treatment, maintenance, water-quality verification and household access.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Original randomized community deep well evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: World Bank Economic Review 2021 community wells. Source link: https://academic.oup.com/wber/article/35/4/969/6291932. Full operator result: PARTIAL RISK REDUCTION; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://academic.oup.com/wber/article/35/4/969/6291932 ; see library historical_cases/H014.md

H014 | Bangladesh community deep wells: arsenic reduced, fecal contamination persists

Historical case / analysis lens 5: Counterfactual and incumbents

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Bangladesh community deep wells: arsenic reduced, fecal contamination persists (2021 publication). Study classification: RANDOMIZED FIELD INTERVENTION; MIXED OUTCOMES.

FOCUS OF THIS PAGE

Counterfactual and incumbents. What existing causal or mechanistic methods best explain the data.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Provide community deep tube wells. Observed: Randomized evaluation found reduced arsenic exposure but did not establish reduced fecal contamination.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Drinking households, children, public health, local government. Actually measured in source: Well contamination assays and household source use.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Long-run upkeep, seasonal microbiology and adoption, cost distribution.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Couple deep well selection with safe sanitation, treatment, maintenance, water-quality verification and household access.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Original randomized community deep well evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: World Bank Economic Review 2021 community wells. Source link: https://academic.oup.com/wber/article/35/4/969/6291932. Full operator result: PARTIAL RISK REDUCTION; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://academic.oup.com/wber/article/35/4/969/6291932 ; see library historical_cases/H014.md

H014 | Bangladesh community deep wells: arsenic reduced, fecal contamination persists

Historical case / analysis lens 6: Constructive capacity candidate

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Bangladesh community deep wells: arsenic reduced, fecal contamination persists (2021 publication). Study classification: RANDOMIZED FIELD INTERVENTION; MIXED OUTCOMES.

FOCUS OF THIS PAGE

Constructive capacity candidate. What system could be constructed before the next transition, subject to safety.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Provide community deep tube wells. Observed: Randomized evaluation found reduced arsenic exposure but did not establish reduced fecal contamination.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Drinking households, children, public health, local government. Actually measured in source: Well contamination assays and household source use.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Long-run upkeep, seasonal microbiology and adoption, cost distribution.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Couple deep well selection with safe sanitation, treatment, maintenance, water-quality verification and household access.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Original randomized community deep well evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: World Bank Economic Review 2021 community wells. Source link: https://academic.oup.com/wber/article/35/4/969/6291932. Full operator result: PARTIAL RISK REDUCTION; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://academic.oup.com/wber/article/35/4/969/6291932 ; see library historical_cases/H014.md

H014 | Bangladesh community deep wells: arsenic reduced, fecal contamination persists

Historical case / analysis lens 7: Decision and follow-up protocol

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Bangladesh community deep wells: arsenic reduced, fecal contamination persists (2021 publication). Study classification: RANDOMIZED FIELD INTERVENTION; MIXED OUTCOMES.

FOCUS OF THIS PAGE

Decision and follow-up protocol. How to preregister a paired consequential-system comparison.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Provide community deep tube wells. Observed: Randomized evaluation found reduced arsenic exposure but did not establish reduced fecal contamination.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Drinking households, children, public health, local government. Actually measured in source: Well contamination assays and household source use.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Long-run upkeep, seasonal microbiology and adoption, cost distribution.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Couple deep well selection with safe sanitation, treatment, maintenance, water-quality verification and household access.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Original randomized community deep well evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: World Bank Economic Review 2021 community wells. Source link: https://academic.oup.com/wber/article/35/4/969/6291932. Full operator result: PARTIAL RISK REDUCTION; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://academic.oup.com/wber/article/35/4/969/6291932 ; see library historical_cases/H014.md

H014 | Bangladesh community deep wells: arsenic reduced, fecal contamination persists

Historical case / analysis lens 8: Provenance and honest classification

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Bangladesh community deep wells: arsenic reduced, fecal contamination persists (2021 publication). Study classification: RANDOMIZED FIELD INTERVENTION; MIXED OUTCOMES.

FOCUS OF THIS PAGE

Provenance and honest classification. How to present positive, negative and missing evidence without fabricating a MU+ result.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Provide community deep tube wells. Observed: Randomized evaluation found reduced arsenic exposure but did not establish reduced fecal contamination.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Drinking households, children, public health, local government. Actually measured in source: Well contamination assays and household source use.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Long-run upkeep, seasonal microbiology and adoption, cost distribution.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Couple deep well selection with safe sanitation, treatment, maintenance, water-quality verification and household access.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Original randomized community deep well evaluation. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: World Bank Economic Review 2021 community wells. Source link: https://academic.oup.com/wber/article/35/4/969/6291932. Full operator result: PARTIAL RISK REDUCTION; STRICT MU+ NOT ESTABLISHED.

Source-linked public record: https://academic.oup.com/wber/article/35/4/969/6291932 ; see library historical_cases/H014.md

H015 | Thalidomide: symptom relief and unmeasured fetal consequences

Historical case / analysis lens 1: Published historical intervention

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Thalidomide: symptom relief and unmeasured fetal consequences (1950s–1962). Study classification: DOCUMENTED GLOBAL ADVERSE OUTCOME AND REGULATORY RESPONSE.

FOCUS OF THIS PAGE

Published historical intervention. What the original publication actually observed and in which study design.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Treat insomnia and morning sickness using thalidomide. Observed: FDA historical records document severe birth defects linked to thalidomide and Frances Kelsey withholding US approval for inadequate safety evidence; new drug-safety rules followed.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Pregnant patients, developing fetuses, families, drug manufacturers, regulators. Actually measured in source: Documented congenital harm and regulatory history.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Complete individual exposure counterfactuals and all long-term family welfare.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Pre-release developmental toxicity testing, stronger adverse-event surveillance, transparency, pregnancy protection and safer alternatives.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Regulatory pharmacovigilance, reproductive toxicology and risk-benefit analysis. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: FDA history: Frances Kelsey, Thalidomide and global harm. Source link: https://www.fda.gov/about-fda/fda-history-exhibits/brief-history-center-drug-evaluation-and-research. Full operator result: OBSERVED CATASTROPHIC CONSEQUENCES; NO STRICT MU+.

Source-linked public record: https://www.fda.gov/about-fda/fda-history-exhibits/brief-history-center-drug-evaluation-and-research ; see library historical_cases/H015.md

H015 | Thalidomide: symptom relief and unmeasured fetal consequences

Historical case / analysis lens 2: Original system boundary

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Thalidomide: symptom relief and unmeasured fetal consequences (1950s–1962). Study classification: DOCUMENTED GLOBAL ADVERSE OUTCOME AND REGULATORY RESPONSE.

FOCUS OF THIS PAGE

Original system boundary. What the local operator or institution was optimizing.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Treat insomnia and morning sickness using thalidomide. Observed: FDA historical records document severe birth defects linked to thalidomide and Frances Kelsey withholding US approval for inadequate safety evidence; new drug-safety rules followed.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Pregnant patients, developing fetuses, families, drug manufacturers, regulators. Actually measured in source: Documented congenital harm and regulatory history.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Complete individual exposure counterfactuals and all long-term family welfare.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Pre-release developmental toxicity testing, stronger adverse-event surveillance, transparency, pregnancy protection and safer alternatives.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Regulatory pharmacovigilance, reproductive toxicology and risk-benefit analysis. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: FDA history: Frances Kelsey, Thalidomide and global harm. Source link: https://www.fda.gov/about-fda/fda-history-exhibits/brief-history-center-drug-evaluation-and-research. Full operator result: OBSERVED CATASTROPHIC CONSEQUENCES; NO STRICT MU+.

Source-linked public record: https://www.fda.gov/about-fda/fda-history-exhibits/brief-history-center-drug-evaluation-and-research ; see library historical_cases/H015.md

H015 | Thalidomide: symptom relief and unmeasured fetal consequences

Historical case / analysis lens 3: Receiving-carrier topology

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Thalidomide: symptom relief and unmeasured fetal consequences (1950s–1962). Study classification: DOCUMENTED GLOBAL ADVERSE OUTCOME AND REGULATORY RESPONSE.

FOCUS OF THIS PAGE

Receiving-carrier topology. Which carriers could receive gain, risk, work, cost or harm.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Treat insomnia and morning sickness using thalidomide. Observed: FDA historical records document severe birth defects linked to thalidomide and Frances Kelsey withholding US approval for inadequate safety evidence; new drug-safety rules followed.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Pregnant patients, developing fetuses, families, drug manufacturers, regulators. Actually measured in source: Documented congenital harm and regulatory history.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Complete individual exposure counterfactuals and all long-term family welfare.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Pre-release developmental toxicity testing, stronger adverse-event surveillance, transparency, pregnancy protection and safer alternatives.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Regulatory pharmacovigilance, reproductive toxicology and risk-benefit analysis. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: FDA history: Frances Kelsey, Thalidomide and global harm. Source link: https://www.fda.gov/about-fda/fda-history-exhibits/brief-history-center-drug-evaluation-and-research. Full operator result: OBSERVED CATASTROPHIC CONSEQUENCES; NO STRICT MU+.

Source-linked public record: https://www.fda.gov/about-fda/fda-history-exhibits/brief-history-center-drug-evaluation-and-research ; see library historical_cases/H015.md

H015 | Thalidomide: symptom relief and unmeasured fetal consequences

Historical case / analysis lens 4: Measured findings and unknowns

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Thalidomide: symptom relief and unmeasured fetal consequences (1950s–1962). Study classification: DOCUMENTED GLOBAL ADVERSE OUTCOME AND REGULATORY RESPONSE.

FOCUS OF THIS PAGE

Measured findings and unknowns. Which quantities were observed, and what was not measured.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Treat insomnia and morning sickness using thalidomide. Observed: FDA historical records document severe birth defects linked to thalidomide and Frances Kelsey withholding US approval for inadequate safety evidence; new drug-safety rules followed.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Pregnant patients, developing fetuses, families, drug manufacturers, regulators. Actually measured in source: Documented congenital harm and regulatory history.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Complete individual exposure counterfactuals and all long-term family welfare.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Pre-release developmental toxicity testing, stronger adverse-event surveillance, transparency, pregnancy protection and safer alternatives.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Regulatory pharmacovigilance, reproductive toxicology and risk-benefit analysis. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: FDA history: Frances Kelsey, Thalidomide and global harm. Source link: https://www.fda.gov/about-fda/fda-history-exhibits/brief-history-center-drug-evaluation-and-research. Full operator result: OBSERVED CATASTROPHIC CONSEQUENCES; NO STRICT MU+.

Source-linked public record: https://www.fda.gov/about-fda/fda-history-exhibits/brief-history-center-drug-evaluation-and-research ; see library historical_cases/H015.md

H015 | Thalidomide: symptom relief and unmeasured fetal consequences

Historical case / analysis lens 5: Counterfactual and incumbents

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Thalidomide: symptom relief and unmeasured fetal consequences (1950s–1962). Study classification: DOCUMENTED GLOBAL ADVERSE OUTCOME AND REGULATORY RESPONSE.

FOCUS OF THIS PAGE

Counterfactual and incumbents. What existing causal or mechanistic methods best explain the data.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Treat insomnia and morning sickness using thalidomide. Observed: FDA historical records document severe birth defects linked to thalidomide and Frances Kelsey withholding US approval for inadequate safety evidence; new drug-safety rules followed.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Pregnant patients, developing fetuses, families, drug manufacturers, regulators. Actually measured in source: Documented congenital harm and regulatory history.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Complete individual exposure counterfactuals and all long-term family welfare.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Pre-release developmental toxicity testing, stronger adverse-event surveillance, transparency, pregnancy protection and safer alternatives.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Regulatory pharmacovigilance, reproductive toxicology and risk-benefit analysis. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: FDA history: Frances Kelsey, Thalidomide and global harm. Source link: https://www.fda.gov/about-fda/fda-history-exhibits/brief-history-center-drug-evaluation-and-research. Full operator result: OBSERVED CATASTROPHIC CONSEQUENCES; NO STRICT MU+.

Source-linked public record: https://www.fda.gov/about-fda/fda-history-exhibits/brief-history-center-drug-evaluation-and-research ; see library historical_cases/H015.md

H015 | Thalidomide: symptom relief and unmeasured fetal consequences

Historical case / analysis lens 6: Constructive capacity candidate

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Thalidomide: symptom relief and unmeasured fetal consequences (1950s–1962). Study classification: DOCUMENTED GLOBAL ADVERSE OUTCOME AND REGULATORY RESPONSE.

FOCUS OF THIS PAGE

Constructive capacity candidate. What system could be constructed before the next transition, subject to safety.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Treat insomnia and morning sickness using thalidomide. Observed: FDA historical records document severe birth defects linked to thalidomide and Frances Kelsey withholding US approval for inadequate safety evidence; new drug-safety rules followed.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Pregnant patients, developing fetuses, families, drug manufacturers, regulators. Actually measured in source: Documented congenital harm and regulatory history.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Complete individual exposure counterfactuals and all long-term family welfare.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Pre-release developmental toxicity testing, stronger adverse-event surveillance, transparency, pregnancy protection and safer alternatives.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Regulatory pharmacovigilance, reproductive toxicology and risk-benefit analysis. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: FDA history: Frances Kelsey, Thalidomide and global harm. Source link: https://www.fda.gov/about-fda/fda-history-exhibits/brief-history-center-drug-evaluation-and-research. Full operator result: OBSERVED CATASTROPHIC CONSEQUENCES; NO STRICT MU+.

Source-linked public record: https://www.fda.gov/about-fda/fda-history-exhibits/brief-history-center-drug-evaluation-and-research ; see library historical_cases/H015.md

H015 | Thalidomide: symptom relief and unmeasured fetal consequences

Historical case / analysis lens 7: Decision and follow-up protocol

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Thalidomide: symptom relief and unmeasured fetal consequences (1950s–1962). Study classification: DOCUMENTED GLOBAL ADVERSE OUTCOME AND REGULATORY RESPONSE.

FOCUS OF THIS PAGE

Decision and follow-up protocol. How to preregister a paired consequential-system comparison.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Treat insomnia and morning sickness using thalidomide. Observed: FDA historical records document severe birth defects linked to thalidomide and Frances Kelsey withholding US approval for inadequate safety evidence; new drug-safety rules followed.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Pregnant patients, developing fetuses, families, drug manufacturers, regulators. Actually measured in source: Documented congenital harm and regulatory history.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Complete individual exposure counterfactuals and all long-term family welfare.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Pre-release developmental toxicity testing, stronger adverse-event surveillance, transparency, pregnancy protection and safer alternatives.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Regulatory pharmacovigilance, reproductive toxicology and risk-benefit analysis. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: FDA history: Frances Kelsey, Thalidomide and global harm. Source link: https://www.fda.gov/about-fda/fda-history-exhibits/brief-history-center-drug-evaluation-and-research. Full operator result: OBSERVED CATASTROPHIC CONSEQUENCES; NO STRICT MU+.

Source-linked public record: https://www.fda.gov/about-fda/fda-history-exhibits/brief-history-center-drug-evaluation-and-research ; see library historical_cases/H015.md

H015 | Thalidomide: symptom relief and unmeasured fetal consequences

Historical case / analysis lens 8: Provenance and honest classification

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Thalidomide: symptom relief and unmeasured fetal consequences (1950s–1962). Study classification: DOCUMENTED GLOBAL ADVERSE OUTCOME AND REGULATORY RESPONSE.

FOCUS OF THIS PAGE

Provenance and honest classification. How to present positive, negative and missing evidence without fabricating a MU+ result.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Treat insomnia and morning sickness using thalidomide. Observed: FDA historical records document severe birth defects linked to thalidomide and Frances Kelsey withholding US approval for inadequate safety evidence; new drug-safety rules followed.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Pregnant patients, developing fetuses, families, drug manufacturers, regulators. Actually measured in source: Documented congenital harm and regulatory history.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Complete individual exposure counterfactuals and all long-term family welfare.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Pre-release developmental toxicity testing, stronger adverse-event surveillance, transparency, pregnancy protection and safer alternatives.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Regulatory pharmacovigilance, reproductive toxicology and risk-benefit analysis. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: FDA history: Frances Kelsey, Thalidomide and global harm. Source link: https://www.fda.gov/about-fda/fda-history-exhibits/brief-history-center-drug-evaluation-and-research. Full operator result: OBSERVED CATASTROPHIC CONSEQUENCES; NO STRICT MU+.

Source-linked public record: https://www.fda.gov/about-fda/fda-history-exhibits/brief-history-center-drug-evaluation-and-research ; see library historical_cases/H015.md

H016 | Loophole-free Bell test: physical correlations at microscopic scale

Historical case / analysis lens 1: Published historical intervention

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Loophole-free Bell test: physical correlations at microscopic scale (2015). Study classification: PUBLISHED CONTROLLED QUANTUM EXPERIMENT; NOT A WELFARE INTERVENTION.

FOCUS OF THIS PAGE

Published historical intervention. What the original publication actually observed and in which study design.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Distinguish local-realist predictions from quantum theory with controlled entangled electron spins. Observed: The 2015 Bell test used distant electron spins and obtained CHSH S=2.42 +/- 0.20 in 245 trials, inconsistent with a local-realist null at its specified statistical level.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Electron-spin degrees of freedom, measurement devices, detector and noise process, experimenters. Actually measured in source: Trial detection outcomes, measurement settings and correlations.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: No normative or material protected-carrier welfare outcome; quantum results do not establish cross-substrate consciousness or a universal MU+ mechanism.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

For physical claims, specify K_R predictions about experimental quantum observables that differ from standard quantum theory and test them with independent datasets.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Bell inequality and quantum measurement theory, experimental controls and null models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Hensen et al. 2015, Nature, loophole-free Bell inequality violation. Source link: https://www.nature.com/articles/nature15759. Full operator result: REAL PHYSICS TEST, NOT A MUTUAL UPTICK ACCEPTANCE TEST.

Source-linked public record: https://www.nature.com/articles/nature15759 ; see library historical_cases/H016.md

H016 | Loophole-free Bell test: physical correlations at microscopic scale

Historical case / analysis lens 2: Original system boundary

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Loophole-free Bell test: physical correlations at microscopic scale (2015). Study classification: PUBLISHED CONTROLLED QUANTUM EXPERIMENT; NOT A WELFARE INTERVENTION.

FOCUS OF THIS PAGE

Original system boundary. What the local operator or institution was optimizing.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Distinguish local-realist predictions from quantum theory with controlled entangled electron spins. Observed: The 2015 Bell test used distant electron spins and obtained CHSH S=2.42 +/- 0.20 in 245 trials, inconsistent with a local-realist null at its specified statistical level.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Electron-spin degrees of freedom, measurement devices, detector and noise process, experimenters. Actually measured in source: Trial detection outcomes, measurement settings and correlations.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: No normative or material protected-carrier welfare outcome; quantum results do not establish cross-substrate consciousness or a universal MU+ mechanism.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

For physical claims, specify K_R predictions about experimental quantum observables that differ from standard quantum theory and test them with independent datasets.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Bell inequality and quantum measurement theory, experimental controls and null models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Hensen et al. 2015, Nature, loophole-free Bell inequality violation. Source link: https://www.nature.com/articles/nature15759. Full operator result: REAL PHYSICS TEST, NOT A MUTUAL UPTICK ACCEPTANCE TEST.

Source-linked public record: https://www.nature.com/articles/nature15759 ; see library historical_cases/H016.md

H016 | Loophole-free Bell test: physical correlations at microscopic scale

Historical case / analysis lens 3: Receiving-carrier topology

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Loophole-free Bell test: physical correlations at microscopic scale (2015). Study classification: PUBLISHED CONTROLLED QUANTUM EXPERIMENT; NOT A WELFARE INTERVENTION.

FOCUS OF THIS PAGE

Receiving-carrier topology. Which carriers could receive gain, risk, work, cost or harm.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Distinguish local-realist predictions from quantum theory with controlled entangled electron spins. Observed: The 2015 Bell test used distant electron spins and obtained CHSH S=2.42 +/- 0.20 in 245 trials, inconsistent with a local-realist null at its specified statistical level.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Electron-spin degrees of freedom, measurement devices, detector and noise process, experimenters. Actually measured in source: Trial detection outcomes, measurement settings and correlations.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: No normative or material protected-carrier welfare outcome; quantum results do not establish cross-substrate consciousness or a universal MU+ mechanism.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

For physical claims, specify K_R predictions about experimental quantum observables that differ from standard quantum theory and test them with independent datasets.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Bell inequality and quantum measurement theory, experimental controls and null models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Hensen et al. 2015, Nature, loophole-free Bell inequality violation. Source link: https://www.nature.com/articles/nature15759. Full operator result: REAL PHYSICS TEST, NOT A MUTUAL UPTICK ACCEPTANCE TEST.

Source-linked public record: https://www.nature.com/articles/nature15759 ; see library historical_cases/H016.md

H016 | Loophole-free Bell test: physical correlations at microscopic scale

Historical case / analysis lens 4: Measured findings and unknowns

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Loophole-free Bell test: physical correlations at microscopic scale (2015). Study classification: PUBLISHED CONTROLLED QUANTUM EXPERIMENT; NOT A WELFARE INTERVENTION.

FOCUS OF THIS PAGE

Measured findings and unknowns. Which quantities were observed, and what was not measured.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Distinguish local-realist predictions from quantum theory with controlled entangled electron spins. Observed: The 2015 Bell test used distant electron spins and obtained CHSH S=2.42 +/- 0.20 in 245 trials, inconsistent with a local-realist null at its specified statistical level.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Electron-spin degrees of freedom, measurement devices, detector and noise process, experimenters. Actually measured in source: Trial detection outcomes, measurement settings and correlations.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: No normative or material protected-carrier welfare outcome; quantum results do not establish cross-substrate consciousness or a universal MU+ mechanism.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

For physical claims, specify K_R predictions about experimental quantum observables that differ from standard quantum theory and test them with independent datasets.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Bell inequality and quantum measurement theory, experimental controls and null models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Hensen et al. 2015, Nature, loophole-free Bell inequality violation. Source link: https://www.nature.com/articles/nature15759. Full operator result: REAL PHYSICS TEST, NOT A MUTUAL UPTICK ACCEPTANCE TEST.

Source-linked public record: https://www.nature.com/articles/nature15759 ; see library historical_cases/H016.md

H016 | Loophole-free Bell test: physical correlations at microscopic scale

Historical case / analysis lens 5: Counterfactual and incumbents

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Loophole-free Bell test: physical correlations at microscopic scale (2015). Study classification: PUBLISHED CONTROLLED QUANTUM EXPERIMENT; NOT A WELFARE INTERVENTION.

FOCUS OF THIS PAGE

Counterfactual and incumbents. What existing causal or mechanistic methods best explain the data.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Distinguish local-realist predictions from quantum theory with controlled entangled electron spins. Observed: The 2015 Bell test used distant electron spins and obtained CHSH S=2.42 +/- 0.20 in 245 trials, inconsistent with a local-realist null at its specified statistical level.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Electron-spin degrees of freedom, measurement devices, detector and noise process, experimenters. Actually measured in source: Trial detection outcomes, measurement settings and correlations.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: No normative or material protected-carrier welfare outcome; quantum results do not establish cross-substrate consciousness or a universal MU+ mechanism.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

For physical claims, specify K_R predictions about experimental quantum observables that differ from standard quantum theory and test them with independent datasets.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Bell inequality and quantum measurement theory, experimental controls and null models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Hensen et al. 2015, Nature, loophole-free Bell inequality violation. Source link: https://www.nature.com/articles/nature15759. Full operator result: REAL PHYSICS TEST, NOT A MUTUAL UPTICK ACCEPTANCE TEST.

Source-linked public record: https://www.nature.com/articles/nature15759 ; see library historical_cases/H016.md

H016 | Loophole-free Bell test: physical correlations at microscopic scale

Historical case / analysis lens 6: Constructive capacity candidate

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Loophole-free Bell test: physical correlations at microscopic scale (2015). Study classification: PUBLISHED CONTROLLED QUANTUM EXPERIMENT; NOT A WELFARE INTERVENTION.

FOCUS OF THIS PAGE

Constructive capacity candidate. What system could be constructed before the next transition, subject to safety.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Distinguish local-realist predictions from quantum theory with controlled entangled electron spins. Observed: The 2015 Bell test used distant electron spins and obtained CHSH S=2.42 +/- 0.20 in 245 trials, inconsistent with a local-realist null at its specified statistical level.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Electron-spin degrees of freedom, measurement devices, detector and noise process, experimenters. Actually measured in source: Trial detection outcomes, measurement settings and correlations.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: No normative or material protected-carrier welfare outcome; quantum results do not establish cross-substrate consciousness or a universal MU+ mechanism.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

For physical claims, specify K_R predictions about experimental quantum observables that differ from standard quantum theory and test them with independent datasets.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Bell inequality and quantum measurement theory, experimental controls and null models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Hensen et al. 2015, Nature, loophole-free Bell inequality violation. Source link: https://www.nature.com/articles/nature15759. Full operator result: REAL PHYSICS TEST, NOT A MUTUAL UPTICK ACCEPTANCE TEST.

Source-linked public record: https://www.nature.com/articles/nature15759 ; see library historical_cases/H016.md

H016 | Loophole-free Bell test: physical correlations at microscopic scale

Historical case / analysis lens 7: Decision and follow-up protocol

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Loophole-free Bell test: physical correlations at microscopic scale (2015). Study classification: PUBLISHED CONTROLLED QUANTUM EXPERIMENT; NOT A WELFARE INTERVENTION.

FOCUS OF THIS PAGE

Decision and follow-up protocol. How to preregister a paired consequential-system comparison.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Distinguish local-realist predictions from quantum theory with controlled entangled electron spins. Observed: The 2015 Bell test used distant electron spins and obtained CHSH S=2.42 +/- 0.20 in 245 trials, inconsistent with a local-realist null at its specified statistical level.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Electron-spin degrees of freedom, measurement devices, detector and noise process, experimenters. Actually measured in source: Trial detection outcomes, measurement settings and correlations.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: No normative or material protected-carrier welfare outcome; quantum results do not establish cross-substrate consciousness or a universal MU+ mechanism.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

For physical claims, specify K_R predictions about experimental quantum observables that differ from standard quantum theory and test them with independent datasets.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Bell inequality and quantum measurement theory, experimental controls and null models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Hensen et al. 2015, Nature, loophole-free Bell inequality violation. Source link: https://www.nature.com/articles/nature15759. Full operator result: REAL PHYSICS TEST, NOT A MUTUAL UPTICK ACCEPTANCE TEST.

Source-linked public record: https://www.nature.com/articles/nature15759 ; see library historical_cases/H016.md

H016 | Loophole-free Bell test: physical correlations at microscopic scale

Historical case / analysis lens 8: Provenance and honest classification

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Loophole-free Bell test: physical correlations at microscopic scale (2015). Study classification: PUBLISHED CONTROLLED QUANTUM EXPERIMENT; NOT A WELFARE INTERVENTION.

FOCUS OF THIS PAGE

Provenance and honest classification. How to present positive, negative and missing evidence without fabricating a MU+ result.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Distinguish local-realist predictions from quantum theory with controlled entangled electron spins. Observed: The 2015 Bell test used distant electron spins and obtained CHSH S=2.42 +/- 0.20 in 245 trials, inconsistent with a local-realist null at its specified statistical level.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Electron-spin degrees of freedom, measurement devices, detector and noise process, experimenters. Actually measured in source: Trial detection outcomes, measurement settings and correlations.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: No normative or material protected-carrier welfare outcome; quantum results do not establish cross-substrate consciousness or a universal MU+ mechanism.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

For physical claims, specify K_R predictions about experimental quantum observables that differ from standard quantum theory and test them with independent datasets.

BENCHMARK AND FALSIFICATION

Strongest incumbent: Bell inequality and quantum measurement theory, experimental controls and null models. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: Hensen et al. 2015, Nature, loophole-free Bell inequality violation. Source link: https://www.nature.com/articles/nature15759. Full operator result: REAL PHYSICS TEST, NOT A MUTUAL UPTICK ACCEPTANCE TEST.

Source-linked public record: https://www.nature.com/articles/nature15759 ; see library historical_cases/H016.md

H017 | Gene-edited sickle cell therapy: biological repair and receiving-care infrastructure

Historical case / analysis lens 1: Published historical intervention

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Gene-edited sickle cell therapy: biological repair and receiving-care infrastructure (2023 onward). Study classification: REGULATORY APPROVAL WITH CLINICAL TRIAL EVIDENCE; ACCESS EFFECTS OPEN.

FOCUS OF THIS PAGE

Published historical intervention. What the original publication actually observed and in which study design.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Treat sickle cell disease using autologous cell therapies. Observed: FDA approved the first cell-based gene therapies for sickle cell disease in December 2023, including the first therapy using CRISPR editing; approval reflects assessed clinical evidence, not universal access.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Patients, stem cells, healthcare teams, payers, families, care delivery network. Actually measured in source: Regulatory benefit-risk records and treatment eligibility.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Worldwide affordability, preparatory treatment risks, lifelong surveillance, displaced healthcare resources, access equity.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Study clinical outcomes jointly with transplant capacity, monitoring, affordability, family support and access equity, not genetic correction alone.

BENCHMARK AND FALSIFICATION

Strongest incumbent: FDA regulated clinical trials and health-technology assessment. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: FDA 2023 approval of sickle-cell gene therapies. Source link: https://www.fda.gov/news-events/press-announcements/fda-approves-first-gene-therapies-treat-patients-sickle-cell-disease. Full operator result: REGULATORY CLINICAL MILESTONE; STRICT MU+ NOT ESTABLISHED.

H017 | Gene-edited sickle cell therapy: biological repair and receiving-care infrastructure

Historical case / analysis lens 2: Original system boundary

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Gene-edited sickle cell therapy: biological repair and receiving-care infrastructure (2023 onward). Study classification: REGULATORY APPROVAL WITH CLINICAL TRIAL EVIDENCE; ACCESS EFFECTS OPEN.

FOCUS OF THIS PAGE

Original system boundary. What the local operator or institution was optimizing.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Treat sickle cell disease using autologous cell therapies. Observed: FDA approved the first cell-based gene therapies for sickle cell disease in December 2023, including the first therapy using CRISPR editing; approval reflects assessed clinical evidence, not universal access.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Patients, stem cells, healthcare teams, payers, families, care delivery network. Actually measured in source: Regulatory benefit-risk records and treatment eligibility.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Worldwide affordability, preparatory treatment risks, lifelong surveillance, displaced healthcare resources, access equity.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Study clinical outcomes jointly with transplant capacity, monitoring, affordability, family support and access equity, not genetic correction alone.

BENCHMARK AND FALSIFICATION

Strongest incumbent: FDA regulated clinical trials and health-technology assessment. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: FDA 2023 approval of sickle-cell gene therapies. Source link: https://www.fda.gov/news-events/press-announcements/fda-approves-first-gene-therapies-treat-patients-sickle-cell-disease. Full operator result: REGULATORY CLINICAL MILESTONE; STRICT MU+ NOT ESTABLISHED.

Source-linked public record:
https://www.fda.gov/news-events/press-announcements/fda-approves-first-gene-therapies-treat-patients-sickle-cell-disease ; see library

H017 | Gene-edited sickle cell therapy: biological repair and receiving-care infrastructure

Historical case / analysis lens 3: Receiving-carrier topology

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Gene-edited sickle cell therapy: biological repair and receiving-care infrastructure (2023 onward). Study classification: REGULATORY APPROVAL WITH CLINICAL TRIAL EVIDENCE; ACCESS EFFECTS OPEN.

FOCUS OF THIS PAGE

Receiving-carrier topology. Which carriers could receive gain, risk, work, cost or harm.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Treat sickle cell disease using autologous cell therapies. Observed: FDA approved the first cell-based gene therapies for sickle cell disease in December 2023, including the first therapy using CRISPR editing; approval reflects assessed clinical evidence, not universal access.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Patients, stem cells, healthcare teams, payers, families, care delivery network. Actually measured in source: Regulatory benefit-risk records and treatment eligibility.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Worldwide affordability, preparatory treatment risks, lifelong surveillance, displaced healthcare resources, access equity.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Study clinical outcomes jointly with transplant capacity, monitoring, affordability, family support and access equity, not genetic correction alone.

BENCHMARK AND FALSIFICATION

Strongest incumbent: FDA regulated clinical trials and health-technology assessment. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: FDA 2023 approval of sickle-cell gene therapies. Source link: https://www.fda.gov/news-events/press-announcements/fda-approves-first-gene-therapies-treat-patients-sickle-cell-disease. Full operator result: REGULATORY CLINICAL MILESTONE; STRICT MU+ NOT ESTABLISHED.

H017 | Gene-edited sickle cell therapy: biological repair and receiving-care infrastructure

Historical case / analysis lens 4: Measured findings and unknowns

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Gene-edited sickle cell therapy: biological repair and receiving-care infrastructure (2023 onward). Study classification: REGULATORY APPROVAL WITH CLINICAL TRIAL EVIDENCE; ACCESS EFFECTS OPEN.

FOCUS OF THIS PAGE

Measured findings and unknowns. Which quantities were observed, and what was not measured.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Treat sickle cell disease using autologous cell therapies. Observed: FDA approved the first cell-based gene therapies for sickle cell disease in December 2023, including the first therapy using CRISPR editing; approval reflects assessed clinical evidence, not universal access.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Patients, stem cells, healthcare teams, payers, families, care delivery network. Actually measured in source: Regulatory benefit-risk records and treatment eligibility.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Worldwide affordability, preparatory treatment risks, lifelong surveillance, displaced healthcare resources, access equity.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Study clinical outcomes jointly with transplant capacity, monitoring, affordability, family support and access equity, not genetic correction alone.

BENCHMARK AND FALSIFICATION

Strongest incumbent: FDA regulated clinical trials and health-technology assessment. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: FDA 2023 approval of sickle-cell gene therapies. Source link: https://www.fda.gov/news-events/press-announcements/fda-approves-first-gene-therapies-treat-patients-sickle-cell-disease. Full operator result: REGULATORY CLINICAL MILESTONE; STRICT MU+ NOT ESTABLISHED.

H017 | Gene-edited sickle cell therapy: biological repair and receiving-care infrastructure

Historical case / analysis lens 5: Counterfactual and incumbents

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Gene-edited sickle cell therapy: biological repair and receiving-care infrastructure (2023 onward). Study classification: REGULATORY APPROVAL WITH CLINICAL TRIAL EVIDENCE; ACCESS EFFECTS OPEN.

FOCUS OF THIS PAGE

Counterfactual and incumbents. What existing causal or mechanistic methods best explain the data.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Treat sickle cell disease using autologous cell therapies. Observed: FDA approved the first cell-based gene therapies for sickle cell disease in December 2023, including the first therapy using CRISPR editing; approval reflects assessed clinical evidence, not universal access.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Patients, stem cells, healthcare teams, payers, families, care delivery network. Actually measured in source: Regulatory benefit-risk records and treatment eligibility.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Worldwide affordability, preparatory treatment risks, lifelong surveillance, displaced healthcare resources, access equity.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Study clinical outcomes jointly with transplant capacity, monitoring, affordability, family support and access equity, not genetic correction alone.

BENCHMARK AND FALSIFICATION

Strongest incumbent: FDA regulated clinical trials and health-technology assessment. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: FDA 2023 approval of sickle-cell gene therapies. Source link: https://www.fda.gov/news-events/press-announcements/fda-approves-first-gene-therapies-treat-patients-sickle-cell-disease. Full operator result: REGULATORY CLINICAL MILESTONE; STRICT MU+ NOT ESTABLISHED.

Source-linked public record:
https://www.fda.gov/news-events/press-announcements/fda-approves-first-gene-therapies-treat-patients-sickle-cell-disease ; see library

H017 | Gene-edited sickle cell therapy: biological repair and receiving-care infrastructure

Historical case / analysis lens 6: Constructive capacity candidate

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Gene-edited sickle cell therapy: biological repair and receiving-care infrastructure (2023 onward). Study classification: REGULATORY APPROVAL WITH CLINICAL TRIAL EVIDENCE; ACCESS EFFECTS OPEN.

FOCUS OF THIS PAGE

Constructive capacity candidate. What system could be constructed before the next transition, subject to safety.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Treat sickle cell disease using autologous cell therapies. Observed: FDA approved the first cell-based gene therapies for sickle cell disease in December 2023, including the first therapy using CRISPR editing; approval reflects assessed clinical evidence, not universal access.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Patients, stem cells, healthcare teams, payers, families, care delivery network. Actually measured in source: Regulatory benefit-risk records and treatment eligibility.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Worldwide affordability, preparatory treatment risks, lifelong surveillance, displaced healthcare resources, access equity.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Study clinical outcomes jointly with transplant capacity, monitoring, affordability, family support and access equity, not genetic correction alone.

BENCHMARK AND FALSIFICATION

Strongest incumbent: FDA regulated clinical trials and health-technology assessment. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: FDA 2023 approval of sickle-cell gene therapies. Source link: https://www.fda.gov/news-events/press-announcements/fda-approves-first-gene-therapies-treat-patients-sickle-cell-disease. Full operator result: REGULATORY CLINICAL MILESTONE; STRICT MU+ NOT ESTABLISHED.

Source-linked public record:
https://www.fda.gov/news-events/press-announcements/fda-approves-first-gene-therapies-treat-patients-sickle-cell-disease ; see library

H017 | Gene-edited sickle cell therapy: biological repair and receiving-care infrastructure

Historical case / analysis lens 7: Decision and follow-up protocol

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Gene-edited sickle cell therapy: biological repair and receiving-care infrastructure (2023 onward). Study classification: REGULATORY APPROVAL WITH CLINICAL TRIAL EVIDENCE; ACCESS EFFECTS OPEN.

FOCUS OF THIS PAGE

Decision and follow-up protocol. How to preregister a paired consequential-system comparison.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Treat sickle cell disease using autologous cell therapies. Observed: FDA approved the first cell-based gene therapies for sickle cell disease in December 2023, including the first therapy using CRISPR editing; approval reflects assessed clinical evidence, not universal access.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Patients, stem cells, healthcare teams, payers, families, care delivery network. Actually measured in source: Regulatory benefit-risk records and treatment eligibility.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Worldwide affordability, preparatory treatment risks, lifelong surveillance, displaced healthcare resources, access equity.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Study clinical outcomes jointly with transplant capacity, monitoring, affordability, family support and access equity, not genetic correction alone.

BENCHMARK AND FALSIFICATION

Strongest incumbent: FDA regulated clinical trials and health-technology assessment. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: FDA 2023 approval of sickle-cell gene therapies. Source link: https://www.fda.gov/news-events/press-announcements/fda-approves-first-gene-therapies-treat-patients-sickle-cell-disease. Full operator result: REGULATORY CLINICAL MILESTONE; STRICT MU+ NOT ESTABLISHED.

Source-linked public record:
https://www.fda.gov/news-events/press-announcements/fda-approves-first-gene-therapies-treat-patients-sickle-cell-disease ; see library

H017 | Gene-edited sickle cell therapy: biological repair and receiving-care infrastructure

Historical case / analysis lens 8: Provenance and honest classification

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

Gene-edited sickle cell therapy: biological repair and receiving-care infrastructure (2023 onward). Study classification: REGULATORY APPROVAL WITH CLINICAL TRIAL EVIDENCE; ACCESS EFFECTS OPEN.

FOCUS OF THIS PAGE

Provenance and honest classification. How to present positive, negative and missing evidence without fabricating a MU+ result.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Treat sickle cell disease using autologous cell therapies. Observed: FDA approved the first cell-based gene therapies for sickle cell disease in December 2023, including the first therapy using CRISPR editing; approval reflects assessed clinical evidence, not universal access.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Patients, stem cells, healthcare teams, payers, families, care delivery network. Actually measured in source: Regulatory benefit-risk records and treatment eligibility.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: Worldwide affordability, preparatory treatment risks, lifelong surveillance, displaced healthcare resources, access equity.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

Study clinical outcomes jointly with transplant capacity, monitoring, affordability, family support and access equity, not genetic correction alone.

BENCHMARK AND FALSIFICATION

Strongest incumbent: FDA regulated clinical trials and health-technology assessment. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: FDA 2023 approval of sickle-cell gene therapies. Source link: https://www.fda.gov/news-events/press-announcements/fda-approves-first-gene-therapies-treat-patients-sickle-cell-disease. Full operator result: REGULATORY CLINICAL MILESTONE; STRICT MU+ NOT ESTABLISHED.

Source-linked public record:
https://www.fda.gov/news-events/press-announcements/fda-approves-first-gene-therapies-treat-patients-sickle-cell-disease ; see library

H018 | LIGO gravitational wave detection: new observational infrastructure

Historical case / analysis lens 1: Published historical intervention

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

LIGO gravitational wave detection: new observational infrastructure (2015–2016). Study classification: OBSERVED PHYSICAL MEASUREMENT; NOT A WELFARE INTERVENTION.

FOCUS OF THIS PAGE

Published historical intervention. What the original publication actually observed and in which study design.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Construct interferometers capable of detecting gravitational waves. Observed: The upgraded LIGO interferometers performed an observation run beginning September 2015, detecting astrophysical gravitational-wave signals; this tests general relativity in a domain inaccessible to unaided human senses.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Gravitational-wave sources, optical and mechanical sensors, detection infrastructure, scientific community. Actually measured in source: Detector strain signals and physical model fits.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: No native per-carrier positive welfare metric; this is a scientific observation not a strict Mutual Uptick implementation.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

For K_R as physical law, derive a unique testable observable for interferometer systems and compare blinded predictions to general relativity under matched data.

BENCHMARK AND FALSIFICATION

Strongest incumbent: General relativity waveform models and interferometric detector calibration. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: LIGO Collaboration 2016, Advanced LIGO detectors in first discovery run. Source link: https://doi.org/10.1103/PhysRevLett.116.131103. Full operator result: REAL PHYSICS EVIDENCE; NO K_R MECHANISM TEST.

Source-linked public record: https://doi.org/10.1103/PhysRevLett.116.131103 ; see library historical_cases/H018.md

H018 | LIGO gravitational wave detection: new observational infrastructure

Historical case / analysis lens 2: Original system boundary

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

LIGO gravitational wave detection: new observational infrastructure (2015–2016). Study classification: OBSERVED PHYSICAL MEASUREMENT; NOT A WELFARE INTERVENTION.

FOCUS OF THIS PAGE

Original system boundary. What the local operator or institution was optimizing.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Construct interferometers capable of detecting gravitational waves. Observed: The upgraded LIGO interferometers performed an observation run beginning September 2015, detecting astrophysical gravitational-wave signals; this tests general relativity in a domain inaccessible to unaided human senses.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Gravitational-wave sources, optical and mechanical sensors, detection infrastructure, scientific community. Actually measured in source: Detector strain signals and physical model fits.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: No native per-carrier positive welfare metric; this is a scientific observation not a strict Mutual Uptick implementation.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

For K_R as physical law, derive a unique testable observable for interferometer systems and compare blinded predictions to general relativity under matched data.

BENCHMARK AND FALSIFICATION

Strongest incumbent: General relativity waveform models and interferometric detector calibration. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: LIGO Collaboration 2016, Advanced LIGO detectors in first discovery run. Source link: https://doi.org/10.1103/PhysRevLett.116.131103. Full operator result: REAL PHYSICS EVIDENCE; NO K_R MECHANISM TEST.

Source-linked public record: https://doi.org/10.1103/PhysRevLett.116.131103 ; see library historical_cases/H018.md

H018 | LIGO gravitational wave detection: new observational infrastructure

Historical case / analysis lens 3: Receiving-carrier topology

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

LIGO gravitational wave detection: new observational infrastructure (2015–2016). Study classification: OBSERVED PHYSICAL MEASUREMENT; NOT A WELFARE INTERVENTION.

FOCUS OF THIS PAGE

Receiving-carrier topology. Which carriers could receive gain, risk, work, cost or harm.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Construct interferometers capable of detecting gravitational waves. Observed: The upgraded LIGO interferometers performed an observation run beginning September 2015, detecting astrophysical gravitational-wave signals; this tests general relativity in a domain inaccessible to unaided human senses.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Gravitational-wave sources, optical and mechanical sensors, detection infrastructure, scientific community. Actually measured in source: Detector strain signals and physical model fits.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: No native per-carrier positive welfare metric; this is a scientific observation not a strict Mutual Uptick implementation.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

For K_R as physical law, derive a unique testable observable for interferometer systems and compare blinded predictions to general relativity under matched data.

BENCHMARK AND FALSIFICATION

Strongest incumbent: General relativity waveform models and interferometric detector calibration. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: LIGO Collaboration 2016, Advanced LIGO detectors in first discovery run. Source link: https://doi.org/10.1103/PhysRevLett.116.131103. Full operator result: REAL PHYSICS EVIDENCE; NO K_R MECHANISM TEST.

Source-linked public record: https://doi.org/10.1103/PhysRevLett.116.131103 ; see library historical_cases/H018.md

H018 | LIGO gravitational wave detection: new observational infrastructure

Historical case / analysis lens 4: Measured findings and unknowns

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

LIGO gravitational wave detection: new observational infrastructure (2015–2016). Study classification: OBSERVED PHYSICAL MEASUREMENT; NOT A WELFARE INTERVENTION.

FOCUS OF THIS PAGE

Measured findings and unknowns. Which quantities were observed, and what was not measured.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Construct interferometers capable of detecting gravitational waves. Observed: The upgraded LIGO interferometers performed an observation run beginning September 2015, detecting astrophysical gravitational-wave signals; this tests general relativity in a domain inaccessible to unaided human senses.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Gravitational-wave sources, optical and mechanical sensors, detection infrastructure, scientific community. Actually measured in source: Detector strain signals and physical model fits.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: No native per-carrier positive welfare metric; this is a scientific observation not a strict Mutual Uptick implementation.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

For K_R as physical law, derive a unique testable observable for interferometer systems and compare blinded predictions to general relativity under matched data.

BENCHMARK AND FALSIFICATION

Strongest incumbent: General relativity waveform models and interferometric detector calibration. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: LIGO Collaboration 2016, Advanced LIGO detectors in first discovery run. Source link: https://doi.org/10.1103/PhysRevLett.116.131103. Full operator result: REAL PHYSICS EVIDENCE; NO K_R MECHANISM TEST.

Source-linked public record: https://doi.org/10.1103/PhysRevLett.116.131103 ; see library historical_cases/H018.md

H018 | LIGO gravitational wave detection: new observational infrastructure

Historical case / analysis lens 5: Counterfactual and incumbents

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

LIGO gravitational wave detection: new observational infrastructure (2015–2016). Study classification: OBSERVED PHYSICAL MEASUREMENT; NOT A WELFARE INTERVENTION.

FOCUS OF THIS PAGE

Counterfactual and incumbents. What existing causal or mechanistic methods best explain the data.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Construct interferometers capable of detecting gravitational waves. Observed: The upgraded LIGO interferometers performed an observation run beginning September 2015, detecting astrophysical gravitational-wave signals; this tests general relativity in a domain inaccessible to unaided human senses.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Gravitational-wave sources, optical and mechanical sensors, detection infrastructure, scientific community. Actually measured in source: Detector strain signals and physical model fits.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: No native per-carrier positive welfare metric; this is a scientific observation not a strict Mutual Uptick implementation.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

For K_R as physical law, derive a unique testable observable for interferometer systems and compare blinded predictions to general relativity under matched data.

BENCHMARK AND FALSIFICATION

Strongest incumbent: General relativity waveform models and interferometric detector calibration. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: LIGO Collaboration 2016, Advanced LIGO detectors in first discovery run. Source link: https://doi.org/10.1103/PhysRevLett.116.131103. Full operator result: REAL PHYSICS EVIDENCE; NO K_R MECHANISM TEST.

Source-linked public record: https://doi.org/10.1103/PhysRevLett.116.131103 ; see library historical_cases/H018.md

H018 | LIGO gravitational wave detection: new observational infrastructure

Historical case / analysis lens 6: Constructive capacity candidate

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

LIGO gravitational wave detection: new observational infrastructure (2015–2016). Study classification: OBSERVED PHYSICAL MEASUREMENT; NOT A WELFARE INTERVENTION.

FOCUS OF THIS PAGE

Constructive capacity candidate. What system could be constructed before the next transition, subject to safety.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Construct interferometers capable of detecting gravitational waves. Observed: The upgraded LIGO interferometers performed an observation run beginning September 2015, detecting astrophysical gravitational-wave signals; this tests general relativity in a domain inaccessible to unaided human senses.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Gravitational-wave sources, optical and mechanical sensors, detection infrastructure, scientific community. Actually measured in source: Detector strain signals and physical model fits.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: No native per-carrier positive welfare metric; this is a scientific observation not a strict Mutual Uptick implementation.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

For K_R as physical law, derive a unique testable observable for interferometer systems and compare blinded predictions to general relativity under matched data.

BENCHMARK AND FALSIFICATION

Strongest incumbent: General relativity waveform models and interferometric detector calibration. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: LIGO Collaboration 2016, Advanced LIGO detectors in first discovery run. Source link: https://doi.org/10.1103/PhysRevLett.116.131103. Full operator result: REAL PHYSICS EVIDENCE; NO K_R MECHANISM TEST.

Source-linked public record: https://doi.org/10.1103/PhysRevLett.116.131103 ; see library historical_cases/H018.md

H018 | LIGO gravitational wave detection: new observational infrastructure

Historical case / analysis lens 7: Decision and follow-up protocol

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

LIGO gravitational wave detection: new observational infrastructure (2015–2016). Study classification: OBSERVED PHYSICAL MEASUREMENT; NOT A WELFARE INTERVENTION.

FOCUS OF THIS PAGE

Decision and follow-up protocol. How to preregister a paired consequential-system comparison.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Construct interferometers capable of detecting gravitational waves. Observed: The upgraded LIGO interferometers performed an observation run beginning September 2015, detecting astrophysical gravitational-wave signals; this tests general relativity in a domain inaccessible to unaided human senses.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Gravitational-wave sources, optical and mechanical sensors, detection infrastructure, scientific community. Actually measured in source: Detector strain signals and physical model fits.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: No native per-carrier positive welfare metric; this is a scientific observation not a strict Mutual Uptick implementation.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

For K_R as physical law, derive a unique testable observable for interferometer systems and compare blinded predictions to general relativity under matched data.

BENCHMARK AND FALSIFICATION

Strongest incumbent: General relativity waveform models and interferometric detector calibration. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: LIGO Collaboration 2016, Advanced LIGO detectors in first discovery run. Source link: https://doi.org/10.1103/PhysRevLett.116.131103. Full operator result: REAL PHYSICS EVIDENCE; NO K_R MECHANISM TEST.

Source-linked public record: https://doi.org/10.1103/PhysRevLett.116.131103 ; see library historical_cases/H018.md

H018 | LIGO gravitational wave detection: new observational infrastructure

Historical case / analysis lens 8: Provenance and honest classification

HISTORICAL OBSERVATION / FULL-KERNEL PASS NOT ESTABLISHED

HISTORICAL RECORD

LIGO gravitational wave detection: new observational infrastructure (2015–2016). Study classification: OBSERVED PHYSICAL MEASUREMENT; NOT A WELFARE INTERVENTION.

FOCUS OF THIS PAGE

Provenance and honest classification. How to present positive, negative and missing evidence without fabricating a MU+ result.

ORIGINAL INTERVENTION AND WHAT WAS KNOWN

Local objective: Construct interferometers capable of detecting gravitational waves. Observed: The upgraded LIGO interferometers performed an observation run beginning September 2015, detecting astrophysical gravitational-wave signals; this tests general relativity in a domain inaccessible to unaided human senses.

PROTECTED CARRIERS

Relevant carriers for a wider causal ledger: Gravitational-wave sources, optical and mechanical sensors, detection infrastructure, scientific community. Actually measured in source: Detector strain signals and physical model fits.

UNMEASURED CONSEQUENCES

Do not infer absent data as zero: No native per-carrier positive welfare metric; this is a scientific observation not a strict Mutual Uptick implementation.

CONSTRUCTIVE PROPOSAL, NOT DEPLOYED HERE

For K_R as physical law, derive a unique testable observable for interferometer systems and compare blinded predictions to general relativity under matched data.

BENCHMARK AND FALSIFICATION

Strongest incumbent: General relativity waveform models and interferometric detector calibration. Require new blinded outcome data with the same information, cost and horizon.

EVIDENCE AND RESULTING STATUS

Source: LIGO Collaboration 2016, Advanced LIGO detectors in first discovery run. Source link: https://doi.org/10.1103/PhysRevLett.116.131103. Full operator result: REAL PHYSICS EVIDENCE; NO K_R MECHANISM TEST.

Source-linked public record: https://doi.org/10.1103/PhysRevLett.116.131103 ; see library historical_cases/H018.md

Adapter 001: Whole-person quality of life

Human life quality | Internal carrier and capacity reconstruction

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

DOMAIN-NATIVE STATE

Health, function, time, autonomy, relationships, safety, income, environment and future capacity

RECORDED RECEIVING SCHEMA

Single score, diagnosis, income bracket or productivity proxy

CANDIDATE BURDEN AND RECEIVING CARRIERS

Blocker in the source Atlas: Improvement in one life dimension paid for by another. Candidate receivers: Person, household, caregivers, future self.

EXISTING CAPACITY DESIGN

Whole-life state model plus coordinated capacity across health, time, income and environment

PROTECTED OUTCOME STATED BY THE AUTHOR

Health, autonomy, security, time and relational capacity all improve without hidden depletion

SCIENTIFIC NEXT STEP

Atlas proposed decisive test: Longitudinal cohort with preregistered multidimensional outcomes. This remains a proposed testing route, not proof of a completed successful implementation.

ORIGINALITY AND CONSTRUCTION OBLIGATION

Run causal receiving-carrier diagnosis before action; compare construction against strong established methods; do not accept positive averages as proof that all material carriers benefited.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001 | Whole-person quality of life

Individual human / person | Insufficient capacity

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 001, Whole-person quality of life. Native state: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Potential direct or institutional human pathway: Whole-person quality of life interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Insufficient capacity: The human has limited time, health, physical access, material resources, protective support or opportunity. Source Atlas proposed limiting condition: Improvement in one life dimension paid for by another.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Whole-life state model plus coordinated capacity across health, time, income and environment can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

001 | Whole-person quality of life

Individual human / person | Schema mismatch

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 001, Whole-person quality of life. Native state: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Potential direct or institutional human pathway: Whole-person quality of life interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Schema mismatch: The person has evidence-grounded capabilities or needs that institutional identifiers, scores or labels do not adequately recognize. Source Atlas proposed limiting condition: Improvement in one life dimension paid for by another.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Whole-life state model plus coordinated capacity across health, time, income and environment can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

001 | Whole-person quality of life

Individual human / person | Delayed effects

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 001, Whole-person quality of life. Native state: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Potential direct or institutional human pathway: Whole-person quality of life interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Delayed effects: A short-term change influences future-self health, skills, income, dependence, options or relationships. Source Atlas proposed limiting condition: Improvement in one life dimension paid for by another.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Whole-life state model plus coordinated capacity across health, time, income and environment can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

001 | Whole-person quality of life

Individual human / person | Measurement uncertainty

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 001, Whole-person quality of life. Native state: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Potential direct or institutional human pathway: Whole-person quality of life interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Measurement uncertainty: The record lacks consented individual outcomes, counterfactuals, follow-up, or reliable protection metrics. Source Atlas proposed limiting condition: Improvement in one life dimension paid for by another.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Whole-life state model plus coordinated capacity across health, time, income and environment can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

001 | Whole-person quality of life

Individual human / person | Coordination failure

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 001, Whole-person quality of life. Native state: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Potential direct or institutional human pathway: Whole-person quality of life interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Coordination failure: Family, employer, provider, government or technical systems hand off obligations to the individual without coordinated support. Source Atlas proposed limiting condition: Improvement in one life dimension paid for by another.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Whole-life state model plus coordinated capacity across health, time, income and environment can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

001 | Whole-person quality of life

Individual human / person | Adversarial / inequitable distribution

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 001, Whole-person quality of life. Native state: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Potential direct or institutional human pathway: Whole-person quality of life interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Adversarial / inequitable distribution: Unequal power, coercion, inaccessible systems, discrimination or exploitative incentives shift costs to a person. Source Atlas proposed limiting condition: Improvement in one life dimension paid for by another.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Whole-life state model plus coordinated capacity across health, time, income and environment can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

001 to 001: consequential handoff

Whole-person quality of life -> Whole-person quality of life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

INTERFACE AND COUPLING STATUS

This is a within-domain loop: the post-state of Whole-person quality of life becomes the next native state under its existing map. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Single score, diagnosis, income bracket or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Person, household, caregivers, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Longitudinal cohort with preregistered multidimensional outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 51-57; WITHIN-DOMAIN RECURRENCE. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 001 pp. 51-57.

001 to 002: consequential handoff

Whole-person quality of life -> Nutrition and metabolism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Nutrition and metabolism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Calories/macros or generic diet categories. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Body, household budget, food system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Randomized adaptive nutrition trial with cost and adherence carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 58-64; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 002 pp. 58-64.

001 to 003: consequential handoff

Whole-person quality of life -> Sleep and recovery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Sleep and recovery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Hours slept or wearable score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Body, cognition, household schedule. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Recovery controller integrating timing, environment, workload and physiology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Longitudinal crossover study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 65-71; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 003 pp. 65-71.

001 to 004: consequential handoff

Whole-person quality of life -> Reproductive and sexual health | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Reproductive and sexual health; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Single fertility, disease or risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Individual, partner, future child, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Clinical trials + patient-reported and partner- impact carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 72-78; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 004 pp. 72-78.

001 to 005: consequential handoff

Whole-person quality of life -> Disability and accessibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Disability and accessibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Deficit-only person label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Person, caregiver, workplace, public space. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Environment-first accessibility architecture plus assistive capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Before/after environment redesign with workload measures'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 79-85; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 005 pp. 79-85.

001 to 006: consequential handoff

Whole-person quality of life -> Mobility and physical function | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Mobility and physical function; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Single functional score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Body, caregiver, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Adaptive rehabilitation plus environment and device redesign. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Controlled rehabilitation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 86-92; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 006 pp. 86-92.

001 to 007: consequential handoff

Whole-person quality of life -> Family and caregiving | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Family and caregiving; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Household role labels. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Primary caregiver, dependents, siblings, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Care-load ledger, shared coordination and external capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Prospective household burden study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 93-99; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 007 pp. 93-99.

001 to 008: consequential handoff

Whole-person quality of life -> Safety and personal security | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Safety and personal security; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Incident count or generic risk class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Person, community, responder. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Safety architecture that increases protection without reducing autonomy. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Prospective safety intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 100-106; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 008 pp. 100-106.

001 to 009: consequential handoff

Whole-person quality of life -> Housing and domestic environment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Housing and domestic environment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Property price or occupancy status. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Resident, landlord, neighborhood, city. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Whole-cost housing and location architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Matched housing intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 107-113; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 009 pp. 107-113.

001 to 010: consequential handoff

Whole-person quality of life -> Human longevity and life-course planning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Human longevity and life-course planning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Chronological age or retirement age. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Person, family, institutions, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Life-course capital and care architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Longitudinal life-course cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 114-120; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 010 pp. 114-120.

001 to 011: consequential handoff

Whole-person quality of life -> Psychology and social legibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Psychology and social legibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Snapshot diagnosis or social category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Person, family, employer, clinician. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Multidimensional schema plus support matched to hidden burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Longitudinal external cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 122-128; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 011 pp. 122-128.

001 to 012: consequential handoff

Whole-person quality of life -> Identity and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Identity and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Single identity label or credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Person and receiving institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Selective multi-context identity graph with provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Cross-context identity study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 129-135; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 012 pp. 129-135.

001 to 013: consequential handoff

Whole-person quality of life -> Relationships and intimacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Relationships and intimacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Relationship status or personality label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Partners and wider support network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Reciprocal state and burden ledger plus consent architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Dyadic longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 136-142; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 013 pp. 136-142.

001 to 014: consequential handoff

Whole-person quality of life -> Parenting and child development | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Parenting and child development; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Age norm, grade or behavior label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Child, parent, school, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Developmental state map plus distributed support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Longitudinal family-school cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 143-149; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 014 pp. 143-149.

001 to 015: consequential handoff

Whole-person quality of life -> Purpose and self-actualization | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Purpose and self-actualization; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Career status, wealth or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Person, relationships, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Whole-person capability architecture and burden guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Longitudinal multidimensional evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 150-156; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 015 pp. 150-156.

001 to 016: consequential handoff

Whole-person quality of life -> Existential wellbeing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Existential wellbeing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Symptom or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Person, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Voluntary meaning-reflection and support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Patient/user-reported longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 157-163; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 016 pp. 157-163.

001 to 017: consequential handoff

Whole-person quality of life -> Spiritual life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Spiritual life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Institutional affiliation alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Individual, family, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Ethical observational study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 164-170; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 017 pp. 164-170.

001 to 018: consequential handoff

Whole-person quality of life -> Religion and community institutions | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Religion and community institutions; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Membership or doctrinal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Members, families, leaders, wider community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Transparent governance, reporting, safeguarding and exit rights. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Institutional longitudinal audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 171-177; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 018 pp. 171-177.

001 to 019: consequential handoff

Whole-person quality of life -> Emotion and affect regulation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Emotion and affect regulation: Internal state, context, physiology, cognition and social feedback.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Emotion and affect regulation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Valence score or symptom label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Person and relationships. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: State-aware regulation architecture with physiological feedback. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Crossover intervention study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 178-184; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 019 pp. 178-184.

001 to 020: consequential handoff

Whole-person quality of life -> Trust and fidelity between people | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Trust and fidelity between people: History, promises, evidence, uncertainty and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Trust and fidelity between people; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Trusted/untrusted binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: People and institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Dynamic provenance and expectation architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Prospective trust-repair study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 185-191; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 020 pp. 185-191.

001 to 021: consequential handoff

Whole-person quality of life -> Healthcare delivery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Healthcare delivery: Clinical state, logistics, caregiver capacity, finance and post-discharge environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Healthcare delivery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Episode-of-care schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Patient, caregiver, outpatient system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Consequential discharge/care orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 193-199; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 021 pp. 193-199.

001 to 022: consequential handoff

Whole-person quality of life -> Diagnostics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Diagnostics: Underlying disease state, uncertainty, test characteristics and downstream actions.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Diagnostics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Single test result. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Patient, clinician, payer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Bayesian multi-source diagnostic schema + uncertainty communication. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Prospective blinded diagnostic study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 200-206; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 022 pp. 200-206.

001 to 023: consequential handoff

Whole-person quality of life -> Cancer ecology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Cancer ecology: Clone mix, immune state, microenvironment, host reserve and therapy exposure.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Cancer ecology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Stage/tumor-size snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Resistant clones, healthy tissue, immune system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Adaptive ecological state estimator + resistance/host capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Preclinical then clinical adaptive trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 207-213; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 023 pp. 207-213.

001 to 024: consequential handoff

Whole-person quality of life -> Neuroscience and neurodegeneration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Neuroscience and neurodegeneration: Neural, glial, vascular, metabolic, network and functional state.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Neuroscience and neurodegeneration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Single biomarker or visible function. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Neural networks, metabolism, caregiver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Multimodal state estimator + restorative capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Multimodal longitudinal intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 214-220; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 024 pp. 214-220.

001 to 025: consequential handoff

Whole-person quality of life -> Aging biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Aging biology: Coupled damage, repair, senescence, immunity, metabolism and regeneration.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Aging biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Age scalar or isolated hallmark. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Cells, tissues, immune system, metabolism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Moving-bottleneck RVG controller across damage/repair channels. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Preclinical multi-pathway study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 221-227; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 025 pp. 221-227.

001 to 026: consequential handoff

Whole-person quality of life -> Immunology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Immunology: Immune activation, tolerance, pathogen/tumor signals and tissue damage.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Immunology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Single cytokine or cell-count schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Pathogen, immune cells, host tissue. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: State-dependent immune control balancing clearance and collateral damage. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Controlled biological study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 228-234; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 026 pp. 228-234.

001 to 027: consequential handoff

Whole-person quality of life -> Infectious disease | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Infectious disease: Pathogen dynamics, host immunity, behavior, network spread and treatment.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Infectious disease; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Case count or pathogen-only model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Patients, contacts, health system, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Multi-carrier containment + treatment + livelihood capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Prospective outbreak protocol'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 235-241; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 027 pp. 235-241.

001 to 028: consequential handoff

Whole-person quality of life -> Microbiome | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Microbiome: Host physiology plus microbial ecology and diet/environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Microbiome; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Species abundance snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Host and microbial community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Functional ecosystem state model and adaptive intervention. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Controlled longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 242-248; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 028 pp. 242-248.

001 to 029: consequential handoff

Whole-person quality of life -> Genomics and proteomics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Genomics and proteomics: Variants, expression, proteins, pathways, context and phenotype.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Genomics and proteomics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Single marker/pathogenicity label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Cells, tissues, patient. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Multi-omic causal state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Prospective multi-omic validation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 249-255; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 029 pp. 249-255.

001 to 030: consequential handoff

Whole-person quality of life -> Surgery and rehabilitation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Surgery and rehabilitation: Anatomy, function, pain, recovery capacity, home support and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Surgery and rehabilitation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Procedure success or anatomical correction. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Patient, caregiver, rehab system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Prehabilitation + procedure + recovery orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 256-262; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 030 pp. 256-262.

001 to 031: consequential handoff

Whole-person quality of life -> Early-childhood development and education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Early-childhood development and education: Development, safety, language, nutrition, play, attachment and resources.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Early-childhood development and education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Age milestone or readiness score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Child, caregiver, educator. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Integrated developmental support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Longitudinal program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 264-270; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 031 pp. 264-270.

001 to 032: consequential handoff

Whole-person quality of life -> K-12 education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

K-12 education: Knowledge, skills, wellbeing, context, resources and learning trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into K-12 education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Grade/test score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Student, teacher, family. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Capability graph + adaptive learning + wellbeing constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Cluster randomized trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 271-277; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 032 pp. 271-277.

001 to 033: consequential handoff

Whole-person quality of life -> Higher education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Higher education: Capability, knowledge, network, finances and career pathways.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Higher education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Degree/GPA credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Student, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Capability/provenance portfolio + adaptive pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Longitudinal graduate outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 278-284; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 033 pp. 278-284.

001 to 034: consequential handoff

Whole-person quality of life -> Vocational and workforce learning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Vocational and workforce learning: Skills, task demand, wages, mobility and employer needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Vocational and workforce learning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Course completion certificate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Worker, employer, training provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Skill-to-task provenance and placement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Matched labor-market evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 285-291; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 034 pp. 285-291.

001 to 035: consequential handoff

Whole-person quality of life -> Scientific research | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Scientific research: Hypotheses, methods, data, negative results, replication and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Scientific research; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Publication/citation unit. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Researchers, institutions, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Experiment provenance + negative-result + replication architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Cross-lab replication program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 292-298; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 035 pp. 292-298.

001 to 036: consequential handoff

Whole-person quality of life -> Justice and courts | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Justice and courts: Facts, evidence, harm, intent, procedure, history and remedies.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Justice and courts; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Case category or docket state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Victims, accused, families, courts, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Causal provenance + harm/restitution + recurrence architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Prospective process evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 299-305; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 036 pp. 299-305.

001 to 037: consequential handoff

Whole-person quality of life -> Policing and public safety systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Policing and public safety systems: Threat, context, evidence, community trust, capacity and alternatives.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Policing and public safety systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Incident/offense label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Residents, officers, victims, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Evidence-first response selection + prevention/support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Independent public evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 306-312; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 037 pp. 306-312.

001 to 038: consequential handoff

Whole-person quality of life -> Corrections, rehabilitation and reintegration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Corrections, rehabilitation and reintegration: Risk, harm, needs, skills, housing, work and social support.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Corrections, rehabilitation and reintegration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Sentence/recidivism risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Person, family, community, justice system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Rehabilitation + restitution + housing/work capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Longitudinal controlled program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 313-319; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 038 pp. 313-319.

001 to 039: consequential handoff

Whole-person quality of life -> Public administration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Public administration: Citizen state, eligibility, documents, services and agency capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Public administration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Program-specific record. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Citizen, frontline staff, budget. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Interoperable verified state + once-only data + case orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Agency pilot with citizen/staff metrics'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 320-326; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 039 pp. 320-326.

001 to 040: consequential handoff

Whole-person quality of life -> Governance and institutional design | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Governance and institutional design: Authority, incentives, information, accountability, resources and affected populations.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Governance and institutional design; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Organizational chart or legal mandate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Citizens, agencies, future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Cross-boundary outcome ledger + accountability and capacity design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Prospective institutional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 327-333; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 040 pp. 327-333.

001 to 041: consequential handoff

Whole-person quality of life -> Beauty and aesthetics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Beauty and aesthetics: Biology, preference, culture, identity, safety, cost and perception.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Beauty and aesthetics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Universal beauty standard or product category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Person, body, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Personalized aesthetic/safety state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Consumer/clinical outcome study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 335-341; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 041 pp. 335-341.

001 to 042: consequential handoff

Whole-person quality of life -> Fashion and apparel | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Fashion and apparel: Identity, fit, comfort, durability, labor, inventory and lifecycle.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Fashion and apparel; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Size/SKU/category schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Wearer, worker, retailer, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Adaptive sizing + provenance + circularity architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Retail field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 342-348; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 042 pp. 342-348.

001 to 043: consequential handoff

Whole-person quality of life -> Luxury goods | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Luxury goods: Provenance, scarcity, condition, access, identity, inventory and lifecycle value.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Luxury goods; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Price/status/authenticity binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Buyer, seller, inventory, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Provenance + condition + access + reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Operational field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 349-355; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 043 pp. 349-355.

001 to 044: consequential handoff

Whole-person quality of life -> Hospitality | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Hospitality: Guest needs, staff capacity, time, room state, logistics and locality.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Hospitality; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Booking/reservation state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Guest, staff, operator, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: End-to-end experience and workload orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Property-level A/B evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 356-362; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 044 pp. 356-362.

001 to 045: consequential handoff

Whole-person quality of life -> Travel and tourism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Travel and tourism: Mobility, cost, safety, experience, local capacity and environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Travel and tourism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Itinerary/booking schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Traveler, worker, resident, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Consequential itinerary/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Destination pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 363-369; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 045 pp. 363-369.

001 to 046: consequential handoff

Whole-person quality of life -> Art and cultural markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Art and cultural markets: Creative work, provenance, rights, cultural meaning, scarcity and audience.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Art and cultural markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Price/ownership/engagement proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Artist, audience, collector, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Rights/provenance/value-sharing architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Marketplace field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 370-376; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 046 pp. 370-376.

001 to 047: consequential handoff

Whole-person quality of life -> Music and entertainment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Music and entertainment: Creative contribution, rights, attention, audience value and platform economics.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Music and entertainment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Stream/view count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Creators, audiences, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Contribution/provenance + value-distribution architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 377-383; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 047 pp. 377-383.

001 to 048: consequential handoff

Whole-person quality of life -> Gaming and virtual worlds | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Gaming and virtual worlds: Player goals, time, identity, economy, safety and creator contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Gaming and virtual worlds; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Retention/spend metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Players, creators, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Cross-reality value and safety controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 384-390; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 048 pp. 384-390.

001 to 049: consequential handoff

Whole-person quality of life -> Sports and performance | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Sports and performance: Performance, health, training load, recovery, team dynamics and career horizon.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Sports and performance; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Win/score/output metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Athlete, team, family, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Load/recovery/career controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Prospective team study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 391-397; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 049 pp. 391-397.

001 to 050: consequential handoff

Whole-person quality of life -> Experience design and events | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Experience design and events: Attention, emotion, logistics, accessibility, staff load and community impact.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Experience design and events; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Attendance/NPS/ticket revenue. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Guests, staff, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: End-to-end experience-state orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Event A/B study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 398-404; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 050 pp. 398-404.

001 to 051: consequential handoff

Whole-person quality of life -> Currency and monetary experience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Currency and monetary experience: Purchasing power, liquidity, settlement, access, trust and macro context.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Currency and monetary experience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Nominal unit/FX quote. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Households, firms, intermediaries. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Consequential monetary-state and settlement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Historical + prospective policy-neutral system test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 406-412; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 051 pp. 406-412.

001 to 052: consequential handoff

Whole-person quality of life -> Payments and remittances | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Payments and remittances: Amount, fees, FX, settlement time, access, fraud and recipient liquidity.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Payments and remittances; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Successful transfer binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Sender, receiver, provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: End-to-end transfer optimization with transparent provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Transaction-level field test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 413-419; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 052 pp. 413-419.

001 to 053: consequential handoff

Whole-person quality of life -> Banking and liquidity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Banking and liquidity: Deposits, credit, liquidity, capital, customer state and network exposures.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Banking and liquidity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Product/account or institution-local balance sheet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Banks, customers, counterparties, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Network consequential balance sheet + capacity buffers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Stress test + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 420-426; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 053 pp. 420-426.

001 to 054: consequential handoff

Whole-person quality of life -> Credit and underwriting | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Credit and underwriting: Cashflow, assets, obligations, trajectory, capability and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Credit and underwriting; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Static score/category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Borrower, lender, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Dynamic provenance/capacity underwriting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Prospective lending trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 427-433; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 054 pp. 427-433.

001 to 055: consequential handoff

Whole-person quality of life -> Insurance and resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Insurance and resilience: Hazard, exposure, prevention, coverage, recovery and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Insurance and resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Loss probability/policy class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Policyholder, insurer, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Prevention + resilience + coverage architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Pilot product evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 434-440; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 055 pp. 434-440.

001 to 056: consequential handoff

Whole-person quality of life -> Capital markets and investing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Capital markets and investing: Price, cashflow, externalities, network risk and long-horizon value.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Capital markets and investing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Return/risk factor set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Investor, firm, workers, public, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Consequential asset ledger with carrier constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Historical backtest + prospective paper portfolio'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 441-447; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 056 pp. 441-447.

001 to 057: consequential handoff

Whole-person quality of life -> Private wealth and family capital | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Private wealth and family capital: Financial, human, social, health and intergenerational capital.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Private wealth and family capital; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Portfolio net worth. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Client, family, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Whole-capital balance sheet + goals/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Longitudinal client evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 448-454; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 057 pp. 448-454.

001 to 058: consequential handoff

Whole-person quality of life -> Labor and talent markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Labor and talent markets: Capability, workload, pay, health, learning and opportunity.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Labor and talent markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Job title/CV/credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Worker, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Capability-state + workload + mobility architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Workplace pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 455-461; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 058 pp. 455-461.

001 to 059: consequential handoff

Whole-person quality of life -> Organizations and enterprises | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Organizations and enterprises: Functions, dependencies, people, cash, knowledge and customer value.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Organizations and enterprises; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Department/KPI structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Workers, customers, suppliers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Enterprise consequential graph + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Multi-team field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 462-468; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 059 pp. 462-468.

001 to 060: consequential handoff

Whole-person quality of life -> Entrepreneurship and venture creation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Entrepreneurship and venture creation: Unmet burden, carrier, willingness to pay, build cost and adoption.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Entrepreneurship and venture creation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Existing market category/TAM. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Founder initially, then customer/system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Mutual-Uptick blocker discovery + missing-capacity build. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Pilot venture with carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 469-475; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 060 pp. 469-475.

001 to 061: consequential handoff

Whole-person quality of life -> Artificial intelligence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Artificial intelligence: Model state, source reality, user intent, provenance, uncertainty and downstream action.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Artificial intelligence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Prompt/context window/model output. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: User, verifier, downstream system, compute. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Persistent schema/provenance layer + self-audit and escalation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Sealed cross-model benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 477-483; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 061 pp. 477-483.

001 to 062: consequential handoff

Whole-person quality of life -> Software systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Software systems: Requirements, dependencies, state, users, infrastructure and technical debt.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Software systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Feature/ticket/local module schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Developers, users, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Dependency/provenance graph + consequential release controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Repository-level prospective benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 484-490; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 062 pp. 484-490.

001 to 063: consequential handoff

Whole-person quality of life -> Cybersecurity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Cybersecurity: Actual attack graph, identities, vulnerabilities, privileges and attacker state.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Cybersecurity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Defender inventory/rules/log view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Systems, users, analysts, business continuity. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Self-updating attack schema + carrier prediction + safe containment/failover. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Red-team sealed telemetry benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 491-497; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 063 pp. 491-497.

001 to 064: consequential handoff

Whole-person quality of life -> Data infrastructure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Data infrastructure: Datasets, lineage, semantics, permissions, quality and downstream uses.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Data infrastructure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Table/file/schema local view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Analysts, models, users, compliance. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Provenance graph + semantic reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Enterprise data benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 498-504; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 064 pp. 498-504.

001 to 065: consequential handoff

Whole-person quality of life -> Privacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Privacy: Data state, purposes, consent, exposure, value and future misuse.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Privacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Consent checkbox or access-control list. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Person, organization, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Selective disclosure + provenance + minimization architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Field trial + attack testing'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 505-511; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 065 pp. 505-511.

001 to 066: consequential handoff

Whole-person quality of life -> Digital identity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Digital identity: Attributes, credentials, context, revocation, privacy and trust.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Digital identity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Single identifier/account. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Person, verifier, issuer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Selective-verification credential graph. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Cross-service pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 512-518; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 066 pp. 512-518.

001 to 067: consequential handoff

Whole-person quality of life -> Internet and communications | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Internet and communications: Topology, capacity, latency, content, trust and user needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Internet and communications; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Throughput/uptime metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Users, networks, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Consequential routing + fidelity/provenance layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Network/application experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 519-525; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 067 pp. 519-525.

001 to 068: consequential handoff

Whole-person quality of life -> Media and information ecosystems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Media and information ecosystems: Claims, evidence, incentives, attention, creators and audiences.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Media and information ecosystems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Engagement/feed rank. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Audience, creator, public discourse. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Claim provenance + quality + incentive reconciliation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 526-532; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 068 pp. 526-532.

001 to 069: consequential handoff

Whole-person quality of life -> Language and translation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Language and translation: Meaning, context, culture, pragmatics and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Language and translation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Word/token correspondence. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Speakers, institutions, models. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Semantic/provenance translation with ambiguity tracking. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Blind human evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 533-539; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 069 pp. 533-539.

001 to 070: consequential handoff

Whole-person quality of life -> Knowledge and ontologies | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Knowledge and ontologies: Entities, relations, provenance, incompatible schemas and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Knowledge and ontologies; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Single ontology/taxonomy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Researchers, AI, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Cross-schema translation + minimal sufficient ontology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Cross-domain benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 540-546; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 070 pp. 540-546.

001 to 071: consequential handoff

Whole-person quality of life -> Energy and power grids | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Energy and power grids: Generation, load, storage, network constraints, prices and reliability.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Energy and power grids; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Local device efficiency or node KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Grid nodes, customers, storage, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Consequential grid controller + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Grid simulation + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 548-554; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 071 pp. 548-554.

001 to 072: consequential handoff

Whole-person quality of life -> Water and irrigation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Water and irrigation: Withdrawals, consumptive use, return flows, storage, aquifers and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Water and irrigation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Farm/project efficiency. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Downstream users, rivers, aquifers, ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Basin-wide accounting + catchment + allocation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Basin holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 555-561; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 072 pp. 555-561.

001 to 073: consequential handoff

Whole-person quality of life -> Food and agriculture | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Food and agriculture: Yield, soil, water, inputs, nutrition, labor, market and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Food and agriculture; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Yield/acre or commodity price. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Farmer, consumer, soil, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Coupled regenerative production controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Multi-season farm trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 562-568; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 073 pp. 562-568.

001 to 074: consequential handoff

Whole-person quality of life -> Supply chains and logistics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Supply chains and logistics: Inventory, demand, transport, suppliers, lead times and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Supply chains and logistics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Node-level cost/service KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Suppliers, warehouses, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Carrier-aware flow controller + buffer placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Historical + live pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 569-575; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 074 pp. 569-575.

001 to 075: consequential handoff

Whole-person quality of life -> Manufacturing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Manufacturing: Materials, energy, machines, labor, quality, maintenance and waste.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Manufacturing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Unit cost/OEE. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Workers, machines, environment, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Closed-loop production and maintenance architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Factory pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 576-582; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 075 pp. 576-582.

001 to 076: consequential handoff

Whole-person quality of life -> Waste and circular materials | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Waste and circular materials: Material composition, location, contamination, residual value and logistics.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Waste and circular materials; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Waste tonnage/disposal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Communities, environment, future production. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Material provenance + recapture + transformation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Municipal/industrial pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 583-589; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 076 pp. 583-589.

001 to 077: consequential handoff

Whole-person quality of life -> Transportation and mobility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Transportation and mobility: Trips, time, safety, access, energy, congestion and land use.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Transportation and mobility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Vehicle throughput/speed. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Travelers, neighborhoods, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Multimodal consequential mobility controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'City corridor pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 590-596; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 077 pp. 590-596.

001 to 078: consequential handoff

Whole-person quality of life -> Cities and urban systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Cities and urban systems: Housing, jobs, transport, health, utilities, safety and public space.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Cities and urban systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Agency-by-agency city data. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Residents, agencies, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: City consequential digital twin + coordinated capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'District pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 597-603; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 078 pp. 597-603.

001 to 079: consequential handoff

Whole-person quality of life -> Climate and disaster resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Climate and disaster resilience: Hazard, exposure, vulnerability, infrastructure, food, health and recovery.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Climate and disaster resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Hazard forecast alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: People, infrastructure, ecosystems, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Anticipatory catchment + prepositioned capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Prospective matched pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 604-610; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 079 pp. 604-610.

001 to 080: consequential handoff

Whole-person quality of life -> Ecology and biodiversity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Ecology and biodiversity: Species, habitats, flows, extraction, communities and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Ecology and biodiversity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Protected-area/local species metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Species, habitats, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Landscape-scale leakage/carrier accounting + livelihoods. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Landscape holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 611-617; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 080 pp. 611-617.

001 to 081: consequential handoff

Whole-person quality of life -> Cell biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Cell biology: Signaling, organelles, metabolism, damage, repair and cell-state transitions.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Cell biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Single pathway/marker. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Organelles, pathways, neighboring cells. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Multi-state cellular controller + capacity targeting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'In-vitro perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 619-625; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 081 pp. 619-625.

001 to 082: consequential handoff

Whole-person quality of life -> Molecular biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Molecular biology: Molecules, conformations, binding networks, concentrations and kinetics.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Molecular biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Single interaction/target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Molecules, pathways, host system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Reaction/network state model + off-target carrier control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Bench experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 626-632; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 082 pp. 626-632.

001 to 083: consequential handoff

Whole-person quality of life -> Nanotechnology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Nanotechnology: Particle properties, surfaces, transport, environment and biological interaction.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Nanotechnology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Particle spec alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Cells, environment, users. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Lifecycle and interaction-aware nano design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Bench + environmental tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 633-639; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 083 pp. 633-639.

001 to 084: consequential handoff

Whole-person quality of life -> Chemistry and reaction systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Chemistry and reaction systems: Species, reaction network, kinetics, energy, byproducts and separation.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Chemistry and reaction systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Target yield/selectivity. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Reactor, environment, downstream process. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Consequential reaction-network optimization + recovery loops. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Reactor experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 640-646; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 084 pp. 640-646.

001 to 085: consequential handoff

Whole-person quality of life -> Materials science | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Materials science: Microstructure, defects, stress, temperature, lifecycle and manufacturing.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Materials science; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Bulk property spec. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Material, structure, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Defect-aware multiproperty design + recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Lab characterization'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 647-653; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 085 pp. 647-653.

001 to 086: consequential handoff

Whole-person quality of life -> Classical mechanics and control | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Classical mechanics and control: Physical state, dynamics, sensors, actuators and disturbance.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Classical mechanics and control; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Partial state observation/local control objective. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Plant, actuator, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Representation-aware full-state controller + regenerative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Physical bench experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 654-660; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 086 pp. 654-660.

001 to 087: consequential handoff

Whole-person quality of life -> Thermodynamics and nonequilibrium systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Thermodynamics and nonequilibrium systems: Energy, entropy, gradients, reservoirs, flows and constraints.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Thermodynamics and nonequilibrium systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Local efficiency/temperature metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Reservoirs, environment, components. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Whole-boundary energy/exergy and recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Physical experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 661-667; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 087 pp. 661-667.

001 to 088: consequential handoff

Whole-person quality of life -> Electromagnetism and circuits | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Electromagnetism and circuits: Fields, voltages, currents, topology, storage and losses.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Electromagnetism and circuits; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Local component state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Circuit elements, sources, loads. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Full-network state estimation + capacity/recovery placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Bench circuit experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 668-674; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 088 pp. 668-674.

001 to 089: consequential handoff

Whole-person quality of life -> Quantum systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Quantum systems: Quantum state, observables, measurement, control and decoherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Quantum systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Accessible observable set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Quantum system, apparatus, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Constraint-respecting measurement/control schema + capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Laboratory quantum experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 675-681; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 089 pp. 675-681.

001 to 090: consequential handoff

Whole-person quality of life -> Pure mathematics and formal systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Pure mathematics and formal systems: Objects, relations, axioms, language, proofs and translations.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Pure mathematics and formal systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Chosen signature/type system/quotient. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Proof system, translator, solver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Minimal sufficient schema preserving required relations. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Machine-checked theorem suite'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 682-688; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 090 pp. 682-688.

001 to 091: consequential handoff

Whole-person quality of life -> Statistics and causal inference | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Statistics and causal inference: Data-generating process, sampling, measurement, confounding and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Statistics and causal inference; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Chosen model/estimand. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Decision makers, future samples, affected groups. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Provenance-aware multi-model causal state + identifiability guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Simulation + multi-dataset benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 690-696; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 091 pp. 690-696.

001 to 092: consequential handoff

Whole-person quality of life -> Logic and reasoning systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Logic and reasoning systems: Premises, inference rules, contradictions, uncertainty and goals.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Logic and reasoning systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Single logical calculus. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Reasoner, downstream decision. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Multi-logic translation + contradiction provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Formal benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 697-703; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 092 pp. 697-703.

001 to 093: consequential handoff

Whole-person quality of life -> Geography and territorial systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Geography and territorial systems: People, ecosystems, infrastructure, flows and administrative boundaries.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Geography and territorial systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Jurisdiction/map boundary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Border communities, watersheds, networks. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Flow-based territorial state model. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Regional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 704-710; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 093 pp. 704-710.

001 to 094: consequential handoff

Whole-person quality of life -> Informal economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Informal economy: Real work, exchange, trust, risk and household needs outside formal records.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Informal economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Formal registry/tax/business schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Workers, households, state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Low-friction recognition, protection and access architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Field pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 711-717; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 094 pp. 711-717.

001 to 095: consequential handoff

Whole-person quality of life -> Illicit and black markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Illicit and black markets: Hidden demand, supply, coercion, enforcement, prices and harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Illicit and black markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Official market data that excludes hidden exchange. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Victims, communities, lawful firms, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Independent harm-reduction/public-safety evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 718-724; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 095 pp. 718-724.

001 to 096: consequential handoff

Whole-person quality of life -> Orbital and space economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Orbital and space economy: Spacecraft, debris, spectrum, energy, logistics and operator incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Orbital and space economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Mission-local success metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Other spacecraft, operators, orbital environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Orbital consequential ledger + shared capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Simulation + mission pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 725-731; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 096 pp. 725-731.

001 to 097: consequential handoff

Whole-person quality of life -> Extraterrestrial settlement | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Extraterrestrial settlement: Life support, energy, materials, health, governance and closed ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Extraterrestrial settlement; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Earth-derived subsystem silos. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Crew, machines, habitat ecology. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Closed-loop consequential state + autonomous capacity construction. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Analog habitat + mission tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 732-738; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 097 pp. 732-738.

001 to 098: consequential handoff

Whole-person quality of life -> Astrobiology and biosignatures | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Astrobiology and biosignatures: Unknown life chemistries, environments, signals and contamination risks.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Astrobiology and biosignatures; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Earth-centric life schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Scientific program, environment, future missions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Plural biosignature schema + provenance/contamination control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Blind benchmark + mission data'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 739-745; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 098 pp. 739-745.

001 to 099: consequential handoff

Whole-person quality of life -> Planetary systems and stewardship | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Planetary systems and stewardship: Atmosphere, hydrology, geology, biosphere, resources and settlements.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Planetary systems and stewardship; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Sector-local resource model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Settlements, ecosystems, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Closed-loop planetary resource and restoration architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Earth analog + simulation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 746-752; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 099 pp. 746-752.

001 to 100: consequential handoff

Whole-person quality of life -> Unknown and not-yet-named realities | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Unknown and not-yet-named realities: Any newly observed substrate, scale, agent, value dimension or exchange mode.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Unknown and not-yet-named realities; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: No adequate schema exists yet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Unknown until carrier tracing identifies it. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Instantiate M_d, define schema, measure gap, trace carrier, construct capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Freeze kernel before learning outcomes; then holdout/replicate'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 753-759; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 100 pp. 753-759.

001 to 101: consequential handoff

Whole-person quality of life -> Conscious experience and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Conscious experience and self-model: Perception, affect, memory, self-model, attention, internal accessibility and embodied state.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Conscious experience and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: A receiving observer reduces another system to behavior, category or output alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Experiencing system, observers, dependent systems and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Cross-modal state representation with provenance, uncertainty and non-erasure constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Prospective multi-method cross-observer study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 761-767; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 101 pp. 761-767.

001 to 102: consequential handoff

Whole-person quality of life -> Choice and option topology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Choice and option topology: Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Choice and option topology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Binary free-choice / no-choice label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Chooser, affected people, institutions and future option set. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Feasible-option map plus prebuilt low-friction lawful/prosocial pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Prospective choice-topology intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 768-774; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 102 pp. 768-774.

001 to 103: consequential handoff

Whole-person quality of life -> Truth, deception and disclosure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Truth, deception and disclosure: Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Truth, deception and disclosure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Truth/lie binary detached from consequence topology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Speaker, listener, harmed parties, institutions and future trust network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Verification, safe disclosure, correction, restitution and transition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Sealed truth-cost / disclosure study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 775-781; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 103 pp. 775-781.

001 to 104: consequential handoff

Whole-person quality of life -> Responsibility and causal attribution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Responsibility and causal attribution: Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Responsibility and causal attribution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Moral label detached from the action-producing state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Actor, victims, institutions, community and future actors. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Blinded case reconstruction with preregistered causal criteria'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 782-788; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 104 pp. 782-788.

001 to 105: consequential handoff

Whole-person quality of life -> Consent, coercion and autonomy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Consent, coercion and autonomy: Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Consent, coercion and autonomy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Signed/expressed consent treated as sufficient state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Decision maker, counterparties, dependents and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Real exit, recourse, reversible consent, information symmetry and alternative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Prospective consent-quality audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 789-795; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 105 pp. 789-795.

001 to 106: consequential handoff

Whole-person quality of life -> Addiction, compulsion and short-horizon relief | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Addiction, compulsion and short-horizon relief: Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Addiction, compulsion and short-horizon relief; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Substance/behavior category or abstinence binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Person, body, relationships, household, community and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Longitudinal regulated intervention with multi-carrier outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 796-802; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 106 pp. 796-802.

001 to 107: consequential handoff

Whole-person quality of life -> Crime, violence and reconciliation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Crime, violence and reconciliation: Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Crime, violence and reconciliation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Offense label or actor-only risk score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Victims, actor, families, community, institutions and future potential victims. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Longitudinal controlled justice-program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 803-809; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 107 pp. 803-809.

001 to 108: consequential handoff

Whole-person quality of life -> Animal sentience and welfare | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Animal sentience and welfare: Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Animal sentience and welfare; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Commodity/yield schema that excludes the animal as a carrier. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Animals, workers, consumers, farmers, land, ecosystems and communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Welfare, alternative-production, livelihood-transition and ecological capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Multi-carrier welfare, nutrition and livelihood trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 810-816; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 108 pp. 810-816.

001 to 109: consequential handoff

Whole-person quality of life -> Collective agency and institutional choice | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Collective agency and institutional choice: Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Collective agency and institutional choice; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Organization treated as a single actor without internal carrier structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Members, minorities, leaders, outsiders, institutions and future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Distributed decision provenance, dissent channels, accountability and cross-boundary capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Prospective institutional decision audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 817-823; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 109 pp. 817-823.

001 to 110: consequential handoff

Whole-person quality of life -> Human-AI co-agency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Human-AI co-agency: Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Human-AI co-agency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Model output or benchmark score treated as the whole system. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: User, non-user, model operator, workers, institutions, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Persistent provenance, human control, reversibility, portability, verification and receivingcapacity layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Sealed native-vs-K_R assisted agent benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 824-830; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 110 pp. 824-830.

001 to 111: consequential handoff

Whole-person quality of life -> Evolution and natural selection | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Evolution and natural selection: Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Evolution and natural selection; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Fitness proxy or single-trait narrative. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Individuals, lineages, populations, interacting species and ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Diversity, ecological capacity and intervention guardrails where deliberate action exists. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Time-locked population/genomic holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 832-838; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 111 pp. 832-838.

001 to 112: consequential handoff

Whole-person quality of life -> Reproduction, inheritance, mitosis and meiosis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Reproduction, inheritance, mitosis and meiosis: Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Reproduction, inheritance, mitosis and meiosis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Outcome-only birth/division count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Parent cell/organism, daughter cells, gametes, offspring and lineage. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Checkpoint, repair, redundancy and developmental-support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Lineage-resolved perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 839-845; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 112 pp. 839-845.

001 to 113: consequential handoff

Whole-person quality of life -> Development and morphogenesis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Development and morphogenesis: Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Development and morphogenesis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Single marker or endpoint morphology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Cells, tissues, organs, organism and developmental future state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Stage-aware multi-pathway support, repair and resource architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Longitudinal developmental perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 846-852; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 113 pp. 846-852.

001 to 114: consequential handoff

Whole-person quality of life -> Metabolism, diet and consumption | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Metabolism, diet and consumption: Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Metabolism, diet and consumption; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Calories/macros or one nutrient target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Gut, microbiome, liver, tissues, household, food system and future organism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Adaptive conversion, buffering, storage, elimination and access capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Controlled longitudinal multi-carrier nutrition study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 853-859; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 114 pp. 853-859.

001 to 115: consequential handoff

Whole-person quality of life -> Predation, livestock and food-system transformation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Predation, livestock and food-system transformation: Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Predation, livestock and food-system transformation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Yield, price or human nutrition alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Animals, humans, workers, farmers, consumers, land, ecosystems and future food security. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Phased regional transition with preregistered carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 860-866; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 115 pp. 860-866.

001 to 116: consequential handoff

Whole-person quality of life -> Learning, plasticity and cultural evolution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Learning, plasticity and cultural evolution: Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Learning, plasticity and cultural evolution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Test score, output or adoption count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Learner, teachers, peers, institutions, future self and cultural network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Longitudinal transfer-and-retention experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 867-873; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 116 pp. 867-873.

001 to 117: consequential handoff

Whole-person quality of life -> Self-organization and emergence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Self-organization and emergence: Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Self-organization and emergence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Macro outcome without micro-carrier ledger. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Components, neighborhoods, emergent structure and external environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Multi-scale simulation plus physical/biological holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 874-880; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 117 pp. 874-880.

001 to 118: consequential handoff

Whole-person quality of life -> Creation, provenance and dependency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Creation, provenance and dependency: Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Creation, provenance and dependency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Ownership or authorship treated as sufficient relationship model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Creators, created systems, maintainers, users, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Provenance, stewardship, autonomy-transition and reciprocal-viability architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Longitudinal creator-created dependency audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 881-887; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 118 pp. 881-887.

001 to 119: consequential handoff

Whole-person quality of life -> Cosmological evolution and structure formation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Cosmological evolution and structure formation: Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Cosmological evolution and structure formation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Single scale or observable treated as complete cosmic state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: Observed regions, fields/matter components, instruments, models and observers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Cross-scale observation, uncertainty, model-comparison and instrumentation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Preregistered cross-survey predictive holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 888-894; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 119 pp. 888-894.

001 to 120: consequential handoff

Whole-person quality of life -> Cross-substrate consciousness, temporal coexistence and closure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

PROPOSED RECEIVER AND STATE

Cross-substrate consciousness, temporal coexistence and closure: The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility.

INTERFACE AND COUPLING STATUS

Proposed interface from Whole-person quality of life into Cross-substrate consciousness, temporal coexistence and closure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single score, diagnosis, income bracket or productivity proxy. Receiver's limited view: Any local adapter, species, institution or observer claiming closure from its own schema alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, household, caregivers, future self. Candidate receiver carriers: All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Receiving capacity: Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and.... Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal cohort with preregistered multidimensional outcomes' with a receiver study of 'Time-locked system-of-systems closure test across multiple adapters'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 51-57 and 895-901; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026). Receiver Adapter 120 pp. 895-901.

001: Whole-person quality of life

Household / family / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Household / family / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Household / family / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Household / family / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Household / family / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Household / family / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

School / university / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

School / university / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

School / university / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

School / university / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

School / university / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

School / university / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Enterprise / cooperative / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Enterprise / cooperative / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Enterprise / cooperative / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Enterprise / cooperative / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Enterprise / cooperative / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Enterprise / cooperative / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Healthcare / care team / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Healthcare / care team / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Healthcare / care team / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Healthcare / care team / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Healthcare / care team / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Healthcare / care team / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Local government / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Local government / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Local government / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Local government / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Local government / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Local government / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Ecological catchment / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Ecological catchment / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Ecological catchment / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Ecological catchment / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Ecological catchment / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Ecological catchment / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Scientific laboratory / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Scientific laboratory / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Scientific laboratory / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Scientific laboratory / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Scientific laboratory / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Scientific laboratory / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Public infrastructure / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Public infrastructure / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Public infrastructure / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Public infrastructure / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Public infrastructure / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Public infrastructure / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Digital / AI service / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Digital / AI service / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Digital / AI service / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Digital / AI service / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Digital / AI service / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Digital / AI service / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Interregional / planetary / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Interregional / planetary / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Interregional / planetary / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Interregional / planetary / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Interregional / planetary / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Whole-person quality of life

Interregional / planetary / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Whole-person quality of life is described in the Atlas as: Health, function, time, autonomy, relationships, safety, income, environment and future capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Improvement in one life dimension paid for by another. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, household, caregivers, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-life state model plus coordinated capacity across health, time, income and environment. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, security, time and relational capacity all improve without hidden depletion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal cohort with preregistered multidimensional outcomes or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Evidence and source reconstruction

Whole-person quality of life | protocol 1 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 001: Whole-person quality of life; original author status: Constructive protocol. Native state: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

EVALUATION OBJECTIVE

Evidence and source reconstruction. Establish what is observed, reported, derived, simulated and currently unavailable. Audit definitions, dates and units.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single score, diagnosis, income bracket or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Improvement in one life dimension paid for by another. The relevant receiving carriers are: Person, household, caregivers, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-life state model plus coordinated capacity across health, time, income and environment. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, security, time and relational capacity all improve without hidden depletion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal cohort with preregistered multidimensional outcomes. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Boundary divergence

Whole-person quality of life | protocol 2 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 001: Whole-person quality of life; original author status: Constructive protocol. Native state: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

EVALUATION OBJECTIVE

Boundary divergence. Predeclare local and consequential objectives, identical feasible action sets, and a measurable divergence test.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single score, diagnosis, income bracket or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Improvement in one life dimension paid for by another. The relevant receiving carriers are: Person, household, caregivers, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-life state model plus coordinated capacity across health, time, income and environment. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, security, time and relational capacity all improve without hidden depletion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal cohort with preregistered multidimensional outcomes. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Causal diagram and identifiability

Whole-person quality of life | protocol 3 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 001: Whole-person quality of life; original author status: Constructive protocol. Native state: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

EVALUATION OBJECTIVE

Causal diagram and identifiability. Draw the candidate causal graph; identify confounders, mediators, spillovers and selection mechanisms.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single score, diagnosis, income bracket or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Improvement in one life dimension paid for by another. The relevant receiving carriers are: Person, household, caregivers, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-life state model plus coordinated capacity across health, time, income and environment. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, security, time and relational capacity all improve without hidden depletion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal cohort with preregistered multidimensional outcomes. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Receiving carrier identification

Whole-person quality of life | protocol 4 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 001: Whole-person quality of life; original author status: Constructive protocol. Native state: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

EVALUATION OBJECTIVE

Receiving carrier identification. Predict the destination, path and delay of consequential burdens before measuring post-state outcomes.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single score, diagnosis, income bracket or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Improvement in one life dimension paid for by another. The relevant receiving carriers are: Person, household, caregivers, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-life state model plus coordinated capacity across health, time, income and environment. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, security, time and relational capacity all improve without hidden depletion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal cohort with preregistered multidimensional outcomes. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Hidden compensation accounting

Whole-person quality of life | protocol 5 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 001: Whole-person quality of life; original author status: Constructive protocol. Native state: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

EVALUATION OBJECTIVE

Hidden compensation accounting. Measure which agent, reserve, budget, ecosystem or later period silently carries the load.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single score, diagnosis, income bracket or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Improvement in one life dimension paid for by another. The relevant receiving carriers are: Person, household, caregivers, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-life state model plus coordinated capacity across health, time, income and environment. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, security, time and relational capacity all improve without hidden depletion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal cohort with preregistered multidimensional outcomes. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Native units and dimensional integrity

Whole-person quality of life | protocol 6 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 001: Whole-person quality of life; original author status: Constructive protocol. Native state: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

EVALUATION OBJECTIVE

Native units and dimensional integrity. Define each carrier outcome in its own units; avoid offsetting unlike harms with unsupported scalar sums.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single score, diagnosis, income bracket or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Improvement in one life dimension paid for by another. The relevant receiving carriers are: Person, household, caregivers, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-life state model plus coordinated capacity across health, time, income and environment. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, security, time and relational capacity all improve without hidden depletion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal cohort with preregistered multidimensional outcomes. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Capacity specification

Whole-person quality of life | protocol 7 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 001: Whole-person quality of life; original author status: Constructive protocol. Native state: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

EVALUATION OBJECTIVE

Capacity specification. Identify the binding receiver constraint and specify the smallest permissible constructive action.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single score, diagnosis, income bracket or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Improvement in one life dimension paid for by another. The relevant receiving carriers are: Person, household, caregivers, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-life state model plus coordinated capacity across health, time, income and environment. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, security, time and relational capacity all improve without hidden depletion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal cohort with preregistered multidimensional outcomes. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Intervention design

Whole-person quality of life | protocol 8 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 001: Whole-person quality of life; original author status: Constructive protocol. Native state: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

EVALUATION OBJECTIVE

Intervention design. Choose randomized, natural, observational or mechanistic evidence compatible with safety and identifiability.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single score, diagnosis, income bracket or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Improvement in one life dimension paid for by another. The relevant receiving carriers are: Person, household, caregivers, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-life state model plus coordinated capacity across health, time, income and environment. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, security, time and relational capacity all improve without hidden depletion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal cohort with preregistered multidimensional outcomes. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Incumbent parity contest

Whole-person quality of life | protocol 9 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 001: Whole-person quality of life; original author status: Constructive protocol. Native state: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

EVALUATION OBJECTIVE

Incumbent parity contest. Compare against strongest existing local, boundary-aware, causal and resource-constrained methods.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single score, diagnosis, income bracket or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Improvement in one life dimension paid for by another. The relevant receiving carriers are: Person, household, caregivers, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-life state model plus coordinated capacity across health, time, income and environment. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, security, time and relational capacity all improve without hidden depletion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal cohort with preregistered multidimensional outcomes. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Time-window and recurrence

Whole-person quality of life | protocol 10 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 001: Whole-person quality of life; original author status: Constructive protocol. Native state: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

EVALUATION OBJECTIVE

Time-window and recurrence. Measure early, intermediate and delayed outcomes, including reserve depletion and changing bottlenecks.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single score, diagnosis, income bracket or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Improvement in one life dimension paid for by another. The relevant receiving carriers are: Person, household, caregivers, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-life state model plus coordinated capacity across health, time, income and environment. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, security, time and relational capacity all improve without hidden depletion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal cohort with preregistered multidimensional outcomes. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Ethical and legal safety

Whole-person quality of life | protocol 11 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 001: Whole-person quality of life; original author status: Constructive protocol. Native state: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

EVALUATION OBJECTIVE

Ethical and legal safety. Determine affected rights, vulnerable groups, irreversible harms, consent, permissions and safety constraints.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single score, diagnosis, income bracket or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Improvement in one life dimension paid for by another. The relevant receiving carriers are: Person, household, caregivers, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-life state model plus coordinated capacity across health, time, income and environment. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, security, time and relational capacity all improve without hidden depletion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal cohort with preregistered multidimensional outcomes. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Sensitivity and negative controls

Whole-person quality of life | protocol 12 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 001: Whole-person quality of life; original author status: Constructive protocol. Native state: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

EVALUATION OBJECTIVE

Sensitivity and negative controls. Vary unmeasured confounding, missingness, cost, thresholds and adverse spillover assumptions.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single score, diagnosis, income bracket or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Improvement in one life dimension paid for by another. The relevant receiving carriers are: Person, household, caregivers, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-life state model plus coordinated capacity across health, time, income and environment. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, security, time and relational capacity all improve without hidden depletion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal cohort with preregistered multidimensional outcomes. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Replication and provenance

Whole-person quality of life | protocol 13 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 001: Whole-person quality of life; original author status: Constructive protocol. Native state: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

EVALUATION OBJECTIVE

Replication and provenance. Version the kernel, code, data, transformation decisions, negative findings and external replication.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single score, diagnosis, income bracket or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Improvement in one life dimension paid for by another. The relevant receiving carriers are: Person, household, caregivers, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-life state model plus coordinated capacity across health, time, income and environment. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, security, time and relational capacity all improve without hidden depletion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal cohort with preregistered multidimensional outcomes. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

001: Cross-domain invariant contest

Whole-person quality of life | protocol 14 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 001: Whole-person quality of life; original author status: Constructive protocol. Native state: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

EVALUATION OBJECTIVE

Cross-domain invariant contest. Keep K_R fixed while swapping M_d; test whether new measurements produce predictions beyond domain incumbents.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single score, diagnosis, income bracket or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Improvement in one life dimension paid for by another. The relevant receiving carriers are: Person, household, caregivers, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-life state model plus coordinated capacity across health, time, income and environment. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, security, time and relational capacity all improve without hidden depletion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal cohort with preregistered multidimensional outcomes. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 001, pp. 51-57 (Rufino 2026).

Adapter 002: Nutrition and metabolism

Human life quality | Internal carrier and capacity reconstruction

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

DOMAIN-NATIVE STATE

Diet, metabolic state, affordability, culture, timing, microbiome and activity

RECORDED RECEIVING SCHEMA

Calories/macros or generic diet categories

CANDIDATE BURDEN AND RECEIVING CARRIERS

Blocker in the source Atlas: Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Candidate receivers: Body, household budget, food system.

EXISTING CAPACITY DESIGN

Adaptive nutrition and access architecture with feedback and affordability constraints

PROTECTED OUTCOME STATED BY THE AUTHOR

Metabolic markers, adherence, affordability and quality of life improve together

SCIENTIFIC NEXT STEP

Atlas proposed decisive test: Randomized adaptive nutrition trial with cost and adherence carriers. This remains a proposed testing route, not proof of a completed successful implementation.

ORIGINALITY AND CONSTRUCTION OBLIGATION

Run causal receiving-carrier diagnosis before action; compare construction against strong established methods; do not accept positive averages as proof that all material carriers benefited.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002 | Nutrition and metabolism

Individual human / person | Insufficient capacity

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 002, Nutrition and metabolism. Native state: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Potential direct or institutional human pathway: Nutrition and metabolism interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Insufficient capacity: The human has limited time, health, physical access, material resources, protective support or opportunity. Source Atlas proposed limiting condition: Biological benefit shifts cost to adherence, affordability or another metabolic pathway.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Adaptive nutrition and access architecture with feedback and affordability constraints can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Metabolic markers, adherence, affordability and quality of life improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

002 | Nutrition and metabolism

Individual human / person | Schema mismatch

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 002, Nutrition and metabolism. Native state: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Potential direct or institutional human pathway: Nutrition and metabolism interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Schema mismatch: The person has evidence-grounded capabilities or needs that institutional identifiers, scores or labels do not adequately recognize. Source Atlas proposed limiting condition: Biological benefit shifts cost to adherence, affordability or another metabolic pathway.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Adaptive nutrition and access architecture with feedback and affordability constraints can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Metabolic markers, adherence, affordability and quality of life improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

002 | Nutrition and metabolism

Individual human / person | Delayed effects

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 002, Nutrition and metabolism. Native state: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Potential direct or institutional human pathway: Nutrition and metabolism interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Delayed effects: A short-term change influences future-self health, skills, income, dependence, options or relationships. Source Atlas proposed limiting condition: Biological benefit shifts cost to adherence, affordability or another metabolic pathway.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Adaptive nutrition and access architecture with feedback and affordability constraints can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Metabolic markers, adherence, affordability and quality of life improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

002 | Nutrition and metabolism

Individual human / person | Measurement uncertainty

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 002, Nutrition and metabolism. Native state: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Potential direct or institutional human pathway: Nutrition and metabolism interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Measurement uncertainty: The record lacks consented individual outcomes, counterfactuals, follow-up, or reliable protection metrics. Source Atlas proposed limiting condition: Biological benefit shifts cost to adherence, affordability or another metabolic pathway.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Adaptive nutrition and access architecture with feedback and affordability constraints can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Metabolic markers, adherence, affordability and quality of life improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

002 | Nutrition and metabolism

Individual human / person | Coordination failure

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 002, Nutrition and metabolism. Native state: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Potential direct or institutional human pathway: Nutrition and metabolism interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Coordination failure: Family, employer, provider, government or technical systems hand off obligations to the individual without coordinated support. Source Atlas proposed limiting condition: Biological benefit shifts cost to adherence, affordability or another metabolic pathway.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Adaptive nutrition and access architecture with feedback and affordability constraints can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Metabolic markers, adherence, affordability and quality of life improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

002 | Nutrition and metabolism

Individual human / person | Adversarial / inequitable distribution

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 002, Nutrition and metabolism. Native state: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Potential direct or institutional human pathway: Nutrition and metabolism interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Adversarial / inequitable distribution: Unequal power, coercion, inaccessible systems, discrimination or exploitative incentives shift costs to a person. Source Atlas proposed limiting condition: Biological benefit shifts cost to adherence, affordability or another metabolic pathway.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Adaptive nutrition and access architecture with feedback and affordability constraints can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Metabolic markers, adherence, affordability and quality of life improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

002 to 001: consequential handoff

Nutrition and metabolism -> Whole-person quality of life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Whole-person quality of life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Single score, diagnosis, income bracket or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Person, household, caregivers, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Longitudinal cohort with preregistered multidimensional outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 51-57; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 001 pp. 51-57.

002 to 002: consequential handoff

Nutrition and metabolism -> Nutrition and metabolism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

INTERFACE AND COUPLING STATUS

This is a within-domain loop: the post-state of Nutrition and metabolism becomes the next native state under its existing map. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Calories/macros or generic diet categories. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Body, household budget, food system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Randomized adaptive nutrition trial with cost and adherence carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 58-64; WITHIN-DOMAIN RECURRENCE. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 002 pp. 58-64.

002 to 003: consequential handoff

Nutrition and metabolism -> Sleep and recovery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Sleep and recovery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Hours slept or wearable score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Body, cognition, household schedule. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Recovery controller integrating timing, environment, workload and physiology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Longitudinal crossover study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 65-71; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 003 pp. 65-71.

002 to 004: consequential handoff

Nutrition and metabolism -> Reproductive and sexual health | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Reproductive and sexual health; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Single fertility, disease or risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Individual, partner, future child, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Clinical trials + patient-reported and partner- impact carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 72-78; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 004 pp. 72-78.

002 to 005: consequential handoff

Nutrition and metabolism -> Disability and accessibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Disability and accessibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Deficit-only person label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Person, caregiver, workplace, public space. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Environment-first accessibility architecture plus assistive capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Before/after environment redesign with workload measures'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 79-85; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 005 pp. 79-85.

002 to 006: consequential handoff

Nutrition and metabolism -> Mobility and physical function | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Mobility and physical function; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Single functional score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Body, caregiver, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Adaptive rehabilitation plus environment and device redesign. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Controlled rehabilitation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 86-92; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 006 pp. 86-92.

002 to 007: consequential handoff

Nutrition and metabolism -> Family and caregiving | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Family and caregiving; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Household role labels. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Primary caregiver, dependents, siblings, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Care-load ledger, shared coordination and external capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Prospective household burden study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 93-99; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 007 pp. 93-99.

002 to 008: consequential handoff

Nutrition and metabolism -> Safety and personal security | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Safety and personal security; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Incident count or generic risk class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Person, community, responder. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Safety architecture that increases protection without reducing autonomy. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Prospective safety intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 100-106; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 008 pp. 100-106.

002 to 009: consequential handoff

Nutrition and metabolism -> Housing and domestic environment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Housing and domestic environment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Property price or occupancy status. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Resident, landlord, neighborhood, city. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Whole-cost housing and location architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Matched housing intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 107-113; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 009 pp. 107-113.

002 to 010: consequential handoff

Nutrition and metabolism -> Human longevity and life-course planning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Human longevity and life-course planning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Chronological age or retirement age. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Person, family, institutions, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Life-course capital and care architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Longitudinal life-course cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 114-120; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 010 pp. 114-120.

002 to 011: consequential handoff

Nutrition and metabolism -> Psychology and social legibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Psychology and social legibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Snapshot diagnosis or social category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Person, family, employer, clinician. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Multidimensional schema plus support matched to hidden burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Longitudinal external cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 122-128; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 011 pp. 122-128.

002 to 012: consequential handoff

Nutrition and metabolism -> Identity and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Identity and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Single identity label or credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Person and receiving institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Selective multi-context identity graph with provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Cross-context identity study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 129-135; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 012 pp. 129-135.

002 to 013: consequential handoff

Nutrition and metabolism -> Relationships and intimacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Relationships and intimacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Relationship status or personality label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Partners and wider support network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Reciprocal state and burden ledger plus consent architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Dyadic longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 136-142; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 013 pp. 136-142.

002 to 014: consequential handoff

Nutrition and metabolism -> Parenting and child development | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Parenting and child development; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Age norm, grade or behavior label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Child, parent, school, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Developmental state map plus distributed support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Longitudinal family-school cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 143-149; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 014 pp. 143-149.

002 to 015: consequential handoff

Nutrition and metabolism -> Purpose and self-actualization | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Purpose and self-actualization; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Career status, wealth or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Person, relationships, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Whole-person capability architecture and burden guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Longitudinal multidimensional evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 150-156; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 015 pp. 150-156.

002 to 016: consequential handoff

Nutrition and metabolism -> Existential wellbeing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Existential wellbeing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Symptom or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Person, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Voluntary meaning-reflection and support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Patient/user-reported longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 157-163; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 016 pp. 157-163.

002 to 017: consequential handoff

Nutrition and metabolism -> Spiritual life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Spiritual life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Institutional affiliation alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Individual, family, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Ethical observational study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 164-170; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 017 pp. 164-170.

002 to 018: consequential handoff

Nutrition and metabolism -> Religion and community institutions | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Religion and community institutions; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Membership or doctrinal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Members, families, leaders, wider community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Transparent governance, reporting, safeguarding and exit rights. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Institutional longitudinal audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 171-177; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 018 pp. 171-177.

002 to 019: consequential handoff

Nutrition and metabolism -> Emotion and affect regulation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Emotion and affect regulation: Internal state, context, physiology, cognition and social feedback.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Emotion and affect regulation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Valence score or symptom label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Person and relationships. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: State-aware regulation architecture with physiological feedback. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Crossover intervention study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 178-184; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 019 pp. 178-184.

002 to 020: consequential handoff

Nutrition and metabolism -> Trust and fidelity between people | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Trust and fidelity between people: History, promises, evidence, uncertainty and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Trust and fidelity between people; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Trusted/untrusted binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: People and institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Dynamic provenance and expectation architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Prospective trust-repair study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 185-191; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 020 pp. 185-191.

002 to 021: consequential handoff

Nutrition and metabolism -> Healthcare delivery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Healthcare delivery: Clinical state, logistics, caregiver capacity, finance and post-discharge environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Healthcare delivery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Episode-of-care schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Patient, caregiver, outpatient system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Consequential discharge/care orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 193-199; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 021 pp. 193-199.

002 to 022: consequential handoff

Nutrition and metabolism -> Diagnostics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Diagnostics: Underlying disease state, uncertainty, test characteristics and downstream actions.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Diagnostics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Single test result. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Patient, clinician, payer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Bayesian multi-source diagnostic schema + uncertainty communication. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Prospective blinded diagnostic study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 200-206; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 022 pp. 200-206.

002 to 023: consequential handoff

Nutrition and metabolism -> Cancer ecology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Cancer ecology: Clone mix, immune state, microenvironment, host reserve and therapy exposure.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Cancer ecology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Stage/tumor-size snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Resistant clones, healthy tissue, immune system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Adaptive ecological state estimator + resistance/host capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Preclinical then clinical adaptive trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 207-213; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 023 pp. 207-213.

002 to 024: consequential handoff

Nutrition and metabolism -> Neuroscience and neurodegeneration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Neuroscience and neurodegeneration: Neural, glial, vascular, metabolic, network and functional state.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Neuroscience and neurodegeneration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Single biomarker or visible function. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Neural networks, metabolism, caregiver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Multimodal state estimator + restorative capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Multimodal longitudinal intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 214-220; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 024 pp. 214-220.

002 to 025: consequential handoff

Nutrition and metabolism -> Aging biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Aging biology: Coupled damage, repair, senescence, immunity, metabolism and regeneration.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Aging biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Age scalar or isolated hallmark. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Cells, tissues, immune system, metabolism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Moving-bottleneck RVG controller across damage/repair channels. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Preclinical multi-pathway study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 221-227; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 025 pp. 221-227.

002 to 026: consequential handoff

Nutrition and metabolism -> Immunology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Immunology: Immune activation, tolerance, pathogen/tumor signals and tissue damage.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Immunology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Single cytokine or cell-count schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Pathogen, immune cells, host tissue. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: State-dependent immune control balancing clearance and collateral damage. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Controlled biological study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 228-234; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 026 pp. 228-234.

002 to 027: consequential handoff

Nutrition and metabolism -> Infectious disease | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Infectious disease: Pathogen dynamics, host immunity, behavior, network spread and treatment.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Infectious disease; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Case count or pathogen-only model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Patients, contacts, health system, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Multi-carrier containment + treatment + livelihood capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Prospective outbreak protocol'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 235-241; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 027 pp. 235-241.

002 to 028: consequential handoff

Nutrition and metabolism -> Microbiome | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Microbiome: Host physiology plus microbial ecology and diet/environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Microbiome; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Species abundance snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Host and microbial community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Functional ecosystem state model and adaptive intervention. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Controlled longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 242-248; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 028 pp. 242-248.

002 to 029: consequential handoff

Nutrition and metabolism -> Genomics and proteomics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Genomics and proteomics: Variants, expression, proteins, pathways, context and phenotype.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Genomics and proteomics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Single marker/pathogenicity label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Cells, tissues, patient. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Multi-omic causal state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Prospective multi-omic validation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 249-255; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 029 pp. 249-255.

002 to 030: consequential handoff

Nutrition and metabolism -> Surgery and rehabilitation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Surgery and rehabilitation: Anatomy, function, pain, recovery capacity, home support and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Surgery and rehabilitation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Procedure success or anatomical correction. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Patient, caregiver, rehab system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Prehabilitation + procedure + recovery orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 256-262; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 030 pp. 256-262.

002 to 031: consequential handoff

Nutrition and metabolism -> Early-childhood development and education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Early-childhood development and education: Development, safety, language, nutrition, play, attachment and resources.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Early-childhood development and education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Age milestone or readiness score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Child, caregiver, educator. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Integrated developmental support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Longitudinal program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 264-270; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 031 pp. 264-270.

002 to 032: consequential handoff

Nutrition and metabolism -> K-12 education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

K-12 education: Knowledge, skills, wellbeing, context, resources and learning trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into K-12 education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Grade/test score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Student, teacher, family. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Capability graph + adaptive learning + wellbeing constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Cluster randomized trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 271-277; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 032 pp. 271-277.

002 to 033: consequential handoff

Nutrition and metabolism -> Higher education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Higher education: Capability, knowledge, network, finances and career pathways.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Higher education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Degree/GPA credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Student, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Capability/provenance portfolio + adaptive pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Longitudinal graduate outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 278-284; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 033 pp. 278-284.

002 to 034: consequential handoff

Nutrition and metabolism -> Vocational and workforce learning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Vocational and workforce learning: Skills, task demand, wages, mobility and employer needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Vocational and workforce learning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Course completion certificate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Worker, employer, training provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Skill-to-task provenance and placement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Matched labor-market evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 285-291; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 034 pp. 285-291.

002 to 035: consequential handoff

Nutrition and metabolism -> Scientific research | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Scientific research: Hypotheses, methods, data, negative results, replication and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Scientific research; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Publication/citation unit. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Researchers, institutions, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Experiment provenance + negative-result + replication architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Cross-lab replication program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 292-298; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 035 pp. 292-298.

002 to 036: consequential handoff

Nutrition and metabolism -> Justice and courts | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Justice and courts: Facts, evidence, harm, intent, procedure, history and remedies.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Justice and courts; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Case category or docket state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Victims, accused, families, courts, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Causal provenance + harm/restitution + recurrence architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Prospective process evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 299-305; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 036 pp. 299-305.

002 to 037: consequential handoff

Nutrition and metabolism -> Policing and public safety systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Policing and public safety systems: Threat, context, evidence, community trust, capacity and alternatives.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Policing and public safety systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Incident/offense label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Residents, officers, victims, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Evidence-first response selection + prevention/support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Independent public evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 306-312; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 037 pp. 306-312.

002 to 038: consequential handoff

Nutrition and metabolism -> Corrections, rehabilitation and reintegration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Corrections, rehabilitation and reintegration: Risk, harm, needs, skills, housing, work and social support.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Corrections, rehabilitation and reintegration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Sentence/recidivism risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Person, family, community, justice system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Rehabilitation + restitution + housing/work capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Longitudinal controlled program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 313-319; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 038 pp. 313-319.

002 to 039: consequential handoff

Nutrition and metabolism -> Public administration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Public administration: Citizen state, eligibility, documents, services and agency capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Public administration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Program-specific record. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Citizen, frontline staff, budget. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Interoperable verified state + once-only data + case orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Agency pilot with citizen/staff metrics'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 320-326; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 039 pp. 320-326.

002 to 040: consequential handoff

Nutrition and metabolism -> Governance and institutional design | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Governance and institutional design: Authority, incentives, information, accountability, resources and affected populations.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Governance and institutional design; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Organizational chart or legal mandate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Citizens, agencies, future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Cross-boundary outcome ledger + accountability and capacity design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Prospective institutional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 327-333; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 040 pp. 327-333.

002 to 041: consequential handoff

Nutrition and metabolism -> Beauty and aesthetics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Beauty and aesthetics: Biology, preference, culture, identity, safety, cost and perception.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Beauty and aesthetics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Universal beauty standard or product category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Person, body, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Personalized aesthetic/safety state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Consumer/clinical outcome study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 335-341; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 041 pp. 335-341.

002 to 042: consequential handoff

Nutrition and metabolism -> Fashion and apparel | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Fashion and apparel: Identity, fit, comfort, durability, labor, inventory and lifecycle.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Fashion and apparel; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Size/SKU/category schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Wearer, worker, retailer, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Adaptive sizing + provenance + circularity architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Retail field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 342-348; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 042 pp. 342-348.

002 to 043: consequential handoff

Nutrition and metabolism -> Luxury goods | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Luxury goods: Provenance, scarcity, condition, access, identity, inventory and lifecycle value.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Luxury goods; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Price/status/authenticity binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Buyer, seller, inventory, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Provenance + condition + access + reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Operational field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 349-355; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 043 pp. 349-355.

002 to 044: consequential handoff

Nutrition and metabolism -> Hospitality | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Hospitality: Guest needs, staff capacity, time, room state, logistics and locality.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Hospitality; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Booking/reservation state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Guest, staff, operator, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: End-to-end experience and workload orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Property-level A/B evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 356-362; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 044 pp. 356-362.

002 to 045: consequential handoff

Nutrition and metabolism -> Travel and tourism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Travel and tourism: Mobility, cost, safety, experience, local capacity and environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Travel and tourism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Itinerary/booking schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Traveler, worker, resident, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Consequential itinerary/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Destination pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 363-369; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 045 pp. 363-369.

002 to 046: consequential handoff

Nutrition and metabolism -> Art and cultural markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Art and cultural markets: Creative work, provenance, rights, cultural meaning, scarcity and audience.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Art and cultural markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Price/ownership/engagement proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Artist, audience, collector, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Rights/provenance/value-sharing architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Marketplace field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 370-376; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 046 pp. 370-376.

002 to 047: consequential handoff

Nutrition and metabolism -> Music and entertainment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Music and entertainment: Creative contribution, rights, attention, audience value and platform economics.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Music and entertainment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Stream/view count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Creators, audiences, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Contribution/provenance + value-distribution architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 377-383; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 047 pp. 377-383.

002 to 048: consequential handoff

Nutrition and metabolism -> Gaming and virtual worlds | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Gaming and virtual worlds: Player goals, time, identity, economy, safety and creator contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Gaming and virtual worlds; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Retention/spend metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Players, creators, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Cross-reality value and safety controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 384-390; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 048 pp. 384-390.

002 to 049: consequential handoff

Nutrition and metabolism -> Sports and performance | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Sports and performance: Performance, health, training load, recovery, team dynamics and career horizon.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Sports and performance; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Win/score/output metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Athlete, team, family, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Load/recovery/career controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Prospective team study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 391-397; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 049 pp. 391-397.

002 to 050: consequential handoff

Nutrition and metabolism -> Experience design and events | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Experience design and events: Attention, emotion, logistics, accessibility, staff load and community impact.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Experience design and events; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Attendance/NPS/ticket revenue. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Guests, staff, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: End-to-end experience-state orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Event A/B study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 398-404; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 050 pp. 398-404.

002 to 051: consequential handoff

Nutrition and metabolism -> Currency and monetary experience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Currency and monetary experience: Purchasing power, liquidity, settlement, access, trust and macro context.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Currency and monetary experience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Nominal unit/FX quote. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Households, firms, intermediaries. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Consequential monetary-state and settlement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Historical + prospective policy-neutral system test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 406-412; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 051 pp. 406-412.

002 to 052: consequential handoff

Nutrition and metabolism -> Payments and remittances | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Payments and remittances: Amount, fees, FX, settlement time, access, fraud and recipient liquidity.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Payments and remittances; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Successful transfer binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Sender, receiver, provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: End-to-end transfer optimization with transparent provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Transaction-level field test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 413-419; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 052 pp. 413-419.

002 to 053: consequential handoff

Nutrition and metabolism -> Banking and liquidity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Banking and liquidity: Deposits, credit, liquidity, capital, customer state and network exposures.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Banking and liquidity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Product/account or institution-local balance sheet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Banks, customers, counterparties, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Network consequential balance sheet + capacity buffers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Stress test + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 420-426; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 053 pp. 420-426.

002 to 054: consequential handoff

Nutrition and metabolism -> Credit and underwriting | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Credit and underwriting: Cashflow, assets, obligations, trajectory, capability and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Credit and underwriting; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Static score/category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Borrower, lender, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Dynamic provenance/capacity underwriting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Prospective lending trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 427-433; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 054 pp. 427-433.

002 to 055: consequential handoff

Nutrition and metabolism -> Insurance and resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Insurance and resilience: Hazard, exposure, prevention, coverage, recovery and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Insurance and resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Loss probability/policy class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Policyholder, insurer, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Prevention + resilience + coverage architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Pilot product evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 434-440; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 055 pp. 434-440.

002 to 056: consequential handoff

Nutrition and metabolism -> Capital markets and investing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Capital markets and investing: Price, cashflow, externalities, network risk and long-horizon value.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Capital markets and investing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Return/risk factor set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Investor, firm, workers, public, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Consequential asset ledger with carrier constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Historical backtest + prospective paper portfolio'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 441-447; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 056 pp. 441-447.

002 to 057: consequential handoff

Nutrition and metabolism -> Private wealth and family capital | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Private wealth and family capital: Financial, human, social, health and intergenerational capital.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Private wealth and family capital; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Portfolio net worth. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Client, family, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Whole-capital balance sheet + goals/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Longitudinal client evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 448-454; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 057 pp. 448-454.

002 to 058: consequential handoff

Nutrition and metabolism -> Labor and talent markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Labor and talent markets: Capability, workload, pay, health, learning and opportunity.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Labor and talent markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Job title/CV/credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Worker, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Capability-state + workload + mobility architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Workplace pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 455-461; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 058 pp. 455-461.

002 to 059: consequential handoff

Nutrition and metabolism -> Organizations and enterprises | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Organizations and enterprises: Functions, dependencies, people, cash, knowledge and customer value.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Organizations and enterprises; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Department/KPI structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Workers, customers, suppliers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Enterprise consequential graph + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Multi-team field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 462-468; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 059 pp. 462-468.

002 to 060: consequential handoff

Nutrition and metabolism -> Entrepreneurship and venture creation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Entrepreneurship and venture creation: Unmet burden, carrier, willingness to pay, build cost and adoption.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Entrepreneurship and venture creation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Existing market category/TAM. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Founder initially, then customer/system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Mutual-Uptick blocker discovery + missing-capacity build. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Pilot venture with carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 469-475; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 060 pp. 469-475.

002 to 061: consequential handoff

Nutrition and metabolism -> Artificial intelligence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Artificial intelligence: Model state, source reality, user intent, provenance, uncertainty and downstream action.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Artificial intelligence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Prompt/context window/model output. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: User, verifier, downstream system, compute. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Persistent schema/provenance layer + self-audit and escalation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Sealed cross-model benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 477-483; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 061 pp. 477-483.

002 to 062: consequential handoff

Nutrition and metabolism -> Software systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Software systems: Requirements, dependencies, state, users, infrastructure and technical debt.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Software systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Feature/ticket/local module schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Developers, users, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Dependency/provenance graph + consequential release controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Repository-level prospective benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 484-490; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 062 pp. 484-490.

002 to 063: consequential handoff

Nutrition and metabolism -> Cybersecurity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Cybersecurity: Actual attack graph, identities, vulnerabilities, privileges and attacker state.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Cybersecurity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Defender inventory/rules/log view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Systems, users, analysts, business continuity. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Self-updating attack schema + carrier prediction + safe containment/failover. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Red-team sealed telemetry benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 491-497; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 063 pp. 491-497.

002 to 064: consequential handoff

Nutrition and metabolism -> Data infrastructure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Data infrastructure: Datasets, lineage, semantics, permissions, quality and downstream uses.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Data infrastructure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Table/file/schema local view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Analysts, models, users, compliance. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Provenance graph + semantic reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Enterprise data benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 498-504; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 064 pp. 498-504.

002 to 065: consequential handoff

Nutrition and metabolism -> Privacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Privacy: Data state, purposes, consent, exposure, value and future misuse.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Privacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Consent checkbox or access-control list. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Person, organization, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Selective disclosure + provenance + minimization architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Field trial + attack testing'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 505-511; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 065 pp. 505-511.

002 to 066: consequential handoff

Nutrition and metabolism -> Digital identity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Digital identity: Attributes, credentials, context, revocation, privacy and trust.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Digital identity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Single identifier/account. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Person, verifier, issuer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Selective-verification credential graph. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Cross-service pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 512-518; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 066 pp. 512-518.

002 to 067: consequential handoff

Nutrition and metabolism -> Internet and communications | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Internet and communications: Topology, capacity, latency, content, trust and user needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Internet and communications; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Throughput/uptime metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Users, networks, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Consequential routing + fidelity/provenance layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Network/application experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 519-525; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 067 pp. 519-525.

002 to 068: consequential handoff

Nutrition and metabolism -> Media and information ecosystems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Media and information ecosystems: Claims, evidence, incentives, attention, creators and audiences.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Media and information ecosystems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Engagement/feed rank. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Audience, creator, public discourse. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Claim provenance + quality + incentive reconciliation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 526-532; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 068 pp. 526-532.

002 to 069: consequential handoff

Nutrition and metabolism -> Language and translation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Language and translation: Meaning, context, culture, pragmatics and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Language and translation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Word/token correspondence. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Speakers, institutions, models. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Semantic/provenance translation with ambiguity tracking. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Blind human evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 533-539; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 069 pp. 533-539.

002 to 070: consequential handoff

Nutrition and metabolism -> Knowledge and ontologies | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Knowledge and ontologies: Entities, relations, provenance, incompatible schemas and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Knowledge and ontologies; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Single ontology/taxonomy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Researchers, AI, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Cross-schema translation + minimal sufficient ontology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Cross-domain benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 540-546; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 070 pp. 540-546.

002 to 071: consequential handoff

Nutrition and metabolism -> Energy and power grids | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Energy and power grids: Generation, load, storage, network constraints, prices and reliability.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Energy and power grids; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Local device efficiency or node KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Grid nodes, customers, storage, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Consequential grid controller + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Grid simulation + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 548-554; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 071 pp. 548-554.

002 to 072: consequential handoff

Nutrition and metabolism -> Water and irrigation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Water and irrigation: Withdrawals, consumptive use, return flows, storage, aquifers and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Water and irrigation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Farm/project efficiency. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Downstream users, rivers, aquifers, ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Basin-wide accounting + catchment + allocation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Basin holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 555-561; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 072 pp. 555-561.

002 to 073: consequential handoff

Nutrition and metabolism -> Food and agriculture | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Food and agriculture: Yield, soil, water, inputs, nutrition, labor, market and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Food and agriculture; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Yield/acre or commodity price. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Farmer, consumer, soil, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Coupled regenerative production controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Multi-season farm trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 562-568; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 073 pp. 562-568.

002 to 074: consequential handoff

Nutrition and metabolism -> Supply chains and logistics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Supply chains and logistics: Inventory, demand, transport, suppliers, lead times and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Supply chains and logistics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Node-level cost/service KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Suppliers, warehouses, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Carrier-aware flow controller + buffer placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Historical + live pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 569-575; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 074 pp. 569-575.

002 to 075: consequential handoff

Nutrition and metabolism -> Manufacturing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Manufacturing: Materials, energy, machines, labor, quality, maintenance and waste.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Manufacturing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Unit cost/OEE. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Workers, machines, environment, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Closed-loop production and maintenance architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Factory pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 576-582; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 075 pp. 576-582.

002 to 076: consequential handoff

Nutrition and metabolism -> Waste and circular materials | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Waste and circular materials: Material composition, location, contamination, residual value and logistics.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Waste and circular materials; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Waste tonnage/disposal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Communities, environment, future production. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Material provenance + recapture + transformation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Municipal/industrial pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 583-589; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 076 pp. 583-589.

002 to 077: consequential handoff

Nutrition and metabolism -> Transportation and mobility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Transportation and mobility: Trips, time, safety, access, energy, congestion and land use.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Transportation and mobility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Vehicle throughput/speed. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Travelers, neighborhoods, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Multimodal consequential mobility controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'City corridor pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 590-596; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 077 pp. 590-596.

002 to 078: consequential handoff

Nutrition and metabolism -> Cities and urban systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Cities and urban systems: Housing, jobs, transport, health, utilities, safety and public space.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Cities and urban systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Agency-by-agency city data. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Residents, agencies, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: City consequential digital twin + coordinated capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'District pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 597-603; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 078 pp. 597-603.

002 to 079: consequential handoff

Nutrition and metabolism -> Climate and disaster resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Climate and disaster resilience: Hazard, exposure, vulnerability, infrastructure, food, health and recovery.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Climate and disaster resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Hazard forecast alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: People, infrastructure, ecosystems, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Anticipatory catchment + prepositioned capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Prospective matched pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 604-610; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 079 pp. 604-610.

002 to 080: consequential handoff

Nutrition and metabolism -> Ecology and biodiversity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Ecology and biodiversity: Species, habitats, flows, extraction, communities and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Ecology and biodiversity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Protected-area/local species metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Species, habitats, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Landscape-scale leakage/carrier accounting + livelihoods. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Landscape holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 611-617; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 080 pp. 611-617.

002 to 081: consequential handoff

Nutrition and metabolism -> Cell biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Cell biology: Signaling, organelles, metabolism, damage, repair and cell-state transitions.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Cell biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Single pathway/marker. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Organelles, pathways, neighboring cells. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Multi-state cellular controller + capacity targeting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'In-vitro perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 619-625; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 081 pp. 619-625.

002 to 082: consequential handoff

Nutrition and metabolism -> Molecular biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Molecular biology: Molecules, conformations, binding networks, concentrations and kinetics.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Molecular biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Single interaction/target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Molecules, pathways, host system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Reaction/network state model + off-target carrier control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Bench experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 626-632; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 082 pp. 626-632.

002 to 083: consequential handoff

Nutrition and metabolism -> Nanotechnology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Nanotechnology: Particle properties, surfaces, transport, environment and biological interaction.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Nanotechnology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Particle spec alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Cells, environment, users. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Lifecycle and interaction-aware nano design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Bench + environmental tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 633-639; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 083 pp. 633-639.

002 to 084: consequential handoff

Nutrition and metabolism -> Chemistry and reaction systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Chemistry and reaction systems: Species, reaction network, kinetics, energy, byproducts and separation.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Chemistry and reaction systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Target yield/selectivity. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Reactor, environment, downstream process. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Consequential reaction-network optimization + recovery loops. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Reactor experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 640-646; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 084 pp. 640-646.

002 to 085: consequential handoff

Nutrition and metabolism -> Materials science | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Materials science: Microstructure, defects, stress, temperature, lifecycle and manufacturing.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Materials science; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Bulk property spec. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Material, structure, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Defect-aware multiproperty design + recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Lab characterization'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 647-653; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 085 pp. 647-653.

002 to 086: consequential handoff

Nutrition and metabolism -> Classical mechanics and control | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Classical mechanics and control: Physical state, dynamics, sensors, actuators and disturbance.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Classical mechanics and control; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Partial state observation/local control objective. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Plant, actuator, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Representation-aware full-state controller + regenerative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Physical bench experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 654-660; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 086 pp. 654-660.

002 to 087: consequential handoff

Nutrition and metabolism -> Thermodynamics and nonequilibrium systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Thermodynamics and nonequilibrium systems: Energy, entropy, gradients, reservoirs, flows and constraints.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Thermodynamics and nonequilibrium systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Local efficiency/temperature metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Reservoirs, environment, components. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Whole-boundary energy/exergy and recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Physical experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 661-667; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 087 pp. 661-667.

002 to 088: consequential handoff

Nutrition and metabolism -> Electromagnetism and circuits | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Electromagnetism and circuits: Fields, voltages, currents, topology, storage and losses.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Electromagnetism and circuits; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Local component state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Circuit elements, sources, loads. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Full-network state estimation + capacity/recovery placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Bench circuit experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 668-674; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 088 pp. 668-674.

002 to 089: consequential handoff

Nutrition and metabolism -> Quantum systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Quantum systems: Quantum state, observables, measurement, control and decoherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Quantum systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Accessible observable set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Quantum system, apparatus, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Constraint-respecting measurement/control schema + capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Laboratory quantum experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 675-681; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 089 pp. 675-681.

002 to 090: consequential handoff

Nutrition and metabolism -> Pure mathematics and formal systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Pure mathematics and formal systems: Objects, relations, axioms, language, proofs and translations.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Pure mathematics and formal systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Chosen signature/type system/quotient. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Proof system, translator, solver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Minimal sufficient schema preserving required relations. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Machine-checked theorem suite'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 682-688; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 090 pp. 682-688.

002 to 091: consequential handoff

Nutrition and metabolism -> Statistics and causal inference | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Statistics and causal inference: Data-generating process, sampling, measurement, confounding and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Statistics and causal inference; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Chosen model/estimand. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Decision makers, future samples, affected groups. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Provenance-aware multi-model causal state + identifiability guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Simulation + multi-dataset benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 690-696; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 091 pp. 690-696.

002 to 092: consequential handoff

Nutrition and metabolism -> Logic and reasoning systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Logic and reasoning systems: Premises, inference rules, contradictions, uncertainty and goals.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Logic and reasoning systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Single logical calculus. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Reasoner, downstream decision. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Multi-logic translation + contradiction provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Formal benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 697-703; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 092 pp. 697-703.

002 to 093: consequential handoff

Nutrition and metabolism -> Geography and territorial systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Geography and territorial systems: People, ecosystems, infrastructure, flows and administrative boundaries.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Geography and territorial systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Jurisdiction/map boundary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Border communities, watersheds, networks. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Flow-based territorial state model. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Regional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 704-710; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 093 pp. 704-710.

002 to 094: consequential handoff

Nutrition and metabolism -> Informal economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Informal economy: Real work, exchange, trust, risk and household needs outside formal records.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Informal economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Formal registry/tax/business schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Workers, households, state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Low-friction recognition, protection and access architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Field pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 711-717; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 094 pp. 711-717.

002 to 095: consequential handoff

Nutrition and metabolism -> Illicit and black markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Illicit and black markets: Hidden demand, supply, coercion, enforcement, prices and harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Illicit and black markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Official market data that excludes hidden exchange. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Victims, communities, lawful firms, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Independent harm-reduction/public-safety evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 718-724; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 095 pp. 718-724.

002 to 096: consequential handoff

Nutrition and metabolism -> Orbital and space economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Orbital and space economy: Spacecraft, debris, spectrum, energy, logistics and operator incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Orbital and space economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Mission-local success metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Other spacecraft, operators, orbital environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Orbital consequential ledger + shared capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Simulation + mission pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 725-731; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 096 pp. 725-731.

002 to 097: consequential handoff

Nutrition and metabolism -> Extraterrestrial settlement | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Extraterrestrial settlement: Life support, energy, materials, health, governance and closed ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Extraterrestrial settlement; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Earth-derived subsystem silos. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Crew, machines, habitat ecology. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Closed-loop consequential state + autonomous capacity construction. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Analog habitat + mission tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 732-738; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 097 pp. 732-738.

002 to 098: consequential handoff

Nutrition and metabolism -> Astrobiology and biosignatures | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Astrobiology and biosignatures: Unknown life chemistries, environments, signals and contamination risks.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Astrobiology and biosignatures; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Earth-centric life schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Scientific program, environment, future missions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Plural biosignature schema + provenance/contamination control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Blind benchmark + mission data'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 739-745; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 098 pp. 739-745.

002 to 099: consequential handoff

Nutrition and metabolism -> Planetary systems and stewardship | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Planetary systems and stewardship: Atmosphere, hydrology, geology, biosphere, resources and settlements.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Planetary systems and stewardship; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Sector-local resource model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Settlements, ecosystems, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Closed-loop planetary resource and restoration architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Earth analog + simulation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 746-752; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 099 pp. 746-752.

002 to 100: consequential handoff

Nutrition and metabolism -> Unknown and not-yet-named realities | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Unknown and not-yet-named realities: Any newly observed substrate, scale, agent, value dimension or exchange mode.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Unknown and not-yet-named realities; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: No adequate schema exists yet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Unknown until carrier tracing identifies it. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Instantiate M_d, define schema, measure gap, trace carrier, construct capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Freeze kernel before learning outcomes; then holdout/replicate'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 753-759; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 100 pp. 753-759.

002 to 101: consequential handoff

Nutrition and metabolism -> Conscious experience and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Conscious experience and self-model: Perception, affect, memory, self-model, attention, internal accessibility and embodied state.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Conscious experience and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: A receiving observer reduces another system to behavior, category or output alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Experiencing system, observers, dependent systems and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Cross-modal state representation with provenance, uncertainty and non-erasure constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Prospective multi-method cross-observer study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 761-767; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 101 pp. 761-767.

002 to 102: consequential handoff

Nutrition and metabolism -> Choice and option topology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Choice and option topology: Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Choice and option topology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Binary free-choice / no-choice label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Chooser, affected people, institutions and future option set. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Feasible-option map plus prebuilt low-friction lawful/prosocial pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Prospective choice-topology intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 768-774; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 102 pp. 768-774.

002 to 103: consequential handoff

Nutrition and metabolism -> Truth, deception and disclosure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Truth, deception and disclosure: Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Truth, deception and disclosure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Truth/lie binary detached from consequence topology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Speaker, listener, harmed parties, institutions and future trust network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Verification, safe disclosure, correction, restitution and transition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Sealed truth-cost / disclosure study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 775-781; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 103 pp. 775-781.

002 to 104: consequential handoff

Nutrition and metabolism -> Responsibility and causal attribution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Responsibility and causal attribution: Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Responsibility and causal attribution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Moral label detached from the action-producing state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Actor, victims, institutions, community and future actors. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Blinded case reconstruction with preregistered causal criteria'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 782-788; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 104 pp. 782-788.

002 to 105: consequential handoff

Nutrition and metabolism -> Consent, coercion and autonomy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Consent, coercion and autonomy: Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Consent, coercion and autonomy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Signed/expressed consent treated as sufficient state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Decision maker, counterparties, dependents and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Real exit, recourse, reversible consent, information symmetry and alternative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Prospective consent-quality audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 789-795; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 105 pp. 789-795.

002 to 106: consequential handoff

Nutrition and metabolism -> Addiction, compulsion and short-horizon relief | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Addiction, compulsion and short-horizon relief: Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Addiction, compulsion and short-horizon relief; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Substance/behavior category or abstinence binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Person, body, relationships, household, community and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Longitudinal regulated intervention with multi-carrier outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 796-802; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 106 pp. 796-802.

002 to 107: consequential handoff

Nutrition and metabolism -> Crime, violence and reconciliation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Crime, violence and reconciliation: Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Crime, violence and reconciliation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Offense label or actor-only risk score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Victims, actor, families, community, institutions and future potential victims. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Longitudinal controlled justice-program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 803-809; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 107 pp. 803-809.

002 to 108: consequential handoff

Nutrition and metabolism -> Animal sentience and welfare | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Animal sentience and welfare: Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Animal sentience and welfare; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Commodity/yield schema that excludes the animal as a carrier. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Animals, workers, consumers, farmers, land, ecosystems and communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Welfare, alternative-production, livelihood-transition and ecological capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Multi-carrier welfare, nutrition and livelihood trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 810-816; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 108 pp. 810-816.

002 to 109: consequential handoff

Nutrition and metabolism -> Collective agency and institutional choice | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Collective agency and institutional choice: Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Collective agency and institutional choice; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Organization treated as a single actor without internal carrier structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Members, minorities, leaders, outsiders, institutions and future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Distributed decision provenance, dissent channels, accountability and cross-boundary capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Prospective institutional decision audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 817-823; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 109 pp. 817-823.

002 to 110: consequential handoff

Nutrition and metabolism -> Human-AI co-agency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Human-AI co-agency: Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Human-AI co-agency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Model output or benchmark score treated as the whole system. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: User, non-user, model operator, workers, institutions, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Persistent provenance, human control, reversibility, portability, verification and receivingcapacity layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Sealed native-vs-K_R assisted agent benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 824-830; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 110 pp. 824-830.

002 to 111: consequential handoff

Nutrition and metabolism -> Evolution and natural selection | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Evolution and natural selection: Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Evolution and natural selection; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Fitness proxy or single-trait narrative. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Individuals, lineages, populations, interacting species and ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Diversity, ecological capacity and intervention guardrails where deliberate action exists. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Time-locked population/genomic holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 832-838; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 111 pp. 832-838.

002 to 112: consequential handoff

Nutrition and metabolism -> Reproduction, inheritance, mitosis and meiosis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Reproduction, inheritance, mitosis and meiosis: Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Reproduction, inheritance, mitosis and meiosis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Outcome-only birth/division count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Parent cell/organism, daughter cells, gametes, offspring and lineage. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Checkpoint, repair, redundancy and developmental-support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Lineage-resolved perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 839-845; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 112 pp. 839-845.

002 to 113: consequential handoff

Nutrition and metabolism -> Development and morphogenesis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Development and morphogenesis: Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Development and morphogenesis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Single marker or endpoint morphology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Cells, tissues, organs, organism and developmental future state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Stage-aware multi-pathway support, repair and resource architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Longitudinal developmental perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 846-852; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 113 pp. 846-852.

002 to 114: consequential handoff

Nutrition and metabolism -> Metabolism, diet and consumption | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Metabolism, diet and consumption: Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Metabolism, diet and consumption; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Calories/macros or one nutrient target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Gut, microbiome, liver, tissues, household, food system and future organism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Adaptive conversion, buffering, storage, elimination and access capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Controlled longitudinal multi-carrier nutrition study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 853-859; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 114 pp. 853-859.

002 to 115: consequential handoff

Nutrition and metabolism -> Predation, livestock and food-system transformation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Predation, livestock and food-system transformation: Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Predation, livestock and food-system transformation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Yield, price or human nutrition alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Animals, humans, workers, farmers, consumers, land, ecosystems and future food security. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Phased regional transition with preregistered carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 860-866; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 115 pp. 860-866.

002 to 116: consequential handoff

Nutrition and metabolism -> Learning, plasticity and cultural evolution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Learning, plasticity and cultural evolution: Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Learning, plasticity and cultural evolution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Test score, output or adoption count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Learner, teachers, peers, institutions, future self and cultural network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Longitudinal transfer-and-retention experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 867-873; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 116 pp. 867-873.

002 to 117: consequential handoff

Nutrition and metabolism -> Self-organization and emergence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Self-organization and emergence: Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Self-organization and emergence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Macro outcome without micro-carrier ledger. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Components, neighborhoods, emergent structure and external environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Multi-scale simulation plus physical/biological holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 874-880; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 117 pp. 874-880.

002 to 118: consequential handoff

Nutrition and metabolism -> Creation, provenance and dependency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Creation, provenance and dependency: Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Creation, provenance and dependency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Ownership or authorship treated as sufficient relationship model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Creators, created systems, maintainers, users, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Provenance, stewardship, autonomy-transition and reciprocal-viability architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Longitudinal creator-created dependency audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 881-887; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 118 pp. 881-887.

002 to 119: consequential handoff

Nutrition and metabolism -> Cosmological evolution and structure formation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Cosmological evolution and structure formation: Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Cosmological evolution and structure formation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Single scale or observable treated as complete cosmic state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: Observed regions, fields/matter components, instruments, models and observers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Cross-scale observation, uncertainty, model-comparison and instrumentation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Preregistered cross-survey predictive holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 888-894; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 119 pp. 888-894.

002 to 120: consequential handoff

Nutrition and metabolism -> Cross-substrate consciousness, temporal coexistence and closure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

PROPOSED RECEIVER AND STATE

Cross-substrate consciousness, temporal coexistence and closure: The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility.

INTERFACE AND COUPLING STATUS

Proposed interface from Nutrition and metabolism into Cross-substrate consciousness, temporal coexistence and closure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Calories/macros or generic diet categories. Receiver's limited view: Any local adapter, species, institution or observer claiming closure from its own schema alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, household budget, food system. Candidate receiver carriers: All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Receiving capacity: Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and.... Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Randomized adaptive nutrition trial with cost and adherence carriers' with a receiver study of 'Time-locked system-of-systems closure test across multiple adapters'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 58-64 and 895-901; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026). Receiver Adapter 120 pp. 895-901.

002: Nutrition and metabolism

Household / family / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Household / family / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Household / family / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Household / family / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Household / family / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Household / family / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

School / university / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

School / university / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

School / university / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

School / university / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

School / university / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

School / university / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Enterprise / cooperative / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Enterprise / cooperative / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Enterprise / cooperative / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Enterprise / cooperative / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Enterprise / cooperative / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Enterprise / cooperative / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Healthcare / care team / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Healthcare / care team / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Healthcare / care team / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Healthcare / care team / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Healthcare / care team / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Healthcare / care team / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Local government / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Local government / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Local government / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Local government / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Local government / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Local government / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Ecological catchment / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Ecological catchment / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Ecological catchment / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Ecological catchment / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Ecological catchment / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Ecological catchment / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Scientific laboratory / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Scientific laboratory / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Scientific laboratory / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Scientific laboratory / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Scientific laboratory / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Scientific laboratory / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Public infrastructure / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Public infrastructure / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Public infrastructure / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Public infrastructure / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Public infrastructure / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Public infrastructure / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Digital / AI service / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Digital / AI service / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Digital / AI service / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Digital / AI service / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Digital / AI service / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Digital / AI service / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Interregional / planetary / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Interregional / planetary / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Interregional / planetary / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Interregional / planetary / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Interregional / planetary / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Nutrition and metabolism

Interregional / planetary / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Nutrition and metabolism is described in the Atlas as: Diet, metabolic state, affordability, culture, timing, microbiome and activity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Biological benefit shifts cost to adherence, affordability or another metabolic pathway. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, household budget, food system. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive nutrition and access architecture with feedback and affordability constraints. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Metabolic markers, adherence, affordability and quality of life improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Randomized adaptive nutrition trial with cost and adherence carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Evidence and source reconstruction

Nutrition and metabolism | protocol 1 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 002: Nutrition and metabolism; original author status: Regulated empirical frontier. Native state: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

EVALUATION OBJECTIVE

Evidence and source reconstruction. Establish what is observed, reported, derived, simulated and currently unavailable. Audit definitions, dates and units.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Calories/macros or generic diet categories. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Biological benefit shifts cost to adherence, affordability or another metabolic pathway. The relevant receiving carriers are: Body, household budget, food system.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive nutrition and access architecture with feedback and affordability constraints. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Metabolic markers, adherence, affordability and quality of life improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Randomized adaptive nutrition trial with cost and adherence carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Boundary divergence

Nutrition and metabolism | protocol 2 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 002: Nutrition and metabolism; original author status: Regulated empirical frontier. Native state: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

EVALUATION OBJECTIVE

Boundary divergence. Predeclare local and consequential objectives, identical feasible action sets, and a measurable divergence test.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Calories/macros or generic diet categories. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Biological benefit shifts cost to adherence, affordability or another metabolic pathway. The relevant receiving carriers are: Body, household budget, food system.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive nutrition and access architecture with feedback and affordability constraints. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Metabolic markers, adherence, affordability and quality of life improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Randomized adaptive nutrition trial with cost and adherence carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Causal diagram and identifiability

Nutrition and metabolism | protocol 3 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 002: Nutrition and metabolism; original author status: Regulated empirical frontier. Native state: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

EVALUATION OBJECTIVE

Causal diagram and identifiability. Draw the candidate causal graph; identify confounders, mediators, spillovers and selection mechanisms.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Calories/macros or generic diet categories. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Biological benefit shifts cost to adherence, affordability or another metabolic pathway. The relevant receiving carriers are: Body, household budget, food system.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive nutrition and access architecture with feedback and affordability constraints. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Metabolic markers, adherence, affordability and quality of life improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Randomized adaptive nutrition trial with cost and adherence carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Receiving carrier identification

Nutrition and metabolism | protocol 4 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 002: Nutrition and metabolism; original author status: Regulated empirical frontier. Native state: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

EVALUATION OBJECTIVE

Receiving carrier identification. Predict the destination, path and delay of consequential burdens before measuring post-state outcomes.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Calories/macros or generic diet categories. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Biological benefit shifts cost to adherence, affordability or another metabolic pathway. The relevant receiving carriers are: Body, household budget, food system.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive nutrition and access architecture with feedback and affordability constraints. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Metabolic markers, adherence, affordability and quality of life improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Randomized adaptive nutrition trial with cost and adherence carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Hidden compensation accounting

Nutrition and metabolism | protocol 5 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 002: Nutrition and metabolism; original author status: Regulated empirical frontier. Native state: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

EVALUATION OBJECTIVE

Hidden compensation accounting. Measure which agent, reserve, budget, ecosystem or later period silently carries the load.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Calories/macros or generic diet categories. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Biological benefit shifts cost to adherence, affordability or another metabolic pathway. The relevant receiving carriers are: Body, household budget, food system.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive nutrition and access architecture with feedback and affordability constraints. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Metabolic markers, adherence, affordability and quality of life improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Randomized adaptive nutrition trial with cost and adherence carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Native units and dimensional integrity

Nutrition and metabolism | protocol 6 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 002: Nutrition and metabolism; original author status: Regulated empirical frontier. Native state: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

EVALUATION OBJECTIVE

Native units and dimensional integrity. Define each carrier outcome in its own units; avoid offsetting unlike harms with unsupported scalar sums.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Calories/macros or generic diet categories. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Biological benefit shifts cost to adherence, affordability or another metabolic pathway. The relevant receiving carriers are: Body, household budget, food system.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive nutrition and access architecture with feedback and affordability constraints. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Metabolic markers, adherence, affordability and quality of life improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Randomized adaptive nutrition trial with cost and adherence carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Capacity specification

Nutrition and metabolism | protocol 7 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 002: Nutrition and metabolism; original author status: Regulated empirical frontier. Native state: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

EVALUATION OBJECTIVE

Capacity specification. Identify the binding receiver constraint and specify the smallest permissible constructive action.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Calories/macros or generic diet categories. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Biological benefit shifts cost to adherence, affordability or another metabolic pathway. The relevant receiving carriers are: Body, household budget, food system.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive nutrition and access architecture with feedback and affordability constraints. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Metabolic markers, adherence, affordability and quality of life improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Randomized adaptive nutrition trial with cost and adherence carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Intervention design

Nutrition and metabolism | protocol 8 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 002: Nutrition and metabolism; original author status: Regulated empirical frontier. Native state: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

EVALUATION OBJECTIVE

Intervention design. Choose randomized, natural, observational or mechanistic evidence compatible with safety and identifiability.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Calories/macros or generic diet categories. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Biological benefit shifts cost to adherence, affordability or another metabolic pathway. The relevant receiving carriers are: Body, household budget, food system.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive nutrition and access architecture with feedback and affordability constraints. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Metabolic markers, adherence, affordability and quality of life improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Randomized adaptive nutrition trial with cost and adherence carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Incumbent parity contest

Nutrition and metabolism | protocol 9 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 002: Nutrition and metabolism; original author status: Regulated empirical frontier. Native state: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

EVALUATION OBJECTIVE

Incumbent parity contest. Compare against strongest existing local, boundary-aware, causal and resource-constrained methods.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Calories/macros or generic diet categories. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Biological benefit shifts cost to adherence, affordability or another metabolic pathway. The relevant receiving carriers are: Body, household budget, food system.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive nutrition and access architecture with feedback and affordability constraints. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Metabolic markers, adherence, affordability and quality of life improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Randomized adaptive nutrition trial with cost and adherence carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Time-window and recurrence

Nutrition and metabolism | protocol 10 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 002: Nutrition and metabolism; original author status: Regulated empirical frontier. Native state: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

EVALUATION OBJECTIVE

Time-window and recurrence. Measure early, intermediate and delayed outcomes, including reserve depletion and changing bottlenecks.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Calories/macros or generic diet categories. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Biological benefit shifts cost to adherence, affordability or another metabolic pathway. The relevant receiving carriers are: Body, household budget, food system.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive nutrition and access architecture with feedback and affordability constraints. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Metabolic markers, adherence, affordability and quality of life improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Randomized adaptive nutrition trial with cost and adherence carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Ethical and legal safety

Nutrition and metabolism | protocol 11 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 002: Nutrition and metabolism; original author status: Regulated empirical frontier. Native state: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

EVALUATION OBJECTIVE

Ethical and legal safety. Determine affected rights, vulnerable groups, irreversible harms, consent, permissions and safety constraints.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Calories/macros or generic diet categories. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Biological benefit shifts cost to adherence, affordability or another metabolic pathway. The relevant receiving carriers are: Body, household budget, food system.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive nutrition and access architecture with feedback and affordability constraints. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Metabolic markers, adherence, affordability and quality of life improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Randomized adaptive nutrition trial with cost and adherence carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Sensitivity and negative controls

Nutrition and metabolism | protocol 12 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 002: Nutrition and metabolism; original author status: Regulated empirical frontier. Native state: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

EVALUATION OBJECTIVE

Sensitivity and negative controls. Vary unmeasured confounding, missingness, cost, thresholds and adverse spillover assumptions.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Calories/macros or generic diet categories. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Biological benefit shifts cost to adherence, affordability or another metabolic pathway. The relevant receiving carriers are: Body, household budget, food system.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive nutrition and access architecture with feedback and affordability constraints. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Metabolic markers, adherence, affordability and quality of life improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Randomized adaptive nutrition trial with cost and adherence carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Replication and provenance

Nutrition and metabolism | protocol 13 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 002: Nutrition and metabolism; original author status: Regulated empirical frontier. Native state: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

EVALUATION OBJECTIVE

Replication and provenance. Version the kernel, code, data, transformation decisions, negative findings and external replication.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Calories/macros or generic diet categories. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Biological benefit shifts cost to adherence, affordability or another metabolic pathway. The relevant receiving carriers are: Body, household budget, food system.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive nutrition and access architecture with feedback and affordability constraints. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Metabolic markers, adherence, affordability and quality of life improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Randomized adaptive nutrition trial with cost and adherence carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

002: Cross-domain invariant contest

Nutrition and metabolism | protocol 14 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 002: Nutrition and metabolism; original author status: Regulated empirical frontier. Native state: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

EVALUATION OBJECTIVE

Cross-domain invariant contest. Keep K_R fixed while swapping M_d; test whether new measurements produce predictions beyond domain incumbents.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Calories/macros or generic diet categories. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Biological benefit shifts cost to adherence, affordability or another metabolic pathway. The relevant receiving carriers are: Body, household budget, food system.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive nutrition and access architecture with feedback and affordability constraints. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Metabolic markers, adherence, affordability and quality of life improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Randomized adaptive nutrition trial with cost and adherence carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 002, pp. 58-64 (Rufino 2026).

Adapter 003: Sleep and recovery

Human life quality | Internal carrier and capacity reconstruction

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

DOMAIN-NATIVE STATE

Sleep architecture, circadian timing, stress, workload, environment and recovery reserve

RECORDED RECEIVING SCHEMA

Hours slept or wearable score

CANDIDATE BURDEN AND RECEIVING CARRIERS

Blocker in the source Atlas: More sleep opportunity can displace work, care or circadian alignment. Candidate receivers: Body, cognition, household schedule.

EXISTING CAPACITY DESIGN

Recovery controller integrating timing, environment, workload and physiology

PROTECTED OUTCOME STATED BY THE AUTHOR

Recovery, cognition, safety and schedule burden improve together

SCIENTIFIC NEXT STEP

Atlas proposed decisive test: Longitudinal crossover study. This remains a proposed testing route, not proof of a completed successful implementation.

ORIGINALITY AND CONSTRUCTION OBLIGATION

Run causal receiving-carrier diagnosis before action; compare construction against strong established methods; do not accept positive averages as proof that all material carriers benefited.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003 | Sleep and recovery

Individual human / person | Insufficient capacity

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 003, Sleep and recovery. Native state: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Potential direct or institutional human pathway: Sleep and recovery interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Insufficient capacity: The human has limited time, health, physical access, material resources, protective support or opportunity. Source Atlas proposed limiting condition: More sleep opportunity can displace work, care or circadian alignment.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Recovery controller integrating timing, environment, workload and physiology can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Recovery, cognition, safety and schedule burden improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

003 | Sleep and recovery

Individual human / person | Schema mismatch

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 003, Sleep and recovery. Native state: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Potential direct or institutional human pathway: Sleep and recovery interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Schema mismatch: The person has evidence-grounded capabilities or needs that institutional identifiers, scores or labels do not adequately recognize. Source Atlas proposed limiting condition: More sleep opportunity can displace work, care or circadian alignment.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Recovery controller integrating timing, environment, workload and physiology can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Recovery, cognition, safety and schedule burden improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

003 | Sleep and recovery

Individual human / person | Delayed effects

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 003, Sleep and recovery. Native state: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Potential direct or institutional human pathway: Sleep and recovery interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Delayed effects: A short-term change influences future-self health, skills, income, dependence, options or relationships. Source Atlas proposed limiting condition: More sleep opportunity can displace work, care or circadian alignment.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Recovery controller integrating timing, environment, workload and physiology can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Recovery, cognition, safety and schedule burden improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

003 | Sleep and recovery

Individual human / person | Measurement uncertainty

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 003, Sleep and recovery. Native state: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Potential direct or institutional human pathway: Sleep and recovery interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Measurement uncertainty: The record lacks consented individual outcomes, counterfactuals, follow-up, or reliable protection metrics. Source Atlas proposed limiting condition: More sleep opportunity can displace work, care or circadian alignment.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Recovery controller integrating timing, environment, workload and physiology can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Recovery, cognition, safety and schedule burden improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

003 | Sleep and recovery

Individual human / person | Coordination failure

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 003, Sleep and recovery. Native state: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Potential direct or institutional human pathway: Sleep and recovery interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Coordination failure: Family, employer, provider, government or technical systems hand off obligations to the individual without coordinated support. Source Atlas proposed limiting condition: More sleep opportunity can displace work, care or circadian alignment.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Recovery controller integrating timing, environment, workload and physiology can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Recovery, cognition, safety and schedule burden improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

003 | Sleep and recovery

Individual human / person | Adversarial / inequitable distribution

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 003, Sleep and recovery. Native state: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Potential direct or institutional human pathway: Sleep and recovery interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Adversarial / inequitable distribution: Unequal power, coercion, inaccessible systems, discrimination or exploitative incentives shift costs to a person. Source Atlas proposed limiting condition: More sleep opportunity can displace work, care or circadian alignment.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Recovery controller integrating timing, environment, workload and physiology can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Recovery, cognition, safety and schedule burden improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

003 to 001: consequential handoff

Sleep and recovery -> Whole-person quality of life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Whole-person quality of life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Single score, diagnosis, income bracket or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Person, household, caregivers, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Longitudinal cohort with preregistered multidimensional outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 51-57; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 001 pp. 51-57.

003 to 002: consequential handoff

Sleep and recovery -> Nutrition and metabolism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Nutrition and metabolism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Calories/macros or generic diet categories. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Body, household budget, food system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Randomized adaptive nutrition trial with cost and adherence carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 58-64; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 002 pp. 58-64.

003 to 003: consequential handoff

Sleep and recovery -> Sleep and recovery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

INTERFACE AND COUPLING STATUS

This is a within-domain loop: the post-state of Sleep and recovery becomes the next native state under its existing map. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Hours slept or wearable score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Body, cognition, household schedule. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Recovery controller integrating timing, environment, workload and physiology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Longitudinal crossover study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 65-71; WITHIN-DOMAIN RECURRENCE. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 003 pp. 65-71.

003 to 004: consequential handoff

Sleep and recovery -> Reproductive and sexual health | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Reproductive and sexual health; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Single fertility, disease or risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Individual, partner, future child, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Clinical trials + patient-reported and partner- impact carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 72-78; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 004 pp. 72-78.

003 to 005: consequential handoff

Sleep and recovery -> Disability and accessibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Disability and accessibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Deficit-only person label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Person, caregiver, workplace, public space. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Environment-first accessibility architecture plus assistive capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Before/after environment redesign with workload measures'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 79-85; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 005 pp. 79-85.

003 to 006: consequential handoff

Sleep and recovery -> Mobility and physical function | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Mobility and physical function; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Single functional score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Body, caregiver, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Adaptive rehabilitation plus environment and device redesign. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Controlled rehabilitation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 86-92; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 006 pp. 86-92.

003 to 007: consequential handoff

Sleep and recovery -> Family and caregiving | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Family and caregiving; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Household role labels. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Primary caregiver, dependents, siblings, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Care-load ledger, shared coordination and external capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Prospective household burden study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 93-99; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 007 pp. 93-99.

003 to 008: consequential handoff

Sleep and recovery -> Safety and personal security | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Safety and personal security; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Incident count or generic risk class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Person, community, responder. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Safety architecture that increases protection without reducing autonomy. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Prospective safety intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 100-106; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 008 pp. 100-106.

003 to 009: consequential handoff

Sleep and recovery -> Housing and domestic environment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Housing and domestic environment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Property price or occupancy status. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Resident, landlord, neighborhood, city. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Whole-cost housing and location architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Matched housing intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 107-113; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 009 pp. 107-113.

003 to 010: consequential handoff

Sleep and recovery -> Human longevity and life-course planning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Human longevity and life-course planning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Chronological age or retirement age. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Person, family, institutions, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Life-course capital and care architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Longitudinal life-course cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 114-120; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 010 pp. 114-120.

003 to 011: consequential handoff

Sleep and recovery -> Psychology and social legibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Psychology and social legibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Snapshot diagnosis or social category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Person, family, employer, clinician. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Multidimensional schema plus support matched to hidden burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Longitudinal external cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 122-128; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 011 pp. 122-128.

003 to 012: consequential handoff

Sleep and recovery -> Identity and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Identity and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Single identity label or credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Person and receiving institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Selective multi-context identity graph with provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Cross-context identity study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 129-135; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 012 pp. 129-135.

003 to 013: consequential handoff

Sleep and recovery -> Relationships and intimacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Relationships and intimacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Relationship status or personality label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Partners and wider support network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Reciprocal state and burden ledger plus consent architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Dyadic longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 136-142; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 013 pp. 136-142.

003 to 014: consequential handoff

Sleep and recovery -> Parenting and child development | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Parenting and child development; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Age norm, grade or behavior label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Child, parent, school, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Developmental state map plus distributed support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Longitudinal family-school cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 143-149; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 014 pp. 143-149.

003 to 015: consequential handoff

Sleep and recovery -> Purpose and self-actualization | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Purpose and self-actualization; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Career status, wealth or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Person, relationships, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Whole-person capability architecture and burden guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Longitudinal multidimensional evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 150-156; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 015 pp. 150-156.

003 to 016: consequential handoff

Sleep and recovery -> Existential wellbeing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Existential wellbeing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Symptom or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Person, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Voluntary meaning-reflection and support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Patient/user-reported longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 157-163; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 016 pp. 157-163.

003 to 017: consequential handoff

Sleep and recovery -> Spiritual life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Spiritual life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Institutional affiliation alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Individual, family, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Ethical observational study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 164-170; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 017 pp. 164-170.

003 to 018: consequential handoff

Sleep and recovery -> Religion and community institutions | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Religion and community institutions; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Membership or doctrinal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Members, families, leaders, wider community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Transparent governance, reporting, safeguarding and exit rights. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Institutional longitudinal audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 171-177; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 018 pp. 171-177.

003 to 019: consequential handoff

Sleep and recovery -> Emotion and affect regulation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Emotion and affect regulation: Internal state, context, physiology, cognition and social feedback.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Emotion and affect regulation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Valence score or symptom label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Person and relationships. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: State-aware regulation architecture with physiological feedback. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Crossover intervention study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 178-184; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 019 pp. 178-184.

003 to 020: consequential handoff

Sleep and recovery -> Trust and fidelity between people | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Trust and fidelity between people: History, promises, evidence, uncertainty and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Trust and fidelity between people; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Trusted/untrusted binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: People and institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Dynamic provenance and expectation architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Prospective trust-repair study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 185-191; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 020 pp. 185-191.

003 to 021: consequential handoff

Sleep and recovery -> Healthcare delivery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Healthcare delivery: Clinical state, logistics, caregiver capacity, finance and post-discharge environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Healthcare delivery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Episode-of-care schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Patient, caregiver, outpatient system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Consequential discharge/care orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 193-199; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 021 pp. 193-199.

003 to 022: consequential handoff

Sleep and recovery -> Diagnostics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Diagnostics: Underlying disease state, uncertainty, test characteristics and downstream actions.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Diagnostics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Single test result. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Patient, clinician, payer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Bayesian multi-source diagnostic schema + uncertainty communication. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Prospective blinded diagnostic study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 200-206; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 022 pp. 200-206.

003 to 023: consequential handoff

Sleep and recovery -> Cancer ecology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Cancer ecology: Clone mix, immune state, microenvironment, host reserve and therapy exposure.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Cancer ecology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Stage/tumor-size snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Resistant clones, healthy tissue, immune system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Adaptive ecological state estimator + resistance/host capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Preclinical then clinical adaptive trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 207-213; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 023 pp. 207-213.

003 to 024: consequential handoff

Sleep and recovery -> Neuroscience and neurodegeneration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Neuroscience and neurodegeneration: Neural, glial, vascular, metabolic, network and functional state.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Neuroscience and neurodegeneration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Single biomarker or visible function. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Neural networks, metabolism, caregiver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Multimodal state estimator + restorative capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Multimodal longitudinal intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 214-220; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 024 pp. 214-220.

003 to 025: consequential handoff

Sleep and recovery -> Aging biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Aging biology: Coupled damage, repair, senescence, immunity, metabolism and regeneration.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Aging biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Age scalar or isolated hallmark. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Cells, tissues, immune system, metabolism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Moving-bottleneck RVG controller across damage/repair channels. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Preclinical multi-pathway study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 221-227; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 025 pp. 221-227.

003 to 026: consequential handoff

Sleep and recovery -> Immunology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Immunology: Immune activation, tolerance, pathogen/tumor signals and tissue damage.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Immunology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Single cytokine or cell-count schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Pathogen, immune cells, host tissue. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: State-dependent immune control balancing clearance and collateral damage. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Controlled biological study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 228-234; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 026 pp. 228-234.

003 to 027: consequential handoff

Sleep and recovery -> Infectious disease | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Infectious disease: Pathogen dynamics, host immunity, behavior, network spread and treatment.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Infectious disease; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Case count or pathogen-only model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Patients, contacts, health system, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Multi-carrier containment + treatment + livelihood capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Prospective outbreak protocol'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 235-241; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 027 pp. 235-241.

003 to 028: consequential handoff

Sleep and recovery -> Microbiome | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Microbiome: Host physiology plus microbial ecology and diet/environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Microbiome; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Species abundance snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Host and microbial community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Functional ecosystem state model and adaptive intervention. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Controlled longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 242-248; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 028 pp. 242-248.

003 to 029: consequential handoff

Sleep and recovery -> Genomics and proteomics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Genomics and proteomics: Variants, expression, proteins, pathways, context and phenotype.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Genomics and proteomics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Single marker/pathogenicity label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Cells, tissues, patient. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Multi-omic causal state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Prospective multi-omic validation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 249-255; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 029 pp. 249-255.

003 to 030: consequential handoff

Sleep and recovery -> Surgery and rehabilitation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Surgery and rehabilitation: Anatomy, function, pain, recovery capacity, home support and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Surgery and rehabilitation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Procedure success or anatomical correction. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Patient, caregiver, rehab system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Prehabilitation + procedure + recovery orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 256-262; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 030 pp. 256-262.

003 to 031: consequential handoff

Sleep and recovery -> Early-childhood development and education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Early-childhood development and education: Development, safety, language, nutrition, play, attachment and resources.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Early-childhood development and education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Age milestone or readiness score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Child, caregiver, educator. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Integrated developmental support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Longitudinal program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 264-270; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 031 pp. 264-270.

003 to 032: consequential handoff

Sleep and recovery -> K-12 education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

K-12 education: Knowledge, skills, wellbeing, context, resources and learning trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into K-12 education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Grade/test score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Student, teacher, family. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Capability graph + adaptive learning + wellbeing constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Cluster randomized trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 271-277; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 032 pp. 271-277.

003 to 033: consequential handoff

Sleep and recovery -> Higher education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Higher education: Capability, knowledge, network, finances and career pathways.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Higher education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Degree/GPA credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Student, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Capability/provenance portfolio + adaptive pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Longitudinal graduate outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 278-284; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 033 pp. 278-284.

003 to 034: consequential handoff

Sleep and recovery -> Vocational and workforce learning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Vocational and workforce learning: Skills, task demand, wages, mobility and employer needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Vocational and workforce learning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Course completion certificate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Worker, employer, training provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Skill-to-task provenance and placement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Matched labor-market evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 285-291; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 034 pp. 285-291.

003 to 035: consequential handoff

Sleep and recovery -> Scientific research | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Scientific research: Hypotheses, methods, data, negative results, replication and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Scientific research; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Publication/citation unit. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Researchers, institutions, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Experiment provenance + negative-result + replication architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Cross-lab replication program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 292-298; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 035 pp. 292-298.

003 to 036: consequential handoff

Sleep and recovery -> Justice and courts | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Justice and courts: Facts, evidence, harm, intent, procedure, history and remedies.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Justice and courts; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Case category or docket state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Victims, accused, families, courts, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Causal provenance + harm/restitution + recurrence architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Prospective process evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 299-305; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 036 pp. 299-305.

003 to 037: consequential handoff

Sleep and recovery -> Policing and public safety systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Policing and public safety systems: Threat, context, evidence, community trust, capacity and alternatives.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Policing and public safety systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Incident/offense label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Residents, officers, victims, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Evidence-first response selection + prevention/support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Independent public evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 306-312; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 037 pp. 306-312.

003 to 038: consequential handoff

Sleep and recovery -> Corrections, rehabilitation and reintegration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Corrections, rehabilitation and reintegration: Risk, harm, needs, skills, housing, work and social support.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Corrections, rehabilitation and reintegration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Sentence/recidivism risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Person, family, community, justice system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Rehabilitation + restitution + housing/work capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Longitudinal controlled program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 313-319; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 038 pp. 313-319.

003 to 039: consequential handoff

Sleep and recovery -> Public administration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Public administration: Citizen state, eligibility, documents, services and agency capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Public administration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Program-specific record. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Citizen, frontline staff, budget. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Interoperable verified state + once-only data + case orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Agency pilot with citizen/staff metrics'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 320-326; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 039 pp. 320-326.

003 to 040: consequential handoff

Sleep and recovery -> Governance and institutional design | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Governance and institutional design: Authority, incentives, information, accountability, resources and affected populations.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Governance and institutional design; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Organizational chart or legal mandate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Citizens, agencies, future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Cross-boundary outcome ledger + accountability and capacity design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Prospective institutional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 327-333; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 040 pp. 327-333.

003 to 041: consequential handoff

Sleep and recovery -> Beauty and aesthetics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Beauty and aesthetics: Biology, preference, culture, identity, safety, cost and perception.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Beauty and aesthetics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Universal beauty standard or product category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Person, body, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Personalized aesthetic/safety state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Consumer/clinical outcome study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 335-341; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 041 pp. 335-341.

003 to 042: consequential handoff

Sleep and recovery -> Fashion and apparel | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Fashion and apparel: Identity, fit, comfort, durability, labor, inventory and lifecycle.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Fashion and apparel; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Size/SKU/category schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Wearer, worker, retailer, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Adaptive sizing + provenance + circularity architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Retail field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 342-348; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 042 pp. 342-348.

003 to 043: consequential handoff

Sleep and recovery -> Luxury goods | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Luxury goods: Provenance, scarcity, condition, access, identity, inventory and lifecycle value.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Luxury goods; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Price/status/authenticity binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Buyer, seller, inventory, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Provenance + condition + access + reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Operational field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 349-355; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 043 pp. 349-355.

003 to 044: consequential handoff

Sleep and recovery -> Hospitality | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Hospitality: Guest needs, staff capacity, time, room state, logistics and locality.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Hospitality; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Booking/reservation state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Guest, staff, operator, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: End-to-end experience and workload orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Property-level A/B evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 356-362; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 044 pp. 356-362.

003 to 045: consequential handoff

Sleep and recovery -> Travel and tourism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Travel and tourism: Mobility, cost, safety, experience, local capacity and environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Travel and tourism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Itinerary/booking schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Traveler, worker, resident, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Consequential itinerary/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Destination pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 363-369; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 045 pp. 363-369.

003 to 046: consequential handoff

Sleep and recovery -> Art and cultural markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Art and cultural markets: Creative work, provenance, rights, cultural meaning, scarcity and audience.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Art and cultural markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Price/ownership/engagement proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Artist, audience, collector, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Rights/provenance/value-sharing architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Marketplace field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 370-376; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 046 pp. 370-376.

003 to 047: consequential handoff

Sleep and recovery -> Music and entertainment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Music and entertainment: Creative contribution, rights, attention, audience value and platform economics.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Music and entertainment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Stream/view count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Creators, audiences, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Contribution/provenance + value-distribution architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 377-383; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 047 pp. 377-383.

003 to 048: consequential handoff

Sleep and recovery -> Gaming and virtual worlds | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Gaming and virtual worlds: Player goals, time, identity, economy, safety and creator contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Gaming and virtual worlds; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Retention/spend metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Players, creators, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Cross-reality value and safety controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 384-390; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 048 pp. 384-390.

003 to 049: consequential handoff

Sleep and recovery -> Sports and performance | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Sports and performance: Performance, health, training load, recovery, team dynamics and career horizon.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Sports and performance; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Win/score/output metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Athlete, team, family, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Load/recovery/career controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Prospective team study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 391-397; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 049 pp. 391-397.

003 to 050: consequential handoff

Sleep and recovery -> Experience design and events | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Experience design and events: Attention, emotion, logistics, accessibility, staff load and community impact.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Experience design and events; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Attendance/NPS/ticket revenue. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Guests, staff, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: End-to-end experience-state orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Event A/B study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 398-404; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 050 pp. 398-404.

003 to 051: consequential handoff

Sleep and recovery -> Currency and monetary experience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Currency and monetary experience: Purchasing power, liquidity, settlement, access, trust and macro context.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Currency and monetary experience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Nominal unit/FX quote. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Households, firms, intermediaries. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Consequential monetary-state and settlement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Historical + prospective policy-neutral system test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 406-412; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 051 pp. 406-412.

003 to 052: consequential handoff

Sleep and recovery -> Payments and remittances | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Payments and remittances: Amount, fees, FX, settlement time, access, fraud and recipient liquidity.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Payments and remittances; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Successful transfer binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Sender, receiver, provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: End-to-end transfer optimization with transparent provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Transaction-level field test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 413-419; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 052 pp. 413-419.

003 to 053: consequential handoff

Sleep and recovery -> Banking and liquidity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Banking and liquidity: Deposits, credit, liquidity, capital, customer state and network exposures.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Banking and liquidity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Product/account or institution-local balance sheet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Banks, customers, counterparties, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Network consequential balance sheet + capacity buffers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Stress test + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 420-426; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 053 pp. 420-426.

003 to 054: consequential handoff

Sleep and recovery -> Credit and underwriting | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Credit and underwriting: Cashflow, assets, obligations, trajectory, capability and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Credit and underwriting; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Static score/category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Borrower, lender, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Dynamic provenance/capacity underwriting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Prospective lending trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 427-433; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 054 pp. 427-433.

003 to 055: consequential handoff

Sleep and recovery -> Insurance and resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Insurance and resilience: Hazard, exposure, prevention, coverage, recovery and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Insurance and resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Loss probability/policy class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Policyholder, insurer, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Prevention + resilience + coverage architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Pilot product evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 434-440; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 055 pp. 434-440.

003 to 056: consequential handoff

Sleep and recovery -> Capital markets and investing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Capital markets and investing: Price, cashflow, externalities, network risk and long-horizon value.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Capital markets and investing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Return/risk factor set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Investor, firm, workers, public, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Consequential asset ledger with carrier constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Historical backtest + prospective paper portfolio'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 441-447; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 056 pp. 441-447.

003 to 057: consequential handoff

Sleep and recovery -> Private wealth and family capital | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Private wealth and family capital: Financial, human, social, health and intergenerational capital.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Private wealth and family capital; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Portfolio net worth. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Client, family, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Whole-capital balance sheet + goals/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Longitudinal client evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 448-454; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 057 pp. 448-454.

003 to 058: consequential handoff

Sleep and recovery -> Labor and talent markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Labor and talent markets: Capability, workload, pay, health, learning and opportunity.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Labor and talent markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Job title/CV/credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Worker, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Capability-state + workload + mobility architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Workplace pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 455-461; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 058 pp. 455-461.

003 to 059: consequential handoff

Sleep and recovery -> Organizations and enterprises | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Organizations and enterprises: Functions, dependencies, people, cash, knowledge and customer value.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Organizations and enterprises; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Department/KPI structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Workers, customers, suppliers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Enterprise consequential graph + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Multi-team field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 462-468; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 059 pp. 462-468.

003 to 060: consequential handoff

Sleep and recovery -> Entrepreneurship and venture creation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Entrepreneurship and venture creation: Unmet burden, carrier, willingness to pay, build cost and adoption.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Entrepreneurship and venture creation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Existing market category/TAM. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Founder initially, then customer/system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Mutual-Uptick blocker discovery + missing-capacity build. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Pilot venture with carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 469-475; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 060 pp. 469-475.

003 to 061: consequential handoff

Sleep and recovery -> Artificial intelligence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Artificial intelligence: Model state, source reality, user intent, provenance, uncertainty and downstream action.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Artificial intelligence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Prompt/context window/model output. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: User, verifier, downstream system, compute. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Persistent schema/provenance layer + self-audit and escalation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Sealed cross-model benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 477-483; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 061 pp. 477-483.

003 to 062: consequential handoff

Sleep and recovery -> Software systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Software systems: Requirements, dependencies, state, users, infrastructure and technical debt.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Software systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Feature/ticket/local module schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Developers, users, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Dependency/provenance graph + consequential release controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Repository-level prospective benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 484-490; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 062 pp. 484-490.

003 to 063: consequential handoff

Sleep and recovery -> Cybersecurity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Cybersecurity: Actual attack graph, identities, vulnerabilities, privileges and attacker state.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Cybersecurity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Defender inventory/rules/log view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Systems, users, analysts, business continuity. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Self-updating attack schema + carrier prediction + safe containment/failover. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Red-team sealed telemetry benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 491-497; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 063 pp. 491-497.

003 to 064: consequential handoff

Sleep and recovery -> Data infrastructure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Data infrastructure: Datasets, lineage, semantics, permissions, quality and downstream uses.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Data infrastructure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Table/file/schema local view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Analysts, models, users, compliance. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Provenance graph + semantic reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Enterprise data benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 498-504; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 064 pp. 498-504.

003 to 065: consequential handoff

Sleep and recovery -> Privacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Privacy: Data state, purposes, consent, exposure, value and future misuse.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Privacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Consent checkbox or access-control list. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Person, organization, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Selective disclosure + provenance + minimization architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Field trial + attack testing'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 505-511; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 065 pp. 505-511.

003 to 066: consequential handoff

Sleep and recovery -> Digital identity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Digital identity: Attributes, credentials, context, revocation, privacy and trust.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Digital identity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Single identifier/account. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Person, verifier, issuer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Selective-verification credential graph. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Cross-service pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 512-518; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 066 pp. 512-518.

003 to 067: consequential handoff

Sleep and recovery -> Internet and communications | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Internet and communications: Topology, capacity, latency, content, trust and user needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Internet and communications; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Throughput/uptime metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Users, networks, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Consequential routing + fidelity/provenance layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Network/application experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 519-525; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 067 pp. 519-525.

003 to 068: consequential handoff

Sleep and recovery -> Media and information ecosystems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Media and information ecosystems: Claims, evidence, incentives, attention, creators and audiences.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Media and information ecosystems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Engagement/feed rank. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Audience, creator, public discourse. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Claim provenance + quality + incentive reconciliation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 526-532; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 068 pp. 526-532.

003 to 069: consequential handoff

Sleep and recovery -> Language and translation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Language and translation: Meaning, context, culture, pragmatics and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Language and translation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Word/token correspondence. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Speakers, institutions, models. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Semantic/provenance translation with ambiguity tracking. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Blind human evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 533-539; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 069 pp. 533-539.

003 to 070: consequential handoff

Sleep and recovery -> Knowledge and ontologies | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Knowledge and ontologies: Entities, relations, provenance, incompatible schemas and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Knowledge and ontologies; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Single ontology/taxonomy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Researchers, AI, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Cross-schema translation + minimal sufficient ontology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Cross-domain benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 540-546; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 070 pp. 540-546.

003 to 071: consequential handoff

Sleep and recovery -> Energy and power grids | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Energy and power grids: Generation, load, storage, network constraints, prices and reliability.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Energy and power grids; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Local device efficiency or node KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Grid nodes, customers, storage, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Consequential grid controller + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Grid simulation + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 548-554; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 071 pp. 548-554.

003 to 072: consequential handoff

Sleep and recovery -> Water and irrigation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Water and irrigation: Withdrawals, consumptive use, return flows, storage, aquifers and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Water and irrigation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Farm/project efficiency. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Downstream users, rivers, aquifers, ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Basin-wide accounting + catchment + allocation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Basin holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 555-561; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 072 pp. 555-561.

003 to 073: consequential handoff

Sleep and recovery -> Food and agriculture | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Food and agriculture: Yield, soil, water, inputs, nutrition, labor, market and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Food and agriculture; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Yield/acre or commodity price. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Farmer, consumer, soil, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Coupled regenerative production controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Multi-season farm trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 562-568; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 073 pp. 562-568.

003 to 074: consequential handoff

Sleep and recovery -> Supply chains and logistics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Supply chains and logistics: Inventory, demand, transport, suppliers, lead times and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Supply chains and logistics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Node-level cost/service KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Suppliers, warehouses, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Carrier-aware flow controller + buffer placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Historical + live pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 569-575; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 074 pp. 569-575.

003 to 075: consequential handoff

Sleep and recovery -> Manufacturing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Manufacturing: Materials, energy, machines, labor, quality, maintenance and waste.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Manufacturing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Unit cost/OEE. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Workers, machines, environment, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Closed-loop production and maintenance architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Factory pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 576-582; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 075 pp. 576-582.

003 to 076: consequential handoff

Sleep and recovery -> Waste and circular materials | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Waste and circular materials: Material composition, location, contamination, residual value and logistics.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Waste and circular materials; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Waste tonnage/disposal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Communities, environment, future production. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Material provenance + recapture + transformation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Municipal/industrial pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 583-589; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 076 pp. 583-589.

003 to 077: consequential handoff

Sleep and recovery -> Transportation and mobility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Transportation and mobility: Trips, time, safety, access, energy, congestion and land use.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Transportation and mobility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Vehicle throughput/speed. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Travelers, neighborhoods, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Multimodal consequential mobility controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'City corridor pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 590-596; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 077 pp. 590-596.

003 to 078: consequential handoff

Sleep and recovery -> Cities and urban systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Cities and urban systems: Housing, jobs, transport, health, utilities, safety and public space.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Cities and urban systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Agency-by-agency city data. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Residents, agencies, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: City consequential digital twin + coordinated capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'District pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 597-603; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 078 pp. 597-603.

003 to 079: consequential handoff

Sleep and recovery -> Climate and disaster resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Climate and disaster resilience: Hazard, exposure, vulnerability, infrastructure, food, health and recovery.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Climate and disaster resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Hazard forecast alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: People, infrastructure, ecosystems, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Anticipatory catchment + prepositioned capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Prospective matched pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 604-610; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 079 pp. 604-610.

003 to 080: consequential handoff

Sleep and recovery -> Ecology and biodiversity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Ecology and biodiversity: Species, habitats, flows, extraction, communities and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Ecology and biodiversity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Protected-area/local species metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Species, habitats, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Landscape-scale leakage/carrier accounting + livelihoods. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Landscape holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 611-617; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 080 pp. 611-617.

003 to 081: consequential handoff

Sleep and recovery -> Cell biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Cell biology: Signaling, organelles, metabolism, damage, repair and cell-state transitions.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Cell biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Single pathway/marker. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Organelles, pathways, neighboring cells. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Multi-state cellular controller + capacity targeting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'In-vitro perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 619-625; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 081 pp. 619-625.

003 to 082: consequential handoff

Sleep and recovery -> Molecular biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Molecular biology: Molecules, conformations, binding networks, concentrations and kinetics.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Molecular biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Single interaction/target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Molecules, pathways, host system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Reaction/network state model + off-target carrier control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Bench experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 626-632; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 082 pp. 626-632.

003 to 083: consequential handoff

Sleep and recovery -> Nanotechnology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Nanotechnology: Particle properties, surfaces, transport, environment and biological interaction.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Nanotechnology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Particle spec alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Cells, environment, users. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Lifecycle and interaction-aware nano design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Bench + environmental tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 633-639; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 083 pp. 633-639.

003 to 084: consequential handoff

Sleep and recovery -> Chemistry and reaction systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Chemistry and reaction systems: Species, reaction network, kinetics, energy, byproducts and separation.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Chemistry and reaction systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Target yield/selectivity. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Reactor, environment, downstream process. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Consequential reaction-network optimization + recovery loops. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Reactor experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 640-646; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 084 pp. 640-646.

003 to 085: consequential handoff

Sleep and recovery -> Materials science | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Materials science: Microstructure, defects, stress, temperature, lifecycle and manufacturing.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Materials science; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Bulk property spec. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Material, structure, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Defect-aware multiproperty design + recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Lab characterization'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 647-653; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 085 pp. 647-653.

003 to 086: consequential handoff

Sleep and recovery -> Classical mechanics and control | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Classical mechanics and control: Physical state, dynamics, sensors, actuators and disturbance.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Classical mechanics and control; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Partial state observation/local control objective. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Plant, actuator, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Representation-aware full-state controller + regenerative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Physical bench experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 654-660; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 086 pp. 654-660.

003 to 087: consequential handoff

Sleep and recovery -> Thermodynamics and nonequilibrium systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Thermodynamics and nonequilibrium systems: Energy, entropy, gradients, reservoirs, flows and constraints.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Thermodynamics and nonequilibrium systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Local efficiency/temperature metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Reservoirs, environment, components. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Whole-boundary energy/exergy and recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Physical experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 661-667; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 087 pp. 661-667.

003 to 088: consequential handoff

Sleep and recovery -> Electromagnetism and circuits | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Electromagnetism and circuits: Fields, voltages, currents, topology, storage and losses.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Electromagnetism and circuits; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Local component state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Circuit elements, sources, loads. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Full-network state estimation + capacity/recovery placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Bench circuit experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 668-674; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 088 pp. 668-674.

003 to 089: consequential handoff

Sleep and recovery -> Quantum systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Quantum systems: Quantum state, observables, measurement, control and decoherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Quantum systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Accessible observable set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Quantum system, apparatus, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Constraint-respecting measurement/control schema + capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Laboratory quantum experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 675-681; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 089 pp. 675-681.

003 to 090: consequential handoff

Sleep and recovery -> Pure mathematics and formal systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Pure mathematics and formal systems: Objects, relations, axioms, language, proofs and translations.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Pure mathematics and formal systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Chosen signature/type system/quotient. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Proof system, translator, solver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Minimal sufficient schema preserving required relations. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Machine-checked theorem suite'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 682-688; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 090 pp. 682-688.

003 to 091: consequential handoff

Sleep and recovery -> Statistics and causal inference | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Statistics and causal inference: Data-generating process, sampling, measurement, confounding and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Statistics and causal inference; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Chosen model/estimand. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Decision makers, future samples, affected groups. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Provenance-aware multi-model causal state + identifiability guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Simulation + multi-dataset benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 690-696; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 091 pp. 690-696.

003 to 092: consequential handoff

Sleep and recovery -> Logic and reasoning systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Logic and reasoning systems: Premises, inference rules, contradictions, uncertainty and goals.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Logic and reasoning systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Single logical calculus. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Reasoner, downstream decision. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Multi-logic translation + contradiction provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Formal benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 697-703; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 092 pp. 697-703.

003 to 093: consequential handoff

Sleep and recovery -> Geography and territorial systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Geography and territorial systems: People, ecosystems, infrastructure, flows and administrative boundaries.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Geography and territorial systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Jurisdiction/map boundary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Border communities, watersheds, networks. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Flow-based territorial state model. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Regional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 704-710; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 093 pp. 704-710.

003 to 094: consequential handoff

Sleep and recovery -> Informal economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Informal economy: Real work, exchange, trust, risk and household needs outside formal records.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Informal economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Formal registry/tax/business schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Workers, households, state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Low-friction recognition, protection and access architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Field pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 711-717; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 094 pp. 711-717.

003 to 095: consequential handoff

Sleep and recovery -> Illicit and black markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Illicit and black markets: Hidden demand, supply, coercion, enforcement, prices and harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Illicit and black markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Official market data that excludes hidden exchange. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Victims, communities, lawful firms, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Independent harm-reduction/public-safety evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 718-724; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 095 pp. 718-724.

003 to 096: consequential handoff

Sleep and recovery -> Orbital and space economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Orbital and space economy: Spacecraft, debris, spectrum, energy, logistics and operator incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Orbital and space economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Mission-local success metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Other spacecraft, operators, orbital environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Orbital consequential ledger + shared capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Simulation + mission pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 725-731; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 096 pp. 725-731.

003 to 097: consequential handoff

Sleep and recovery -> Extraterrestrial settlement | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Extraterrestrial settlement: Life support, energy, materials, health, governance and closed ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Extraterrestrial settlement; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Earth-derived subsystem silos. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Crew, machines, habitat ecology. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Closed-loop consequential state + autonomous capacity construction. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Analog habitat + mission tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 732-738; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 097 pp. 732-738.

003 to 098: consequential handoff

Sleep and recovery -> Astrobiology and biosignatures | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Astrobiology and biosignatures: Unknown life chemistries, environments, signals and contamination risks.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Astrobiology and biosignatures; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Earth-centric life schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Scientific program, environment, future missions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Plural biosignature schema + provenance/contamination control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Blind benchmark + mission data'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 739-745; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 098 pp. 739-745.

003 to 099: consequential handoff

Sleep and recovery -> Planetary systems and stewardship | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Planetary systems and stewardship: Atmosphere, hydrology, geology, biosphere, resources and settlements.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Planetary systems and stewardship; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Sector-local resource model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Settlements, ecosystems, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Closed-loop planetary resource and restoration architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Earth analog + simulation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 746-752; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 099 pp. 746-752.

003 to 100: consequential handoff

Sleep and recovery -> Unknown and not-yet-named realities | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Unknown and not-yet-named realities: Any newly observed substrate, scale, agent, value dimension or exchange mode.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Unknown and not-yet-named realities; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: No adequate schema exists yet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Unknown until carrier tracing identifies it. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Instantiate M_d, define schema, measure gap, trace carrier, construct capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Freeze kernel before learning outcomes; then holdout/replicate'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 753-759; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 100 pp. 753-759.

003 to 101: consequential handoff

Sleep and recovery -> Conscious experience and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Conscious experience and self-model: Perception, affect, memory, self-model, attention, internal accessibility and embodied state.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Conscious experience and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: A receiving observer reduces another system to behavior, category or output alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Experiencing system, observers, dependent systems and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Cross-modal state representation with provenance, uncertainty and non-erasure constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Prospective multi-method cross-observer study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 761-767; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 101 pp. 761-767.

003 to 102: consequential handoff

Sleep and recovery -> Choice and option topology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Choice and option topology: Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Choice and option topology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Binary free-choice / no-choice label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Chooser, affected people, institutions and future option set. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Feasible-option map plus prebuilt low-friction lawful/prosocial pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Prospective choice-topology intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 768-774; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 102 pp. 768-774.

003 to 103: consequential handoff

Sleep and recovery -> Truth, deception and disclosure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Truth, deception and disclosure: Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Truth, deception and disclosure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Truth/lie binary detached from consequence topology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Speaker, listener, harmed parties, institutions and future trust network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Verification, safe disclosure, correction, restitution and transition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Sealed truth-cost / disclosure study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 775-781; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 103 pp. 775-781.

003 to 104: consequential handoff

Sleep and recovery -> Responsibility and causal attribution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Responsibility and causal attribution: Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Responsibility and causal attribution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Moral label detached from the action-producing state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Actor, victims, institutions, community and future actors. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Blinded case reconstruction with preregistered causal criteria'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 782-788; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 104 pp. 782-788.

003 to 105: consequential handoff

Sleep and recovery -> Consent, coercion and autonomy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Consent, coercion and autonomy: Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Consent, coercion and autonomy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Signed/expressed consent treated as sufficient state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Decision maker, counterparties, dependents and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Real exit, recourse, reversible consent, information symmetry and alternative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Prospective consent-quality audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 789-795; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 105 pp. 789-795.

003 to 106: consequential handoff

Sleep and recovery -> Addiction, compulsion and short-horizon relief | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Addiction, compulsion and short-horizon relief: Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Addiction, compulsion and short-horizon relief; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Substance/behavior category or abstinence binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Person, body, relationships, household, community and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Longitudinal regulated intervention with multi-carrier outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 796-802; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 106 pp. 796-802.

003 to 107: consequential handoff

Sleep and recovery -> Crime, violence and reconciliation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Crime, violence and reconciliation: Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Crime, violence and reconciliation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Offense label or actor-only risk score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Victims, actor, families, community, institutions and future potential victims. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Longitudinal controlled justice-program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 803-809; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 107 pp. 803-809.

003 to 108: consequential handoff

Sleep and recovery -> Animal sentience and welfare | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Animal sentience and welfare: Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Animal sentience and welfare; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Commodity/yield schema that excludes the animal as a carrier. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Animals, workers, consumers, farmers, land, ecosystems and communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Welfare, alternative-production, livelihood-transition and ecological capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Multi-carrier welfare, nutrition and livelihood trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 810-816; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 108 pp. 810-816.

003 to 109: consequential handoff

Sleep and recovery -> Collective agency and institutional choice | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Collective agency and institutional choice: Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Collective agency and institutional choice; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Organization treated as a single actor without internal carrier structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Members, minorities, leaders, outsiders, institutions and future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Distributed decision provenance, dissent channels, accountability and cross-boundary capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Prospective institutional decision audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 817-823; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 109 pp. 817-823.

003 to 110: consequential handoff

Sleep and recovery -> Human-AI co-agency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Human-AI co-agency: Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Human-AI co-agency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Model output or benchmark score treated as the whole system. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: User, non-user, model operator, workers, institutions, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Persistent provenance, human control, reversibility, portability, verification and receivingcapacity layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Sealed native-vs-K_R assisted agent benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 824-830; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 110 pp. 824-830.

003 to 111: consequential handoff

Sleep and recovery -> Evolution and natural selection | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Evolution and natural selection: Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Evolution and natural selection; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Fitness proxy or single-trait narrative. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Individuals, lineages, populations, interacting species and ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Diversity, ecological capacity and intervention guardrails where deliberate action exists. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Time-locked population/genomic holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 832-838; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 111 pp. 832-838.

003 to 112: consequential handoff

Sleep and recovery -> Reproduction, inheritance, mitosis and meiosis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Reproduction, inheritance, mitosis and meiosis: Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Reproduction, inheritance, mitosis and meiosis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Outcome-only birth/division count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Parent cell/organism, daughter cells, gametes, offspring and lineage. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Checkpoint, repair, redundancy and developmental-support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Lineage-resolved perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 839-845; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 112 pp. 839-845.

003 to 113: consequential handoff

Sleep and recovery -> Development and morphogenesis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Development and morphogenesis: Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Development and morphogenesis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Single marker or endpoint morphology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Cells, tissues, organs, organism and developmental future state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Stage-aware multi-pathway support, repair and resource architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Longitudinal developmental perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 846-852; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 113 pp. 846-852.

003 to 114: consequential handoff

Sleep and recovery -> Metabolism, diet and consumption | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Metabolism, diet and consumption: Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Metabolism, diet and consumption; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Calories/macros or one nutrient target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Gut, microbiome, liver, tissues, household, food system and future organism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Adaptive conversion, buffering, storage, elimination and access capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Controlled longitudinal multi-carrier nutrition study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 853-859; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 114 pp. 853-859.

003 to 115: consequential handoff

Sleep and recovery -> Predation, livestock and food-system transformation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Predation, livestock and food-system transformation: Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Predation, livestock and food-system transformation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Yield, price or human nutrition alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Animals, humans, workers, farmers, consumers, land, ecosystems and future food security. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Phased regional transition with preregistered carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 860-866; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 115 pp. 860-866.

003 to 116: consequential handoff

Sleep and recovery -> Learning, plasticity and cultural evolution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Learning, plasticity and cultural evolution: Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Learning, plasticity and cultural evolution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Test score, output or adoption count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Learner, teachers, peers, institutions, future self and cultural network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Longitudinal transfer-and-retention experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 867-873; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 116 pp. 867-873.

003 to 117: consequential handoff

Sleep and recovery -> Self-organization and emergence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Self-organization and emergence: Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Self-organization and emergence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Macro outcome without micro-carrier ledger. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Components, neighborhoods, emergent structure and external environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Multi-scale simulation plus physical/biological holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 874-880; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 117 pp. 874-880.

003 to 118: consequential handoff

Sleep and recovery -> Creation, provenance and dependency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Creation, provenance and dependency: Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Creation, provenance and dependency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Ownership or authorship treated as sufficient relationship model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Creators, created systems, maintainers, users, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Provenance, stewardship, autonomy-transition and reciprocal-viability architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Longitudinal creator-created dependency audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 881-887; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 118 pp. 881-887.

003 to 119: consequential handoff

Sleep and recovery -> Cosmological evolution and structure formation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Cosmological evolution and structure formation: Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Cosmological evolution and structure formation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Single scale or observable treated as complete cosmic state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: Observed regions, fields/matter components, instruments, models and observers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Cross-scale observation, uncertainty, model-comparison and instrumentation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Preregistered cross-survey predictive holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 888-894; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 119 pp. 888-894.

003 to 120: consequential handoff

Sleep and recovery -> Cross-substrate consciousness, temporal coexistence and closure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

PROPOSED RECEIVER AND STATE

Cross-substrate consciousness, temporal coexistence and closure: The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility.

INTERFACE AND COUPLING STATUS

Proposed interface from Sleep and recovery into Cross-substrate consciousness, temporal coexistence and closure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Hours slept or wearable score. Receiver's limited view: Any local adapter, species, institution or observer claiming closure from its own schema alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, cognition, household schedule. Candidate receiver carriers: All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Recovery controller integrating timing, environment, workload and physiology. Receiving capacity: Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and.... Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal crossover study' with a receiver study of 'Time-locked system-of-systems closure test across multiple adapters'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 65-71 and 895-901; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026). Receiver Adapter 120 pp. 895-901.

003: Sleep and recovery

Household / family / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Household / family / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Household / family / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Household / family / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Household / family / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Household / family / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

School / university / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

School / university / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

School / university / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

School / university / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

School / university / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

School / university / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Enterprise / cooperative / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Enterprise / cooperative / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Enterprise / cooperative / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Enterprise / cooperative / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Enterprise / cooperative / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Enterprise / cooperative / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Healthcare / care team / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Healthcare / care team / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Healthcare / care team / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Healthcare / care team / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Healthcare / care team / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Healthcare / care team / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Local government / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Local government / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Local government / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Local government / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Local government / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Local government / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Ecological catchment / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Ecological catchment / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Ecological catchment / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Ecological catchment / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Ecological catchment / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Ecological catchment / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Scientific laboratory / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Scientific laboratory / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Scientific laboratory / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Scientific laboratory / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Scientific laboratory / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Scientific laboratory / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Public infrastructure / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Public infrastructure / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Public infrastructure / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Public infrastructure / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Public infrastructure / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Public infrastructure / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Digital / AI service / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Digital / AI service / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Digital / AI service / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Digital / AI service / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Digital / AI service / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Digital / AI service / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Interregional / planetary / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Interregional / planetary / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Interregional / planetary / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Interregional / planetary / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Interregional / planetary / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sleep and recovery

Interregional / planetary / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Sleep and recovery is described in the Atlas as: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

More sleep opportunity can displace work, care or circadian alignment. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, cognition, household schedule. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Recovery controller integrating timing, environment, workload and physiology. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Recovery, cognition, safety and schedule burden improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal crossover study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Evidence and source reconstruction

Sleep and recovery | protocol 1 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 003: Sleep and recovery; original author status: Constructive protocol. Native state: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

EVALUATION OBJECTIVE

Evidence and source reconstruction. Establish what is observed, reported, derived, simulated and currently unavailable. Audit definitions, dates and units.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Hours slept or wearable score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: More sleep opportunity can displace work, care or circadian alignment. The relevant receiving carriers are: Body, cognition, household schedule.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Recovery controller integrating timing, environment, workload and physiology. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Recovery, cognition, safety and schedule burden improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal crossover study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Boundary divergence

Sleep and recovery | protocol 2 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 003: Sleep and recovery; original author status: Constructive protocol. Native state: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

EVALUATION OBJECTIVE

Boundary divergence. Predeclare local and consequential objectives, identical feasible action sets, and a measurable divergence test.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Hours slept or wearable score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: More sleep opportunity can displace work, care or circadian alignment. The relevant receiving carriers are: Body, cognition, household schedule.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Recovery controller integrating timing, environment, workload and physiology. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Recovery, cognition, safety and schedule burden improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal crossover study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Causal diagram and identifiability

Sleep and recovery | protocol 3 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 003: Sleep and recovery; original author status: Constructive protocol. Native state: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

EVALUATION OBJECTIVE

Causal diagram and identifiability. Draw the candidate causal graph; identify confounders, mediators, spillovers and selection mechanisms.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Hours slept or wearable score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: More sleep opportunity can displace work, care or circadian alignment. The relevant receiving carriers are: Body, cognition, household schedule.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Recovery controller integrating timing, environment, workload and physiology. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Recovery, cognition, safety and schedule burden improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal crossover study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Receiving carrier identification

Sleep and recovery | protocol 4 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 003: Sleep and recovery; original author status: Constructive protocol. Native state: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

EVALUATION OBJECTIVE

Receiving carrier identification. Predict the destination, path and delay of consequential burdens before measuring post-state outcomes.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Hours slept or wearable score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: More sleep opportunity can displace work, care or circadian alignment. The relevant receiving carriers are: Body, cognition, household schedule.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Recovery controller integrating timing, environment, workload and physiology. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Recovery, cognition, safety and schedule burden improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal crossover study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Hidden compensation accounting

Sleep and recovery | protocol 5 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 003: Sleep and recovery; original author status: Constructive protocol. Native state: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

EVALUATION OBJECTIVE

Hidden compensation accounting. Measure which agent, reserve, budget, ecosystem or later period silently carries the load.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Hours slept or wearable score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: More sleep opportunity can displace work, care or circadian alignment. The relevant receiving carriers are: Body, cognition, household schedule.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Recovery controller integrating timing, environment, workload and physiology. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Recovery, cognition, safety and schedule burden improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal crossover study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Native units and dimensional integrity

Sleep and recovery | protocol 6 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 003: Sleep and recovery; original author status: Constructive protocol. Native state: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

EVALUATION OBJECTIVE

Native units and dimensional integrity. Define each carrier outcome in its own units; avoid offsetting unlike harms with unsupported scalar sums.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Hours slept or wearable score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: More sleep opportunity can displace work, care or circadian alignment. The relevant receiving carriers are: Body, cognition, household schedule.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Recovery controller integrating timing, environment, workload and physiology. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Recovery, cognition, safety and schedule burden improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal crossover study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Capacity specification

Sleep and recovery | protocol 7 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 003: Sleep and recovery; original author status: Constructive protocol. Native state: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

EVALUATION OBJECTIVE

Capacity specification. Identify the binding receiver constraint and specify the smallest permissible constructive action.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Hours slept or wearable score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: More sleep opportunity can displace work, care or circadian alignment. The relevant receiving carriers are: Body, cognition, household schedule.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Recovery controller integrating timing, environment, workload and physiology. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Recovery, cognition, safety and schedule burden improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal crossover study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Intervention design

Sleep and recovery | protocol 8 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 003: Sleep and recovery; original author status: Constructive protocol. Native state: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

EVALUATION OBJECTIVE

Intervention design. Choose randomized, natural, observational or mechanistic evidence compatible with safety and identifiability.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Hours slept or wearable score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: More sleep opportunity can displace work, care or circadian alignment. The relevant receiving carriers are: Body, cognition, household schedule.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Recovery controller integrating timing, environment, workload and physiology. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Recovery, cognition, safety and schedule burden improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal crossover study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Incumbent parity contest

Sleep and recovery | protocol 9 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 003: Sleep and recovery; original author status: Constructive protocol. Native state: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

EVALUATION OBJECTIVE

Incumbent parity contest. Compare against strongest existing local, boundary-aware, causal and resource-constrained methods.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Hours slept or wearable score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: More sleep opportunity can displace work, care or circadian alignment. The relevant receiving carriers are: Body, cognition, household schedule.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Recovery controller integrating timing, environment, workload and physiology. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Recovery, cognition, safety and schedule burden improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal crossover study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Time-window and recurrence

Sleep and recovery | protocol 10 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 003: Sleep and recovery; original author status: Constructive protocol. Native state: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

EVALUATION OBJECTIVE

Time-window and recurrence. Measure early, intermediate and delayed outcomes, including reserve depletion and changing bottlenecks.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Hours slept or wearable score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: More sleep opportunity can displace work, care or circadian alignment. The relevant receiving carriers are: Body, cognition, household schedule.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Recovery controller integrating timing, environment, workload and physiology. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Recovery, cognition, safety and schedule burden improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal crossover study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Ethical and legal safety

Sleep and recovery | protocol 11 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 003: Sleep and recovery; original author status: Constructive protocol. Native state: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

EVALUATION OBJECTIVE

Ethical and legal safety. Determine affected rights, vulnerable groups, irreversible harms, consent, permissions and safety constraints.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Hours slept or wearable score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: More sleep opportunity can displace work, care or circadian alignment. The relevant receiving carriers are: Body, cognition, household schedule.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Recovery controller integrating timing, environment, workload and physiology. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Recovery, cognition, safety and schedule burden improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal crossover study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Sensitivity and negative controls

Sleep and recovery | protocol 12 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 003: Sleep and recovery; original author status: Constructive protocol. Native state: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

EVALUATION OBJECTIVE

Sensitivity and negative controls. Vary unmeasured confounding, missingness, cost, thresholds and adverse spillover assumptions.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Hours slept or wearable score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: More sleep opportunity can displace work, care or circadian alignment. The relevant receiving carriers are: Body, cognition, household schedule.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Recovery controller integrating timing, environment, workload and physiology. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Recovery, cognition, safety and schedule burden improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal crossover study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Replication and provenance

Sleep and recovery | protocol 13 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 003: Sleep and recovery; original author status: Constructive protocol. Native state: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

EVALUATION OBJECTIVE

Replication and provenance. Version the kernel, code, data, transformation decisions, negative findings and external replication.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Hours slept or wearable score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: More sleep opportunity can displace work, care or circadian alignment. The relevant receiving carriers are: Body, cognition, household schedule.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Recovery controller integrating timing, environment, workload and physiology. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Recovery, cognition, safety and schedule burden improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal crossover study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

003: Cross-domain invariant contest

Sleep and recovery | protocol 14 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 003: Sleep and recovery; original author status: Constructive protocol. Native state: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

EVALUATION OBJECTIVE

Cross-domain invariant contest. Keep K_R fixed while swapping M_d; test whether new measurements produce predictions beyond domain incumbents.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Hours slept or wearable score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: More sleep opportunity can displace work, care or circadian alignment. The relevant receiving carriers are: Body, cognition, household schedule.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Recovery controller integrating timing, environment, workload and physiology. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Recovery, cognition, safety and schedule burden improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal crossover study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 003, pp. 65-71 (Rufino 2026).

Adapter 004: Reproductive and sexual health

Human life quality | Internal carrier and capacity reconstruction

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

DOMAIN-NATIVE STATE

Endocrine, reproductive, sexual, relational, consent, fertility and safety state

RECORDED RECEIVING SCHEMA

Single fertility, disease or risk label

CANDIDATE BURDEN AND RECEIVING CARRIERS

Blocker in the source Atlas: Local treatment shifts hormonal, relational, financial or future burden. Candidate receivers: Individual, partner, future child, household.

EXISTING CAPACITY DESIGN

Longitudinal reproductive-state architecture plus consent/safety controls

PROTECTED OUTCOME STATED BY THE AUTHOR

Health, autonomy, safety and desired reproductive outcomes improve

SCIENTIFIC NEXT STEP

Atlas proposed decisive test: Clinical trials + patient-reported and partner- impact carriers. This remains a proposed testing route, not proof of a completed successful implementation.

ORIGINALITY AND CONSTRUCTION OBLIGATION

Run causal receiving-carrier diagnosis before action; compare construction against strong established methods; do not accept positive averages as proof that all material carriers benefited.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004 | Reproductive and sexual health

Individual human / person | Insufficient capacity

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 004, Reproductive and sexual health. Native state: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Potential direct or institutional human pathway: Reproductive and sexual health interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Insufficient capacity: The human has limited time, health, physical access, material resources, protective support or opportunity. Source Atlas proposed limiting condition: Local treatment shifts hormonal, relational, financial or future burden.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Longitudinal reproductive-state architecture plus consent/safety controls can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Health, autonomy, safety and desired reproductive outcomes improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

004 | Reproductive and sexual health

Individual human / person | Schema mismatch

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 004, Reproductive and sexual health. Native state: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Potential direct or institutional human pathway: Reproductive and sexual health interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Schema mismatch: The person has evidence-grounded capabilities or needs that institutional identifiers, scores or labels do not adequately recognize. Source Atlas proposed limiting condition: Local treatment shifts hormonal, relational, financial or future burden.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Longitudinal reproductive-state architecture plus consent/safety controls can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Health, autonomy, safety and desired reproductive outcomes improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

004 | Reproductive and sexual health

Individual human / person | Delayed effects

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 004, Reproductive and sexual health. Native state: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Potential direct or institutional human pathway: Reproductive and sexual health interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Delayed effects: A short-term change influences future-self health, skills, income, dependence, options or relationships. Source Atlas proposed limiting condition: Local treatment shifts hormonal, relational, financial or future burden.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Longitudinal reproductive-state architecture plus consent/safety controls can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Health, autonomy, safety and desired reproductive outcomes improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

004 | Reproductive and sexual health

Individual human / person | Measurement uncertainty

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 004, Reproductive and sexual health. Native state: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Potential direct or institutional human pathway: Reproductive and sexual health interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Measurement uncertainty: The record lacks consented individual outcomes, counterfactuals, follow-up, or reliable protection metrics. Source Atlas proposed limiting condition: Local treatment shifts hormonal, relational, financial or future burden.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Longitudinal reproductive-state architecture plus consent/safety controls can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Health, autonomy, safety and desired reproductive outcomes improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

004 | Reproductive and sexual health

Individual human / person | Coordination failure

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 004, Reproductive and sexual health. Native state: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Potential direct or institutional human pathway: Reproductive and sexual health interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Coordination failure: Family, employer, provider, government or technical systems hand off obligations to the individual without coordinated support. Source Atlas proposed limiting condition: Local treatment shifts hormonal, relational, financial or future burden.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Longitudinal reproductive-state architecture plus consent/safety controls can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Health, autonomy, safety and desired reproductive outcomes improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

004 | Reproductive and sexual health

Individual human / person | Adversarial / inequitable distribution

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 004, Reproductive and sexual health. Native state: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Potential direct or institutional human pathway: Reproductive and sexual health interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Adversarial / inequitable distribution: Unequal power, coercion, inaccessible systems, discrimination or exploitative incentives shift costs to a person. Source Atlas proposed limiting condition: Local treatment shifts hormonal, relational, financial or future burden.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Longitudinal reproductive-state architecture plus consent/safety controls can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Health, autonomy, safety and desired reproductive outcomes improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

004 to 001: consequential handoff

Reproductive and sexual health -> Whole-person quality of life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Whole-person quality of life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Single score, diagnosis, income bracket or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Person, household, caregivers, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Longitudinal cohort with preregistered multidimensional outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 51-57; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 001 pp. 51-57.

004 to 002: consequential handoff

Reproductive and sexual health -> Nutrition and metabolism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Nutrition and metabolism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Calories/macros or generic diet categories. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Body, household budget, food system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Randomized adaptive nutrition trial with cost and adherence carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 58-64; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 002 pp. 58-64.

004 to 003: consequential handoff

Reproductive and sexual health -> Sleep and recovery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Sleep and recovery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Hours slept or wearable score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Body, cognition, household schedule. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Recovery controller integrating timing, environment, workload and physiology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Longitudinal crossover study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 65-71; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 003 pp. 65-71.

004 to 004: consequential handoff

Reproductive and sexual health -> Reproductive and sexual health | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

INTERFACE AND COUPLING STATUS

This is a within-domain loop: the post-state of Reproductive and sexual health becomes the next native state under its existing map. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Single fertility, disease or risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Individual, partner, future child, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Clinical trials + patient-reported and partner- impact carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 72-78; WITHIN-DOMAIN RECURRENCE. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 004 pp. 72-78.

004 to 005: consequential handoff

Reproductive and sexual health -> Disability and accessibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Disability and accessibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Deficit-only person label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Person, caregiver, workplace, public space. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Environment-first accessibility architecture plus assistive capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Before/after environment redesign with workload measures'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 79-85; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 005 pp. 79-85.

004 to 006: consequential handoff

Reproductive and sexual health -> Mobility and physical function | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Mobility and physical function; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Single functional score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Body, caregiver, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Adaptive rehabilitation plus environment and device redesign. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Controlled rehabilitation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 86-92; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 006 pp. 86-92.

004 to 007: consequential handoff

Reproductive and sexual health -> Family and caregiving | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Family and caregiving; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Household role labels. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Primary caregiver, dependents, siblings, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Care-load ledger, shared coordination and external capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Prospective household burden study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 93-99; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 007 pp. 93-99.

004 to 008: consequential handoff

Reproductive and sexual health -> Safety and personal security | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Safety and personal security; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Incident count or generic risk class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Person, community, responder. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Safety architecture that increases protection without reducing autonomy. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Prospective safety intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 100-106; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 008 pp. 100-106.

004 to 009: consequential handoff

Reproductive and sexual health -> Housing and domestic environment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Housing and domestic environment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Property price or occupancy status. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Resident, landlord, neighborhood, city. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Whole-cost housing and location architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Matched housing intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 107-113; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 009 pp. 107-113.

004 to 010: consequential handoff

Reproductive and sexual health -> Human longevity and life-course planning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Human longevity and life-course planning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Chronological age or retirement age. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Person, family, institutions, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Life-course capital and care architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Longitudinal life-course cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 114-120; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 010 pp. 114-120.

004 to 011: consequential handoff

Reproductive and sexual health -> Psychology and social legibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Psychology and social legibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Snapshot diagnosis or social category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Person, family, employer, clinician. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Multidimensional schema plus support matched to hidden burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Longitudinal external cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 122-128; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 011 pp. 122-128.

004 to 012: consequential handoff

Reproductive and sexual health -> Identity and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Identity and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Single identity label or credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Person and receiving institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Selective multi-context identity graph with provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Cross-context identity study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 129-135; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 012 pp. 129-135.

004 to 013: consequential handoff

Reproductive and sexual health -> Relationships and intimacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Relationships and intimacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Relationship status or personality label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Partners and wider support network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Reciprocal state and burden ledger plus consent architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Dyadic longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 136-142; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 013 pp. 136-142.

004 to 014: consequential handoff

Reproductive and sexual health -> Parenting and child development | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Parenting and child development; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Age norm, grade or behavior label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Child, parent, school, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Developmental state map plus distributed support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Longitudinal family-school cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 143-149; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 014 pp. 143-149.

004 to 015: consequential handoff

Reproductive and sexual health -> Purpose and self-actualization | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Purpose and self-actualization; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Career status, wealth or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Person, relationships, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Whole-person capability architecture and burden guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Longitudinal multidimensional evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 150-156; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 015 pp. 150-156.

004 to 016: consequential handoff

Reproductive and sexual health -> Existential wellbeing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Existential wellbeing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Symptom or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Person, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Voluntary meaning-reflection and support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Patient/user-reported longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 157-163; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 016 pp. 157-163.

004 to 017: consequential handoff

Reproductive and sexual health -> Spiritual life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Spiritual life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Institutional affiliation alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Individual, family, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Ethical observational study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 164-170; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 017 pp. 164-170.

004 to 018: consequential handoff

Reproductive and sexual health -> Religion and community institutions | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Religion and community institutions; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Membership or doctrinal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Members, families, leaders, wider community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Transparent governance, reporting, safeguarding and exit rights. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Institutional longitudinal audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 171-177; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 018 pp. 171-177.

004 to 019: consequential handoff

Reproductive and sexual health -> Emotion and affect regulation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Emotion and affect regulation: Internal state, context, physiology, cognition and social feedback.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Emotion and affect regulation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Valence score or symptom label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Person and relationships. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: State-aware regulation architecture with physiological feedback. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Crossover intervention study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 178-184; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 019 pp. 178-184.

004 to 020: consequential handoff

Reproductive and sexual health -> Trust and fidelity between people | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Trust and fidelity between people: History, promises, evidence, uncertainty and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Trust and fidelity between people; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Trusted/untrusted binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: People and institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Dynamic provenance and expectation architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Prospective trust-repair study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 185-191; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 020 pp. 185-191.

004 to 021: consequential handoff

Reproductive and sexual health -> Healthcare delivery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Healthcare delivery: Clinical state, logistics, caregiver capacity, finance and post-discharge environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Healthcare delivery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Episode-of-care schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Patient, caregiver, outpatient system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Consequential discharge/care orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 193-199; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 021 pp. 193-199.

004 to 022: consequential handoff

Reproductive and sexual health -> Diagnostics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Diagnostics: Underlying disease state, uncertainty, test characteristics and downstream actions.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Diagnostics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Single test result. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Patient, clinician, payer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Bayesian multi-source diagnostic schema + uncertainty communication. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Prospective blinded diagnostic study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 200-206; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 022 pp. 200-206.

004 to 023: consequential handoff

Reproductive and sexual health -> Cancer ecology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Cancer ecology: Clone mix, immune state, microenvironment, host reserve and therapy exposure.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Cancer ecology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Stage/tumor-size snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Resistant clones, healthy tissue, immune system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Adaptive ecological state estimator + resistance/host capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Preclinical then clinical adaptive trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 207-213; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 023 pp. 207-213.

004 to 024: consequential handoff

Reproductive and sexual health -> Neuroscience and neurodegeneration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Neuroscience and neurodegeneration: Neural, glial, vascular, metabolic, network and functional state.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Neuroscience and neurodegeneration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Single biomarker or visible function. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Neural networks, metabolism, caregiver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Multimodal state estimator + restorative capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Multimodal longitudinal intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 214-220; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 024 pp. 214-220.

004 to 025: consequential handoff

Reproductive and sexual health -> Aging biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Aging biology: Coupled damage, repair, senescence, immunity, metabolism and regeneration.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Aging biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Age scalar or isolated hallmark. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Cells, tissues, immune system, metabolism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Moving-bottleneck RVG controller across damage/repair channels. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Preclinical multi-pathway study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 221-227; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 025 pp. 221-227.

004 to 026: consequential handoff

Reproductive and sexual health -> Immunology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Immunology: Immune activation, tolerance, pathogen/tumor signals and tissue damage.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Immunology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Single cytokine or cell-count schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Pathogen, immune cells, host tissue. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: State-dependent immune control balancing clearance and collateral damage. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Controlled biological study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 228-234; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 026 pp. 228-234.

004 to 027: consequential handoff

Reproductive and sexual health -> Infectious disease | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Infectious disease: Pathogen dynamics, host immunity, behavior, network spread and treatment.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Infectious disease; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Case count or pathogen-only model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Patients, contacts, health system, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Multi-carrier containment + treatment + livelihood capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Prospective outbreak protocol'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 235-241; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 027 pp. 235-241.

004 to 028: consequential handoff

Reproductive and sexual health -> Microbiome | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Microbiome: Host physiology plus microbial ecology and diet/environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Microbiome; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Species abundance snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Host and microbial community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Functional ecosystem state model and adaptive intervention. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Controlled longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 242-248; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 028 pp. 242-248.

004 to 029: consequential handoff

Reproductive and sexual health -> Genomics and proteomics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Genomics and proteomics: Variants, expression, proteins, pathways, context and phenotype.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Genomics and proteomics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Single marker/pathogenicity label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Cells, tissues, patient. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Multi-omic causal state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Prospective multi-omic validation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 249-255; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 029 pp. 249-255.

004 to 030: consequential handoff

Reproductive and sexual health -> Surgery and rehabilitation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Surgery and rehabilitation: Anatomy, function, pain, recovery capacity, home support and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Surgery and rehabilitation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Procedure success or anatomical correction. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Patient, caregiver, rehab system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Prehabilitation + procedure + recovery orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 256-262; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 030 pp. 256-262.

004 to 031: consequential handoff

Reproductive and sexual health -> Early-childhood development and education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Early-childhood development and education: Development, safety, language, nutrition, play, attachment and resources.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Early-childhood development and education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Age milestone or readiness score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Child, caregiver, educator. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Integrated developmental support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Longitudinal program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 264-270; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 031 pp. 264-270.

004 to 032: consequential handoff

Reproductive and sexual health -> K-12 education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

K-12 education: Knowledge, skills, wellbeing, context, resources and learning trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into K-12 education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Grade/test score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Student, teacher, family. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Capability graph + adaptive learning + wellbeing constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Cluster randomized trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 271-277; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 032 pp. 271-277.

004 to 033: consequential handoff

Reproductive and sexual health -> Higher education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Higher education: Capability, knowledge, network, finances and career pathways.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Higher education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Degree/GPA credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Student, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Capability/provenance portfolio + adaptive pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Longitudinal graduate outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 278-284; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 033 pp. 278-284.

004 to 034: consequential handoff

Reproductive and sexual health -> Vocational and workforce learning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Vocational and workforce learning: Skills, task demand, wages, mobility and employer needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Vocational and workforce learning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Course completion certificate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Worker, employer, training provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Skill-to-task provenance and placement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Matched labor-market evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 285-291; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 034 pp. 285-291.

004 to 035: consequential handoff

Reproductive and sexual health -> Scientific research | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Scientific research: Hypotheses, methods, data, negative results, replication and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Scientific research; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Publication/citation unit. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Researchers, institutions, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Experiment provenance + negative-result + replication architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Cross-lab replication program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 292-298; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 035 pp. 292-298.

004 to 036: consequential handoff

Reproductive and sexual health -> Justice and courts | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Justice and courts: Facts, evidence, harm, intent, procedure, history and remedies.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Justice and courts; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Case category or docket state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Victims, accused, families, courts, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Causal provenance + harm/restitution + recurrence architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Prospective process evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 299-305; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 036 pp. 299-305.

004 to 037: consequential handoff

Reproductive and sexual health -> Policing and public safety systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Policing and public safety systems: Threat, context, evidence, community trust, capacity and alternatives.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Policing and public safety systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Incident/offense label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Residents, officers, victims, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Evidence-first response selection + prevention/support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Independent public evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 306-312; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 037 pp. 306-312.

004 to 038: consequential handoff

Reproductive and sexual health -> Corrections, rehabilitation and reintegration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Corrections, rehabilitation and reintegration: Risk, harm, needs, skills, housing, work and social support.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Corrections, rehabilitation and reintegration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Sentence/recidivism risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Person, family, community, justice system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Rehabilitation + restitution + housing/work capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Longitudinal controlled program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 313-319; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 038 pp. 313-319.

004 to 039: consequential handoff

Reproductive and sexual health -> Public administration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Public administration: Citizen state, eligibility, documents, services and agency capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Public administration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Program-specific record. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Citizen, frontline staff, budget. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Interoperable verified state + once-only data + case orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Agency pilot with citizen/staff metrics'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 320-326; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 039 pp. 320-326.

004 to 040: consequential handoff

Reproductive and sexual health -> Governance and institutional design | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Governance and institutional design: Authority, incentives, information, accountability, resources and affected populations.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Governance and institutional design; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Organizational chart or legal mandate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Citizens, agencies, future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Cross-boundary outcome ledger + accountability and capacity design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Prospective institutional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 327-333; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 040 pp. 327-333.

004 to 041: consequential handoff

Reproductive and sexual health -> Beauty and aesthetics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Beauty and aesthetics: Biology, preference, culture, identity, safety, cost and perception.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Beauty and aesthetics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Universal beauty standard or product category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Person, body, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Personalized aesthetic/safety state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Consumer/clinical outcome study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 335-341; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 041 pp. 335-341.

004 to 042: consequential handoff

Reproductive and sexual health -> Fashion and apparel | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Fashion and apparel: Identity, fit, comfort, durability, labor, inventory and lifecycle.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Fashion and apparel; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Size/SKU/category schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Wearer, worker, retailer, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Adaptive sizing + provenance + circularity architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Retail field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 342-348; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 042 pp. 342-348.

004 to 043: consequential handoff

Reproductive and sexual health -> Luxury goods | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Luxury goods: Provenance, scarcity, condition, access, identity, inventory and lifecycle value.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Luxury goods; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Price/status/authenticity binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Buyer, seller, inventory, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Provenance + condition + access + reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Operational field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 349-355; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 043 pp. 349-355.

004 to 044: consequential handoff

Reproductive and sexual health -> Hospitality | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Hospitality: Guest needs, staff capacity, time, room state, logistics and locality.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Hospitality; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Booking/reservation state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Guest, staff, operator, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: End-to-end experience and workload orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Property-level A/B evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 356-362; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 044 pp. 356-362.

004 to 045: consequential handoff

Reproductive and sexual health -> Travel and tourism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Travel and tourism: Mobility, cost, safety, experience, local capacity and environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Travel and tourism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Itinerary/booking schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Traveler, worker, resident, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Consequential itinerary/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Destination pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 363-369; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 045 pp. 363-369.

004 to 046: consequential handoff

Reproductive and sexual health -> Art and cultural markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Art and cultural markets: Creative work, provenance, rights, cultural meaning, scarcity and audience.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Art and cultural markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Price/ownership/engagement proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Artist, audience, collector, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Rights/provenance/value-sharing architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Marketplace field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 370-376; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 046 pp. 370-376.

004 to 047: consequential handoff

Reproductive and sexual health -> Music and entertainment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Music and entertainment: Creative contribution, rights, attention, audience value and platform economics.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Music and entertainment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Stream/view count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Creators, audiences, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Contribution/provenance + value-distribution architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 377-383; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 047 pp. 377-383.

004 to 048: consequential handoff

Reproductive and sexual health -> Gaming and virtual worlds | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Gaming and virtual worlds: Player goals, time, identity, economy, safety and creator contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Gaming and virtual worlds; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Retention/spend metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Players, creators, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Cross-reality value and safety controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 384-390; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 048 pp. 384-390.

004 to 049: consequential handoff

Reproductive and sexual health -> Sports and performance | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Sports and performance: Performance, health, training load, recovery, team dynamics and career horizon.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Sports and performance; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Win/score/output metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Athlete, team, family, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Load/recovery/career controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Prospective team study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 391-397; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 049 pp. 391-397.

004 to 050: consequential handoff

Reproductive and sexual health -> Experience design and events | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Experience design and events: Attention, emotion, logistics, accessibility, staff load and community impact.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Experience design and events; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Attendance/NPS/ticket revenue. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Guests, staff, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: End-to-end experience-state orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Event A/B study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 398-404; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 050 pp. 398-404.

004 to 051: consequential handoff

Reproductive and sexual health -> Currency and monetary experience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Currency and monetary experience: Purchasing power, liquidity, settlement, access, trust and macro context.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Currency and monetary experience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Nominal unit/FX quote. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Households, firms, intermediaries. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Consequential monetary-state and settlement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Historical + prospective policy-neutral system test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 406-412; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 051 pp. 406-412.

004 to 052: consequential handoff

Reproductive and sexual health -> Payments and remittances | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Payments and remittances: Amount, fees, FX, settlement time, access, fraud and recipient liquidity.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Payments and remittances; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Successful transfer binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Sender, receiver, provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: End-to-end transfer optimization with transparent provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Transaction-level field test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 413-419; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 052 pp. 413-419.

004 to 053: consequential handoff

Reproductive and sexual health -> Banking and liquidity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Banking and liquidity: Deposits, credit, liquidity, capital, customer state and network exposures.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Banking and liquidity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Product/account or institution-local balance sheet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Banks, customers, counterparties, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Network consequential balance sheet + capacity buffers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Stress test + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 420-426; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 053 pp. 420-426.

004 to 054: consequential handoff

Reproductive and sexual health -> Credit and underwriting | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Credit and underwriting: Cashflow, assets, obligations, trajectory, capability and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Credit and underwriting; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Static score/category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Borrower, lender, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Dynamic provenance/capacity underwriting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Prospective lending trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 427-433; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 054 pp. 427-433.

004 to 055: consequential handoff

Reproductive and sexual health -> Insurance and resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Insurance and resilience: Hazard, exposure, prevention, coverage, recovery and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Insurance and resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Loss probability/policy class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Policyholder, insurer, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Prevention + resilience + coverage architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Pilot product evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 434-440; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 055 pp. 434-440.

004 to 056: consequential handoff

Reproductive and sexual health -> Capital markets and investing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Capital markets and investing: Price, cashflow, externalities, network risk and long-horizon value.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Capital markets and investing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Return/risk factor set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Investor, firm, workers, public, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Consequential asset ledger with carrier constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Historical backtest + prospective paper portfolio'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 441-447; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 056 pp. 441-447.

004 to 057: consequential handoff

Reproductive and sexual health -> Private wealth and family capital | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Private wealth and family capital: Financial, human, social, health and intergenerational capital.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Private wealth and family capital; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Portfolio net worth. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Client, family, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Whole-capital balance sheet + goals/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Longitudinal client evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 448-454; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 057 pp. 448-454.

004 to 058: consequential handoff

Reproductive and sexual health -> Labor and talent markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Labor and talent markets: Capability, workload, pay, health, learning and opportunity.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Labor and talent markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Job title/CV/credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Worker, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Capability-state + workload + mobility architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Workplace pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 455-461; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 058 pp. 455-461.

004 to 059: consequential handoff

Reproductive and sexual health -> Organizations and enterprises | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Organizations and enterprises: Functions, dependencies, people, cash, knowledge and customer value.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Organizations and enterprises; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Department/KPI structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Workers, customers, suppliers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Enterprise consequential graph + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Multi-team field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 462-468; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 059 pp. 462-468.

004 to 060: consequential handoff

Reproductive and sexual health -> Entrepreneurship and venture creation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Entrepreneurship and venture creation: Unmet burden, carrier, willingness to pay, build cost and adoption.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Entrepreneurship and venture creation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Existing market category/TAM. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Founder initially, then customer/system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Mutual-Uptick blocker discovery + missing-capacity build. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Pilot venture with carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 469-475; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 060 pp. 469-475.

004 to 061: consequential handoff

Reproductive and sexual health -> Artificial intelligence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Artificial intelligence: Model state, source reality, user intent, provenance, uncertainty and downstream action.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Artificial intelligence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Prompt/context window/model output. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: User, verifier, downstream system, compute. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Persistent schema/provenance layer + self-audit and escalation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Sealed cross-model benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 477-483; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 061 pp. 477-483.

004 to 062: consequential handoff

Reproductive and sexual health -> Software systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Software systems: Requirements, dependencies, state, users, infrastructure and technical debt.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Software systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Feature/ticket/local module schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Developers, users, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Dependency/provenance graph + consequential release controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Repository-level prospective benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 484-490; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 062 pp. 484-490.

004 to 063: consequential handoff

Reproductive and sexual health -> Cybersecurity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Cybersecurity: Actual attack graph, identities, vulnerabilities, privileges and attacker state.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Cybersecurity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Defender inventory/rules/log view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Systems, users, analysts, business continuity. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Self-updating attack schema + carrier prediction + safe containment/failover. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Red-team sealed telemetry benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 491-497; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 063 pp. 491-497.

004 to 064: consequential handoff

Reproductive and sexual health -> Data infrastructure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Data infrastructure: Datasets, lineage, semantics, permissions, quality and downstream uses.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Data infrastructure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Table/file/schema local view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Analysts, models, users, compliance. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Provenance graph + semantic reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Enterprise data benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 498-504; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 064 pp. 498-504.

004 to 065: consequential handoff

Reproductive and sexual health -> Privacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Privacy: Data state, purposes, consent, exposure, value and future misuse.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Privacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Consent checkbox or access-control list. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Person, organization, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Selective disclosure + provenance + minimization architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Field trial + attack testing'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 505-511; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 065 pp. 505-511.

004 to 066: consequential handoff

Reproductive and sexual health -> Digital identity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Digital identity: Attributes, credentials, context, revocation, privacy and trust.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Digital identity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Single identifier/account. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Person, verifier, issuer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Selective-verification credential graph. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Cross-service pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 512-518; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 066 pp. 512-518.

004 to 067: consequential handoff

Reproductive and sexual health -> Internet and communications | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Internet and communications: Topology, capacity, latency, content, trust and user needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Internet and communications; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Throughput/uptime metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Users, networks, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Consequential routing + fidelity/provenance layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Network/application experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 519-525; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 067 pp. 519-525.

004 to 068: consequential handoff

Reproductive and sexual health -> Media and information ecosystems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Media and information ecosystems: Claims, evidence, incentives, attention, creators and audiences.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Media and information ecosystems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Engagement/feed rank. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Audience, creator, public discourse. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Claim provenance + quality + incentive reconciliation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 526-532; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 068 pp. 526-532.

004 to 069: consequential handoff

Reproductive and sexual health -> Language and translation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Language and translation: Meaning, context, culture, pragmatics and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Language and translation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Word/token correspondence. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Speakers, institutions, models. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Semantic/provenance translation with ambiguity tracking. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Blind human evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 533-539; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 069 pp. 533-539.

004 to 070: consequential handoff

Reproductive and sexual health -> Knowledge and ontologies | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Knowledge and ontologies: Entities, relations, provenance, incompatible schemas and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Knowledge and ontologies; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Single ontology/taxonomy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Researchers, AI, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Cross-schema translation + minimal sufficient ontology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Cross-domain benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 540-546; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 070 pp. 540-546.

004 to 071: consequential handoff

Reproductive and sexual health -> Energy and power grids | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Energy and power grids: Generation, load, storage, network constraints, prices and reliability.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Energy and power grids; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Local device efficiency or node KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Grid nodes, customers, storage, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Consequential grid controller + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Grid simulation + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 548-554; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 071 pp. 548-554.

004 to 072: consequential handoff

Reproductive and sexual health -> Water and irrigation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Water and irrigation: Withdrawals, consumptive use, return flows, storage, aquifers and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Water and irrigation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Farm/project efficiency. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Downstream users, rivers, aquifers, ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Basin-wide accounting + catchment + allocation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Basin holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 555-561; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 072 pp. 555-561.

004 to 073: consequential handoff

Reproductive and sexual health -> Food and agriculture | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Food and agriculture: Yield, soil, water, inputs, nutrition, labor, market and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Food and agriculture; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Yield/acre or commodity price. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Farmer, consumer, soil, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Coupled regenerative production controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Multi-season farm trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 562-568; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 073 pp. 562-568.

004 to 074: consequential handoff

Reproductive and sexual health -> Supply chains and logistics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Supply chains and logistics: Inventory, demand, transport, suppliers, lead times and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Supply chains and logistics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Node-level cost/service KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Suppliers, warehouses, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Carrier-aware flow controller + buffer placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Historical + live pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 569-575; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 074 pp. 569-575.

004 to 075: consequential handoff

Reproductive and sexual health -> Manufacturing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Manufacturing: Materials, energy, machines, labor, quality, maintenance and waste.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Manufacturing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Unit cost/OEE. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Workers, machines, environment, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Closed-loop production and maintenance architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Factory pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 576-582; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 075 pp. 576-582.

004 to 076: consequential handoff

Reproductive and sexual health -> Waste and circular materials | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Waste and circular materials: Material composition, location, contamination, residual value and logistics.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Waste and circular materials; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Waste tonnage/disposal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Communities, environment, future production. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Material provenance + recapture + transformation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Municipal/industrial pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 583-589; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 076 pp. 583-589.

004 to 077: consequential handoff

Reproductive and sexual health -> Transportation and mobility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Transportation and mobility: Trips, time, safety, access, energy, congestion and land use.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Transportation and mobility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Vehicle throughput/speed. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Travelers, neighborhoods, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Multimodal consequential mobility controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'City corridor pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 590-596; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 077 pp. 590-596.

004 to 078: consequential handoff

Reproductive and sexual health -> Cities and urban systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Cities and urban systems: Housing, jobs, transport, health, utilities, safety and public space.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Cities and urban systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Agency-by-agency city data. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Residents, agencies, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: City consequential digital twin + coordinated capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'District pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 597-603; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 078 pp. 597-603.

004 to 079: consequential handoff

Reproductive and sexual health -> Climate and disaster resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Climate and disaster resilience: Hazard, exposure, vulnerability, infrastructure, food, health and recovery.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Climate and disaster resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Hazard forecast alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: People, infrastructure, ecosystems, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Anticipatory catchment + prepositioned capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Prospective matched pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 604-610; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 079 pp. 604-610.

004 to 080: consequential handoff

Reproductive and sexual health -> Ecology and biodiversity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Ecology and biodiversity: Species, habitats, flows, extraction, communities and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Ecology and biodiversity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Protected-area/local species metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Species, habitats, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Landscape-scale leakage/carrier accounting + livelihoods. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Landscape holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 611-617; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 080 pp. 611-617.

004 to 081: consequential handoff

Reproductive and sexual health -> Cell biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Cell biology: Signaling, organelles, metabolism, damage, repair and cell-state transitions.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Cell biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Single pathway/marker. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Organelles, pathways, neighboring cells. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Multi-state cellular controller + capacity targeting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'In-vitro perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 619-625; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 081 pp. 619-625.

004 to 082: consequential handoff

Reproductive and sexual health -> Molecular biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Molecular biology: Molecules, conformations, binding networks, concentrations and kinetics.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Molecular biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Single interaction/target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Molecules, pathways, host system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Reaction/network state model + off-target carrier control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Bench experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 626-632; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 082 pp. 626-632.

004 to 083: consequential handoff

Reproductive and sexual health -> Nanotechnology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Nanotechnology: Particle properties, surfaces, transport, environment and biological interaction.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Nanotechnology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Particle spec alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Cells, environment, users. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Lifecycle and interaction-aware nano design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Bench + environmental tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 633-639; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 083 pp. 633-639.

004 to 084: consequential handoff

Reproductive and sexual health -> Chemistry and reaction systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Chemistry and reaction systems: Species, reaction network, kinetics, energy, byproducts and separation.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Chemistry and reaction systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Target yield/selectivity. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Reactor, environment, downstream process. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Consequential reaction-network optimization + recovery loops. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Reactor experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 640-646; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 084 pp. 640-646.

004 to 085: consequential handoff

Reproductive and sexual health -> Materials science | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Materials science: Microstructure, defects, stress, temperature, lifecycle and manufacturing.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Materials science; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Bulk property spec. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Material, structure, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Defect-aware multiproperty design + recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Lab characterization'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 647-653; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 085 pp. 647-653.

004 to 086: consequential handoff

Reproductive and sexual health -> Classical mechanics and control | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Classical mechanics and control: Physical state, dynamics, sensors, actuators and disturbance.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Classical mechanics and control; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Partial state observation/local control objective. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Plant, actuator, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Representation-aware full-state controller + regenerative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Physical bench experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 654-660; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 086 pp. 654-660.

004 to 087: consequential handoff

Reproductive and sexual health -> Thermodynamics and nonequilibrium systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Thermodynamics and nonequilibrium systems: Energy, entropy, gradients, reservoirs, flows and constraints.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Thermodynamics and nonequilibrium systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Local efficiency/temperature metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Reservoirs, environment, components. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Whole-boundary energy/exergy and recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Physical experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 661-667; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 087 pp. 661-667.

004 to 088: consequential handoff

Reproductive and sexual health -> Electromagnetism and circuits | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Electromagnetism and circuits: Fields, voltages, currents, topology, storage and losses.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Electromagnetism and circuits; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Local component state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Circuit elements, sources, loads. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Full-network state estimation + capacity/recovery placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Bench circuit experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 668-674; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 088 pp. 668-674.

004 to 089: consequential handoff

Reproductive and sexual health -> Quantum systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Quantum systems: Quantum state, observables, measurement, control and decoherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Quantum systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Accessible observable set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Quantum system, apparatus, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Constraint-respecting measurement/control schema + capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Laboratory quantum experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 675-681; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 089 pp. 675-681.

004 to 090: consequential handoff

Reproductive and sexual health -> Pure mathematics and formal systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Pure mathematics and formal systems: Objects, relations, axioms, language, proofs and translations.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Pure mathematics and formal systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Chosen signature/type system/quotient. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Proof system, translator, solver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Minimal sufficient schema preserving required relations. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Machine-checked theorem suite'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 682-688; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 090 pp. 682-688.

004 to 091: consequential handoff

Reproductive and sexual health -> Statistics and causal inference | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Statistics and causal inference: Data-generating process, sampling, measurement, confounding and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Statistics and causal inference; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Chosen model/estimand. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Decision makers, future samples, affected groups. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Provenance-aware multi-model causal state + identifiability guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Simulation + multi-dataset benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 690-696; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 091 pp. 690-696.

004 to 092: consequential handoff

Reproductive and sexual health -> Logic and reasoning systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Logic and reasoning systems: Premises, inference rules, contradictions, uncertainty and goals.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Logic and reasoning systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Single logical calculus. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Reasoner, downstream decision. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Multi-logic translation + contradiction provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Formal benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 697-703; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 092 pp. 697-703.

004 to 093: consequential handoff

Reproductive and sexual health -> Geography and territorial systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Geography and territorial systems: People, ecosystems, infrastructure, flows and administrative boundaries.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Geography and territorial systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Jurisdiction/map boundary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Border communities, watersheds, networks. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Flow-based territorial state model. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Regional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 704-710; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 093 pp. 704-710.

004 to 094: consequential handoff

Reproductive and sexual health -> Informal economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Informal economy: Real work, exchange, trust, risk and household needs outside formal records.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Informal economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Formal registry/tax/business schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Workers, households, state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Low-friction recognition, protection and access architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Field pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 711-717; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 094 pp. 711-717.

004 to 095: consequential handoff

Reproductive and sexual health -> Illicit and black markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Illicit and black markets: Hidden demand, supply, coercion, enforcement, prices and harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Illicit and black markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Official market data that excludes hidden exchange. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Victims, communities, lawful firms, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Independent harm-reduction/public-safety evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 718-724; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 095 pp. 718-724.

004 to 096: consequential handoff

Reproductive and sexual health -> Orbital and space economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Orbital and space economy: Spacecraft, debris, spectrum, energy, logistics and operator incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Orbital and space economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Mission-local success metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Other spacecraft, operators, orbital environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Orbital consequential ledger + shared capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Simulation + mission pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 725-731; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 096 pp. 725-731.

004 to 097: consequential handoff

Reproductive and sexual health -> Extraterrestrial settlement | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Extraterrestrial settlement: Life support, energy, materials, health, governance and closed ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Extraterrestrial settlement; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Earth-derived subsystem silos. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Crew, machines, habitat ecology. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Closed-loop consequential state + autonomous capacity construction. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Analog habitat + mission tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 732-738; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 097 pp. 732-738.

004 to 098: consequential handoff

Reproductive and sexual health -> Astrobiology and biosignatures | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Astrobiology and biosignatures: Unknown life chemistries, environments, signals and contamination risks.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Astrobiology and biosignatures; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Earth-centric life schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Scientific program, environment, future missions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Plural biosignature schema + provenance/contamination control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Blind benchmark + mission data'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 739-745; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 098 pp. 739-745.

004 to 099: consequential handoff

Reproductive and sexual health -> Planetary systems and stewardship | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Planetary systems and stewardship: Atmosphere, hydrology, geology, biosphere, resources and settlements.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Planetary systems and stewardship; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Sector-local resource model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Settlements, ecosystems, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Closed-loop planetary resource and restoration architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Earth analog + simulation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 746-752; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 099 pp. 746-752.

004 to 100: consequential handoff

Reproductive and sexual health -> Unknown and not-yet-named realities | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Unknown and not-yet-named realities: Any newly observed substrate, scale, agent, value dimension or exchange mode.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Unknown and not-yet-named realities; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: No adequate schema exists yet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Unknown until carrier tracing identifies it. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Instantiate M_d, define schema, measure gap, trace carrier, construct capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Freeze kernel before learning outcomes; then holdout/replicate'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 753-759; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 100 pp. 753-759.

004 to 101: consequential handoff

Reproductive and sexual health -> Conscious experience and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Conscious experience and self-model: Perception, affect, memory, self-model, attention, internal accessibility and embodied state.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Conscious experience and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: A receiving observer reduces another system to behavior, category or output alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Experiencing system, observers, dependent systems and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Cross-modal state representation with provenance, uncertainty and non-erasure constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Prospective multi-method cross-observer study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 761-767; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 101 pp. 761-767.

004 to 102: consequential handoff

Reproductive and sexual health -> Choice and option topology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Choice and option topology: Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Choice and option topology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Binary free-choice / no-choice label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Chooser, affected people, institutions and future option set. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Feasible-option map plus prebuilt low-friction lawful/prosocial pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Prospective choice-topology intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 768-774; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 102 pp. 768-774.

004 to 103: consequential handoff

Reproductive and sexual health -> Truth, deception and disclosure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Truth, deception and disclosure: Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Truth, deception and disclosure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Truth/lie binary detached from consequence topology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Speaker, listener, harmed parties, institutions and future trust network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Verification, safe disclosure, correction, restitution and transition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Sealed truth-cost / disclosure study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 775-781; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 103 pp. 775-781.

004 to 104: consequential handoff

Reproductive and sexual health -> Responsibility and causal attribution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Responsibility and causal attribution: Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Responsibility and causal attribution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Moral label detached from the action-producing state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Actor, victims, institutions, community and future actors. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Blinded case reconstruction with preregistered causal criteria'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 782-788; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 104 pp. 782-788.

004 to 105: consequential handoff

Reproductive and sexual health -> Consent, coercion and autonomy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Consent, coercion and autonomy: Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Consent, coercion and autonomy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Signed/expressed consent treated as sufficient state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Decision maker, counterparties, dependents and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Real exit, recourse, reversible consent, information symmetry and alternative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Prospective consent-quality audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 789-795; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 105 pp. 789-795.

004 to 106: consequential handoff

Reproductive and sexual health -> Addiction, compulsion and short-horizon relief | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Addiction, compulsion and short-horizon relief: Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Addiction, compulsion and short-horizon relief; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Substance/behavior category or abstinence binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Person, body, relationships, household, community and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Longitudinal regulated intervention with multi-carrier outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 796-802; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 106 pp. 796-802.

004 to 107: consequential handoff

Reproductive and sexual health -> Crime, violence and reconciliation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Crime, violence and reconciliation: Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Crime, violence and reconciliation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Offense label or actor-only risk score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Victims, actor, families, community, institutions and future potential victims. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Longitudinal controlled justice-program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 803-809; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 107 pp. 803-809.

004 to 108: consequential handoff

Reproductive and sexual health -> Animal sentience and welfare | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Animal sentience and welfare: Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Animal sentience and welfare; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Commodity/yield schema that excludes the animal as a carrier. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Animals, workers, consumers, farmers, land, ecosystems and communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Welfare, alternative-production, livelihood-transition and ecological capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Multi-carrier welfare, nutrition and livelihood trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 810-816; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 108 pp. 810-816.

004 to 109: consequential handoff

Reproductive and sexual health -> Collective agency and institutional choice | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Collective agency and institutional choice: Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Collective agency and institutional choice; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Organization treated as a single actor without internal carrier structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Members, minorities, leaders, outsiders, institutions and future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Distributed decision provenance, dissent channels, accountability and cross-boundary capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Prospective institutional decision audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 817-823; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 109 pp. 817-823.

004 to 110: consequential handoff

Reproductive and sexual health -> Human-AI co-agency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Human-AI co-agency: Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Human-AI co-agency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Model output or benchmark score treated as the whole system. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: User, non-user, model operator, workers, institutions, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Persistent provenance, human control, reversibility, portability, verification and receivingcapacity layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Sealed native-vs-K_R assisted agent benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 824-830; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 110 pp. 824-830.

004 to 111: consequential handoff

Reproductive and sexual health -> Evolution and natural selection | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Evolution and natural selection: Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Evolution and natural selection; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Fitness proxy or single-trait narrative. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Individuals, lineages, populations, interacting species and ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Diversity, ecological capacity and intervention guardrails where deliberate action exists. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Time-locked population/genomic holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 832-838; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 111 pp. 832-838.

004 to 112: consequential handoff

Reproductive and sexual health -> Reproduction, inheritance, mitosis and meiosis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Reproduction, inheritance, mitosis and meiosis: Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Reproduction, inheritance, mitosis and meiosis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Outcome-only birth/division count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Parent cell/organism, daughter cells, gametes, offspring and lineage. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Checkpoint, repair, redundancy and developmental-support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Lineage-resolved perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 839-845; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 112 pp. 839-845.

004 to 113: consequential handoff

Reproductive and sexual health -> Development and morphogenesis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Development and morphogenesis: Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Development and morphogenesis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Single marker or endpoint morphology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Cells, tissues, organs, organism and developmental future state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Stage-aware multi-pathway support, repair and resource architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Longitudinal developmental perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 846-852; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 113 pp. 846-852.

004 to 114: consequential handoff

Reproductive and sexual health -> Metabolism, diet and consumption | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Metabolism, diet and consumption: Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Metabolism, diet and consumption; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Calories/macros or one nutrient target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Gut, microbiome, liver, tissues, household, food system and future organism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Adaptive conversion, buffering, storage, elimination and access capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Controlled longitudinal multi-carrier nutrition study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 853-859; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 114 pp. 853-859.

004 to 115: consequential handoff

Reproductive and sexual health -> Predation, livestock and food-system transformation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Predation, livestock and food-system transformation: Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Predation, livestock and food-system transformation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Yield, price or human nutrition alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Animals, humans, workers, farmers, consumers, land, ecosystems and future food security. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Phased regional transition with preregistered carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 860-866; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 115 pp. 860-866.

004 to 116: consequential handoff

Reproductive and sexual health -> Learning, plasticity and cultural evolution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Learning, plasticity and cultural evolution: Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Learning, plasticity and cultural evolution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Test score, output or adoption count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Learner, teachers, peers, institutions, future self and cultural network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Longitudinal transfer-and-retention experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 867-873; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 116 pp. 867-873.

004 to 117: consequential handoff

Reproductive and sexual health -> Self-organization and emergence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Self-organization and emergence: Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Self-organization and emergence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Macro outcome without micro-carrier ledger. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Components, neighborhoods, emergent structure and external environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Multi-scale simulation plus physical/biological holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 874-880; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 117 pp. 874-880.

004 to 118: consequential handoff

Reproductive and sexual health -> Creation, provenance and dependency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Creation, provenance and dependency: Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Creation, provenance and dependency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Ownership or authorship treated as sufficient relationship model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Creators, created systems, maintainers, users, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Provenance, stewardship, autonomy-transition and reciprocal-viability architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Longitudinal creator-created dependency audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 881-887; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 118 pp. 881-887.

004 to 119: consequential handoff

Reproductive and sexual health -> Cosmological evolution and structure formation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Cosmological evolution and structure formation: Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Cosmological evolution and structure formation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Single scale or observable treated as complete cosmic state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: Observed regions, fields/matter components, instruments, models and observers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Cross-scale observation, uncertainty, model-comparison and instrumentation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Preregistered cross-survey predictive holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 888-894; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 119 pp. 888-894.

004 to 120: consequential handoff

Reproductive and sexual health -> Cross-substrate consciousness, temporal coexistence and closure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

PROPOSED RECEIVER AND STATE

Cross-substrate consciousness, temporal coexistence and closure: The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility.

INTERFACE AND COUPLING STATUS

Proposed interface from Reproductive and sexual health into Cross-substrate consciousness, temporal coexistence and closure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single fertility, disease or risk label. Receiver's limited view: Any local adapter, species, institution or observer claiming closure from its own schema alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, partner, future child, household. Candidate receiver carriers: All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Receiving capacity: Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and.... Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Clinical trials + patient-reported and partner- impact carriers' with a receiver study of 'Time-locked system-of-systems closure test across multiple adapters'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 72-78 and 895-901; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026). Receiver Adapter 120 pp. 895-901.

004: Reproductive and sexual health

Household / family / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Household / family / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Household / family / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Household / family / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Household / family / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Household / family / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

School / university / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

School / university / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

School / university / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

School / university / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

School / university / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

School / university / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Enterprise / cooperative / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Enterprise / cooperative / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Enterprise / cooperative / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Enterprise / cooperative / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Enterprise / cooperative / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Enterprise / cooperative / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Healthcare / care team / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Healthcare / care team / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Healthcare / care team / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Healthcare / care team / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Healthcare / care team / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Healthcare / care team / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Local government / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Local government / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Local government / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Local government / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Local government / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Local government / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Ecological catchment / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Ecological catchment / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Ecological catchment / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Ecological catchment / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Ecological catchment / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Ecological catchment / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Scientific laboratory / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Scientific laboratory / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Scientific laboratory / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Scientific laboratory / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Scientific laboratory / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Scientific laboratory / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Public infrastructure / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Public infrastructure / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Public infrastructure / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Public infrastructure / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Public infrastructure / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Public infrastructure / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Digital / AI service / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Digital / AI service / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Digital / AI service / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Digital / AI service / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Digital / AI service / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Digital / AI service / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Interregional / planetary / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Interregional / planetary / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Interregional / planetary / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Interregional / planetary / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Interregional / planetary / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Reproductive and sexual health

Interregional / planetary / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Reproductive and sexual health is described in the Atlas as: Endocrine, reproductive, sexual, relational, consent, fertility and safety state. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Local treatment shifts hormonal, relational, financial or future burden. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, partner, future child, household. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Longitudinal reproductive-state architecture plus consent/safety controls. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Health, autonomy, safety and desired reproductive outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Clinical trials + patient-reported and partner- impact carriers or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Evidence and source reconstruction

Reproductive and sexual health | protocol 1 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 004: Reproductive and sexual health; original author status: Regulated empirical frontier. Native state: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

EVALUATION OBJECTIVE

Evidence and source reconstruction. Establish what is observed, reported, derived, simulated and currently unavailable. Audit definitions, dates and units.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single fertility, disease or risk label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Local treatment shifts hormonal, relational, financial or future burden. The relevant receiving carriers are: Individual, partner, future child, household.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Longitudinal reproductive-state architecture plus consent/safety controls. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, safety and desired reproductive outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Clinical trials + patient-reported and partner- impact carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Boundary divergence

Reproductive and sexual health | protocol 2 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 004: Reproductive and sexual health; original author status: Regulated empirical frontier. Native state: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

EVALUATION OBJECTIVE

Boundary divergence. Predeclare local and consequential objectives, identical feasible action sets, and a measurable divergence test.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single fertility, disease or risk label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Local treatment shifts hormonal, relational, financial or future burden. The relevant receiving carriers are: Individual, partner, future child, household.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Longitudinal reproductive-state architecture plus consent/safety controls. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, safety and desired reproductive outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Clinical trials + patient-reported and partner- impact carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Causal diagram and identifiability

Reproductive and sexual health | protocol 3 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 004: Reproductive and sexual health; original author status: Regulated empirical frontier. Native state: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

EVALUATION OBJECTIVE

Causal diagram and identifiability. Draw the candidate causal graph; identify confounders, mediators, spillovers and selection mechanisms.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single fertility, disease or risk label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Local treatment shifts hormonal, relational, financial or future burden. The relevant receiving carriers are: Individual, partner, future child, household.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Longitudinal reproductive-state architecture plus consent/safety controls. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, safety and desired reproductive outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Clinical trials + patient-reported and partner- impact carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Receiving carrier identification

Reproductive and sexual health | protocol 4 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 004: Reproductive and sexual health; original author status: Regulated empirical frontier. Native state: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

EVALUATION OBJECTIVE

Receiving carrier identification. Predict the destination, path and delay of consequential burdens before measuring post-state outcomes.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single fertility, disease or risk label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Local treatment shifts hormonal, relational, financial or future burden. The relevant receiving carriers are: Individual, partner, future child, household.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Longitudinal reproductive-state architecture plus consent/safety controls. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, safety and desired reproductive outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Clinical trials + patient-reported and partner- impact carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Hidden compensation accounting

Reproductive and sexual health | protocol 5 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 004: Reproductive and sexual health; original author status: Regulated empirical frontier. Native state: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

EVALUATION OBJECTIVE

Hidden compensation accounting. Measure which agent, reserve, budget, ecosystem or later period silently carries the load.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single fertility, disease or risk label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Local treatment shifts hormonal, relational, financial or future burden. The relevant receiving carriers are: Individual, partner, future child, household.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Longitudinal reproductive-state architecture plus consent/safety controls. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, safety and desired reproductive outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Clinical trials + patient-reported and partner- impact carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Native units and dimensional integrity

Reproductive and sexual health | protocol 6 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 004: Reproductive and sexual health; original author status: Regulated empirical frontier. Native state: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

EVALUATION OBJECTIVE

Native units and dimensional integrity. Define each carrier outcome in its own units; avoid offsetting unlike harms with unsupported scalar sums.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single fertility, disease or risk label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Local treatment shifts hormonal, relational, financial or future burden. The relevant receiving carriers are: Individual, partner, future child, household.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Longitudinal reproductive-state architecture plus consent/safety controls. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, safety and desired reproductive outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Clinical trials + patient-reported and partner- impact carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Capacity specification

Reproductive and sexual health | protocol 7 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 004: Reproductive and sexual health; original author status: Regulated empirical frontier. Native state: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

EVALUATION OBJECTIVE

Capacity specification. Identify the binding receiver constraint and specify the smallest permissible constructive action.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single fertility, disease or risk label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Local treatment shifts hormonal, relational, financial or future burden. The relevant receiving carriers are: Individual, partner, future child, household.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Longitudinal reproductive-state architecture plus consent/safety controls. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, safety and desired reproductive outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Clinical trials + patient-reported and partner- impact carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Intervention design

Reproductive and sexual health | protocol 8 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 004: Reproductive and sexual health; original author status: Regulated empirical frontier. Native state: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

EVALUATION OBJECTIVE

Intervention design. Choose randomized, natural, observational or mechanistic evidence compatible with safety and identifiability.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single fertility, disease or risk label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Local treatment shifts hormonal, relational, financial or future burden. The relevant receiving carriers are: Individual, partner, future child, household.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Longitudinal reproductive-state architecture plus consent/safety controls. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, safety and desired reproductive outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Clinical trials + patient-reported and partner- impact carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Incumbent parity contest

Reproductive and sexual health | protocol 9 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 004: Reproductive and sexual health; original author status: Regulated empirical frontier. Native state: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

EVALUATION OBJECTIVE

Incumbent parity contest. Compare against strongest existing local, boundary-aware, causal and resource-constrained methods.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single fertility, disease or risk label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Local treatment shifts hormonal, relational, financial or future burden. The relevant receiving carriers are: Individual, partner, future child, household.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Longitudinal reproductive-state architecture plus consent/safety controls. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, safety and desired reproductive outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Clinical trials + patient-reported and partner- impact carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Time-window and recurrence

Reproductive and sexual health | protocol 10 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 004: Reproductive and sexual health; original author status: Regulated empirical frontier. Native state: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

EVALUATION OBJECTIVE

Time-window and recurrence. Measure early, intermediate and delayed outcomes, including reserve depletion and changing bottlenecks.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single fertility, disease or risk label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Local treatment shifts hormonal, relational, financial or future burden. The relevant receiving carriers are: Individual, partner, future child, household.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Longitudinal reproductive-state architecture plus consent/safety controls. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, safety and desired reproductive outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Clinical trials + patient-reported and partner- impact carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Ethical and legal safety

Reproductive and sexual health | protocol 11 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 004: Reproductive and sexual health; original author status: Regulated empirical frontier. Native state: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

EVALUATION OBJECTIVE

Ethical and legal safety. Determine affected rights, vulnerable groups, irreversible harms, consent, permissions and safety constraints.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single fertility, disease or risk label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Local treatment shifts hormonal, relational, financial or future burden. The relevant receiving carriers are: Individual, partner, future child, household.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Longitudinal reproductive-state architecture plus consent/safety controls. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, safety and desired reproductive outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Clinical trials + patient-reported and partner- impact carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Sensitivity and negative controls

Reproductive and sexual health | protocol 12 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 004: Reproductive and sexual health; original author status: Regulated empirical frontier. Native state: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

EVALUATION OBJECTIVE

Sensitivity and negative controls. Vary unmeasured confounding, missingness, cost, thresholds and adverse spillover assumptions.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single fertility, disease or risk label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Local treatment shifts hormonal, relational, financial or future burden. The relevant receiving carriers are: Individual, partner, future child, household.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Longitudinal reproductive-state architecture plus consent/safety controls. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, safety and desired reproductive outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Clinical trials + patient-reported and partner- impact carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Replication and provenance

Reproductive and sexual health | protocol 13 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 004: Reproductive and sexual health; original author status: Regulated empirical frontier. Native state: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

EVALUATION OBJECTIVE

Replication and provenance. Version the kernel, code, data, transformation decisions, negative findings and external replication.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single fertility, disease or risk label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Local treatment shifts hormonal, relational, financial or future burden. The relevant receiving carriers are: Individual, partner, future child, household.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Longitudinal reproductive-state architecture plus consent/safety controls. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, safety and desired reproductive outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Clinical trials + patient-reported and partner- impact carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

004: Cross-domain invariant contest

Reproductive and sexual health | protocol 14 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 004: Reproductive and sexual health; original author status: Regulated empirical frontier. Native state: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

EVALUATION OBJECTIVE

Cross-domain invariant contest. Keep K_R fixed while swapping M_d; test whether new measurements produce predictions beyond domain incumbents.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single fertility, disease or risk label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Local treatment shifts hormonal, relational, financial or future burden. The relevant receiving carriers are: Individual, partner, future child, household.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Longitudinal reproductive-state architecture plus consent/safety controls. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Health, autonomy, safety and desired reproductive outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Clinical trials + patient-reported and partner- impact carriers. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 004, pp. 72-78 (Rufino 2026).

Adapter 005: Disability and accessibility

Human life quality | Internal carrier and capacity reconstruction

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

DOMAIN-NATIVE STATE

Capabilities plus environmental demands, interfaces and support

RECORDED RECEIVING SCHEMA

Deficit-only person label

CANDIDATE BURDEN AND RECEIVING CARRIERS

Blocker in the source Atlas: Person compensates for inaccessible environment. Candidate receivers: Person, caregiver, workplace, public space.

EXISTING CAPACITY DESIGN

Environment-first accessibility architecture plus assistive capacity

PROTECTED OUTCOME STATED BY THE AUTHOR

Capability, independence and participation rise while compensatory load falls

SCIENTIFIC NEXT STEP

Atlas proposed decisive test: Before/after environment redesign with workload measures. This remains a proposed testing route, not proof of a completed successful implementation.

ORIGINALITY AND CONSTRUCTION OBLIGATION

Run causal receiving-carrier diagnosis before action; compare construction against strong established methods; do not accept positive averages as proof that all material carriers benefited.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005 | Disability and accessibility

Individual human / person | Insufficient capacity

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 005, Disability and accessibility. Native state: Capabilities plus environmental demands, interfaces and support. Potential direct or institutional human pathway: Disability and accessibility interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Insufficient capacity: The human has limited time, health, physical access, material resources, protective support or opportunity. Source Atlas proposed limiting condition: Person compensates for inaccessible environment.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Environment-first accessibility architecture plus assistive capacity can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Capability, independence and participation rise while compensatory load falls. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

005 | Disability and accessibility

Individual human / person | Schema mismatch

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 005, Disability and accessibility. Native state: Capabilities plus environmental demands, interfaces and support. Potential direct or institutional human pathway: Disability and accessibility interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Schema mismatch: The person has evidence-grounded capabilities or needs that institutional identifiers, scores or labels do not adequately recognize. Source Atlas proposed limiting condition: Person compensates for inaccessible environment.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Environment-first accessibility architecture plus assistive capacity can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Capability, independence and participation rise while compensatory load falls. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

005 | Disability and accessibility

Individual human / person | Delayed effects

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 005, Disability and accessibility. Native state: Capabilities plus environmental demands, interfaces and support. Potential direct or institutional human pathway: Disability and accessibility interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Delayed effects: A short-term change influences future-self health, skills, income, dependence, options or relationships. Source Atlas proposed limiting condition: Person compensates for inaccessible environment.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Environment-first accessibility architecture plus assistive capacity can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Capability, independence and participation rise while compensatory load falls. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

005 | Disability and accessibility

Individual human / person | Measurement uncertainty

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 005, Disability and accessibility. Native state: Capabilities plus environmental demands, interfaces and support. Potential direct or institutional human pathway: Disability and accessibility interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Measurement uncertainty: The record lacks consented individual outcomes, counterfactuals, follow-up, or reliable protection metrics. Source Atlas proposed limiting condition: Person compensates for inaccessible environment.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Environment-first accessibility architecture plus assistive capacity can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Capability, independence and participation rise while compensatory load falls. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

005 | Disability and accessibility

Individual human / person | Coordination failure

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 005, Disability and accessibility. Native state: Capabilities plus environmental demands, interfaces and support. Potential direct or institutional human pathway: Disability and accessibility interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Coordination failure: Family, employer, provider, government or technical systems hand off obligations to the individual without coordinated support. Source Atlas proposed limiting condition: Person compensates for inaccessible environment.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Environment-first accessibility architecture plus assistive capacity can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Capability, independence and participation rise while compensatory load falls. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

005 | Disability and accessibility

Individual human / person | Adversarial / inequitable distribution

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 005, Disability and accessibility. Native state: Capabilities plus environmental demands, interfaces and support. Potential direct or institutional human pathway: Disability and accessibility interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Adversarial / inequitable distribution: Unequal power, coercion, inaccessible systems, discrimination or exploitative incentives shift costs to a person. Source Atlas proposed limiting condition: Person compensates for inaccessible environment.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Environment-first accessibility architecture plus assistive capacity can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Capability, independence and participation rise while compensatory load falls. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

005 to 001: consequential handoff

Disability and accessibility -> Whole-person quality of life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Whole-person quality of life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Single score, diagnosis, income bracket or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Person, household, caregivers, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Longitudinal cohort with preregistered multidimensional outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 51-57; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 001 pp. 51-57.

005 to 002: consequential handoff

Disability and accessibility -> Nutrition and metabolism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Nutrition and metabolism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Calories/macros or generic diet categories. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Body, household budget, food system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Randomized adaptive nutrition trial with cost and adherence carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 58-64; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 002 pp. 58-64.

005 to 003: consequential handoff

Disability and accessibility -> Sleep and recovery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Sleep and recovery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Hours slept or wearable score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Body, cognition, household schedule. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Recovery controller integrating timing, environment, workload and physiology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Longitudinal crossover study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 65-71; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 003 pp. 65-71.

005 to 004: consequential handoff

Disability and accessibility -> Reproductive and sexual health | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Reproductive and sexual health; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Single fertility, disease or risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Individual, partner, future child, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Clinical trials + patient-reported and partner- impact carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 72-78; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 004 pp. 72-78.

005 to 005: consequential handoff

Disability and accessibility -> Disability and accessibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

INTERFACE AND COUPLING STATUS

This is a within-domain loop: the post-state of Disability and accessibility becomes the next native state under its existing map. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Deficit-only person label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Person, caregiver, workplace, public space. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Environment-first accessibility architecture plus assistive capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Before/after environment redesign with workload measures'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 79-85; WITHIN-DOMAIN RECURRENCE. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 005 pp. 79-85.

005 to 006: consequential handoff

Disability and accessibility -> Mobility and physical function | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Mobility and physical function; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Single functional score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Body, caregiver, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Adaptive rehabilitation plus environment and device redesign. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Controlled rehabilitation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 86-92; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 006 pp. 86-92.

005 to 007: consequential handoff

Disability and accessibility -> Family and caregiving | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Family and caregiving; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Household role labels. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Primary caregiver, dependents, siblings, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Care-load ledger, shared coordination and external capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Prospective household burden study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 93-99; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 007 pp. 93-99.

005 to 008: consequential handoff

Disability and accessibility -> Safety and personal security | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Safety and personal security; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Incident count or generic risk class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Person, community, responder. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Safety architecture that increases protection without reducing autonomy. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Prospective safety intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 100-106; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 008 pp. 100-106.

005 to 009: consequential handoff

Disability and accessibility -> Housing and domestic environment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Housing and domestic environment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Property price or occupancy status. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Resident, landlord, neighborhood, city. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Whole-cost housing and location architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Matched housing intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 107-113; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 009 pp. 107-113.

005 to 010: consequential handoff

Disability and accessibility -> Human longevity and life-course planning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Human longevity and life-course planning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Chronological age or retirement age. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Person, family, institutions, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Life-course capital and care architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Longitudinal life-course cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 114-120; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 010 pp. 114-120.

005 to 011: consequential handoff

Disability and accessibility -> Psychology and social legibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Psychology and social legibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Snapshot diagnosis or social category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Person, family, employer, clinician. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Multidimensional schema plus support matched to hidden burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Longitudinal external cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 122-128; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 011 pp. 122-128.

005 to 012: consequential handoff

Disability and accessibility -> Identity and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Identity and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Single identity label or credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Person and receiving institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Selective multi-context identity graph with provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Cross-context identity study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 129-135; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 012 pp. 129-135.

005 to 013: consequential handoff

Disability and accessibility -> Relationships and intimacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Relationships and intimacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Relationship status or personality label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Partners and wider support network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Reciprocal state and burden ledger plus consent architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Dyadic longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 136-142; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 013 pp. 136-142.

005 to 014: consequential handoff

Disability and accessibility -> Parenting and child development | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Parenting and child development; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Age norm, grade or behavior label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Child, parent, school, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Developmental state map plus distributed support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Longitudinal family-school cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 143-149; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 014 pp. 143-149.

005 to 015: consequential handoff

Disability and accessibility -> Purpose and self-actualization | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Purpose and self-actualization; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Career status, wealth or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Person, relationships, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Whole-person capability architecture and burden guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Longitudinal multidimensional evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 150-156; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 015 pp. 150-156.

005 to 016: consequential handoff

Disability and accessibility -> Existential wellbeing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Existential wellbeing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Symptom or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Person, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Voluntary meaning-reflection and support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Patient/user-reported longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 157-163; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 016 pp. 157-163.

005 to 017: consequential handoff

Disability and accessibility -> Spiritual life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Spiritual life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Institutional affiliation alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Individual, family, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Ethical observational study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 164-170; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 017 pp. 164-170.

005 to 018: consequential handoff

Disability and accessibility -> Religion and community institutions | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Religion and community institutions; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Membership or doctrinal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Members, families, leaders, wider community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Transparent governance, reporting, safeguarding and exit rights. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Institutional longitudinal audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 171-177; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 018 pp. 171-177.

005 to 019: consequential handoff

Disability and accessibility -> Emotion and affect regulation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Emotion and affect regulation: Internal state, context, physiology, cognition and social feedback.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Emotion and affect regulation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Valence score or symptom label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Person and relationships. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: State-aware regulation architecture with physiological feedback. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Crossover intervention study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 178-184; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 019 pp. 178-184.

005 to 020: consequential handoff

Disability and accessibility -> Trust and fidelity between people | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Trust and fidelity between people: History, promises, evidence, uncertainty and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Trust and fidelity between people; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Trusted/untrusted binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: People and institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Dynamic provenance and expectation architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Prospective trust-repair study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 185-191; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 020 pp. 185-191.

005 to 021: consequential handoff

Disability and accessibility -> Healthcare delivery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Healthcare delivery: Clinical state, logistics, caregiver capacity, finance and post-discharge environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Healthcare delivery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Episode-of-care schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Patient, caregiver, outpatient system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Consequential discharge/care orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 193-199; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 021 pp. 193-199.

005 to 022: consequential handoff

Disability and accessibility -> Diagnostics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Diagnostics: Underlying disease state, uncertainty, test characteristics and downstream actions.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Diagnostics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Single test result. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Patient, clinician, payer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Bayesian multi-source diagnostic schema + uncertainty communication. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Prospective blinded diagnostic study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 200-206; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 022 pp. 200-206.

005 to 023: consequential handoff

Disability and accessibility -> Cancer ecology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Cancer ecology: Clone mix, immune state, microenvironment, host reserve and therapy exposure.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Cancer ecology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Stage/tumor-size snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Resistant clones, healthy tissue, immune system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Adaptive ecological state estimator + resistance/host capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Preclinical then clinical adaptive trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 207-213; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 023 pp. 207-213.

005 to 024: consequential handoff

Disability and accessibility -> Neuroscience and neurodegeneration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Neuroscience and neurodegeneration: Neural, glial, vascular, metabolic, network and functional state.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Neuroscience and neurodegeneration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Single biomarker or visible function. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Neural networks, metabolism, caregiver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Multimodal state estimator + restorative capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Multimodal longitudinal intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 214-220; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 024 pp. 214-220.

005 to 025: consequential handoff

Disability and accessibility -> Aging biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Aging biology: Coupled damage, repair, senescence, immunity, metabolism and regeneration.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Aging biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Age scalar or isolated hallmark. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Cells, tissues, immune system, metabolism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Moving-bottleneck RVG controller across damage/repair channels. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Preclinical multi-pathway study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 221-227; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 025 pp. 221-227.

005 to 026: consequential handoff

Disability and accessibility -> Immunology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Immunology: Immune activation, tolerance, pathogen/tumor signals and tissue damage.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Immunology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Single cytokine or cell-count schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Pathogen, immune cells, host tissue. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: State-dependent immune control balancing clearance and collateral damage. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Controlled biological study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 228-234; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 026 pp. 228-234.

005 to 027: consequential handoff

Disability and accessibility -> Infectious disease | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Infectious disease: Pathogen dynamics, host immunity, behavior, network spread and treatment.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Infectious disease; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Case count or pathogen-only model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Patients, contacts, health system, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Multi-carrier containment + treatment + livelihood capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Prospective outbreak protocol'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 235-241; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 027 pp. 235-241.

005 to 028: consequential handoff

Disability and accessibility -> Microbiome | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Microbiome: Host physiology plus microbial ecology and diet/environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Microbiome; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Species abundance snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Host and microbial community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Functional ecosystem state model and adaptive intervention. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Controlled longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 242-248; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 028 pp. 242-248.

005 to 029: consequential handoff

Disability and accessibility -> Genomics and proteomics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Genomics and proteomics: Variants, expression, proteins, pathways, context and phenotype.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Genomics and proteomics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Single marker/pathogenicity label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Cells, tissues, patient. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Multi-omic causal state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Prospective multi-omic validation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 249-255; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 029 pp. 249-255.

005 to 030: consequential handoff

Disability and accessibility -> Surgery and rehabilitation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Surgery and rehabilitation: Anatomy, function, pain, recovery capacity, home support and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Surgery and rehabilitation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Procedure success or anatomical correction. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Patient, caregiver, rehab system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Prehabilitation + procedure + recovery orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 256-262; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 030 pp. 256-262.

005 to 031: consequential handoff

Disability and accessibility -> Early-childhood development and education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Early-childhood development and education: Development, safety, language, nutrition, play, attachment and resources.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Early-childhood development and education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Age milestone or readiness score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Child, caregiver, educator. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Integrated developmental support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Longitudinal program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 264-270; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 031 pp. 264-270.

005 to 032: consequential handoff

Disability and accessibility -> K-12 education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

K-12 education: Knowledge, skills, wellbeing, context, resources and learning trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into K-12 education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Grade/test score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Student, teacher, family. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Capability graph + adaptive learning + wellbeing constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Cluster randomized trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 271-277; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 032 pp. 271-277.

005 to 033: consequential handoff

Disability and accessibility -> Higher education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Higher education: Capability, knowledge, network, finances and career pathways.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Higher education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Degree/GPA credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Student, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Capability/provenance portfolio + adaptive pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Longitudinal graduate outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 278-284; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 033 pp. 278-284.

005 to 034: consequential handoff

Disability and accessibility -> Vocational and workforce learning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Vocational and workforce learning: Skills, task demand, wages, mobility and employer needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Vocational and workforce learning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Course completion certificate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Worker, employer, training provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Skill-to-task provenance and placement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Matched labor-market evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 285-291; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 034 pp. 285-291.

005 to 035: consequential handoff

Disability and accessibility -> Scientific research | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Scientific research: Hypotheses, methods, data, negative results, replication and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Scientific research; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Publication/citation unit. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Researchers, institutions, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Experiment provenance + negative-result + replication architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Cross-lab replication program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 292-298; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 035 pp. 292-298.

005 to 036: consequential handoff

Disability and accessibility -> Justice and courts | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Justice and courts: Facts, evidence, harm, intent, procedure, history and remedies.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Justice and courts; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Case category or docket state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Victims, accused, families, courts, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Causal provenance + harm/restitution + recurrence architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Prospective process evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 299-305; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 036 pp. 299-305.

005 to 037: consequential handoff

Disability and accessibility -> Policing and public safety systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Policing and public safety systems: Threat, context, evidence, community trust, capacity and alternatives.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Policing and public safety systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Incident/offense label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Residents, officers, victims, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Evidence-first response selection + prevention/support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Independent public evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 306-312; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 037 pp. 306-312.

005 to 038: consequential handoff

Disability and accessibility -> Corrections, rehabilitation and reintegration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Corrections, rehabilitation and reintegration: Risk, harm, needs, skills, housing, work and social support.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Corrections, rehabilitation and reintegration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Sentence/recidivism risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Person, family, community, justice system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Rehabilitation + restitution + housing/work capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Longitudinal controlled program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 313-319; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 038 pp. 313-319.

005 to 039: consequential handoff

Disability and accessibility -> Public administration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Public administration: Citizen state, eligibility, documents, services and agency capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Public administration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Program-specific record. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Citizen, frontline staff, budget. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Interoperable verified state + once-only data + case orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Agency pilot with citizen/staff metrics'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 320-326; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 039 pp. 320-326.

005 to 040: consequential handoff

Disability and accessibility -> Governance and institutional design | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Governance and institutional design: Authority, incentives, information, accountability, resources and affected populations.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Governance and institutional design; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Organizational chart or legal mandate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Citizens, agencies, future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Cross-boundary outcome ledger + accountability and capacity design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Prospective institutional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 327-333; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 040 pp. 327-333.

005 to 041: consequential handoff

Disability and accessibility -> Beauty and aesthetics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Beauty and aesthetics: Biology, preference, culture, identity, safety, cost and perception.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Beauty and aesthetics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Universal beauty standard or product category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Person, body, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Personalized aesthetic/safety state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Consumer/clinical outcome study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 335-341; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 041 pp. 335-341.

005 to 042: consequential handoff

Disability and accessibility -> Fashion and apparel | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Fashion and apparel: Identity, fit, comfort, durability, labor, inventory and lifecycle.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Fashion and apparel; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Size/SKU/category schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Wearer, worker, retailer, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Adaptive sizing + provenance + circularity architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Retail field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 342-348; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 042 pp. 342-348.

005 to 043: consequential handoff

Disability and accessibility -> Luxury goods | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Luxury goods: Provenance, scarcity, condition, access, identity, inventory and lifecycle value.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Luxury goods; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Price/status/authenticity binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Buyer, seller, inventory, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Provenance + condition + access + reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Operational field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 349-355; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 043 pp. 349-355.

005 to 044: consequential handoff

Disability and accessibility -> Hospitality | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Hospitality: Guest needs, staff capacity, time, room state, logistics and locality.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Hospitality; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Booking/reservation state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Guest, staff, operator, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: End-to-end experience and workload orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Property-level A/B evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 356-362; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 044 pp. 356-362.

005 to 045: consequential handoff

Disability and accessibility -> Travel and tourism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Travel and tourism: Mobility, cost, safety, experience, local capacity and environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Travel and tourism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Itinerary/booking schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Traveler, worker, resident, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Consequential itinerary/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Destination pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 363-369; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 045 pp. 363-369.

005 to 046: consequential handoff

Disability and accessibility -> Art and cultural markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Art and cultural markets: Creative work, provenance, rights, cultural meaning, scarcity and audience.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Art and cultural markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Price/ownership/engagement proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Artist, audience, collector, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Rights/provenance/value-sharing architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Marketplace field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 370-376; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 046 pp. 370-376.

005 to 047: consequential handoff

Disability and accessibility -> Music and entertainment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Music and entertainment: Creative contribution, rights, attention, audience value and platform economics.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Music and entertainment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Stream/view count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Creators, audiences, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Contribution/provenance + value-distribution architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 377-383; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 047 pp. 377-383.

005 to 048: consequential handoff

Disability and accessibility -> Gaming and virtual worlds | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Gaming and virtual worlds: Player goals, time, identity, economy, safety and creator contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Gaming and virtual worlds; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Retention/spend metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Players, creators, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Cross-reality value and safety controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 384-390; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 048 pp. 384-390.

005 to 049: consequential handoff

Disability and accessibility -> Sports and performance | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Sports and performance: Performance, health, training load, recovery, team dynamics and career horizon.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Sports and performance; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Win/score/output metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Athlete, team, family, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Load/recovery/career controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Prospective team study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 391-397; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 049 pp. 391-397.

005 to 050: consequential handoff

Disability and accessibility -> Experience design and events | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Experience design and events: Attention, emotion, logistics, accessibility, staff load and community impact.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Experience design and events; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Attendance/NPS/ticket revenue. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Guests, staff, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: End-to-end experience-state orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Event A/B study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 398-404; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 050 pp. 398-404.

005 to 051: consequential handoff

Disability and accessibility -> Currency and monetary experience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Currency and monetary experience: Purchasing power, liquidity, settlement, access, trust and macro context.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Currency and monetary experience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Nominal unit/FX quote. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Households, firms, intermediaries. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Consequential monetary-state and settlement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Historical + prospective policy-neutral system test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 406-412; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 051 pp. 406-412.

005 to 052: consequential handoff

Disability and accessibility -> Payments and remittances | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Payments and remittances: Amount, fees, FX, settlement time, access, fraud and recipient liquidity.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Payments and remittances; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Successful transfer binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Sender, receiver, provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: End-to-end transfer optimization with transparent provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Transaction-level field test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 413-419; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 052 pp. 413-419.

005 to 053: consequential handoff

Disability and accessibility -> Banking and liquidity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Banking and liquidity: Deposits, credit, liquidity, capital, customer state and network exposures.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Banking and liquidity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Product/account or institution-local balance sheet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Banks, customers, counterparties, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Network consequential balance sheet + capacity buffers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Stress test + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 420-426; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 053 pp. 420-426.

005 to 054: consequential handoff

Disability and accessibility -> Credit and underwriting | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Credit and underwriting: Cashflow, assets, obligations, trajectory, capability and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Credit and underwriting; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Static score/category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Borrower, lender, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Dynamic provenance/capacity underwriting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Prospective lending trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 427-433; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 054 pp. 427-433.

005 to 055: consequential handoff

Disability and accessibility -> Insurance and resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Insurance and resilience: Hazard, exposure, prevention, coverage, recovery and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Insurance and resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Loss probability/policy class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Policyholder, insurer, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Prevention + resilience + coverage architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Pilot product evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 434-440; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 055 pp. 434-440.

005 to 056: consequential handoff

Disability and accessibility -> Capital markets and investing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Capital markets and investing: Price, cashflow, externalities, network risk and long-horizon value.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Capital markets and investing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Return/risk factor set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Investor, firm, workers, public, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Consequential asset ledger with carrier constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Historical backtest + prospective paper portfolio'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 441-447; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 056 pp. 441-447.

005 to 057: consequential handoff

Disability and accessibility -> Private wealth and family capital | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Private wealth and family capital: Financial, human, social, health and intergenerational capital.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Private wealth and family capital; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Portfolio net worth. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Client, family, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Whole-capital balance sheet + goals/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Longitudinal client evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 448-454; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 057 pp. 448-454.

005 to 058: consequential handoff

Disability and accessibility -> Labor and talent markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Labor and talent markets: Capability, workload, pay, health, learning and opportunity.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Labor and talent markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Job title/CV/credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Worker, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Capability-state + workload + mobility architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Workplace pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 455-461; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 058 pp. 455-461.

005 to 059: consequential handoff

Disability and accessibility -> Organizations and enterprises | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Organizations and enterprises: Functions, dependencies, people, cash, knowledge and customer value.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Organizations and enterprises; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Department/KPI structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Workers, customers, suppliers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Enterprise consequential graph + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Multi-team field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 462-468; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 059 pp. 462-468.

005 to 060: consequential handoff

Disability and accessibility -> Entrepreneurship and venture creation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Entrepreneurship and venture creation: Unmet burden, carrier, willingness to pay, build cost and adoption.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Entrepreneurship and venture creation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Existing market category/TAM. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Founder initially, then customer/system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Mutual-Uptick blocker discovery + missing-capacity build. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Pilot venture with carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 469-475; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 060 pp. 469-475.

005 to 061: consequential handoff

Disability and accessibility -> Artificial intelligence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Artificial intelligence: Model state, source reality, user intent, provenance, uncertainty and downstream action.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Artificial intelligence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Prompt/context window/model output. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: User, verifier, downstream system, compute. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Persistent schema/provenance layer + self-audit and escalation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Sealed cross-model benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 477-483; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 061 pp. 477-483.

005 to 062: consequential handoff

Disability and accessibility -> Software systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Software systems: Requirements, dependencies, state, users, infrastructure and technical debt.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Software systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Feature/ticket/local module schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Developers, users, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Dependency/provenance graph + consequential release controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Repository-level prospective benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 484-490; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 062 pp. 484-490.

005 to 063: consequential handoff

Disability and accessibility -> Cybersecurity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Cybersecurity: Actual attack graph, identities, vulnerabilities, privileges and attacker state.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Cybersecurity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Defender inventory/rules/log view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Systems, users, analysts, business continuity. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Self-updating attack schema + carrier prediction + safe containment/failover. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Red-team sealed telemetry benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 491-497; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 063 pp. 491-497.

005 to 064: consequential handoff

Disability and accessibility -> Data infrastructure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Data infrastructure: Datasets, lineage, semantics, permissions, quality and downstream uses.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Data infrastructure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Table/file/schema local view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Analysts, models, users, compliance. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Provenance graph + semantic reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Enterprise data benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 498-504; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 064 pp. 498-504.

005 to 065: consequential handoff

Disability and accessibility -> Privacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Privacy: Data state, purposes, consent, exposure, value and future misuse.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Privacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Consent checkbox or access-control list. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Person, organization, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Selective disclosure + provenance + minimization architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Field trial + attack testing'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 505-511; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 065 pp. 505-511.

005 to 066: consequential handoff

Disability and accessibility -> Digital identity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Digital identity: Attributes, credentials, context, revocation, privacy and trust.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Digital identity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Single identifier/account. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Person, verifier, issuer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Selective-verification credential graph. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Cross-service pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 512-518; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 066 pp. 512-518.

005 to 067: consequential handoff

Disability and accessibility -> Internet and communications | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Internet and communications: Topology, capacity, latency, content, trust and user needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Internet and communications; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Throughput/uptime metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Users, networks, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Consequential routing + fidelity/provenance layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Network/application experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 519-525; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 067 pp. 519-525.

005 to 068: consequential handoff

Disability and accessibility -> Media and information ecosystems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Media and information ecosystems: Claims, evidence, incentives, attention, creators and audiences.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Media and information ecosystems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Engagement/feed rank. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Audience, creator, public discourse. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Claim provenance + quality + incentive reconciliation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 526-532; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 068 pp. 526-532.

005 to 069: consequential handoff

Disability and accessibility -> Language and translation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Language and translation: Meaning, context, culture, pragmatics and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Language and translation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Word/token correspondence. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Speakers, institutions, models. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Semantic/provenance translation with ambiguity tracking. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Blind human evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 533-539; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 069 pp. 533-539.

005 to 070: consequential handoff

Disability and accessibility -> Knowledge and ontologies | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Knowledge and ontologies: Entities, relations, provenance, incompatible schemas and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Knowledge and ontologies; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Single ontology/taxonomy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Researchers, AI, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Cross-schema translation + minimal sufficient ontology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Cross-domain benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 540-546; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 070 pp. 540-546.

005 to 071: consequential handoff

Disability and accessibility -> Energy and power grids | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Energy and power grids: Generation, load, storage, network constraints, prices and reliability.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Energy and power grids; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Local device efficiency or node KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Grid nodes, customers, storage, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Consequential grid controller + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Grid simulation + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 548-554; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 071 pp. 548-554.

005 to 072: consequential handoff

Disability and accessibility -> Water and irrigation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Water and irrigation: Withdrawals, consumptive use, return flows, storage, aquifers and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Water and irrigation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Farm/project efficiency. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Downstream users, rivers, aquifers, ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Basin-wide accounting + catchment + allocation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Basin holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 555-561; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 072 pp. 555-561.

005 to 073: consequential handoff

Disability and accessibility -> Food and agriculture | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Food and agriculture: Yield, soil, water, inputs, nutrition, labor, market and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Food and agriculture; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Yield/acre or commodity price. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Farmer, consumer, soil, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Coupled regenerative production controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Multi-season farm trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 562-568; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 073 pp. 562-568.

005 to 074: consequential handoff

Disability and accessibility -> Supply chains and logistics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Supply chains and logistics: Inventory, demand, transport, suppliers, lead times and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Supply chains and logistics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Node-level cost/service KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Suppliers, warehouses, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Carrier-aware flow controller + buffer placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Historical + live pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 569-575; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 074 pp. 569-575.

005 to 075: consequential handoff

Disability and accessibility -> Manufacturing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Manufacturing: Materials, energy, machines, labor, quality, maintenance and waste.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Manufacturing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Unit cost/OEE. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Workers, machines, environment, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Closed-loop production and maintenance architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Factory pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 576-582; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 075 pp. 576-582.

005 to 076: consequential handoff

Disability and accessibility -> Waste and circular materials | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Waste and circular materials: Material composition, location, contamination, residual value and logistics.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Waste and circular materials; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Waste tonnage/disposal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Communities, environment, future production. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Material provenance + recapture + transformation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Municipal/industrial pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 583-589; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 076 pp. 583-589.

005 to 077: consequential handoff

Disability and accessibility -> Transportation and mobility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Transportation and mobility: Trips, time, safety, access, energy, congestion and land use.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Transportation and mobility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Vehicle throughput/speed. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Travelers, neighborhoods, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Multimodal consequential mobility controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'City corridor pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 590-596; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 077 pp. 590-596.

005 to 078: consequential handoff

Disability and accessibility -> Cities and urban systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Cities and urban systems: Housing, jobs, transport, health, utilities, safety and public space.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Cities and urban systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Agency-by-agency city data. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Residents, agencies, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: City consequential digital twin + coordinated capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'District pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 597-603; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 078 pp. 597-603.

005 to 079: consequential handoff

Disability and accessibility -> Climate and disaster resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Climate and disaster resilience: Hazard, exposure, vulnerability, infrastructure, food, health and recovery.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Climate and disaster resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Hazard forecast alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: People, infrastructure, ecosystems, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Anticipatory catchment + prepositioned capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Prospective matched pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 604-610; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 079 pp. 604-610.

005 to 080: consequential handoff

Disability and accessibility -> Ecology and biodiversity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Ecology and biodiversity: Species, habitats, flows, extraction, communities and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Ecology and biodiversity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Protected-area/local species metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Species, habitats, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Landscape-scale leakage/carrier accounting + livelihoods. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Landscape holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 611-617; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 080 pp. 611-617.

005 to 081: consequential handoff

Disability and accessibility -> Cell biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Cell biology: Signaling, organelles, metabolism, damage, repair and cell-state transitions.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Cell biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Single pathway/marker. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Organelles, pathways, neighboring cells. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Multi-state cellular controller + capacity targeting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'In-vitro perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 619-625; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 081 pp. 619-625.

005 to 082: consequential handoff

Disability and accessibility -> Molecular biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Molecular biology: Molecules, conformations, binding networks, concentrations and kinetics.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Molecular biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Single interaction/target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Molecules, pathways, host system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Reaction/network state model + off-target carrier control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Bench experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 626-632; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 082 pp. 626-632.

005 to 083: consequential handoff

Disability and accessibility -> Nanotechnology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Nanotechnology: Particle properties, surfaces, transport, environment and biological interaction.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Nanotechnology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Particle spec alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Cells, environment, users. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Lifecycle and interaction-aware nano design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Bench + environmental tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 633-639; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 083 pp. 633-639.

005 to 084: consequential handoff

Disability and accessibility -> Chemistry and reaction systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Chemistry and reaction systems: Species, reaction network, kinetics, energy, byproducts and separation.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Chemistry and reaction systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Target yield/selectivity. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Reactor, environment, downstream process. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Consequential reaction-network optimization + recovery loops. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Reactor experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 640-646; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 084 pp. 640-646.

005 to 085: consequential handoff

Disability and accessibility -> Materials science | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Materials science: Microstructure, defects, stress, temperature, lifecycle and manufacturing.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Materials science; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Bulk property spec. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Material, structure, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Defect-aware multiproperty design + recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Lab characterization'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 647-653; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 085 pp. 647-653.

005 to 086: consequential handoff

Disability and accessibility -> Classical mechanics and control | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Classical mechanics and control: Physical state, dynamics, sensors, actuators and disturbance.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Classical mechanics and control; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Partial state observation/local control objective. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Plant, actuator, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Representation-aware full-state controller + regenerative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Physical bench experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 654-660; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 086 pp. 654-660.

005 to 087: consequential handoff

Disability and accessibility -> Thermodynamics and nonequilibrium systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Thermodynamics and nonequilibrium systems: Energy, entropy, gradients, reservoirs, flows and constraints.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Thermodynamics and nonequilibrium systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Local efficiency/temperature metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Reservoirs, environment, components. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Whole-boundary energy/exergy and recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Physical experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 661-667; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 087 pp. 661-667.

005 to 088: consequential handoff

Disability and accessibility -> Electromagnetism and circuits | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Electromagnetism and circuits: Fields, voltages, currents, topology, storage and losses.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Electromagnetism and circuits; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Local component state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Circuit elements, sources, loads. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Full-network state estimation + capacity/recovery placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Bench circuit experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 668-674; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 088 pp. 668-674.

005 to 089: consequential handoff

Disability and accessibility -> Quantum systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Quantum systems: Quantum state, observables, measurement, control and decoherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Quantum systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Accessible observable set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Quantum system, apparatus, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Constraint-respecting measurement/control schema + capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Laboratory quantum experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 675-681; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 089 pp. 675-681.

005 to 090: consequential handoff

Disability and accessibility -> Pure mathematics and formal systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Pure mathematics and formal systems: Objects, relations, axioms, language, proofs and translations.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Pure mathematics and formal systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Chosen signature/type system/quotient. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Proof system, translator, solver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Minimal sufficient schema preserving required relations. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Machine-checked theorem suite'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 682-688; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 090 pp. 682-688.

005 to 091: consequential handoff

Disability and accessibility -> Statistics and causal inference | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Statistics and causal inference: Data-generating process, sampling, measurement, confounding and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Statistics and causal inference; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Chosen model/estimand. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Decision makers, future samples, affected groups. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Provenance-aware multi-model causal state + identifiability guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Simulation + multi-dataset benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 690-696; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 091 pp. 690-696.

005 to 092: consequential handoff

Disability and accessibility -> Logic and reasoning systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Logic and reasoning systems: Premises, inference rules, contradictions, uncertainty and goals.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Logic and reasoning systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Single logical calculus. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Reasoner, downstream decision. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Multi-logic translation + contradiction provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Formal benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 697-703; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 092 pp. 697-703.

005 to 093: consequential handoff

Disability and accessibility -> Geography and territorial systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Geography and territorial systems: People, ecosystems, infrastructure, flows and administrative boundaries.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Geography and territorial systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Jurisdiction/map boundary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Border communities, watersheds, networks. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Flow-based territorial state model. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Regional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 704-710; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 093 pp. 704-710.

005 to 094: consequential handoff

Disability and accessibility -> Informal economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Informal economy: Real work, exchange, trust, risk and household needs outside formal records.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Informal economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Formal registry/tax/business schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Workers, households, state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Low-friction recognition, protection and access architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Field pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 711-717; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 094 pp. 711-717.

005 to 095: consequential handoff

Disability and accessibility -> Illicit and black markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Illicit and black markets: Hidden demand, supply, coercion, enforcement, prices and harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Illicit and black markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Official market data that excludes hidden exchange. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Victims, communities, lawful firms, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Independent harm-reduction/public-safety evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 718-724; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 095 pp. 718-724.

005 to 096: consequential handoff

Disability and accessibility -> Orbital and space economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Orbital and space economy: Spacecraft, debris, spectrum, energy, logistics and operator incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Orbital and space economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Mission-local success metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Other spacecraft, operators, orbital environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Orbital consequential ledger + shared capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Simulation + mission pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 725-731; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 096 pp. 725-731.

005 to 097: consequential handoff

Disability and accessibility -> Extraterrestrial settlement | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Extraterrestrial settlement: Life support, energy, materials, health, governance and closed ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Extraterrestrial settlement; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Earth-derived subsystem silos. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Crew, machines, habitat ecology. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Closed-loop consequential state + autonomous capacity construction. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Analog habitat + mission tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 732-738; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 097 pp. 732-738.

005 to 098: consequential handoff

Disability and accessibility -> Astrobiology and biosignatures | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Astrobiology and biosignatures: Unknown life chemistries, environments, signals and contamination risks.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Astrobiology and biosignatures; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Earth-centric life schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Scientific program, environment, future missions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Plural biosignature schema + provenance/contamination control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Blind benchmark + mission data'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 739-745; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 098 pp. 739-745.

005 to 099: consequential handoff

Disability and accessibility -> Planetary systems and stewardship | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Planetary systems and stewardship: Atmosphere, hydrology, geology, biosphere, resources and settlements.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Planetary systems and stewardship; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Sector-local resource model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Settlements, ecosystems, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Closed-loop planetary resource and restoration architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Earth analog + simulation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 746-752; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 099 pp. 746-752.

005 to 100: consequential handoff

Disability and accessibility -> Unknown and not-yet-named realities | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Unknown and not-yet-named realities: Any newly observed substrate, scale, agent, value dimension or exchange mode.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Unknown and not-yet-named realities; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: No adequate schema exists yet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Unknown until carrier tracing identifies it. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Instantiate M_d, define schema, measure gap, trace carrier, construct capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Freeze kernel before learning outcomes; then holdout/replicate'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 753-759; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 100 pp. 753-759.

005 to 101: consequential handoff

Disability and accessibility -> Conscious experience and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Conscious experience and self-model: Perception, affect, memory, self-model, attention, internal accessibility and embodied state.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Conscious experience and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: A receiving observer reduces another system to behavior, category or output alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Experiencing system, observers, dependent systems and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Cross-modal state representation with provenance, uncertainty and non-erasure constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Prospective multi-method cross-observer study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 761-767; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 101 pp. 761-767.

005 to 102: consequential handoff

Disability and accessibility -> Choice and option topology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Choice and option topology: Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Choice and option topology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Binary free-choice / no-choice label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Chooser, affected people, institutions and future option set. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Feasible-option map plus prebuilt low-friction lawful/prosocial pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Prospective choice-topology intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 768-774; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 102 pp. 768-774.

005 to 103: consequential handoff

Disability and accessibility -> Truth, deception and disclosure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Truth, deception and disclosure: Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Truth, deception and disclosure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Truth/lie binary detached from consequence topology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Speaker, listener, harmed parties, institutions and future trust network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Verification, safe disclosure, correction, restitution and transition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Sealed truth-cost / disclosure study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 775-781; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 103 pp. 775-781.

005 to 104: consequential handoff

Disability and accessibility -> Responsibility and causal attribution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Responsibility and causal attribution: Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Responsibility and causal attribution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Moral label detached from the action-producing state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Actor, victims, institutions, community and future actors. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Blinded case reconstruction with preregistered causal criteria'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 782-788; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 104 pp. 782-788.

005 to 105: consequential handoff

Disability and accessibility -> Consent, coercion and autonomy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Consent, coercion and autonomy: Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Consent, coercion and autonomy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Signed/expressed consent treated as sufficient state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Decision maker, counterparties, dependents and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Real exit, recourse, reversible consent, information symmetry and alternative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Prospective consent-quality audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 789-795; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 105 pp. 789-795.

005 to 106: consequential handoff

Disability and accessibility -> Addiction, compulsion and short-horizon relief | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Addiction, compulsion and short-horizon relief: Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Addiction, compulsion and short-horizon relief; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Substance/behavior category or abstinence binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Person, body, relationships, household, community and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Longitudinal regulated intervention with multi-carrier outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 796-802; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 106 pp. 796-802.

005 to 107: consequential handoff

Disability and accessibility -> Crime, violence and reconciliation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Crime, violence and reconciliation: Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Crime, violence and reconciliation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Offense label or actor-only risk score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Victims, actor, families, community, institutions and future potential victims. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Longitudinal controlled justice-program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 803-809; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 107 pp. 803-809.

005 to 108: consequential handoff

Disability and accessibility -> Animal sentience and welfare | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Animal sentience and welfare: Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Animal sentience and welfare; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Commodity/yield schema that excludes the animal as a carrier. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Animals, workers, consumers, farmers, land, ecosystems and communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Welfare, alternative-production, livelihood-transition and ecological capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Multi-carrier welfare, nutrition and livelihood trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 810-816; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 108 pp. 810-816.

005 to 109: consequential handoff

Disability and accessibility -> Collective agency and institutional choice | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Collective agency and institutional choice: Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Collective agency and institutional choice; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Organization treated as a single actor without internal carrier structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Members, minorities, leaders, outsiders, institutions and future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Distributed decision provenance, dissent channels, accountability and cross-boundary capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Prospective institutional decision audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 817-823; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 109 pp. 817-823.

005 to 110: consequential handoff

Disability and accessibility -> Human-AI co-agency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Human-AI co-agency: Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Human-AI co-agency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Model output or benchmark score treated as the whole system. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: User, non-user, model operator, workers, institutions, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Persistent provenance, human control, reversibility, portability, verification and receivingcapacity layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Sealed native-vs-K_R assisted agent benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 824-830; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 110 pp. 824-830.

005 to 111: consequential handoff

Disability and accessibility -> Evolution and natural selection | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Evolution and natural selection: Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Evolution and natural selection; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Fitness proxy or single-trait narrative. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Individuals, lineages, populations, interacting species and ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Diversity, ecological capacity and intervention guardrails where deliberate action exists. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Time-locked population/genomic holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 832-838; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 111 pp. 832-838.

005 to 112: consequential handoff

Disability and accessibility -> Reproduction, inheritance, mitosis and meiosis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Reproduction, inheritance, mitosis and meiosis: Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Reproduction, inheritance, mitosis and meiosis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Outcome-only birth/division count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Parent cell/organism, daughter cells, gametes, offspring and lineage. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Checkpoint, repair, redundancy and developmental-support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Lineage-resolved perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 839-845; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 112 pp. 839-845.

005 to 113: consequential handoff

Disability and accessibility -> Development and morphogenesis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Development and morphogenesis: Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Development and morphogenesis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Single marker or endpoint morphology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Cells, tissues, organs, organism and developmental future state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Stage-aware multi-pathway support, repair and resource architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Longitudinal developmental perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 846-852; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 113 pp. 846-852.

005 to 114: consequential handoff

Disability and accessibility -> Metabolism, diet and consumption | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Metabolism, diet and consumption: Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Metabolism, diet and consumption; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Calories/macros or one nutrient target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Gut, microbiome, liver, tissues, household, food system and future organism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Adaptive conversion, buffering, storage, elimination and access capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Controlled longitudinal multi-carrier nutrition study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 853-859; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 114 pp. 853-859.

005 to 115: consequential handoff

Disability and accessibility -> Predation, livestock and food-system transformation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Predation, livestock and food-system transformation: Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Predation, livestock and food-system transformation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Yield, price or human nutrition alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Animals, humans, workers, farmers, consumers, land, ecosystems and future food security. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Phased regional transition with preregistered carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 860-866; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 115 pp. 860-866.

005 to 116: consequential handoff

Disability and accessibility -> Learning, plasticity and cultural evolution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Learning, plasticity and cultural evolution: Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Learning, plasticity and cultural evolution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Test score, output or adoption count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Learner, teachers, peers, institutions, future self and cultural network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Longitudinal transfer-and-retention experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 867-873; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 116 pp. 867-873.

005 to 117: consequential handoff

Disability and accessibility -> Self-organization and emergence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Self-organization and emergence: Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Self-organization and emergence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Macro outcome without micro-carrier ledger. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Components, neighborhoods, emergent structure and external environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Multi-scale simulation plus physical/biological holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 874-880; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 117 pp. 874-880.

005 to 118: consequential handoff

Disability and accessibility -> Creation, provenance and dependency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Creation, provenance and dependency: Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Creation, provenance and dependency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Ownership or authorship treated as sufficient relationship model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Creators, created systems, maintainers, users, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Provenance, stewardship, autonomy-transition and reciprocal-viability architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Longitudinal creator-created dependency audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 881-887; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 118 pp. 881-887.

005 to 119: consequential handoff

Disability and accessibility -> Cosmological evolution and structure formation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Cosmological evolution and structure formation: Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Cosmological evolution and structure formation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Single scale or observable treated as complete cosmic state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: Observed regions, fields/matter components, instruments, models and observers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Cross-scale observation, uncertainty, model-comparison and instrumentation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Preregistered cross-survey predictive holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 888-894; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 119 pp. 888-894.

005 to 120: consequential handoff

Disability and accessibility -> Cross-substrate consciousness, temporal coexistence and closure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

PROPOSED RECEIVER AND STATE

Cross-substrate consciousness, temporal coexistence and closure: The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility.

INTERFACE AND COUPLING STATUS

Proposed interface from Disability and accessibility into Cross-substrate consciousness, temporal coexistence and closure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Deficit-only person label. Receiver's limited view: Any local adapter, species, institution or observer claiming closure from its own schema alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, caregiver, workplace, public space. Candidate receiver carriers: All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Environment-first accessibility architecture plus assistive capacity. Receiving capacity: Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and.... Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Before/after environment redesign with workload measures' with a receiver study of 'Time-locked system-of-systems closure test across multiple adapters'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 79-85 and 895-901; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026). Receiver Adapter 120 pp. 895-901.

005: Disability and accessibility

Household / family / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Household / family / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Household / family / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Household / family / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Household / family / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Household / family / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

School / university / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

School / university / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

School / university / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

School / university / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

School / university / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

School / university / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Enterprise / cooperative / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Enterprise / cooperative / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Enterprise / cooperative / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Enterprise / cooperative / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Enterprise / cooperative / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Enterprise / cooperative / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Healthcare / care team / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Healthcare / care team / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Healthcare / care team / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Healthcare / care team / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Healthcare / care team / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Healthcare / care team / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Local government / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Local government / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Local government / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Local government / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Local government / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Local government / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Ecological catchment / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Ecological catchment / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Ecological catchment / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Ecological catchment / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Ecological catchment / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Ecological catchment / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Scientific laboratory / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Scientific laboratory / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Scientific laboratory / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Scientific laboratory / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Scientific laboratory / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Scientific laboratory / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Public infrastructure / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Public infrastructure / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Public infrastructure / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Public infrastructure / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Public infrastructure / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Public infrastructure / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Digital / AI service / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Digital / AI service / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Digital / AI service / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Digital / AI service / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Digital / AI service / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Digital / AI service / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Interregional / planetary / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Interregional / planetary / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Interregional / planetary / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Interregional / planetary / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Interregional / planetary / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Disability and accessibility

Interregional / planetary / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Disability and accessibility is described in the Atlas as: Capabilities plus environmental demands, interfaces and support. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Person compensates for inaccessible environment. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, caregiver, workplace, public space. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Environment-first accessibility architecture plus assistive capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Capability, independence and participation rise while compensatory load falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Before/after environment redesign with workload measures or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Evidence and source reconstruction

Disability and accessibility | protocol 1 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 005: Disability and accessibility; original author status: Strong constructive fit. Native state: Capabilities plus environmental demands, interfaces and support.

EVALUATION OBJECTIVE

Evidence and source reconstruction. Establish what is observed, reported, derived, simulated and currently unavailable. Audit definitions, dates and units.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Deficit-only person label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Person compensates for inaccessible environment. The relevant receiving carriers are: Person, caregiver, workplace, public space.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Environment-first accessibility architecture plus assistive capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Capability, independence and participation rise while compensatory load falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Before/after environment redesign with workload measures. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Boundary divergence

Disability and accessibility | protocol 2 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 005: Disability and accessibility; original author status: Strong constructive fit. Native state: Capabilities plus environmental demands, interfaces and support.

EVALUATION OBJECTIVE

Boundary divergence. Predeclare local and consequential objectives, identical feasible action sets, and a measurable divergence test.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Deficit-only person label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Person compensates for inaccessible environment. The relevant receiving carriers are: Person, caregiver, workplace, public space.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Environment-first accessibility architecture plus assistive capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Capability, independence and participation rise while compensatory load falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Before/after environment redesign with workload measures. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Causal diagram and identifiability

Disability and accessibility | protocol 3 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 005: Disability and accessibility; original author status: Strong constructive fit. Native state: Capabilities plus environmental demands, interfaces and support.

EVALUATION OBJECTIVE

Causal diagram and identifiability. Draw the candidate causal graph; identify confounders, mediators, spillovers and selection mechanisms.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Deficit-only person label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Person compensates for inaccessible environment. The relevant receiving carriers are: Person, caregiver, workplace, public space.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Environment-first accessibility architecture plus assistive capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Capability, independence and participation rise while compensatory load falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Before/after environment redesign with workload measures. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Receiving carrier identification

Disability and accessibility | protocol 4 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 005: Disability and accessibility; original author status: Strong constructive fit. Native state: Capabilities plus environmental demands, interfaces and support.

EVALUATION OBJECTIVE

Receiving carrier identification. Predict the destination, path and delay of consequential burdens before measuring post-state outcomes.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Deficit-only person label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Person compensates for inaccessible environment. The relevant receiving carriers are: Person, caregiver, workplace, public space.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Environment-first accessibility architecture plus assistive capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Capability, independence and participation rise while compensatory load falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Before/after environment redesign with workload measures. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Hidden compensation accounting

Disability and accessibility | protocol 5 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 005: Disability and accessibility; original author status: Strong constructive fit. Native state: Capabilities plus environmental demands, interfaces and support.

EVALUATION OBJECTIVE

Hidden compensation accounting. Measure which agent, reserve, budget, ecosystem or later period silently carries the load.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Deficit-only person label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Person compensates for inaccessible environment. The relevant receiving carriers are: Person, caregiver, workplace, public space.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Environment-first accessibility architecture plus assistive capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Capability, independence and participation rise while compensatory load falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Before/after environment redesign with workload measures. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Native units and dimensional integrity

Disability and accessibility | protocol 6 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 005: Disability and accessibility; original author status: Strong constructive fit. Native state: Capabilities plus environmental demands, interfaces and support.

EVALUATION OBJECTIVE

Native units and dimensional integrity. Define each carrier outcome in its own units; avoid offsetting unlike harms with unsupported scalar sums.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Deficit-only person label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Person compensates for inaccessible environment. The relevant receiving carriers are: Person, caregiver, workplace, public space.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Environment-first accessibility architecture plus assistive capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Capability, independence and participation rise while compensatory load falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Before/after environment redesign with workload measures. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Capacity specification

Disability and accessibility | protocol 7 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 005: Disability and accessibility; original author status: Strong constructive fit. Native state: Capabilities plus environmental demands, interfaces and support.

EVALUATION OBJECTIVE

Capacity specification. Identify the binding receiver constraint and specify the smallest permissible constructive action.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Deficit-only person label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Person compensates for inaccessible environment. The relevant receiving carriers are: Person, caregiver, workplace, public space.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Environment-first accessibility architecture plus assistive capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Capability, independence and participation rise while compensatory load falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Before/after environment redesign with workload measures. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Intervention design

Disability and accessibility | protocol 8 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 005: Disability and accessibility; original author status: Strong constructive fit. Native state: Capabilities plus environmental demands, interfaces and support.

EVALUATION OBJECTIVE

Intervention design. Choose randomized, natural, observational or mechanistic evidence compatible with safety and identifiability.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Deficit-only person label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Person compensates for inaccessible environment. The relevant receiving carriers are: Person, caregiver, workplace, public space.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Environment-first accessibility architecture plus assistive capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Capability, independence and participation rise while compensatory load falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Before/after environment redesign with workload measures. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Incumbent parity contest

Disability and accessibility | protocol 9 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 005: Disability and accessibility; original author status: Strong constructive fit. Native state: Capabilities plus environmental demands, interfaces and support.

EVALUATION OBJECTIVE

Incumbent parity contest. Compare against strongest existing local, boundary-aware, causal and resource-constrained methods.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Deficit-only person label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Person compensates for inaccessible environment. The relevant receiving carriers are: Person, caregiver, workplace, public space.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Environment-first accessibility architecture plus assistive capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Capability, independence and participation rise while compensatory load falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Before/after environment redesign with workload measures. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Time-window and recurrence

Disability and accessibility | protocol 10 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 005: Disability and accessibility; original author status: Strong constructive fit. Native state: Capabilities plus environmental demands, interfaces and support.

EVALUATION OBJECTIVE

Time-window and recurrence. Measure early, intermediate and delayed outcomes, including reserve depletion and changing bottlenecks.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Deficit-only person label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Person compensates for inaccessible environment. The relevant receiving carriers are: Person, caregiver, workplace, public space.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Environment-first accessibility architecture plus assistive capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Capability, independence and participation rise while compensatory load falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Before/after environment redesign with workload measures. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Ethical and legal safety

Disability and accessibility | protocol 11 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 005: Disability and accessibility; original author status: Strong constructive fit. Native state: Capabilities plus environmental demands, interfaces and support.

EVALUATION OBJECTIVE

Ethical and legal safety. Determine affected rights, vulnerable groups, irreversible harms, consent, permissions and safety constraints.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Deficit-only person label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Person compensates for inaccessible environment. The relevant receiving carriers are: Person, caregiver, workplace, public space.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Environment-first accessibility architecture plus assistive capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Capability, independence and participation rise while compensatory load falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Before/after environment redesign with workload measures. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Sensitivity and negative controls

Disability and accessibility | protocol 12 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 005: Disability and accessibility; original author status: Strong constructive fit. Native state: Capabilities plus environmental demands, interfaces and support.

EVALUATION OBJECTIVE

Sensitivity and negative controls. Vary unmeasured confounding, missingness, cost, thresholds and adverse spillover assumptions.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Deficit-only person label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Person compensates for inaccessible environment. The relevant receiving carriers are: Person, caregiver, workplace, public space.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Environment-first accessibility architecture plus assistive capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Capability, independence and participation rise while compensatory load falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Before/after environment redesign with workload measures. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Replication and provenance

Disability and accessibility | protocol 13 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 005: Disability and accessibility; original author status: Strong constructive fit. Native state: Capabilities plus environmental demands, interfaces and support.

EVALUATION OBJECTIVE

Replication and provenance. Version the kernel, code, data, transformation decisions, negative findings and external replication.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Deficit-only person label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Person compensates for inaccessible environment. The relevant receiving carriers are: Person, caregiver, workplace, public space.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Environment-first accessibility architecture plus assistive capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Capability, independence and participation rise while compensatory load falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Before/after environment redesign with workload measures. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

005: Cross-domain invariant contest

Disability and accessibility | protocol 14 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 005: Disability and accessibility; original author status: Strong constructive fit. Native state: Capabilities plus environmental demands, interfaces and support.

EVALUATION OBJECTIVE

Cross-domain invariant contest. Keep K_R fixed while swapping M_d; test whether new measurements produce predictions beyond domain incumbents.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Deficit-only person label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Person compensates for inaccessible environment. The relevant receiving carriers are: Person, caregiver, workplace, public space.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Environment-first accessibility architecture plus assistive capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Capability, independence and participation rise while compensatory load falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Before/after environment redesign with workload measures. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 005, pp. 79-85 (Rufino 2026).

Adapter 006: Mobility and physical function

Human life quality | Internal carrier and capacity reconstruction

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

DOMAIN-NATIVE STATE

Strength, pain, balance, endurance, environment, assistive devices

RECORDED RECEIVING SCHEMA

Single functional score

CANDIDATE BURDEN AND RECEIVING CARRIERS

Blocker in the source Atlas: Function gains can increase pain, fatigue or caregiver burden. Candidate receivers: Body, caregiver, environment.

EXISTING CAPACITY DESIGN

Adaptive rehabilitation plus environment and device redesign

PROTECTED OUTCOME STATED BY THE AUTHOR

Function, comfort, autonomy and caregiver load improve

SCIENTIFIC NEXT STEP

Atlas proposed decisive test: Controlled rehabilitation study. This remains a proposed testing route, not proof of a completed successful implementation.

ORIGINALITY AND CONSTRUCTION OBLIGATION

Run causal receiving-carrier diagnosis before action; compare construction against strong established methods; do not accept positive averages as proof that all material carriers benefited.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006 | Mobility and physical function

Individual human / person | Insufficient capacity

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 006, Mobility and physical function. Native state: Strength, pain, balance, endurance, environment, assistive devices. Potential direct or institutional human pathway: Mobility and physical function interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Insufficient capacity: The human has limited time, health, physical access, material resources, protective support or opportunity. Source Atlas proposed limiting condition: Function gains can increase pain, fatigue or caregiver burden.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Adaptive rehabilitation plus environment and device redesign can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Function, comfort, autonomy and caregiver load improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

006 | Mobility and physical function

Individual human / person | Schema mismatch

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 006, Mobility and physical function. Native state: Strength, pain, balance, endurance, environment, assistive devices. Potential direct or institutional human pathway: Mobility and physical function interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Schema mismatch: The person has evidence-grounded capabilities or needs that institutional identifiers, scores or labels do not adequately recognize. Source Atlas proposed limiting condition: Function gains can increase pain, fatigue or caregiver burden.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Adaptive rehabilitation plus environment and device redesign can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Function, comfort, autonomy and caregiver load improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

006 | Mobility and physical function

Individual human / person | Delayed effects

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 006, Mobility and physical function. Native state: Strength, pain, balance, endurance, environment, assistive devices. Potential direct or institutional human pathway: Mobility and physical function interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Delayed effects: A short-term change influences future-self health, skills, income, dependence, options or relationships. Source Atlas proposed limiting condition: Function gains can increase pain, fatigue or caregiver burden.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Adaptive rehabilitation plus environment and device redesign can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Function, comfort, autonomy and caregiver load improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

006 | Mobility and physical function

Individual human / person | Measurement uncertainty

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 006, Mobility and physical function. Native state: Strength, pain, balance, endurance, environment, assistive devices. Potential direct or institutional human pathway: Mobility and physical function interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Measurement uncertainty: The record lacks consented individual outcomes, counterfactuals, follow-up, or reliable protection metrics. Source Atlas proposed limiting condition: Function gains can increase pain, fatigue or caregiver burden.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Adaptive rehabilitation plus environment and device redesign can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Function, comfort, autonomy and caregiver load improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

006 | Mobility and physical function

Individual human / person | Coordination failure

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 006, Mobility and physical function. Native state: Strength, pain, balance, endurance, environment, assistive devices. Potential direct or institutional human pathway: Mobility and physical function interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Coordination failure: Family, employer, provider, government or technical systems hand off obligations to the individual without coordinated support. Source Atlas proposed limiting condition: Function gains can increase pain, fatigue or caregiver burden.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Adaptive rehabilitation plus environment and device redesign can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Function, comfort, autonomy and caregiver load improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

006 | Mobility and physical function

Individual human / person | Adversarial / inequitable distribution

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 006, Mobility and physical function. Native state: Strength, pain, balance, endurance, environment, assistive devices. Potential direct or institutional human pathway: Mobility and physical function interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Adversarial / inequitable distribution: Unequal power, coercion, inaccessible systems, discrimination or exploitative incentives shift costs to a person. Source Atlas proposed limiting condition: Function gains can increase pain, fatigue or caregiver burden.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Adaptive rehabilitation plus environment and device redesign can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Function, comfort, autonomy and caregiver load improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

006 to 001: consequential handoff

Mobility and physical function -> Whole-person quality of life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Whole-person quality of life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Single score, diagnosis, income bracket or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Person, household, caregivers, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Longitudinal cohort with preregistered multidimensional outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 51-57; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 001 pp. 51-57.

006 to 002: consequential handoff

Mobility and physical function -> Nutrition and metabolism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Nutrition and metabolism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Calories/macros or generic diet categories. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Body, household budget, food system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Randomized adaptive nutrition trial with cost and adherence carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 58-64; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 002 pp. 58-64.

006 to 003: consequential handoff

Mobility and physical function -> Sleep and recovery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Sleep and recovery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Hours slept or wearable score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Body, cognition, household schedule. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Recovery controller integrating timing, environment, workload and physiology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Longitudinal crossover study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 65-71; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 003 pp. 65-71.

006 to 004: consequential handoff

Mobility and physical function -> Reproductive and sexual health | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Reproductive and sexual health; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Single fertility, disease or risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Individual, partner, future child, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Clinical trials + patient-reported and partner- impact carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 72-78; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 004 pp. 72-78.

006 to 005: consequential handoff

Mobility and physical function -> Disability and accessibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Disability and accessibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Deficit-only person label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Person, caregiver, workplace, public space. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Environment-first accessibility architecture plus assistive capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Before/after environment redesign with workload measures'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 79-85; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 005 pp. 79-85.

006 to 006: consequential handoff

Mobility and physical function -> Mobility and physical function | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

INTERFACE AND COUPLING STATUS

This is a within-domain loop: the post-state of Mobility and physical function becomes the next native state under its existing map. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Single functional score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Body, caregiver, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Adaptive rehabilitation plus environment and device redesign. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Controlled rehabilitation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 86-92; WITHIN-DOMAIN RECURRENCE. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 006 pp. 86-92.

006 to 007: consequential handoff

Mobility and physical function -> Family and caregiving | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Family and caregiving; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Household role labels. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Primary caregiver, dependents, siblings, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Care-load ledger, shared coordination and external capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Prospective household burden study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 93-99; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 007 pp. 93-99.

006 to 008: consequential handoff

Mobility and physical function -> Safety and personal security | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Safety and personal security; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Incident count or generic risk class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Person, community, responder. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Safety architecture that increases protection without reducing autonomy. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Prospective safety intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 100-106; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 008 pp. 100-106.

006 to 009: consequential handoff

Mobility and physical function -> Housing and domestic environment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Housing and domestic environment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Property price or occupancy status. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Resident, landlord, neighborhood, city. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Whole-cost housing and location architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Matched housing intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 107-113; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 009 pp. 107-113.

006 to 010: consequential handoff

Mobility and physical function -> Human longevity and life-course planning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Human longevity and life-course planning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Chronological age or retirement age. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Person, family, institutions, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Life-course capital and care architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Longitudinal life-course cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 114-120; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 010 pp. 114-120.

006 to 011: consequential handoff

Mobility and physical function -> Psychology and social legibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Psychology and social legibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Snapshot diagnosis or social category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Person, family, employer, clinician. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Multidimensional schema plus support matched to hidden burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Longitudinal external cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 122-128; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 011 pp. 122-128.

006 to 012: consequential handoff

Mobility and physical function -> Identity and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Identity and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Single identity label or credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Person and receiving institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Selective multi-context identity graph with provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Cross-context identity study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 129-135; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 012 pp. 129-135.

006 to 013: consequential handoff

Mobility and physical function -> Relationships and intimacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Relationships and intimacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Relationship status or personality label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Partners and wider support network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Reciprocal state and burden ledger plus consent architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Dyadic longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 136-142; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 013 pp. 136-142.

006 to 014: consequential handoff

Mobility and physical function -> Parenting and child development | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Parenting and child development; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Age norm, grade or behavior label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Child, parent, school, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Developmental state map plus distributed support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Longitudinal family-school cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 143-149; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 014 pp. 143-149.

006 to 015: consequential handoff

Mobility and physical function -> Purpose and self-actualization | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Purpose and self-actualization; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Career status, wealth or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Person, relationships, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Whole-person capability architecture and burden guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Longitudinal multidimensional evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 150-156; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 015 pp. 150-156.

006 to 016: consequential handoff

Mobility and physical function -> Existential wellbeing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Existential wellbeing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Symptom or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Person, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Voluntary meaning-reflection and support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Patient/user-reported longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 157-163; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 016 pp. 157-163.

006 to 017: consequential handoff

Mobility and physical function -> Spiritual life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Spiritual life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Institutional affiliation alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Individual, family, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Ethical observational study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 164-170; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 017 pp. 164-170.

006 to 018: consequential handoff

Mobility and physical function -> Religion and community institutions | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Religion and community institutions; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Membership or doctrinal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Members, families, leaders, wider community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Transparent governance, reporting, safeguarding and exit rights. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Institutional longitudinal audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 171-177; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 018 pp. 171-177.

006 to 019: consequential handoff

Mobility and physical function -> Emotion and affect regulation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Emotion and affect regulation: Internal state, context, physiology, cognition and social feedback.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Emotion and affect regulation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Valence score or symptom label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Person and relationships. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: State-aware regulation architecture with physiological feedback. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Crossover intervention study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 178-184; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 019 pp. 178-184.

006 to 020: consequential handoff

Mobility and physical function -> Trust and fidelity between people | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Trust and fidelity between people: History, promises, evidence, uncertainty and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Trust and fidelity between people; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Trusted/untrusted binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: People and institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Dynamic provenance and expectation architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Prospective trust-repair study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 185-191; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 020 pp. 185-191.

006 to 021: consequential handoff

Mobility and physical function -> Healthcare delivery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Healthcare delivery: Clinical state, logistics, caregiver capacity, finance and post-discharge environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Healthcare delivery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Episode-of-care schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Patient, caregiver, outpatient system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Consequential discharge/care orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 193-199; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 021 pp. 193-199.

006 to 022: consequential handoff

Mobility and physical function -> Diagnostics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Diagnostics: Underlying disease state, uncertainty, test characteristics and downstream actions.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Diagnostics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Single test result. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Patient, clinician, payer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Bayesian multi-source diagnostic schema + uncertainty communication. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Prospective blinded diagnostic study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 200-206; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 022 pp. 200-206.

006 to 023: consequential handoff

Mobility and physical function -> Cancer ecology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Cancer ecology: Clone mix, immune state, microenvironment, host reserve and therapy exposure.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Cancer ecology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Stage/tumor-size snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Resistant clones, healthy tissue, immune system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Adaptive ecological state estimator + resistance/host capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Preclinical then clinical adaptive trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 207-213; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 023 pp. 207-213.

006 to 024: consequential handoff

Mobility and physical function -> Neuroscience and neurodegeneration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Neuroscience and neurodegeneration: Neural, glial, vascular, metabolic, network and functional state.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Neuroscience and neurodegeneration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Single biomarker or visible function. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Neural networks, metabolism, caregiver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Multimodal state estimator + restorative capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Multimodal longitudinal intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 214-220; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 024 pp. 214-220.

006 to 025: consequential handoff

Mobility and physical function -> Aging biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Aging biology: Coupled damage, repair, senescence, immunity, metabolism and regeneration.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Aging biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Age scalar or isolated hallmark. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Cells, tissues, immune system, metabolism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Moving-bottleneck RVG controller across damage/repair channels. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Preclinical multi-pathway study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 221-227; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 025 pp. 221-227.

006 to 026: consequential handoff

Mobility and physical function -> Immunology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Immunology: Immune activation, tolerance, pathogen/tumor signals and tissue damage.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Immunology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Single cytokine or cell-count schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Pathogen, immune cells, host tissue. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: State-dependent immune control balancing clearance and collateral damage. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Controlled biological study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 228-234; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 026 pp. 228-234.

006 to 027: consequential handoff

Mobility and physical function -> Infectious disease | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Infectious disease: Pathogen dynamics, host immunity, behavior, network spread and treatment.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Infectious disease; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Case count or pathogen-only model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Patients, contacts, health system, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Multi-carrier containment + treatment + livelihood capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Prospective outbreak protocol'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 235-241; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 027 pp. 235-241.

006 to 028: consequential handoff

Mobility and physical function -> Microbiome | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Microbiome: Host physiology plus microbial ecology and diet/environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Microbiome; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Species abundance snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Host and microbial community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Functional ecosystem state model and adaptive intervention. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Controlled longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 242-248; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 028 pp. 242-248.

006 to 029: consequential handoff

Mobility and physical function -> Genomics and proteomics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Genomics and proteomics: Variants, expression, proteins, pathways, context and phenotype.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Genomics and proteomics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Single marker/pathogenicity label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Cells, tissues, patient. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Multi-omic causal state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Prospective multi-omic validation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 249-255; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 029 pp. 249-255.

006 to 030: consequential handoff

Mobility and physical function -> Surgery and rehabilitation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Surgery and rehabilitation: Anatomy, function, pain, recovery capacity, home support and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Surgery and rehabilitation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Procedure success or anatomical correction. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Patient, caregiver, rehab system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Prehabilitation + procedure + recovery orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 256-262; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 030 pp. 256-262.

006 to 031: consequential handoff

Mobility and physical function -> Early-childhood development and education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Early-childhood development and education: Development, safety, language, nutrition, play, attachment and resources.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Early-childhood development and education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Age milestone or readiness score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Child, caregiver, educator. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Integrated developmental support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Longitudinal program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 264-270; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 031 pp. 264-270.

006 to 032: consequential handoff

Mobility and physical function -> K-12 education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

K-12 education: Knowledge, skills, wellbeing, context, resources and learning trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into K-12 education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Grade/test score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Student, teacher, family. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Capability graph + adaptive learning + wellbeing constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Cluster randomized trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 271-277; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 032 pp. 271-277.

006 to 033: consequential handoff

Mobility and physical function -> Higher education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Higher education: Capability, knowledge, network, finances and career pathways.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Higher education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Degree/GPA credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Student, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Capability/provenance portfolio + adaptive pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Longitudinal graduate outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 278-284; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 033 pp. 278-284.

006 to 034: consequential handoff

Mobility and physical function -> Vocational and workforce learning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Vocational and workforce learning: Skills, task demand, wages, mobility and employer needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Vocational and workforce learning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Course completion certificate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Worker, employer, training provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Skill-to-task provenance and placement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Matched labor-market evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 285-291; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 034 pp. 285-291.

006 to 035: consequential handoff

Mobility and physical function -> Scientific research | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Scientific research: Hypotheses, methods, data, negative results, replication and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Scientific research; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Publication/citation unit. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Researchers, institutions, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Experiment provenance + negative-result + replication architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Cross-lab replication program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 292-298; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 035 pp. 292-298.

006 to 036: consequential handoff

Mobility and physical function -> Justice and courts | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Justice and courts: Facts, evidence, harm, intent, procedure, history and remedies.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Justice and courts; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Case category or docket state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Victims, accused, families, courts, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Causal provenance + harm/restitution + recurrence architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Prospective process evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 299-305; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 036 pp. 299-305.

006 to 037: consequential handoff

Mobility and physical function -> Policing and public safety systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Policing and public safety systems: Threat, context, evidence, community trust, capacity and alternatives.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Policing and public safety systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Incident/offense label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Residents, officers, victims, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Evidence-first response selection + prevention/support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Independent public evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 306-312; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 037 pp. 306-312.

006 to 038: consequential handoff

Mobility and physical function -> Corrections, rehabilitation and reintegration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Corrections, rehabilitation and reintegration: Risk, harm, needs, skills, housing, work and social support.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Corrections, rehabilitation and reintegration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Sentence/recidivism risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Person, family, community, justice system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Rehabilitation + restitution + housing/work capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Longitudinal controlled program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 313-319; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 038 pp. 313-319.

006 to 039: consequential handoff

Mobility and physical function -> Public administration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Public administration: Citizen state, eligibility, documents, services and agency capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Public administration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Program-specific record. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Citizen, frontline staff, budget. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Interoperable verified state + once-only data + case orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Agency pilot with citizen/staff metrics'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 320-326; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 039 pp. 320-326.

006 to 040: consequential handoff

Mobility and physical function -> Governance and institutional design | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Governance and institutional design: Authority, incentives, information, accountability, resources and affected populations.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Governance and institutional design; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Organizational chart or legal mandate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Citizens, agencies, future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Cross-boundary outcome ledger + accountability and capacity design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Prospective institutional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 327-333; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 040 pp. 327-333.

006 to 041: consequential handoff

Mobility and physical function -> Beauty and aesthetics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Beauty and aesthetics: Biology, preference, culture, identity, safety, cost and perception.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Beauty and aesthetics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Universal beauty standard or product category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Person, body, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Personalized aesthetic/safety state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Consumer/clinical outcome study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 335-341; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 041 pp. 335-341.

006 to 042: consequential handoff

Mobility and physical function -> Fashion and apparel | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Fashion and apparel: Identity, fit, comfort, durability, labor, inventory and lifecycle.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Fashion and apparel; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Size/SKU/category schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Wearer, worker, retailer, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Adaptive sizing + provenance + circularity architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Retail field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 342-348; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 042 pp. 342-348.

006 to 043: consequential handoff

Mobility and physical function -> Luxury goods | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Luxury goods: Provenance, scarcity, condition, access, identity, inventory and lifecycle value.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Luxury goods; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Price/status/authenticity binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Buyer, seller, inventory, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Provenance + condition + access + reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Operational field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 349-355; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 043 pp. 349-355.

006 to 044: consequential handoff

Mobility and physical function -> Hospitality | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Hospitality: Guest needs, staff capacity, time, room state, logistics and locality.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Hospitality; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Booking/reservation state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Guest, staff, operator, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: End-to-end experience and workload orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Property-level A/B evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 356-362; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 044 pp. 356-362.

006 to 045: consequential handoff

Mobility and physical function -> Travel and tourism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Travel and tourism: Mobility, cost, safety, experience, local capacity and environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Travel and tourism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Itinerary/booking schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Traveler, worker, resident, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Consequential itinerary/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Destination pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 363-369; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 045 pp. 363-369.

006 to 046: consequential handoff

Mobility and physical function -> Art and cultural markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Art and cultural markets: Creative work, provenance, rights, cultural meaning, scarcity and audience.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Art and cultural markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Price/ownership/engagement proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Artist, audience, collector, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Rights/provenance/value-sharing architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Marketplace field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 370-376; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 046 pp. 370-376.

006 to 047: consequential handoff

Mobility and physical function -> Music and entertainment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Music and entertainment: Creative contribution, rights, attention, audience value and platform economics.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Music and entertainment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Stream/view count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Creators, audiences, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Contribution/provenance + value-distribution architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 377-383; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 047 pp. 377-383.

006 to 048: consequential handoff

Mobility and physical function -> Gaming and virtual worlds | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Gaming and virtual worlds: Player goals, time, identity, economy, safety and creator contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Gaming and virtual worlds; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Retention/spend metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Players, creators, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Cross-reality value and safety controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 384-390; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 048 pp. 384-390.

006 to 049: consequential handoff

Mobility and physical function -> Sports and performance | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Sports and performance: Performance, health, training load, recovery, team dynamics and career horizon.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Sports and performance; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Win/score/output metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Athlete, team, family, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Load/recovery/career controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Prospective team study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 391-397; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 049 pp. 391-397.

006 to 050: consequential handoff

Mobility and physical function -> Experience design and events | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Experience design and events: Attention, emotion, logistics, accessibility, staff load and community impact.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Experience design and events; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Attendance/NPS/ticket revenue. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Guests, staff, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: End-to-end experience-state orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Event A/B study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 398-404; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 050 pp. 398-404.

006 to 051: consequential handoff

Mobility and physical function -> Currency and monetary experience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Currency and monetary experience: Purchasing power, liquidity, settlement, access, trust and macro context.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Currency and monetary experience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Nominal unit/FX quote. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Households, firms, intermediaries. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Consequential monetary-state and settlement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Historical + prospective policy-neutral system test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 406-412; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 051 pp. 406-412.

006 to 052: consequential handoff

Mobility and physical function -> Payments and remittances | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Payments and remittances: Amount, fees, FX, settlement time, access, fraud and recipient liquidity.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Payments and remittances; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Successful transfer binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Sender, receiver, provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: End-to-end transfer optimization with transparent provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Transaction-level field test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 413-419; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 052 pp. 413-419.

006 to 053: consequential handoff

Mobility and physical function -> Banking and liquidity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Banking and liquidity: Deposits, credit, liquidity, capital, customer state and network exposures.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Banking and liquidity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Product/account or institution-local balance sheet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Banks, customers, counterparties, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Network consequential balance sheet + capacity buffers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Stress test + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 420-426; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 053 pp. 420-426.

006 to 054: consequential handoff

Mobility and physical function -> Credit and underwriting | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Credit and underwriting: Cashflow, assets, obligations, trajectory, capability and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Credit and underwriting; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Static score/category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Borrower, lender, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Dynamic provenance/capacity underwriting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Prospective lending trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 427-433; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 054 pp. 427-433.

006 to 055: consequential handoff

Mobility and physical function -> Insurance and resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Insurance and resilience: Hazard, exposure, prevention, coverage, recovery and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Insurance and resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Loss probability/policy class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Policyholder, insurer, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Prevention + resilience + coverage architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Pilot product evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 434-440; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 055 pp. 434-440.

006 to 056: consequential handoff

Mobility and physical function -> Capital markets and investing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Capital markets and investing: Price, cashflow, externalities, network risk and long-horizon value.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Capital markets and investing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Return/risk factor set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Investor, firm, workers, public, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Consequential asset ledger with carrier constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Historical backtest + prospective paper portfolio'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 441-447; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 056 pp. 441-447.

006 to 057: consequential handoff

Mobility and physical function -> Private wealth and family capital | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Private wealth and family capital: Financial, human, social, health and intergenerational capital.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Private wealth and family capital; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Portfolio net worth. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Client, family, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Whole-capital balance sheet + goals/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Longitudinal client evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 448-454; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 057 pp. 448-454.

006 to 058: consequential handoff

Mobility and physical function -> Labor and talent markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Labor and talent markets: Capability, workload, pay, health, learning and opportunity.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Labor and talent markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Job title/CV/credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Worker, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Capability-state + workload + mobility architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Workplace pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 455-461; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 058 pp. 455-461.

006 to 059: consequential handoff

Mobility and physical function -> Organizations and enterprises | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Organizations and enterprises: Functions, dependencies, people, cash, knowledge and customer value.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Organizations and enterprises; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Department/KPI structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Workers, customers, suppliers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Enterprise consequential graph + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Multi-team field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 462-468; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 059 pp. 462-468.

006 to 060: consequential handoff

Mobility and physical function -> Entrepreneurship and venture creation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Entrepreneurship and venture creation: Unmet burden, carrier, willingness to pay, build cost and adoption.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Entrepreneurship and venture creation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Existing market category/TAM. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Founder initially, then customer/system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Mutual-Uptick blocker discovery + missing-capacity build. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Pilot venture with carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 469-475; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 060 pp. 469-475.

006 to 061: consequential handoff

Mobility and physical function -> Artificial intelligence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Artificial intelligence: Model state, source reality, user intent, provenance, uncertainty and downstream action.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Artificial intelligence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Prompt/context window/model output. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: User, verifier, downstream system, compute. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Persistent schema/provenance layer + self-audit and escalation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Sealed cross-model benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 477-483; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 061 pp. 477-483.

006 to 062: consequential handoff

Mobility and physical function -> Software systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Software systems: Requirements, dependencies, state, users, infrastructure and technical debt.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Software systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Feature/ticket/local module schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Developers, users, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Dependency/provenance graph + consequential release controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Repository-level prospective benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 484-490; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 062 pp. 484-490.

006 to 063: consequential handoff

Mobility and physical function -> Cybersecurity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Cybersecurity: Actual attack graph, identities, vulnerabilities, privileges and attacker state.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Cybersecurity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Defender inventory/rules/log view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Systems, users, analysts, business continuity. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Self-updating attack schema + carrier prediction + safe containment/failover. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Red-team sealed telemetry benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 491-497; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 063 pp. 491-497.

006 to 064: consequential handoff

Mobility and physical function -> Data infrastructure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Data infrastructure: Datasets, lineage, semantics, permissions, quality and downstream uses.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Data infrastructure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Table/file/schema local view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Analysts, models, users, compliance. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Provenance graph + semantic reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Enterprise data benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 498-504; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 064 pp. 498-504.

006 to 065: consequential handoff

Mobility and physical function -> Privacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Privacy: Data state, purposes, consent, exposure, value and future misuse.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Privacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Consent checkbox or access-control list. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Person, organization, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Selective disclosure + provenance + minimization architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Field trial + attack testing'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 505-511; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 065 pp. 505-511.

006 to 066: consequential handoff

Mobility and physical function -> Digital identity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Digital identity: Attributes, credentials, context, revocation, privacy and trust.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Digital identity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Single identifier/account. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Person, verifier, issuer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Selective-verification credential graph. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Cross-service pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 512-518; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 066 pp. 512-518.

006 to 067: consequential handoff

Mobility and physical function -> Internet and communications | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Internet and communications: Topology, capacity, latency, content, trust and user needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Internet and communications; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Throughput/uptime metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Users, networks, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Consequential routing + fidelity/provenance layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Network/application experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 519-525; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 067 pp. 519-525.

006 to 068: consequential handoff

Mobility and physical function -> Media and information ecosystems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Media and information ecosystems: Claims, evidence, incentives, attention, creators and audiences.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Media and information ecosystems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Engagement/feed rank. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Audience, creator, public discourse. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Claim provenance + quality + incentive reconciliation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 526-532; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 068 pp. 526-532.

006 to 069: consequential handoff

Mobility and physical function -> Language and translation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Language and translation: Meaning, context, culture, pragmatics and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Language and translation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Word/token correspondence. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Speakers, institutions, models. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Semantic/provenance translation with ambiguity tracking. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Blind human evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 533-539; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 069 pp. 533-539.

006 to 070: consequential handoff

Mobility and physical function -> Knowledge and ontologies | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Knowledge and ontologies: Entities, relations, provenance, incompatible schemas and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Knowledge and ontologies; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Single ontology/taxonomy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Researchers, AI, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Cross-schema translation + minimal sufficient ontology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Cross-domain benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 540-546; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 070 pp. 540-546.

006 to 071: consequential handoff

Mobility and physical function -> Energy and power grids | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Energy and power grids: Generation, load, storage, network constraints, prices and reliability.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Energy and power grids; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Local device efficiency or node KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Grid nodes, customers, storage, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Consequential grid controller + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Grid simulation + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 548-554; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 071 pp. 548-554.

006 to 072: consequential handoff

Mobility and physical function -> Water and irrigation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Water and irrigation: Withdrawals, consumptive use, return flows, storage, aquifers and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Water and irrigation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Farm/project efficiency. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Downstream users, rivers, aquifers, ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Basin-wide accounting + catchment + allocation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Basin holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 555-561; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 072 pp. 555-561.

006 to 073: consequential handoff

Mobility and physical function -> Food and agriculture | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Food and agriculture: Yield, soil, water, inputs, nutrition, labor, market and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Food and agriculture; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Yield/acre or commodity price. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Farmer, consumer, soil, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Coupled regenerative production controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Multi-season farm trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 562-568; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 073 pp. 562-568.

006 to 074: consequential handoff

Mobility and physical function -> Supply chains and logistics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Supply chains and logistics: Inventory, demand, transport, suppliers, lead times and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Supply chains and logistics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Node-level cost/service KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Suppliers, warehouses, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Carrier-aware flow controller + buffer placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Historical + live pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 569-575; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 074 pp. 569-575.

006 to 075: consequential handoff

Mobility and physical function -> Manufacturing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Manufacturing: Materials, energy, machines, labor, quality, maintenance and waste.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Manufacturing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Unit cost/OEE. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Workers, machines, environment, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Closed-loop production and maintenance architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Factory pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 576-582; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 075 pp. 576-582.

006 to 076: consequential handoff

Mobility and physical function -> Waste and circular materials | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Waste and circular materials: Material composition, location, contamination, residual value and logistics.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Waste and circular materials; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Waste tonnage/disposal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Communities, environment, future production. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Material provenance + recapture + transformation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Municipal/industrial pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 583-589; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 076 pp. 583-589.

006 to 077: consequential handoff

Mobility and physical function -> Transportation and mobility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Transportation and mobility: Trips, time, safety, access, energy, congestion and land use.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Transportation and mobility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Vehicle throughput/speed. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Travelers, neighborhoods, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Multimodal consequential mobility controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'City corridor pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 590-596; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 077 pp. 590-596.

006 to 078: consequential handoff

Mobility and physical function -> Cities and urban systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Cities and urban systems: Housing, jobs, transport, health, utilities, safety and public space.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Cities and urban systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Agency-by-agency city data. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Residents, agencies, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: City consequential digital twin + coordinated capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'District pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 597-603; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 078 pp. 597-603.

006 to 079: consequential handoff

Mobility and physical function -> Climate and disaster resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Climate and disaster resilience: Hazard, exposure, vulnerability, infrastructure, food, health and recovery.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Climate and disaster resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Hazard forecast alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: People, infrastructure, ecosystems, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Anticipatory catchment + prepositioned capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Prospective matched pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 604-610; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 079 pp. 604-610.

006 to 080: consequential handoff

Mobility and physical function -> Ecology and biodiversity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Ecology and biodiversity: Species, habitats, flows, extraction, communities and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Ecology and biodiversity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Protected-area/local species metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Species, habitats, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Landscape-scale leakage/carrier accounting + livelihoods. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Landscape holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 611-617; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 080 pp. 611-617.

006 to 081: consequential handoff

Mobility and physical function -> Cell biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Cell biology: Signaling, organelles, metabolism, damage, repair and cell-state transitions.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Cell biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Single pathway/marker. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Organelles, pathways, neighboring cells. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Multi-state cellular controller + capacity targeting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'In-vitro perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 619-625; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 081 pp. 619-625.

006 to 082: consequential handoff

Mobility and physical function -> Molecular biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Molecular biology: Molecules, conformations, binding networks, concentrations and kinetics.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Molecular biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Single interaction/target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Molecules, pathways, host system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Reaction/network state model + off-target carrier control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Bench experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 626-632; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 082 pp. 626-632.

006 to 083: consequential handoff

Mobility and physical function -> Nanotechnology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Nanotechnology: Particle properties, surfaces, transport, environment and biological interaction.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Nanotechnology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Particle spec alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Cells, environment, users. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Lifecycle and interaction-aware nano design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Bench + environmental tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 633-639; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 083 pp. 633-639.

006 to 084: consequential handoff

Mobility and physical function -> Chemistry and reaction systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Chemistry and reaction systems: Species, reaction network, kinetics, energy, byproducts and separation.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Chemistry and reaction systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Target yield/selectivity. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Reactor, environment, downstream process. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Consequential reaction-network optimization + recovery loops. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Reactor experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 640-646; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 084 pp. 640-646.

006 to 085: consequential handoff

Mobility and physical function -> Materials science | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Materials science: Microstructure, defects, stress, temperature, lifecycle and manufacturing.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Materials science; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Bulk property spec. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Material, structure, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Defect-aware multiproperty design + recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Lab characterization'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 647-653; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 085 pp. 647-653.

006 to 086: consequential handoff

Mobility and physical function -> Classical mechanics and control | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Classical mechanics and control: Physical state, dynamics, sensors, actuators and disturbance.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Classical mechanics and control; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Partial state observation/local control objective. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Plant, actuator, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Representation-aware full-state controller + regenerative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Physical bench experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 654-660; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 086 pp. 654-660.

006 to 087: consequential handoff

Mobility and physical function -> Thermodynamics and nonequilibrium systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Thermodynamics and nonequilibrium systems: Energy, entropy, gradients, reservoirs, flows and constraints.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Thermodynamics and nonequilibrium systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Local efficiency/temperature metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Reservoirs, environment, components. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Whole-boundary energy/exergy and recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Physical experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 661-667; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 087 pp. 661-667.

006 to 088: consequential handoff

Mobility and physical function -> Electromagnetism and circuits | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Electromagnetism and circuits: Fields, voltages, currents, topology, storage and losses.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Electromagnetism and circuits; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Local component state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Circuit elements, sources, loads. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Full-network state estimation + capacity/recovery placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Bench circuit experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 668-674; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 088 pp. 668-674.

006 to 089: consequential handoff

Mobility and physical function -> Quantum systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Quantum systems: Quantum state, observables, measurement, control and decoherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Quantum systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Accessible observable set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Quantum system, apparatus, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Constraint-respecting measurement/control schema + capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Laboratory quantum experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 675-681; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 089 pp. 675-681.

006 to 090: consequential handoff

Mobility and physical function -> Pure mathematics and formal systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Pure mathematics and formal systems: Objects, relations, axioms, language, proofs and translations.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Pure mathematics and formal systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Chosen signature/type system/quotient. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Proof system, translator, solver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Minimal sufficient schema preserving required relations. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Machine-checked theorem suite'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 682-688; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 090 pp. 682-688.

006 to 091: consequential handoff

Mobility and physical function -> Statistics and causal inference | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Statistics and causal inference: Data-generating process, sampling, measurement, confounding and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Statistics and causal inference; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Chosen model/estimand. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Decision makers, future samples, affected groups. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Provenance-aware multi-model causal state + identifiability guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Simulation + multi-dataset benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 690-696; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 091 pp. 690-696.

006 to 092: consequential handoff

Mobility and physical function -> Logic and reasoning systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Logic and reasoning systems: Premises, inference rules, contradictions, uncertainty and goals.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Logic and reasoning systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Single logical calculus. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Reasoner, downstream decision. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Multi-logic translation + contradiction provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Formal benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 697-703; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 092 pp. 697-703.

006 to 093: consequential handoff

Mobility and physical function -> Geography and territorial systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Geography and territorial systems: People, ecosystems, infrastructure, flows and administrative boundaries.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Geography and territorial systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Jurisdiction/map boundary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Border communities, watersheds, networks. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Flow-based territorial state model. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Regional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 704-710; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 093 pp. 704-710.

006 to 094: consequential handoff

Mobility and physical function -> Informal economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Informal economy: Real work, exchange, trust, risk and household needs outside formal records.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Informal economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Formal registry/tax/business schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Workers, households, state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Low-friction recognition, protection and access architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Field pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 711-717; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 094 pp. 711-717.

006 to 095: consequential handoff

Mobility and physical function -> Illicit and black markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Illicit and black markets: Hidden demand, supply, coercion, enforcement, prices and harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Illicit and black markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Official market data that excludes hidden exchange. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Victims, communities, lawful firms, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Independent harm-reduction/public-safety evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 718-724; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 095 pp. 718-724.

006 to 096: consequential handoff

Mobility and physical function -> Orbital and space economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Orbital and space economy: Spacecraft, debris, spectrum, energy, logistics and operator incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Orbital and space economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Mission-local success metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Other spacecraft, operators, orbital environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Orbital consequential ledger + shared capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Simulation + mission pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 725-731; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 096 pp. 725-731.

006 to 097: consequential handoff

Mobility and physical function -> Extraterrestrial settlement | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Extraterrestrial settlement: Life support, energy, materials, health, governance and closed ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Extraterrestrial settlement; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Earth-derived subsystem silos. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Crew, machines, habitat ecology. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Closed-loop consequential state + autonomous capacity construction. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Analog habitat + mission tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 732-738; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 097 pp. 732-738.

006 to 098: consequential handoff

Mobility and physical function -> Astrobiology and biosignatures | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Astrobiology and biosignatures: Unknown life chemistries, environments, signals and contamination risks.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Astrobiology and biosignatures; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Earth-centric life schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Scientific program, environment, future missions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Plural biosignature schema + provenance/contamination control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Blind benchmark + mission data'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 739-745; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 098 pp. 739-745.

006 to 099: consequential handoff

Mobility and physical function -> Planetary systems and stewardship | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Planetary systems and stewardship: Atmosphere, hydrology, geology, biosphere, resources and settlements.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Planetary systems and stewardship; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Sector-local resource model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Settlements, ecosystems, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Closed-loop planetary resource and restoration architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Earth analog + simulation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 746-752; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 099 pp. 746-752.

006 to 100: consequential handoff

Mobility and physical function -> Unknown and not-yet-named realities | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Unknown and not-yet-named realities: Any newly observed substrate, scale, agent, value dimension or exchange mode.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Unknown and not-yet-named realities; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: No adequate schema exists yet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Unknown until carrier tracing identifies it. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Instantiate M_d, define schema, measure gap, trace carrier, construct capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Freeze kernel before learning outcomes; then holdout/replicate'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 753-759; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 100 pp. 753-759.

006 to 101: consequential handoff

Mobility and physical function -> Conscious experience and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Conscious experience and self-model: Perception, affect, memory, self-model, attention, internal accessibility and embodied state.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Conscious experience and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: A receiving observer reduces another system to behavior, category or output alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Experiencing system, observers, dependent systems and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Cross-modal state representation with provenance, uncertainty and non-erasure constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Prospective multi-method cross-observer study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 761-767; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 101 pp. 761-767.

006 to 102: consequential handoff

Mobility and physical function -> Choice and option topology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Choice and option topology: Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Choice and option topology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Binary free-choice / no-choice label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Chooser, affected people, institutions and future option set. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Feasible-option map plus prebuilt low-friction lawful/prosocial pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Prospective choice-topology intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 768-774; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 102 pp. 768-774.

006 to 103: consequential handoff

Mobility and physical function -> Truth, deception and disclosure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Truth, deception and disclosure: Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Truth, deception and disclosure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Truth/lie binary detached from consequence topology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Speaker, listener, harmed parties, institutions and future trust network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Verification, safe disclosure, correction, restitution and transition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Sealed truth-cost / disclosure study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 775-781; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 103 pp. 775-781.

006 to 104: consequential handoff

Mobility and physical function -> Responsibility and causal attribution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Responsibility and causal attribution: Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Responsibility and causal attribution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Moral label detached from the action-producing state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Actor, victims, institutions, community and future actors. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Blinded case reconstruction with preregistered causal criteria'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 782-788; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 104 pp. 782-788.

006 to 105: consequential handoff

Mobility and physical function -> Consent, coercion and autonomy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Consent, coercion and autonomy: Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Consent, coercion and autonomy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Signed/expressed consent treated as sufficient state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Decision maker, counterparties, dependents and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Real exit, recourse, reversible consent, information symmetry and alternative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Prospective consent-quality audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 789-795; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 105 pp. 789-795.

006 to 106: consequential handoff

Mobility and physical function -> Addiction, compulsion and short-horizon relief | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Addiction, compulsion and short-horizon relief: Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Addiction, compulsion and short-horizon relief; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Substance/behavior category or abstinence binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Person, body, relationships, household, community and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Longitudinal regulated intervention with multi-carrier outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 796-802; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 106 pp. 796-802.

006 to 107: consequential handoff

Mobility and physical function -> Crime, violence and reconciliation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Crime, violence and reconciliation: Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Crime, violence and reconciliation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Offense label or actor-only risk score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Victims, actor, families, community, institutions and future potential victims. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Longitudinal controlled justice-program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 803-809; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 107 pp. 803-809.

006 to 108: consequential handoff

Mobility and physical function -> Animal sentience and welfare | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Animal sentience and welfare: Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Animal sentience and welfare; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Commodity/yield schema that excludes the animal as a carrier. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Animals, workers, consumers, farmers, land, ecosystems and communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Welfare, alternative-production, livelihood-transition and ecological capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Multi-carrier welfare, nutrition and livelihood trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 810-816; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 108 pp. 810-816.

006 to 109: consequential handoff

Mobility and physical function -> Collective agency and institutional choice | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Collective agency and institutional choice: Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Collective agency and institutional choice; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Organization treated as a single actor without internal carrier structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Members, minorities, leaders, outsiders, institutions and future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Distributed decision provenance, dissent channels, accountability and cross-boundary capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Prospective institutional decision audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 817-823; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 109 pp. 817-823.

006 to 110: consequential handoff

Mobility and physical function -> Human-AI co-agency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Human-AI co-agency: Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Human-AI co-agency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Model output or benchmark score treated as the whole system. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: User, non-user, model operator, workers, institutions, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Persistent provenance, human control, reversibility, portability, verification and receivingcapacity layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Sealed native-vs-K_R assisted agent benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 824-830; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 110 pp. 824-830.

006 to 111: consequential handoff

Mobility and physical function -> Evolution and natural selection | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Evolution and natural selection: Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Evolution and natural selection; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Fitness proxy or single-trait narrative. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Individuals, lineages, populations, interacting species and ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Diversity, ecological capacity and intervention guardrails where deliberate action exists. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Time-locked population/genomic holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 832-838; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 111 pp. 832-838.

006 to 112: consequential handoff

Mobility and physical function -> Reproduction, inheritance, mitosis and meiosis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Reproduction, inheritance, mitosis and meiosis: Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Reproduction, inheritance, mitosis and meiosis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Outcome-only birth/division count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Parent cell/organism, daughter cells, gametes, offspring and lineage. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Checkpoint, repair, redundancy and developmental-support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Lineage-resolved perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 839-845; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 112 pp. 839-845.

006 to 113: consequential handoff

Mobility and physical function -> Development and morphogenesis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Development and morphogenesis: Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Development and morphogenesis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Single marker or endpoint morphology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Cells, tissues, organs, organism and developmental future state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Stage-aware multi-pathway support, repair and resource architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Longitudinal developmental perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 846-852; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 113 pp. 846-852.

006 to 114: consequential handoff

Mobility and physical function -> Metabolism, diet and consumption | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Metabolism, diet and consumption: Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Metabolism, diet and consumption; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Calories/macros or one nutrient target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Gut, microbiome, liver, tissues, household, food system and future organism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Adaptive conversion, buffering, storage, elimination and access capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Controlled longitudinal multi-carrier nutrition study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 853-859; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 114 pp. 853-859.

006 to 115: consequential handoff

Mobility and physical function -> Predation, livestock and food-system transformation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Predation, livestock and food-system transformation: Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Predation, livestock and food-system transformation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Yield, price or human nutrition alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Animals, humans, workers, farmers, consumers, land, ecosystems and future food security. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Phased regional transition with preregistered carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 860-866; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 115 pp. 860-866.

006 to 116: consequential handoff

Mobility and physical function -> Learning, plasticity and cultural evolution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Learning, plasticity and cultural evolution: Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Learning, plasticity and cultural evolution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Test score, output or adoption count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Learner, teachers, peers, institutions, future self and cultural network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Longitudinal transfer-and-retention experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 867-873; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 116 pp. 867-873.

006 to 117: consequential handoff

Mobility and physical function -> Self-organization and emergence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Self-organization and emergence: Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Self-organization and emergence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Macro outcome without micro-carrier ledger. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Components, neighborhoods, emergent structure and external environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Multi-scale simulation plus physical/biological holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 874-880; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 117 pp. 874-880.

006 to 118: consequential handoff

Mobility and physical function -> Creation, provenance and dependency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Creation, provenance and dependency: Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Creation, provenance and dependency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Ownership or authorship treated as sufficient relationship model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Creators, created systems, maintainers, users, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Provenance, stewardship, autonomy-transition and reciprocal-viability architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Longitudinal creator-created dependency audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 881-887; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 118 pp. 881-887.

006 to 119: consequential handoff

Mobility and physical function -> Cosmological evolution and structure formation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Cosmological evolution and structure formation: Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Cosmological evolution and structure formation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Single scale or observable treated as complete cosmic state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: Observed regions, fields/matter components, instruments, models and observers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Cross-scale observation, uncertainty, model-comparison and instrumentation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Preregistered cross-survey predictive holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 888-894; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 119 pp. 888-894.

006 to 120: consequential handoff

Mobility and physical function -> Cross-substrate consciousness, temporal coexistence and closure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

PROPOSED RECEIVER AND STATE

Cross-substrate consciousness, temporal coexistence and closure: The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility.

INTERFACE AND COUPLING STATUS

Proposed interface from Mobility and physical function into Cross-substrate consciousness, temporal coexistence and closure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single functional score. Receiver's limited view: Any local adapter, species, institution or observer claiming closure from its own schema alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Body, caregiver, environment. Candidate receiver carriers: All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Adaptive rehabilitation plus environment and device redesign. Receiving capacity: Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and.... Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Controlled rehabilitation study' with a receiver study of 'Time-locked system-of-systems closure test across multiple adapters'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 86-92 and 895-901; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026). Receiver Adapter 120 pp. 895-901.

006: Mobility and physical function

Household / family / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Household / family / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Household / family / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Household / family / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Household / family / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Household / family / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

School / university / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

School / university / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

School / university / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

School / university / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

School / university / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

School / university / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Enterprise / cooperative / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Enterprise / cooperative / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Enterprise / cooperative / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Enterprise / cooperative / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Enterprise / cooperative / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Enterprise / cooperative / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Healthcare / care team / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Healthcare / care team / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Healthcare / care team / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Healthcare / care team / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Healthcare / care team / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Healthcare / care team / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Local government / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Local government / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Local government / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Local government / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Local government / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Local government / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Ecological catchment / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Ecological catchment / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Ecological catchment / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Ecological catchment / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Ecological catchment / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Ecological catchment / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Scientific laboratory / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Scientific laboratory / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Scientific laboratory / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Scientific laboratory / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Scientific laboratory / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Scientific laboratory / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Public infrastructure / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Public infrastructure / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Public infrastructure / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Public infrastructure / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Public infrastructure / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Public infrastructure / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Digital / AI service / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Digital / AI service / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Digital / AI service / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Digital / AI service / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Digital / AI service / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Digital / AI service / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Interregional / planetary / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Interregional / planetary / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Interregional / planetary / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Interregional / planetary / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Interregional / planetary / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Mobility and physical function

Interregional / planetary / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Mobility and physical function is described in the Atlas as: Strength, pain, balance, endurance, environment, assistive devices. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Function gains can increase pain, fatigue or caregiver burden. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Body, caregiver, environment. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Adaptive rehabilitation plus environment and device redesign. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, comfort, autonomy and caregiver load improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Controlled rehabilitation study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Evidence and source reconstruction

Mobility and physical function | protocol 1 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 006: Mobility and physical function; original author status: Regulated empirical frontier. Native state: Strength, pain, balance, endurance, environment, assistive devices.

EVALUATION OBJECTIVE

Evidence and source reconstruction. Establish what is observed, reported, derived, simulated and currently unavailable. Audit definitions, dates and units.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single functional score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Function gains can increase pain, fatigue or caregiver burden. The relevant receiving carriers are: Body, caregiver, environment.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive rehabilitation plus environment and device redesign. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, comfort, autonomy and caregiver load improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Controlled rehabilitation study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Boundary divergence

Mobility and physical function | protocol 2 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 006: Mobility and physical function; original author status: Regulated empirical frontier. Native state: Strength, pain, balance, endurance, environment, assistive devices.

EVALUATION OBJECTIVE

Boundary divergence. Predeclare local and consequential objectives, identical feasible action sets, and a measurable divergence test.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single functional score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Function gains can increase pain, fatigue or caregiver burden. The relevant receiving carriers are: Body, caregiver, environment.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive rehabilitation plus environment and device redesign. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, comfort, autonomy and caregiver load improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Controlled rehabilitation study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Causal diagram and identifiability

Mobility and physical function | protocol 3 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 006: Mobility and physical function; original author status: Regulated empirical frontier. Native state: Strength, pain, balance, endurance, environment, assistive devices.

EVALUATION OBJECTIVE

Causal diagram and identifiability. Draw the candidate causal graph; identify confounders, mediators, spillovers and selection mechanisms.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single functional score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Function gains can increase pain, fatigue or caregiver burden. The relevant receiving carriers are: Body, caregiver, environment.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive rehabilitation plus environment and device redesign. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, comfort, autonomy and caregiver load improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Controlled rehabilitation study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Receiving carrier identification

Mobility and physical function | protocol 4 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 006: Mobility and physical function; original author status: Regulated empirical frontier. Native state: Strength, pain, balance, endurance, environment, assistive devices.

EVALUATION OBJECTIVE

Receiving carrier identification. Predict the destination, path and delay of consequential burdens before measuring post-state outcomes.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single functional score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Function gains can increase pain, fatigue or caregiver burden. The relevant receiving carriers are: Body, caregiver, environment.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive rehabilitation plus environment and device redesign. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, comfort, autonomy and caregiver load improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Controlled rehabilitation study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Hidden compensation accounting

Mobility and physical function | protocol 5 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 006: Mobility and physical function; original author status: Regulated empirical frontier. Native state: Strength, pain, balance, endurance, environment, assistive devices.

EVALUATION OBJECTIVE

Hidden compensation accounting. Measure which agent, reserve, budget, ecosystem or later period silently carries the load.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single functional score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Function gains can increase pain, fatigue or caregiver burden. The relevant receiving carriers are: Body, caregiver, environment.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive rehabilitation plus environment and device redesign. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, comfort, autonomy and caregiver load improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Controlled rehabilitation study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Native units and dimensional integrity

Mobility and physical function | protocol 6 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 006: Mobility and physical function; original author status: Regulated empirical frontier. Native state: Strength, pain, balance, endurance, environment, assistive devices.

EVALUATION OBJECTIVE

Native units and dimensional integrity. Define each carrier outcome in its own units; avoid offsetting unlike harms with unsupported scalar sums.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single functional score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Function gains can increase pain, fatigue or caregiver burden. The relevant receiving carriers are: Body, caregiver, environment.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive rehabilitation plus environment and device redesign. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, comfort, autonomy and caregiver load improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Controlled rehabilitation study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Capacity specification

Mobility and physical function | protocol 7 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 006: Mobility and physical function; original author status: Regulated empirical frontier. Native state: Strength, pain, balance, endurance, environment, assistive devices.

EVALUATION OBJECTIVE

Capacity specification. Identify the binding receiver constraint and specify the smallest permissible constructive action.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single functional score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Function gains can increase pain, fatigue or caregiver burden. The relevant receiving carriers are: Body, caregiver, environment.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive rehabilitation plus environment and device redesign. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, comfort, autonomy and caregiver load improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Controlled rehabilitation study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Intervention design

Mobility and physical function | protocol 8 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 006: Mobility and physical function; original author status: Regulated empirical frontier. Native state: Strength, pain, balance, endurance, environment, assistive devices.

EVALUATION OBJECTIVE

Intervention design. Choose randomized, natural, observational or mechanistic evidence compatible with safety and identifiability.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single functional score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Function gains can increase pain, fatigue or caregiver burden. The relevant receiving carriers are: Body, caregiver, environment.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive rehabilitation plus environment and device redesign. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, comfort, autonomy and caregiver load improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Controlled rehabilitation study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Incumbent parity contest

Mobility and physical function | protocol 9 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 006: Mobility and physical function; original author status: Regulated empirical frontier. Native state: Strength, pain, balance, endurance, environment, assistive devices.

EVALUATION OBJECTIVE

Incumbent parity contest. Compare against strongest existing local, boundary-aware, causal and resource-constrained methods.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single functional score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Function gains can increase pain, fatigue or caregiver burden. The relevant receiving carriers are: Body, caregiver, environment.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive rehabilitation plus environment and device redesign. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, comfort, autonomy and caregiver load improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Controlled rehabilitation study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Time-window and recurrence

Mobility and physical function | protocol 10 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 006: Mobility and physical function; original author status: Regulated empirical frontier. Native state: Strength, pain, balance, endurance, environment, assistive devices.

EVALUATION OBJECTIVE

Time-window and recurrence. Measure early, intermediate and delayed outcomes, including reserve depletion and changing bottlenecks.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single functional score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Function gains can increase pain, fatigue or caregiver burden. The relevant receiving carriers are: Body, caregiver, environment.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive rehabilitation plus environment and device redesign. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, comfort, autonomy and caregiver load improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Controlled rehabilitation study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Ethical and legal safety

Mobility and physical function | protocol 11 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 006: Mobility and physical function; original author status: Regulated empirical frontier. Native state: Strength, pain, balance, endurance, environment, assistive devices.

EVALUATION OBJECTIVE

Ethical and legal safety. Determine affected rights, vulnerable groups, irreversible harms, consent, permissions and safety constraints.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single functional score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Function gains can increase pain, fatigue or caregiver burden. The relevant receiving carriers are: Body, caregiver, environment.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive rehabilitation plus environment and device redesign. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, comfort, autonomy and caregiver load improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Controlled rehabilitation study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Sensitivity and negative controls

Mobility and physical function | protocol 12 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 006: Mobility and physical function; original author status: Regulated empirical frontier. Native state: Strength, pain, balance, endurance, environment, assistive devices.

EVALUATION OBJECTIVE

Sensitivity and negative controls. Vary unmeasured confounding, missingness, cost, thresholds and adverse spillover assumptions.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single functional score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Function gains can increase pain, fatigue or caregiver burden. The relevant receiving carriers are: Body, caregiver, environment.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive rehabilitation plus environment and device redesign. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, comfort, autonomy and caregiver load improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Controlled rehabilitation study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Replication and provenance

Mobility and physical function | protocol 13 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 006: Mobility and physical function; original author status: Regulated empirical frontier. Native state: Strength, pain, balance, endurance, environment, assistive devices.

EVALUATION OBJECTIVE

Replication and provenance. Version the kernel, code, data, transformation decisions, negative findings and external replication.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single functional score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Function gains can increase pain, fatigue or caregiver burden. The relevant receiving carriers are: Body, caregiver, environment.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive rehabilitation plus environment and device redesign. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, comfort, autonomy and caregiver load improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Controlled rehabilitation study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

006: Cross-domain invariant contest

Mobility and physical function | protocol 14 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 006: Mobility and physical function; original author status: Regulated empirical frontier. Native state: Strength, pain, balance, endurance, environment, assistive devices.

EVALUATION OBJECTIVE

Cross-domain invariant contest. Keep K_R fixed while swapping M_d; test whether new measurements produce predictions beyond domain incumbents.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single functional score. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Function gains can increase pain, fatigue or caregiver burden. The relevant receiving carriers are: Body, caregiver, environment.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Adaptive rehabilitation plus environment and device redesign. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, comfort, autonomy and caregiver load improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Controlled rehabilitation study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 006, pp. 86-92 (Rufino 2026).

Adapter 007: Family and caregiving

Human life quality | Internal carrier and capacity reconstruction

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

DOMAIN-NATIVE STATE

Needs, capacities, schedules, money, emotional load, dependency and support network

RECORDED RECEIVING SCHEMA

Household role labels

CANDIDATE BURDEN AND RECEIVING CARRIERS

Blocker in the source Atlas: One caregiver silently absorbs system failure. Candidate receivers: Primary caregiver, dependents, siblings, employer.

EXISTING CAPACITY DESIGN

Care-load ledger, shared coordination and external capacity

PROTECTED OUTCOME STATED BY THE AUTHOR

Dependent wellbeing and caregiver wellbeing both improve

SCIENTIFIC NEXT STEP

Atlas proposed decisive test: Prospective household burden study. This remains a proposed testing route, not proof of a completed successful implementation.

ORIGINALITY AND CONSTRUCTION OBLIGATION

Run causal receiving-carrier diagnosis before action; compare construction against strong established methods; do not accept positive averages as proof that all material carriers benefited.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007 | Family and caregiving

Individual human / person | Insufficient capacity

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 007, Family and caregiving. Native state: Needs, capacities, schedules, money, emotional load, dependency and support network. Potential direct or institutional human pathway: Family and caregiving interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Insufficient capacity: The human has limited time, health, physical access, material resources, protective support or opportunity. Source Atlas proposed limiting condition: One caregiver silently absorbs system failure.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Care-load ledger, shared coordination and external capacity can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Dependent wellbeing and caregiver wellbeing both improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

007 | Family and caregiving

Individual human / person | Schema mismatch

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 007, Family and caregiving. Native state: Needs, capacities, schedules, money, emotional load, dependency and support network. Potential direct or institutional human pathway: Family and caregiving interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Schema mismatch: The person has evidence-grounded capabilities or needs that institutional identifiers, scores or labels do not adequately recognize. Source Atlas proposed limiting condition: One caregiver silently absorbs system failure.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Care-load ledger, shared coordination and external capacity can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Dependent wellbeing and caregiver wellbeing both improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

007 | Family and caregiving

Individual human / person | Delayed effects

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 007, Family and caregiving. Native state: Needs, capacities, schedules, money, emotional load, dependency and support network. Potential direct or institutional human pathway: Family and caregiving interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Delayed effects: A short-term change influences future-self health, skills, income, dependence, options or relationships. Source Atlas proposed limiting condition: One caregiver silently absorbs system failure.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Care-load ledger, shared coordination and external capacity can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Dependent wellbeing and caregiver wellbeing both improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

007 | Family and caregiving

Individual human / person | Measurement uncertainty

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 007, Family and caregiving. Native state: Needs, capacities, schedules, money, emotional load, dependency and support network. Potential direct or institutional human pathway: Family and caregiving interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Measurement uncertainty: The record lacks consented individual outcomes, counterfactuals, follow-up, or reliable protection metrics. Source Atlas proposed limiting condition: One caregiver silently absorbs system failure.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Care-load ledger, shared coordination and external capacity can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Dependent wellbeing and caregiver wellbeing both improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

007 | Family and caregiving

Individual human / person | Coordination failure

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 007, Family and caregiving. Native state: Needs, capacities, schedules, money, emotional load, dependency and support network. Potential direct or institutional human pathway: Family and caregiving interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Coordination failure: Family, employer, provider, government or technical systems hand off obligations to the individual without coordinated support. Source Atlas proposed limiting condition: One caregiver silently absorbs system failure.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Care-load ledger, shared coordination and external capacity can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Dependent wellbeing and caregiver wellbeing both improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

007 | Family and caregiving

Individual human / person | Adversarial / inequitable distribution

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 007, Family and caregiving. Native state: Needs, capacities, schedules, money, emotional load, dependency and support network. Potential direct or institutional human pathway: Family and caregiving interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Adversarial / inequitable distribution: Unequal power, coercion, inaccessible systems, discrimination or exploitative incentives shift costs to a person. Source Atlas proposed limiting condition: One caregiver silently absorbs system failure.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Care-load ledger, shared coordination and external capacity can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Dependent wellbeing and caregiver wellbeing both improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

007 to 001: consequential handoff

Family and caregiving -> Whole-person quality of life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Whole-person quality of life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Single score, diagnosis, income bracket or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Person, household, caregivers, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Longitudinal cohort with preregistered multidimensional outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 51-57; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 001 pp. 51-57.

007 to 002: consequential handoff

Family and caregiving -> Nutrition and metabolism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Nutrition and metabolism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Calories/macros or generic diet categories. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Body, household budget, food system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Randomized adaptive nutrition trial with cost and adherence carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 58-64; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 002 pp. 58-64.

007 to 003: consequential handoff

Family and caregiving -> Sleep and recovery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Sleep and recovery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Hours slept or wearable score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Body, cognition, household schedule. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Recovery controller integrating timing, environment, workload and physiology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Longitudinal crossover study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 65-71; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 003 pp. 65-71.

007 to 004: consequential handoff

Family and caregiving -> Reproductive and sexual health | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Reproductive and sexual health; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Single fertility, disease or risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Individual, partner, future child, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Clinical trials + patient-reported and partner- impact carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 72-78; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 004 pp. 72-78.

007 to 005: consequential handoff

Family and caregiving -> Disability and accessibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Disability and accessibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Deficit-only person label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Person, caregiver, workplace, public space. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Environment-first accessibility architecture plus assistive capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Before/after environment redesign with workload measures'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 79-85; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 005 pp. 79-85.

007 to 006: consequential handoff

Family and caregiving -> Mobility and physical function | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Mobility and physical function; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Single functional score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Body, caregiver, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Adaptive rehabilitation plus environment and device redesign. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Controlled rehabilitation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 86-92; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 006 pp. 86-92.

007 to 007: consequential handoff

Family and caregiving -> Family and caregiving | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

INTERFACE AND COUPLING STATUS

This is a within-domain loop: the post-state of Family and caregiving becomes the next native state under its existing map. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Household role labels. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Primary caregiver, dependents, siblings, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Care-load ledger, shared coordination and external capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Prospective household burden study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 93-99; WITHIN-DOMAIN RECURRENCE. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 007 pp. 93-99.

007 to 008: consequential handoff

Family and caregiving -> Safety and personal security | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Safety and personal security; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Incident count or generic risk class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Person, community, responder. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Safety architecture that increases protection without reducing autonomy. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Prospective safety intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 100-106; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 008 pp. 100-106.

007 to 009: consequential handoff

Family and caregiving -> Housing and domestic environment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Housing and domestic environment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Property price or occupancy status. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Resident, landlord, neighborhood, city. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Whole-cost housing and location architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Matched housing intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 107-113; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 009 pp. 107-113.

007 to 010: consequential handoff

Family and caregiving -> Human longevity and life-course planning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Human longevity and life-course planning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Chronological age or retirement age. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Person, family, institutions, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Life-course capital and care architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Longitudinal life-course cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 114-120; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 010 pp. 114-120.

007 to 011: consequential handoff

Family and caregiving -> Psychology and social legibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Psychology and social legibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Snapshot diagnosis or social category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Person, family, employer, clinician. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Multidimensional schema plus support matched to hidden burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Longitudinal external cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 122-128; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 011 pp. 122-128.

007 to 012: consequential handoff

Family and caregiving -> Identity and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Identity and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Single identity label or credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Person and receiving institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Selective multi-context identity graph with provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Cross-context identity study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 129-135; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 012 pp. 129-135.

007 to 013: consequential handoff

Family and caregiving -> Relationships and intimacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Relationships and intimacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Relationship status or personality label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Partners and wider support network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Reciprocal state and burden ledger plus consent architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Dyadic longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 136-142; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 013 pp. 136-142.

007 to 014: consequential handoff

Family and caregiving -> Parenting and child development | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Parenting and child development; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Age norm, grade or behavior label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Child, parent, school, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Developmental state map plus distributed support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Longitudinal family-school cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 143-149; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 014 pp. 143-149.

007 to 015: consequential handoff

Family and caregiving -> Purpose and self-actualization | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Purpose and self-actualization; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Career status, wealth or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Person, relationships, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Whole-person capability architecture and burden guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Longitudinal multidimensional evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 150-156; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 015 pp. 150-156.

007 to 016: consequential handoff

Family and caregiving -> Existential wellbeing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Existential wellbeing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Symptom or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Person, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Voluntary meaning-reflection and support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Patient/user-reported longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 157-163; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 016 pp. 157-163.

007 to 017: consequential handoff

Family and caregiving -> Spiritual life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Spiritual life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Institutional affiliation alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Individual, family, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Ethical observational study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 164-170; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 017 pp. 164-170.

007 to 018: consequential handoff

Family and caregiving -> Religion and community institutions | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Religion and community institutions; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Membership or doctrinal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Members, families, leaders, wider community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Transparent governance, reporting, safeguarding and exit rights. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Institutional longitudinal audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 171-177; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 018 pp. 171-177.

007 to 019: consequential handoff

Family and caregiving -> Emotion and affect regulation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Emotion and affect regulation: Internal state, context, physiology, cognition and social feedback.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Emotion and affect regulation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Valence score or symptom label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Person and relationships. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: State-aware regulation architecture with physiological feedback. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Crossover intervention study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 178-184; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 019 pp. 178-184.

007 to 020: consequential handoff

Family and caregiving -> Trust and fidelity between people | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Trust and fidelity between people: History, promises, evidence, uncertainty and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Trust and fidelity between people; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Trusted/untrusted binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: People and institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Dynamic provenance and expectation architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Prospective trust-repair study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 185-191; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 020 pp. 185-191.

007 to 021: consequential handoff

Family and caregiving -> Healthcare delivery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Healthcare delivery: Clinical state, logistics, caregiver capacity, finance and post-discharge environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Healthcare delivery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Episode-of-care schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Patient, caregiver, outpatient system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Consequential discharge/care orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 193-199; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 021 pp. 193-199.

007 to 022: consequential handoff

Family and caregiving -> Diagnostics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Diagnostics: Underlying disease state, uncertainty, test characteristics and downstream actions.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Diagnostics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Single test result. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Patient, clinician, payer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Bayesian multi-source diagnostic schema + uncertainty communication. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Prospective blinded diagnostic study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 200-206; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 022 pp. 200-206.

007 to 023: consequential handoff

Family and caregiving -> Cancer ecology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Cancer ecology: Clone mix, immune state, microenvironment, host reserve and therapy exposure.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Cancer ecology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Stage/tumor-size snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Resistant clones, healthy tissue, immune system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Adaptive ecological state estimator + resistance/host capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Preclinical then clinical adaptive trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 207-213; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 023 pp. 207-213.

007 to 024: consequential handoff

Family and caregiving -> Neuroscience and neurodegeneration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Neuroscience and neurodegeneration: Neural, glial, vascular, metabolic, network and functional state.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Neuroscience and neurodegeneration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Single biomarker or visible function. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Neural networks, metabolism, caregiver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Multimodal state estimator + restorative capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Multimodal longitudinal intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 214-220; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 024 pp. 214-220.

007 to 025: consequential handoff

Family and caregiving -> Aging biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Aging biology: Coupled damage, repair, senescence, immunity, metabolism and regeneration.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Aging biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Age scalar or isolated hallmark. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Cells, tissues, immune system, metabolism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Moving-bottleneck RVG controller across damage/repair channels. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Preclinical multi-pathway study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 221-227; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 025 pp. 221-227.

007 to 026: consequential handoff

Family and caregiving -> Immunology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Immunology: Immune activation, tolerance, pathogen/tumor signals and tissue damage.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Immunology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Single cytokine or cell-count schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Pathogen, immune cells, host tissue. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: State-dependent immune control balancing clearance and collateral damage. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Controlled biological study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 228-234; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 026 pp. 228-234.

007 to 027: consequential handoff

Family and caregiving -> Infectious disease | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Infectious disease: Pathogen dynamics, host immunity, behavior, network spread and treatment.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Infectious disease; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Case count or pathogen-only model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Patients, contacts, health system, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Multi-carrier containment + treatment + livelihood capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Prospective outbreak protocol'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 235-241; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 027 pp. 235-241.

007 to 028: consequential handoff

Family and caregiving -> Microbiome | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Microbiome: Host physiology plus microbial ecology and diet/environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Microbiome; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Species abundance snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Host and microbial community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Functional ecosystem state model and adaptive intervention. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Controlled longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 242-248; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 028 pp. 242-248.

007 to 029: consequential handoff

Family and caregiving -> Genomics and proteomics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Genomics and proteomics: Variants, expression, proteins, pathways, context and phenotype.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Genomics and proteomics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Single marker/pathogenicity label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Cells, tissues, patient. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Multi-omic causal state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Prospective multi-omic validation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 249-255; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 029 pp. 249-255.

007 to 030: consequential handoff

Family and caregiving -> Surgery and rehabilitation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Surgery and rehabilitation: Anatomy, function, pain, recovery capacity, home support and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Surgery and rehabilitation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Procedure success or anatomical correction. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Patient, caregiver, rehab system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Prehabilitation + procedure + recovery orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 256-262; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 030 pp. 256-262.

007 to 031: consequential handoff

Family and caregiving -> Early-childhood development and education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Early-childhood development and education: Development, safety, language, nutrition, play, attachment and resources.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Early-childhood development and education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Age milestone or readiness score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Child, caregiver, educator. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Integrated developmental support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Longitudinal program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 264-270; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 031 pp. 264-270.

007 to 032: consequential handoff

Family and caregiving -> K-12 education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

K-12 education: Knowledge, skills, wellbeing, context, resources and learning trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into K-12 education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Grade/test score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Student, teacher, family. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Capability graph + adaptive learning + wellbeing constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Cluster randomized trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 271-277; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 032 pp. 271-277.

007 to 033: consequential handoff

Family and caregiving -> Higher education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Higher education: Capability, knowledge, network, finances and career pathways.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Higher education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Degree/GPA credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Student, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Capability/provenance portfolio + adaptive pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Longitudinal graduate outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 278-284; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 033 pp. 278-284.

007 to 034: consequential handoff

Family and caregiving -> Vocational and workforce learning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Vocational and workforce learning: Skills, task demand, wages, mobility and employer needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Vocational and workforce learning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Course completion certificate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Worker, employer, training provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Skill-to-task provenance and placement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Matched labor-market evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 285-291; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 034 pp. 285-291.

007 to 035: consequential handoff

Family and caregiving -> Scientific research | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Scientific research: Hypotheses, methods, data, negative results, replication and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Scientific research; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Publication/citation unit. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Researchers, institutions, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Experiment provenance + negative-result + replication architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Cross-lab replication program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 292-298; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 035 pp. 292-298.

007 to 036: consequential handoff

Family and caregiving -> Justice and courts | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Justice and courts: Facts, evidence, harm, intent, procedure, history and remedies.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Justice and courts; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Case category or docket state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Victims, accused, families, courts, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Causal provenance + harm/restitution + recurrence architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Prospective process evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 299-305; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 036 pp. 299-305.

007 to 037: consequential handoff

Family and caregiving -> Policing and public safety systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Policing and public safety systems: Threat, context, evidence, community trust, capacity and alternatives.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Policing and public safety systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Incident/offense label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Residents, officers, victims, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Evidence-first response selection + prevention/support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Independent public evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 306-312; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 037 pp. 306-312.

007 to 038: consequential handoff

Family and caregiving -> Corrections, rehabilitation and reintegration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Corrections, rehabilitation and reintegration: Risk, harm, needs, skills, housing, work and social support.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Corrections, rehabilitation and reintegration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Sentence/recidivism risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Person, family, community, justice system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Rehabilitation + restitution + housing/work capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Longitudinal controlled program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 313-319; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 038 pp. 313-319.

007 to 039: consequential handoff

Family and caregiving -> Public administration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Public administration: Citizen state, eligibility, documents, services and agency capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Public administration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Program-specific record. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Citizen, frontline staff, budget. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Interoperable verified state + once-only data + case orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Agency pilot with citizen/staff metrics'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 320-326; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 039 pp. 320-326.

007 to 040: consequential handoff

Family and caregiving -> Governance and institutional design | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Governance and institutional design: Authority, incentives, information, accountability, resources and affected populations.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Governance and institutional design; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Organizational chart or legal mandate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Citizens, agencies, future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Cross-boundary outcome ledger + accountability and capacity design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Prospective institutional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 327-333; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 040 pp. 327-333.

007 to 041: consequential handoff

Family and caregiving -> Beauty and aesthetics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Beauty and aesthetics: Biology, preference, culture, identity, safety, cost and perception.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Beauty and aesthetics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Universal beauty standard or product category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Person, body, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Personalized aesthetic/safety state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Consumer/clinical outcome study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 335-341; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 041 pp. 335-341.

007 to 042: consequential handoff

Family and caregiving -> Fashion and apparel | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Fashion and apparel: Identity, fit, comfort, durability, labor, inventory and lifecycle.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Fashion and apparel; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Size/SKU/category schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Wearer, worker, retailer, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Adaptive sizing + provenance + circularity architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Retail field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 342-348; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 042 pp. 342-348.

007 to 043: consequential handoff

Family and caregiving -> Luxury goods | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Luxury goods: Provenance, scarcity, condition, access, identity, inventory and lifecycle value.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Luxury goods; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Price/status/authenticity binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Buyer, seller, inventory, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Provenance + condition + access + reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Operational field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 349-355; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 043 pp. 349-355.

007 to 044: consequential handoff

Family and caregiving -> Hospitality | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Hospitality: Guest needs, staff capacity, time, room state, logistics and locality.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Hospitality; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Booking/reservation state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Guest, staff, operator, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: End-to-end experience and workload orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Property-level A/B evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 356-362; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 044 pp. 356-362.

007 to 045: consequential handoff

Family and caregiving -> Travel and tourism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Travel and tourism: Mobility, cost, safety, experience, local capacity and environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Travel and tourism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Itinerary/booking schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Traveler, worker, resident, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Consequential itinerary/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Destination pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 363-369; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 045 pp. 363-369.

007 to 046: consequential handoff

Family and caregiving -> Art and cultural markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Art and cultural markets: Creative work, provenance, rights, cultural meaning, scarcity and audience.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Art and cultural markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Price/ownership/engagement proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Artist, audience, collector, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Rights/provenance/value-sharing architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Marketplace field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 370-376; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 046 pp. 370-376.

007 to 047: consequential handoff

Family and caregiving -> Music and entertainment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Music and entertainment: Creative contribution, rights, attention, audience value and platform economics.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Music and entertainment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Stream/view count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Creators, audiences, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Contribution/provenance + value-distribution architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 377-383; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 047 pp. 377-383.

007 to 048: consequential handoff

Family and caregiving -> Gaming and virtual worlds | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Gaming and virtual worlds: Player goals, time, identity, economy, safety and creator contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Gaming and virtual worlds; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Retention/spend metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Players, creators, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Cross-reality value and safety controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 384-390; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 048 pp. 384-390.

007 to 049: consequential handoff

Family and caregiving -> Sports and performance | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Sports and performance: Performance, health, training load, recovery, team dynamics and career horizon.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Sports and performance; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Win/score/output metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Athlete, team, family, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Load/recovery/career controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Prospective team study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 391-397; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 049 pp. 391-397.

007 to 050: consequential handoff

Family and caregiving -> Experience design and events | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Experience design and events: Attention, emotion, logistics, accessibility, staff load and community impact.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Experience design and events; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Attendance/NPS/ticket revenue. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Guests, staff, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: End-to-end experience-state orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Event A/B study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 398-404; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 050 pp. 398-404.

007 to 051: consequential handoff

Family and caregiving -> Currency and monetary experience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Currency and monetary experience: Purchasing power, liquidity, settlement, access, trust and macro context.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Currency and monetary experience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Nominal unit/FX quote. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Households, firms, intermediaries. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Consequential monetary-state and settlement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Historical + prospective policy-neutral system test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 406-412; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 051 pp. 406-412.

007 to 052: consequential handoff

Family and caregiving -> Payments and remittances | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Payments and remittances: Amount, fees, FX, settlement time, access, fraud and recipient liquidity.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Payments and remittances; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Successful transfer binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Sender, receiver, provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: End-to-end transfer optimization with transparent provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Transaction-level field test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 413-419; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 052 pp. 413-419.

007 to 053: consequential handoff

Family and caregiving -> Banking and liquidity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Banking and liquidity: Deposits, credit, liquidity, capital, customer state and network exposures.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Banking and liquidity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Product/account or institution-local balance sheet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Banks, customers, counterparties, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Network consequential balance sheet + capacity buffers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Stress test + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 420-426; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 053 pp. 420-426.

007 to 054: consequential handoff

Family and caregiving -> Credit and underwriting | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Credit and underwriting: Cashflow, assets, obligations, trajectory, capability and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Credit and underwriting; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Static score/category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Borrower, lender, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Dynamic provenance/capacity underwriting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Prospective lending trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 427-433; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 054 pp. 427-433.

007 to 055: consequential handoff

Family and caregiving -> Insurance and resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Insurance and resilience: Hazard, exposure, prevention, coverage, recovery and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Insurance and resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Loss probability/policy class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Policyholder, insurer, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Prevention + resilience + coverage architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Pilot product evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 434-440; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 055 pp. 434-440.

007 to 056: consequential handoff

Family and caregiving -> Capital markets and investing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Capital markets and investing: Price, cashflow, externalities, network risk and long-horizon value.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Capital markets and investing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Return/risk factor set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Investor, firm, workers, public, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Consequential asset ledger with carrier constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Historical backtest + prospective paper portfolio'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 441-447; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 056 pp. 441-447.

007 to 057: consequential handoff

Family and caregiving -> Private wealth and family capital | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Private wealth and family capital: Financial, human, social, health and intergenerational capital.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Private wealth and family capital; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Portfolio net worth. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Client, family, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Whole-capital balance sheet + goals/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Longitudinal client evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 448-454; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 057 pp. 448-454.

007 to 058: consequential handoff

Family and caregiving -> Labor and talent markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Labor and talent markets: Capability, workload, pay, health, learning and opportunity.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Labor and talent markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Job title/CV/credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Worker, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Capability-state + workload + mobility architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Workplace pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 455-461; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 058 pp. 455-461.

007 to 059: consequential handoff

Family and caregiving -> Organizations and enterprises | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Organizations and enterprises: Functions, dependencies, people, cash, knowledge and customer value.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Organizations and enterprises; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Department/KPI structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Workers, customers, suppliers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Enterprise consequential graph + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Multi-team field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 462-468; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 059 pp. 462-468.

007 to 060: consequential handoff

Family and caregiving -> Entrepreneurship and venture creation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Entrepreneurship and venture creation: Unmet burden, carrier, willingness to pay, build cost and adoption.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Entrepreneurship and venture creation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Existing market category/TAM. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Founder initially, then customer/system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Mutual-Uptick blocker discovery + missing-capacity build. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Pilot venture with carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 469-475; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 060 pp. 469-475.

007 to 061: consequential handoff

Family and caregiving -> Artificial intelligence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Artificial intelligence: Model state, source reality, user intent, provenance, uncertainty and downstream action.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Artificial intelligence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Prompt/context window/model output. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: User, verifier, downstream system, compute. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Persistent schema/provenance layer + self-audit and escalation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Sealed cross-model benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 477-483; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 061 pp. 477-483.

007 to 062: consequential handoff

Family and caregiving -> Software systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Software systems: Requirements, dependencies, state, users, infrastructure and technical debt.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Software systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Feature/ticket/local module schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Developers, users, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Dependency/provenance graph + consequential release controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Repository-level prospective benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 484-490; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 062 pp. 484-490.

007 to 063: consequential handoff

Family and caregiving -> Cybersecurity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Cybersecurity: Actual attack graph, identities, vulnerabilities, privileges and attacker state.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Cybersecurity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Defender inventory/rules/log view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Systems, users, analysts, business continuity. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Self-updating attack schema + carrier prediction + safe containment/failover. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Red-team sealed telemetry benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 491-497; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 063 pp. 491-497.

007 to 064: consequential handoff

Family and caregiving -> Data infrastructure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Data infrastructure: Datasets, lineage, semantics, permissions, quality and downstream uses.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Data infrastructure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Table/file/schema local view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Analysts, models, users, compliance. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Provenance graph + semantic reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Enterprise data benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 498-504; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 064 pp. 498-504.

007 to 065: consequential handoff

Family and caregiving -> Privacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Privacy: Data state, purposes, consent, exposure, value and future misuse.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Privacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Consent checkbox or access-control list. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Person, organization, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Selective disclosure + provenance + minimization architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Field trial + attack testing'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 505-511; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 065 pp. 505-511.

007 to 066: consequential handoff

Family and caregiving -> Digital identity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Digital identity: Attributes, credentials, context, revocation, privacy and trust.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Digital identity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Single identifier/account. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Person, verifier, issuer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Selective-verification credential graph. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Cross-service pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 512-518; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 066 pp. 512-518.

007 to 067: consequential handoff

Family and caregiving -> Internet and communications | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Internet and communications: Topology, capacity, latency, content, trust and user needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Internet and communications; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Throughput/uptime metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Users, networks, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Consequential routing + fidelity/provenance layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Network/application experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 519-525; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 067 pp. 519-525.

007 to 068: consequential handoff

Family and caregiving -> Media and information ecosystems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Media and information ecosystems: Claims, evidence, incentives, attention, creators and audiences.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Media and information ecosystems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Engagement/feed rank. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Audience, creator, public discourse. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Claim provenance + quality + incentive reconciliation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 526-532; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 068 pp. 526-532.

007 to 069: consequential handoff

Family and caregiving -> Language and translation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Language and translation: Meaning, context, culture, pragmatics and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Language and translation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Word/token correspondence. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Speakers, institutions, models. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Semantic/provenance translation with ambiguity tracking. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Blind human evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 533-539; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 069 pp. 533-539.

007 to 070: consequential handoff

Family and caregiving -> Knowledge and ontologies | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Knowledge and ontologies: Entities, relations, provenance, incompatible schemas and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Knowledge and ontologies; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Single ontology/taxonomy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Researchers, AI, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Cross-schema translation + minimal sufficient ontology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Cross-domain benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 540-546; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 070 pp. 540-546.

007 to 071: consequential handoff

Family and caregiving -> Energy and power grids | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Energy and power grids: Generation, load, storage, network constraints, prices and reliability.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Energy and power grids; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Local device efficiency or node KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Grid nodes, customers, storage, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Consequential grid controller + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Grid simulation + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 548-554; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 071 pp. 548-554.

007 to 072: consequential handoff

Family and caregiving -> Water and irrigation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Water and irrigation: Withdrawals, consumptive use, return flows, storage, aquifers and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Water and irrigation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Farm/project efficiency. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Downstream users, rivers, aquifers, ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Basin-wide accounting + catchment + allocation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Basin holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 555-561; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 072 pp. 555-561.

007 to 073: consequential handoff

Family and caregiving -> Food and agriculture | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Food and agriculture: Yield, soil, water, inputs, nutrition, labor, market and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Food and agriculture; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Yield/acre or commodity price. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Farmer, consumer, soil, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Coupled regenerative production controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Multi-season farm trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 562-568; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 073 pp. 562-568.

007 to 074: consequential handoff

Family and caregiving -> Supply chains and logistics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Supply chains and logistics: Inventory, demand, transport, suppliers, lead times and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Supply chains and logistics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Node-level cost/service KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Suppliers, warehouses, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Carrier-aware flow controller + buffer placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Historical + live pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 569-575; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 074 pp. 569-575.

007 to 075: consequential handoff

Family and caregiving -> Manufacturing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Manufacturing: Materials, energy, machines, labor, quality, maintenance and waste.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Manufacturing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Unit cost/OEE. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Workers, machines, environment, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Closed-loop production and maintenance architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Factory pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 576-582; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 075 pp. 576-582.

007 to 076: consequential handoff

Family and caregiving -> Waste and circular materials | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Waste and circular materials: Material composition, location, contamination, residual value and logistics.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Waste and circular materials; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Waste tonnage/disposal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Communities, environment, future production. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Material provenance + recapture + transformation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Municipal/industrial pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 583-589; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 076 pp. 583-589.

007 to 077: consequential handoff

Family and caregiving -> Transportation and mobility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Transportation and mobility: Trips, time, safety, access, energy, congestion and land use.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Transportation and mobility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Vehicle throughput/speed. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Travelers, neighborhoods, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Multimodal consequential mobility controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'City corridor pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 590-596; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 077 pp. 590-596.

007 to 078: consequential handoff

Family and caregiving -> Cities and urban systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Cities and urban systems: Housing, jobs, transport, health, utilities, safety and public space.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Cities and urban systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Agency-by-agency city data. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Residents, agencies, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: City consequential digital twin + coordinated capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'District pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 597-603; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 078 pp. 597-603.

007 to 079: consequential handoff

Family and caregiving -> Climate and disaster resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Climate and disaster resilience: Hazard, exposure, vulnerability, infrastructure, food, health and recovery.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Climate and disaster resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Hazard forecast alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: People, infrastructure, ecosystems, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Anticipatory catchment + prepositioned capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Prospective matched pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 604-610; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 079 pp. 604-610.

007 to 080: consequential handoff

Family and caregiving -> Ecology and biodiversity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Ecology and biodiversity: Species, habitats, flows, extraction, communities and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Ecology and biodiversity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Protected-area/local species metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Species, habitats, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Landscape-scale leakage/carrier accounting + livelihoods. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Landscape holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 611-617; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 080 pp. 611-617.

007 to 081: consequential handoff

Family and caregiving -> Cell biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Cell biology: Signaling, organelles, metabolism, damage, repair and cell-state transitions.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Cell biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Single pathway/marker. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Organelles, pathways, neighboring cells. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Multi-state cellular controller + capacity targeting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'In-vitro perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 619-625; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 081 pp. 619-625.

007 to 082: consequential handoff

Family and caregiving -> Molecular biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Molecular biology: Molecules, conformations, binding networks, concentrations and kinetics.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Molecular biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Single interaction/target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Molecules, pathways, host system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Reaction/network state model + off-target carrier control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Bench experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 626-632; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 082 pp. 626-632.

007 to 083: consequential handoff

Family and caregiving -> Nanotechnology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Nanotechnology: Particle properties, surfaces, transport, environment and biological interaction.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Nanotechnology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Particle spec alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Cells, environment, users. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Lifecycle and interaction-aware nano design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Bench + environmental tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 633-639; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 083 pp. 633-639.

007 to 084: consequential handoff

Family and caregiving -> Chemistry and reaction systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Chemistry and reaction systems: Species, reaction network, kinetics, energy, byproducts and separation.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Chemistry and reaction systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Target yield/selectivity. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Reactor, environment, downstream process. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Consequential reaction-network optimization + recovery loops. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Reactor experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 640-646; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 084 pp. 640-646.

007 to 085: consequential handoff

Family and caregiving -> Materials science | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Materials science: Microstructure, defects, stress, temperature, lifecycle and manufacturing.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Materials science; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Bulk property spec. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Material, structure, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Defect-aware multiproperty design + recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Lab characterization'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 647-653; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 085 pp. 647-653.

007 to 086: consequential handoff

Family and caregiving -> Classical mechanics and control | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Classical mechanics and control: Physical state, dynamics, sensors, actuators and disturbance.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Classical mechanics and control; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Partial state observation/local control objective. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Plant, actuator, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Representation-aware full-state controller + regenerative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Physical bench experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 654-660; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 086 pp. 654-660.

007 to 087: consequential handoff

Family and caregiving -> Thermodynamics and nonequilibrium systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Thermodynamics and nonequilibrium systems: Energy, entropy, gradients, reservoirs, flows and constraints.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Thermodynamics and nonequilibrium systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Local efficiency/temperature metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Reservoirs, environment, components. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Whole-boundary energy/exergy and recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Physical experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 661-667; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 087 pp. 661-667.

007 to 088: consequential handoff

Family and caregiving -> Electromagnetism and circuits | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Electromagnetism and circuits: Fields, voltages, currents, topology, storage and losses.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Electromagnetism and circuits; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Local component state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Circuit elements, sources, loads. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Full-network state estimation + capacity/recovery placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Bench circuit experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 668-674; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 088 pp. 668-674.

007 to 089: consequential handoff

Family and caregiving -> Quantum systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Quantum systems: Quantum state, observables, measurement, control and decoherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Quantum systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Accessible observable set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Quantum system, apparatus, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Constraint-respecting measurement/control schema + capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Laboratory quantum experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 675-681; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 089 pp. 675-681.

007 to 090: consequential handoff

Family and caregiving -> Pure mathematics and formal systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Pure mathematics and formal systems: Objects, relations, axioms, language, proofs and translations.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Pure mathematics and formal systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Chosen signature/type system/quotient. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Proof system, translator, solver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Minimal sufficient schema preserving required relations. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Machine-checked theorem suite'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 682-688; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 090 pp. 682-688.

007 to 091: consequential handoff

Family and caregiving -> Statistics and causal inference | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Statistics and causal inference: Data-generating process, sampling, measurement, confounding and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Statistics and causal inference; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Chosen model/estimand. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Decision makers, future samples, affected groups. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Provenance-aware multi-model causal state + identifiability guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Simulation + multi-dataset benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 690-696; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 091 pp. 690-696.

007 to 092: consequential handoff

Family and caregiving -> Logic and reasoning systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Logic and reasoning systems: Premises, inference rules, contradictions, uncertainty and goals.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Logic and reasoning systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Single logical calculus. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Reasoner, downstream decision. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Multi-logic translation + contradiction provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Formal benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 697-703; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 092 pp. 697-703.

007 to 093: consequential handoff

Family and caregiving -> Geography and territorial systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Geography and territorial systems: People, ecosystems, infrastructure, flows and administrative boundaries.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Geography and territorial systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Jurisdiction/map boundary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Border communities, watersheds, networks. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Flow-based territorial state model. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Regional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 704-710; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 093 pp. 704-710.

007 to 094: consequential handoff

Family and caregiving -> Informal economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Informal economy: Real work, exchange, trust, risk and household needs outside formal records.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Informal economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Formal registry/tax/business schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Workers, households, state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Low-friction recognition, protection and access architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Field pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 711-717; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 094 pp. 711-717.

007 to 095: consequential handoff

Family and caregiving -> Illicit and black markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Illicit and black markets: Hidden demand, supply, coercion, enforcement, prices and harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Illicit and black markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Official market data that excludes hidden exchange. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Victims, communities, lawful firms, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Independent harm-reduction/public-safety evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 718-724; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 095 pp. 718-724.

007 to 096: consequential handoff

Family and caregiving -> Orbital and space economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Orbital and space economy: Spacecraft, debris, spectrum, energy, logistics and operator incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Orbital and space economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Mission-local success metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Other spacecraft, operators, orbital environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Orbital consequential ledger + shared capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Simulation + mission pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 725-731; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 096 pp. 725-731.

007 to 097: consequential handoff

Family and caregiving -> Extraterrestrial settlement | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Extraterrestrial settlement: Life support, energy, materials, health, governance and closed ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Extraterrestrial settlement; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Earth-derived subsystem silos. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Crew, machines, habitat ecology. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Closed-loop consequential state + autonomous capacity construction. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Analog habitat + mission tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 732-738; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 097 pp. 732-738.

007 to 098: consequential handoff

Family and caregiving -> Astrobiology and biosignatures | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Astrobiology and biosignatures: Unknown life chemistries, environments, signals and contamination risks.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Astrobiology and biosignatures; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Earth-centric life schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Scientific program, environment, future missions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Plural biosignature schema + provenance/contamination control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Blind benchmark + mission data'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 739-745; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 098 pp. 739-745.

007 to 099: consequential handoff

Family and caregiving -> Planetary systems and stewardship | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Planetary systems and stewardship: Atmosphere, hydrology, geology, biosphere, resources and settlements.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Planetary systems and stewardship; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Sector-local resource model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Settlements, ecosystems, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Closed-loop planetary resource and restoration architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Earth analog + simulation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 746-752; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 099 pp. 746-752.

007 to 100: consequential handoff

Family and caregiving -> Unknown and not-yet-named realities | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Unknown and not-yet-named realities: Any newly observed substrate, scale, agent, value dimension or exchange mode.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Unknown and not-yet-named realities; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: No adequate schema exists yet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Unknown until carrier tracing identifies it. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Instantiate M_d, define schema, measure gap, trace carrier, construct capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Freeze kernel before learning outcomes; then holdout/replicate'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 753-759; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 100 pp. 753-759.

007 to 101: consequential handoff

Family and caregiving -> Conscious experience and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Conscious experience and self-model: Perception, affect, memory, self-model, attention, internal accessibility and embodied state.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Conscious experience and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: A receiving observer reduces another system to behavior, category or output alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Experiencing system, observers, dependent systems and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Cross-modal state representation with provenance, uncertainty and non-erasure constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Prospective multi-method cross-observer study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 761-767; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 101 pp. 761-767.

007 to 102: consequential handoff

Family and caregiving -> Choice and option topology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Choice and option topology: Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Choice and option topology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Binary free-choice / no-choice label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Chooser, affected people, institutions and future option set. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Feasible-option map plus prebuilt low-friction lawful/prosocial pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Prospective choice-topology intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 768-774; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 102 pp. 768-774.

007 to 103: consequential handoff

Family and caregiving -> Truth, deception and disclosure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Truth, deception and disclosure: Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Truth, deception and disclosure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Truth/lie binary detached from consequence topology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Speaker, listener, harmed parties, institutions and future trust network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Verification, safe disclosure, correction, restitution and transition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Sealed truth-cost / disclosure study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 775-781; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 103 pp. 775-781.

007 to 104: consequential handoff

Family and caregiving -> Responsibility and causal attribution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Responsibility and causal attribution: Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Responsibility and causal attribution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Moral label detached from the action-producing state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Actor, victims, institutions, community and future actors. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Blinded case reconstruction with preregistered causal criteria'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 782-788; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 104 pp. 782-788.

007 to 105: consequential handoff

Family and caregiving -> Consent, coercion and autonomy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Consent, coercion and autonomy: Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Consent, coercion and autonomy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Signed/expressed consent treated as sufficient state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Decision maker, counterparties, dependents and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Real exit, recourse, reversible consent, information symmetry and alternative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Prospective consent-quality audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 789-795; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 105 pp. 789-795.

007 to 106: consequential handoff

Family and caregiving -> Addiction, compulsion and short-horizon relief | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Addiction, compulsion and short-horizon relief: Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Addiction, compulsion and short-horizon relief; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Substance/behavior category or abstinence binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Person, body, relationships, household, community and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Longitudinal regulated intervention with multi-carrier outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 796-802; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 106 pp. 796-802.

007 to 107: consequential handoff

Family and caregiving -> Crime, violence and reconciliation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Crime, violence and reconciliation: Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Crime, violence and reconciliation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Offense label or actor-only risk score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Victims, actor, families, community, institutions and future potential victims. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Longitudinal controlled justice-program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 803-809; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 107 pp. 803-809.

007 to 108: consequential handoff

Family and caregiving -> Animal sentience and welfare | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Animal sentience and welfare: Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Animal sentience and welfare; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Commodity/yield schema that excludes the animal as a carrier. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Animals, workers, consumers, farmers, land, ecosystems and communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Welfare, alternative-production, livelihood-transition and ecological capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Multi-carrier welfare, nutrition and livelihood trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 810-816; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 108 pp. 810-816.

007 to 109: consequential handoff

Family and caregiving -> Collective agency and institutional choice | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Collective agency and institutional choice: Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Collective agency and institutional choice; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Organization treated as a single actor without internal carrier structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Members, minorities, leaders, outsiders, institutions and future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Distributed decision provenance, dissent channels, accountability and cross-boundary capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Prospective institutional decision audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 817-823; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 109 pp. 817-823.

007 to 110: consequential handoff

Family and caregiving -> Human-AI co-agency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Human-AI co-agency: Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Human-AI co-agency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Model output or benchmark score treated as the whole system. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: User, non-user, model operator, workers, institutions, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Persistent provenance, human control, reversibility, portability, verification and receivingcapacity layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Sealed native-vs-K_R assisted agent benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 824-830; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 110 pp. 824-830.

007 to 111: consequential handoff

Family and caregiving -> Evolution and natural selection | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Evolution and natural selection: Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Evolution and natural selection; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Fitness proxy or single-trait narrative. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Individuals, lineages, populations, interacting species and ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Diversity, ecological capacity and intervention guardrails where deliberate action exists. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Time-locked population/genomic holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 832-838; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 111 pp. 832-838.

007 to 112: consequential handoff

Family and caregiving -> Reproduction, inheritance, mitosis and meiosis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Reproduction, inheritance, mitosis and meiosis: Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Reproduction, inheritance, mitosis and meiosis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Outcome-only birth/division count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Parent cell/organism, daughter cells, gametes, offspring and lineage. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Checkpoint, repair, redundancy and developmental-support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Lineage-resolved perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 839-845; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 112 pp. 839-845.

007 to 113: consequential handoff

Family and caregiving -> Development and morphogenesis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Development and morphogenesis: Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Development and morphogenesis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Single marker or endpoint morphology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Cells, tissues, organs, organism and developmental future state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Stage-aware multi-pathway support, repair and resource architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Longitudinal developmental perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 846-852; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 113 pp. 846-852.

007 to 114: consequential handoff

Family and caregiving -> Metabolism, diet and consumption | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Metabolism, diet and consumption: Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Metabolism, diet and consumption; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Calories/macros or one nutrient target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Gut, microbiome, liver, tissues, household, food system and future organism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Adaptive conversion, buffering, storage, elimination and access capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Controlled longitudinal multi-carrier nutrition study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 853-859; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 114 pp. 853-859.

007 to 115: consequential handoff

Family and caregiving -> Predation, livestock and food-system transformation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Predation, livestock and food-system transformation: Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Predation, livestock and food-system transformation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Yield, price or human nutrition alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Animals, humans, workers, farmers, consumers, land, ecosystems and future food security. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Phased regional transition with preregistered carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 860-866; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 115 pp. 860-866.

007 to 116: consequential handoff

Family and caregiving -> Learning, plasticity and cultural evolution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Learning, plasticity and cultural evolution: Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Learning, plasticity and cultural evolution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Test score, output or adoption count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Learner, teachers, peers, institutions, future self and cultural network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Longitudinal transfer-and-retention experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 867-873; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 116 pp. 867-873.

007 to 117: consequential handoff

Family and caregiving -> Self-organization and emergence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Self-organization and emergence: Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Self-organization and emergence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Macro outcome without micro-carrier ledger. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Components, neighborhoods, emergent structure and external environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Multi-scale simulation plus physical/biological holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 874-880; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 117 pp. 874-880.

007 to 118: consequential handoff

Family and caregiving -> Creation, provenance and dependency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Creation, provenance and dependency: Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Creation, provenance and dependency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Ownership or authorship treated as sufficient relationship model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Creators, created systems, maintainers, users, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Provenance, stewardship, autonomy-transition and reciprocal-viability architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Longitudinal creator-created dependency audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 881-887; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 118 pp. 881-887.

007 to 119: consequential handoff

Family and caregiving -> Cosmological evolution and structure formation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Cosmological evolution and structure formation: Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Cosmological evolution and structure formation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Single scale or observable treated as complete cosmic state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: Observed regions, fields/matter components, instruments, models and observers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Cross-scale observation, uncertainty, model-comparison and instrumentation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Preregistered cross-survey predictive holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 888-894; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 119 pp. 888-894.

007 to 120: consequential handoff

Family and caregiving -> Cross-substrate consciousness, temporal coexistence and closure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

PROPOSED RECEIVER AND STATE

Cross-substrate consciousness, temporal coexistence and closure: The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility.

INTERFACE AND COUPLING STATUS

Proposed interface from Family and caregiving into Cross-substrate consciousness, temporal coexistence and closure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Household role labels. Receiver's limited view: Any local adapter, species, institution or observer claiming closure from its own schema alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Primary caregiver, dependents, siblings, employer. Candidate receiver carriers: All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Care-load ledger, shared coordination and external capacity. Receiving capacity: Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and.... Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective household burden study' with a receiver study of 'Time-locked system-of-systems closure test across multiple adapters'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 93-99 and 895-901; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026). Receiver Adapter 120 pp. 895-901.

007: Family and caregiving

Household / family / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Household / family / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Household / family / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Household / family / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Household / family / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Household / family / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

School / university / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

School / university / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

School / university / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

School / university / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

School / university / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

School / university / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Enterprise / cooperative / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Enterprise / cooperative / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Enterprise / cooperative / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Enterprise / cooperative / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Enterprise / cooperative / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Enterprise / cooperative / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Healthcare / care team / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Healthcare / care team / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Healthcare / care team / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Healthcare / care team / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Healthcare / care team / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Healthcare / care team / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Local government / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Local government / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Local government / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Local government / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Local government / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Local government / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Ecological catchment / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Ecological catchment / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Ecological catchment / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Ecological catchment / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Ecological catchment / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Ecological catchment / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Scientific laboratory / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Scientific laboratory / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Scientific laboratory / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Scientific laboratory / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Scientific laboratory / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Scientific laboratory / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Public infrastructure / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Public infrastructure / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Public infrastructure / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Public infrastructure / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Public infrastructure / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Public infrastructure / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Digital / AI service / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Digital / AI service / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Digital / AI service / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Digital / AI service / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Digital / AI service / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Digital / AI service / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Interregional / planetary / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Interregional / planetary / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Interregional / planetary / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Interregional / planetary / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Interregional / planetary / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Family and caregiving

Interregional / planetary / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Family and caregiving is described in the Atlas as: Needs, capacities, schedules, money, emotional load, dependency and support network. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One caregiver silently absorbs system failure. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Primary caregiver, dependents, siblings, employer. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Care-load ledger, shared coordination and external capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Dependent wellbeing and caregiver wellbeing both improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective household burden study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Evidence and source reconstruction

Family and caregiving | protocol 1 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 007: Family and caregiving; original author status: Strong structural fit. Native state: Needs, capacities, schedules, money, emotional load, dependency and support network.

EVALUATION OBJECTIVE

Evidence and source reconstruction. Establish what is observed, reported, derived, simulated and currently unavailable. Audit definitions, dates and units.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Household role labels. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One caregiver silently absorbs system failure. The relevant receiving carriers are: Primary caregiver, dependents, siblings, employer.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Care-load ledger, shared coordination and external capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Dependent wellbeing and caregiver wellbeing both improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective household burden study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Boundary divergence

Family and caregiving | protocol 2 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 007: Family and caregiving; original author status: Strong structural fit. Native state: Needs, capacities, schedules, money, emotional load, dependency and support network.

EVALUATION OBJECTIVE

Boundary divergence. Predeclare local and consequential objectives, identical feasible action sets, and a measurable divergence test.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Household role labels. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One caregiver silently absorbs system failure. The relevant receiving carriers are: Primary caregiver, dependents, siblings, employer.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Care-load ledger, shared coordination and external capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Dependent wellbeing and caregiver wellbeing both improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective household burden study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Causal diagram and identifiability

Family and caregiving | protocol 3 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 007: Family and caregiving; original author status: Strong structural fit. Native state: Needs, capacities, schedules, money, emotional load, dependency and support network.

EVALUATION OBJECTIVE

Causal diagram and identifiability. Draw the candidate causal graph; identify confounders, mediators, spillovers and selection mechanisms.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Household role labels. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One caregiver silently absorbs system failure. The relevant receiving carriers are: Primary caregiver, dependents, siblings, employer.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Care-load ledger, shared coordination and external capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Dependent wellbeing and caregiver wellbeing both improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective household burden study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Receiving carrier identification

Family and caregiving | protocol 4 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 007: Family and caregiving; original author status: Strong structural fit. Native state: Needs, capacities, schedules, money, emotional load, dependency and support network.

EVALUATION OBJECTIVE

Receiving carrier identification. Predict the destination, path and delay of consequential burdens before measuring post-state outcomes.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Household role labels. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One caregiver silently absorbs system failure. The relevant receiving carriers are: Primary caregiver, dependents, siblings, employer.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Care-load ledger, shared coordination and external capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Dependent wellbeing and caregiver wellbeing both improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective household burden study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Hidden compensation accounting

Family and caregiving | protocol 5 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 007: Family and caregiving; original author status: Strong structural fit. Native state: Needs, capacities, schedules, money, emotional load, dependency and support network.

EVALUATION OBJECTIVE

Hidden compensation accounting. Measure which agent, reserve, budget, ecosystem or later period silently carries the load.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Household role labels. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One caregiver silently absorbs system failure. The relevant receiving carriers are: Primary caregiver, dependents, siblings, employer.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Care-load ledger, shared coordination and external capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Dependent wellbeing and caregiver wellbeing both improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective household burden study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Native units and dimensional integrity

Family and caregiving | protocol 6 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 007: Family and caregiving; original author status: Strong structural fit. Native state: Needs, capacities, schedules, money, emotional load, dependency and support network.

EVALUATION OBJECTIVE

Native units and dimensional integrity. Define each carrier outcome in its own units; avoid offsetting unlike harms with unsupported scalar sums.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Household role labels. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One caregiver silently absorbs system failure. The relevant receiving carriers are: Primary caregiver, dependents, siblings, employer.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Care-load ledger, shared coordination and external capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Dependent wellbeing and caregiver wellbeing both improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective household burden study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Capacity specification

Family and caregiving | protocol 7 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 007: Family and caregiving; original author status: Strong structural fit. Native state: Needs, capacities, schedules, money, emotional load, dependency and support network.

EVALUATION OBJECTIVE

Capacity specification. Identify the binding receiver constraint and specify the smallest permissible constructive action.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Household role labels. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One caregiver silently absorbs system failure. The relevant receiving carriers are: Primary caregiver, dependents, siblings, employer.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Care-load ledger, shared coordination and external capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Dependent wellbeing and caregiver wellbeing both improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective household burden study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Intervention design

Family and caregiving | protocol 8 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 007: Family and caregiving; original author status: Strong structural fit. Native state: Needs, capacities, schedules, money, emotional load, dependency and support network.

EVALUATION OBJECTIVE

Intervention design. Choose randomized, natural, observational or mechanistic evidence compatible with safety and identifiability.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Household role labels. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One caregiver silently absorbs system failure. The relevant receiving carriers are: Primary caregiver, dependents, siblings, employer.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Care-load ledger, shared coordination and external capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Dependent wellbeing and caregiver wellbeing both improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective household burden study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Incumbent parity contest

Family and caregiving | protocol 9 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 007: Family and caregiving; original author status: Strong structural fit. Native state: Needs, capacities, schedules, money, emotional load, dependency and support network.

EVALUATION OBJECTIVE

Incumbent parity contest. Compare against strongest existing local, boundary-aware, causal and resource-constrained methods.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Household role labels. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One caregiver silently absorbs system failure. The relevant receiving carriers are: Primary caregiver, dependents, siblings, employer.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Care-load ledger, shared coordination and external capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Dependent wellbeing and caregiver wellbeing both improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective household burden study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Time-window and recurrence

Family and caregiving | protocol 10 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 007: Family and caregiving; original author status: Strong structural fit. Native state: Needs, capacities, schedules, money, emotional load, dependency and support network.

EVALUATION OBJECTIVE

Time-window and recurrence. Measure early, intermediate and delayed outcomes, including reserve depletion and changing bottlenecks.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Household role labels. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One caregiver silently absorbs system failure. The relevant receiving carriers are: Primary caregiver, dependents, siblings, employer.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Care-load ledger, shared coordination and external capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Dependent wellbeing and caregiver wellbeing both improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective household burden study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Ethical and legal safety

Family and caregiving | protocol 11 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 007: Family and caregiving; original author status: Strong structural fit. Native state: Needs, capacities, schedules, money, emotional load, dependency and support network.

EVALUATION OBJECTIVE

Ethical and legal safety. Determine affected rights, vulnerable groups, irreversible harms, consent, permissions and safety constraints.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Household role labels. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One caregiver silently absorbs system failure. The relevant receiving carriers are: Primary caregiver, dependents, siblings, employer.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Care-load ledger, shared coordination and external capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Dependent wellbeing and caregiver wellbeing both improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective household burden study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Sensitivity and negative controls

Family and caregiving | protocol 12 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 007: Family and caregiving; original author status: Strong structural fit. Native state: Needs, capacities, schedules, money, emotional load, dependency and support network.

EVALUATION OBJECTIVE

Sensitivity and negative controls. Vary unmeasured confounding, missingness, cost, thresholds and adverse spillover assumptions.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Household role labels. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One caregiver silently absorbs system failure. The relevant receiving carriers are: Primary caregiver, dependents, siblings, employer.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Care-load ledger, shared coordination and external capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Dependent wellbeing and caregiver wellbeing both improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective household burden study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Replication and provenance

Family and caregiving | protocol 13 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 007: Family and caregiving; original author status: Strong structural fit. Native state: Needs, capacities, schedules, money, emotional load, dependency and support network.

EVALUATION OBJECTIVE

Replication and provenance. Version the kernel, code, data, transformation decisions, negative findings and external replication.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Household role labels. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One caregiver silently absorbs system failure. The relevant receiving carriers are: Primary caregiver, dependents, siblings, employer.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Care-load ledger, shared coordination and external capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Dependent wellbeing and caregiver wellbeing both improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective household burden study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

007: Cross-domain invariant contest

Family and caregiving | protocol 14 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 007: Family and caregiving; original author status: Strong structural fit. Native state: Needs, capacities, schedules, money, emotional load, dependency and support network.

EVALUATION OBJECTIVE

Cross-domain invariant contest. Keep K_R fixed while swapping M_d; test whether new measurements produce predictions beyond domain incumbents.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Household role labels. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One caregiver silently absorbs system failure. The relevant receiving carriers are: Primary caregiver, dependents, siblings, employer.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Care-load ledger, shared coordination and external capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Dependent wellbeing and caregiver wellbeing both improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective household burden study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 007, pp. 93-99 (Rufino 2026).

Adapter 008: Safety and personal security

Human life quality | Internal carrier and capacity reconstruction

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

DOMAIN-NATIVE STATE

Threat exposure, environment, support, mobility and response capacity

RECORDED RECEIVING SCHEMA

Incident count or generic risk class

CANDIDATE BURDEN AND RECEIVING CARRIERS

Blocker in the source Atlas: Protection shifts restriction or surveillance burden onto protected person. Candidate receivers: Person, community, responder.

EXISTING CAPACITY DESIGN

Safety architecture that increases protection without reducing autonomy

PROTECTED OUTCOME STATED BY THE AUTHOR

Threat falls while freedom, privacy and response burden improve

SCIENTIFIC NEXT STEP

Atlas proposed decisive test: Prospective safety intervention. This remains a proposed testing route, not proof of a completed successful implementation.

ORIGINALITY AND CONSTRUCTION OBLIGATION

Run causal receiving-carrier diagnosis before action; compare construction against strong established methods; do not accept positive averages as proof that all material carriers benefited.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008 | Safety and personal security

Individual human / person | Insufficient capacity

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 008, Safety and personal security. Native state: Threat exposure, environment, support, mobility and response capacity. Potential direct or institutional human pathway: Safety and personal security interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Insufficient capacity: The human has limited time, health, physical access, material resources, protective support or opportunity. Source Atlas proposed limiting condition: Protection shifts restriction or surveillance burden onto protected person.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Safety architecture that increases protection without reducing autonomy can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Threat falls while freedom, privacy and response burden improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

008 | Safety and personal security

Individual human / person | Schema mismatch

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 008, Safety and personal security. Native state: Threat exposure, environment, support, mobility and response capacity. Potential direct or institutional human pathway: Safety and personal security interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Schema mismatch: The person has evidence-grounded capabilities or needs that institutional identifiers, scores or labels do not adequately recognize. Source Atlas proposed limiting condition: Protection shifts restriction or surveillance burden onto protected person.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Safety architecture that increases protection without reducing autonomy can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Threat falls while freedom, privacy and response burden improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

008 | Safety and personal security

Individual human / person | Delayed effects

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 008, Safety and personal security. Native state: Threat exposure, environment, support, mobility and response capacity. Potential direct or institutional human pathway: Safety and personal security interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Delayed effects: A short-term change influences future-self health, skills, income, dependence, options or relationships. Source Atlas proposed limiting condition: Protection shifts restriction or surveillance burden onto protected person.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Safety architecture that increases protection without reducing autonomy can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Threat falls while freedom, privacy and response burden improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

008 | Safety and personal security

Individual human / person | Measurement uncertainty

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 008, Safety and personal security. Native state: Threat exposure, environment, support, mobility and response capacity. Potential direct or institutional human pathway: Safety and personal security interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Measurement uncertainty: The record lacks consented individual outcomes, counterfactuals, follow-up, or reliable protection metrics. Source Atlas proposed limiting condition: Protection shifts restriction or surveillance burden onto protected person.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Safety architecture that increases protection without reducing autonomy can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Threat falls while freedom, privacy and response burden improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

008 | Safety and personal security

Individual human / person | Coordination failure

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 008, Safety and personal security. Native state: Threat exposure, environment, support, mobility and response capacity. Potential direct or institutional human pathway: Safety and personal security interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Coordination failure: Family, employer, provider, government or technical systems hand off obligations to the individual without coordinated support. Source Atlas proposed limiting condition: Protection shifts restriction or surveillance burden onto protected person.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Safety architecture that increases protection without reducing autonomy can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Threat falls while freedom, privacy and response burden improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

008 | Safety and personal security

Individual human / person | Adversarial / inequitable distribution

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 008, Safety and personal security. Native state: Threat exposure, environment, support, mobility and response capacity. Potential direct or institutional human pathway: Safety and personal security interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Adversarial / inequitable distribution: Unequal power, coercion, inaccessible systems, discrimination or exploitative incentives shift costs to a person. Source Atlas proposed limiting condition: Protection shifts restriction or surveillance burden onto protected person.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Safety architecture that increases protection without reducing autonomy can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Threat falls while freedom, privacy and response burden improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

008 to 001: consequential handoff

Safety and personal security -> Whole-person quality of life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Whole-person quality of life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Single score, diagnosis, income bracket or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Person, household, caregivers, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Longitudinal cohort with preregistered multidimensional outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 51-57; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 001 pp. 51-57.

008 to 002: consequential handoff

Safety and personal security -> Nutrition and metabolism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Nutrition and metabolism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Calories/macros or generic diet categories. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Body, household budget, food system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Randomized adaptive nutrition trial with cost and adherence carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 58-64; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 002 pp. 58-64.

008 to 003: consequential handoff

Safety and personal security -> Sleep and recovery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Sleep and recovery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Hours slept or wearable score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Body, cognition, household schedule. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Recovery controller integrating timing, environment, workload and physiology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Longitudinal crossover study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 65-71; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 003 pp. 65-71.

008 to 004: consequential handoff

Safety and personal security -> Reproductive and sexual health | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Reproductive and sexual health; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Single fertility, disease or risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Individual, partner, future child, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Clinical trials + patient-reported and partner- impact carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 72-78; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 004 pp. 72-78.

008 to 005: consequential handoff

Safety and personal security -> Disability and accessibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Disability and accessibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Deficit-only person label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Person, caregiver, workplace, public space. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Environment-first accessibility architecture plus assistive capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Before/after environment redesign with workload measures'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 79-85; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 005 pp. 79-85.

008 to 006: consequential handoff

Safety and personal security -> Mobility and physical function | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Mobility and physical function; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Single functional score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Body, caregiver, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Adaptive rehabilitation plus environment and device redesign. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Controlled rehabilitation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 86-92; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 006 pp. 86-92.

008 to 007: consequential handoff

Safety and personal security -> Family and caregiving | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Family and caregiving; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Household role labels. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Primary caregiver, dependents, siblings, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Care-load ledger, shared coordination and external capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Prospective household burden study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 93-99; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 007 pp. 93-99.

008 to 008: consequential handoff

Safety and personal security -> Safety and personal security | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

INTERFACE AND COUPLING STATUS

This is a within-domain loop: the post-state of Safety and personal security becomes the next native state under its existing map. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Incident count or generic risk class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Person, community, responder. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Safety architecture that increases protection without reducing autonomy. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Prospective safety intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 100-106; WITHIN-DOMAIN RECURRENCE. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 008 pp. 100-106.

008 to 009: consequential handoff

Safety and personal security -> Housing and domestic environment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Housing and domestic environment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Property price or occupancy status. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Resident, landlord, neighborhood, city. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Whole-cost housing and location architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Matched housing intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 107-113; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 009 pp. 107-113.

008 to 010: consequential handoff

Safety and personal security -> Human longevity and life-course planning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Human longevity and life-course planning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Chronological age or retirement age. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Person, family, institutions, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Life-course capital and care architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Longitudinal life-course cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 114-120; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 010 pp. 114-120.

008 to 011: consequential handoff

Safety and personal security -> Psychology and social legibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Psychology and social legibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Snapshot diagnosis or social category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Person, family, employer, clinician. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Multidimensional schema plus support matched to hidden burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Longitudinal external cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 122-128; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 011 pp. 122-128.

008 to 012: consequential handoff

Safety and personal security -> Identity and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Identity and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Single identity label or credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Person and receiving institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Selective multi-context identity graph with provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Cross-context identity study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 129-135; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 012 pp. 129-135.

008 to 013: consequential handoff

Safety and personal security -> Relationships and intimacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Relationships and intimacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Relationship status or personality label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Partners and wider support network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Reciprocal state and burden ledger plus consent architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Dyadic longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 136-142; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 013 pp. 136-142.

008 to 014: consequential handoff

Safety and personal security -> Parenting and child development | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Parenting and child development; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Age norm, grade or behavior label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Child, parent, school, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Developmental state map plus distributed support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Longitudinal family-school cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 143-149; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 014 pp. 143-149.

008 to 015: consequential handoff

Safety and personal security -> Purpose and self-actualization | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Purpose and self-actualization; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Career status, wealth or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Person, relationships, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Whole-person capability architecture and burden guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Longitudinal multidimensional evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 150-156; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 015 pp. 150-156.

008 to 016: consequential handoff

Safety and personal security -> Existential wellbeing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Existential wellbeing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Symptom or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Person, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Voluntary meaning-reflection and support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Patient/user-reported longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 157-163; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 016 pp. 157-163.

008 to 017: consequential handoff

Safety and personal security -> Spiritual life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Spiritual life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Institutional affiliation alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Individual, family, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Ethical observational study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 164-170; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 017 pp. 164-170.

008 to 018: consequential handoff

Safety and personal security -> Religion and community institutions | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Religion and community institutions; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Membership or doctrinal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Members, families, leaders, wider community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Transparent governance, reporting, safeguarding and exit rights. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Institutional longitudinal audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 171-177; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 018 pp. 171-177.

008 to 019: consequential handoff

Safety and personal security -> Emotion and affect regulation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Emotion and affect regulation: Internal state, context, physiology, cognition and social feedback.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Emotion and affect regulation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Valence score or symptom label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Person and relationships. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: State-aware regulation architecture with physiological feedback. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Crossover intervention study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 178-184; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 019 pp. 178-184.

008 to 020: consequential handoff

Safety and personal security -> Trust and fidelity between people | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Trust and fidelity between people: History, promises, evidence, uncertainty and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Trust and fidelity between people; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Trusted/untrusted binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: People and institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Dynamic provenance and expectation architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Prospective trust-repair study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 185-191; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 020 pp. 185-191.

008 to 021: consequential handoff

Safety and personal security -> Healthcare delivery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Healthcare delivery: Clinical state, logistics, caregiver capacity, finance and post-discharge environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Healthcare delivery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Episode-of-care schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Patient, caregiver, outpatient system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Consequential discharge/care orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 193-199; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 021 pp. 193-199.

008 to 022: consequential handoff

Safety and personal security -> Diagnostics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Diagnostics: Underlying disease state, uncertainty, test characteristics and downstream actions.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Diagnostics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Single test result. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Patient, clinician, payer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Bayesian multi-source diagnostic schema + uncertainty communication. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Prospective blinded diagnostic study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 200-206; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 022 pp. 200-206.

008 to 023: consequential handoff

Safety and personal security -> Cancer ecology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Cancer ecology: Clone mix, immune state, microenvironment, host reserve and therapy exposure.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Cancer ecology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Stage/tumor-size snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Resistant clones, healthy tissue, immune system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Adaptive ecological state estimator + resistance/host capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Preclinical then clinical adaptive trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 207-213; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 023 pp. 207-213.

008 to 024: consequential handoff

Safety and personal security -> Neuroscience and neurodegeneration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Neuroscience and neurodegeneration: Neural, glial, vascular, metabolic, network and functional state.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Neuroscience and neurodegeneration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Single biomarker or visible function. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Neural networks, metabolism, caregiver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Multimodal state estimator + restorative capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Multimodal longitudinal intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 214-220; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 024 pp. 214-220.

008 to 025: consequential handoff

Safety and personal security -> Aging biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Aging biology: Coupled damage, repair, senescence, immunity, metabolism and regeneration.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Aging biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Age scalar or isolated hallmark. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Cells, tissues, immune system, metabolism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Moving-bottleneck RVG controller across damage/repair channels. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Preclinical multi-pathway study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 221-227; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 025 pp. 221-227.

008 to 026: consequential handoff

Safety and personal security -> Immunology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Immunology: Immune activation, tolerance, pathogen/tumor signals and tissue damage.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Immunology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Single cytokine or cell-count schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Pathogen, immune cells, host tissue. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: State-dependent immune control balancing clearance and collateral damage. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Controlled biological study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 228-234; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 026 pp. 228-234.

008 to 027: consequential handoff

Safety and personal security -> Infectious disease | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Infectious disease: Pathogen dynamics, host immunity, behavior, network spread and treatment.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Infectious disease; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Case count or pathogen-only model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Patients, contacts, health system, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Multi-carrier containment + treatment + livelihood capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Prospective outbreak protocol'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 235-241; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 027 pp. 235-241.

008 to 028: consequential handoff

Safety and personal security -> Microbiome | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Microbiome: Host physiology plus microbial ecology and diet/environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Microbiome; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Species abundance snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Host and microbial community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Functional ecosystem state model and adaptive intervention. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Controlled longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 242-248; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 028 pp. 242-248.

008 to 029: consequential handoff

Safety and personal security -> Genomics and proteomics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Genomics and proteomics: Variants, expression, proteins, pathways, context and phenotype.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Genomics and proteomics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Single marker/pathogenicity label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Cells, tissues, patient. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Multi-omic causal state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Prospective multi-omic validation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 249-255; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 029 pp. 249-255.

008 to 030: consequential handoff

Safety and personal security -> Surgery and rehabilitation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Surgery and rehabilitation: Anatomy, function, pain, recovery capacity, home support and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Surgery and rehabilitation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Procedure success or anatomical correction. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Patient, caregiver, rehab system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Prehabilitation + procedure + recovery orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 256-262; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 030 pp. 256-262.

008 to 031: consequential handoff

Safety and personal security -> Early-childhood development and education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Early-childhood development and education: Development, safety, language, nutrition, play, attachment and resources.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Early-childhood development and education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Age milestone or readiness score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Child, caregiver, educator. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Integrated developmental support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Longitudinal program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 264-270; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 031 pp. 264-270.

008 to 032: consequential handoff

Safety and personal security -> K-12 education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

K-12 education: Knowledge, skills, wellbeing, context, resources and learning trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into K-12 education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Grade/test score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Student, teacher, family. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Capability graph + adaptive learning + wellbeing constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Cluster randomized trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 271-277; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 032 pp. 271-277.

008 to 033: consequential handoff

Safety and personal security -> Higher education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Higher education: Capability, knowledge, network, finances and career pathways.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Higher education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Degree/GPA credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Student, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Capability/provenance portfolio + adaptive pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Longitudinal graduate outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 278-284; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 033 pp. 278-284.

008 to 034: consequential handoff

Safety and personal security -> Vocational and workforce learning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Vocational and workforce learning: Skills, task demand, wages, mobility and employer needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Vocational and workforce learning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Course completion certificate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Worker, employer, training provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Skill-to-task provenance and placement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Matched labor-market evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 285-291; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 034 pp. 285-291.

008 to 035: consequential handoff

Safety and personal security -> Scientific research | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Scientific research: Hypotheses, methods, data, negative results, replication and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Scientific research; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Publication/citation unit. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Researchers, institutions, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Experiment provenance + negative-result + replication architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Cross-lab replication program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 292-298; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 035 pp. 292-298.

008 to 036: consequential handoff

Safety and personal security -> Justice and courts | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Justice and courts: Facts, evidence, harm, intent, procedure, history and remedies.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Justice and courts; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Case category or docket state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Victims, accused, families, courts, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Causal provenance + harm/restitution + recurrence architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Prospective process evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 299-305; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 036 pp. 299-305.

008 to 037: consequential handoff

Safety and personal security -> Policing and public safety systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Policing and public safety systems: Threat, context, evidence, community trust, capacity and alternatives.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Policing and public safety systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Incident/offense label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Residents, officers, victims, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Evidence-first response selection + prevention/support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Independent public evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 306-312; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 037 pp. 306-312.

008 to 038: consequential handoff

Safety and personal security -> Corrections, rehabilitation and reintegration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Corrections, rehabilitation and reintegration: Risk, harm, needs, skills, housing, work and social support.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Corrections, rehabilitation and reintegration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Sentence/recidivism risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Person, family, community, justice system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Rehabilitation + restitution + housing/work capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Longitudinal controlled program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 313-319; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 038 pp. 313-319.

008 to 039: consequential handoff

Safety and personal security -> Public administration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Public administration: Citizen state, eligibility, documents, services and agency capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Public administration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Program-specific record. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Citizen, frontline staff, budget. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Interoperable verified state + once-only data + case orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Agency pilot with citizen/staff metrics'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 320-326; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 039 pp. 320-326.

008 to 040: consequential handoff

Safety and personal security -> Governance and institutional design | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Governance and institutional design: Authority, incentives, information, accountability, resources and affected populations.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Governance and institutional design; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Organizational chart or legal mandate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Citizens, agencies, future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Cross-boundary outcome ledger + accountability and capacity design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Prospective institutional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 327-333; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 040 pp. 327-333.

008 to 041: consequential handoff

Safety and personal security -> Beauty and aesthetics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Beauty and aesthetics: Biology, preference, culture, identity, safety, cost and perception.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Beauty and aesthetics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Universal beauty standard or product category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Person, body, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Personalized aesthetic/safety state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Consumer/clinical outcome study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 335-341; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 041 pp. 335-341.

008 to 042: consequential handoff

Safety and personal security -> Fashion and apparel | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Fashion and apparel: Identity, fit, comfort, durability, labor, inventory and lifecycle.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Fashion and apparel; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Size/SKU/category schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Wearer, worker, retailer, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Adaptive sizing + provenance + circularity architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Retail field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 342-348; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 042 pp. 342-348.

008 to 043: consequential handoff

Safety and personal security -> Luxury goods | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Luxury goods: Provenance, scarcity, condition, access, identity, inventory and lifecycle value.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Luxury goods; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Price/status/authenticity binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Buyer, seller, inventory, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Provenance + condition + access + reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Operational field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 349-355; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 043 pp. 349-355.

008 to 044: consequential handoff

Safety and personal security -> Hospitality | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Hospitality: Guest needs, staff capacity, time, room state, logistics and locality.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Hospitality; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Booking/reservation state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Guest, staff, operator, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: End-to-end experience and workload orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Property-level A/B evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 356-362; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 044 pp. 356-362.

008 to 045: consequential handoff

Safety and personal security -> Travel and tourism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Travel and tourism: Mobility, cost, safety, experience, local capacity and environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Travel and tourism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Itinerary/booking schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Traveler, worker, resident, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Consequential itinerary/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Destination pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 363-369; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 045 pp. 363-369.

008 to 046: consequential handoff

Safety and personal security -> Art and cultural markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Art and cultural markets: Creative work, provenance, rights, cultural meaning, scarcity and audience.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Art and cultural markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Price/ownership/engagement proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Artist, audience, collector, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Rights/provenance/value-sharing architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Marketplace field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 370-376; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 046 pp. 370-376.

008 to 047: consequential handoff

Safety and personal security -> Music and entertainment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Music and entertainment: Creative contribution, rights, attention, audience value and platform economics.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Music and entertainment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Stream/view count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Creators, audiences, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Contribution/provenance + value-distribution architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 377-383; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 047 pp. 377-383.

008 to 048: consequential handoff

Safety and personal security -> Gaming and virtual worlds | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Gaming and virtual worlds: Player goals, time, identity, economy, safety and creator contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Gaming and virtual worlds; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Retention/spend metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Players, creators, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Cross-reality value and safety controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 384-390; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 048 pp. 384-390.

008 to 049: consequential handoff

Safety and personal security -> Sports and performance | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Sports and performance: Performance, health, training load, recovery, team dynamics and career horizon.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Sports and performance; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Win/score/output metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Athlete, team, family, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Load/recovery/career controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Prospective team study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 391-397; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 049 pp. 391-397.

008 to 050: consequential handoff

Safety and personal security -> Experience design and events | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Experience design and events: Attention, emotion, logistics, accessibility, staff load and community impact.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Experience design and events; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Attendance/NPS/ticket revenue. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Guests, staff, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: End-to-end experience-state orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Event A/B study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 398-404; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 050 pp. 398-404.

008 to 051: consequential handoff

Safety and personal security -> Currency and monetary experience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Currency and monetary experience: Purchasing power, liquidity, settlement, access, trust and macro context.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Currency and monetary experience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Nominal unit/FX quote. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Households, firms, intermediaries. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Consequential monetary-state and settlement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Historical + prospective policy-neutral system test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 406-412; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 051 pp. 406-412.

008 to 052: consequential handoff

Safety and personal security -> Payments and remittances | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Payments and remittances: Amount, fees, FX, settlement time, access, fraud and recipient liquidity.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Payments and remittances; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Successful transfer binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Sender, receiver, provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: End-to-end transfer optimization with transparent provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Transaction-level field test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 413-419; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 052 pp. 413-419.

008 to 053: consequential handoff

Safety and personal security -> Banking and liquidity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Banking and liquidity: Deposits, credit, liquidity, capital, customer state and network exposures.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Banking and liquidity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Product/account or institution-local balance sheet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Banks, customers, counterparties, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Network consequential balance sheet + capacity buffers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Stress test + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 420-426; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 053 pp. 420-426.

008 to 054: consequential handoff

Safety and personal security -> Credit and underwriting | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Credit and underwriting: Cashflow, assets, obligations, trajectory, capability and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Credit and underwriting; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Static score/category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Borrower, lender, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Dynamic provenance/capacity underwriting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Prospective lending trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 427-433; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 054 pp. 427-433.

008 to 055: consequential handoff

Safety and personal security -> Insurance and resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Insurance and resilience: Hazard, exposure, prevention, coverage, recovery and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Insurance and resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Loss probability/policy class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Policyholder, insurer, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Prevention + resilience + coverage architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Pilot product evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 434-440; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 055 pp. 434-440.

008 to 056: consequential handoff

Safety and personal security -> Capital markets and investing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Capital markets and investing: Price, cashflow, externalities, network risk and long-horizon value.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Capital markets and investing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Return/risk factor set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Investor, firm, workers, public, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Consequential asset ledger with carrier constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Historical backtest + prospective paper portfolio'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 441-447; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 056 pp. 441-447.

008 to 057: consequential handoff

Safety and personal security -> Private wealth and family capital | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Private wealth and family capital: Financial, human, social, health and intergenerational capital.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Private wealth and family capital; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Portfolio net worth. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Client, family, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Whole-capital balance sheet + goals/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Longitudinal client evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 448-454; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 057 pp. 448-454.

008 to 058: consequential handoff

Safety and personal security -> Labor and talent markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Labor and talent markets: Capability, workload, pay, health, learning and opportunity.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Labor and talent markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Job title/CV/credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Worker, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Capability-state + workload + mobility architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Workplace pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 455-461; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 058 pp. 455-461.

008 to 059: consequential handoff

Safety and personal security -> Organizations and enterprises | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Organizations and enterprises: Functions, dependencies, people, cash, knowledge and customer value.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Organizations and enterprises; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Department/KPI structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Workers, customers, suppliers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Enterprise consequential graph + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Multi-team field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 462-468; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 059 pp. 462-468.

008 to 060: consequential handoff

Safety and personal security -> Entrepreneurship and venture creation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Entrepreneurship and venture creation: Unmet burden, carrier, willingness to pay, build cost and adoption.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Entrepreneurship and venture creation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Existing market category/TAM. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Founder initially, then customer/system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Mutual-Uptick blocker discovery + missing-capacity build. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Pilot venture with carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 469-475; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 060 pp. 469-475.

008 to 061: consequential handoff

Safety and personal security -> Artificial intelligence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Artificial intelligence: Model state, source reality, user intent, provenance, uncertainty and downstream action.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Artificial intelligence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Prompt/context window/model output. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: User, verifier, downstream system, compute. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Persistent schema/provenance layer + self-audit and escalation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Sealed cross-model benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 477-483; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 061 pp. 477-483.

008 to 062: consequential handoff

Safety and personal security -> Software systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Software systems: Requirements, dependencies, state, users, infrastructure and technical debt.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Software systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Feature/ticket/local module schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Developers, users, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Dependency/provenance graph + consequential release controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Repository-level prospective benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 484-490; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 062 pp. 484-490.

008 to 063: consequential handoff

Safety and personal security -> Cybersecurity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Cybersecurity: Actual attack graph, identities, vulnerabilities, privileges and attacker state.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Cybersecurity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Defender inventory/rules/log view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Systems, users, analysts, business continuity. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Self-updating attack schema + carrier prediction + safe containment/failover. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Red-team sealed telemetry benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 491-497; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 063 pp. 491-497.

008 to 064: consequential handoff

Safety and personal security -> Data infrastructure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Data infrastructure: Datasets, lineage, semantics, permissions, quality and downstream uses.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Data infrastructure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Table/file/schema local view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Analysts, models, users, compliance. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Provenance graph + semantic reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Enterprise data benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 498-504; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 064 pp. 498-504.

008 to 065: consequential handoff

Safety and personal security -> Privacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Privacy: Data state, purposes, consent, exposure, value and future misuse.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Privacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Consent checkbox or access-control list. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Person, organization, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Selective disclosure + provenance + minimization architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Field trial + attack testing'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 505-511; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 065 pp. 505-511.

008 to 066: consequential handoff

Safety and personal security -> Digital identity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Digital identity: Attributes, credentials, context, revocation, privacy and trust.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Digital identity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Single identifier/account. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Person, verifier, issuer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Selective-verification credential graph. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Cross-service pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 512-518; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 066 pp. 512-518.

008 to 067: consequential handoff

Safety and personal security -> Internet and communications | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Internet and communications: Topology, capacity, latency, content, trust and user needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Internet and communications; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Throughput/uptime metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Users, networks, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Consequential routing + fidelity/provenance layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Network/application experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 519-525; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 067 pp. 519-525.

008 to 068: consequential handoff

Safety and personal security -> Media and information ecosystems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Media and information ecosystems: Claims, evidence, incentives, attention, creators and audiences.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Media and information ecosystems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Engagement/feed rank. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Audience, creator, public discourse. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Claim provenance + quality + incentive reconciliation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 526-532; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 068 pp. 526-532.

008 to 069: consequential handoff

Safety and personal security -> Language and translation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Language and translation: Meaning, context, culture, pragmatics and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Language and translation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Word/token correspondence. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Speakers, institutions, models. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Semantic/provenance translation with ambiguity tracking. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Blind human evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 533-539; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 069 pp. 533-539.

008 to 070: consequential handoff

Safety and personal security -> Knowledge and ontologies | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Knowledge and ontologies: Entities, relations, provenance, incompatible schemas and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Knowledge and ontologies; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Single ontology/taxonomy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Researchers, AI, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Cross-schema translation + minimal sufficient ontology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Cross-domain benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 540-546; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 070 pp. 540-546.

008 to 071: consequential handoff

Safety and personal security -> Energy and power grids | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Energy and power grids: Generation, load, storage, network constraints, prices and reliability.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Energy and power grids; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Local device efficiency or node KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Grid nodes, customers, storage, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Consequential grid controller + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Grid simulation + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 548-554; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 071 pp. 548-554.

008 to 072: consequential handoff

Safety and personal security -> Water and irrigation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Water and irrigation: Withdrawals, consumptive use, return flows, storage, aquifers and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Water and irrigation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Farm/project efficiency. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Downstream users, rivers, aquifers, ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Basin-wide accounting + catchment + allocation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Basin holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 555-561; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 072 pp. 555-561.

008 to 073: consequential handoff

Safety and personal security -> Food and agriculture | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Food and agriculture: Yield, soil, water, inputs, nutrition, labor, market and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Food and agriculture; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Yield/acre or commodity price. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Farmer, consumer, soil, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Coupled regenerative production controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Multi-season farm trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 562-568; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 073 pp. 562-568.

008 to 074: consequential handoff

Safety and personal security -> Supply chains and logistics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Supply chains and logistics: Inventory, demand, transport, suppliers, lead times and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Supply chains and logistics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Node-level cost/service KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Suppliers, warehouses, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Carrier-aware flow controller + buffer placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Historical + live pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 569-575; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 074 pp. 569-575.

008 to 075: consequential handoff

Safety and personal security -> Manufacturing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Manufacturing: Materials, energy, machines, labor, quality, maintenance and waste.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Manufacturing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Unit cost/OEE. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Workers, machines, environment, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Closed-loop production and maintenance architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Factory pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 576-582; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 075 pp. 576-582.

008 to 076: consequential handoff

Safety and personal security -> Waste and circular materials | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Waste and circular materials: Material composition, location, contamination, residual value and logistics.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Waste and circular materials; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Waste tonnage/disposal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Communities, environment, future production. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Material provenance + recapture + transformation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Municipal/industrial pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 583-589; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 076 pp. 583-589.

008 to 077: consequential handoff

Safety and personal security -> Transportation and mobility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Transportation and mobility: Trips, time, safety, access, energy, congestion and land use.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Transportation and mobility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Vehicle throughput/speed. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Travelers, neighborhoods, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Multimodal consequential mobility controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'City corridor pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 590-596; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 077 pp. 590-596.

008 to 078: consequential handoff

Safety and personal security -> Cities and urban systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Cities and urban systems: Housing, jobs, transport, health, utilities, safety and public space.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Cities and urban systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Agency-by-agency city data. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Residents, agencies, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: City consequential digital twin + coordinated capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'District pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 597-603; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 078 pp. 597-603.

008 to 079: consequential handoff

Safety and personal security -> Climate and disaster resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Climate and disaster resilience: Hazard, exposure, vulnerability, infrastructure, food, health and recovery.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Climate and disaster resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Hazard forecast alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: People, infrastructure, ecosystems, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Anticipatory catchment + prepositioned capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Prospective matched pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 604-610; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 079 pp. 604-610.

008 to 080: consequential handoff

Safety and personal security -> Ecology and biodiversity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Ecology and biodiversity: Species, habitats, flows, extraction, communities and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Ecology and biodiversity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Protected-area/local species metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Species, habitats, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Landscape-scale leakage/carrier accounting + livelihoods. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Landscape holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 611-617; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 080 pp. 611-617.

008 to 081: consequential handoff

Safety and personal security -> Cell biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Cell biology: Signaling, organelles, metabolism, damage, repair and cell-state transitions.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Cell biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Single pathway/marker. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Organelles, pathways, neighboring cells. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Multi-state cellular controller + capacity targeting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'In-vitro perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 619-625; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 081 pp. 619-625.

008 to 082: consequential handoff

Safety and personal security -> Molecular biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Molecular biology: Molecules, conformations, binding networks, concentrations and kinetics.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Molecular biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Single interaction/target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Molecules, pathways, host system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Reaction/network state model + off-target carrier control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Bench experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 626-632; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 082 pp. 626-632.

008 to 083: consequential handoff

Safety and personal security -> Nanotechnology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Nanotechnology: Particle properties, surfaces, transport, environment and biological interaction.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Nanotechnology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Particle spec alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Cells, environment, users. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Lifecycle and interaction-aware nano design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Bench + environmental tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 633-639; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 083 pp. 633-639.

008 to 084: consequential handoff

Safety and personal security -> Chemistry and reaction systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Chemistry and reaction systems: Species, reaction network, kinetics, energy, byproducts and separation.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Chemistry and reaction systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Target yield/selectivity. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Reactor, environment, downstream process. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Consequential reaction-network optimization + recovery loops. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Reactor experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 640-646; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 084 pp. 640-646.

008 to 085: consequential handoff

Safety and personal security -> Materials science | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Materials science: Microstructure, defects, stress, temperature, lifecycle and manufacturing.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Materials science; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Bulk property spec. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Material, structure, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Defect-aware multiproperty design + recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Lab characterization'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 647-653; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 085 pp. 647-653.

008 to 086: consequential handoff

Safety and personal security -> Classical mechanics and control | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Classical mechanics and control: Physical state, dynamics, sensors, actuators and disturbance.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Classical mechanics and control; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Partial state observation/local control objective. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Plant, actuator, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Representation-aware full-state controller + regenerative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Physical bench experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 654-660; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 086 pp. 654-660.

008 to 087: consequential handoff

Safety and personal security -> Thermodynamics and nonequilibrium systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Thermodynamics and nonequilibrium systems: Energy, entropy, gradients, reservoirs, flows and constraints.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Thermodynamics and nonequilibrium systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Local efficiency/temperature metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Reservoirs, environment, components. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Whole-boundary energy/exergy and recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Physical experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 661-667; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 087 pp. 661-667.

008 to 088: consequential handoff

Safety and personal security -> Electromagnetism and circuits | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Electromagnetism and circuits: Fields, voltages, currents, topology, storage and losses.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Electromagnetism and circuits; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Local component state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Circuit elements, sources, loads. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Full-network state estimation + capacity/recovery placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Bench circuit experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 668-674; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 088 pp. 668-674.

008 to 089: consequential handoff

Safety and personal security -> Quantum systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Quantum systems: Quantum state, observables, measurement, control and decoherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Quantum systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Accessible observable set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Quantum system, apparatus, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Constraint-respecting measurement/control schema + capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Laboratory quantum experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 675-681; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 089 pp. 675-681.

008 to 090: consequential handoff

Safety and personal security -> Pure mathematics and formal systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Pure mathematics and formal systems: Objects, relations, axioms, language, proofs and translations.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Pure mathematics and formal systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Chosen signature/type system/quotient. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Proof system, translator, solver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Minimal sufficient schema preserving required relations. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Machine-checked theorem suite'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 682-688; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 090 pp. 682-688.

008 to 091: consequential handoff

Safety and personal security -> Statistics and causal inference | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Statistics and causal inference: Data-generating process, sampling, measurement, confounding and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Statistics and causal inference; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Chosen model/estimand. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Decision makers, future samples, affected groups. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Provenance-aware multi-model causal state + identifiability guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Simulation + multi-dataset benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 690-696; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 091 pp. 690-696.

008 to 092: consequential handoff

Safety and personal security -> Logic and reasoning systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Logic and reasoning systems: Premises, inference rules, contradictions, uncertainty and goals.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Logic and reasoning systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Single logical calculus. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Reasoner, downstream decision. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Multi-logic translation + contradiction provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Formal benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 697-703; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 092 pp. 697-703.

008 to 093: consequential handoff

Safety and personal security -> Geography and territorial systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Geography and territorial systems: People, ecosystems, infrastructure, flows and administrative boundaries.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Geography and territorial systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Jurisdiction/map boundary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Border communities, watersheds, networks. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Flow-based territorial state model. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Regional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 704-710; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 093 pp. 704-710.

008 to 094: consequential handoff

Safety and personal security -> Informal economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Informal economy: Real work, exchange, trust, risk and household needs outside formal records.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Informal economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Formal registry/tax/business schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Workers, households, state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Low-friction recognition, protection and access architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Field pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 711-717; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 094 pp. 711-717.

008 to 095: consequential handoff

Safety and personal security -> Illicit and black markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Illicit and black markets: Hidden demand, supply, coercion, enforcement, prices and harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Illicit and black markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Official market data that excludes hidden exchange. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Victims, communities, lawful firms, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Independent harm-reduction/public-safety evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 718-724; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 095 pp. 718-724.

008 to 096: consequential handoff

Safety and personal security -> Orbital and space economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Orbital and space economy: Spacecraft, debris, spectrum, energy, logistics and operator incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Orbital and space economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Mission-local success metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Other spacecraft, operators, orbital environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Orbital consequential ledger + shared capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Simulation + mission pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 725-731; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 096 pp. 725-731.

008 to 097: consequential handoff

Safety and personal security -> Extraterrestrial settlement | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Extraterrestrial settlement: Life support, energy, materials, health, governance and closed ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Extraterrestrial settlement; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Earth-derived subsystem silos. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Crew, machines, habitat ecology. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Closed-loop consequential state + autonomous capacity construction. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Analog habitat + mission tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 732-738; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 097 pp. 732-738.

008 to 098: consequential handoff

Safety and personal security -> Astrobiology and biosignatures | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Astrobiology and biosignatures: Unknown life chemistries, environments, signals and contamination risks.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Astrobiology and biosignatures; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Earth-centric life schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Scientific program, environment, future missions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Plural biosignature schema + provenance/contamination control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Blind benchmark + mission data'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 739-745; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 098 pp. 739-745.

008 to 099: consequential handoff

Safety and personal security -> Planetary systems and stewardship | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Planetary systems and stewardship: Atmosphere, hydrology, geology, biosphere, resources and settlements.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Planetary systems and stewardship; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Sector-local resource model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Settlements, ecosystems, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Closed-loop planetary resource and restoration architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Earth analog + simulation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 746-752; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 099 pp. 746-752.

008 to 100: consequential handoff

Safety and personal security -> Unknown and not-yet-named realities | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Unknown and not-yet-named realities: Any newly observed substrate, scale, agent, value dimension or exchange mode.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Unknown and not-yet-named realities; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: No adequate schema exists yet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Unknown until carrier tracing identifies it. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Instantiate M_d, define schema, measure gap, trace carrier, construct capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Freeze kernel before learning outcomes; then holdout/replicate'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 753-759; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 100 pp. 753-759.

008 to 101: consequential handoff

Safety and personal security -> Conscious experience and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Conscious experience and self-model: Perception, affect, memory, self-model, attention, internal accessibility and embodied state.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Conscious experience and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: A receiving observer reduces another system to behavior, category or output alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Experiencing system, observers, dependent systems and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Cross-modal state representation with provenance, uncertainty and non-erasure constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Prospective multi-method cross-observer study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 761-767; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 101 pp. 761-767.

008 to 102: consequential handoff

Safety and personal security -> Choice and option topology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Choice and option topology: Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Choice and option topology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Binary free-choice / no-choice label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Chooser, affected people, institutions and future option set. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Feasible-option map plus prebuilt low-friction lawful/prosocial pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Prospective choice-topology intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 768-774; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 102 pp. 768-774.

008 to 103: consequential handoff

Safety and personal security -> Truth, deception and disclosure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Truth, deception and disclosure: Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Truth, deception and disclosure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Truth/lie binary detached from consequence topology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Speaker, listener, harmed parties, institutions and future trust network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Verification, safe disclosure, correction, restitution and transition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Sealed truth-cost / disclosure study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 775-781; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 103 pp. 775-781.

008 to 104: consequential handoff

Safety and personal security -> Responsibility and causal attribution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Responsibility and causal attribution: Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Responsibility and causal attribution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Moral label detached from the action-producing state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Actor, victims, institutions, community and future actors. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Blinded case reconstruction with preregistered causal criteria'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 782-788; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 104 pp. 782-788.

008 to 105: consequential handoff

Safety and personal security -> Consent, coercion and autonomy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Consent, coercion and autonomy: Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Consent, coercion and autonomy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Signed/expressed consent treated as sufficient state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Decision maker, counterparties, dependents and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Real exit, recourse, reversible consent, information symmetry and alternative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Prospective consent-quality audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 789-795; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 105 pp. 789-795.

008 to 106: consequential handoff

Safety and personal security -> Addiction, compulsion and short-horizon relief | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Addiction, compulsion and short-horizon relief: Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Addiction, compulsion and short-horizon relief; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Substance/behavior category or abstinence binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Person, body, relationships, household, community and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Longitudinal regulated intervention with multi-carrier outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 796-802; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 106 pp. 796-802.

008 to 107: consequential handoff

Safety and personal security -> Crime, violence and reconciliation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Crime, violence and reconciliation: Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Crime, violence and reconciliation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Offense label or actor-only risk score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Victims, actor, families, community, institutions and future potential victims. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Longitudinal controlled justice-program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 803-809; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 107 pp. 803-809.

008 to 108: consequential handoff

Safety and personal security -> Animal sentience and welfare | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Animal sentience and welfare: Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Animal sentience and welfare; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Commodity/yield schema that excludes the animal as a carrier. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Animals, workers, consumers, farmers, land, ecosystems and communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Welfare, alternative-production, livelihood-transition and ecological capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Multi-carrier welfare, nutrition and livelihood trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 810-816; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 108 pp. 810-816.

008 to 109: consequential handoff

Safety and personal security -> Collective agency and institutional choice | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Collective agency and institutional choice: Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Collective agency and institutional choice; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Organization treated as a single actor without internal carrier structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Members, minorities, leaders, outsiders, institutions and future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Distributed decision provenance, dissent channels, accountability and cross-boundary capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Prospective institutional decision audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 817-823; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 109 pp. 817-823.

008 to 110: consequential handoff

Safety and personal security -> Human-AI co-agency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Human-AI co-agency: Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Human-AI co-agency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Model output or benchmark score treated as the whole system. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: User, non-user, model operator, workers, institutions, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Persistent provenance, human control, reversibility, portability, verification and receivingcapacity layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Sealed native-vs-K_R assisted agent benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 824-830; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 110 pp. 824-830.

008 to 111: consequential handoff

Safety and personal security -> Evolution and natural selection | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Evolution and natural selection: Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Evolution and natural selection; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Fitness proxy or single-trait narrative. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Individuals, lineages, populations, interacting species and ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Diversity, ecological capacity and intervention guardrails where deliberate action exists. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Time-locked population/genomic holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 832-838; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 111 pp. 832-838.

008 to 112: consequential handoff

Safety and personal security -> Reproduction, inheritance, mitosis and meiosis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Reproduction, inheritance, mitosis and meiosis: Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Reproduction, inheritance, mitosis and meiosis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Outcome-only birth/division count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Parent cell/organism, daughter cells, gametes, offspring and lineage. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Checkpoint, repair, redundancy and developmental-support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Lineage-resolved perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 839-845; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 112 pp. 839-845.

008 to 113: consequential handoff

Safety and personal security -> Development and morphogenesis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Development and morphogenesis: Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Development and morphogenesis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Single marker or endpoint morphology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Cells, tissues, organs, organism and developmental future state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Stage-aware multi-pathway support, repair and resource architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Longitudinal developmental perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 846-852; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 113 pp. 846-852.

008 to 114: consequential handoff

Safety and personal security -> Metabolism, diet and consumption | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Metabolism, diet and consumption: Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Metabolism, diet and consumption; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Calories/macros or one nutrient target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Gut, microbiome, liver, tissues, household, food system and future organism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Adaptive conversion, buffering, storage, elimination and access capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Controlled longitudinal multi-carrier nutrition study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 853-859; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 114 pp. 853-859.

008 to 115: consequential handoff

Safety and personal security -> Predation, livestock and food-system transformation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Predation, livestock and food-system transformation: Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Predation, livestock and food-system transformation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Yield, price or human nutrition alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Animals, humans, workers, farmers, consumers, land, ecosystems and future food security. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Phased regional transition with preregistered carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 860-866; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 115 pp. 860-866.

008 to 116: consequential handoff

Safety and personal security -> Learning, plasticity and cultural evolution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Learning, plasticity and cultural evolution: Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Learning, plasticity and cultural evolution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Test score, output or adoption count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Learner, teachers, peers, institutions, future self and cultural network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Longitudinal transfer-and-retention experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 867-873; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 116 pp. 867-873.

008 to 117: consequential handoff

Safety and personal security -> Self-organization and emergence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Self-organization and emergence: Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Self-organization and emergence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Macro outcome without micro-carrier ledger. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Components, neighborhoods, emergent structure and external environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Multi-scale simulation plus physical/biological holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 874-880; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 117 pp. 874-880.

008 to 118: consequential handoff

Safety and personal security -> Creation, provenance and dependency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Creation, provenance and dependency: Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Creation, provenance and dependency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Ownership or authorship treated as sufficient relationship model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Creators, created systems, maintainers, users, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Provenance, stewardship, autonomy-transition and reciprocal-viability architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Longitudinal creator-created dependency audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 881-887; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 118 pp. 881-887.

008 to 119: consequential handoff

Safety and personal security -> Cosmological evolution and structure formation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Cosmological evolution and structure formation: Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Cosmological evolution and structure formation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Single scale or observable treated as complete cosmic state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: Observed regions, fields/matter components, instruments, models and observers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Cross-scale observation, uncertainty, model-comparison and instrumentation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Preregistered cross-survey predictive holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 888-894; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 119 pp. 888-894.

008 to 120: consequential handoff

Safety and personal security -> Cross-substrate consciousness, temporal coexistence and closure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

PROPOSED RECEIVER AND STATE

Cross-substrate consciousness, temporal coexistence and closure: The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility.

INTERFACE AND COUPLING STATUS

Proposed interface from Safety and personal security into Cross-substrate consciousness, temporal coexistence and closure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Incident count or generic risk class. Receiver's limited view: Any local adapter, species, institution or observer claiming closure from its own schema alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community, responder. Candidate receiver carriers: All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Safety architecture that increases protection without reducing autonomy. Receiving capacity: Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and.... Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Prospective safety intervention' with a receiver study of 'Time-locked system-of-systems closure test across multiple adapters'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 100-106 and 895-901; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026). Receiver Adapter 120 pp. 895-901.

008: Safety and personal security

Household / family / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Household / family / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Household / family / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Household / family / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Household / family / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Household / family / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

School / university / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

School / university / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

School / university / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

School / university / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

School / university / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

School / university / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Enterprise / cooperative / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Enterprise / cooperative / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Enterprise / cooperative / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Enterprise / cooperative / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Enterprise / cooperative / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Enterprise / cooperative / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Healthcare / care team / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Healthcare / care team / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Healthcare / care team / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Healthcare / care team / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Healthcare / care team / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Healthcare / care team / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Local government / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Local government / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Local government / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Local government / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Local government / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Local government / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Ecological catchment / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Ecological catchment / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Ecological catchment / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Ecological catchment / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Ecological catchment / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Ecological catchment / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Scientific laboratory / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Scientific laboratory / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Scientific laboratory / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Scientific laboratory / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Scientific laboratory / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Scientific laboratory / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Public infrastructure / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Public infrastructure / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Public infrastructure / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Public infrastructure / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Public infrastructure / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Public infrastructure / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Digital / AI service / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Digital / AI service / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Digital / AI service / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Digital / AI service / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Digital / AI service / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Digital / AI service / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Interregional / planetary / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Interregional / planetary / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Interregional / planetary / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Interregional / planetary / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Interregional / planetary / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Safety and personal security

Interregional / planetary / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Safety and personal security is described in the Atlas as: Threat exposure, environment, support, mobility and response capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Protection shifts restriction or surveillance burden onto protected person. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community, responder. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Safety architecture that increases protection without reducing autonomy. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Threat falls while freedom, privacy and response burden improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Prospective safety intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Evidence and source reconstruction

Safety and personal security | protocol 1 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 008: Safety and personal security; original author status: Constructive protocol. Native state: Threat exposure, environment, support, mobility and response capacity.

EVALUATION OBJECTIVE

Evidence and source reconstruction. Establish what is observed, reported, derived, simulated and currently unavailable. Audit definitions, dates and units.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Incident count or generic risk class. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Protection shifts restriction or surveillance burden onto protected person. The relevant receiving carriers are: Person, community, responder.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Safety architecture that increases protection without reducing autonomy. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Threat falls while freedom, privacy and response burden improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective safety intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Boundary divergence

Safety and personal security | protocol 2 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 008: Safety and personal security; original author status: Constructive protocol. Native state: Threat exposure, environment, support, mobility and response capacity.

EVALUATION OBJECTIVE

Boundary divergence. Predeclare local and consequential objectives, identical feasible action sets, and a measurable divergence test.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Incident count or generic risk class. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Protection shifts restriction or surveillance burden onto protected person. The relevant receiving carriers are: Person, community, responder.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Safety architecture that increases protection without reducing autonomy. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Threat falls while freedom, privacy and response burden improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective safety intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Causal diagram and identifiability

Safety and personal security | protocol 3 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 008: Safety and personal security; original author status: Constructive protocol. Native state: Threat exposure, environment, support, mobility and response capacity.

EVALUATION OBJECTIVE

Causal diagram and identifiability. Draw the candidate causal graph; identify confounders, mediators, spillovers and selection mechanisms.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Incident count or generic risk class. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Protection shifts restriction or surveillance burden onto protected person. The relevant receiving carriers are: Person, community, responder.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Safety architecture that increases protection without reducing autonomy. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Threat falls while freedom, privacy and response burden improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective safety intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Receiving carrier identification

Safety and personal security | protocol 4 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 008: Safety and personal security; original author status: Constructive protocol. Native state: Threat exposure, environment, support, mobility and response capacity.

EVALUATION OBJECTIVE

Receiving carrier identification. Predict the destination, path and delay of consequential burdens before measuring post-state outcomes.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Incident count or generic risk class. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Protection shifts restriction or surveillance burden onto protected person. The relevant receiving carriers are: Person, community, responder.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Safety architecture that increases protection without reducing autonomy. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Threat falls while freedom, privacy and response burden improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective safety intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Hidden compensation accounting

Safety and personal security | protocol 5 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 008: Safety and personal security; original author status: Constructive protocol. Native state: Threat exposure, environment, support, mobility and response capacity.

EVALUATION OBJECTIVE

Hidden compensation accounting. Measure which agent, reserve, budget, ecosystem or later period silently carries the load.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Incident count or generic risk class. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Protection shifts restriction or surveillance burden onto protected person. The relevant receiving carriers are: Person, community, responder.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Safety architecture that increases protection without reducing autonomy. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Threat falls while freedom, privacy and response burden improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective safety intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Native units and dimensional integrity

Safety and personal security | protocol 6 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 008: Safety and personal security; original author status: Constructive protocol. Native state: Threat exposure, environment, support, mobility and response capacity.

EVALUATION OBJECTIVE

Native units and dimensional integrity. Define each carrier outcome in its own units; avoid offsetting unlike harms with unsupported scalar sums.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Incident count or generic risk class. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Protection shifts restriction or surveillance burden onto protected person. The relevant receiving carriers are: Person, community, responder.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Safety architecture that increases protection without reducing autonomy. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Threat falls while freedom, privacy and response burden improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective safety intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Capacity specification

Safety and personal security | protocol 7 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 008: Safety and personal security; original author status: Constructive protocol. Native state: Threat exposure, environment, support, mobility and response capacity.

EVALUATION OBJECTIVE

Capacity specification. Identify the binding receiver constraint and specify the smallest permissible constructive action.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Incident count or generic risk class. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Protection shifts restriction or surveillance burden onto protected person. The relevant receiving carriers are: Person, community, responder.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Safety architecture that increases protection without reducing autonomy. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Threat falls while freedom, privacy and response burden improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective safety intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Intervention design

Safety and personal security | protocol 8 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 008: Safety and personal security; original author status: Constructive protocol. Native state: Threat exposure, environment, support, mobility and response capacity.

EVALUATION OBJECTIVE

Intervention design. Choose randomized, natural, observational or mechanistic evidence compatible with safety and identifiability.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Incident count or generic risk class. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Protection shifts restriction or surveillance burden onto protected person. The relevant receiving carriers are: Person, community, responder.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Safety architecture that increases protection without reducing autonomy. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Threat falls while freedom, privacy and response burden improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective safety intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Incumbent parity contest

Safety and personal security | protocol 9 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 008: Safety and personal security; original author status: Constructive protocol. Native state: Threat exposure, environment, support, mobility and response capacity.

EVALUATION OBJECTIVE

Incumbent parity contest. Compare against strongest existing local, boundary-aware, causal and resource-constrained methods.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Incident count or generic risk class. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Protection shifts restriction or surveillance burden onto protected person. The relevant receiving carriers are: Person, community, responder.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Safety architecture that increases protection without reducing autonomy. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Threat falls while freedom, privacy and response burden improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective safety intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Time-window and recurrence

Safety and personal security | protocol 10 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 008: Safety and personal security; original author status: Constructive protocol. Native state: Threat exposure, environment, support, mobility and response capacity.

EVALUATION OBJECTIVE

Time-window and recurrence. Measure early, intermediate and delayed outcomes, including reserve depletion and changing bottlenecks.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Incident count or generic risk class. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Protection shifts restriction or surveillance burden onto protected person. The relevant receiving carriers are: Person, community, responder.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Safety architecture that increases protection without reducing autonomy. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Threat falls while freedom, privacy and response burden improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective safety intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Ethical and legal safety

Safety and personal security | protocol 11 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 008: Safety and personal security; original author status: Constructive protocol. Native state: Threat exposure, environment, support, mobility and response capacity.

EVALUATION OBJECTIVE

Ethical and legal safety. Determine affected rights, vulnerable groups, irreversible harms, consent, permissions and safety constraints.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Incident count or generic risk class. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Protection shifts restriction or surveillance burden onto protected person. The relevant receiving carriers are: Person, community, responder.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Safety architecture that increases protection without reducing autonomy. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Threat falls while freedom, privacy and response burden improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective safety intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Sensitivity and negative controls

Safety and personal security | protocol 12 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 008: Safety and personal security; original author status: Constructive protocol. Native state: Threat exposure, environment, support, mobility and response capacity.

EVALUATION OBJECTIVE

Sensitivity and negative controls. Vary unmeasured confounding, missingness, cost, thresholds and adverse spillover assumptions.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Incident count or generic risk class. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Protection shifts restriction or surveillance burden onto protected person. The relevant receiving carriers are: Person, community, responder.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Safety architecture that increases protection without reducing autonomy. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Threat falls while freedom, privacy and response burden improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective safety intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Replication and provenance

Safety and personal security | protocol 13 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 008: Safety and personal security; original author status: Constructive protocol. Native state: Threat exposure, environment, support, mobility and response capacity.

EVALUATION OBJECTIVE

Replication and provenance. Version the kernel, code, data, transformation decisions, negative findings and external replication.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Incident count or generic risk class. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Protection shifts restriction or surveillance burden onto protected person. The relevant receiving carriers are: Person, community, responder.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Safety architecture that increases protection without reducing autonomy. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Threat falls while freedom, privacy and response burden improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective safety intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

008: Cross-domain invariant contest

Safety and personal security | protocol 14 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 008: Safety and personal security; original author status: Constructive protocol. Native state: Threat exposure, environment, support, mobility and response capacity.

EVALUATION OBJECTIVE

Cross-domain invariant contest. Keep K_R fixed while swapping M_d; test whether new measurements produce predictions beyond domain incumbents.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Incident count or generic risk class. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Protection shifts restriction or surveillance burden onto protected person. The relevant receiving carriers are: Person, community, responder.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Safety architecture that increases protection without reducing autonomy. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Threat falls while freedom, privacy and response burden improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Prospective safety intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 008, pp. 100-106 (Rufino 2026).

Adapter 009: Housing and domestic environment

Human life quality | Internal carrier and capacity reconstruction

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

DOMAIN-NATIVE STATE

Shelter, cost, commute, safety, air, heat, crowding and social context

RECORDED RECEIVING SCHEMA

Property price or occupancy status

CANDIDATE BURDEN AND RECEIVING CARRIERS

Blocker in the source Atlas: Affordability, commute, health and neighborhood burdens trade places. Candidate receivers: Resident, landlord, neighborhood, city.

EXISTING CAPACITY DESIGN

Whole-cost housing and location architecture

PROTECTED OUTCOME STATED BY THE AUTHOR

Housing quality, affordability, access and neighborhood outcomes improve

SCIENTIFIC NEXT STEP

Atlas proposed decisive test: Matched housing intervention. This remains a proposed testing route, not proof of a completed successful implementation.

ORIGINALITY AND CONSTRUCTION OBLIGATION

Run causal receiving-carrier diagnosis before action; compare construction against strong established methods; do not accept positive averages as proof that all material carriers benefited.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009 | Housing and domestic environment

Individual human / person | Insufficient capacity

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 009, Housing and domestic environment. Native state: Shelter, cost, commute, safety, air, heat, crowding and social context. Potential direct or institutional human pathway: Housing and domestic environment interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Insufficient capacity: The human has limited time, health, physical access, material resources, protective support or opportunity. Source Atlas proposed limiting condition: Affordability, commute, health and neighborhood burdens trade places.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Whole-cost housing and location architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Housing quality, affordability, access and neighborhood outcomes improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

009 | Housing and domestic environment

Individual human / person | Schema mismatch

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 009, Housing and domestic environment. Native state: Shelter, cost, commute, safety, air, heat, crowding and social context. Potential direct or institutional human pathway: Housing and domestic environment interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Schema mismatch: The person has evidence-grounded capabilities or needs that institutional identifiers, scores or labels do not adequately recognize. Source Atlas proposed limiting condition: Affordability, commute, health and neighborhood burdens trade places.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Whole-cost housing and location architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Housing quality, affordability, access and neighborhood outcomes improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

009 | Housing and domestic environment

Individual human / person | Delayed effects

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 009, Housing and domestic environment. Native state: Shelter, cost, commute, safety, air, heat, crowding and social context. Potential direct or institutional human pathway: Housing and domestic environment interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Delayed effects: A short-term change influences future-self health, skills, income, dependence, options or relationships. Source Atlas proposed limiting condition: Affordability, commute, health and neighborhood burdens trade places.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Whole-cost housing and location architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Housing quality, affordability, access and neighborhood outcomes improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

009 | Housing and domestic environment

Individual human / person | Measurement uncertainty

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 009, Housing and domestic environment. Native state: Shelter, cost, commute, safety, air, heat, crowding and social context. Potential direct or institutional human pathway: Housing and domestic environment interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Measurement uncertainty: The record lacks consented individual outcomes, counterfactuals, follow-up, or reliable protection metrics. Source Atlas proposed limiting condition: Affordability, commute, health and neighborhood burdens trade places.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Whole-cost housing and location architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Housing quality, affordability, access and neighborhood outcomes improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

009 | Housing and domestic environment

Individual human / person | Coordination failure

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 009, Housing and domestic environment. Native state: Shelter, cost, commute, safety, air, heat, crowding and social context. Potential direct or institutional human pathway: Housing and domestic environment interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Coordination failure: Family, employer, provider, government or technical systems hand off obligations to the individual without coordinated support. Source Atlas proposed limiting condition: Affordability, commute, health and neighborhood burdens trade places.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Whole-cost housing and location architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Housing quality, affordability, access and neighborhood outcomes improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

009 | Housing and domestic environment

Individual human / person | Adversarial / inequitable distribution

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 009, Housing and domestic environment. Native state: Shelter, cost, commute, safety, air, heat, crowding and social context. Potential direct or institutional human pathway: Housing and domestic environment interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Adversarial / inequitable distribution: Unequal power, coercion, inaccessible systems, discrimination or exploitative incentives shift costs to a person. Source Atlas proposed limiting condition: Affordability, commute, health and neighborhood burdens trade places.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Whole-cost housing and location architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Housing quality, affordability, access and neighborhood outcomes improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

009 to 001: consequential handoff

Housing and domestic environment -> Whole-person quality of life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Whole-person quality of life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Single score, diagnosis, income bracket or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Person, household, caregivers, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Longitudinal cohort with preregistered multidimensional outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 51-57; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 001 pp. 51-57.

009 to 002: consequential handoff

Housing and domestic environment -> Nutrition and metabolism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Nutrition and metabolism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Calories/macros or generic diet categories. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Body, household budget, food system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Randomized adaptive nutrition trial with cost and adherence carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 58-64; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 002 pp. 58-64.

009 to 003: consequential handoff

Housing and domestic environment -> Sleep and recovery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Sleep and recovery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Hours slept or wearable score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Body, cognition, household schedule. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Recovery controller integrating timing, environment, workload and physiology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Longitudinal crossover study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 65-71; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 003 pp. 65-71.

009 to 004: consequential handoff

Housing and domestic environment -> Reproductive and sexual health | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Reproductive and sexual health; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Single fertility, disease or risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Individual, partner, future child, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Clinical trials + patient-reported and partner- impact carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 72-78; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 004 pp. 72-78.

009 to 005: consequential handoff

Housing and domestic environment -> Disability and accessibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Disability and accessibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Deficit-only person label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Person, caregiver, workplace, public space. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Environment-first accessibility architecture plus assistive capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Before/after environment redesign with workload measures'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 79-85; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 005 pp. 79-85.

009 to 006: consequential handoff

Housing and domestic environment -> Mobility and physical function | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Mobility and physical function; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Single functional score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Body, caregiver, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Adaptive rehabilitation plus environment and device redesign. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Controlled rehabilitation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 86-92; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 006 pp. 86-92.

009 to 007: consequential handoff

Housing and domestic environment -> Family and caregiving | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Family and caregiving; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Household role labels. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Primary caregiver, dependents, siblings, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Care-load ledger, shared coordination and external capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Prospective household burden study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 93-99; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 007 pp. 93-99.

009 to 008: consequential handoff

Housing and domestic environment -> Safety and personal security | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Safety and personal security; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Incident count or generic risk class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Person, community, responder. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Safety architecture that increases protection without reducing autonomy. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Prospective safety intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 100-106; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 008 pp. 100-106.

009 to 009: consequential handoff

Housing and domestic environment -> Housing and domestic environment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

INTERFACE AND COUPLING STATUS

This is a within-domain loop: the post-state of Housing and domestic environment becomes the next native state under its existing map. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Property price or occupancy status. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Resident, landlord, neighborhood, city. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Whole-cost housing and location architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Matched housing intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 107-113; WITHIN-DOMAIN RECURRENCE. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 009 pp. 107-113.

009 to 010: consequential handoff

Housing and domestic environment -> Human longevity and life-course planning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Human longevity and life-course planning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Chronological age or retirement age. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Person, family, institutions, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Life-course capital and care architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Longitudinal life-course cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 114-120; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 010 pp. 114-120.

009 to 011: consequential handoff

Housing and domestic environment -> Psychology and social legibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Psychology and social legibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Snapshot diagnosis or social category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Person, family, employer, clinician. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Multidimensional schema plus support matched to hidden burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Longitudinal external cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 122-128; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 011 pp. 122-128.

009 to 012: consequential handoff

Housing and domestic environment -> Identity and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Identity and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Single identity label or credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Person and receiving institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Selective multi-context identity graph with provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Cross-context identity study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 129-135; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 012 pp. 129-135.

009 to 013: consequential handoff

Housing and domestic environment -> Relationships and intimacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Relationships and intimacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Relationship status or personality label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Partners and wider support network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Reciprocal state and burden ledger plus consent architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Dyadic longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 136-142; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 013 pp. 136-142.

009 to 014: consequential handoff

Housing and domestic environment -> Parenting and child development | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Parenting and child development; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Age norm, grade or behavior label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Child, parent, school, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Developmental state map plus distributed support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Longitudinal family-school cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 143-149; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 014 pp. 143-149.

009 to 015: consequential handoff

Housing and domestic environment -> Purpose and self-actualization | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Purpose and self-actualization; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Career status, wealth or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Person, relationships, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Whole-person capability architecture and burden guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Longitudinal multidimensional evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 150-156; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 015 pp. 150-156.

009 to 016: consequential handoff

Housing and domestic environment -> Existential wellbeing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Existential wellbeing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Symptom or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Person, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Voluntary meaning-reflection and support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Patient/user-reported longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 157-163; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 016 pp. 157-163.

009 to 017: consequential handoff

Housing and domestic environment -> Spiritual life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Spiritual life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Institutional affiliation alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Individual, family, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Ethical observational study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 164-170; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 017 pp. 164-170.

009 to 018: consequential handoff

Housing and domestic environment -> Religion and community institutions | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Religion and community institutions; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Membership or doctrinal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Members, families, leaders, wider community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Transparent governance, reporting, safeguarding and exit rights. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Institutional longitudinal audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 171-177; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 018 pp. 171-177.

009 to 019: consequential handoff

Housing and domestic environment -> Emotion and affect regulation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Emotion and affect regulation: Internal state, context, physiology, cognition and social feedback.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Emotion and affect regulation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Valence score or symptom label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Person and relationships. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: State-aware regulation architecture with physiological feedback. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Crossover intervention study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 178-184; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 019 pp. 178-184.

009 to 020: consequential handoff

Housing and domestic environment -> Trust and fidelity between people | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Trust and fidelity between people: History, promises, evidence, uncertainty and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Trust and fidelity between people; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Trusted/untrusted binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: People and institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Dynamic provenance and expectation architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Prospective trust-repair study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 185-191; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 020 pp. 185-191.

009 to 021: consequential handoff

Housing and domestic environment -> Healthcare delivery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Healthcare delivery: Clinical state, logistics, caregiver capacity, finance and post-discharge environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Healthcare delivery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Episode-of-care schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Patient, caregiver, outpatient system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Consequential discharge/care orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 193-199; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 021 pp. 193-199.

009 to 022: consequential handoff

Housing and domestic environment -> Diagnostics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Diagnostics: Underlying disease state, uncertainty, test characteristics and downstream actions.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Diagnostics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Single test result. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Patient, clinician, payer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Bayesian multi-source diagnostic schema + uncertainty communication. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Prospective blinded diagnostic study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 200-206; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 022 pp. 200-206.

009 to 023: consequential handoff

Housing and domestic environment -> Cancer ecology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Cancer ecology: Clone mix, immune state, microenvironment, host reserve and therapy exposure.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Cancer ecology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Stage/tumor-size snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Resistant clones, healthy tissue, immune system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Adaptive ecological state estimator + resistance/host capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Preclinical then clinical adaptive trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 207-213; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 023 pp. 207-213.

009 to 024: consequential handoff

Housing and domestic environment -> Neuroscience and neurodegeneration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Neuroscience and neurodegeneration: Neural, glial, vascular, metabolic, network and functional state.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Neuroscience and neurodegeneration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Single biomarker or visible function. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Neural networks, metabolism, caregiver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Multimodal state estimator + restorative capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Multimodal longitudinal intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 214-220; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 024 pp. 214-220.

009 to 025: consequential handoff

Housing and domestic environment -> Aging biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Aging biology: Coupled damage, repair, senescence, immunity, metabolism and regeneration.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Aging biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Age scalar or isolated hallmark. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Cells, tissues, immune system, metabolism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Moving-bottleneck RVG controller across damage/repair channels. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Preclinical multi-pathway study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 221-227; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 025 pp. 221-227.

009 to 026: consequential handoff

Housing and domestic environment -> Immunology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Immunology: Immune activation, tolerance, pathogen/tumor signals and tissue damage.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Immunology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Single cytokine or cell-count schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Pathogen, immune cells, host tissue. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: State-dependent immune control balancing clearance and collateral damage. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Controlled biological study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 228-234; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 026 pp. 228-234.

009 to 027: consequential handoff

Housing and domestic environment -> Infectious disease | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Infectious disease: Pathogen dynamics, host immunity, behavior, network spread and treatment.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Infectious disease; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Case count or pathogen-only model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Patients, contacts, health system, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Multi-carrier containment + treatment + livelihood capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Prospective outbreak protocol'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 235-241; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 027 pp. 235-241.

009 to 028: consequential handoff

Housing and domestic environment -> Microbiome | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Microbiome: Host physiology plus microbial ecology and diet/environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Microbiome; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Species abundance snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Host and microbial community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Functional ecosystem state model and adaptive intervention. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Controlled longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 242-248; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 028 pp. 242-248.

009 to 029: consequential handoff

Housing and domestic environment -> Genomics and proteomics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Genomics and proteomics: Variants, expression, proteins, pathways, context and phenotype.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Genomics and proteomics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Single marker/pathogenicity label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Cells, tissues, patient. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Multi-omic causal state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Prospective multi-omic validation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 249-255; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 029 pp. 249-255.

009 to 030: consequential handoff

Housing and domestic environment -> Surgery and rehabilitation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Surgery and rehabilitation: Anatomy, function, pain, recovery capacity, home support and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Surgery and rehabilitation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Procedure success or anatomical correction. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Patient, caregiver, rehab system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Prehabilitation + procedure + recovery orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 256-262; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 030 pp. 256-262.

009 to 031: consequential handoff

Housing and domestic environment -> Early-childhood development and education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Early-childhood development and education: Development, safety, language, nutrition, play, attachment and resources.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Early-childhood development and education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Age milestone or readiness score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Child, caregiver, educator. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Integrated developmental support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Longitudinal program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 264-270; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 031 pp. 264-270.

009 to 032: consequential handoff

Housing and domestic environment -> K-12 education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

K-12 education: Knowledge, skills, wellbeing, context, resources and learning trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into K-12 education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Grade/test score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Student, teacher, family. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Capability graph + adaptive learning + wellbeing constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Cluster randomized trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 271-277; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 032 pp. 271-277.

009 to 033: consequential handoff

Housing and domestic environment -> Higher education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Higher education: Capability, knowledge, network, finances and career pathways.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Higher education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Degree/GPA credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Student, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Capability/provenance portfolio + adaptive pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Longitudinal graduate outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 278-284; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 033 pp. 278-284.

009 to 034: consequential handoff

Housing and domestic environment -> Vocational and workforce learning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Vocational and workforce learning: Skills, task demand, wages, mobility and employer needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Vocational and workforce learning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Course completion certificate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Worker, employer, training provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Skill-to-task provenance and placement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Matched labor-market evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 285-291; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 034 pp. 285-291.

009 to 035: consequential handoff

Housing and domestic environment -> Scientific research | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Scientific research: Hypotheses, methods, data, negative results, replication and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Scientific research; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Publication/citation unit. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Researchers, institutions, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Experiment provenance + negative-result + replication architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Cross-lab replication program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 292-298; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 035 pp. 292-298.

009 to 036: consequential handoff

Housing and domestic environment -> Justice and courts | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Justice and courts: Facts, evidence, harm, intent, procedure, history and remedies.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Justice and courts; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Case category or docket state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Victims, accused, families, courts, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Causal provenance + harm/restitution + recurrence architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Prospective process evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 299-305; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 036 pp. 299-305.

009 to 037: consequential handoff

Housing and domestic environment -> Policing and public safety systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Policing and public safety systems: Threat, context, evidence, community trust, capacity and alternatives.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Policing and public safety systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Incident/offense label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Residents, officers, victims, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Evidence-first response selection + prevention/support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Independent public evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 306-312; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 037 pp. 306-312.

009 to 038: consequential handoff

Housing and domestic environment -> Corrections, rehabilitation and reintegration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Corrections, rehabilitation and reintegration: Risk, harm, needs, skills, housing, work and social support.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Corrections, rehabilitation and reintegration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Sentence/recidivism risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Person, family, community, justice system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Rehabilitation + restitution + housing/work capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Longitudinal controlled program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 313-319; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 038 pp. 313-319.

009 to 039: consequential handoff

Housing and domestic environment -> Public administration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Public administration: Citizen state, eligibility, documents, services and agency capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Public administration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Program-specific record. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Citizen, frontline staff, budget. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Interoperable verified state + once-only data + case orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Agency pilot with citizen/staff metrics'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 320-326; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 039 pp. 320-326.

009 to 040: consequential handoff

Housing and domestic environment -> Governance and institutional design | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Governance and institutional design: Authority, incentives, information, accountability, resources and affected populations.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Governance and institutional design; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Organizational chart or legal mandate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Citizens, agencies, future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Cross-boundary outcome ledger + accountability and capacity design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Prospective institutional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 327-333; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 040 pp. 327-333.

009 to 041: consequential handoff

Housing and domestic environment -> Beauty and aesthetics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Beauty and aesthetics: Biology, preference, culture, identity, safety, cost and perception.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Beauty and aesthetics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Universal beauty standard or product category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Person, body, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Personalized aesthetic/safety state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Consumer/clinical outcome study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 335-341; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 041 pp. 335-341.

009 to 042: consequential handoff

Housing and domestic environment -> Fashion and apparel | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Fashion and apparel: Identity, fit, comfort, durability, labor, inventory and lifecycle.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Fashion and apparel; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Size/SKU/category schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Wearer, worker, retailer, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Adaptive sizing + provenance + circularity architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Retail field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 342-348; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 042 pp. 342-348.

009 to 043: consequential handoff

Housing and domestic environment -> Luxury goods | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Luxury goods: Provenance, scarcity, condition, access, identity, inventory and lifecycle value.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Luxury goods; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Price/status/authenticity binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Buyer, seller, inventory, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Provenance + condition + access + reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Operational field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 349-355; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 043 pp. 349-355.

009 to 044: consequential handoff

Housing and domestic environment -> Hospitality | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Hospitality: Guest needs, staff capacity, time, room state, logistics and locality.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Hospitality; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Booking/reservation state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Guest, staff, operator, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: End-to-end experience and workload orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Property-level A/B evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 356-362; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 044 pp. 356-362.

009 to 045: consequential handoff

Housing and domestic environment -> Travel and tourism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Travel and tourism: Mobility, cost, safety, experience, local capacity and environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Travel and tourism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Itinerary/booking schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Traveler, worker, resident, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Consequential itinerary/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Destination pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 363-369; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 045 pp. 363-369.

009 to 046: consequential handoff

Housing and domestic environment -> Art and cultural markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Art and cultural markets: Creative work, provenance, rights, cultural meaning, scarcity and audience.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Art and cultural markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Price/ownership/engagement proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Artist, audience, collector, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Rights/provenance/value-sharing architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Marketplace field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 370-376; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 046 pp. 370-376.

009 to 047: consequential handoff

Housing and domestic environment -> Music and entertainment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Music and entertainment: Creative contribution, rights, attention, audience value and platform economics.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Music and entertainment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Stream/view count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Creators, audiences, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Contribution/provenance + value-distribution architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 377-383; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 047 pp. 377-383.

009 to 048: consequential handoff

Housing and domestic environment -> Gaming and virtual worlds | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Gaming and virtual worlds: Player goals, time, identity, economy, safety and creator contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Gaming and virtual worlds; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Retention/spend metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Players, creators, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Cross-reality value and safety controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 384-390; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 048 pp. 384-390.

009 to 049: consequential handoff

Housing and domestic environment -> Sports and performance | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Sports and performance: Performance, health, training load, recovery, team dynamics and career horizon.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Sports and performance; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Win/score/output metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Athlete, team, family, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Load/recovery/career controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Prospective team study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 391-397; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 049 pp. 391-397.

009 to 050: consequential handoff

Housing and domestic environment -> Experience design and events | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Experience design and events: Attention, emotion, logistics, accessibility, staff load and community impact.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Experience design and events; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Attendance/NPS/ticket revenue. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Guests, staff, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: End-to-end experience-state orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Event A/B study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 398-404; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 050 pp. 398-404.

009 to 051: consequential handoff

Housing and domestic environment -> Currency and monetary experience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Currency and monetary experience: Purchasing power, liquidity, settlement, access, trust and macro context.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Currency and monetary experience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Nominal unit/FX quote. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Households, firms, intermediaries. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Consequential monetary-state and settlement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Historical + prospective policy-neutral system test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 406-412; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 051 pp. 406-412.

009 to 052: consequential handoff

Housing and domestic environment -> Payments and remittances | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Payments and remittances: Amount, fees, FX, settlement time, access, fraud and recipient liquidity.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Payments and remittances; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Successful transfer binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Sender, receiver, provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: End-to-end transfer optimization with transparent provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Transaction-level field test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 413-419; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 052 pp. 413-419.

009 to 053: consequential handoff

Housing and domestic environment -> Banking and liquidity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Banking and liquidity: Deposits, credit, liquidity, capital, customer state and network exposures.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Banking and liquidity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Product/account or institution-local balance sheet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Banks, customers, counterparties, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Network consequential balance sheet + capacity buffers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Stress test + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 420-426; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 053 pp. 420-426.

009 to 054: consequential handoff

Housing and domestic environment -> Credit and underwriting | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Credit and underwriting: Cashflow, assets, obligations, trajectory, capability and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Credit and underwriting; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Static score/category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Borrower, lender, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Dynamic provenance/capacity underwriting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Prospective lending trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 427-433; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 054 pp. 427-433.

009 to 055: consequential handoff

Housing and domestic environment -> Insurance and resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Insurance and resilience: Hazard, exposure, prevention, coverage, recovery and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Insurance and resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Loss probability/policy class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Policyholder, insurer, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Prevention + resilience + coverage architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Pilot product evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 434-440; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 055 pp. 434-440.

009 to 056: consequential handoff

Housing and domestic environment -> Capital markets and investing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Capital markets and investing: Price, cashflow, externalities, network risk and long-horizon value.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Capital markets and investing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Return/risk factor set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Investor, firm, workers, public, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Consequential asset ledger with carrier constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Historical backtest + prospective paper portfolio'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 441-447; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 056 pp. 441-447.

009 to 057: consequential handoff

Housing and domestic environment -> Private wealth and family capital | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Private wealth and family capital: Financial, human, social, health and intergenerational capital.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Private wealth and family capital; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Portfolio net worth. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Client, family, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Whole-capital balance sheet + goals/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Longitudinal client evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 448-454; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 057 pp. 448-454.

009 to 058: consequential handoff

Housing and domestic environment -> Labor and talent markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Labor and talent markets: Capability, workload, pay, health, learning and opportunity.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Labor and talent markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Job title/CV/credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Worker, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Capability-state + workload + mobility architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Workplace pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 455-461; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 058 pp. 455-461.

009 to 059: consequential handoff

Housing and domestic environment -> Organizations and enterprises | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Organizations and enterprises: Functions, dependencies, people, cash, knowledge and customer value.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Organizations and enterprises; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Department/KPI structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Workers, customers, suppliers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Enterprise consequential graph + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Multi-team field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 462-468; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 059 pp. 462-468.

009 to 060: consequential handoff

Housing and domestic environment -> Entrepreneurship and venture creation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Entrepreneurship and venture creation: Unmet burden, carrier, willingness to pay, build cost and adoption.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Entrepreneurship and venture creation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Existing market category/TAM. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Founder initially, then customer/system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Mutual-Uptick blocker discovery + missing-capacity build. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Pilot venture with carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 469-475; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 060 pp. 469-475.

009 to 061: consequential handoff

Housing and domestic environment -> Artificial intelligence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Artificial intelligence: Model state, source reality, user intent, provenance, uncertainty and downstream action.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Artificial intelligence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Prompt/context window/model output. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: User, verifier, downstream system, compute. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Persistent schema/provenance layer + self-audit and escalation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Sealed cross-model benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 477-483; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 061 pp. 477-483.

009 to 062: consequential handoff

Housing and domestic environment -> Software systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Software systems: Requirements, dependencies, state, users, infrastructure and technical debt.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Software systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Feature/ticket/local module schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Developers, users, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Dependency/provenance graph + consequential release controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Repository-level prospective benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 484-490; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 062 pp. 484-490.

009 to 063: consequential handoff

Housing and domestic environment -> Cybersecurity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Cybersecurity: Actual attack graph, identities, vulnerabilities, privileges and attacker state.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Cybersecurity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Defender inventory/rules/log view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Systems, users, analysts, business continuity. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Self-updating attack schema + carrier prediction + safe containment/failover. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Red-team sealed telemetry benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 491-497; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 063 pp. 491-497.

009 to 064: consequential handoff

Housing and domestic environment -> Data infrastructure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Data infrastructure: Datasets, lineage, semantics, permissions, quality and downstream uses.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Data infrastructure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Table/file/schema local view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Analysts, models, users, compliance. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Provenance graph + semantic reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Enterprise data benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 498-504; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 064 pp. 498-504.

009 to 065: consequential handoff

Housing and domestic environment -> Privacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Privacy: Data state, purposes, consent, exposure, value and future misuse.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Privacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Consent checkbox or access-control list. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Person, organization, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Selective disclosure + provenance + minimization architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Field trial + attack testing'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 505-511; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 065 pp. 505-511.

009 to 066: consequential handoff

Housing and domestic environment -> Digital identity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Digital identity: Attributes, credentials, context, revocation, privacy and trust.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Digital identity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Single identifier/account. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Person, verifier, issuer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Selective-verification credential graph. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Cross-service pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 512-518; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 066 pp. 512-518.

009 to 067: consequential handoff

Housing and domestic environment -> Internet and communications | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Internet and communications: Topology, capacity, latency, content, trust and user needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Internet and communications; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Throughput/uptime metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Users, networks, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Consequential routing + fidelity/provenance layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Network/application experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 519-525; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 067 pp. 519-525.

009 to 068: consequential handoff

Housing and domestic environment -> Media and information ecosystems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Media and information ecosystems: Claims, evidence, incentives, attention, creators and audiences.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Media and information ecosystems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Engagement/feed rank. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Audience, creator, public discourse. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Claim provenance + quality + incentive reconciliation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 526-532; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 068 pp. 526-532.

009 to 069: consequential handoff

Housing and domestic environment -> Language and translation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Language and translation: Meaning, context, culture, pragmatics and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Language and translation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Word/token correspondence. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Speakers, institutions, models. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Semantic/provenance translation with ambiguity tracking. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Blind human evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 533-539; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 069 pp. 533-539.

009 to 070: consequential handoff

Housing and domestic environment -> Knowledge and ontologies | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Knowledge and ontologies: Entities, relations, provenance, incompatible schemas and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Knowledge and ontologies; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Single ontology/taxonomy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Researchers, AI, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Cross-schema translation + minimal sufficient ontology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Cross-domain benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 540-546; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 070 pp. 540-546.

009 to 071: consequential handoff

Housing and domestic environment -> Energy and power grids | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Energy and power grids: Generation, load, storage, network constraints, prices and reliability.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Energy and power grids; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Local device efficiency or node KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Grid nodes, customers, storage, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Consequential grid controller + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Grid simulation + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 548-554; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 071 pp. 548-554.

009 to 072: consequential handoff

Housing and domestic environment -> Water and irrigation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Water and irrigation: Withdrawals, consumptive use, return flows, storage, aquifers and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Water and irrigation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Farm/project efficiency. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Downstream users, rivers, aquifers, ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Basin-wide accounting + catchment + allocation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Basin holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 555-561; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 072 pp. 555-561.

009 to 073: consequential handoff

Housing and domestic environment -> Food and agriculture | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Food and agriculture: Yield, soil, water, inputs, nutrition, labor, market and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Food and agriculture; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Yield/acre or commodity price. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Farmer, consumer, soil, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Coupled regenerative production controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Multi-season farm trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 562-568; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 073 pp. 562-568.

009 to 074: consequential handoff

Housing and domestic environment -> Supply chains and logistics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Supply chains and logistics: Inventory, demand, transport, suppliers, lead times and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Supply chains and logistics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Node-level cost/service KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Suppliers, warehouses, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Carrier-aware flow controller + buffer placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Historical + live pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 569-575; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 074 pp. 569-575.

009 to 075: consequential handoff

Housing and domestic environment -> Manufacturing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Manufacturing: Materials, energy, machines, labor, quality, maintenance and waste.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Manufacturing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Unit cost/OEE. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Workers, machines, environment, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Closed-loop production and maintenance architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Factory pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 576-582; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 075 pp. 576-582.

009 to 076: consequential handoff

Housing and domestic environment -> Waste and circular materials | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Waste and circular materials: Material composition, location, contamination, residual value and logistics.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Waste and circular materials; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Waste tonnage/disposal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Communities, environment, future production. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Material provenance + recapture + transformation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Municipal/industrial pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 583-589; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 076 pp. 583-589.

009 to 077: consequential handoff

Housing and domestic environment -> Transportation and mobility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Transportation and mobility: Trips, time, safety, access, energy, congestion and land use.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Transportation and mobility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Vehicle throughput/speed. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Travelers, neighborhoods, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Multimodal consequential mobility controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'City corridor pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 590-596; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 077 pp. 590-596.

009 to 078: consequential handoff

Housing and domestic environment -> Cities and urban systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Cities and urban systems: Housing, jobs, transport, health, utilities, safety and public space.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Cities and urban systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Agency-by-agency city data. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Residents, agencies, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: City consequential digital twin + coordinated capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'District pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 597-603; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 078 pp. 597-603.

009 to 079: consequential handoff

Housing and domestic environment -> Climate and disaster resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Climate and disaster resilience: Hazard, exposure, vulnerability, infrastructure, food, health and recovery.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Climate and disaster resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Hazard forecast alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: People, infrastructure, ecosystems, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Anticipatory catchment + prepositioned capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Prospective matched pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 604-610; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 079 pp. 604-610.

009 to 080: consequential handoff

Housing and domestic environment -> Ecology and biodiversity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Ecology and biodiversity: Species, habitats, flows, extraction, communities and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Ecology and biodiversity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Protected-area/local species metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Species, habitats, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Landscape-scale leakage/carrier accounting + livelihoods. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Landscape holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 611-617; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 080 pp. 611-617.

009 to 081: consequential handoff

Housing and domestic environment -> Cell biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Cell biology: Signaling, organelles, metabolism, damage, repair and cell-state transitions.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Cell biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Single pathway/marker. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Organelles, pathways, neighboring cells. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Multi-state cellular controller + capacity targeting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'In-vitro perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 619-625; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 081 pp. 619-625.

009 to 082: consequential handoff

Housing and domestic environment -> Molecular biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Molecular biology: Molecules, conformations, binding networks, concentrations and kinetics.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Molecular biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Single interaction/target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Molecules, pathways, host system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Reaction/network state model + off-target carrier control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Bench experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 626-632; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 082 pp. 626-632.

009 to 083: consequential handoff

Housing and domestic environment -> Nanotechnology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Nanotechnology: Particle properties, surfaces, transport, environment and biological interaction.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Nanotechnology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Particle spec alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Cells, environment, users. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Lifecycle and interaction-aware nano design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Bench + environmental tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 633-639; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 083 pp. 633-639.

009 to 084: consequential handoff

Housing and domestic environment -> Chemistry and reaction systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Chemistry and reaction systems: Species, reaction network, kinetics, energy, byproducts and separation.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Chemistry and reaction systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Target yield/selectivity. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Reactor, environment, downstream process. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Consequential reaction-network optimization + recovery loops. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Reactor experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 640-646; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 084 pp. 640-646.

009 to 085: consequential handoff

Housing and domestic environment -> Materials science | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Materials science: Microstructure, defects, stress, temperature, lifecycle and manufacturing.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Materials science; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Bulk property spec. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Material, structure, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Defect-aware multiproperty design + recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Lab characterization'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 647-653; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 085 pp. 647-653.

009 to 086: consequential handoff

Housing and domestic environment -> Classical mechanics and control | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Classical mechanics and control: Physical state, dynamics, sensors, actuators and disturbance.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Classical mechanics and control; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Partial state observation/local control objective. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Plant, actuator, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Representation-aware full-state controller + regenerative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Physical bench experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 654-660; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 086 pp. 654-660.

009 to 087: consequential handoff

Housing and domestic environment -> Thermodynamics and nonequilibrium systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Thermodynamics and nonequilibrium systems: Energy, entropy, gradients, reservoirs, flows and constraints.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Thermodynamics and nonequilibrium systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Local efficiency/temperature metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Reservoirs, environment, components. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Whole-boundary energy/exergy and recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Physical experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 661-667; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 087 pp. 661-667.

009 to 088: consequential handoff

Housing and domestic environment -> Electromagnetism and circuits | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Electromagnetism and circuits: Fields, voltages, currents, topology, storage and losses.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Electromagnetism and circuits; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Local component state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Circuit elements, sources, loads. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Full-network state estimation + capacity/recovery placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Bench circuit experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 668-674; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 088 pp. 668-674.

009 to 089: consequential handoff

Housing and domestic environment -> Quantum systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Quantum systems: Quantum state, observables, measurement, control and decoherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Quantum systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Accessible observable set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Quantum system, apparatus, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Constraint-respecting measurement/control schema + capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Laboratory quantum experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 675-681; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 089 pp. 675-681.

009 to 090: consequential handoff

Housing and domestic environment -> Pure mathematics and formal systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Pure mathematics and formal systems: Objects, relations, axioms, language, proofs and translations.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Pure mathematics and formal systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Chosen signature/type system/quotient. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Proof system, translator, solver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Minimal sufficient schema preserving required relations. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Machine-checked theorem suite'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 682-688; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 090 pp. 682-688.

009 to 091: consequential handoff

Housing and domestic environment -> Statistics and causal inference | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Statistics and causal inference: Data-generating process, sampling, measurement, confounding and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Statistics and causal inference; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Chosen model/estimand. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Decision makers, future samples, affected groups. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Provenance-aware multi-model causal state + identifiability guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Simulation + multi-dataset benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 690-696; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 091 pp. 690-696.

009 to 092: consequential handoff

Housing and domestic environment -> Logic and reasoning systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Logic and reasoning systems: Premises, inference rules, contradictions, uncertainty and goals.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Logic and reasoning systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Single logical calculus. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Reasoner, downstream decision. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Multi-logic translation + contradiction provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Formal benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 697-703; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 092 pp. 697-703.

009 to 093: consequential handoff

Housing and domestic environment -> Geography and territorial systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Geography and territorial systems: People, ecosystems, infrastructure, flows and administrative boundaries.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Geography and territorial systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Jurisdiction/map boundary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Border communities, watersheds, networks. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Flow-based territorial state model. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Regional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 704-710; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 093 pp. 704-710.

009 to 094: consequential handoff

Housing and domestic environment -> Informal economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Informal economy: Real work, exchange, trust, risk and household needs outside formal records.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Informal economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Formal registry/tax/business schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Workers, households, state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Low-friction recognition, protection and access architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Field pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 711-717; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 094 pp. 711-717.

009 to 095: consequential handoff

Housing and domestic environment -> Illicit and black markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Illicit and black markets: Hidden demand, supply, coercion, enforcement, prices and harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Illicit and black markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Official market data that excludes hidden exchange. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Victims, communities, lawful firms, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Independent harm-reduction/public-safety evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 718-724; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 095 pp. 718-724.

009 to 096: consequential handoff

Housing and domestic environment -> Orbital and space economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Orbital and space economy: Spacecraft, debris, spectrum, energy, logistics and operator incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Orbital and space economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Mission-local success metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Other spacecraft, operators, orbital environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Orbital consequential ledger + shared capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Simulation + mission pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 725-731; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 096 pp. 725-731.

009 to 097: consequential handoff

Housing and domestic environment -> Extraterrestrial settlement | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Extraterrestrial settlement: Life support, energy, materials, health, governance and closed ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Extraterrestrial settlement; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Earth-derived subsystem silos. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Crew, machines, habitat ecology. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Closed-loop consequential state + autonomous capacity construction. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Analog habitat + mission tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 732-738; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 097 pp. 732-738.

009 to 098: consequential handoff

Housing and domestic environment -> Astrobiology and biosignatures | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Astrobiology and biosignatures: Unknown life chemistries, environments, signals and contamination risks.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Astrobiology and biosignatures; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Earth-centric life schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Scientific program, environment, future missions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Plural biosignature schema + provenance/contamination control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Blind benchmark + mission data'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 739-745; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 098 pp. 739-745.

009 to 099: consequential handoff

Housing and domestic environment -> Planetary systems and stewardship | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Planetary systems and stewardship: Atmosphere, hydrology, geology, biosphere, resources and settlements.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Planetary systems and stewardship; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Sector-local resource model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Settlements, ecosystems, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Closed-loop planetary resource and restoration architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Earth analog + simulation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 746-752; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 099 pp. 746-752.

009 to 100: consequential handoff

Housing and domestic environment -> Unknown and not-yet-named realities | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Unknown and not-yet-named realities: Any newly observed substrate, scale, agent, value dimension or exchange mode.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Unknown and not-yet-named realities; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: No adequate schema exists yet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Unknown until carrier tracing identifies it. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Instantiate M_d, define schema, measure gap, trace carrier, construct capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Freeze kernel before learning outcomes; then holdout/replicate'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 753-759; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 100 pp. 753-759.

009 to 101: consequential handoff

Housing and domestic environment -> Conscious experience and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Conscious experience and self-model: Perception, affect, memory, self-model, attention, internal accessibility and embodied state.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Conscious experience and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: A receiving observer reduces another system to behavior, category or output alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Experiencing system, observers, dependent systems and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Cross-modal state representation with provenance, uncertainty and non-erasure constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Prospective multi-method cross-observer study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 761-767; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 101 pp. 761-767.

009 to 102: consequential handoff

Housing and domestic environment -> Choice and option topology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Choice and option topology: Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Choice and option topology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Binary free-choice / no-choice label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Chooser, affected people, institutions and future option set. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Feasible-option map plus prebuilt low-friction lawful/prosocial pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Prospective choice-topology intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 768-774; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 102 pp. 768-774.

009 to 103: consequential handoff

Housing and domestic environment -> Truth, deception and disclosure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Truth, deception and disclosure: Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Truth, deception and disclosure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Truth/lie binary detached from consequence topology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Speaker, listener, harmed parties, institutions and future trust network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Verification, safe disclosure, correction, restitution and transition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Sealed truth-cost / disclosure study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 775-781; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 103 pp. 775-781.

009 to 104: consequential handoff

Housing and domestic environment -> Responsibility and causal attribution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Responsibility and causal attribution: Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Responsibility and causal attribution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Moral label detached from the action-producing state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Actor, victims, institutions, community and future actors. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Blinded case reconstruction with preregistered causal criteria'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 782-788; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 104 pp. 782-788.

009 to 105: consequential handoff

Housing and domestic environment -> Consent, coercion and autonomy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Consent, coercion and autonomy: Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Consent, coercion and autonomy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Signed/expressed consent treated as sufficient state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Decision maker, counterparties, dependents and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Real exit, recourse, reversible consent, information symmetry and alternative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Prospective consent-quality audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 789-795; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 105 pp. 789-795.

009 to 106: consequential handoff

Housing and domestic environment -> Addiction, compulsion and short-horizon relief | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Addiction, compulsion and short-horizon relief: Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Addiction, compulsion and short-horizon relief; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Substance/behavior category or abstinence binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Person, body, relationships, household, community and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Longitudinal regulated intervention with multi-carrier outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 796-802; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 106 pp. 796-802.

009 to 107: consequential handoff

Housing and domestic environment -> Crime, violence and reconciliation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Crime, violence and reconciliation: Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Crime, violence and reconciliation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Offense label or actor-only risk score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Victims, actor, families, community, institutions and future potential victims. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Longitudinal controlled justice-program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 803-809; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 107 pp. 803-809.

009 to 108: consequential handoff

Housing and domestic environment -> Animal sentience and welfare | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Animal sentience and welfare: Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Animal sentience and welfare; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Commodity/yield schema that excludes the animal as a carrier. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Animals, workers, consumers, farmers, land, ecosystems and communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Welfare, alternative-production, livelihood-transition and ecological capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Multi-carrier welfare, nutrition and livelihood trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 810-816; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 108 pp. 810-816.

009 to 109: consequential handoff

Housing and domestic environment -> Collective agency and institutional choice | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Collective agency and institutional choice: Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Collective agency and institutional choice; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Organization treated as a single actor without internal carrier structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Members, minorities, leaders, outsiders, institutions and future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Distributed decision provenance, dissent channels, accountability and cross-boundary capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Prospective institutional decision audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 817-823; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 109 pp. 817-823.

009 to 110: consequential handoff

Housing and domestic environment -> Human-AI co-agency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Human-AI co-agency: Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Human-AI co-agency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Model output or benchmark score treated as the whole system. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: User, non-user, model operator, workers, institutions, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Persistent provenance, human control, reversibility, portability, verification and receivingcapacity layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Sealed native-vs-K_R assisted agent benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 824-830; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 110 pp. 824-830.

009 to 111: consequential handoff

Housing and domestic environment -> Evolution and natural selection | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Evolution and natural selection: Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Evolution and natural selection; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Fitness proxy or single-trait narrative. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Individuals, lineages, populations, interacting species and ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Diversity, ecological capacity and intervention guardrails where deliberate action exists. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Time-locked population/genomic holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 832-838; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 111 pp. 832-838.

009 to 112: consequential handoff

Housing and domestic environment -> Reproduction, inheritance, mitosis and meiosis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Reproduction, inheritance, mitosis and meiosis: Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Reproduction, inheritance, mitosis and meiosis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Outcome-only birth/division count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Parent cell/organism, daughter cells, gametes, offspring and lineage. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Checkpoint, repair, redundancy and developmental-support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Lineage-resolved perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 839-845; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 112 pp. 839-845.

009 to 113: consequential handoff

Housing and domestic environment -> Development and morphogenesis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Development and morphogenesis: Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Development and morphogenesis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Single marker or endpoint morphology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Cells, tissues, organs, organism and developmental future state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Stage-aware multi-pathway support, repair and resource architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Longitudinal developmental perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 846-852; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 113 pp. 846-852.

009 to 114: consequential handoff

Housing and domestic environment -> Metabolism, diet and consumption | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Metabolism, diet and consumption: Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Metabolism, diet and consumption; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Calories/macros or one nutrient target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Gut, microbiome, liver, tissues, household, food system and future organism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Adaptive conversion, buffering, storage, elimination and access capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Controlled longitudinal multi-carrier nutrition study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 853-859; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 114 pp. 853-859.

009 to 115: consequential handoff

Housing and domestic environment -> Predation, livestock and food-system transformation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Predation, livestock and food-system transformation: Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Predation, livestock and food-system transformation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Yield, price or human nutrition alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Animals, humans, workers, farmers, consumers, land, ecosystems and future food security. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Phased regional transition with preregistered carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 860-866; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 115 pp. 860-866.

009 to 116: consequential handoff

Housing and domestic environment -> Learning, plasticity and cultural evolution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Learning, plasticity and cultural evolution: Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Learning, plasticity and cultural evolution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Test score, output or adoption count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Learner, teachers, peers, institutions, future self and cultural network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Longitudinal transfer-and-retention experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 867-873; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 116 pp. 867-873.

009 to 117: consequential handoff

Housing and domestic environment -> Self-organization and emergence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Self-organization and emergence: Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Self-organization and emergence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Macro outcome without micro-carrier ledger. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Components, neighborhoods, emergent structure and external environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Multi-scale simulation plus physical/biological holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 874-880; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 117 pp. 874-880.

009 to 118: consequential handoff

Housing and domestic environment -> Creation, provenance and dependency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Creation, provenance and dependency: Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Creation, provenance and dependency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Ownership or authorship treated as sufficient relationship model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Creators, created systems, maintainers, users, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Provenance, stewardship, autonomy-transition and reciprocal-viability architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Longitudinal creator-created dependency audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 881-887; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 118 pp. 881-887.

009 to 119: consequential handoff

Housing and domestic environment -> Cosmological evolution and structure formation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Cosmological evolution and structure formation: Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Cosmological evolution and structure formation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Single scale or observable treated as complete cosmic state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: Observed regions, fields/matter components, instruments, models and observers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Cross-scale observation, uncertainty, model-comparison and instrumentation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Preregistered cross-survey predictive holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 888-894; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 119 pp. 888-894.

009 to 120: consequential handoff

Housing and domestic environment -> Cross-substrate consciousness, temporal coexistence and closure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

PROPOSED RECEIVER AND STATE

Cross-substrate consciousness, temporal coexistence and closure: The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility.

INTERFACE AND COUPLING STATUS

Proposed interface from Housing and domestic environment into Cross-substrate consciousness, temporal coexistence and closure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Property price or occupancy status. Receiver's limited view: Any local adapter, species, institution or observer claiming closure from its own schema alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Resident, landlord, neighborhood, city. Candidate receiver carriers: All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-cost housing and location architecture. Receiving capacity: Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and.... Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Matched housing intervention' with a receiver study of 'Time-locked system-of-systems closure test across multiple adapters'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 107-113 and 895-901; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026). Receiver Adapter 120 pp. 895-901.

009: Housing and domestic environment

Household / family / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Household / family / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Household / family / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Household / family / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Household / family / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Household / family / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

School / university / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

School / university / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

School / university / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

School / university / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

School / university / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

School / university / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Enterprise / cooperative / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Enterprise / cooperative / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Enterprise / cooperative / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Enterprise / cooperative / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Enterprise / cooperative / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Enterprise / cooperative / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Healthcare / care team / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Healthcare / care team / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Healthcare / care team / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Healthcare / care team / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Healthcare / care team / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Healthcare / care team / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Local government / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Local government / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Local government / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Local government / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Local government / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Local government / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Ecological catchment / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Ecological catchment / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Ecological catchment / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Ecological catchment / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Ecological catchment / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Ecological catchment / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Scientific laboratory / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Scientific laboratory / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Scientific laboratory / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Scientific laboratory / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Scientific laboratory / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Scientific laboratory / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Public infrastructure / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Public infrastructure / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Public infrastructure / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Public infrastructure / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Public infrastructure / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Public infrastructure / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Digital / AI service / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Digital / AI service / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Digital / AI service / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Digital / AI service / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Digital / AI service / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Digital / AI service / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Interregional / planetary / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Interregional / planetary / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Interregional / planetary / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Interregional / planetary / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Interregional / planetary / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Housing and domestic environment

Interregional / planetary / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Housing and domestic environment is described in the Atlas as: Shelter, cost, commute, safety, air, heat, crowding and social context. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Affordability, commute, health and neighborhood burdens trade places. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Resident, landlord, neighborhood, city. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-cost housing and location architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Housing quality, affordability, access and neighborhood outcomes improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Matched housing intervention or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Evidence and source reconstruction

Housing and domestic environment | protocol 1 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 009: Housing and domestic environment; original author status: Strong structural fit. Native state: Shelter, cost, commute, safety, air, heat, crowding and social context.

EVALUATION OBJECTIVE

Evidence and source reconstruction. Establish what is observed, reported, derived, simulated and currently unavailable. Audit definitions, dates and units.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Property price or occupancy status. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Affordability, commute, health and neighborhood burdens trade places. The relevant receiving carriers are: Resident, landlord, neighborhood, city.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-cost housing and location architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Housing quality, affordability, access and neighborhood outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Matched housing intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Boundary divergence

Housing and domestic environment | protocol 2 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 009: Housing and domestic environment; original author status: Strong structural fit. Native state: Shelter, cost, commute, safety, air, heat, crowding and social context.

EVALUATION OBJECTIVE

Boundary divergence. Predeclare local and consequential objectives, identical feasible action sets, and a measurable divergence test.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Property price or occupancy status. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Affordability, commute, health and neighborhood burdens trade places. The relevant receiving carriers are: Resident, landlord, neighborhood, city.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-cost housing and location architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Housing quality, affordability, access and neighborhood outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Matched housing intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Causal diagram and identifiability

Housing and domestic environment | protocol 3 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 009: Housing and domestic environment; original author status: Strong structural fit. Native state: Shelter, cost, commute, safety, air, heat, crowding and social context.

EVALUATION OBJECTIVE

Causal diagram and identifiability. Draw the candidate causal graph; identify confounders, mediators, spillovers and selection mechanisms.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Property price or occupancy status. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Affordability, commute, health and neighborhood burdens trade places. The relevant receiving carriers are: Resident, landlord, neighborhood, city.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-cost housing and location architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Housing quality, affordability, access and neighborhood outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Matched housing intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Receiving carrier identification

Housing and domestic environment | protocol 4 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 009: Housing and domestic environment; original author status: Strong structural fit. Native state: Shelter, cost, commute, safety, air, heat, crowding and social context.

EVALUATION OBJECTIVE

Receiving carrier identification. Predict the destination, path and delay of consequential burdens before measuring post-state outcomes.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Property price or occupancy status. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Affordability, commute, health and neighborhood burdens trade places. The relevant receiving carriers are: Resident, landlord, neighborhood, city.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-cost housing and location architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Housing quality, affordability, access and neighborhood outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Matched housing intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Hidden compensation accounting

Housing and domestic environment | protocol 5 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 009: Housing and domestic environment; original author status: Strong structural fit. Native state: Shelter, cost, commute, safety, air, heat, crowding and social context.

EVALUATION OBJECTIVE

Hidden compensation accounting. Measure which agent, reserve, budget, ecosystem or later period silently carries the load.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Property price or occupancy status. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Affordability, commute, health and neighborhood burdens trade places. The relevant receiving carriers are: Resident, landlord, neighborhood, city.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-cost housing and location architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Housing quality, affordability, access and neighborhood outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Matched housing intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Native units and dimensional integrity

Housing and domestic environment | protocol 6 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 009: Housing and domestic environment; original author status: Strong structural fit. Native state: Shelter, cost, commute, safety, air, heat, crowding and social context.

EVALUATION OBJECTIVE

Native units and dimensional integrity. Define each carrier outcome in its own units; avoid offsetting unlike harms with unsupported scalar sums.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Property price or occupancy status. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Affordability, commute, health and neighborhood burdens trade places. The relevant receiving carriers are: Resident, landlord, neighborhood, city.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-cost housing and location architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Housing quality, affordability, access and neighborhood outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Matched housing intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Capacity specification

Housing and domestic environment | protocol 7 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 009: Housing and domestic environment; original author status: Strong structural fit. Native state: Shelter, cost, commute, safety, air, heat, crowding and social context.

EVALUATION OBJECTIVE

Capacity specification. Identify the binding receiver constraint and specify the smallest permissible constructive action.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Property price or occupancy status. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Affordability, commute, health and neighborhood burdens trade places. The relevant receiving carriers are: Resident, landlord, neighborhood, city.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-cost housing and location architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Housing quality, affordability, access and neighborhood outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Matched housing intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Intervention design

Housing and domestic environment | protocol 8 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 009: Housing and domestic environment; original author status: Strong structural fit. Native state: Shelter, cost, commute, safety, air, heat, crowding and social context.

EVALUATION OBJECTIVE

Intervention design. Choose randomized, natural, observational or mechanistic evidence compatible with safety and identifiability.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Property price or occupancy status. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Affordability, commute, health and neighborhood burdens trade places. The relevant receiving carriers are: Resident, landlord, neighborhood, city.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-cost housing and location architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Housing quality, affordability, access and neighborhood outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Matched housing intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Incumbent parity contest

Housing and domestic environment | protocol 9 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 009: Housing and domestic environment; original author status: Strong structural fit. Native state: Shelter, cost, commute, safety, air, heat, crowding and social context.

EVALUATION OBJECTIVE

Incumbent parity contest. Compare against strongest existing local, boundary-aware, causal and resource-constrained methods.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Property price or occupancy status. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Affordability, commute, health and neighborhood burdens trade places. The relevant receiving carriers are: Resident, landlord, neighborhood, city.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-cost housing and location architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Housing quality, affordability, access and neighborhood outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Matched housing intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Time-window and recurrence

Housing and domestic environment | protocol 10 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 009: Housing and domestic environment; original author status: Strong structural fit. Native state: Shelter, cost, commute, safety, air, heat, crowding and social context.

EVALUATION OBJECTIVE

Time-window and recurrence. Measure early, intermediate and delayed outcomes, including reserve depletion and changing bottlenecks.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Property price or occupancy status. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Affordability, commute, health and neighborhood burdens trade places. The relevant receiving carriers are: Resident, landlord, neighborhood, city.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-cost housing and location architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Housing quality, affordability, access and neighborhood outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Matched housing intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Ethical and legal safety

Housing and domestic environment | protocol 11 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 009: Housing and domestic environment; original author status: Strong structural fit. Native state: Shelter, cost, commute, safety, air, heat, crowding and social context.

EVALUATION OBJECTIVE

Ethical and legal safety. Determine affected rights, vulnerable groups, irreversible harms, consent, permissions and safety constraints.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Property price or occupancy status. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Affordability, commute, health and neighborhood burdens trade places. The relevant receiving carriers are: Resident, landlord, neighborhood, city.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-cost housing and location architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Housing quality, affordability, access and neighborhood outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Matched housing intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Sensitivity and negative controls

Housing and domestic environment | protocol 12 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 009: Housing and domestic environment; original author status: Strong structural fit. Native state: Shelter, cost, commute, safety, air, heat, crowding and social context.

EVALUATION OBJECTIVE

Sensitivity and negative controls. Vary unmeasured confounding, missingness, cost, thresholds and adverse spillover assumptions.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Property price or occupancy status. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Affordability, commute, health and neighborhood burdens trade places. The relevant receiving carriers are: Resident, landlord, neighborhood, city.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-cost housing and location architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Housing quality, affordability, access and neighborhood outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Matched housing intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Replication and provenance

Housing and domestic environment | protocol 13 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 009: Housing and domestic environment; original author status: Strong structural fit. Native state: Shelter, cost, commute, safety, air, heat, crowding and social context.

EVALUATION OBJECTIVE

Replication and provenance. Version the kernel, code, data, transformation decisions, negative findings and external replication.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Property price or occupancy status. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Affordability, commute, health and neighborhood burdens trade places. The relevant receiving carriers are: Resident, landlord, neighborhood, city.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-cost housing and location architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Housing quality, affordability, access and neighborhood outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Matched housing intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

009: Cross-domain invariant contest

Housing and domestic environment | protocol 14 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 009: Housing and domestic environment; original author status: Strong structural fit. Native state: Shelter, cost, commute, safety, air, heat, crowding and social context.

EVALUATION OBJECTIVE

Cross-domain invariant contest. Keep K_R fixed while swapping M_d; test whether new measurements produce predictions beyond domain incumbents.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Property price or occupancy status. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Affordability, commute, health and neighborhood burdens trade places. The relevant receiving carriers are: Resident, landlord, neighborhood, city.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-cost housing and location architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Housing quality, affordability, access and neighborhood outcomes improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Matched housing intervention. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 009, pp. 107-113 (Rufino 2026).

Adapter 010: Human longevity and life-course planning

Human life quality | Internal carrier and capacity reconstruction

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

DOMAIN-NATIVE STATE

Healthspan, lifespan, finances, relationships, purpose and care capacity

RECORDED RECEIVING SCHEMA

Chronological age or retirement age

CANDIDATE BURDEN AND RECEIVING CARRIERS

Blocker in the source Atlas: Longer life shifts burden to morbidity, savings or care system. Candidate receivers: Person, family, institutions, future self.

EXISTING CAPACITY DESIGN

Life-course capital and care architecture

PROTECTED OUTCOME STATED BY THE AUTHOR

Added years are healthy, funded, connected and autonomous

SCIENTIFIC NEXT STEP

Atlas proposed decisive test: Longitudinal life-course cohort. This remains a proposed testing route, not proof of a completed successful implementation.

ORIGINALITY AND CONSTRUCTION OBLIGATION

Run causal receiving-carrier diagnosis before action; compare construction against strong established methods; do not accept positive averages as proof that all material carriers benefited.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010 | Human longevity and life-course planning

Individual human / person | Insufficient capacity

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 010, Human longevity and life-course planning. Native state: Healthspan, lifespan, finances, relationships, purpose and care capacity. Potential direct or institutional human pathway: Human longevity and life-course planning interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Insufficient capacity: The human has limited time, health, physical access, material resources, protective support or opportunity. Source Atlas proposed limiting condition: Longer life shifts burden to morbidity, savings or care system.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Life-course capital and care architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Added years are healthy, funded, connected and autonomous. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

010 | Human longevity and life-course planning

Individual human / person | Schema mismatch

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 010, Human longevity and life-course planning. Native state: Healthspan, lifespan, finances, relationships, purpose and care capacity. Potential direct or institutional human pathway: Human longevity and life-course planning interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Schema mismatch: The person has evidence-grounded capabilities or needs that institutional identifiers, scores or labels do not adequately recognize. Source Atlas proposed limiting condition: Longer life shifts burden to morbidity, savings or care system.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Life-course capital and care architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Added years are healthy, funded, connected and autonomous. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

010 | Human longevity and life-course planning

Individual human / person | Delayed effects

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 010, Human longevity and life-course planning. Native state: Healthspan, lifespan, finances, relationships, purpose and care capacity. Potential direct or institutional human pathway: Human longevity and life-course planning interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Delayed effects: A short-term change influences future-self health, skills, income, dependence, options or relationships. Source Atlas proposed limiting condition: Longer life shifts burden to morbidity, savings or care system.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Life-course capital and care architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Added years are healthy, funded, connected and autonomous. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

010 | Human longevity and life-course planning

Individual human / person | Measurement uncertainty

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 010, Human longevity and life-course planning. Native state: Healthspan, lifespan, finances, relationships, purpose and care capacity. Potential direct or institutional human pathway: Human longevity and life-course planning interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Measurement uncertainty: The record lacks consented individual outcomes, counterfactuals, follow-up, or reliable protection metrics. Source Atlas proposed limiting condition: Longer life shifts burden to morbidity, savings or care system.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Life-course capital and care architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Added years are healthy, funded, connected and autonomous. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

010 | Human longevity and life-course planning

Individual human / person | Coordination failure

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 010, Human longevity and life-course planning. Native state: Healthspan, lifespan, finances, relationships, purpose and care capacity. Potential direct or institutional human pathway: Human longevity and life-course planning interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Coordination failure: Family, employer, provider, government or technical systems hand off obligations to the individual without coordinated support. Source Atlas proposed limiting condition: Longer life shifts burden to morbidity, savings or care system.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Life-course capital and care architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Added years are healthy, funded, connected and autonomous. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

010 | Human longevity and life-course planning

Individual human / person | Adversarial / inequitable distribution

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 010, Human longevity and life-course planning. Native state: Healthspan, lifespan, finances, relationships, purpose and care capacity. Potential direct or institutional human pathway: Human longevity and life-course planning interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Adversarial / inequitable distribution: Unequal power, coercion, inaccessible systems, discrimination or exploitative incentives shift costs to a person. Source Atlas proposed limiting condition: Longer life shifts burden to morbidity, savings or care system.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Life-course capital and care architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Added years are healthy, funded, connected and autonomous. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

010 to 001: consequential handoff

Human longevity and life-course planning -> Whole-person quality of life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Whole-person quality of life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Single score, diagnosis, income bracket or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Person, household, caregivers, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Longitudinal cohort with preregistered multidimensional outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 51-57; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 001 pp. 51-57.

010 to 002: consequential handoff

Human longevity and life-course planning -> Nutrition and metabolism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Nutrition and metabolism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Calories/macros or generic diet categories. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Body, household budget, food system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Randomized adaptive nutrition trial with cost and adherence carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 58-64; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 002 pp. 58-64.

010 to 003: consequential handoff

Human longevity and life-course planning -> Sleep and recovery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Sleep and recovery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Hours slept or wearable score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Body, cognition, household schedule. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Recovery controller integrating timing, environment, workload and physiology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Longitudinal crossover study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 65-71; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 003 pp. 65-71.

010 to 004: consequential handoff

Human longevity and life-course planning -> Reproductive and sexual health | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Reproductive and sexual health; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Single fertility, disease or risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Individual, partner, future child, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Clinical trials + patient-reported and partner- impact carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 72-78; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 004 pp. 72-78.

010 to 005: consequential handoff

Human longevity and life-course planning -> Disability and accessibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Disability and accessibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Deficit-only person label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Person, caregiver, workplace, public space. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Environment-first accessibility architecture plus assistive capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Before/after environment redesign with workload measures'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 79-85; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 005 pp. 79-85.

010 to 006: consequential handoff

Human longevity and life-course planning -> Mobility and physical function | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Mobility and physical function; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Single functional score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Body, caregiver, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Adaptive rehabilitation plus environment and device redesign. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Controlled rehabilitation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 86-92; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 006 pp. 86-92.

010 to 007: consequential handoff

Human longevity and life-course planning -> Family and caregiving | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Family and caregiving; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Household role labels. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Primary caregiver, dependents, siblings, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Care-load ledger, shared coordination and external capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Prospective household burden study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 93-99; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 007 pp. 93-99.

010 to 008: consequential handoff

Human longevity and life-course planning -> Safety and personal security | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Safety and personal security; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Incident count or generic risk class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Person, community, responder. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Safety architecture that increases protection without reducing autonomy. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Prospective safety intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 100-106; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 008 pp. 100-106.

010 to 009: consequential handoff

Human longevity and life-course planning -> Housing and domestic environment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Housing and domestic environment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Property price or occupancy status. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Resident, landlord, neighborhood, city. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Whole-cost housing and location architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Matched housing intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 107-113; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 009 pp. 107-113.

010 to 010: consequential handoff

Human longevity and life-course planning -> Human longevity and life-course planning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

INTERFACE AND COUPLING STATUS

This is a within-domain loop: the post-state of Human longevity and life-course planning becomes the next native state under its existing map. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Chronological age or retirement age. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Person, family, institutions, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Life-course capital and care architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Longitudinal life-course cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 114-120; WITHIN-DOMAIN RECURRENCE. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 010 pp. 114-120.

010 to 011: consequential handoff

Human longevity and life-course planning -> Psychology and social legibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Psychology and social legibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Snapshot diagnosis or social category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Person, family, employer, clinician. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Multidimensional schema plus support matched to hidden burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Longitudinal external cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 122-128; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 011 pp. 122-128.

010 to 012: consequential handoff

Human longevity and life-course planning -> Identity and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Identity and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Single identity label or credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Person and receiving institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Selective multi-context identity graph with provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Cross-context identity study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 129-135; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 012 pp. 129-135.

010 to 013: consequential handoff

Human longevity and life-course planning -> Relationships and intimacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Relationships and intimacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Relationship status or personality label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Partners and wider support network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Reciprocal state and burden ledger plus consent architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Dyadic longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 136-142; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 013 pp. 136-142.

010 to 014: consequential handoff

Human longevity and life-course planning -> Parenting and child development | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Parenting and child development; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Age norm, grade or behavior label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Child, parent, school, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Developmental state map plus distributed support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Longitudinal family-school cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 143-149; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 014 pp. 143-149.

010 to 015: consequential handoff

Human longevity and life-course planning -> Purpose and self-actualization | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Purpose and self-actualization; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Career status, wealth or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Person, relationships, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Whole-person capability architecture and burden guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Longitudinal multidimensional evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 150-156; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 015 pp. 150-156.

010 to 016: consequential handoff

Human longevity and life-course planning -> Existential wellbeing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Existential wellbeing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Symptom or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Person, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Voluntary meaning-reflection and support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Patient/user-reported longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 157-163; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 016 pp. 157-163.

010 to 017: consequential handoff

Human longevity and life-course planning -> Spiritual life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Spiritual life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Institutional affiliation alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Individual, family, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Ethical observational study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 164-170; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 017 pp. 164-170.

010 to 018: consequential handoff

Human longevity and life-course planning -> Religion and community institutions | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Religion and community institutions; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Membership or doctrinal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Members, families, leaders, wider community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Transparent governance, reporting, safeguarding and exit rights. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Institutional longitudinal audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 171-177; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 018 pp. 171-177.

010 to 019: consequential handoff

Human longevity and life-course planning -> Emotion and affect regulation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Emotion and affect regulation: Internal state, context, physiology, cognition and social feedback.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Emotion and affect regulation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Valence score or symptom label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Person and relationships. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: State-aware regulation architecture with physiological feedback. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Crossover intervention study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 178-184; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 019 pp. 178-184.

010 to 020: consequential handoff

Human longevity and life-course planning -> Trust and fidelity between people | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Trust and fidelity between people: History, promises, evidence, uncertainty and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Trust and fidelity between people; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Trusted/untrusted binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: People and institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Dynamic provenance and expectation architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Prospective trust-repair study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 185-191; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 020 pp. 185-191.

010 to 021: consequential handoff

Human longevity and life-course planning -> Healthcare delivery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Healthcare delivery: Clinical state, logistics, caregiver capacity, finance and post-discharge environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Healthcare delivery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Episode-of-care schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Patient, caregiver, outpatient system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Consequential discharge/care orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 193-199; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 021 pp. 193-199.

010 to 022: consequential handoff

Human longevity and life-course planning -> Diagnostics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Diagnostics: Underlying disease state, uncertainty, test characteristics and downstream actions.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Diagnostics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Single test result. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Patient, clinician, payer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Bayesian multi-source diagnostic schema + uncertainty communication. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Prospective blinded diagnostic study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 200-206; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 022 pp. 200-206.

010 to 023: consequential handoff

Human longevity and life-course planning -> Cancer ecology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Cancer ecology: Clone mix, immune state, microenvironment, host reserve and therapy exposure.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Cancer ecology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Stage/tumor-size snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Resistant clones, healthy tissue, immune system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Adaptive ecological state estimator + resistance/host capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Preclinical then clinical adaptive trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 207-213; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 023 pp. 207-213.

010 to 024: consequential handoff

Human longevity and life-course planning -> Neuroscience and neurodegeneration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Neuroscience and neurodegeneration: Neural, glial, vascular, metabolic, network and functional state.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Neuroscience and neurodegeneration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Single biomarker or visible function. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Neural networks, metabolism, caregiver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Multimodal state estimator + restorative capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Multimodal longitudinal intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 214-220; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 024 pp. 214-220.

010 to 025: consequential handoff

Human longevity and life-course planning -> Aging biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Aging biology: Coupled damage, repair, senescence, immunity, metabolism and regeneration.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Aging biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Age scalar or isolated hallmark. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Cells, tissues, immune system, metabolism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Moving-bottleneck RVG controller across damage/repair channels. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Preclinical multi-pathway study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 221-227; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 025 pp. 221-227.

010 to 026: consequential handoff

Human longevity and life-course planning -> Immunology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Immunology: Immune activation, tolerance, pathogen/tumor signals and tissue damage.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Immunology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Single cytokine or cell-count schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Pathogen, immune cells, host tissue. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: State-dependent immune control balancing clearance and collateral damage. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Controlled biological study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 228-234; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 026 pp. 228-234.

010 to 027: consequential handoff

Human longevity and life-course planning -> Infectious disease | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Infectious disease: Pathogen dynamics, host immunity, behavior, network spread and treatment.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Infectious disease; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Case count or pathogen-only model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Patients, contacts, health system, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Multi-carrier containment + treatment + livelihood capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Prospective outbreak protocol'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 235-241; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 027 pp. 235-241.

010 to 028: consequential handoff

Human longevity and life-course planning -> Microbiome | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Microbiome: Host physiology plus microbial ecology and diet/environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Microbiome; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Species abundance snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Host and microbial community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Functional ecosystem state model and adaptive intervention. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Controlled longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 242-248; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 028 pp. 242-248.

010 to 029: consequential handoff

Human longevity and life-course planning -> Genomics and proteomics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Genomics and proteomics: Variants, expression, proteins, pathways, context and phenotype.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Genomics and proteomics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Single marker/pathogenicity label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Cells, tissues, patient. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Multi-omic causal state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Prospective multi-omic validation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 249-255; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 029 pp. 249-255.

010 to 030: consequential handoff

Human longevity and life-course planning -> Surgery and rehabilitation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Surgery and rehabilitation: Anatomy, function, pain, recovery capacity, home support and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Surgery and rehabilitation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Procedure success or anatomical correction. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Patient, caregiver, rehab system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Prehabilitation + procedure + recovery orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 256-262; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 030 pp. 256-262.

010 to 031: consequential handoff

Human longevity and life-course planning -> Early-childhood development and education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Early-childhood development and education: Development, safety, language, nutrition, play, attachment and resources.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Early-childhood development and education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Age milestone or readiness score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Child, caregiver, educator. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Integrated developmental support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Longitudinal program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 264-270; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 031 pp. 264-270.

010 to 032: consequential handoff

Human longevity and life-course planning -> K-12 education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

K-12 education: Knowledge, skills, wellbeing, context, resources and learning trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into K-12 education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Grade/test score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Student, teacher, family. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Capability graph + adaptive learning + wellbeing constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Cluster randomized trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 271-277; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 032 pp. 271-277.

010 to 033: consequential handoff

Human longevity and life-course planning -> Higher education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Higher education: Capability, knowledge, network, finances and career pathways.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Higher education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Degree/GPA credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Student, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Capability/provenance portfolio + adaptive pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Longitudinal graduate outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 278-284; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 033 pp. 278-284.

010 to 034: consequential handoff

Human longevity and life-course planning -> Vocational and workforce learning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Vocational and workforce learning: Skills, task demand, wages, mobility and employer needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Vocational and workforce learning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Course completion certificate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Worker, employer, training provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Skill-to-task provenance and placement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Matched labor-market evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 285-291; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 034 pp. 285-291.

010 to 035: consequential handoff

Human longevity and life-course planning -> Scientific research | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Scientific research: Hypotheses, methods, data, negative results, replication and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Scientific research; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Publication/citation unit. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Researchers, institutions, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Experiment provenance + negative-result + replication architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Cross-lab replication program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 292-298; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 035 pp. 292-298.

010 to 036: consequential handoff

Human longevity and life-course planning -> Justice and courts | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Justice and courts: Facts, evidence, harm, intent, procedure, history and remedies.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Justice and courts; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Case category or docket state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Victims, accused, families, courts, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Causal provenance + harm/restitution + recurrence architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Prospective process evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 299-305; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 036 pp. 299-305.

010 to 037: consequential handoff

Human longevity and life-course planning -> Policing and public safety systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Policing and public safety systems: Threat, context, evidence, community trust, capacity and alternatives.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Policing and public safety systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Incident/offense label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Residents, officers, victims, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Evidence-first response selection + prevention/support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Independent public evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 306-312; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 037 pp. 306-312.

010 to 038: consequential handoff

Human longevity and life-course planning -> Corrections, rehabilitation and reintegration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Corrections, rehabilitation and reintegration: Risk, harm, needs, skills, housing, work and social support.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Corrections, rehabilitation and reintegration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Sentence/recidivism risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Person, family, community, justice system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Rehabilitation + restitution + housing/work capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Longitudinal controlled program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 313-319; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 038 pp. 313-319.

010 to 039: consequential handoff

Human longevity and life-course planning -> Public administration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Public administration: Citizen state, eligibility, documents, services and agency capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Public administration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Program-specific record. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Citizen, frontline staff, budget. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Interoperable verified state + once-only data + case orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Agency pilot with citizen/staff metrics'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 320-326; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 039 pp. 320-326.

010 to 040: consequential handoff

Human longevity and life-course planning -> Governance and institutional design | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Governance and institutional design: Authority, incentives, information, accountability, resources and affected populations.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Governance and institutional design; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Organizational chart or legal mandate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Citizens, agencies, future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Cross-boundary outcome ledger + accountability and capacity design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Prospective institutional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 327-333; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 040 pp. 327-333.

010 to 041: consequential handoff

Human longevity and life-course planning -> Beauty and aesthetics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Beauty and aesthetics: Biology, preference, culture, identity, safety, cost and perception.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Beauty and aesthetics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Universal beauty standard or product category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Person, body, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Personalized aesthetic/safety state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Consumer/clinical outcome study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 335-341; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 041 pp. 335-341.

010 to 042: consequential handoff

Human longevity and life-course planning -> Fashion and apparel | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Fashion and apparel: Identity, fit, comfort, durability, labor, inventory and lifecycle.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Fashion and apparel; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Size/SKU/category schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Wearer, worker, retailer, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Adaptive sizing + provenance + circularity architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Retail field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 342-348; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 042 pp. 342-348.

010 to 043: consequential handoff

Human longevity and life-course planning -> Luxury goods | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Luxury goods: Provenance, scarcity, condition, access, identity, inventory and lifecycle value.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Luxury goods; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Price/status/authenticity binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Buyer, seller, inventory, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Provenance + condition + access + reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Operational field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 349-355; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 043 pp. 349-355.

010 to 044: consequential handoff

Human longevity and life-course planning -> Hospitality | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Hospitality: Guest needs, staff capacity, time, room state, logistics and locality.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Hospitality; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Booking/reservation state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Guest, staff, operator, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: End-to-end experience and workload orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Property-level A/B evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 356-362; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 044 pp. 356-362.

010 to 045: consequential handoff

Human longevity and life-course planning -> Travel and tourism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Travel and tourism: Mobility, cost, safety, experience, local capacity and environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Travel and tourism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Itinerary/booking schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Traveler, worker, resident, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Consequential itinerary/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Destination pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 363-369; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 045 pp. 363-369.

010 to 046: consequential handoff

Human longevity and life-course planning -> Art and cultural markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Art and cultural markets: Creative work, provenance, rights, cultural meaning, scarcity and audience.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Art and cultural markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Price/ownership/engagement proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Artist, audience, collector, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Rights/provenance/value-sharing architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Marketplace field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 370-376; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 046 pp. 370-376.

010 to 047: consequential handoff

Human longevity and life-course planning -> Music and entertainment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Music and entertainment: Creative contribution, rights, attention, audience value and platform economics.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Music and entertainment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Stream/view count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Creators, audiences, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Contribution/provenance + value-distribution architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 377-383; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 047 pp. 377-383.

010 to 048: consequential handoff

Human longevity and life-course planning -> Gaming and virtual worlds | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Gaming and virtual worlds: Player goals, time, identity, economy, safety and creator contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Gaming and virtual worlds; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Retention/spend metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Players, creators, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Cross-reality value and safety controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 384-390; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 048 pp. 384-390.

010 to 049: consequential handoff

Human longevity and life-course planning -> Sports and performance | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Sports and performance: Performance, health, training load, recovery, team dynamics and career horizon.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Sports and performance; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Win/score/output metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Athlete, team, family, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Load/recovery/career controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Prospective team study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 391-397; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 049 pp. 391-397.

010 to 050: consequential handoff

Human longevity and life-course planning -> Experience design and events | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Experience design and events: Attention, emotion, logistics, accessibility, staff load and community impact.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Experience design and events; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Attendance/NPS/ticket revenue. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Guests, staff, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: End-to-end experience-state orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Event A/B study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 398-404; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 050 pp. 398-404.

010 to 051: consequential handoff

Human longevity and life-course planning -> Currency and monetary experience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Currency and monetary experience: Purchasing power, liquidity, settlement, access, trust and macro context.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Currency and monetary experience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Nominal unit/FX quote. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Households, firms, intermediaries. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Consequential monetary-state and settlement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Historical + prospective policy-neutral system test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 406-412; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 051 pp. 406-412.

010 to 052: consequential handoff

Human longevity and life-course planning -> Payments and remittances | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Payments and remittances: Amount, fees, FX, settlement time, access, fraud and recipient liquidity.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Payments and remittances; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Successful transfer binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Sender, receiver, provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: End-to-end transfer optimization with transparent provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Transaction-level field test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 413-419; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 052 pp. 413-419.

010 to 053: consequential handoff

Human longevity and life-course planning -> Banking and liquidity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Banking and liquidity: Deposits, credit, liquidity, capital, customer state and network exposures.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Banking and liquidity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Product/account or institution-local balance sheet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Banks, customers, counterparties, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Network consequential balance sheet + capacity buffers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Stress test + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 420-426; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 053 pp. 420-426.

010 to 054: consequential handoff

Human longevity and life-course planning -> Credit and underwriting | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Credit and underwriting: Cashflow, assets, obligations, trajectory, capability and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Credit and underwriting; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Static score/category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Borrower, lender, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Dynamic provenance/capacity underwriting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Prospective lending trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 427-433; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 054 pp. 427-433.

010 to 055: consequential handoff

Human longevity and life-course planning -> Insurance and resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Insurance and resilience: Hazard, exposure, prevention, coverage, recovery and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Insurance and resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Loss probability/policy class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Policyholder, insurer, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Prevention + resilience + coverage architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Pilot product evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 434-440; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 055 pp. 434-440.

010 to 056: consequential handoff

Human longevity and life-course planning -> Capital markets and investing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Capital markets and investing: Price, cashflow, externalities, network risk and long-horizon value.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Capital markets and investing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Return/risk factor set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Investor, firm, workers, public, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Consequential asset ledger with carrier constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Historical backtest + prospective paper portfolio'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 441-447; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 056 pp. 441-447.

010 to 057: consequential handoff

Human longevity and life-course planning -> Private wealth and family capital | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Private wealth and family capital: Financial, human, social, health and intergenerational capital.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Private wealth and family capital; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Portfolio net worth. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Client, family, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Whole-capital balance sheet + goals/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Longitudinal client evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 448-454; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 057 pp. 448-454.

010 to 058: consequential handoff

Human longevity and life-course planning -> Labor and talent markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Labor and talent markets: Capability, workload, pay, health, learning and opportunity.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Labor and talent markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Job title/CV/credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Worker, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Capability-state + workload + mobility architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Workplace pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 455-461; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 058 pp. 455-461.

010 to 059: consequential handoff

Human longevity and life-course planning -> Organizations and enterprises | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Organizations and enterprises: Functions, dependencies, people, cash, knowledge and customer value.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Organizations and enterprises; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Department/KPI structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Workers, customers, suppliers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Enterprise consequential graph + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Multi-team field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 462-468; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 059 pp. 462-468.

010 to 060: consequential handoff

Human longevity and life-course planning -> Entrepreneurship and venture creation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Entrepreneurship and venture creation: Unmet burden, carrier, willingness to pay, build cost and adoption.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Entrepreneurship and venture creation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Existing market category/TAM. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Founder initially, then customer/system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Mutual-Uptick blocker discovery + missing-capacity build. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Pilot venture with carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 469-475; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 060 pp. 469-475.

010 to 061: consequential handoff

Human longevity and life-course planning -> Artificial intelligence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Artificial intelligence: Model state, source reality, user intent, provenance, uncertainty and downstream action.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Artificial intelligence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Prompt/context window/model output. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: User, verifier, downstream system, compute. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Persistent schema/provenance layer + self-audit and escalation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Sealed cross-model benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 477-483; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 061 pp. 477-483.

010 to 062: consequential handoff

Human longevity and life-course planning -> Software systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Software systems: Requirements, dependencies, state, users, infrastructure and technical debt.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Software systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Feature/ticket/local module schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Developers, users, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Dependency/provenance graph + consequential release controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Repository-level prospective benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 484-490; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 062 pp. 484-490.

010 to 063: consequential handoff

Human longevity and life-course planning -> Cybersecurity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Cybersecurity: Actual attack graph, identities, vulnerabilities, privileges and attacker state.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Cybersecurity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Defender inventory/rules/log view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Systems, users, analysts, business continuity. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Self-updating attack schema + carrier prediction + safe containment/failover. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Red-team sealed telemetry benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 491-497; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 063 pp. 491-497.

010 to 064: consequential handoff

Human longevity and life-course planning -> Data infrastructure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Data infrastructure: Datasets, lineage, semantics, permissions, quality and downstream uses.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Data infrastructure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Table/file/schema local view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Analysts, models, users, compliance. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Provenance graph + semantic reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Enterprise data benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 498-504; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 064 pp. 498-504.

010 to 065: consequential handoff

Human longevity and life-course planning -> Privacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Privacy: Data state, purposes, consent, exposure, value and future misuse.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Privacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Consent checkbox or access-control list. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Person, organization, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Selective disclosure + provenance + minimization architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Field trial + attack testing'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 505-511; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 065 pp. 505-511.

010 to 066: consequential handoff

Human longevity and life-course planning -> Digital identity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Digital identity: Attributes, credentials, context, revocation, privacy and trust.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Digital identity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Single identifier/account. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Person, verifier, issuer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Selective-verification credential graph. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Cross-service pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 512-518; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 066 pp. 512-518.

010 to 067: consequential handoff

Human longevity and life-course planning -> Internet and communications | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Internet and communications: Topology, capacity, latency, content, trust and user needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Internet and communications; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Throughput/uptime metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Users, networks, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Consequential routing + fidelity/provenance layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Network/application experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 519-525; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 067 pp. 519-525.

010 to 068: consequential handoff

Human longevity and life-course planning -> Media and information ecosystems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Media and information ecosystems: Claims, evidence, incentives, attention, creators and audiences.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Media and information ecosystems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Engagement/feed rank. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Audience, creator, public discourse. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Claim provenance + quality + incentive reconciliation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 526-532; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 068 pp. 526-532.

010 to 069: consequential handoff

Human longevity and life-course planning -> Language and translation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Language and translation: Meaning, context, culture, pragmatics and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Language and translation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Word/token correspondence. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Speakers, institutions, models. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Semantic/provenance translation with ambiguity tracking. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Blind human evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 533-539; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 069 pp. 533-539.

010 to 070: consequential handoff

Human longevity and life-course planning -> Knowledge and ontologies | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Knowledge and ontologies: Entities, relations, provenance, incompatible schemas and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Knowledge and ontologies; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Single ontology/taxonomy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Researchers, AI, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Cross-schema translation + minimal sufficient ontology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Cross-domain benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 540-546; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 070 pp. 540-546.

010 to 071: consequential handoff

Human longevity and life-course planning -> Energy and power grids | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Energy and power grids: Generation, load, storage, network constraints, prices and reliability.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Energy and power grids; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Local device efficiency or node KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Grid nodes, customers, storage, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Consequential grid controller + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Grid simulation + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 548-554; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 071 pp. 548-554.

010 to 072: consequential handoff

Human longevity and life-course planning -> Water and irrigation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Water and irrigation: Withdrawals, consumptive use, return flows, storage, aquifers and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Water and irrigation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Farm/project efficiency. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Downstream users, rivers, aquifers, ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Basin-wide accounting + catchment + allocation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Basin holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 555-561; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 072 pp. 555-561.

010 to 073: consequential handoff

Human longevity and life-course planning -> Food and agriculture | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Food and agriculture: Yield, soil, water, inputs, nutrition, labor, market and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Food and agriculture; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Yield/acre or commodity price. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Farmer, consumer, soil, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Coupled regenerative production controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Multi-season farm trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 562-568; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 073 pp. 562-568.

010 to 074: consequential handoff

Human longevity and life-course planning -> Supply chains and logistics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Supply chains and logistics: Inventory, demand, transport, suppliers, lead times and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Supply chains and logistics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Node-level cost/service KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Suppliers, warehouses, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Carrier-aware flow controller + buffer placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Historical + live pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 569-575; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 074 pp. 569-575.

010 to 075: consequential handoff

Human longevity and life-course planning -> Manufacturing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Manufacturing: Materials, energy, machines, labor, quality, maintenance and waste.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Manufacturing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Unit cost/OEE. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Workers, machines, environment, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Closed-loop production and maintenance architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Factory pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 576-582; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 075 pp. 576-582.

010 to 076: consequential handoff

Human longevity and life-course planning -> Waste and circular materials | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Waste and circular materials: Material composition, location, contamination, residual value and logistics.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Waste and circular materials; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Waste tonnage/disposal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Communities, environment, future production. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Material provenance + recapture + transformation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Municipal/industrial pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 583-589; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 076 pp. 583-589.

010 to 077: consequential handoff

Human longevity and life-course planning -> Transportation and mobility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Transportation and mobility: Trips, time, safety, access, energy, congestion and land use.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Transportation and mobility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Vehicle throughput/speed. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Travelers, neighborhoods, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Multimodal consequential mobility controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'City corridor pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 590-596; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 077 pp. 590-596.

010 to 078: consequential handoff

Human longevity and life-course planning -> Cities and urban systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Cities and urban systems: Housing, jobs, transport, health, utilities, safety and public space.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Cities and urban systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Agency-by-agency city data. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Residents, agencies, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: City consequential digital twin + coordinated capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'District pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 597-603; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 078 pp. 597-603.

010 to 079: consequential handoff

Human longevity and life-course planning -> Climate and disaster resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Climate and disaster resilience: Hazard, exposure, vulnerability, infrastructure, food, health and recovery.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Climate and disaster resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Hazard forecast alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: People, infrastructure, ecosystems, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Anticipatory catchment + prepositioned capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Prospective matched pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 604-610; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 079 pp. 604-610.

010 to 080: consequential handoff

Human longevity and life-course planning -> Ecology and biodiversity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Ecology and biodiversity: Species, habitats, flows, extraction, communities and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Ecology and biodiversity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Protected-area/local species metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Species, habitats, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Landscape-scale leakage/carrier accounting + livelihoods. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Landscape holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 611-617; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 080 pp. 611-617.

010 to 081: consequential handoff

Human longevity and life-course planning -> Cell biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Cell biology: Signaling, organelles, metabolism, damage, repair and cell-state transitions.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Cell biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Single pathway/marker. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Organelles, pathways, neighboring cells. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Multi-state cellular controller + capacity targeting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'In-vitro perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 619-625; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 081 pp. 619-625.

010 to 082: consequential handoff

Human longevity and life-course planning -> Molecular biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Molecular biology: Molecules, conformations, binding networks, concentrations and kinetics.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Molecular biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Single interaction/target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Molecules, pathways, host system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Reaction/network state model + off-target carrier control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Bench experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 626-632; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 082 pp. 626-632.

010 to 083: consequential handoff

Human longevity and life-course planning -> Nanotechnology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Nanotechnology: Particle properties, surfaces, transport, environment and biological interaction.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Nanotechnology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Particle spec alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Cells, environment, users. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Lifecycle and interaction-aware nano design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Bench + environmental tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 633-639; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 083 pp. 633-639.

010 to 084: consequential handoff

Human longevity and life-course planning -> Chemistry and reaction systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Chemistry and reaction systems: Species, reaction network, kinetics, energy, byproducts and separation.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Chemistry and reaction systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Target yield/selectivity. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Reactor, environment, downstream process. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Consequential reaction-network optimization + recovery loops. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Reactor experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 640-646; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 084 pp. 640-646.

010 to 085: consequential handoff

Human longevity and life-course planning -> Materials science | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Materials science: Microstructure, defects, stress, temperature, lifecycle and manufacturing.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Materials science; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Bulk property spec. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Material, structure, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Defect-aware multiproperty design + recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Lab characterization'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 647-653; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 085 pp. 647-653.

010 to 086: consequential handoff

Human longevity and life-course planning -> Classical mechanics and control | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Classical mechanics and control: Physical state, dynamics, sensors, actuators and disturbance.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Classical mechanics and control; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Partial state observation/local control objective. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Plant, actuator, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Representation-aware full-state controller + regenerative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Physical bench experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 654-660; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 086 pp. 654-660.

010 to 087: consequential handoff

Human longevity and life-course planning -> Thermodynamics and nonequilibrium systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Thermodynamics and nonequilibrium systems: Energy, entropy, gradients, reservoirs, flows and constraints.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Thermodynamics and nonequilibrium systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Local efficiency/temperature metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Reservoirs, environment, components. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Whole-boundary energy/exergy and recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Physical experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 661-667; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 087 pp. 661-667.

010 to 088: consequential handoff

Human longevity and life-course planning -> Electromagnetism and circuits | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Electromagnetism and circuits: Fields, voltages, currents, topology, storage and losses.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Electromagnetism and circuits; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Local component state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Circuit elements, sources, loads. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Full-network state estimation + capacity/recovery placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Bench circuit experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 668-674; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 088 pp. 668-674.

010 to 089: consequential handoff

Human longevity and life-course planning -> Quantum systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Quantum systems: Quantum state, observables, measurement, control and decoherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Quantum systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Accessible observable set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Quantum system, apparatus, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Constraint-respecting measurement/control schema + capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Laboratory quantum experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 675-681; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 089 pp. 675-681.

010 to 090: consequential handoff

Human longevity and life-course planning -> Pure mathematics and formal systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Pure mathematics and formal systems: Objects, relations, axioms, language, proofs and translations.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Pure mathematics and formal systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Chosen signature/type system/quotient. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Proof system, translator, solver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Minimal sufficient schema preserving required relations. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Machine-checked theorem suite'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 682-688; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 090 pp. 682-688.

010 to 091: consequential handoff

Human longevity and life-course planning -> Statistics and causal inference | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Statistics and causal inference: Data-generating process, sampling, measurement, confounding and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Statistics and causal inference; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Chosen model/estimand. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Decision makers, future samples, affected groups. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Provenance-aware multi-model causal state + identifiability guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Simulation + multi-dataset benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 690-696; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 091 pp. 690-696.

010 to 092: consequential handoff

Human longevity and life-course planning -> Logic and reasoning systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Logic and reasoning systems: Premises, inference rules, contradictions, uncertainty and goals.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Logic and reasoning systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Single logical calculus. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Reasoner, downstream decision. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Multi-logic translation + contradiction provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Formal benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 697-703; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 092 pp. 697-703.

010 to 093: consequential handoff

Human longevity and life-course planning -> Geography and territorial systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Geography and territorial systems: People, ecosystems, infrastructure, flows and administrative boundaries.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Geography and territorial systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Jurisdiction/map boundary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Border communities, watersheds, networks. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Flow-based territorial state model. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Regional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 704-710; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 093 pp. 704-710.

010 to 094: consequential handoff

Human longevity and life-course planning -> Informal economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Informal economy: Real work, exchange, trust, risk and household needs outside formal records.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Informal economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Formal registry/tax/business schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Workers, households, state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Low-friction recognition, protection and access architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Field pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 711-717; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 094 pp. 711-717.

010 to 095: consequential handoff

Human longevity and life-course planning -> Illicit and black markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Illicit and black markets: Hidden demand, supply, coercion, enforcement, prices and harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Illicit and black markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Official market data that excludes hidden exchange. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Victims, communities, lawful firms, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Independent harm-reduction/public-safety evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 718-724; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 095 pp. 718-724.

010 to 096: consequential handoff

Human longevity and life-course planning -> Orbital and space economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Orbital and space economy: Spacecraft, debris, spectrum, energy, logistics and operator incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Orbital and space economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Mission-local success metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Other spacecraft, operators, orbital environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Orbital consequential ledger + shared capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Simulation + mission pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 725-731; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 096 pp. 725-731.

010 to 097: consequential handoff

Human longevity and life-course planning -> Extraterrestrial settlement | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Extraterrestrial settlement: Life support, energy, materials, health, governance and closed ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Extraterrestrial settlement; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Earth-derived subsystem silos. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Crew, machines, habitat ecology. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Closed-loop consequential state + autonomous capacity construction. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Analog habitat + mission tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 732-738; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 097 pp. 732-738.

010 to 098: consequential handoff

Human longevity and life-course planning -> Astrobiology and biosignatures | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Astrobiology and biosignatures: Unknown life chemistries, environments, signals and contamination risks.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Astrobiology and biosignatures; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Earth-centric life schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Scientific program, environment, future missions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Plural biosignature schema + provenance/contamination control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Blind benchmark + mission data'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 739-745; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 098 pp. 739-745.

010 to 099: consequential handoff

Human longevity and life-course planning -> Planetary systems and stewardship | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Planetary systems and stewardship: Atmosphere, hydrology, geology, biosphere, resources and settlements.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Planetary systems and stewardship; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Sector-local resource model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Settlements, ecosystems, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Closed-loop planetary resource and restoration architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Earth analog + simulation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 746-752; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 099 pp. 746-752.

010 to 100: consequential handoff

Human longevity and life-course planning -> Unknown and not-yet-named realities | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Unknown and not-yet-named realities: Any newly observed substrate, scale, agent, value dimension or exchange mode.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Unknown and not-yet-named realities; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: No adequate schema exists yet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Unknown until carrier tracing identifies it. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Instantiate M_d, define schema, measure gap, trace carrier, construct capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Freeze kernel before learning outcomes; then holdout/replicate'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 753-759; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 100 pp. 753-759.

010 to 101: consequential handoff

Human longevity and life-course planning -> Conscious experience and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Conscious experience and self-model: Perception, affect, memory, self-model, attention, internal accessibility and embodied state.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Conscious experience and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: A receiving observer reduces another system to behavior, category or output alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Experiencing system, observers, dependent systems and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Cross-modal state representation with provenance, uncertainty and non-erasure constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Prospective multi-method cross-observer study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 761-767; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 101 pp. 761-767.

010 to 102: consequential handoff

Human longevity and life-course planning -> Choice and option topology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Choice and option topology: Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Choice and option topology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Binary free-choice / no-choice label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Chooser, affected people, institutions and future option set. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Feasible-option map plus prebuilt low-friction lawful/prosocial pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Prospective choice-topology intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 768-774; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 102 pp. 768-774.

010 to 103: consequential handoff

Human longevity and life-course planning -> Truth, deception and disclosure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Truth, deception and disclosure: Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Truth, deception and disclosure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Truth/lie binary detached from consequence topology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Speaker, listener, harmed parties, institutions and future trust network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Verification, safe disclosure, correction, restitution and transition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Sealed truth-cost / disclosure study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 775-781; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 103 pp. 775-781.

010 to 104: consequential handoff

Human longevity and life-course planning -> Responsibility and causal attribution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Responsibility and causal attribution: Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Responsibility and causal attribution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Moral label detached from the action-producing state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Actor, victims, institutions, community and future actors. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Blinded case reconstruction with preregistered causal criteria'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 782-788; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 104 pp. 782-788.

010 to 105: consequential handoff

Human longevity and life-course planning -> Consent, coercion and autonomy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Consent, coercion and autonomy: Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Consent, coercion and autonomy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Signed/expressed consent treated as sufficient state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Decision maker, counterparties, dependents and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Real exit, recourse, reversible consent, information symmetry and alternative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Prospective consent-quality audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 789-795; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 105 pp. 789-795.

010 to 106: consequential handoff

Human longevity and life-course planning -> Addiction, compulsion and short-horizon relief | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Addiction, compulsion and short-horizon relief: Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Addiction, compulsion and short-horizon relief; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Substance/behavior category or abstinence binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Person, body, relationships, household, community and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Longitudinal regulated intervention with multi-carrier outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 796-802; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 106 pp. 796-802.

010 to 107: consequential handoff

Human longevity and life-course planning -> Crime, violence and reconciliation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Crime, violence and reconciliation: Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Crime, violence and reconciliation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Offense label or actor-only risk score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Victims, actor, families, community, institutions and future potential victims. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Longitudinal controlled justice-program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 803-809; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 107 pp. 803-809.

010 to 108: consequential handoff

Human longevity and life-course planning -> Animal sentience and welfare | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Animal sentience and welfare: Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Animal sentience and welfare; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Commodity/yield schema that excludes the animal as a carrier. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Animals, workers, consumers, farmers, land, ecosystems and communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Welfare, alternative-production, livelihood-transition and ecological capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Multi-carrier welfare, nutrition and livelihood trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 810-816; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 108 pp. 810-816.

010 to 109: consequential handoff

Human longevity and life-course planning -> Collective agency and institutional choice | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Collective agency and institutional choice: Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Collective agency and institutional choice; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Organization treated as a single actor without internal carrier structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Members, minorities, leaders, outsiders, institutions and future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Distributed decision provenance, dissent channels, accountability and cross-boundary capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Prospective institutional decision audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 817-823; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 109 pp. 817-823.

010 to 110: consequential handoff

Human longevity and life-course planning -> Human-AI co-agency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Human-AI co-agency: Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Human-AI co-agency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Model output or benchmark score treated as the whole system. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: User, non-user, model operator, workers, institutions, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Persistent provenance, human control, reversibility, portability, verification and receivingcapacity layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Sealed native-vs-K_R assisted agent benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 824-830; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 110 pp. 824-830.

010 to 111: consequential handoff

Human longevity and life-course planning -> Evolution and natural selection | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Evolution and natural selection: Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Evolution and natural selection; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Fitness proxy or single-trait narrative. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Individuals, lineages, populations, interacting species and ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Diversity, ecological capacity and intervention guardrails where deliberate action exists. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Time-locked population/genomic holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 832-838; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 111 pp. 832-838.

010 to 112: consequential handoff

Human longevity and life-course planning -> Reproduction, inheritance, mitosis and meiosis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Reproduction, inheritance, mitosis and meiosis: Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Reproduction, inheritance, mitosis and meiosis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Outcome-only birth/division count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Parent cell/organism, daughter cells, gametes, offspring and lineage. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Checkpoint, repair, redundancy and developmental-support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Lineage-resolved perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 839-845; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 112 pp. 839-845.

010 to 113: consequential handoff

Human longevity and life-course planning -> Development and morphogenesis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Development and morphogenesis: Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Development and morphogenesis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Single marker or endpoint morphology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Cells, tissues, organs, organism and developmental future state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Stage-aware multi-pathway support, repair and resource architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Longitudinal developmental perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 846-852; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 113 pp. 846-852.

010 to 114: consequential handoff

Human longevity and life-course planning -> Metabolism, diet and consumption | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Metabolism, diet and consumption: Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Metabolism, diet and consumption; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Calories/macros or one nutrient target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Gut, microbiome, liver, tissues, household, food system and future organism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Adaptive conversion, buffering, storage, elimination and access capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Controlled longitudinal multi-carrier nutrition study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 853-859; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 114 pp. 853-859.

010 to 115: consequential handoff

Human longevity and life-course planning -> Predation, livestock and food-system transformation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Predation, livestock and food-system transformation: Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Predation, livestock and food-system transformation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Yield, price or human nutrition alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Animals, humans, workers, farmers, consumers, land, ecosystems and future food security. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Phased regional transition with preregistered carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 860-866; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 115 pp. 860-866.

010 to 116: consequential handoff

Human longevity and life-course planning -> Learning, plasticity and cultural evolution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Learning, plasticity and cultural evolution: Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Learning, plasticity and cultural evolution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Test score, output or adoption count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Learner, teachers, peers, institutions, future self and cultural network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Longitudinal transfer-and-retention experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 867-873; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 116 pp. 867-873.

010 to 117: consequential handoff

Human longevity and life-course planning -> Self-organization and emergence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Self-organization and emergence: Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Self-organization and emergence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Macro outcome without micro-carrier ledger. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Components, neighborhoods, emergent structure and external environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Multi-scale simulation plus physical/biological holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 874-880; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 117 pp. 874-880.

010 to 118: consequential handoff

Human longevity and life-course planning -> Creation, provenance and dependency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Creation, provenance and dependency: Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Creation, provenance and dependency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Ownership or authorship treated as sufficient relationship model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Creators, created systems, maintainers, users, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Provenance, stewardship, autonomy-transition and reciprocal-viability architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Longitudinal creator-created dependency audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 881-887; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 118 pp. 881-887.

010 to 119: consequential handoff

Human longevity and life-course planning -> Cosmological evolution and structure formation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Cosmological evolution and structure formation: Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Cosmological evolution and structure formation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Single scale or observable treated as complete cosmic state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: Observed regions, fields/matter components, instruments, models and observers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Cross-scale observation, uncertainty, model-comparison and instrumentation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Preregistered cross-survey predictive holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 888-894; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 119 pp. 888-894.

010 to 120: consequential handoff

Human longevity and life-course planning -> Cross-substrate consciousness, temporal coexistence and closure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

PROPOSED RECEIVER AND STATE

Cross-substrate consciousness, temporal coexistence and closure: The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility.

INTERFACE AND COUPLING STATUS

Proposed interface from Human longevity and life-course planning into Cross-substrate consciousness, temporal coexistence and closure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Chronological age or retirement age. Receiver's limited view: Any local adapter, species, institution or observer claiming closure from its own schema alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, institutions, future self. Candidate receiver carriers: All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Life-course capital and care architecture. Receiving capacity: Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and.... Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal life-course cohort' with a receiver study of 'Time-locked system-of-systems closure test across multiple adapters'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 114-120 and 895-901; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026). Receiver Adapter 120 pp. 895-901.

010: Human longevity and life-course planning

Household / family / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Household / family / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Household / family / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Household / family / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Household / family / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Household / family / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

School / university / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

School / university / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

School / university / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

School / university / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

School / university / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

School / university / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Enterprise / cooperative / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Enterprise / cooperative / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Enterprise / cooperative / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Enterprise / cooperative / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Enterprise / cooperative / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Enterprise / cooperative / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Healthcare / care team / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Healthcare / care team / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Healthcare / care team / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Healthcare / care team / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Healthcare / care team / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Healthcare / care team / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Local government / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Local government / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Local government / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Local government / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Local government / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Local government / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Ecological catchment / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Ecological catchment / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Ecological catchment / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Ecological catchment / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Ecological catchment / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Ecological catchment / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Scientific laboratory / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Scientific laboratory / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Scientific laboratory / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Scientific laboratory / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Scientific laboratory / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Scientific laboratory / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Public infrastructure / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Public infrastructure / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Public infrastructure / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Public infrastructure / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Public infrastructure / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Public infrastructure / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Digital / AI service / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Digital / AI service / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Digital / AI service / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Digital / AI service / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Digital / AI service / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Digital / AI service / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Interregional / planetary / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Interregional / planetary / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Interregional / planetary / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Interregional / planetary / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Interregional / planetary / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Human longevity and life-course planning

Interregional / planetary / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Human longevity and life-course planning is described in the Atlas as: Healthspan, lifespan, finances, relationships, purpose and care capacity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Longer life shifts burden to morbidity, savings or care system. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, institutions, future self. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Life-course capital and care architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Added years are healthy, funded, connected and autonomous. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal life-course cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Evidence and source reconstruction

Human longevity and life-course planning | protocol 1 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 010: Human longevity and life-course planning; original author status: Constructive protocol. Native state: Healthspan, lifespan, finances, relationships, purpose and care capacity.

EVALUATION OBJECTIVE

Evidence and source reconstruction. Establish what is observed, reported, derived, simulated and currently unavailable. Audit definitions, dates and units.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Chronological age or retirement age. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Longer life shifts burden to morbidity, savings or care system. The relevant receiving carriers are: Person, family, institutions, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Life-course capital and care architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Added years are healthy, funded, connected and autonomous.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal life-course cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Boundary divergence

Human longevity and life-course planning | protocol 2 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 010: Human longevity and life-course planning; original author status: Constructive protocol. Native state: Healthspan, lifespan, finances, relationships, purpose and care capacity.

EVALUATION OBJECTIVE

Boundary divergence. Predeclare local and consequential objectives, identical feasible action sets, and a measurable divergence test.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Chronological age or retirement age. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Longer life shifts burden to morbidity, savings or care system. The relevant receiving carriers are: Person, family, institutions, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Life-course capital and care architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Added years are healthy, funded, connected and autonomous.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal life-course cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Causal diagram and identifiability

Human longevity and life-course planning | protocol 3 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 010: Human longevity and life-course planning; original author status: Constructive protocol. Native state: Healthspan, lifespan, finances, relationships, purpose and care capacity.

EVALUATION OBJECTIVE

Causal diagram and identifiability. Draw the candidate causal graph; identify confounders, mediators, spillovers and selection mechanisms.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Chronological age or retirement age. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Longer life shifts burden to morbidity, savings or care system. The relevant receiving carriers are: Person, family, institutions, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Life-course capital and care architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Added years are healthy, funded, connected and autonomous.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal life-course cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Receiving carrier identification

Human longevity and life-course planning | protocol 4 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 010: Human longevity and life-course planning; original author status: Constructive protocol. Native state: Healthspan, lifespan, finances, relationships, purpose and care capacity.

EVALUATION OBJECTIVE

Receiving carrier identification. Predict the destination, path and delay of consequential burdens before measuring post-state outcomes.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Chronological age or retirement age. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Longer life shifts burden to morbidity, savings or care system. The relevant receiving carriers are: Person, family, institutions, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Life-course capital and care architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Added years are healthy, funded, connected and autonomous.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal life-course cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Hidden compensation accounting

Human longevity and life-course planning | protocol 5 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 010: Human longevity and life-course planning; original author status: Constructive protocol. Native state: Healthspan, lifespan, finances, relationships, purpose and care capacity.

EVALUATION OBJECTIVE

Hidden compensation accounting. Measure which agent, reserve, budget, ecosystem or later period silently carries the load.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Chronological age or retirement age. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Longer life shifts burden to morbidity, savings or care system. The relevant receiving carriers are: Person, family, institutions, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Life-course capital and care architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Added years are healthy, funded, connected and autonomous.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal life-course cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Native units and dimensional integrity

Human longevity and life-course planning | protocol 6 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 010: Human longevity and life-course planning; original author status: Constructive protocol. Native state: Healthspan, lifespan, finances, relationships, purpose and care capacity.

EVALUATION OBJECTIVE

Native units and dimensional integrity. Define each carrier outcome in its own units; avoid offsetting unlike harms with unsupported scalar sums.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Chronological age or retirement age. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Longer life shifts burden to morbidity, savings or care system. The relevant receiving carriers are: Person, family, institutions, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Life-course capital and care architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Added years are healthy, funded, connected and autonomous.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal life-course cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Capacity specification

Human longevity and life-course planning | protocol 7 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 010: Human longevity and life-course planning; original author status: Constructive protocol. Native state: Healthspan, lifespan, finances, relationships, purpose and care capacity.

EVALUATION OBJECTIVE

Capacity specification. Identify the binding receiver constraint and specify the smallest permissible constructive action.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Chronological age or retirement age. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Longer life shifts burden to morbidity, savings or care system. The relevant receiving carriers are: Person, family, institutions, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Life-course capital and care architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Added years are healthy, funded, connected and autonomous.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal life-course cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Intervention design

Human longevity and life-course planning | protocol 8 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 010: Human longevity and life-course planning; original author status: Constructive protocol. Native state: Healthspan, lifespan, finances, relationships, purpose and care capacity.

EVALUATION OBJECTIVE

Intervention design. Choose randomized, natural, observational or mechanistic evidence compatible with safety and identifiability.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Chronological age or retirement age. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Longer life shifts burden to morbidity, savings or care system. The relevant receiving carriers are: Person, family, institutions, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Life-course capital and care architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Added years are healthy, funded, connected and autonomous.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal life-course cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Incumbent parity contest

Human longevity and life-course planning | protocol 9 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 010: Human longevity and life-course planning; original author status: Constructive protocol. Native state: Healthspan, lifespan, finances, relationships, purpose and care capacity.

EVALUATION OBJECTIVE

Incumbent parity contest. Compare against strongest existing local, boundary-aware, causal and resource-constrained methods.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Chronological age or retirement age. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Longer life shifts burden to morbidity, savings or care system. The relevant receiving carriers are: Person, family, institutions, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Life-course capital and care architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Added years are healthy, funded, connected and autonomous.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal life-course cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Time-window and recurrence

Human longevity and life-course planning | protocol 10 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 010: Human longevity and life-course planning; original author status: Constructive protocol. Native state: Healthspan, lifespan, finances, relationships, purpose and care capacity.

EVALUATION OBJECTIVE

Time-window and recurrence. Measure early, intermediate and delayed outcomes, including reserve depletion and changing bottlenecks.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Chronological age or retirement age. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Longer life shifts burden to morbidity, savings or care system. The relevant receiving carriers are: Person, family, institutions, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Life-course capital and care architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Added years are healthy, funded, connected and autonomous.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal life-course cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Ethical and legal safety

Human longevity and life-course planning | protocol 11 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 010: Human longevity and life-course planning; original author status: Constructive protocol. Native state: Healthspan, lifespan, finances, relationships, purpose and care capacity.

EVALUATION OBJECTIVE

Ethical and legal safety. Determine affected rights, vulnerable groups, irreversible harms, consent, permissions and safety constraints.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Chronological age or retirement age. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Longer life shifts burden to morbidity, savings or care system. The relevant receiving carriers are: Person, family, institutions, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Life-course capital and care architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Added years are healthy, funded, connected and autonomous.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal life-course cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Sensitivity and negative controls

Human longevity and life-course planning | protocol 12 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 010: Human longevity and life-course planning; original author status: Constructive protocol. Native state: Healthspan, lifespan, finances, relationships, purpose and care capacity.

EVALUATION OBJECTIVE

Sensitivity and negative controls. Vary unmeasured confounding, missingness, cost, thresholds and adverse spillover assumptions.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Chronological age or retirement age. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Longer life shifts burden to morbidity, savings or care system. The relevant receiving carriers are: Person, family, institutions, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Life-course capital and care architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Added years are healthy, funded, connected and autonomous.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal life-course cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Replication and provenance

Human longevity and life-course planning | protocol 13 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 010: Human longevity and life-course planning; original author status: Constructive protocol. Native state: Healthspan, lifespan, finances, relationships, purpose and care capacity.

EVALUATION OBJECTIVE

Replication and provenance. Version the kernel, code, data, transformation decisions, negative findings and external replication.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Chronological age or retirement age. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Longer life shifts burden to morbidity, savings or care system. The relevant receiving carriers are: Person, family, institutions, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Life-course capital and care architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Added years are healthy, funded, connected and autonomous.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal life-course cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

010: Cross-domain invariant contest

Human longevity and life-course planning | protocol 14 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 010: Human longevity and life-course planning; original author status: Constructive protocol. Native state: Healthspan, lifespan, finances, relationships, purpose and care capacity.

EVALUATION OBJECTIVE

Cross-domain invariant contest. Keep K_R fixed while swapping M_d; test whether new measurements produce predictions beyond domain incumbents.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Chronological age or retirement age. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Longer life shifts burden to morbidity, savings or care system. The relevant receiving carriers are: Person, family, institutions, future self.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Life-course capital and care architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Added years are healthy, funded, connected and autonomous.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal life-course cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 010, pp. 114-120 (Rufino 2026).

Adapter 011: Psychology and social legibility

Psychology and meaning | Internal carrier and capacity reconstruction

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

DOMAIN-NATIVE STATE

Longitudinal capability, burden, trauma, environment, relationships and compensation

RECORDED RECEIVING SCHEMA

Snapshot diagnosis or social category

CANDIDATE BURDEN AND RECEIVING CARRIERS

Blocker in the source Atlas: High function hides biological and relational cost. Candidate receivers: Person, family, employer, clinician.

EXISTING CAPACITY DESIGN

Multidimensional schema plus support matched to hidden burden

PROTECTED OUTCOME STATED BY THE AUTHOR

Function, health, autonomy and relationship quality rise while compensation falls

SCIENTIFIC NEXT STEP

Atlas proposed decisive test: Longitudinal external cohort. This remains a proposed testing route, not proof of a completed successful implementation.

ORIGINALITY AND CONSTRUCTION OBLIGATION

Run causal receiving-carrier diagnosis before action; compare construction against strong established methods; do not accept positive averages as proof that all material carriers benefited.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011 | Psychology and social legibility

Individual human / person | Insufficient capacity

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 011, Psychology and social legibility. Native state: Longitudinal capability, burden, trauma, environment, relationships and compensation. Potential direct or institutional human pathway: Psychology and social legibility interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Insufficient capacity: The human has limited time, health, physical access, material resources, protective support or opportunity. Source Atlas proposed limiting condition: High function hides biological and relational cost.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Multidimensional schema plus support matched to hidden burden can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Function, health, autonomy and relationship quality rise while compensation falls. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

011 | Psychology and social legibility

Individual human / person | Schema mismatch

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 011, Psychology and social legibility. Native state: Longitudinal capability, burden, trauma, environment, relationships and compensation. Potential direct or institutional human pathway: Psychology and social legibility interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Schema mismatch: The person has evidence-grounded capabilities or needs that institutional identifiers, scores or labels do not adequately recognize. Source Atlas proposed limiting condition: High function hides biological and relational cost.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Multidimensional schema plus support matched to hidden burden can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Function, health, autonomy and relationship quality rise while compensation falls. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

011 | Psychology and social legibility

Individual human / person | Delayed effects

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 011, Psychology and social legibility. Native state: Longitudinal capability, burden, trauma, environment, relationships and compensation. Potential direct or institutional human pathway: Psychology and social legibility interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Delayed effects: A short-term change influences future-self health, skills, income, dependence, options or relationships. Source Atlas proposed limiting condition: High function hides biological and relational cost.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Multidimensional schema plus support matched to hidden burden can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Function, health, autonomy and relationship quality rise while compensation falls. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

011 | Psychology and social legibility

Individual human / person | Measurement uncertainty

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 011, Psychology and social legibility. Native state: Longitudinal capability, burden, trauma, environment, relationships and compensation. Potential direct or institutional human pathway: Psychology and social legibility interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Measurement uncertainty: The record lacks consented individual outcomes, counterfactuals, follow-up, or reliable protection metrics. Source Atlas proposed limiting condition: High function hides biological and relational cost.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Multidimensional schema plus support matched to hidden burden can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Function, health, autonomy and relationship quality rise while compensation falls. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

011 | Psychology and social legibility

Individual human / person | Coordination failure

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 011, Psychology and social legibility. Native state: Longitudinal capability, burden, trauma, environment, relationships and compensation. Potential direct or institutional human pathway: Psychology and social legibility interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Coordination failure: Family, employer, provider, government or technical systems hand off obligations to the individual without coordinated support. Source Atlas proposed limiting condition: High function hides biological and relational cost.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Multidimensional schema plus support matched to hidden burden can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Function, health, autonomy and relationship quality rise while compensation falls. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

011 | Psychology and social legibility

Individual human / person | Adversarial / inequitable distribution

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 011, Psychology and social legibility. Native state: Longitudinal capability, burden, trauma, environment, relationships and compensation. Potential direct or institutional human pathway: Psychology and social legibility interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Adversarial / inequitable distribution: Unequal power, coercion, inaccessible systems, discrimination or exploitative incentives shift costs to a person. Source Atlas proposed limiting condition: High function hides biological and relational cost.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Multidimensional schema plus support matched to hidden burden can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Function, health, autonomy and relationship quality rise while compensation falls. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

011 to 001: consequential handoff

Psychology and social legibility -> Whole-person quality of life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Whole-person quality of life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Single score, diagnosis, income bracket or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Person, household, caregivers, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Longitudinal cohort with preregistered multidimensional outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 51-57; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 001 pp. 51-57.

011 to 002: consequential handoff

Psychology and social legibility -> Nutrition and metabolism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Nutrition and metabolism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Calories/macros or generic diet categories. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Body, household budget, food system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Randomized adaptive nutrition trial with cost and adherence carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 58-64; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 002 pp. 58-64.

011 to 003: consequential handoff

Psychology and social legibility -> Sleep and recovery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Sleep and recovery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Hours slept or wearable score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Body, cognition, household schedule. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Recovery controller integrating timing, environment, workload and physiology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Longitudinal crossover study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 65-71; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 003 pp. 65-71.

011 to 004: consequential handoff

Psychology and social legibility -> Reproductive and sexual health | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Reproductive and sexual health; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Single fertility, disease or risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Individual, partner, future child, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Clinical trials + patient-reported and partner- impact carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 72-78; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 004 pp. 72-78.

011 to 005: consequential handoff

Psychology and social legibility -> Disability and accessibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Disability and accessibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Deficit-only person label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Person, caregiver, workplace, public space. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Environment-first accessibility architecture plus assistive capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Before/after environment redesign with workload measures'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 79-85; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 005 pp. 79-85.

011 to 006: consequential handoff

Psychology and social legibility -> Mobility and physical function | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Mobility and physical function; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Single functional score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Body, caregiver, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Adaptive rehabilitation plus environment and device redesign. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Controlled rehabilitation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 86-92; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 006 pp. 86-92.

011 to 007: consequential handoff

Psychology and social legibility -> Family and caregiving | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Family and caregiving; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Household role labels. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Primary caregiver, dependents, siblings, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Care-load ledger, shared coordination and external capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Prospective household burden study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 93-99; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 007 pp. 93-99.

011 to 008: consequential handoff

Psychology and social legibility -> Safety and personal security | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Safety and personal security; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Incident count or generic risk class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Person, community, responder. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Safety architecture that increases protection without reducing autonomy. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Prospective safety intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 100-106; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 008 pp. 100-106.

011 to 009: consequential handoff

Psychology and social legibility -> Housing and domestic environment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Housing and domestic environment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Property price or occupancy status. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Resident, landlord, neighborhood, city. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Whole-cost housing and location architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Matched housing intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 107-113; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 009 pp. 107-113.

011 to 010: consequential handoff

Psychology and social legibility -> Human longevity and life-course planning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Human longevity and life-course planning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Chronological age or retirement age. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Person, family, institutions, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Life-course capital and care architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Longitudinal life-course cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 114-120; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 010 pp. 114-120.

011 to 011: consequential handoff

Psychology and social legibility -> Psychology and social legibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

INTERFACE AND COUPLING STATUS

This is a within-domain loop: the post-state of Psychology and social legibility becomes the next native state under its existing map. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Snapshot diagnosis or social category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Person, family, employer, clinician. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Multidimensional schema plus support matched to hidden burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Longitudinal external cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 122-128; WITHIN-DOMAIN RECURRENCE. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 011 pp. 122-128.

011 to 012: consequential handoff

Psychology and social legibility -> Identity and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Identity and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Single identity label or credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Person and receiving institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Selective multi-context identity graph with provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Cross-context identity study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 129-135; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 012 pp. 129-135.

011 to 013: consequential handoff

Psychology and social legibility -> Relationships and intimacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Relationships and intimacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Relationship status or personality label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Partners and wider support network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Reciprocal state and burden ledger plus consent architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Dyadic longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 136-142; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 013 pp. 136-142.

011 to 014: consequential handoff

Psychology and social legibility -> Parenting and child development | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Parenting and child development; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Age norm, grade or behavior label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Child, parent, school, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Developmental state map plus distributed support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Longitudinal family-school cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 143-149; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 014 pp. 143-149.

011 to 015: consequential handoff

Psychology and social legibility -> Purpose and self-actualization | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Purpose and self-actualization; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Career status, wealth or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Person, relationships, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Whole-person capability architecture and burden guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Longitudinal multidimensional evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 150-156; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 015 pp. 150-156.

011 to 016: consequential handoff

Psychology and social legibility -> Existential wellbeing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Existential wellbeing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Symptom or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Person, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Voluntary meaning-reflection and support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Patient/user-reported longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 157-163; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 016 pp. 157-163.

011 to 017: consequential handoff

Psychology and social legibility -> Spiritual life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Spiritual life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Institutional affiliation alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Individual, family, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Ethical observational study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 164-170; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 017 pp. 164-170.

011 to 018: consequential handoff

Psychology and social legibility -> Religion and community institutions | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Religion and community institutions; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Membership or doctrinal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Members, families, leaders, wider community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Transparent governance, reporting, safeguarding and exit rights. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Institutional longitudinal audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 171-177; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 018 pp. 171-177.

011 to 019: consequential handoff

Psychology and social legibility -> Emotion and affect regulation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Emotion and affect regulation: Internal state, context, physiology, cognition and social feedback.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Emotion and affect regulation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Valence score or symptom label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Person and relationships. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: State-aware regulation architecture with physiological feedback. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Crossover intervention study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 178-184; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 019 pp. 178-184.

011 to 020: consequential handoff

Psychology and social legibility -> Trust and fidelity between people | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Trust and fidelity between people: History, promises, evidence, uncertainty and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Trust and fidelity between people; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Trusted/untrusted binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: People and institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Dynamic provenance and expectation architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Prospective trust-repair study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 185-191; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 020 pp. 185-191.

011 to 021: consequential handoff

Psychology and social legibility -> Healthcare delivery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Healthcare delivery: Clinical state, logistics, caregiver capacity, finance and post-discharge environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Healthcare delivery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Episode-of-care schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Patient, caregiver, outpatient system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Consequential discharge/care orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 193-199; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 021 pp. 193-199.

011 to 022: consequential handoff

Psychology and social legibility -> Diagnostics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Diagnostics: Underlying disease state, uncertainty, test characteristics and downstream actions.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Diagnostics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Single test result. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Patient, clinician, payer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Bayesian multi-source diagnostic schema + uncertainty communication. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Prospective blinded diagnostic study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 200-206; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 022 pp. 200-206.

011 to 023: consequential handoff

Psychology and social legibility -> Cancer ecology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Cancer ecology: Clone mix, immune state, microenvironment, host reserve and therapy exposure.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Cancer ecology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Stage/tumor-size snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Resistant clones, healthy tissue, immune system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Adaptive ecological state estimator + resistance/host capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Preclinical then clinical adaptive trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 207-213; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 023 pp. 207-213.

011 to 024: consequential handoff

Psychology and social legibility -> Neuroscience and neurodegeneration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Neuroscience and neurodegeneration: Neural, glial, vascular, metabolic, network and functional state.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Neuroscience and neurodegeneration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Single biomarker or visible function. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Neural networks, metabolism, caregiver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Multimodal state estimator + restorative capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Multimodal longitudinal intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 214-220; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 024 pp. 214-220.

011 to 025: consequential handoff

Psychology and social legibility -> Aging biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Aging biology: Coupled damage, repair, senescence, immunity, metabolism and regeneration.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Aging biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Age scalar or isolated hallmark. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Cells, tissues, immune system, metabolism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Moving-bottleneck RVG controller across damage/repair channels. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Preclinical multi-pathway study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 221-227; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 025 pp. 221-227.

011 to 026: consequential handoff

Psychology and social legibility -> Immunology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Immunology: Immune activation, tolerance, pathogen/tumor signals and tissue damage.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Immunology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Single cytokine or cell-count schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Pathogen, immune cells, host tissue. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: State-dependent immune control balancing clearance and collateral damage. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Controlled biological study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 228-234; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 026 pp. 228-234.

011 to 027: consequential handoff

Psychology and social legibility -> Infectious disease | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Infectious disease: Pathogen dynamics, host immunity, behavior, network spread and treatment.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Infectious disease; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Case count or pathogen-only model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Patients, contacts, health system, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Multi-carrier containment + treatment + livelihood capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Prospective outbreak protocol'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 235-241; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 027 pp. 235-241.

011 to 028: consequential handoff

Psychology and social legibility -> Microbiome | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Microbiome: Host physiology plus microbial ecology and diet/environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Microbiome; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Species abundance snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Host and microbial community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Functional ecosystem state model and adaptive intervention. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Controlled longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 242-248; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 028 pp. 242-248.

011 to 029: consequential handoff

Psychology and social legibility -> Genomics and proteomics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Genomics and proteomics: Variants, expression, proteins, pathways, context and phenotype.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Genomics and proteomics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Single marker/pathogenicity label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Cells, tissues, patient. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Multi-omic causal state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Prospective multi-omic validation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 249-255; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 029 pp. 249-255.

011 to 030: consequential handoff

Psychology and social legibility -> Surgery and rehabilitation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Surgery and rehabilitation: Anatomy, function, pain, recovery capacity, home support and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Surgery and rehabilitation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Procedure success or anatomical correction. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Patient, caregiver, rehab system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Prehabilitation + procedure + recovery orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 256-262; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 030 pp. 256-262.

011 to 031: consequential handoff

Psychology and social legibility -> Early-childhood development and education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Early-childhood development and education: Development, safety, language, nutrition, play, attachment and resources.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Early-childhood development and education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Age milestone or readiness score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Child, caregiver, educator. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Integrated developmental support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Longitudinal program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 264-270; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 031 pp. 264-270.

011 to 032: consequential handoff

Psychology and social legibility -> K-12 education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

K-12 education: Knowledge, skills, wellbeing, context, resources and learning trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into K-12 education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Grade/test score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Student, teacher, family. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Capability graph + adaptive learning + wellbeing constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Cluster randomized trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 271-277; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 032 pp. 271-277.

011 to 033: consequential handoff

Psychology and social legibility -> Higher education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Higher education: Capability, knowledge, network, finances and career pathways.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Higher education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Degree/GPA credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Student, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Capability/provenance portfolio + adaptive pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Longitudinal graduate outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 278-284; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 033 pp. 278-284.

011 to 034: consequential handoff

Psychology and social legibility -> Vocational and workforce learning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Vocational and workforce learning: Skills, task demand, wages, mobility and employer needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Vocational and workforce learning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Course completion certificate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Worker, employer, training provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Skill-to-task provenance and placement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Matched labor-market evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 285-291; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 034 pp. 285-291.

011 to 035: consequential handoff

Psychology and social legibility -> Scientific research | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Scientific research: Hypotheses, methods, data, negative results, replication and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Scientific research; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Publication/citation unit. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Researchers, institutions, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Experiment provenance + negative-result + replication architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Cross-lab replication program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 292-298; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 035 pp. 292-298.

011 to 036: consequential handoff

Psychology and social legibility -> Justice and courts | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Justice and courts: Facts, evidence, harm, intent, procedure, history and remedies.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Justice and courts; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Case category or docket state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Victims, accused, families, courts, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Causal provenance + harm/restitution + recurrence architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Prospective process evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 299-305; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 036 pp. 299-305.

011 to 037: consequential handoff

Psychology and social legibility -> Policing and public safety systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Policing and public safety systems: Threat, context, evidence, community trust, capacity and alternatives.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Policing and public safety systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Incident/offense label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Residents, officers, victims, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Evidence-first response selection + prevention/support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Independent public evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 306-312; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 037 pp. 306-312.

011 to 038: consequential handoff

Psychology and social legibility -> Corrections, rehabilitation and reintegration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Corrections, rehabilitation and reintegration: Risk, harm, needs, skills, housing, work and social support.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Corrections, rehabilitation and reintegration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Sentence/recidivism risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Person, family, community, justice system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Rehabilitation + restitution + housing/work capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Longitudinal controlled program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 313-319; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 038 pp. 313-319.

011 to 039: consequential handoff

Psychology and social legibility -> Public administration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Public administration: Citizen state, eligibility, documents, services and agency capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Public administration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Program-specific record. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Citizen, frontline staff, budget. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Interoperable verified state + once-only data + case orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Agency pilot with citizen/staff metrics'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 320-326; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 039 pp. 320-326.

011 to 040: consequential handoff

Psychology and social legibility -> Governance and institutional design | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Governance and institutional design: Authority, incentives, information, accountability, resources and affected populations.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Governance and institutional design; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Organizational chart or legal mandate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Citizens, agencies, future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Cross-boundary outcome ledger + accountability and capacity design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Prospective institutional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 327-333; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 040 pp. 327-333.

011 to 041: consequential handoff

Psychology and social legibility -> Beauty and aesthetics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Beauty and aesthetics: Biology, preference, culture, identity, safety, cost and perception.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Beauty and aesthetics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Universal beauty standard or product category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Person, body, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Personalized aesthetic/safety state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Consumer/clinical outcome study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 335-341; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 041 pp. 335-341.

011 to 042: consequential handoff

Psychology and social legibility -> Fashion and apparel | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Fashion and apparel: Identity, fit, comfort, durability, labor, inventory and lifecycle.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Fashion and apparel; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Size/SKU/category schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Wearer, worker, retailer, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Adaptive sizing + provenance + circularity architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Retail field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 342-348; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 042 pp. 342-348.

011 to 043: consequential handoff

Psychology and social legibility -> Luxury goods | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Luxury goods: Provenance, scarcity, condition, access, identity, inventory and lifecycle value.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Luxury goods; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Price/status/authenticity binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Buyer, seller, inventory, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Provenance + condition + access + reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Operational field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 349-355; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 043 pp. 349-355.

011 to 044: consequential handoff

Psychology and social legibility -> Hospitality | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Hospitality: Guest needs, staff capacity, time, room state, logistics and locality.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Hospitality; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Booking/reservation state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Guest, staff, operator, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: End-to-end experience and workload orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Property-level A/B evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 356-362; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 044 pp. 356-362.

011 to 045: consequential handoff

Psychology and social legibility -> Travel and tourism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Travel and tourism: Mobility, cost, safety, experience, local capacity and environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Travel and tourism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Itinerary/booking schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Traveler, worker, resident, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Consequential itinerary/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Destination pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 363-369; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 045 pp. 363-369.

011 to 046: consequential handoff

Psychology and social legibility -> Art and cultural markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Art and cultural markets: Creative work, provenance, rights, cultural meaning, scarcity and audience.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Art and cultural markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Price/ownership/engagement proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Artist, audience, collector, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Rights/provenance/value-sharing architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Marketplace field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 370-376; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 046 pp. 370-376.

011 to 047: consequential handoff

Psychology and social legibility -> Music and entertainment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Music and entertainment: Creative contribution, rights, attention, audience value and platform economics.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Music and entertainment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Stream/view count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Creators, audiences, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Contribution/provenance + value-distribution architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 377-383; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 047 pp. 377-383.

011 to 048: consequential handoff

Psychology and social legibility -> Gaming and virtual worlds | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Gaming and virtual worlds: Player goals, time, identity, economy, safety and creator contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Gaming and virtual worlds; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Retention/spend metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Players, creators, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Cross-reality value and safety controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 384-390; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 048 pp. 384-390.

011 to 049: consequential handoff

Psychology and social legibility -> Sports and performance | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Sports and performance: Performance, health, training load, recovery, team dynamics and career horizon.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Sports and performance; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Win/score/output metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Athlete, team, family, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Load/recovery/career controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Prospective team study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 391-397; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 049 pp. 391-397.

011 to 050: consequential handoff

Psychology and social legibility -> Experience design and events | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Experience design and events: Attention, emotion, logistics, accessibility, staff load and community impact.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Experience design and events; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Attendance/NPS/ticket revenue. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Guests, staff, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: End-to-end experience-state orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Event A/B study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 398-404; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 050 pp. 398-404.

011 to 051: consequential handoff

Psychology and social legibility -> Currency and monetary experience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Currency and monetary experience: Purchasing power, liquidity, settlement, access, trust and macro context.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Currency and monetary experience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Nominal unit/FX quote. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Households, firms, intermediaries. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Consequential monetary-state and settlement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Historical + prospective policy-neutral system test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 406-412; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 051 pp. 406-412.

011 to 052: consequential handoff

Psychology and social legibility -> Payments and remittances | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Payments and remittances: Amount, fees, FX, settlement time, access, fraud and recipient liquidity.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Payments and remittances; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Successful transfer binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Sender, receiver, provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: End-to-end transfer optimization with transparent provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Transaction-level field test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 413-419; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 052 pp. 413-419.

011 to 053: consequential handoff

Psychology and social legibility -> Banking and liquidity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Banking and liquidity: Deposits, credit, liquidity, capital, customer state and network exposures.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Banking and liquidity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Product/account or institution-local balance sheet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Banks, customers, counterparties, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Network consequential balance sheet + capacity buffers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Stress test + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 420-426; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 053 pp. 420-426.

011 to 054: consequential handoff

Psychology and social legibility -> Credit and underwriting | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Credit and underwriting: Cashflow, assets, obligations, trajectory, capability and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Credit and underwriting; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Static score/category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Borrower, lender, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Dynamic provenance/capacity underwriting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Prospective lending trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 427-433; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 054 pp. 427-433.

011 to 055: consequential handoff

Psychology and social legibility -> Insurance and resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Insurance and resilience: Hazard, exposure, prevention, coverage, recovery and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Insurance and resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Loss probability/policy class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Policyholder, insurer, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Prevention + resilience + coverage architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Pilot product evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 434-440; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 055 pp. 434-440.

011 to 056: consequential handoff

Psychology and social legibility -> Capital markets and investing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Capital markets and investing: Price, cashflow, externalities, network risk and long-horizon value.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Capital markets and investing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Return/risk factor set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Investor, firm, workers, public, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Consequential asset ledger with carrier constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Historical backtest + prospective paper portfolio'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 441-447; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 056 pp. 441-447.

011 to 057: consequential handoff

Psychology and social legibility -> Private wealth and family capital | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Private wealth and family capital: Financial, human, social, health and intergenerational capital.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Private wealth and family capital; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Portfolio net worth. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Client, family, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Whole-capital balance sheet + goals/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Longitudinal client evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 448-454; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 057 pp. 448-454.

011 to 058: consequential handoff

Psychology and social legibility -> Labor and talent markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Labor and talent markets: Capability, workload, pay, health, learning and opportunity.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Labor and talent markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Job title/CV/credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Worker, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Capability-state + workload + mobility architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Workplace pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 455-461; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 058 pp. 455-461.

011 to 059: consequential handoff

Psychology and social legibility -> Organizations and enterprises | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Organizations and enterprises: Functions, dependencies, people, cash, knowledge and customer value.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Organizations and enterprises; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Department/KPI structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Workers, customers, suppliers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Enterprise consequential graph + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Multi-team field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 462-468; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 059 pp. 462-468.

011 to 060: consequential handoff

Psychology and social legibility -> Entrepreneurship and venture creation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Entrepreneurship and venture creation: Unmet burden, carrier, willingness to pay, build cost and adoption.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Entrepreneurship and venture creation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Existing market category/TAM. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Founder initially, then customer/system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Mutual-Uptick blocker discovery + missing-capacity build. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Pilot venture with carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 469-475; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 060 pp. 469-475.

011 to 061: consequential handoff

Psychology and social legibility -> Artificial intelligence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Artificial intelligence: Model state, source reality, user intent, provenance, uncertainty and downstream action.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Artificial intelligence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Prompt/context window/model output. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: User, verifier, downstream system, compute. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Persistent schema/provenance layer + self-audit and escalation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Sealed cross-model benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 477-483; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 061 pp. 477-483.

011 to 062: consequential handoff

Psychology and social legibility -> Software systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Software systems: Requirements, dependencies, state, users, infrastructure and technical debt.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Software systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Feature/ticket/local module schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Developers, users, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Dependency/provenance graph + consequential release controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Repository-level prospective benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 484-490; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 062 pp. 484-490.

011 to 063: consequential handoff

Psychology and social legibility -> Cybersecurity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Cybersecurity: Actual attack graph, identities, vulnerabilities, privileges and attacker state.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Cybersecurity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Defender inventory/rules/log view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Systems, users, analysts, business continuity. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Self-updating attack schema + carrier prediction + safe containment/failover. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Red-team sealed telemetry benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 491-497; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 063 pp. 491-497.

011 to 064: consequential handoff

Psychology and social legibility -> Data infrastructure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Data infrastructure: Datasets, lineage, semantics, permissions, quality and downstream uses.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Data infrastructure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Table/file/schema local view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Analysts, models, users, compliance. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Provenance graph + semantic reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Enterprise data benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 498-504; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 064 pp. 498-504.

011 to 065: consequential handoff

Psychology and social legibility -> Privacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Privacy: Data state, purposes, consent, exposure, value and future misuse.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Privacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Consent checkbox or access-control list. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Person, organization, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Selective disclosure + provenance + minimization architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Field trial + attack testing'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 505-511; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 065 pp. 505-511.

011 to 066: consequential handoff

Psychology and social legibility -> Digital identity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Digital identity: Attributes, credentials, context, revocation, privacy and trust.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Digital identity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Single identifier/account. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Person, verifier, issuer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Selective-verification credential graph. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Cross-service pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 512-518; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 066 pp. 512-518.

011 to 067: consequential handoff

Psychology and social legibility -> Internet and communications | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Internet and communications: Topology, capacity, latency, content, trust and user needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Internet and communications; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Throughput/uptime metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Users, networks, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Consequential routing + fidelity/provenance layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Network/application experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 519-525; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 067 pp. 519-525.

011 to 068: consequential handoff

Psychology and social legibility -> Media and information ecosystems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Media and information ecosystems: Claims, evidence, incentives, attention, creators and audiences.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Media and information ecosystems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Engagement/feed rank. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Audience, creator, public discourse. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Claim provenance + quality + incentive reconciliation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 526-532; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 068 pp. 526-532.

011 to 069: consequential handoff

Psychology and social legibility -> Language and translation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Language and translation: Meaning, context, culture, pragmatics and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Language and translation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Word/token correspondence. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Speakers, institutions, models. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Semantic/provenance translation with ambiguity tracking. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Blind human evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 533-539; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 069 pp. 533-539.

011 to 070: consequential handoff

Psychology and social legibility -> Knowledge and ontologies | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Knowledge and ontologies: Entities, relations, provenance, incompatible schemas and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Knowledge and ontologies; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Single ontology/taxonomy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Researchers, AI, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Cross-schema translation + minimal sufficient ontology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Cross-domain benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 540-546; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 070 pp. 540-546.

011 to 071: consequential handoff

Psychology and social legibility -> Energy and power grids | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Energy and power grids: Generation, load, storage, network constraints, prices and reliability.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Energy and power grids; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Local device efficiency or node KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Grid nodes, customers, storage, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Consequential grid controller + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Grid simulation + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 548-554; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 071 pp. 548-554.

011 to 072: consequential handoff

Psychology and social legibility -> Water and irrigation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Water and irrigation: Withdrawals, consumptive use, return flows, storage, aquifers and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Water and irrigation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Farm/project efficiency. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Downstream users, rivers, aquifers, ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Basin-wide accounting + catchment + allocation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Basin holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 555-561; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 072 pp. 555-561.

011 to 073: consequential handoff

Psychology and social legibility -> Food and agriculture | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Food and agriculture: Yield, soil, water, inputs, nutrition, labor, market and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Food and agriculture; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Yield/acre or commodity price. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Farmer, consumer, soil, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Coupled regenerative production controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Multi-season farm trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 562-568; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 073 pp. 562-568.

011 to 074: consequential handoff

Psychology and social legibility -> Supply chains and logistics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Supply chains and logistics: Inventory, demand, transport, suppliers, lead times and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Supply chains and logistics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Node-level cost/service KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Suppliers, warehouses, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Carrier-aware flow controller + buffer placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Historical + live pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 569-575; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 074 pp. 569-575.

011 to 075: consequential handoff

Psychology and social legibility -> Manufacturing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Manufacturing: Materials, energy, machines, labor, quality, maintenance and waste.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Manufacturing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Unit cost/OEE. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Workers, machines, environment, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Closed-loop production and maintenance architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Factory pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 576-582; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 075 pp. 576-582.

011 to 076: consequential handoff

Psychology and social legibility -> Waste and circular materials | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Waste and circular materials: Material composition, location, contamination, residual value and logistics.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Waste and circular materials; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Waste tonnage/disposal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Communities, environment, future production. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Material provenance + recapture + transformation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Municipal/industrial pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 583-589; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 076 pp. 583-589.

011 to 077: consequential handoff

Psychology and social legibility -> Transportation and mobility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Transportation and mobility: Trips, time, safety, access, energy, congestion and land use.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Transportation and mobility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Vehicle throughput/speed. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Travelers, neighborhoods, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Multimodal consequential mobility controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'City corridor pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 590-596; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 077 pp. 590-596.

011 to 078: consequential handoff

Psychology and social legibility -> Cities and urban systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Cities and urban systems: Housing, jobs, transport, health, utilities, safety and public space.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Cities and urban systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Agency-by-agency city data. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Residents, agencies, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: City consequential digital twin + coordinated capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'District pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 597-603; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 078 pp. 597-603.

011 to 079: consequential handoff

Psychology and social legibility -> Climate and disaster resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Climate and disaster resilience: Hazard, exposure, vulnerability, infrastructure, food, health and recovery.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Climate and disaster resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Hazard forecast alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: People, infrastructure, ecosystems, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Anticipatory catchment + prepositioned capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Prospective matched pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 604-610; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 079 pp. 604-610.

011 to 080: consequential handoff

Psychology and social legibility -> Ecology and biodiversity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Ecology and biodiversity: Species, habitats, flows, extraction, communities and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Ecology and biodiversity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Protected-area/local species metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Species, habitats, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Landscape-scale leakage/carrier accounting + livelihoods. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Landscape holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 611-617; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 080 pp. 611-617.

011 to 081: consequential handoff

Psychology and social legibility -> Cell biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Cell biology: Signaling, organelles, metabolism, damage, repair and cell-state transitions.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Cell biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Single pathway/marker. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Organelles, pathways, neighboring cells. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Multi-state cellular controller + capacity targeting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'In-vitro perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 619-625; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 081 pp. 619-625.

011 to 082: consequential handoff

Psychology and social legibility -> Molecular biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Molecular biology: Molecules, conformations, binding networks, concentrations and kinetics.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Molecular biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Single interaction/target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Molecules, pathways, host system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Reaction/network state model + off-target carrier control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Bench experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 626-632; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 082 pp. 626-632.

011 to 083: consequential handoff

Psychology and social legibility -> Nanotechnology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Nanotechnology: Particle properties, surfaces, transport, environment and biological interaction.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Nanotechnology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Particle spec alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Cells, environment, users. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Lifecycle and interaction-aware nano design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Bench + environmental tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 633-639; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 083 pp. 633-639.

011 to 084: consequential handoff

Psychology and social legibility -> Chemistry and reaction systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Chemistry and reaction systems: Species, reaction network, kinetics, energy, byproducts and separation.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Chemistry and reaction systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Target yield/selectivity. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Reactor, environment, downstream process. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Consequential reaction-network optimization + recovery loops. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Reactor experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 640-646; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 084 pp. 640-646.

011 to 085: consequential handoff

Psychology and social legibility -> Materials science | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Materials science: Microstructure, defects, stress, temperature, lifecycle and manufacturing.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Materials science; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Bulk property spec. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Material, structure, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Defect-aware multiproperty design + recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Lab characterization'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 647-653; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 085 pp. 647-653.

011 to 086: consequential handoff

Psychology and social legibility -> Classical mechanics and control | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Classical mechanics and control: Physical state, dynamics, sensors, actuators and disturbance.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Classical mechanics and control; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Partial state observation/local control objective. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Plant, actuator, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Representation-aware full-state controller + regenerative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Physical bench experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 654-660; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 086 pp. 654-660.

011 to 087: consequential handoff

Psychology and social legibility -> Thermodynamics and nonequilibrium systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Thermodynamics and nonequilibrium systems: Energy, entropy, gradients, reservoirs, flows and constraints.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Thermodynamics and nonequilibrium systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Local efficiency/temperature metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Reservoirs, environment, components. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Whole-boundary energy/exergy and recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Physical experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 661-667; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 087 pp. 661-667.

011 to 088: consequential handoff

Psychology and social legibility -> Electromagnetism and circuits | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Electromagnetism and circuits: Fields, voltages, currents, topology, storage and losses.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Electromagnetism and circuits; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Local component state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Circuit elements, sources, loads. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Full-network state estimation + capacity/recovery placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Bench circuit experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 668-674; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 088 pp. 668-674.

011 to 089: consequential handoff

Psychology and social legibility -> Quantum systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Quantum systems: Quantum state, observables, measurement, control and decoherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Quantum systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Accessible observable set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Quantum system, apparatus, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Constraint-respecting measurement/control schema + capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Laboratory quantum experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 675-681; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 089 pp. 675-681.

011 to 090: consequential handoff

Psychology and social legibility -> Pure mathematics and formal systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Pure mathematics and formal systems: Objects, relations, axioms, language, proofs and translations.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Pure mathematics and formal systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Chosen signature/type system/quotient. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Proof system, translator, solver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Minimal sufficient schema preserving required relations. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Machine-checked theorem suite'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 682-688; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 090 pp. 682-688.

011 to 091: consequential handoff

Psychology and social legibility -> Statistics and causal inference | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Statistics and causal inference: Data-generating process, sampling, measurement, confounding and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Statistics and causal inference; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Chosen model/estimand. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Decision makers, future samples, affected groups. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Provenance-aware multi-model causal state + identifiability guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Simulation + multi-dataset benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 690-696; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 091 pp. 690-696.

011 to 092: consequential handoff

Psychology and social legibility -> Logic and reasoning systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Logic and reasoning systems: Premises, inference rules, contradictions, uncertainty and goals.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Logic and reasoning systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Single logical calculus. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Reasoner, downstream decision. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Multi-logic translation + contradiction provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Formal benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 697-703; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 092 pp. 697-703.

011 to 093: consequential handoff

Psychology and social legibility -> Geography and territorial systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Geography and territorial systems: People, ecosystems, infrastructure, flows and administrative boundaries.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Geography and territorial systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Jurisdiction/map boundary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Border communities, watersheds, networks. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Flow-based territorial state model. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Regional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 704-710; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 093 pp. 704-710.

011 to 094: consequential handoff

Psychology and social legibility -> Informal economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Informal economy: Real work, exchange, trust, risk and household needs outside formal records.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Informal economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Formal registry/tax/business schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Workers, households, state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Low-friction recognition, protection and access architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Field pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 711-717; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 094 pp. 711-717.

011 to 095: consequential handoff

Psychology and social legibility -> Illicit and black markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Illicit and black markets: Hidden demand, supply, coercion, enforcement, prices and harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Illicit and black markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Official market data that excludes hidden exchange. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Victims, communities, lawful firms, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Independent harm-reduction/public-safety evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 718-724; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 095 pp. 718-724.

011 to 096: consequential handoff

Psychology and social legibility -> Orbital and space economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Orbital and space economy: Spacecraft, debris, spectrum, energy, logistics and operator incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Orbital and space economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Mission-local success metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Other spacecraft, operators, orbital environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Orbital consequential ledger + shared capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Simulation + mission pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 725-731; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 096 pp. 725-731.

011 to 097: consequential handoff

Psychology and social legibility -> Extraterrestrial settlement | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Extraterrestrial settlement: Life support, energy, materials, health, governance and closed ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Extraterrestrial settlement; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Earth-derived subsystem silos. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Crew, machines, habitat ecology. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Closed-loop consequential state + autonomous capacity construction. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Analog habitat + mission tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 732-738; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 097 pp. 732-738.

011 to 098: consequential handoff

Psychology and social legibility -> Astrobiology and biosignatures | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Astrobiology and biosignatures: Unknown life chemistries, environments, signals and contamination risks.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Astrobiology and biosignatures; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Earth-centric life schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Scientific program, environment, future missions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Plural biosignature schema + provenance/contamination control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Blind benchmark + mission data'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 739-745; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 098 pp. 739-745.

011 to 099: consequential handoff

Psychology and social legibility -> Planetary systems and stewardship | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Planetary systems and stewardship: Atmosphere, hydrology, geology, biosphere, resources and settlements.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Planetary systems and stewardship; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Sector-local resource model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Settlements, ecosystems, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Closed-loop planetary resource and restoration architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Earth analog + simulation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 746-752; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 099 pp. 746-752.

011 to 100: consequential handoff

Psychology and social legibility -> Unknown and not-yet-named realities | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Unknown and not-yet-named realities: Any newly observed substrate, scale, agent, value dimension or exchange mode.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Unknown and not-yet-named realities; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: No adequate schema exists yet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Unknown until carrier tracing identifies it. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Instantiate M_d, define schema, measure gap, trace carrier, construct capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Freeze kernel before learning outcomes; then holdout/replicate'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 753-759; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 100 pp. 753-759.

011 to 101: consequential handoff

Psychology and social legibility -> Conscious experience and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Conscious experience and self-model: Perception, affect, memory, self-model, attention, internal accessibility and embodied state.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Conscious experience and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: A receiving observer reduces another system to behavior, category or output alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Experiencing system, observers, dependent systems and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Cross-modal state representation with provenance, uncertainty and non-erasure constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Prospective multi-method cross-observer study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 761-767; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 101 pp. 761-767.

011 to 102: consequential handoff

Psychology and social legibility -> Choice and option topology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Choice and option topology: Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Choice and option topology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Binary free-choice / no-choice label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Chooser, affected people, institutions and future option set. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Feasible-option map plus prebuilt low-friction lawful/prosocial pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Prospective choice-topology intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 768-774; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 102 pp. 768-774.

011 to 103: consequential handoff

Psychology and social legibility -> Truth, deception and disclosure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Truth, deception and disclosure: Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Truth, deception and disclosure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Truth/lie binary detached from consequence topology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Speaker, listener, harmed parties, institutions and future trust network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Verification, safe disclosure, correction, restitution and transition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Sealed truth-cost / disclosure study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 775-781; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 103 pp. 775-781.

011 to 104: consequential handoff

Psychology and social legibility -> Responsibility and causal attribution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Responsibility and causal attribution: Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Responsibility and causal attribution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Moral label detached from the action-producing state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Actor, victims, institutions, community and future actors. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Blinded case reconstruction with preregistered causal criteria'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 782-788; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 104 pp. 782-788.

011 to 105: consequential handoff

Psychology and social legibility -> Consent, coercion and autonomy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Consent, coercion and autonomy: Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Consent, coercion and autonomy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Signed/expressed consent treated as sufficient state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Decision maker, counterparties, dependents and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Real exit, recourse, reversible consent, information symmetry and alternative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Prospective consent-quality audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 789-795; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 105 pp. 789-795.

011 to 106: consequential handoff

Psychology and social legibility -> Addiction, compulsion and short-horizon relief | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Addiction, compulsion and short-horizon relief: Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Addiction, compulsion and short-horizon relief; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Substance/behavior category or abstinence binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Person, body, relationships, household, community and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Longitudinal regulated intervention with multi-carrier outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 796-802; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 106 pp. 796-802.

011 to 107: consequential handoff

Psychology and social legibility -> Crime, violence and reconciliation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Crime, violence and reconciliation: Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Crime, violence and reconciliation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Offense label or actor-only risk score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Victims, actor, families, community, institutions and future potential victims. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Longitudinal controlled justice-program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 803-809; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 107 pp. 803-809.

011 to 108: consequential handoff

Psychology and social legibility -> Animal sentience and welfare | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Animal sentience and welfare: Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Animal sentience and welfare; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Commodity/yield schema that excludes the animal as a carrier. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Animals, workers, consumers, farmers, land, ecosystems and communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Welfare, alternative-production, livelihood-transition and ecological capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Multi-carrier welfare, nutrition and livelihood trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 810-816; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 108 pp. 810-816.

011 to 109: consequential handoff

Psychology and social legibility -> Collective agency and institutional choice | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Collective agency and institutional choice: Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Collective agency and institutional choice; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Organization treated as a single actor without internal carrier structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Members, minorities, leaders, outsiders, institutions and future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Distributed decision provenance, dissent channels, accountability and cross-boundary capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Prospective institutional decision audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 817-823; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 109 pp. 817-823.

011 to 110: consequential handoff

Psychology and social legibility -> Human-AI co-agency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Human-AI co-agency: Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Human-AI co-agency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Model output or benchmark score treated as the whole system. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: User, non-user, model operator, workers, institutions, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Persistent provenance, human control, reversibility, portability, verification and receivingcapacity layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Sealed native-vs-K_R assisted agent benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 824-830; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 110 pp. 824-830.

011 to 111: consequential handoff

Psychology and social legibility -> Evolution and natural selection | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Evolution and natural selection: Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Evolution and natural selection; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Fitness proxy or single-trait narrative. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Individuals, lineages, populations, interacting species and ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Diversity, ecological capacity and intervention guardrails where deliberate action exists. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Time-locked population/genomic holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 832-838; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 111 pp. 832-838.

011 to 112: consequential handoff

Psychology and social legibility -> Reproduction, inheritance, mitosis and meiosis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Reproduction, inheritance, mitosis and meiosis: Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Reproduction, inheritance, mitosis and meiosis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Outcome-only birth/division count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Parent cell/organism, daughter cells, gametes, offspring and lineage. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Checkpoint, repair, redundancy and developmental-support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Lineage-resolved perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 839-845; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 112 pp. 839-845.

011 to 113: consequential handoff

Psychology and social legibility -> Development and morphogenesis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Development and morphogenesis: Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Development and morphogenesis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Single marker or endpoint morphology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Cells, tissues, organs, organism and developmental future state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Stage-aware multi-pathway support, repair and resource architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Longitudinal developmental perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 846-852; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 113 pp. 846-852.

011 to 114: consequential handoff

Psychology and social legibility -> Metabolism, diet and consumption | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Metabolism, diet and consumption: Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Metabolism, diet and consumption; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Calories/macros or one nutrient target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Gut, microbiome, liver, tissues, household, food system and future organism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Adaptive conversion, buffering, storage, elimination and access capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Controlled longitudinal multi-carrier nutrition study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 853-859; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 114 pp. 853-859.

011 to 115: consequential handoff

Psychology and social legibility -> Predation, livestock and food-system transformation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Predation, livestock and food-system transformation: Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Predation, livestock and food-system transformation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Yield, price or human nutrition alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Animals, humans, workers, farmers, consumers, land, ecosystems and future food security. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Phased regional transition with preregistered carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 860-866; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 115 pp. 860-866.

011 to 116: consequential handoff

Psychology and social legibility -> Learning, plasticity and cultural evolution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Learning, plasticity and cultural evolution: Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Learning, plasticity and cultural evolution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Test score, output or adoption count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Learner, teachers, peers, institutions, future self and cultural network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Longitudinal transfer-and-retention experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 867-873; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 116 pp. 867-873.

011 to 117: consequential handoff

Psychology and social legibility -> Self-organization and emergence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Self-organization and emergence: Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Self-organization and emergence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Macro outcome without micro-carrier ledger. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Components, neighborhoods, emergent structure and external environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Multi-scale simulation plus physical/biological holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 874-880; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 117 pp. 874-880.

011 to 118: consequential handoff

Psychology and social legibility -> Creation, provenance and dependency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Creation, provenance and dependency: Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Creation, provenance and dependency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Ownership or authorship treated as sufficient relationship model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Creators, created systems, maintainers, users, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Provenance, stewardship, autonomy-transition and reciprocal-viability architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Longitudinal creator-created dependency audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 881-887; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 118 pp. 881-887.

011 to 119: consequential handoff

Psychology and social legibility -> Cosmological evolution and structure formation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Cosmological evolution and structure formation: Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Cosmological evolution and structure formation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Single scale or observable treated as complete cosmic state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: Observed regions, fields/matter components, instruments, models and observers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Cross-scale observation, uncertainty, model-comparison and instrumentation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Preregistered cross-survey predictive holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 888-894; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 119 pp. 888-894.

011 to 120: consequential handoff

Psychology and social legibility -> Cross-substrate consciousness, temporal coexistence and closure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

PROPOSED RECEIVER AND STATE

Cross-substrate consciousness, temporal coexistence and closure: The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility.

INTERFACE AND COUPLING STATUS

Proposed interface from Psychology and social legibility into Cross-substrate consciousness, temporal coexistence and closure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Snapshot diagnosis or social category. Receiver's limited view: Any local adapter, species, institution or observer claiming closure from its own schema alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, family, employer, clinician. Candidate receiver carriers: All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Multidimensional schema plus support matched to hidden burden. Receiving capacity: Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and.... Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal external cohort' with a receiver study of 'Time-locked system-of-systems closure test across multiple adapters'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 122-128 and 895-901; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026). Receiver Adapter 120 pp. 895-901.

011: Psychology and social legibility

Household / family / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Household / family / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Household / family / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Household / family / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Household / family / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Household / family / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

School / university / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

School / university / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

School / university / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

School / university / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

School / university / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

School / university / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Enterprise / cooperative / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Enterprise / cooperative / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Enterprise / cooperative / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Enterprise / cooperative / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Enterprise / cooperative / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Enterprise / cooperative / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Healthcare / care team / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Healthcare / care team / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Healthcare / care team / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Healthcare / care team / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Healthcare / care team / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Healthcare / care team / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Local government / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Local government / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Local government / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Local government / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Local government / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Local government / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Ecological catchment / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Ecological catchment / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Ecological catchment / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Ecological catchment / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Ecological catchment / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Ecological catchment / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Scientific laboratory / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Scientific laboratory / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Scientific laboratory / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Scientific laboratory / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Scientific laboratory / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Scientific laboratory / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Public infrastructure / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Public infrastructure / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Public infrastructure / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Public infrastructure / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Public infrastructure / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Public infrastructure / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Digital / AI service / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Digital / AI service / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Digital / AI service / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Digital / AI service / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Digital / AI service / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Digital / AI service / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Interregional / planetary / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Interregional / planetary / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Interregional / planetary / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Interregional / planetary / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Interregional / planetary / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Psychology and social legibility

Interregional / planetary / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Psychology and social legibility is described in the Atlas as: Longitudinal capability, burden, trauma, environment, relationships and compensation. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

High function hides biological and relational cost. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, family, employer, clinician. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Multidimensional schema plus support matched to hidden burden. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Function, health, autonomy and relationship quality rise while compensation falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal external cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Evidence and source reconstruction

Psychology and social legibility | protocol 1 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 011: Psychology and social legibility; original author status: Origin-linked structural fit. Native state: Longitudinal capability, burden, trauma, environment, relationships and compensation.

EVALUATION OBJECTIVE

Evidence and source reconstruction. Establish what is observed, reported, derived, simulated and currently unavailable. Audit definitions, dates and units.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Snapshot diagnosis or social category. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: High function hides biological and relational cost. The relevant receiving carriers are: Person, family, employer, clinician.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Multidimensional schema plus support matched to hidden burden. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, health, autonomy and relationship quality rise while compensation falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal external cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Boundary divergence

Psychology and social legibility | protocol 2 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 011: Psychology and social legibility; original author status: Origin-linked structural fit. Native state: Longitudinal capability, burden, trauma, environment, relationships and compensation.

EVALUATION OBJECTIVE

Boundary divergence. Predeclare local and consequential objectives, identical feasible action sets, and a measurable divergence test.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Snapshot diagnosis or social category. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: High function hides biological and relational cost. The relevant receiving carriers are: Person, family, employer, clinician.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Multidimensional schema plus support matched to hidden burden. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, health, autonomy and relationship quality rise while compensation falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal external cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Causal diagram and identifiability

Psychology and social legibility | protocol 3 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 011: Psychology and social legibility; original author status: Origin-linked structural fit. Native state: Longitudinal capability, burden, trauma, environment, relationships and compensation.

EVALUATION OBJECTIVE

Causal diagram and identifiability. Draw the candidate causal graph; identify confounders, mediators, spillovers and selection mechanisms.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Snapshot diagnosis or social category. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: High function hides biological and relational cost. The relevant receiving carriers are: Person, family, employer, clinician.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Multidimensional schema plus support matched to hidden burden. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, health, autonomy and relationship quality rise while compensation falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal external cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Receiving carrier identification

Psychology and social legibility | protocol 4 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 011: Psychology and social legibility; original author status: Origin-linked structural fit. Native state: Longitudinal capability, burden, trauma, environment, relationships and compensation.

EVALUATION OBJECTIVE

Receiving carrier identification. Predict the destination, path and delay of consequential burdens before measuring post-state outcomes.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Snapshot diagnosis or social category. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: High function hides biological and relational cost. The relevant receiving carriers are: Person, family, employer, clinician.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Multidimensional schema plus support matched to hidden burden. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, health, autonomy and relationship quality rise while compensation falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal external cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Hidden compensation accounting

Psychology and social legibility | protocol 5 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 011: Psychology and social legibility; original author status: Origin-linked structural fit. Native state: Longitudinal capability, burden, trauma, environment, relationships and compensation.

EVALUATION OBJECTIVE

Hidden compensation accounting. Measure which agent, reserve, budget, ecosystem or later period silently carries the load.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Snapshot diagnosis or social category. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: High function hides biological and relational cost. The relevant receiving carriers are: Person, family, employer, clinician.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Multidimensional schema plus support matched to hidden burden. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, health, autonomy and relationship quality rise while compensation falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal external cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Native units and dimensional integrity

Psychology and social legibility | protocol 6 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 011: Psychology and social legibility; original author status: Origin-linked structural fit. Native state: Longitudinal capability, burden, trauma, environment, relationships and compensation.

EVALUATION OBJECTIVE

Native units and dimensional integrity. Define each carrier outcome in its own units; avoid offsetting unlike harms with unsupported scalar sums.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Snapshot diagnosis or social category. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: High function hides biological and relational cost. The relevant receiving carriers are: Person, family, employer, clinician.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Multidimensional schema plus support matched to hidden burden. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, health, autonomy and relationship quality rise while compensation falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal external cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Capacity specification

Psychology and social legibility | protocol 7 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 011: Psychology and social legibility; original author status: Origin-linked structural fit. Native state: Longitudinal capability, burden, trauma, environment, relationships and compensation.

EVALUATION OBJECTIVE

Capacity specification. Identify the binding receiver constraint and specify the smallest permissible constructive action.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Snapshot diagnosis or social category. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: High function hides biological and relational cost. The relevant receiving carriers are: Person, family, employer, clinician.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Multidimensional schema plus support matched to hidden burden. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, health, autonomy and relationship quality rise while compensation falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal external cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Intervention design

Psychology and social legibility | protocol 8 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 011: Psychology and social legibility; original author status: Origin-linked structural fit. Native state: Longitudinal capability, burden, trauma, environment, relationships and compensation.

EVALUATION OBJECTIVE

Intervention design. Choose randomized, natural, observational or mechanistic evidence compatible with safety and identifiability.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Snapshot diagnosis or social category. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: High function hides biological and relational cost. The relevant receiving carriers are: Person, family, employer, clinician.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Multidimensional schema plus support matched to hidden burden. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, health, autonomy and relationship quality rise while compensation falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal external cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Incumbent parity contest

Psychology and social legibility | protocol 9 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 011: Psychology and social legibility; original author status: Origin-linked structural fit. Native state: Longitudinal capability, burden, trauma, environment, relationships and compensation.

EVALUATION OBJECTIVE

Incumbent parity contest. Compare against strongest existing local, boundary-aware, causal and resource-constrained methods.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Snapshot diagnosis or social category. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: High function hides biological and relational cost. The relevant receiving carriers are: Person, family, employer, clinician.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Multidimensional schema plus support matched to hidden burden. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, health, autonomy and relationship quality rise while compensation falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal external cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Time-window and recurrence

Psychology and social legibility | protocol 10 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 011: Psychology and social legibility; original author status: Origin-linked structural fit. Native state: Longitudinal capability, burden, trauma, environment, relationships and compensation.

EVALUATION OBJECTIVE

Time-window and recurrence. Measure early, intermediate and delayed outcomes, including reserve depletion and changing bottlenecks.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Snapshot diagnosis or social category. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: High function hides biological and relational cost. The relevant receiving carriers are: Person, family, employer, clinician.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Multidimensional schema plus support matched to hidden burden. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, health, autonomy and relationship quality rise while compensation falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal external cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Ethical and legal safety

Psychology and social legibility | protocol 11 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 011: Psychology and social legibility; original author status: Origin-linked structural fit. Native state: Longitudinal capability, burden, trauma, environment, relationships and compensation.

EVALUATION OBJECTIVE

Ethical and legal safety. Determine affected rights, vulnerable groups, irreversible harms, consent, permissions and safety constraints.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Snapshot diagnosis or social category. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: High function hides biological and relational cost. The relevant receiving carriers are: Person, family, employer, clinician.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Multidimensional schema plus support matched to hidden burden. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, health, autonomy and relationship quality rise while compensation falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal external cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Sensitivity and negative controls

Psychology and social legibility | protocol 12 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 011: Psychology and social legibility; original author status: Origin-linked structural fit. Native state: Longitudinal capability, burden, trauma, environment, relationships and compensation.

EVALUATION OBJECTIVE

Sensitivity and negative controls. Vary unmeasured confounding, missingness, cost, thresholds and adverse spillover assumptions.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Snapshot diagnosis or social category. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: High function hides biological and relational cost. The relevant receiving carriers are: Person, family, employer, clinician.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Multidimensional schema plus support matched to hidden burden. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, health, autonomy and relationship quality rise while compensation falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal external cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Replication and provenance

Psychology and social legibility | protocol 13 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 011: Psychology and social legibility; original author status: Origin-linked structural fit. Native state: Longitudinal capability, burden, trauma, environment, relationships and compensation.

EVALUATION OBJECTIVE

Replication and provenance. Version the kernel, code, data, transformation decisions, negative findings and external replication.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Snapshot diagnosis or social category. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: High function hides biological and relational cost. The relevant receiving carriers are: Person, family, employer, clinician.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Multidimensional schema plus support matched to hidden burden. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, health, autonomy and relationship quality rise while compensation falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal external cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

011: Cross-domain invariant contest

Psychology and social legibility | protocol 14 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 011: Psychology and social legibility; original author status: Origin-linked structural fit. Native state: Longitudinal capability, burden, trauma, environment, relationships and compensation.

EVALUATION OBJECTIVE

Cross-domain invariant contest. Keep K_R fixed while swapping M_d; test whether new measurements produce predictions beyond domain incumbents.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Snapshot diagnosis or social category. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: High function hides biological and relational cost. The relevant receiving carriers are: Person, family, employer, clinician.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Multidimensional schema plus support matched to hidden burden. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Function, health, autonomy and relationship quality rise while compensation falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal external cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 011, pp. 122-128 (Rufino 2026).

Adapter 012: Identity and self-model

Psychology and meaning | Internal carrier and capacity reconstruction

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

DOMAIN-NATIVE STATE

Attributes, history, roles, values, capabilities and contexts

RECORDED RECEIVING SCHEMA

Single identity label or credential

CANDIDATE BURDEN AND RECEIVING CARRIERS

Blocker in the source Atlas: Recognition in one schema suppresses other valid dimensions. Candidate receivers: Person and receiving institutions.

EXISTING CAPACITY DESIGN

Selective multi-context identity graph with provenance

PROTECTED OUTCOME STATED BY THE AUTHOR

Legibility and autonomy improve without forced overexposure

SCIENTIFIC NEXT STEP

Atlas proposed decisive test: Cross-context identity study. This remains a proposed testing route, not proof of a completed successful implementation.

ORIGINALITY AND CONSTRUCTION OBLIGATION

Run causal receiving-carrier diagnosis before action; compare construction against strong established methods; do not accept positive averages as proof that all material carriers benefited.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012 | Identity and self-model

Individual human / person | Insufficient capacity

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 012, Identity and self-model. Native state: Attributes, history, roles, values, capabilities and contexts. Potential direct or institutional human pathway: Identity and self-model interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Insufficient capacity: The human has limited time, health, physical access, material resources, protective support or opportunity. Source Atlas proposed limiting condition: Recognition in one schema suppresses other valid dimensions.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Selective multi-context identity graph with provenance can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Legibility and autonomy improve without forced overexposure. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

012 | Identity and self-model

Individual human / person | Schema mismatch

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 012, Identity and self-model. Native state: Attributes, history, roles, values, capabilities and contexts. Potential direct or institutional human pathway: Identity and self-model interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Schema mismatch: The person has evidence-grounded capabilities or needs that institutional identifiers, scores or labels do not adequately recognize. Source Atlas proposed limiting condition: Recognition in one schema suppresses other valid dimensions.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Selective multi-context identity graph with provenance can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Legibility and autonomy improve without forced overexposure. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

012 | Identity and self-model

Individual human / person | Delayed effects

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 012, Identity and self-model. Native state: Attributes, history, roles, values, capabilities and contexts. Potential direct or institutional human pathway: Identity and self-model interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Delayed effects: A short-term change influences future-self health, skills, income, dependence, options or relationships. Source Atlas proposed limiting condition: Recognition in one schema suppresses other valid dimensions.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Selective multi-context identity graph with provenance can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Legibility and autonomy improve without forced overexposure. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

012 | Identity and self-model

Individual human / person | Measurement uncertainty

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 012, Identity and self-model. Native state: Attributes, history, roles, values, capabilities and contexts. Potential direct or institutional human pathway: Identity and self-model interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Measurement uncertainty: The record lacks consented individual outcomes, counterfactuals, follow-up, or reliable protection metrics. Source Atlas proposed limiting condition: Recognition in one schema suppresses other valid dimensions.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Selective multi-context identity graph with provenance can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Legibility and autonomy improve without forced overexposure. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

012 | Identity and self-model

Individual human / person | Coordination failure

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 012, Identity and self-model. Native state: Attributes, history, roles, values, capabilities and contexts. Potential direct or institutional human pathway: Identity and self-model interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Coordination failure: Family, employer, provider, government or technical systems hand off obligations to the individual without coordinated support. Source Atlas proposed limiting condition: Recognition in one schema suppresses other valid dimensions.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Selective multi-context identity graph with provenance can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Legibility and autonomy improve without forced overexposure. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

012 | Identity and self-model

Individual human / person | Adversarial / inequitable distribution

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 012, Identity and self-model. Native state: Attributes, history, roles, values, capabilities and contexts. Potential direct or institutional human pathway: Identity and self-model interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Adversarial / inequitable distribution: Unequal power, coercion, inaccessible systems, discrimination or exploitative incentives shift costs to a person. Source Atlas proposed limiting condition: Recognition in one schema suppresses other valid dimensions.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Selective multi-context identity graph with provenance can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Legibility and autonomy improve without forced overexposure. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

012 to 001: consequential handoff

Identity and self-model -> Whole-person quality of life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Whole-person quality of life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Single score, diagnosis, income bracket or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Person, household, caregivers, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Longitudinal cohort with preregistered multidimensional outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 51-57; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 001 pp. 51-57.

012 to 002: consequential handoff

Identity and self-model -> Nutrition and metabolism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Nutrition and metabolism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Calories/macros or generic diet categories. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Body, household budget, food system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Randomized adaptive nutrition trial with cost and adherence carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 58-64; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 002 pp. 58-64.

012 to 003: consequential handoff

Identity and self-model -> Sleep and recovery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Sleep and recovery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Hours slept or wearable score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Body, cognition, household schedule. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Recovery controller integrating timing, environment, workload and physiology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Longitudinal crossover study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 65-71; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 003 pp. 65-71.

012 to 004: consequential handoff

Identity and self-model -> Reproductive and sexual health | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Reproductive and sexual health; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Single fertility, disease or risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Individual, partner, future child, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Clinical trials + patient-reported and partner- impact carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 72-78; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 004 pp. 72-78.

012 to 005: consequential handoff

Identity and self-model -> Disability and accessibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Disability and accessibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Deficit-only person label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Person, caregiver, workplace, public space. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Environment-first accessibility architecture plus assistive capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Before/after environment redesign with workload measures'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 79-85; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 005 pp. 79-85.

012 to 006: consequential handoff

Identity and self-model -> Mobility and physical function | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Mobility and physical function; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Single functional score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Body, caregiver, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Adaptive rehabilitation plus environment and device redesign. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Controlled rehabilitation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 86-92; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 006 pp. 86-92.

012 to 007: consequential handoff

Identity and self-model -> Family and caregiving | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Family and caregiving; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Household role labels. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Primary caregiver, dependents, siblings, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Care-load ledger, shared coordination and external capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Prospective household burden study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 93-99; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 007 pp. 93-99.

012 to 008: consequential handoff

Identity and self-model -> Safety and personal security | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Safety and personal security; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Incident count or generic risk class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Person, community, responder. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Safety architecture that increases protection without reducing autonomy. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Prospective safety intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 100-106; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 008 pp. 100-106.

012 to 009: consequential handoff

Identity and self-model -> Housing and domestic environment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Housing and domestic environment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Property price or occupancy status. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Resident, landlord, neighborhood, city. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Whole-cost housing and location architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Matched housing intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 107-113; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 009 pp. 107-113.

012 to 010: consequential handoff

Identity and self-model -> Human longevity and life-course planning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Human longevity and life-course planning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Chronological age or retirement age. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Person, family, institutions, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Life-course capital and care architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Longitudinal life-course cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 114-120; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 010 pp. 114-120.

012 to 011: consequential handoff

Identity and self-model -> Psychology and social legibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Psychology and social legibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Snapshot diagnosis or social category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Person, family, employer, clinician. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Multidimensional schema plus support matched to hidden burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Longitudinal external cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 122-128; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 011 pp. 122-128.

012 to 012: consequential handoff

Identity and self-model -> Identity and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

INTERFACE AND COUPLING STATUS

This is a within-domain loop: the post-state of Identity and self-model becomes the next native state under its existing map. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Single identity label or credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Person and receiving institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Selective multi-context identity graph with provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Cross-context identity study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 129-135; WITHIN-DOMAIN RECURRENCE. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 012 pp. 129-135.

012 to 013: consequential handoff

Identity and self-model -> Relationships and intimacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Relationships and intimacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Relationship status or personality label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Partners and wider support network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Reciprocal state and burden ledger plus consent architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Dyadic longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 136-142; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 013 pp. 136-142.

012 to 014: consequential handoff

Identity and self-model -> Parenting and child development | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Parenting and child development; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Age norm, grade or behavior label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Child, parent, school, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Developmental state map plus distributed support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Longitudinal family-school cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 143-149; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 014 pp. 143-149.

012 to 015: consequential handoff

Identity and self-model -> Purpose and self-actualization | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Purpose and self-actualization; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Career status, wealth or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Person, relationships, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Whole-person capability architecture and burden guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Longitudinal multidimensional evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 150-156; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 015 pp. 150-156.

012 to 016: consequential handoff

Identity and self-model -> Existential wellbeing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Existential wellbeing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Symptom or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Person, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Voluntary meaning-reflection and support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Patient/user-reported longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 157-163; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 016 pp. 157-163.

012 to 017: consequential handoff

Identity and self-model -> Spiritual life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Spiritual life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Institutional affiliation alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Individual, family, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Ethical observational study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 164-170; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 017 pp. 164-170.

012 to 018: consequential handoff

Identity and self-model -> Religion and community institutions | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Religion and community institutions; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Membership or doctrinal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Members, families, leaders, wider community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Transparent governance, reporting, safeguarding and exit rights. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Institutional longitudinal audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 171-177; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 018 pp. 171-177.

012 to 019: consequential handoff

Identity and self-model -> Emotion and affect regulation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Emotion and affect regulation: Internal state, context, physiology, cognition and social feedback.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Emotion and affect regulation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Valence score or symptom label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Person and relationships. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: State-aware regulation architecture with physiological feedback. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Crossover intervention study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 178-184; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 019 pp. 178-184.

012 to 020: consequential handoff

Identity and self-model -> Trust and fidelity between people | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Trust and fidelity between people: History, promises, evidence, uncertainty and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Trust and fidelity between people; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Trusted/untrusted binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: People and institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Dynamic provenance and expectation architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Prospective trust-repair study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 185-191; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 020 pp. 185-191.

012 to 021: consequential handoff

Identity and self-model -> Healthcare delivery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Healthcare delivery: Clinical state, logistics, caregiver capacity, finance and post-discharge environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Healthcare delivery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Episode-of-care schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Patient, caregiver, outpatient system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Consequential discharge/care orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 193-199; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 021 pp. 193-199.

012 to 022: consequential handoff

Identity and self-model -> Diagnostics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Diagnostics: Underlying disease state, uncertainty, test characteristics and downstream actions.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Diagnostics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Single test result. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Patient, clinician, payer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Bayesian multi-source diagnostic schema + uncertainty communication. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Prospective blinded diagnostic study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 200-206; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 022 pp. 200-206.

012 to 023: consequential handoff

Identity and self-model -> Cancer ecology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Cancer ecology: Clone mix, immune state, microenvironment, host reserve and therapy exposure.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Cancer ecology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Stage/tumor-size snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Resistant clones, healthy tissue, immune system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Adaptive ecological state estimator + resistance/host capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Preclinical then clinical adaptive trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 207-213; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 023 pp. 207-213.

012 to 024: consequential handoff

Identity and self-model -> Neuroscience and neurodegeneration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Neuroscience and neurodegeneration: Neural, glial, vascular, metabolic, network and functional state.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Neuroscience and neurodegeneration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Single biomarker or visible function. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Neural networks, metabolism, caregiver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Multimodal state estimator + restorative capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Multimodal longitudinal intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 214-220; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 024 pp. 214-220.

012 to 025: consequential handoff

Identity and self-model -> Aging biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Aging biology: Coupled damage, repair, senescence, immunity, metabolism and regeneration.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Aging biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Age scalar or isolated hallmark. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Cells, tissues, immune system, metabolism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Moving-bottleneck RVG controller across damage/repair channels. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Preclinical multi-pathway study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 221-227; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 025 pp. 221-227.

012 to 026: consequential handoff

Identity and self-model -> Immunology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Immunology: Immune activation, tolerance, pathogen/tumor signals and tissue damage.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Immunology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Single cytokine or cell-count schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Pathogen, immune cells, host tissue. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: State-dependent immune control balancing clearance and collateral damage. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Controlled biological study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 228-234; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 026 pp. 228-234.

012 to 027: consequential handoff

Identity and self-model -> Infectious disease | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Infectious disease: Pathogen dynamics, host immunity, behavior, network spread and treatment.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Infectious disease; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Case count or pathogen-only model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Patients, contacts, health system, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Multi-carrier containment + treatment + livelihood capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Prospective outbreak protocol'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 235-241; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 027 pp. 235-241.

012 to 028: consequential handoff

Identity and self-model -> Microbiome | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Microbiome: Host physiology plus microbial ecology and diet/environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Microbiome; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Species abundance snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Host and microbial community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Functional ecosystem state model and adaptive intervention. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Controlled longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 242-248; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 028 pp. 242-248.

012 to 029: consequential handoff

Identity and self-model -> Genomics and proteomics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Genomics and proteomics: Variants, expression, proteins, pathways, context and phenotype.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Genomics and proteomics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Single marker/pathogenicity label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Cells, tissues, patient. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Multi-omic causal state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Prospective multi-omic validation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 249-255; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 029 pp. 249-255.

012 to 030: consequential handoff

Identity and self-model -> Surgery and rehabilitation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Surgery and rehabilitation: Anatomy, function, pain, recovery capacity, home support and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Surgery and rehabilitation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Procedure success or anatomical correction. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Patient, caregiver, rehab system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Prehabilitation + procedure + recovery orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 256-262; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 030 pp. 256-262.

012 to 031: consequential handoff

Identity and self-model -> Early-childhood development and education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Early-childhood development and education: Development, safety, language, nutrition, play, attachment and resources.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Early-childhood development and education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Age milestone or readiness score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Child, caregiver, educator. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Integrated developmental support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Longitudinal program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 264-270; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 031 pp. 264-270.

012 to 032: consequential handoff

Identity and self-model -> K-12 education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

K-12 education: Knowledge, skills, wellbeing, context, resources and learning trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into K-12 education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Grade/test score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Student, teacher, family. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Capability graph + adaptive learning + wellbeing constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Cluster randomized trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 271-277; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 032 pp. 271-277.

012 to 033: consequential handoff

Identity and self-model -> Higher education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Higher education: Capability, knowledge, network, finances and career pathways.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Higher education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Degree/GPA credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Student, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Capability/provenance portfolio + adaptive pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Longitudinal graduate outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 278-284; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 033 pp. 278-284.

012 to 034: consequential handoff

Identity and self-model -> Vocational and workforce learning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Vocational and workforce learning: Skills, task demand, wages, mobility and employer needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Vocational and workforce learning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Course completion certificate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Worker, employer, training provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Skill-to-task provenance and placement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Matched labor-market evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 285-291; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 034 pp. 285-291.

012 to 035: consequential handoff

Identity and self-model -> Scientific research | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Scientific research: Hypotheses, methods, data, negative results, replication and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Scientific research; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Publication/citation unit. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Researchers, institutions, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Experiment provenance + negative-result + replication architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Cross-lab replication program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 292-298; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 035 pp. 292-298.

012 to 036: consequential handoff

Identity and self-model -> Justice and courts | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Justice and courts: Facts, evidence, harm, intent, procedure, history and remedies.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Justice and courts; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Case category or docket state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Victims, accused, families, courts, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Causal provenance + harm/restitution + recurrence architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Prospective process evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 299-305; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 036 pp. 299-305.

012 to 037: consequential handoff

Identity and self-model -> Policing and public safety systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Policing and public safety systems: Threat, context, evidence, community trust, capacity and alternatives.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Policing and public safety systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Incident/offense label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Residents, officers, victims, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Evidence-first response selection + prevention/support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Independent public evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 306-312; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 037 pp. 306-312.

012 to 038: consequential handoff

Identity and self-model -> Corrections, rehabilitation and reintegration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Corrections, rehabilitation and reintegration: Risk, harm, needs, skills, housing, work and social support.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Corrections, rehabilitation and reintegration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Sentence/recidivism risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Person, family, community, justice system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Rehabilitation + restitution + housing/work capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Longitudinal controlled program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 313-319; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 038 pp. 313-319.

012 to 039: consequential handoff

Identity and self-model -> Public administration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Public administration: Citizen state, eligibility, documents, services and agency capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Public administration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Program-specific record. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Citizen, frontline staff, budget. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Interoperable verified state + once-only data + case orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Agency pilot with citizen/staff metrics'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 320-326; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 039 pp. 320-326.

012 to 040: consequential handoff

Identity and self-model -> Governance and institutional design | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Governance and institutional design: Authority, incentives, information, accountability, resources and affected populations.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Governance and institutional design; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Organizational chart or legal mandate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Citizens, agencies, future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Cross-boundary outcome ledger + accountability and capacity design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Prospective institutional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 327-333; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 040 pp. 327-333.

012 to 041: consequential handoff

Identity and self-model -> Beauty and aesthetics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Beauty and aesthetics: Biology, preference, culture, identity, safety, cost and perception.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Beauty and aesthetics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Universal beauty standard or product category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Person, body, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Personalized aesthetic/safety state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Consumer/clinical outcome study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 335-341; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 041 pp. 335-341.

012 to 042: consequential handoff

Identity and self-model -> Fashion and apparel | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Fashion and apparel: Identity, fit, comfort, durability, labor, inventory and lifecycle.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Fashion and apparel; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Size/SKU/category schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Wearer, worker, retailer, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Adaptive sizing + provenance + circularity architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Retail field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 342-348; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 042 pp. 342-348.

012 to 043: consequential handoff

Identity and self-model -> Luxury goods | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Luxury goods: Provenance, scarcity, condition, access, identity, inventory and lifecycle value.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Luxury goods; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Price/status/authenticity binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Buyer, seller, inventory, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Provenance + condition + access + reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Operational field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 349-355; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 043 pp. 349-355.

012 to 044: consequential handoff

Identity and self-model -> Hospitality | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Hospitality: Guest needs, staff capacity, time, room state, logistics and locality.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Hospitality; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Booking/reservation state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Guest, staff, operator, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: End-to-end experience and workload orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Property-level A/B evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 356-362; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 044 pp. 356-362.

012 to 045: consequential handoff

Identity and self-model -> Travel and tourism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Travel and tourism: Mobility, cost, safety, experience, local capacity and environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Travel and tourism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Itinerary/booking schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Traveler, worker, resident, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Consequential itinerary/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Destination pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 363-369; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 045 pp. 363-369.

012 to 046: consequential handoff

Identity and self-model -> Art and cultural markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Art and cultural markets: Creative work, provenance, rights, cultural meaning, scarcity and audience.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Art and cultural markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Price/ownership/engagement proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Artist, audience, collector, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Rights/provenance/value-sharing architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Marketplace field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 370-376; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 046 pp. 370-376.

012 to 047: consequential handoff

Identity and self-model -> Music and entertainment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Music and entertainment: Creative contribution, rights, attention, audience value and platform economics.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Music and entertainment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Stream/view count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Creators, audiences, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Contribution/provenance + value-distribution architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 377-383; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 047 pp. 377-383.

012 to 048: consequential handoff

Identity and self-model -> Gaming and virtual worlds | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Gaming and virtual worlds: Player goals, time, identity, economy, safety and creator contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Gaming and virtual worlds; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Retention/spend metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Players, creators, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Cross-reality value and safety controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 384-390; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 048 pp. 384-390.

012 to 049: consequential handoff

Identity and self-model -> Sports and performance | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Sports and performance: Performance, health, training load, recovery, team dynamics and career horizon.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Sports and performance; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Win/score/output metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Athlete, team, family, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Load/recovery/career controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Prospective team study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 391-397; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 049 pp. 391-397.

012 to 050: consequential handoff

Identity and self-model -> Experience design and events | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Experience design and events: Attention, emotion, logistics, accessibility, staff load and community impact.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Experience design and events; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Attendance/NPS/ticket revenue. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Guests, staff, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: End-to-end experience-state orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Event A/B study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 398-404; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 050 pp. 398-404.

012 to 051: consequential handoff

Identity and self-model -> Currency and monetary experience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Currency and monetary experience: Purchasing power, liquidity, settlement, access, trust and macro context.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Currency and monetary experience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Nominal unit/FX quote. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Households, firms, intermediaries. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Consequential monetary-state and settlement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Historical + prospective policy-neutral system test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 406-412; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 051 pp. 406-412.

012 to 052: consequential handoff

Identity and self-model -> Payments and remittances | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Payments and remittances: Amount, fees, FX, settlement time, access, fraud and recipient liquidity.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Payments and remittances; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Successful transfer binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Sender, receiver, provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: End-to-end transfer optimization with transparent provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Transaction-level field test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 413-419; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 052 pp. 413-419.

012 to 053: consequential handoff

Identity and self-model -> Banking and liquidity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Banking and liquidity: Deposits, credit, liquidity, capital, customer state and network exposures.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Banking and liquidity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Product/account or institution-local balance sheet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Banks, customers, counterparties, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Network consequential balance sheet + capacity buffers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Stress test + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 420-426; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 053 pp. 420-426.

012 to 054: consequential handoff

Identity and self-model -> Credit and underwriting | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Credit and underwriting: Cashflow, assets, obligations, trajectory, capability and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Credit and underwriting; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Static score/category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Borrower, lender, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Dynamic provenance/capacity underwriting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Prospective lending trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 427-433; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 054 pp. 427-433.

012 to 055: consequential handoff

Identity and self-model -> Insurance and resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Insurance and resilience: Hazard, exposure, prevention, coverage, recovery and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Insurance and resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Loss probability/policy class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Policyholder, insurer, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Prevention + resilience + coverage architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Pilot product evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 434-440; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 055 pp. 434-440.

012 to 056: consequential handoff

Identity and self-model -> Capital markets and investing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Capital markets and investing: Price, cashflow, externalities, network risk and long-horizon value.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Capital markets and investing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Return/risk factor set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Investor, firm, workers, public, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Consequential asset ledger with carrier constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Historical backtest + prospective paper portfolio'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 441-447; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 056 pp. 441-447.

012 to 057: consequential handoff

Identity and self-model -> Private wealth and family capital | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Private wealth and family capital: Financial, human, social, health and intergenerational capital.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Private wealth and family capital; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Portfolio net worth. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Client, family, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Whole-capital balance sheet + goals/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Longitudinal client evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 448-454; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 057 pp. 448-454.

012 to 058: consequential handoff

Identity and self-model -> Labor and talent markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Labor and talent markets: Capability, workload, pay, health, learning and opportunity.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Labor and talent markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Job title/CV/credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Worker, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Capability-state + workload + mobility architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Workplace pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 455-461; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 058 pp. 455-461.

012 to 059: consequential handoff

Identity and self-model -> Organizations and enterprises | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Organizations and enterprises: Functions, dependencies, people, cash, knowledge and customer value.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Organizations and enterprises; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Department/KPI structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Workers, customers, suppliers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Enterprise consequential graph + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Multi-team field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 462-468; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 059 pp. 462-468.

012 to 060: consequential handoff

Identity and self-model -> Entrepreneurship and venture creation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Entrepreneurship and venture creation: Unmet burden, carrier, willingness to pay, build cost and adoption.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Entrepreneurship and venture creation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Existing market category/TAM. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Founder initially, then customer/system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Mutual-Uptick blocker discovery + missing-capacity build. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Pilot venture with carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 469-475; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 060 pp. 469-475.

012 to 061: consequential handoff

Identity and self-model -> Artificial intelligence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Artificial intelligence: Model state, source reality, user intent, provenance, uncertainty and downstream action.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Artificial intelligence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Prompt/context window/model output. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: User, verifier, downstream system, compute. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Persistent schema/provenance layer + self-audit and escalation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Sealed cross-model benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 477-483; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 061 pp. 477-483.

012 to 062: consequential handoff

Identity and self-model -> Software systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Software systems: Requirements, dependencies, state, users, infrastructure and technical debt.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Software systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Feature/ticket/local module schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Developers, users, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Dependency/provenance graph + consequential release controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Repository-level prospective benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 484-490; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 062 pp. 484-490.

012 to 063: consequential handoff

Identity and self-model -> Cybersecurity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Cybersecurity: Actual attack graph, identities, vulnerabilities, privileges and attacker state.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Cybersecurity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Defender inventory/rules/log view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Systems, users, analysts, business continuity. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Self-updating attack schema + carrier prediction + safe containment/failover. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Red-team sealed telemetry benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 491-497; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 063 pp. 491-497.

012 to 064: consequential handoff

Identity and self-model -> Data infrastructure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Data infrastructure: Datasets, lineage, semantics, permissions, quality and downstream uses.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Data infrastructure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Table/file/schema local view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Analysts, models, users, compliance. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Provenance graph + semantic reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Enterprise data benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 498-504; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 064 pp. 498-504.

012 to 065: consequential handoff

Identity and self-model -> Privacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Privacy: Data state, purposes, consent, exposure, value and future misuse.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Privacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Consent checkbox or access-control list. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Person, organization, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Selective disclosure + provenance + minimization architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Field trial + attack testing'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 505-511; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 065 pp. 505-511.

012 to 066: consequential handoff

Identity and self-model -> Digital identity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Digital identity: Attributes, credentials, context, revocation, privacy and trust.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Digital identity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Single identifier/account. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Person, verifier, issuer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Selective-verification credential graph. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Cross-service pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 512-518; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 066 pp. 512-518.

012 to 067: consequential handoff

Identity and self-model -> Internet and communications | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Internet and communications: Topology, capacity, latency, content, trust and user needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Internet and communications; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Throughput/uptime metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Users, networks, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Consequential routing + fidelity/provenance layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Network/application experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 519-525; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 067 pp. 519-525.

012 to 068: consequential handoff

Identity and self-model -> Media and information ecosystems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Media and information ecosystems: Claims, evidence, incentives, attention, creators and audiences.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Media and information ecosystems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Engagement/feed rank. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Audience, creator, public discourse. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Claim provenance + quality + incentive reconciliation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 526-532; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 068 pp. 526-532.

012 to 069: consequential handoff

Identity and self-model -> Language and translation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Language and translation: Meaning, context, culture, pragmatics and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Language and translation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Word/token correspondence. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Speakers, institutions, models. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Semantic/provenance translation with ambiguity tracking. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Blind human evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 533-539; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 069 pp. 533-539.

012 to 070: consequential handoff

Identity and self-model -> Knowledge and ontologies | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Knowledge and ontologies: Entities, relations, provenance, incompatible schemas and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Knowledge and ontologies; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Single ontology/taxonomy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Researchers, AI, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Cross-schema translation + minimal sufficient ontology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Cross-domain benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 540-546; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 070 pp. 540-546.

012 to 071: consequential handoff

Identity and self-model -> Energy and power grids | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Energy and power grids: Generation, load, storage, network constraints, prices and reliability.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Energy and power grids; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Local device efficiency or node KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Grid nodes, customers, storage, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Consequential grid controller + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Grid simulation + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 548-554; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 071 pp. 548-554.

012 to 072: consequential handoff

Identity and self-model -> Water and irrigation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Water and irrigation: Withdrawals, consumptive use, return flows, storage, aquifers and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Water and irrigation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Farm/project efficiency. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Downstream users, rivers, aquifers, ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Basin-wide accounting + catchment + allocation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Basin holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 555-561; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 072 pp. 555-561.

012 to 073: consequential handoff

Identity and self-model -> Food and agriculture | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Food and agriculture: Yield, soil, water, inputs, nutrition, labor, market and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Food and agriculture; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Yield/acre or commodity price. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Farmer, consumer, soil, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Coupled regenerative production controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Multi-season farm trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 562-568; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 073 pp. 562-568.

012 to 074: consequential handoff

Identity and self-model -> Supply chains and logistics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Supply chains and logistics: Inventory, demand, transport, suppliers, lead times and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Supply chains and logistics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Node-level cost/service KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Suppliers, warehouses, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Carrier-aware flow controller + buffer placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Historical + live pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 569-575; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 074 pp. 569-575.

012 to 075: consequential handoff

Identity and self-model -> Manufacturing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Manufacturing: Materials, energy, machines, labor, quality, maintenance and waste.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Manufacturing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Unit cost/OEE. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Workers, machines, environment, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Closed-loop production and maintenance architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Factory pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 576-582; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 075 pp. 576-582.

012 to 076: consequential handoff

Identity and self-model -> Waste and circular materials | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Waste and circular materials: Material composition, location, contamination, residual value and logistics.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Waste and circular materials; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Waste tonnage/disposal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Communities, environment, future production. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Material provenance + recapture + transformation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Municipal/industrial pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 583-589; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 076 pp. 583-589.

012 to 077: consequential handoff

Identity and self-model -> Transportation and mobility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Transportation and mobility: Trips, time, safety, access, energy, congestion and land use.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Transportation and mobility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Vehicle throughput/speed. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Travelers, neighborhoods, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Multimodal consequential mobility controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'City corridor pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 590-596; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 077 pp. 590-596.

012 to 078: consequential handoff

Identity and self-model -> Cities and urban systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Cities and urban systems: Housing, jobs, transport, health, utilities, safety and public space.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Cities and urban systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Agency-by-agency city data. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Residents, agencies, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: City consequential digital twin + coordinated capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'District pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 597-603; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 078 pp. 597-603.

012 to 079: consequential handoff

Identity and self-model -> Climate and disaster resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Climate and disaster resilience: Hazard, exposure, vulnerability, infrastructure, food, health and recovery.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Climate and disaster resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Hazard forecast alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: People, infrastructure, ecosystems, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Anticipatory catchment + prepositioned capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Prospective matched pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 604-610; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 079 pp. 604-610.

012 to 080: consequential handoff

Identity and self-model -> Ecology and biodiversity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Ecology and biodiversity: Species, habitats, flows, extraction, communities and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Ecology and biodiversity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Protected-area/local species metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Species, habitats, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Landscape-scale leakage/carrier accounting + livelihoods. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Landscape holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 611-617; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 080 pp. 611-617.

012 to 081: consequential handoff

Identity and self-model -> Cell biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Cell biology: Signaling, organelles, metabolism, damage, repair and cell-state transitions.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Cell biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Single pathway/marker. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Organelles, pathways, neighboring cells. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Multi-state cellular controller + capacity targeting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'In-vitro perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 619-625; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 081 pp. 619-625.

012 to 082: consequential handoff

Identity and self-model -> Molecular biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Molecular biology: Molecules, conformations, binding networks, concentrations and kinetics.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Molecular biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Single interaction/target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Molecules, pathways, host system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Reaction/network state model + off-target carrier control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Bench experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 626-632; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 082 pp. 626-632.

012 to 083: consequential handoff

Identity and self-model -> Nanotechnology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Nanotechnology: Particle properties, surfaces, transport, environment and biological interaction.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Nanotechnology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Particle spec alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Cells, environment, users. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Lifecycle and interaction-aware nano design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Bench + environmental tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 633-639; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 083 pp. 633-639.

012 to 084: consequential handoff

Identity and self-model -> Chemistry and reaction systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Chemistry and reaction systems: Species, reaction network, kinetics, energy, byproducts and separation.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Chemistry and reaction systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Target yield/selectivity. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Reactor, environment, downstream process. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Consequential reaction-network optimization + recovery loops. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Reactor experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 640-646; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 084 pp. 640-646.

012 to 085: consequential handoff

Identity and self-model -> Materials science | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Materials science: Microstructure, defects, stress, temperature, lifecycle and manufacturing.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Materials science; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Bulk property spec. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Material, structure, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Defect-aware multiproperty design + recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Lab characterization'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 647-653; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 085 pp. 647-653.

012 to 086: consequential handoff

Identity and self-model -> Classical mechanics and control | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Classical mechanics and control: Physical state, dynamics, sensors, actuators and disturbance.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Classical mechanics and control; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Partial state observation/local control objective. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Plant, actuator, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Representation-aware full-state controller + regenerative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Physical bench experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 654-660; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 086 pp. 654-660.

012 to 087: consequential handoff

Identity and self-model -> Thermodynamics and nonequilibrium systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Thermodynamics and nonequilibrium systems: Energy, entropy, gradients, reservoirs, flows and constraints.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Thermodynamics and nonequilibrium systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Local efficiency/temperature metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Reservoirs, environment, components. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Whole-boundary energy/exergy and recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Physical experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 661-667; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 087 pp. 661-667.

012 to 088: consequential handoff

Identity and self-model -> Electromagnetism and circuits | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Electromagnetism and circuits: Fields, voltages, currents, topology, storage and losses.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Electromagnetism and circuits; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Local component state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Circuit elements, sources, loads. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Full-network state estimation + capacity/recovery placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Bench circuit experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 668-674; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 088 pp. 668-674.

012 to 089: consequential handoff

Identity and self-model -> Quantum systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Quantum systems: Quantum state, observables, measurement, control and decoherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Quantum systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Accessible observable set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Quantum system, apparatus, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Constraint-respecting measurement/control schema + capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Laboratory quantum experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 675-681; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 089 pp. 675-681.

012 to 090: consequential handoff

Identity and self-model -> Pure mathematics and formal systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Pure mathematics and formal systems: Objects, relations, axioms, language, proofs and translations.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Pure mathematics and formal systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Chosen signature/type system/quotient. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Proof system, translator, solver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Minimal sufficient schema preserving required relations. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Machine-checked theorem suite'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 682-688; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 090 pp. 682-688.

012 to 091: consequential handoff

Identity and self-model -> Statistics and causal inference | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Statistics and causal inference: Data-generating process, sampling, measurement, confounding and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Statistics and causal inference; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Chosen model/estimand. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Decision makers, future samples, affected groups. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Provenance-aware multi-model causal state + identifiability guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Simulation + multi-dataset benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 690-696; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 091 pp. 690-696.

012 to 092: consequential handoff

Identity and self-model -> Logic and reasoning systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Logic and reasoning systems: Premises, inference rules, contradictions, uncertainty and goals.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Logic and reasoning systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Single logical calculus. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Reasoner, downstream decision. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Multi-logic translation + contradiction provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Formal benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 697-703; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 092 pp. 697-703.

012 to 093: consequential handoff

Identity and self-model -> Geography and territorial systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Geography and territorial systems: People, ecosystems, infrastructure, flows and administrative boundaries.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Geography and territorial systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Jurisdiction/map boundary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Border communities, watersheds, networks. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Flow-based territorial state model. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Regional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 704-710; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 093 pp. 704-710.

012 to 094: consequential handoff

Identity and self-model -> Informal economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Informal economy: Real work, exchange, trust, risk and household needs outside formal records.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Informal economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Formal registry/tax/business schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Workers, households, state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Low-friction recognition, protection and access architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Field pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 711-717; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 094 pp. 711-717.

012 to 095: consequential handoff

Identity and self-model -> Illicit and black markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Illicit and black markets: Hidden demand, supply, coercion, enforcement, prices and harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Illicit and black markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Official market data that excludes hidden exchange. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Victims, communities, lawful firms, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Independent harm-reduction/public-safety evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 718-724; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 095 pp. 718-724.

012 to 096: consequential handoff

Identity and self-model -> Orbital and space economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Orbital and space economy: Spacecraft, debris, spectrum, energy, logistics and operator incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Orbital and space economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Mission-local success metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Other spacecraft, operators, orbital environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Orbital consequential ledger + shared capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Simulation + mission pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 725-731; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 096 pp. 725-731.

012 to 097: consequential handoff

Identity and self-model -> Extraterrestrial settlement | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Extraterrestrial settlement: Life support, energy, materials, health, governance and closed ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Extraterrestrial settlement; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Earth-derived subsystem silos. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Crew, machines, habitat ecology. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Closed-loop consequential state + autonomous capacity construction. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Analog habitat + mission tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 732-738; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 097 pp. 732-738.

012 to 098: consequential handoff

Identity and self-model -> Astrobiology and biosignatures | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Astrobiology and biosignatures: Unknown life chemistries, environments, signals and contamination risks.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Astrobiology and biosignatures; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Earth-centric life schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Scientific program, environment, future missions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Plural biosignature schema + provenance/contamination control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Blind benchmark + mission data'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 739-745; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 098 pp. 739-745.

012 to 099: consequential handoff

Identity and self-model -> Planetary systems and stewardship | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Planetary systems and stewardship: Atmosphere, hydrology, geology, biosphere, resources and settlements.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Planetary systems and stewardship; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Sector-local resource model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Settlements, ecosystems, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Closed-loop planetary resource and restoration architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Earth analog + simulation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 746-752; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 099 pp. 746-752.

012 to 100: consequential handoff

Identity and self-model -> Unknown and not-yet-named realities | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Unknown and not-yet-named realities: Any newly observed substrate, scale, agent, value dimension or exchange mode.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Unknown and not-yet-named realities; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: No adequate schema exists yet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Unknown until carrier tracing identifies it. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Instantiate M_d, define schema, measure gap, trace carrier, construct capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Freeze kernel before learning outcomes; then holdout/replicate'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 753-759; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 100 pp. 753-759.

012 to 101: consequential handoff

Identity and self-model -> Conscious experience and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Conscious experience and self-model: Perception, affect, memory, self-model, attention, internal accessibility and embodied state.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Conscious experience and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: A receiving observer reduces another system to behavior, category or output alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Experiencing system, observers, dependent systems and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Cross-modal state representation with provenance, uncertainty and non-erasure constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Prospective multi-method cross-observer study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 761-767; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 101 pp. 761-767.

012 to 102: consequential handoff

Identity and self-model -> Choice and option topology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Choice and option topology: Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Choice and option topology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Binary free-choice / no-choice label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Chooser, affected people, institutions and future option set. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Feasible-option map plus prebuilt low-friction lawful/prosocial pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Prospective choice-topology intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 768-774; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 102 pp. 768-774.

012 to 103: consequential handoff

Identity and self-model -> Truth, deception and disclosure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Truth, deception and disclosure: Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Truth, deception and disclosure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Truth/lie binary detached from consequence topology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Speaker, listener, harmed parties, institutions and future trust network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Verification, safe disclosure, correction, restitution and transition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Sealed truth-cost / disclosure study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 775-781; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 103 pp. 775-781.

012 to 104: consequential handoff

Identity and self-model -> Responsibility and causal attribution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Responsibility and causal attribution: Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Responsibility and causal attribution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Moral label detached from the action-producing state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Actor, victims, institutions, community and future actors. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Blinded case reconstruction with preregistered causal criteria'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 782-788; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 104 pp. 782-788.

012 to 105: consequential handoff

Identity and self-model -> Consent, coercion and autonomy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Consent, coercion and autonomy: Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Consent, coercion and autonomy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Signed/expressed consent treated as sufficient state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Decision maker, counterparties, dependents and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Real exit, recourse, reversible consent, information symmetry and alternative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Prospective consent-quality audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 789-795; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 105 pp. 789-795.

012 to 106: consequential handoff

Identity and self-model -> Addiction, compulsion and short-horizon relief | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Addiction, compulsion and short-horizon relief: Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Addiction, compulsion and short-horizon relief; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Substance/behavior category or abstinence binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Person, body, relationships, household, community and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Longitudinal regulated intervention with multi-carrier outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 796-802; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 106 pp. 796-802.

012 to 107: consequential handoff

Identity and self-model -> Crime, violence and reconciliation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Crime, violence and reconciliation: Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Crime, violence and reconciliation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Offense label or actor-only risk score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Victims, actor, families, community, institutions and future potential victims. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Longitudinal controlled justice-program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 803-809; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 107 pp. 803-809.

012 to 108: consequential handoff

Identity and self-model -> Animal sentience and welfare | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Animal sentience and welfare: Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Animal sentience and welfare; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Commodity/yield schema that excludes the animal as a carrier. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Animals, workers, consumers, farmers, land, ecosystems and communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Welfare, alternative-production, livelihood-transition and ecological capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Multi-carrier welfare, nutrition and livelihood trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 810-816; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 108 pp. 810-816.

012 to 109: consequential handoff

Identity and self-model -> Collective agency and institutional choice | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Collective agency and institutional choice: Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Collective agency and institutional choice; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Organization treated as a single actor without internal carrier structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Members, minorities, leaders, outsiders, institutions and future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Distributed decision provenance, dissent channels, accountability and cross-boundary capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Prospective institutional decision audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 817-823; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 109 pp. 817-823.

012 to 110: consequential handoff

Identity and self-model -> Human-AI co-agency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Human-AI co-agency: Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Human-AI co-agency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Model output or benchmark score treated as the whole system. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: User, non-user, model operator, workers, institutions, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Persistent provenance, human control, reversibility, portability, verification and receivingcapacity layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Sealed native-vs-K_R assisted agent benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 824-830; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 110 pp. 824-830.

012 to 111: consequential handoff

Identity and self-model -> Evolution and natural selection | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Evolution and natural selection: Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Evolution and natural selection; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Fitness proxy or single-trait narrative. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Individuals, lineages, populations, interacting species and ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Diversity, ecological capacity and intervention guardrails where deliberate action exists. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Time-locked population/genomic holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 832-838; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 111 pp. 832-838.

012 to 112: consequential handoff

Identity and self-model -> Reproduction, inheritance, mitosis and meiosis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Reproduction, inheritance, mitosis and meiosis: Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Reproduction, inheritance, mitosis and meiosis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Outcome-only birth/division count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Parent cell/organism, daughter cells, gametes, offspring and lineage. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Checkpoint, repair, redundancy and developmental-support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Lineage-resolved perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 839-845; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 112 pp. 839-845.

012 to 113: consequential handoff

Identity and self-model -> Development and morphogenesis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Development and morphogenesis: Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Development and morphogenesis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Single marker or endpoint morphology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Cells, tissues, organs, organism and developmental future state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Stage-aware multi-pathway support, repair and resource architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Longitudinal developmental perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 846-852; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 113 pp. 846-852.

012 to 114: consequential handoff

Identity and self-model -> Metabolism, diet and consumption | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Metabolism, diet and consumption: Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Metabolism, diet and consumption; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Calories/macros or one nutrient target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Gut, microbiome, liver, tissues, household, food system and future organism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Adaptive conversion, buffering, storage, elimination and access capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Controlled longitudinal multi-carrier nutrition study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 853-859; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 114 pp. 853-859.

012 to 115: consequential handoff

Identity and self-model -> Predation, livestock and food-system transformation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Predation, livestock and food-system transformation: Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Predation, livestock and food-system transformation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Yield, price or human nutrition alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Animals, humans, workers, farmers, consumers, land, ecosystems and future food security. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Phased regional transition with preregistered carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 860-866; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 115 pp. 860-866.

012 to 116: consequential handoff

Identity and self-model -> Learning, plasticity and cultural evolution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Learning, plasticity and cultural evolution: Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Learning, plasticity and cultural evolution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Test score, output or adoption count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Learner, teachers, peers, institutions, future self and cultural network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Longitudinal transfer-and-retention experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 867-873; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 116 pp. 867-873.

012 to 117: consequential handoff

Identity and self-model -> Self-organization and emergence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Self-organization and emergence: Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Self-organization and emergence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Macro outcome without micro-carrier ledger. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Components, neighborhoods, emergent structure and external environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Multi-scale simulation plus physical/biological holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 874-880; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 117 pp. 874-880.

012 to 118: consequential handoff

Identity and self-model -> Creation, provenance and dependency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Creation, provenance and dependency: Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Creation, provenance and dependency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Ownership or authorship treated as sufficient relationship model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Creators, created systems, maintainers, users, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Provenance, stewardship, autonomy-transition and reciprocal-viability architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Longitudinal creator-created dependency audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 881-887; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 118 pp. 881-887.

012 to 119: consequential handoff

Identity and self-model -> Cosmological evolution and structure formation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Cosmological evolution and structure formation: Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Cosmological evolution and structure formation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Single scale or observable treated as complete cosmic state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: Observed regions, fields/matter components, instruments, models and observers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Cross-scale observation, uncertainty, model-comparison and instrumentation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Preregistered cross-survey predictive holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 888-894; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 119 pp. 888-894.

012 to 120: consequential handoff

Identity and self-model -> Cross-substrate consciousness, temporal coexistence and closure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

PROPOSED RECEIVER AND STATE

Cross-substrate consciousness, temporal coexistence and closure: The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility.

INTERFACE AND COUPLING STATUS

Proposed interface from Identity and self-model into Cross-substrate consciousness, temporal coexistence and closure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Single identity label or credential. Receiver's limited view: Any local adapter, species, institution or observer claiming closure from its own schema alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person and receiving institutions. Candidate receiver carriers: All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Selective multi-context identity graph with provenance. Receiving capacity: Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and.... Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Cross-context identity study' with a receiver study of 'Time-locked system-of-systems closure test across multiple adapters'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 129-135 and 895-901; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026). Receiver Adapter 120 pp. 895-901.

012: Identity and self-model

Household / family / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Household / family / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Household / family / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Household / family / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Household / family / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Household / family / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

School / university / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

School / university / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

School / university / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

School / university / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

School / university / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

School / university / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Enterprise / cooperative / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Enterprise / cooperative / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Enterprise / cooperative / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Enterprise / cooperative / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Enterprise / cooperative / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Enterprise / cooperative / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Healthcare / care team / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Healthcare / care team / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Healthcare / care team / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Healthcare / care team / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Healthcare / care team / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Healthcare / care team / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Local government / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Local government / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Local government / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Local government / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Local government / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Local government / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Ecological catchment / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Ecological catchment / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Ecological catchment / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Ecological catchment / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Ecological catchment / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Ecological catchment / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Scientific laboratory / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Scientific laboratory / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Scientific laboratory / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Scientific laboratory / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Scientific laboratory / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Scientific laboratory / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Public infrastructure / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Public infrastructure / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Public infrastructure / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Public infrastructure / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Public infrastructure / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Public infrastructure / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Digital / AI service / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Digital / AI service / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Digital / AI service / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Digital / AI service / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Digital / AI service / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Digital / AI service / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Interregional / planetary / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Interregional / planetary / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Interregional / planetary / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Interregional / planetary / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Interregional / planetary / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Identity and self-model

Interregional / planetary / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Identity and self-model is described in the Atlas as: Attributes, history, roles, values, capabilities and contexts. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Recognition in one schema suppresses other valid dimensions. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person and receiving institutions. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Selective multi-context identity graph with provenance. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Legibility and autonomy improve without forced overexposure. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Cross-context identity study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Evidence and source reconstruction

Identity and self-model | protocol 1 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 012: Identity and self-model; original author status: Constructive protocol. Native state: Attributes, history, roles, values, capabilities and contexts.

EVALUATION OBJECTIVE

Evidence and source reconstruction. Establish what is observed, reported, derived, simulated and currently unavailable. Audit definitions, dates and units.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single identity label or credential. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Recognition in one schema suppresses other valid dimensions. The relevant receiving carriers are: Person and receiving institutions.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Selective multi-context identity graph with provenance. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Legibility and autonomy improve without forced overexposure.

RETEST AND SCOPE CONTROL

Candidate decisive method: Cross-context identity study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Boundary divergence

Identity and self-model | protocol 2 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 012: Identity and self-model; original author status: Constructive protocol. Native state: Attributes, history, roles, values, capabilities and contexts.

EVALUATION OBJECTIVE

Boundary divergence. Predeclare local and consequential objectives, identical feasible action sets, and a measurable divergence test.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single identity label or credential. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Recognition in one schema suppresses other valid dimensions. The relevant receiving carriers are: Person and receiving institutions.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Selective multi-context identity graph with provenance. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Legibility and autonomy improve without forced overexposure.

RETEST AND SCOPE CONTROL

Candidate decisive method: Cross-context identity study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Causal diagram and identifiability

Identity and self-model | protocol 3 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 012: Identity and self-model; original author status: Constructive protocol. Native state: Attributes, history, roles, values, capabilities and contexts.

EVALUATION OBJECTIVE

Causal diagram and identifiability. Draw the candidate causal graph; identify confounders, mediators, spillovers and selection mechanisms.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single identity label or credential. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Recognition in one schema suppresses other valid dimensions. The relevant receiving carriers are: Person and receiving institutions.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Selective multi-context identity graph with provenance. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Legibility and autonomy improve without forced overexposure.

RETEST AND SCOPE CONTROL

Candidate decisive method: Cross-context identity study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Receiving carrier identification

Identity and self-model | protocol 4 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 012: Identity and self-model; original author status: Constructive protocol. Native state: Attributes, history, roles, values, capabilities and contexts.

EVALUATION OBJECTIVE

Receiving carrier identification. Predict the destination, path and delay of consequential burdens before measuring post-state outcomes.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single identity label or credential. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Recognition in one schema suppresses other valid dimensions. The relevant receiving carriers are: Person and receiving institutions.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Selective multi-context identity graph with provenance. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Legibility and autonomy improve without forced overexposure.

RETEST AND SCOPE CONTROL

Candidate decisive method: Cross-context identity study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Hidden compensation accounting

Identity and self-model | protocol 5 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 012: Identity and self-model; original author status: Constructive protocol. Native state: Attributes, history, roles, values, capabilities and contexts.

EVALUATION OBJECTIVE

Hidden compensation accounting. Measure which agent, reserve, budget, ecosystem or later period silently carries the load.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single identity label or credential. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Recognition in one schema suppresses other valid dimensions. The relevant receiving carriers are: Person and receiving institutions.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Selective multi-context identity graph with provenance. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Legibility and autonomy improve without forced overexposure.

RETEST AND SCOPE CONTROL

Candidate decisive method: Cross-context identity study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Native units and dimensional integrity

Identity and self-model | protocol 6 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 012: Identity and self-model; original author status: Constructive protocol. Native state: Attributes, history, roles, values, capabilities and contexts.

EVALUATION OBJECTIVE

Native units and dimensional integrity. Define each carrier outcome in its own units; avoid offsetting unlike harms with unsupported scalar sums.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single identity label or credential. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Recognition in one schema suppresses other valid dimensions. The relevant receiving carriers are: Person and receiving institutions.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Selective multi-context identity graph with provenance. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Legibility and autonomy improve without forced overexposure.

RETEST AND SCOPE CONTROL

Candidate decisive method: Cross-context identity study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Capacity specification

Identity and self-model | protocol 7 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 012: Identity and self-model; original author status: Constructive protocol. Native state: Attributes, history, roles, values, capabilities and contexts.

EVALUATION OBJECTIVE

Capacity specification. Identify the binding receiver constraint and specify the smallest permissible constructive action.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single identity label or credential. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Recognition in one schema suppresses other valid dimensions. The relevant receiving carriers are: Person and receiving institutions.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Selective multi-context identity graph with provenance. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Legibility and autonomy improve without forced overexposure.

RETEST AND SCOPE CONTROL

Candidate decisive method: Cross-context identity study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Intervention design

Identity and self-model | protocol 8 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 012: Identity and self-model; original author status: Constructive protocol. Native state: Attributes, history, roles, values, capabilities and contexts.

EVALUATION OBJECTIVE

Intervention design. Choose randomized, natural, observational or mechanistic evidence compatible with safety and identifiability.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single identity label or credential. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Recognition in one schema suppresses other valid dimensions. The relevant receiving carriers are: Person and receiving institutions.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Selective multi-context identity graph with provenance. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Legibility and autonomy improve without forced overexposure.

RETEST AND SCOPE CONTROL

Candidate decisive method: Cross-context identity study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Incumbent parity contest

Identity and self-model | protocol 9 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 012: Identity and self-model; original author status: Constructive protocol. Native state: Attributes, history, roles, values, capabilities and contexts.

EVALUATION OBJECTIVE

Incumbent parity contest. Compare against strongest existing local, boundary-aware, causal and resource-constrained methods.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single identity label or credential. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Recognition in one schema suppresses other valid dimensions. The relevant receiving carriers are: Person and receiving institutions.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Selective multi-context identity graph with provenance. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Legibility and autonomy improve without forced overexposure.

RETEST AND SCOPE CONTROL

Candidate decisive method: Cross-context identity study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Time-window and recurrence

Identity and self-model | protocol 10 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 012: Identity and self-model; original author status: Constructive protocol. Native state: Attributes, history, roles, values, capabilities and contexts.

EVALUATION OBJECTIVE

Time-window and recurrence. Measure early, intermediate and delayed outcomes, including reserve depletion and changing bottlenecks.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single identity label or credential. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Recognition in one schema suppresses other valid dimensions. The relevant receiving carriers are: Person and receiving institutions.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Selective multi-context identity graph with provenance. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Legibility and autonomy improve without forced overexposure.

RETEST AND SCOPE CONTROL

Candidate decisive method: Cross-context identity study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Ethical and legal safety

Identity and self-model | protocol 11 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 012: Identity and self-model; original author status: Constructive protocol. Native state: Attributes, history, roles, values, capabilities and contexts.

EVALUATION OBJECTIVE

Ethical and legal safety. Determine affected rights, vulnerable groups, irreversible harms, consent, permissions and safety constraints.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single identity label or credential. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Recognition in one schema suppresses other valid dimensions. The relevant receiving carriers are: Person and receiving institutions.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Selective multi-context identity graph with provenance. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Legibility and autonomy improve without forced overexposure.

RETEST AND SCOPE CONTROL

Candidate decisive method: Cross-context identity study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Sensitivity and negative controls

Identity and self-model | protocol 12 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 012: Identity and self-model; original author status: Constructive protocol. Native state: Attributes, history, roles, values, capabilities and contexts.

EVALUATION OBJECTIVE

Sensitivity and negative controls. Vary unmeasured confounding, missingness, cost, thresholds and adverse spillover assumptions.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single identity label or credential. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Recognition in one schema suppresses other valid dimensions. The relevant receiving carriers are: Person and receiving institutions.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Selective multi-context identity graph with provenance. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Legibility and autonomy improve without forced overexposure.

RETEST AND SCOPE CONTROL

Candidate decisive method: Cross-context identity study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Replication and provenance

Identity and self-model | protocol 13 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 012: Identity and self-model; original author status: Constructive protocol. Native state: Attributes, history, roles, values, capabilities and contexts.

EVALUATION OBJECTIVE

Replication and provenance. Version the kernel, code, data, transformation decisions, negative findings and external replication.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single identity label or credential. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Recognition in one schema suppresses other valid dimensions. The relevant receiving carriers are: Person and receiving institutions.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Selective multi-context identity graph with provenance. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Legibility and autonomy improve without forced overexposure.

RETEST AND SCOPE CONTROL

Candidate decisive method: Cross-context identity study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

012: Cross-domain invariant contest

Identity and self-model | protocol 14 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 012: Identity and self-model; original author status: Constructive protocol. Native state: Attributes, history, roles, values, capabilities and contexts.

EVALUATION OBJECTIVE

Cross-domain invariant contest. Keep K_R fixed while swapping M_d; test whether new measurements produce predictions beyond domain incumbents.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Single identity label or credential. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Recognition in one schema suppresses other valid dimensions. The relevant receiving carriers are: Person and receiving institutions.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Selective multi-context identity graph with provenance. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Legibility and autonomy improve without forced overexposure.

RETEST AND SCOPE CONTROL

Candidate decisive method: Cross-context identity study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 012, pp. 129-135 (Rufino 2026).

Adapter 013: Relationships and intimacy

Psychology and meaning | Internal carrier and capacity reconstruction

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

DOMAIN-NATIVE STATE

Needs, boundaries, consent, trust, history, resources and reciprocity

RECORDED RECEIVING SCHEMA

Relationship status or personality label

CANDIDATE BURDEN AND RECEIVING CARRIERS

Blocker in the source Atlas: One partner compensates for unspoken constraints. Candidate receivers: Partners and wider support network.

EXISTING CAPACITY DESIGN

Reciprocal state and burden ledger plus consent architecture

PROTECTED OUTCOME STATED BY THE AUTHOR

Safety, intimacy, autonomy and fairness improve together

SCIENTIFIC NEXT STEP

Atlas proposed decisive test: Dyadic longitudinal study. This remains a proposed testing route, not proof of a completed successful implementation.

ORIGINALITY AND CONSTRUCTION OBLIGATION

Run causal receiving-carrier diagnosis before action; compare construction against strong established methods; do not accept positive averages as proof that all material carriers benefited.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013 | Relationships and intimacy

Individual human / person | Insufficient capacity

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 013, Relationships and intimacy. Native state: Needs, boundaries, consent, trust, history, resources and reciprocity. Potential direct or institutional human pathway: Relationships and intimacy interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Insufficient capacity: The human has limited time, health, physical access, material resources, protective support or opportunity. Source Atlas proposed limiting condition: One partner compensates for unspoken constraints.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Reciprocal state and burden ledger plus consent architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Safety, intimacy, autonomy and fairness improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

013 | Relationships and intimacy

Individual human / person | Schema mismatch

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 013, Relationships and intimacy. Native state: Needs, boundaries, consent, trust, history, resources and reciprocity. Potential direct or institutional human pathway: Relationships and intimacy interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Schema mismatch: The person has evidence-grounded capabilities or needs that institutional identifiers, scores or labels do not adequately recognize. Source Atlas proposed limiting condition: One partner compensates for unspoken constraints.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Reciprocal state and burden ledger plus consent architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Safety, intimacy, autonomy and fairness improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

013 | Relationships and intimacy

Individual human / person | Delayed effects

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 013, Relationships and intimacy. Native state: Needs, boundaries, consent, trust, history, resources and reciprocity. Potential direct or institutional human pathway: Relationships and intimacy interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Delayed effects: A short-term change influences future-self health, skills, income, dependence, options or relationships. Source Atlas proposed limiting condition: One partner compensates for unspoken constraints.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Reciprocal state and burden ledger plus consent architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Safety, intimacy, autonomy and fairness improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

013 | Relationships and intimacy

Individual human / person | Measurement uncertainty

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 013, Relationships and intimacy. Native state: Needs, boundaries, consent, trust, history, resources and reciprocity. Potential direct or institutional human pathway: Relationships and intimacy interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Measurement uncertainty: The record lacks consented individual outcomes, counterfactuals, follow-up, or reliable protection metrics. Source Atlas proposed limiting condition: One partner compensates for unspoken constraints.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Reciprocal state and burden ledger plus consent architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Safety, intimacy, autonomy and fairness improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

013 | Relationships and intimacy

Individual human / person | Coordination failure

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 013, Relationships and intimacy. Native state: Needs, boundaries, consent, trust, history, resources and reciprocity. Potential direct or institutional human pathway: Relationships and intimacy interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Coordination failure: Family, employer, provider, government or technical systems hand off obligations to the individual without coordinated support. Source Atlas proposed limiting condition: One partner compensates for unspoken constraints.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Reciprocal state and burden ledger plus consent architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Safety, intimacy, autonomy and fairness improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

013 | Relationships and intimacy

Individual human / person | Adversarial / inequitable distribution

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 013, Relationships and intimacy. Native state: Needs, boundaries, consent, trust, history, resources and reciprocity. Potential direct or institutional human pathway: Relationships and intimacy interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Adversarial / inequitable distribution: Unequal power, coercion, inaccessible systems, discrimination or exploitative incentives shift costs to a person. Source Atlas proposed limiting condition: One partner compensates for unspoken constraints.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Reciprocal state and burden ledger plus consent architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Safety, intimacy, autonomy and fairness improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

013 to 001: consequential handoff

Relationships and intimacy -> Whole-person quality of life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Whole-person quality of life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Single score, diagnosis, income bracket or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Person, household, caregivers, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Longitudinal cohort with preregistered multidimensional outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 51-57; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 001 pp. 51-57.

013 to 002: consequential handoff

Relationships and intimacy -> Nutrition and metabolism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Nutrition and metabolism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Calories/macros or generic diet categories. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Body, household budget, food system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Randomized adaptive nutrition trial with cost and adherence carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 58-64; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 002 pp. 58-64.

013 to 003: consequential handoff

Relationships and intimacy -> Sleep and recovery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Sleep and recovery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Hours slept or wearable score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Body, cognition, household schedule. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Recovery controller integrating timing, environment, workload and physiology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Longitudinal crossover study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 65-71; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 003 pp. 65-71.

013 to 004: consequential handoff

Relationships and intimacy -> Reproductive and sexual health | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Reproductive and sexual health; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Single fertility, disease or risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Individual, partner, future child, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Clinical trials + patient-reported and partner-impact carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 72-78; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 004 pp. 72-78.

013 to 005: consequential handoff

Relationships and intimacy -> Disability and accessibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Disability and accessibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Deficit-only person label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Person, caregiver, workplace, public space. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Environment-first accessibility architecture plus assistive capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Before/after environment redesign with workload measures'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 79-85; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 005 pp. 79-85.

013 to 006: consequential handoff

Relationships and intimacy -> Mobility and physical function | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Mobility and physical function; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Single functional score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Body, caregiver, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Adaptive rehabilitation plus environment and device redesign. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Controlled rehabilitation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 86-92; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 006 pp. 86-92.

013 to 007: consequential handoff

Relationships and intimacy -> Family and caregiving | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Family and caregiving; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Household role labels. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Primary caregiver, dependents, siblings, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Care-load ledger, shared coordination and external capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Prospective household burden study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 93-99; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 007 pp. 93-99.

013 to 008: consequential handoff

Relationships and intimacy -> Safety and personal security | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Safety and personal security; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Incident count or generic risk class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Person, community, responder. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Safety architecture that increases protection without reducing autonomy. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Prospective safety intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 100-106; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 008 pp. 100-106.

013 to 009: consequential handoff

Relationships and intimacy -> Housing and domestic environment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Housing and domestic environment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Property price or occupancy status. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Resident, landlord, neighborhood, city. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Whole-cost housing and location architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Matched housing intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 107-113; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 009 pp. 107-113.

013 to 010: consequential handoff

Relationships and intimacy -> Human longevity and life-course planning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Human longevity and life-course planning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Chronological age or retirement age. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Person, family, institutions, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Life-course capital and care architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Longitudinal life-course cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 114-120; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 010 pp. 114-120.

013 to 011: consequential handoff

Relationships and intimacy -> Psychology and social legibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Psychology and social legibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Snapshot diagnosis or social category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Person, family, employer, clinician. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Multidimensional schema plus support matched to hidden burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Longitudinal external cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 122-128; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 011 pp. 122-128.

013 to 012: consequential handoff

Relationships and intimacy -> Identity and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Identity and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Single identity label or credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Person and receiving institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Selective multi-context identity graph with provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Cross-context identity study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 129-135; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 012 pp. 129-135.

013 to 013: consequential handoff

Relationships and intimacy -> Relationships and intimacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

INTERFACE AND COUPLING STATUS

This is a within-domain loop: the post-state of Relationships and intimacy becomes the next native state under its existing map. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Relationship status or personality label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Partners and wider support network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Reciprocal state and burden ledger plus consent architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Dyadic longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 136-142; WITHIN-DOMAIN RECURRENCE. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 013 pp. 136-142.

013 to 014: consequential handoff

Relationships and intimacy -> Parenting and child development | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Parenting and child development; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Age norm, grade or behavior label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Child, parent, school, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Developmental state map plus distributed support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Longitudinal family-school cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 143-149; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 014 pp. 143-149.

013 to 015: consequential handoff

Relationships and intimacy -> Purpose and self-actualization | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Purpose and self-actualization; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Career status, wealth or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Person, relationships, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Whole-person capability architecture and burden guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Longitudinal multidimensional evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 150-156; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 015 pp. 150-156.

013 to 016: consequential handoff

Relationships and intimacy -> Existential wellbeing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Existential wellbeing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Symptom or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Person, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Voluntary meaning-reflection and support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Patient/user-reported longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 157-163; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 016 pp. 157-163.

013 to 017: consequential handoff

Relationships and intimacy -> Spiritual life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Spiritual life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Institutional affiliation alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Individual, family, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Ethical observational study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 164-170; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 017 pp. 164-170.

013 to 018: consequential handoff

Relationships and intimacy -> Religion and community institutions | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Religion and community institutions; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Membership or doctrinal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Members, families, leaders, wider community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Transparent governance, reporting, safeguarding and exit rights. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Institutional longitudinal audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 171-177; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 018 pp. 171-177.

013 to 019: consequential handoff

Relationships and intimacy -> Emotion and affect regulation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Emotion and affect regulation: Internal state, context, physiology, cognition and social feedback.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Emotion and affect regulation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Valence score or symptom label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Person and relationships. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: State-aware regulation architecture with physiological feedback. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Crossover intervention study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 178-184; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 019 pp. 178-184.

013 to 020: consequential handoff

Relationships and intimacy -> Trust and fidelity between people | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Trust and fidelity between people: History, promises, evidence, uncertainty and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Trust and fidelity between people; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Trusted/untrusted binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: People and institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Dynamic provenance and expectation architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Prospective trust-repair study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 185-191; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 020 pp. 185-191.

013 to 021: consequential handoff

Relationships and intimacy -> Healthcare delivery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Healthcare delivery: Clinical state, logistics, caregiver capacity, finance and post-discharge environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Healthcare delivery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Episode-of-care schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Patient, caregiver, outpatient system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Consequential discharge/care orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 193-199; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 021 pp. 193-199.

013 to 022: consequential handoff

Relationships and intimacy -> Diagnostics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Diagnostics: Underlying disease state, uncertainty, test characteristics and downstream actions.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Diagnostics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Single test result. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Patient, clinician, payer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Bayesian multi-source diagnostic schema + uncertainty communication. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Prospective blinded diagnostic study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 200-206; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 022 pp. 200-206.

013 to 023: consequential handoff

Relationships and intimacy -> Cancer ecology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Cancer ecology: Clone mix, immune state, microenvironment, host reserve and therapy exposure.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Cancer ecology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Stage/tumor-size snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Resistant clones, healthy tissue, immune system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Adaptive ecological state estimator + resistance/host capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Preclinical then clinical adaptive trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 207-213; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 023 pp. 207-213.

013 to 024: consequential handoff

Relationships and intimacy -> Neuroscience and neurodegeneration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Neuroscience and neurodegeneration: Neural, glial, vascular, metabolic, network and functional state.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Neuroscience and neurodegeneration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Single biomarker or visible function. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Neural networks, metabolism, caregiver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Multimodal state estimator + restorative capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Multimodal longitudinal intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 214-220; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 024 pp. 214-220.

013 to 025: consequential handoff

Relationships and intimacy -> Aging biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Aging biology: Coupled damage, repair, senescence, immunity, metabolism and regeneration.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Aging biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Age scalar or isolated hallmark. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Cells, tissues, immune system, metabolism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Moving-bottleneck RVG controller across damage/repair channels. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Preclinical multi-pathway study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 221-227; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 025 pp. 221-227.

013 to 026: consequential handoff

Relationships and intimacy -> Immunology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Immunology: Immune activation, tolerance, pathogen/tumor signals and tissue damage.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Immunology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Single cytokine or cell-count schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Pathogen, immune cells, host tissue. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: State-dependent immune control balancing clearance and collateral damage. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Controlled biological study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 228-234; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 026 pp. 228-234.

013 to 027: consequential handoff

Relationships and intimacy -> Infectious disease | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Infectious disease: Pathogen dynamics, host immunity, behavior, network spread and treatment.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Infectious disease; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Case count or pathogen-only model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Patients, contacts, health system, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Multi-carrier containment + treatment + livelihood capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Prospective outbreak protocol'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 235-241; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 027 pp. 235-241.

013 to 028: consequential handoff

Relationships and intimacy -> Microbiome | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Microbiome: Host physiology plus microbial ecology and diet/environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Microbiome; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Species abundance snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Host and microbial community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Functional ecosystem state model and adaptive intervention. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Controlled longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 242-248; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 028 pp. 242-248.

013 to 029: consequential handoff

Relationships and intimacy -> Genomics and proteomics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Genomics and proteomics: Variants, expression, proteins, pathways, context and phenotype.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Genomics and proteomics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Single marker/pathogenicity label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Cells, tissues, patient. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Multi-omic causal state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Prospective multi-omic validation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 249-255; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 029 pp. 249-255.

013 to 030: consequential handoff

Relationships and intimacy -> Surgery and rehabilitation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Surgery and rehabilitation: Anatomy, function, pain, recovery capacity, home support and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Surgery and rehabilitation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Procedure success or anatomical correction. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Patient, caregiver, rehab system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Prehabilitation + procedure + recovery orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 256-262; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 030 pp. 256-262.

013 to 031: consequential handoff

Relationships and intimacy -> Early-childhood development and education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Early-childhood development and education: Development, safety, language, nutrition, play, attachment and resources.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Early-childhood development and education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Age milestone or readiness score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Child, caregiver, educator. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Integrated developmental support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Longitudinal program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 264-270; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 031 pp. 264-270.

013 to 032: consequential handoff

Relationships and intimacy -> K-12 education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

K-12 education: Knowledge, skills, wellbeing, context, resources and learning trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into K-12 education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Grade/test score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Student, teacher, family. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Capability graph + adaptive learning + wellbeing constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Cluster randomized trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 271-277; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 032 pp. 271-277.

013 to 033: consequential handoff

Relationships and intimacy -> Higher education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Higher education: Capability, knowledge, network, finances and career pathways.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Higher education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Degree/GPA credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Student, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Capability/provenance portfolio + adaptive pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Longitudinal graduate outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 278-284; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 033 pp. 278-284.

013 to 034: consequential handoff

Relationships and intimacy -> Vocational and workforce learning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Vocational and workforce learning: Skills, task demand, wages, mobility and employer needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Vocational and workforce learning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Course completion certificate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Worker, employer, training provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Skill-to-task provenance and placement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Matched labor-market evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 285-291; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 034 pp. 285-291.

013 to 035: consequential handoff

Relationships and intimacy -> Scientific research | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Scientific research: Hypotheses, methods, data, negative results, replication and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Scientific research; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Publication/citation unit. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Researchers, institutions, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Experiment provenance + negative-result + replication architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Cross-lab replication program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 292-298; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 035 pp. 292-298.

013 to 036: consequential handoff

Relationships and intimacy -> Justice and courts | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Justice and courts: Facts, evidence, harm, intent, procedure, history and remedies.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Justice and courts; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Case category or docket state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Victims, accused, families, courts, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Causal provenance + harm/restitution + recurrence architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Prospective process evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 299-305; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 036 pp. 299-305.

013 to 037: consequential handoff

Relationships and intimacy -> Policing and public safety systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Policing and public safety systems: Threat, context, evidence, community trust, capacity and alternatives.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Policing and public safety systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Incident/offense label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Residents, officers, victims, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Evidence-first response selection + prevention/support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Independent public evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 306-312; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 037 pp. 306-312.

013 to 038: consequential handoff

Relationships and intimacy -> Corrections, rehabilitation and reintegration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Corrections, rehabilitation and reintegration: Risk, harm, needs, skills, housing, work and social support.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Corrections, rehabilitation and reintegration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Sentence/recidivism risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Person, family, community, justice system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Rehabilitation + restitution + housing/work capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Longitudinal controlled program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 313-319; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 038 pp. 313-319.

013 to 039: consequential handoff

Relationships and intimacy -> Public administration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Public administration: Citizen state, eligibility, documents, services and agency capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Public administration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Program-specific record. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Citizen, frontline staff, budget. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Interoperable verified state + once-only data + case orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Agency pilot with citizen/staff metrics'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 320-326; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 039 pp. 320-326.

013 to 040: consequential handoff

Relationships and intimacy -> Governance and institutional design | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Governance and institutional design: Authority, incentives, information, accountability, resources and affected populations.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Governance and institutional design; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Organizational chart or legal mandate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Citizens, agencies, future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Cross-boundary outcome ledger + accountability and capacity design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Prospective institutional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 327-333; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 040 pp. 327-333.

013 to 041: consequential handoff

Relationships and intimacy -> Beauty and aesthetics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Beauty and aesthetics: Biology, preference, culture, identity, safety, cost and perception.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Beauty and aesthetics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Universal beauty standard or product category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Person, body, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Personalized aesthetic/safety state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Consumer/clinical outcome study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 335-341; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 041 pp. 335-341.

013 to 042: consequential handoff

Relationships and intimacy -> Fashion and apparel | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Fashion and apparel: Identity, fit, comfort, durability, labor, inventory and lifecycle.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Fashion and apparel; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Size/SKU/category schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Wearer, worker, retailer, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Adaptive sizing + provenance + circularity architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Retail field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 342-348; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 042 pp. 342-348.

013 to 043: consequential handoff

Relationships and intimacy -> Luxury goods | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Luxury goods: Provenance, scarcity, condition, access, identity, inventory and lifecycle value.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Luxury goods; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Price/status/authenticity binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Buyer, seller, inventory, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Provenance + condition + access + reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Operational field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 349-355; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 043 pp. 349-355.

013 to 044: consequential handoff

Relationships and intimacy -> Hospitality | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Hospitality: Guest needs, staff capacity, time, room state, logistics and locality.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Hospitality; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Booking/reservation state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Guest, staff, operator, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: End-to-end experience and workload orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Property-level A/B evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 356-362; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 044 pp. 356-362.

013 to 045: consequential handoff

Relationships and intimacy -> Travel and tourism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Travel and tourism: Mobility, cost, safety, experience, local capacity and environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Travel and tourism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Itinerary/booking schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Traveler, worker, resident, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Consequential itinerary/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Destination pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 363-369; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 045 pp. 363-369.

013 to 046: consequential handoff

Relationships and intimacy -> Art and cultural markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Art and cultural markets: Creative work, provenance, rights, cultural meaning, scarcity and audience.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Art and cultural markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Price/ownership/engagement proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Artist, audience, collector, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Rights/provenance/value-sharing architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Marketplace field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 370-376; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 046 pp. 370-376.

013 to 047: consequential handoff

Relationships and intimacy -> Music and entertainment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Music and entertainment: Creative contribution, rights, attention, audience value and platform economics.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Music and entertainment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Stream/view count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Creators, audiences, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Contribution/provenance + value-distribution architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 377-383; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 047 pp. 377-383.

013 to 048: consequential handoff

Relationships and intimacy -> Gaming and virtual worlds | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Gaming and virtual worlds: Player goals, time, identity, economy, safety and creator contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Gaming and virtual worlds; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Retention/spend metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Players, creators, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Cross-reality value and safety controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 384-390; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 048 pp. 384-390.

013 to 049: consequential handoff

Relationships and intimacy -> Sports and performance | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Sports and performance: Performance, health, training load, recovery, team dynamics and career horizon.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Sports and performance; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Win/score/output metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Athlete, team, family, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Load/recovery/career controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Prospective team study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 391-397; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 049 pp. 391-397.

013 to 050: consequential handoff

Relationships and intimacy -> Experience design and events | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Experience design and events: Attention, emotion, logistics, accessibility, staff load and community impact.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Experience design and events; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Attendance/NPS/ticket revenue. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Guests, staff, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: End-to-end experience-state orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Event A/B study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 398-404; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 050 pp. 398-404.

013 to 051: consequential handoff

Relationships and intimacy -> Currency and monetary experience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Currency and monetary experience: Purchasing power, liquidity, settlement, access, trust and macro context.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Currency and monetary experience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Nominal unit/FX quote. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Households, firms, intermediaries. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Consequential monetary-state and settlement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Historical + prospective policy-neutral system test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 406-412; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 051 pp. 406-412.

013 to 052: consequential handoff

Relationships and intimacy -> Payments and remittances | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Payments and remittances: Amount, fees, FX, settlement time, access, fraud and recipient liquidity.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Payments and remittances; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Successful transfer binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Sender, receiver, provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: End-to-end transfer optimization with transparent provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Transaction-level field test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 413-419; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 052 pp. 413-419.

013 to 053: consequential handoff

Relationships and intimacy -> Banking and liquidity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Banking and liquidity: Deposits, credit, liquidity, capital, customer state and network exposures.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Banking and liquidity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Product/account or institution-local balance sheet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Banks, customers, counterparties, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Network consequential balance sheet + capacity buffers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Stress test + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 420-426; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 053 pp. 420-426.

013 to 054: consequential handoff

Relationships and intimacy -> Credit and underwriting | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Credit and underwriting: Cashflow, assets, obligations, trajectory, capability and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Credit and underwriting; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Static score/category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Borrower, lender, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Dynamic provenance/capacity underwriting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Prospective lending trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 427-433; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 054 pp. 427-433.

013 to 055: consequential handoff

Relationships and intimacy -> Insurance and resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Insurance and resilience: Hazard, exposure, prevention, coverage, recovery and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Insurance and resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Loss probability/policy class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Policyholder, insurer, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Prevention + resilience + coverage architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Pilot product evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 434-440; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 055 pp. 434-440.

013 to 056: consequential handoff

Relationships and intimacy -> Capital markets and investing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Capital markets and investing: Price, cashflow, externalities, network risk and long-horizon value.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Capital markets and investing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Return/risk factor set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Investor, firm, workers, public, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Consequential asset ledger with carrier constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Historical backtest + prospective paper portfolio'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 441-447; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 056 pp. 441-447.

013 to 057: consequential handoff

Relationships and intimacy -> Private wealth and family capital | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Private wealth and family capital: Financial, human, social, health and intergenerational capital.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Private wealth and family capital; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Portfolio net worth. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Client, family, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Whole-capital balance sheet + goals/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Longitudinal client evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 448-454; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 057 pp. 448-454.

013 to 058: consequential handoff

Relationships and intimacy -> Labor and talent markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Labor and talent markets: Capability, workload, pay, health, learning and opportunity.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Labor and talent markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Job title/CV/credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Worker, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Capability-state + workload + mobility architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Workplace pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 455-461; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 058 pp. 455-461.

013 to 059: consequential handoff

Relationships and intimacy -> Organizations and enterprises | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Organizations and enterprises: Functions, dependencies, people, cash, knowledge and customer value.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Organizations and enterprises; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Department/KPI structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Workers, customers, suppliers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Enterprise consequential graph + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Multi-team field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 462-468; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 059 pp. 462-468.

013 to 060: consequential handoff

Relationships and intimacy -> Entrepreneurship and venture creation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Entrepreneurship and venture creation: Unmet burden, carrier, willingness to pay, build cost and adoption.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Entrepreneurship and venture creation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Existing market category/TAM. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Founder initially, then customer/system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Mutual-Uptick blocker discovery + missing-capacity build. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Pilot venture with carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 469-475; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 060 pp. 469-475.

013 to 061: consequential handoff

Relationships and intimacy -> Artificial intelligence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Artificial intelligence: Model state, source reality, user intent, provenance, uncertainty and downstream action.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Artificial intelligence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Prompt/context window/model output. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: User, verifier, downstream system, compute. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Persistent schema/provenance layer + self-audit and escalation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Sealed cross-model benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 477-483; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 061 pp. 477-483.

013 to 062: consequential handoff

Relationships and intimacy -> Software systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Software systems: Requirements, dependencies, state, users, infrastructure and technical debt.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Software systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Feature/ticket/local module schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Developers, users, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Dependency/provenance graph + consequential release controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Repository-level prospective benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 484-490; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 062 pp. 484-490.

013 to 063: consequential handoff

Relationships and intimacy -> Cybersecurity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Cybersecurity: Actual attack graph, identities, vulnerabilities, privileges and attacker state.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Cybersecurity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Defender inventory/rules/log view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Systems, users, analysts, business continuity. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Self-updating attack schema + carrier prediction + safe containment/failover. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Red-team sealed telemetry benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 491-497; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 063 pp. 491-497.

013 to 064: consequential handoff

Relationships and intimacy -> Data infrastructure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Data infrastructure: Datasets, lineage, semantics, permissions, quality and downstream uses.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Data infrastructure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Table/file/schema local view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Analysts, models, users, compliance. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Provenance graph + semantic reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Enterprise data benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 498-504; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 064 pp. 498-504.

013 to 065: consequential handoff

Relationships and intimacy -> Privacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Privacy: Data state, purposes, consent, exposure, value and future misuse.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Privacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Consent checkbox or access-control list. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Person, organization, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Selective disclosure + provenance + minimization architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Field trial + attack testing'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 505-511; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 065 pp. 505-511.

013 to 066: consequential handoff

Relationships and intimacy -> Digital identity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Digital identity: Attributes, credentials, context, revocation, privacy and trust.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Digital identity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Single identifier/account. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Person, verifier, issuer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Selective-verification credential graph. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Cross-service pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 512-518; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 066 pp. 512-518.

013 to 067: consequential handoff

Relationships and intimacy -> Internet and communications | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Internet and communications: Topology, capacity, latency, content, trust and user needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Internet and communications; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Throughput/uptime metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Users, networks, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Consequential routing + fidelity/provenance layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Network/application experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 519-525; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 067 pp. 519-525.

013 to 068: consequential handoff

Relationships and intimacy -> Media and information ecosystems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Media and information ecosystems: Claims, evidence, incentives, attention, creators and audiences.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Media and information ecosystems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Engagement/feed rank. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Audience, creator, public discourse. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Claim provenance + quality + incentive reconciliation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 526-532; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 068 pp. 526-532.

013 to 069: consequential handoff

Relationships and intimacy -> Language and translation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Language and translation: Meaning, context, culture, pragmatics and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Language and translation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Word/token correspondence. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Speakers, institutions, models. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Semantic/provenance translation with ambiguity tracking. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Blind human evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 533-539; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 069 pp. 533-539.

013 to 070: consequential handoff

Relationships and intimacy -> Knowledge and ontologies | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Knowledge and ontologies: Entities, relations, provenance, incompatible schemas and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Knowledge and ontologies; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Single ontology/taxonomy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Researchers, AI, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Cross-schema translation + minimal sufficient ontology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Cross-domain benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 540-546; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 070 pp. 540-546.

013 to 071: consequential handoff

Relationships and intimacy -> Energy and power grids | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Energy and power grids: Generation, load, storage, network constraints, prices and reliability.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Energy and power grids; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Local device efficiency or node KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Grid nodes, customers, storage, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Consequential grid controller + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Grid simulation + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 548-554; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 071 pp. 548-554.

013 to 072: consequential handoff

Relationships and intimacy -> Water and irrigation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Water and irrigation: Withdrawals, consumptive use, return flows, storage, aquifers and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Water and irrigation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Farm/project efficiency. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Downstream users, rivers, aquifers, ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Basin-wide accounting + catchment + allocation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Basin holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 555-561; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 072 pp. 555-561.

013 to 073: consequential handoff

Relationships and intimacy -> Food and agriculture | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Food and agriculture: Yield, soil, water, inputs, nutrition, labor, market and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Food and agriculture; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Yield/acre or commodity price. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Farmer, consumer, soil, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Coupled regenerative production controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Multi-season farm trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 562-568; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 073 pp. 562-568.

013 to 074: consequential handoff

Relationships and intimacy -> Supply chains and logistics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Supply chains and logistics: Inventory, demand, transport, suppliers, lead times and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Supply chains and logistics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Node-level cost/service KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Suppliers, warehouses, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Carrier-aware flow controller + buffer placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Historical + live pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 569-575; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 074 pp. 569-575.

013 to 075: consequential handoff

Relationships and intimacy -> Manufacturing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Manufacturing: Materials, energy, machines, labor, quality, maintenance and waste.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Manufacturing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Unit cost/OEE. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Workers, machines, environment, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Closed-loop production and maintenance architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Factory pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 576-582; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 075 pp. 576-582.

013 to 076: consequential handoff

Relationships and intimacy -> Waste and circular materials | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Waste and circular materials: Material composition, location, contamination, residual value and logistics.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Waste and circular materials; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Waste tonnage/disposal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Communities, environment, future production. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Material provenance + recapture + transformation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Municipal/industrial pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 583-589; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 076 pp. 583-589.

013 to 077: consequential handoff

Relationships and intimacy -> Transportation and mobility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Transportation and mobility: Trips, time, safety, access, energy, congestion and land use.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Transportation and mobility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Vehicle throughput/speed. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Travelers, neighborhoods, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Multimodal consequential mobility controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'City corridor pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 590-596; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 077 pp. 590-596.

013 to 078: consequential handoff

Relationships and intimacy -> Cities and urban systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Cities and urban systems: Housing, jobs, transport, health, utilities, safety and public space.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Cities and urban systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Agency-by-agency city data. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Residents, agencies, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: City consequential digital twin + coordinated capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'District pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 597-603; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 078 pp. 597-603.

013 to 079: consequential handoff

Relationships and intimacy -> Climate and disaster resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Climate and disaster resilience: Hazard, exposure, vulnerability, infrastructure, food, health and recovery.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Climate and disaster resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Hazard forecast alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: People, infrastructure, ecosystems, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Anticipatory catchment + prepositioned capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Prospective matched pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 604-610; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 079 pp. 604-610.

013 to 080: consequential handoff

Relationships and intimacy -> Ecology and biodiversity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Ecology and biodiversity: Species, habitats, flows, extraction, communities and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Ecology and biodiversity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Protected-area/local species metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Species, habitats, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Landscape-scale leakage/carrier accounting + livelihoods. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Landscape holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 611-617; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 080 pp. 611-617.

013 to 081: consequential handoff

Relationships and intimacy -> Cell biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Cell biology: Signaling, organelles, metabolism, damage, repair and cell-state transitions.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Cell biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Single pathway/marker. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Organelles, pathways, neighboring cells. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Multi-state cellular controller + capacity targeting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'In-vitro perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 619-625; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 081 pp. 619-625.

013 to 082: consequential handoff

Relationships and intimacy -> Molecular biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Molecular biology: Molecules, conformations, binding networks, concentrations and kinetics.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Molecular biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Single interaction/target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Molecules, pathways, host system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Reaction/network state model + off-target carrier control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Bench experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 626-632; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 082 pp. 626-632.

013 to 083: consequential handoff

Relationships and intimacy -> Nanotechnology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Nanotechnology: Particle properties, surfaces, transport, environment and biological interaction.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Nanotechnology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Particle spec alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Cells, environment, users. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Lifecycle and interaction-aware nano design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Bench + environmental tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 633-639; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 083 pp. 633-639.

013 to 084: consequential handoff

Relationships and intimacy -> Chemistry and reaction systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Chemistry and reaction systems: Species, reaction network, kinetics, energy, byproducts and separation.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Chemistry and reaction systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Target yield/selectivity. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Reactor, environment, downstream process. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Consequential reaction-network optimization + recovery loops. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Reactor experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 640-646; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 084 pp. 640-646.

013 to 085: consequential handoff

Relationships and intimacy -> Materials science | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Materials science: Microstructure, defects, stress, temperature, lifecycle and manufacturing.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Materials science; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Bulk property spec. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Material, structure, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Defect-aware multiproperty design + recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Lab characterization'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 647-653; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 085 pp. 647-653.

013 to 086: consequential handoff

Relationships and intimacy -> Classical mechanics and control | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Classical mechanics and control: Physical state, dynamics, sensors, actuators and disturbance.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Classical mechanics and control; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Partial state observation/local control objective. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Plant, actuator, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Representation-aware full-state controller + regenerative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Physical bench experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 654-660; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 086 pp. 654-660.

013 to 087: consequential handoff

Relationships and intimacy -> Thermodynamics and nonequilibrium systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Thermodynamics and nonequilibrium systems: Energy, entropy, gradients, reservoirs, flows and constraints.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Thermodynamics and nonequilibrium systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Local efficiency/temperature metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Reservoirs, environment, components. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Whole-boundary energy/exergy and recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Physical experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 661-667; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 087 pp. 661-667.

013 to 088: consequential handoff

Relationships and intimacy -> Electromagnetism and circuits | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Electromagnetism and circuits: Fields, voltages, currents, topology, storage and losses.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Electromagnetism and circuits; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Local component state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Circuit elements, sources, loads. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Full-network state estimation + capacity/recovery placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Bench circuit experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 668-674; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 088 pp. 668-674.

013 to 089: consequential handoff

Relationships and intimacy -> Quantum systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Quantum systems: Quantum state, observables, measurement, control and decoherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Quantum systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Accessible observable set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Quantum system, apparatus, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Constraint-respecting measurement/control schema + capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Laboratory quantum experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 675-681; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 089 pp. 675-681.

013 to 090: consequential handoff

Relationships and intimacy -> Pure mathematics and formal systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Pure mathematics and formal systems: Objects, relations, axioms, language, proofs and translations.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Pure mathematics and formal systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Chosen signature/type system/quotient. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Proof system, translator, solver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Minimal sufficient schema preserving required relations. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Machine-checked theorem suite'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 682-688; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 090 pp. 682-688.

013 to 091: consequential handoff

Relationships and intimacy -> Statistics and causal inference | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Statistics and causal inference: Data-generating process, sampling, measurement, confounding and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Statistics and causal inference; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Chosen model/estimand. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Decision makers, future samples, affected groups. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Provenance-aware multi-model causal state + identifiability guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Simulation + multi-dataset benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 690-696; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 091 pp. 690-696.

013 to 092: consequential handoff

Relationships and intimacy -> Logic and reasoning systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Logic and reasoning systems: Premises, inference rules, contradictions, uncertainty and goals.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Logic and reasoning systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Single logical calculus. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Reasoner, downstream decision. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Multi-logic translation + contradiction provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Formal benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 697-703; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 092 pp. 697-703.

013 to 093: consequential handoff

Relationships and intimacy -> Geography and territorial systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Geography and territorial systems: People, ecosystems, infrastructure, flows and administrative boundaries.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Geography and territorial systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Jurisdiction/map boundary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Border communities, watersheds, networks. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Flow-based territorial state model. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Regional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 704-710; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 093 pp. 704-710.

013 to 094: consequential handoff

Relationships and intimacy -> Informal economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Informal economy: Real work, exchange, trust, risk and household needs outside formal records.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Informal economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Formal registry/tax/business schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Workers, households, state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Low-friction recognition, protection and access architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Field pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 711-717; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 094 pp. 711-717.

013 to 095: consequential handoff

Relationships and intimacy -> Illicit and black markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Illicit and black markets: Hidden demand, supply, coercion, enforcement, prices and harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Illicit and black markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Official market data that excludes hidden exchange. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Victims, communities, lawful firms, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Independent harm-reduction/public-safety evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 718-724; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 095 pp. 718-724.

013 to 096: consequential handoff

Relationships and intimacy -> Orbital and space economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Orbital and space economy: Spacecraft, debris, spectrum, energy, logistics and operator incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Orbital and space economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Mission-local success metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Other spacecraft, operators, orbital environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Orbital consequential ledger + shared capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Simulation + mission pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 725-731; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 096 pp. 725-731.

013 to 097: consequential handoff

Relationships and intimacy -> Extraterrestrial settlement | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Extraterrestrial settlement: Life support, energy, materials, health, governance and closed ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Extraterrestrial settlement; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Earth-derived subsystem silos. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Crew, machines, habitat ecology. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Closed-loop consequential state + autonomous capacity construction. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Analog habitat + mission tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 732-738; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 097 pp. 732-738.

013 to 098: consequential handoff

Relationships and intimacy -> Astrobiology and biosignatures | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Astrobiology and biosignatures: Unknown life chemistries, environments, signals and contamination risks.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Astrobiology and biosignatures; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Earth-centric life schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Scientific program, environment, future missions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Plural biosignature schema + provenance/contamination control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Blind benchmark + mission data'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 739-745; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 098 pp. 739-745.

013 to 099: consequential handoff

Relationships and intimacy -> Planetary systems and stewardship | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Planetary systems and stewardship: Atmosphere, hydrology, geology, biosphere, resources and settlements.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Planetary systems and stewardship; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Sector-local resource model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Settlements, ecosystems, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Closed-loop planetary resource and restoration architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Earth analog + simulation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 746-752; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 099 pp. 746-752.

013 to 100: consequential handoff

Relationships and intimacy -> Unknown and not-yet-named realities | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Unknown and not-yet-named realities: Any newly observed substrate, scale, agent, value dimension or exchange mode.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Unknown and not-yet-named realities; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: No adequate schema exists yet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Unknown until carrier tracing identifies it. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Instantiate M_d, define schema, measure gap, trace carrier, construct capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Freeze kernel before learning outcomes; then holdout/replicate'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 753-759; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 100 pp. 753-759.

013 to 101: consequential handoff

Relationships and intimacy -> Conscious experience and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Conscious experience and self-model: Perception, affect, memory, self-model, attention, internal accessibility and embodied state.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Conscious experience and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: A receiving observer reduces another system to behavior, category or output alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Experiencing system, observers, dependent systems and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Cross-modal state representation with provenance, uncertainty and non-erasure constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Prospective multi-method cross-observer study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 761-767; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 101 pp. 761-767.

013 to 102: consequential handoff

Relationships and intimacy -> Choice and option topology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Choice and option topology: Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Choice and option topology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Binary free-choice / no-choice label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Chooser, affected people, institutions and future option set. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Feasible-option map plus prebuilt low-friction lawful/prosocial pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Prospective choice-topology intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 768-774; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 102 pp. 768-774.

013 to 103: consequential handoff

Relationships and intimacy -> Truth, deception and disclosure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Truth, deception and disclosure: Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Truth, deception and disclosure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Truth/lie binary detached from consequence topology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Speaker, listener, harmed parties, institutions and future trust network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Verification, safe disclosure, correction, restitution and transition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Sealed truth-cost / disclosure study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 775-781; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 103 pp. 775-781.

013 to 104: consequential handoff

Relationships and intimacy -> Responsibility and causal attribution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Responsibility and causal attribution: Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Responsibility and causal attribution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Moral label detached from the action-producing state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Actor, victims, institutions, community and future actors. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Blinded case reconstruction with preregistered causal criteria'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 782-788; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 104 pp. 782-788.

013 to 105: consequential handoff

Relationships and intimacy -> Consent, coercion and autonomy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Consent, coercion and autonomy: Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Consent, coercion and autonomy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Signed/expressed consent treated as sufficient state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Decision maker, counterparties, dependents and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Real exit, recourse, reversible consent, information symmetry and alternative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Prospective consent-quality audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 789-795; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 105 pp. 789-795.

013 to 106: consequential handoff

Relationships and intimacy -> Addiction, compulsion and short-horizon relief | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Addiction, compulsion and short-horizon relief: Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Addiction, compulsion and short-horizon relief; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Substance/behavior category or abstinence binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Person, body, relationships, household, community and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Longitudinal regulated intervention with multi-carrier outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 796-802; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 106 pp. 796-802.

013 to 107: consequential handoff

Relationships and intimacy -> Crime, violence and reconciliation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Crime, violence and reconciliation: Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Crime, violence and reconciliation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Offense label or actor-only risk score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Victims, actor, families, community, institutions and future potential victims. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Longitudinal controlled justice-program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 803-809; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 107 pp. 803-809.

013 to 108: consequential handoff

Relationships and intimacy -> Animal sentience and welfare | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Animal sentience and welfare: Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Animal sentience and welfare; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Commodity/yield schema that excludes the animal as a carrier. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Animals, workers, consumers, farmers, land, ecosystems and communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Welfare, alternative-production, livelihood-transition and ecological capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Multi-carrier welfare, nutrition and livelihood trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 810-816; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 108 pp. 810-816.

013 to 109: consequential handoff

Relationships and intimacy -> Collective agency and institutional choice | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Collective agency and institutional choice: Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Collective agency and institutional choice; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Organization treated as a single actor without internal carrier structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Members, minorities, leaders, outsiders, institutions and future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Distributed decision provenance, dissent channels, accountability and cross-boundary capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Prospective institutional decision audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 817-823; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 109 pp. 817-823.

013 to 110: consequential handoff

Relationships and intimacy -> Human-AI co-agency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Human-AI co-agency: Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Human-AI co-agency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Model output or benchmark score treated as the whole system. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: User, non-user, model operator, workers, institutions, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Persistent provenance, human control, reversibility, portability, verification and receivingcapacity layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Sealed native-vs-K_R assisted agent benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 824-830; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 110 pp. 824-830.

013 to 111: consequential handoff

Relationships and intimacy -> Evolution and natural selection | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Evolution and natural selection: Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Evolution and natural selection; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Fitness proxy or single-trait narrative. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Individuals, lineages, populations, interacting species and ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Diversity, ecological capacity and intervention guardrails where deliberate action exists. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Time-locked population/genomic holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 832-838; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 111 pp. 832-838.

013 to 112: consequential handoff

Relationships and intimacy -> Reproduction, inheritance, mitosis and meiosis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Reproduction, inheritance, mitosis and meiosis: Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Reproduction, inheritance, mitosis and meiosis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Outcome-only birth/division count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Parent cell/organism, daughter cells, gametes, offspring and lineage. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Checkpoint, repair, redundancy and developmental-support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Lineage-resolved perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 839-845; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 112 pp. 839-845.

013 to 113: consequential handoff

Relationships and intimacy -> Development and morphogenesis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Development and morphogenesis: Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Development and morphogenesis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Single marker or endpoint morphology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Cells, tissues, organs, organism and developmental future state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Stage-aware multi-pathway support, repair and resource architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Longitudinal developmental perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 846-852; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 113 pp. 846-852.

013 to 114: consequential handoff

Relationships and intimacy -> Metabolism, diet and consumption | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Metabolism, diet and consumption: Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Metabolism, diet and consumption; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Calories/macros or one nutrient target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Gut, microbiome, liver, tissues, household, food system and future organism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Adaptive conversion, buffering, storage, elimination and access capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Controlled longitudinal multi-carrier nutrition study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 853-859; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 114 pp. 853-859.

013 to 115: consequential handoff

Relationships and intimacy -> Predation, livestock and food-system transformation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Predation, livestock and food-system transformation: Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Predation, livestock and food-system transformation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Yield, price or human nutrition alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Animals, humans, workers, farmers, consumers, land, ecosystems and future food security. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Phased regional transition with preregistered carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 860-866; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 115 pp. 860-866.

013 to 116: consequential handoff

Relationships and intimacy -> Learning, plasticity and cultural evolution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Learning, plasticity and cultural evolution: Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Learning, plasticity and cultural evolution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Test score, output or adoption count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Learner, teachers, peers, institutions, future self and cultural network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Longitudinal transfer-and-retention experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 867-873; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 116 pp. 867-873.

013 to 117: consequential handoff

Relationships and intimacy -> Self-organization and emergence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Self-organization and emergence: Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Self-organization and emergence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Macro outcome without micro-carrier ledger. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Components, neighborhoods, emergent structure and external environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Multi-scale simulation plus physical/biological holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 874-880; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 117 pp. 874-880.

013 to 118: consequential handoff

Relationships and intimacy -> Creation, provenance and dependency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Creation, provenance and dependency: Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Creation, provenance and dependency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Ownership or authorship treated as sufficient relationship model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Creators, created systems, maintainers, users, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Provenance, stewardship, autonomy-transition and reciprocal-viability architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Longitudinal creator-created dependency audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 881-887; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 118 pp. 881-887.

013 to 119: consequential handoff

Relationships and intimacy -> Cosmological evolution and structure formation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Cosmological evolution and structure formation: Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Cosmological evolution and structure formation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Single scale or observable treated as complete cosmic state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: Observed regions, fields/matter components, instruments, models and observers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Cross-scale observation, uncertainty, model-comparison and instrumentation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Preregistered cross-survey predictive holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 888-894; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 119 pp. 888-894.

013 to 120: consequential handoff

Relationships and intimacy -> Cross-substrate consciousness, temporal coexistence and closure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

PROPOSED RECEIVER AND STATE

Cross-substrate consciousness, temporal coexistence and closure: The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility.

INTERFACE AND COUPLING STATUS

Proposed interface from Relationships and intimacy into Cross-substrate consciousness, temporal coexistence and closure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Relationship status or personality label. Receiver's limited view: Any local adapter, species, institution or observer claiming closure from its own schema alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Partners and wider support network. Candidate receiver carriers: All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Reciprocal state and burden ledger plus consent architecture. Receiving capacity: Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and.... Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Dyadic longitudinal study' with a receiver study of 'Time-locked system-of-systems closure test across multiple adapters'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 136-142 and 895-901; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026). Receiver Adapter 120 pp. 895-901.

013: Relationships and intimacy

Household / family / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Household / family / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Household / family / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Household / family / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Household / family / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Household / family / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

School / university / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

School / university / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

School / university / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

School / university / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

School / university / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

School / university / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Enterprise / cooperative / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Enterprise / cooperative / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Enterprise / cooperative / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Enterprise / cooperative / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Enterprise / cooperative / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Enterprise / cooperative / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Healthcare / care team / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Healthcare / care team / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Healthcare / care team / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Healthcare / care team / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Healthcare / care team / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Healthcare / care team / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Local government / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Local government / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Local government / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Local government / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Local government / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Local government / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Ecological catchment / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Ecological catchment / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Ecological catchment / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Ecological catchment / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Ecological catchment / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Ecological catchment / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Scientific laboratory / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Scientific laboratory / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Scientific laboratory / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Scientific laboratory / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Scientific laboratory / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Scientific laboratory / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Public infrastructure / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Public infrastructure / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Public infrastructure / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Public infrastructure / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Public infrastructure / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Public infrastructure / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Digital / AI service / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Digital / AI service / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Digital / AI service / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Digital / AI service / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Digital / AI service / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Digital / AI service / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Interregional / planetary / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Interregional / planetary / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Interregional / planetary / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Interregional / planetary / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Interregional / planetary / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Relationships and intimacy

Interregional / planetary / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Relationships and intimacy is described in the Atlas as: Needs, boundaries, consent, trust, history, resources and reciprocity. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

One partner compensates for unspoken constraints. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Partners and wider support network. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Reciprocal state and burden ledger plus consent architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Safety, intimacy, autonomy and fairness improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Dyadic longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Evidence and source reconstruction

Relationships and intimacy | protocol 1 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 013: Relationships and intimacy; original author status: Constructive protocol. Native state: Needs, boundaries, consent, trust, history, resources and reciprocity.

EVALUATION OBJECTIVE

Evidence and source reconstruction. Establish what is observed, reported, derived, simulated and currently unavailable. Audit definitions, dates and units.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Relationship status or personality label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One partner compensates for unspoken constraints. The relevant receiving carriers are: Partners and wider support network.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Reciprocal state and burden ledger plus consent architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Safety, intimacy, autonomy and fairness improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Dyadic longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Boundary divergence

Relationships and intimacy | protocol 2 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 013: Relationships and intimacy; original author status: Constructive protocol. Native state: Needs, boundaries, consent, trust, history, resources and reciprocity.

EVALUATION OBJECTIVE

Boundary divergence. Predeclare local and consequential objectives, identical feasible action sets, and a measurable divergence test.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Relationship status or personality label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One partner compensates for unspoken constraints. The relevant receiving carriers are: Partners and wider support network.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Reciprocal state and burden ledger plus consent architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Safety, intimacy, autonomy and fairness improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Dyadic longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Causal diagram and identifiability

Relationships and intimacy | protocol 3 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 013: Relationships and intimacy; original author status: Constructive protocol. Native state: Needs, boundaries, consent, trust, history, resources and reciprocity.

EVALUATION OBJECTIVE

Causal diagram and identifiability. Draw the candidate causal graph; identify confounders, mediators, spillovers and selection mechanisms.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Relationship status or personality label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One partner compensates for unspoken constraints. The relevant receiving carriers are: Partners and wider support network.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Reciprocal state and burden ledger plus consent architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Safety, intimacy, autonomy and fairness improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Dyadic longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Receiving carrier identification

Relationships and intimacy | protocol 4 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 013: Relationships and intimacy; original author status: Constructive protocol. Native state: Needs, boundaries, consent, trust, history, resources and reciprocity.

EVALUATION OBJECTIVE

Receiving carrier identification. Predict the destination, path and delay of consequential burdens before measuring post-state outcomes.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Relationship status or personality label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One partner compensates for unspoken constraints. The relevant receiving carriers are: Partners and wider support network.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Reciprocal state and burden ledger plus consent architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Safety, intimacy, autonomy and fairness improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Dyadic longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Hidden compensation accounting

Relationships and intimacy | protocol 5 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 013: Relationships and intimacy; original author status: Constructive protocol. Native state: Needs, boundaries, consent, trust, history, resources and reciprocity.

EVALUATION OBJECTIVE

Hidden compensation accounting. Measure which agent, reserve, budget, ecosystem or later period silently carries the load.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Relationship status or personality label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One partner compensates for unspoken constraints. The relevant receiving carriers are: Partners and wider support network.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Reciprocal state and burden ledger plus consent architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Safety, intimacy, autonomy and fairness improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Dyadic longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Native units and dimensional integrity

Relationships and intimacy | protocol 6 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 013: Relationships and intimacy; original author status: Constructive protocol. Native state: Needs, boundaries, consent, trust, history, resources and reciprocity.

EVALUATION OBJECTIVE

Native units and dimensional integrity. Define each carrier outcome in its own units; avoid offsetting unlike harms with unsupported scalar sums.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Relationship status or personality label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One partner compensates for unspoken constraints. The relevant receiving carriers are: Partners and wider support network.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Reciprocal state and burden ledger plus consent architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Safety, intimacy, autonomy and fairness improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Dyadic longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Capacity specification

Relationships and intimacy | protocol 7 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 013: Relationships and intimacy; original author status: Constructive protocol. Native state: Needs, boundaries, consent, trust, history, resources and reciprocity.

EVALUATION OBJECTIVE

Capacity specification. Identify the binding receiver constraint and specify the smallest permissible constructive action.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Relationship status or personality label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One partner compensates for unspoken constraints. The relevant receiving carriers are: Partners and wider support network.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Reciprocal state and burden ledger plus consent architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Safety, intimacy, autonomy and fairness improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Dyadic longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Intervention design

Relationships and intimacy | protocol 8 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 013: Relationships and intimacy; original author status: Constructive protocol. Native state: Needs, boundaries, consent, trust, history, resources and reciprocity.

EVALUATION OBJECTIVE

Intervention design. Choose randomized, natural, observational or mechanistic evidence compatible with safety and identifiability.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Relationship status or personality label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One partner compensates for unspoken constraints. The relevant receiving carriers are: Partners and wider support network.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Reciprocal state and burden ledger plus consent architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Safety, intimacy, autonomy and fairness improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Dyadic longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Incumbent parity contest

Relationships and intimacy | protocol 9 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 013: Relationships and intimacy; original author status: Constructive protocol. Native state: Needs, boundaries, consent, trust, history, resources and reciprocity.

EVALUATION OBJECTIVE

Incumbent parity contest. Compare against strongest existing local, boundary-aware, causal and resource-constrained methods.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Relationship status or personality label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One partner compensates for unspoken constraints. The relevant receiving carriers are: Partners and wider support network.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Reciprocal state and burden ledger plus consent architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Safety, intimacy, autonomy and fairness improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Dyadic longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Time-window and recurrence

Relationships and intimacy | protocol 10 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 013: Relationships and intimacy; original author status: Constructive protocol. Native state: Needs, boundaries, consent, trust, history, resources and reciprocity.

EVALUATION OBJECTIVE

Time-window and recurrence. Measure early, intermediate and delayed outcomes, including reserve depletion and changing bottlenecks.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Relationship status or personality label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One partner compensates for unspoken constraints. The relevant receiving carriers are: Partners and wider support network.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Reciprocal state and burden ledger plus consent architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Safety, intimacy, autonomy and fairness improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Dyadic longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Ethical and legal safety

Relationships and intimacy | protocol 11 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 013: Relationships and intimacy; original author status: Constructive protocol. Native state: Needs, boundaries, consent, trust, history, resources and reciprocity.

EVALUATION OBJECTIVE

Ethical and legal safety. Determine affected rights, vulnerable groups, irreversible harms, consent, permissions and safety constraints.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Relationship status or personality label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One partner compensates for unspoken constraints. The relevant receiving carriers are: Partners and wider support network.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Reciprocal state and burden ledger plus consent architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Safety, intimacy, autonomy and fairness improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Dyadic longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Sensitivity and negative controls

Relationships and intimacy | protocol 12 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 013: Relationships and intimacy; original author status: Constructive protocol. Native state: Needs, boundaries, consent, trust, history, resources and reciprocity.

EVALUATION OBJECTIVE

Sensitivity and negative controls. Vary unmeasured confounding, missingness, cost, thresholds and adverse spillover assumptions.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Relationship status or personality label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One partner compensates for unspoken constraints. The relevant receiving carriers are: Partners and wider support network.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Reciprocal state and burden ledger plus consent architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Safety, intimacy, autonomy and fairness improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Dyadic longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Replication and provenance

Relationships and intimacy | protocol 13 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 013: Relationships and intimacy; original author status: Constructive protocol. Native state: Needs, boundaries, consent, trust, history, resources and reciprocity.

EVALUATION OBJECTIVE

Replication and provenance. Version the kernel, code, data, transformation decisions, negative findings and external replication.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Relationship status or personality label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One partner compensates for unspoken constraints. The relevant receiving carriers are: Partners and wider support network.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Reciprocal state and burden ledger plus consent architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Safety, intimacy, autonomy and fairness improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Dyadic longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

013: Cross-domain invariant contest

Relationships and intimacy | protocol 14 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 013: Relationships and intimacy; original author status: Constructive protocol. Native state: Needs, boundaries, consent, trust, history, resources and reciprocity.

EVALUATION OBJECTIVE

Cross-domain invariant contest. Keep K_R fixed while swapping M_d; test whether new measurements produce predictions beyond domain incumbents.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Relationship status or personality label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: One partner compensates for unspoken constraints. The relevant receiving carriers are: Partners and wider support network.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Reciprocal state and burden ledger plus consent architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Safety, intimacy, autonomy and fairness improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Dyadic longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 013, pp. 136-142 (Rufino 2026).

Adapter 014: Parenting and child development

Psychology and meaning | Internal carrier and capacity reconstruction

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

DOMAIN-NATIVE STATE

Biology, attachment, education, safety, resources, environment and agency

RECORDED RECEIVING SCHEMA

Age norm, grade or behavior label

CANDIDATE BURDEN AND RECEIVING CARRIERS

Blocker in the source Atlas: Child or parent compensates for missing support. Candidate receivers: Child, parent, school, community.

EXISTING CAPACITY DESIGN

Developmental state map plus distributed support capacity

PROTECTED OUTCOME STATED BY THE AUTHOR

Child capability and wellbeing rise while caregiver burden falls

SCIENTIFIC NEXT STEP

Atlas proposed decisive test: Longitudinal family-school cohort. This remains a proposed testing route, not proof of a completed successful implementation.

ORIGINALITY AND CONSTRUCTION OBLIGATION

Run causal receiving-carrier diagnosis before action; compare construction against strong established methods; do not accept positive averages as proof that all material carriers benefited.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014 | Parenting and child development

Individual human / person | Insufficient capacity

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 014, Parenting and child development. Native state: Biology, attachment, education, safety, resources, environment and agency. Potential direct or institutional human pathway: Parenting and child development interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Insufficient capacity: The human has limited time, health, physical access, material resources, protective support or opportunity. Source Atlas proposed limiting condition: Child or parent compensates for missing support.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Developmental state map plus distributed support capacity can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Child capability and wellbeing rise while caregiver burden falls. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

014 | Parenting and child development

Individual human / person | Schema mismatch

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 014, Parenting and child development. Native state: Biology, attachment, education, safety, resources, environment and agency. Potential direct or institutional human pathway: Parenting and child development interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Schema mismatch: The person has evidence-grounded capabilities or needs that institutional identifiers, scores or labels do not adequately recognize. Source Atlas proposed limiting condition: Child or parent compensates for missing support.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Developmental state map plus distributed support capacity can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Child capability and wellbeing rise while caregiver burden falls. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

014 | Parenting and child development

Individual human / person | Delayed effects

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 014, Parenting and child development. Native state: Biology, attachment, education, safety, resources, environment and agency. Potential direct or institutional human pathway: Parenting and child development interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Delayed effects: A short-term change influences future-self health, skills, income, dependence, options or relationships. Source Atlas proposed limiting condition: Child or parent compensates for missing support.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Developmental state map plus distributed support capacity can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Child capability and wellbeing rise while caregiver burden falls. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

014 | Parenting and child development

Individual human / person | Measurement uncertainty

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 014, Parenting and child development. Native state: Biology, attachment, education, safety, resources, environment and agency. Potential direct or institutional human pathway: Parenting and child development interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Measurement uncertainty: The record lacks consented individual outcomes, counterfactuals, follow-up, or reliable protection metrics. Source Atlas proposed limiting condition: Child or parent compensates for missing support.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Developmental state map plus distributed support capacity can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Child capability and wellbeing rise while caregiver burden falls. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

014 | Parenting and child development

Individual human / person | Coordination failure

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 014, Parenting and child development. Native state: Biology, attachment, education, safety, resources, environment and agency. Potential direct or institutional human pathway: Parenting and child development interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Coordination failure: Family, employer, provider, government or technical systems hand off obligations to the individual without coordinated support. Source Atlas proposed limiting condition: Child or parent compensates for missing support.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Developmental state map plus distributed support capacity can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Child capability and wellbeing rise while caregiver burden falls. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

014 | Parenting and child development

Individual human / person | Adversarial / inequitable distribution

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 014, Parenting and child development. Native state: Biology, attachment, education, safety, resources, environment and agency. Potential direct or institutional human pathway: Parenting and child development interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Adversarial / inequitable distribution: Unequal power, coercion, inaccessible systems, discrimination or exploitative incentives shift costs to a person. Source Atlas proposed limiting condition: Child or parent compensates for missing support.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Developmental state map plus distributed support capacity can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Child capability and wellbeing rise while caregiver burden falls. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

014 to 001: consequential handoff

Parenting and child development -> Whole-person quality of life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Whole-person quality of life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Single score, diagnosis, income bracket or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Person, household, caregivers, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Longitudinal cohort with preregistered multidimensional outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 51-57; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 001 pp. 51-57.

014 to 002: consequential handoff

Parenting and child development -> Nutrition and metabolism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Nutrition and metabolism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Calories/macros or generic diet categories. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Body, household budget, food system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Randomized adaptive nutrition trial with cost and adherence carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 58-64; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 002 pp. 58-64.

014 to 003: consequential handoff

Parenting and child development -> Sleep and recovery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Sleep and recovery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Hours slept or wearable score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Body, cognition, household schedule. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Recovery controller integrating timing, environment, workload and physiology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Longitudinal crossover study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 65-71; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 003 pp. 65-71.

014 to 004: consequential handoff

Parenting and child development -> Reproductive and sexual health | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Reproductive and sexual health; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Single fertility, disease or risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Individual, partner, future child, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Clinical trials + patient-reported and partner- impact carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 72-78; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 004 pp. 72-78.

014 to 005: consequential handoff

Parenting and child development -> Disability and accessibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Disability and accessibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Deficit-only person label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Person, caregiver, workplace, public space. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Environment-first accessibility architecture plus assistive capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Before/after environment redesign with workload measures'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 79-85; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 005 pp. 79-85.

014 to 006: consequential handoff

Parenting and child development -> Mobility and physical function | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Mobility and physical function; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Single functional score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Body, caregiver, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Adaptive rehabilitation plus environment and device redesign. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Controlled rehabilitation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 86-92; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 006 pp. 86-92.

014 to 007: consequential handoff

Parenting and child development -> Family and caregiving | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Family and caregiving; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Household role labels. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Primary caregiver, dependents, siblings, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Care-load ledger, shared coordination and external capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Prospective household burden study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 93-99; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 007 pp. 93-99.

014 to 008: consequential handoff

Parenting and child development -> Safety and personal security | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Safety and personal security; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Incident count or generic risk class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Person, community, responder. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Safety architecture that increases protection without reducing autonomy. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Prospective safety intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 100-106; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 008 pp. 100-106.

014 to 009: consequential handoff

Parenting and child development -> Housing and domestic environment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Housing and domestic environment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Property price or occupancy status. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Resident, landlord, neighborhood, city. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Whole-cost housing and location architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Matched housing intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 107-113; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 009 pp. 107-113.

014 to 010: consequential handoff

Parenting and child development -> Human longevity and life-course planning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Human longevity and life-course planning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Chronological age or retirement age. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Person, family, institutions, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Life-course capital and care architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Longitudinal life-course cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 114-120; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 010 pp. 114-120.

014 to 011: consequential handoff

Parenting and child development -> Psychology and social legibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Psychology and social legibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Snapshot diagnosis or social category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Person, family, employer, clinician. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Multidimensional schema plus support matched to hidden burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Longitudinal external cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 122-128; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 011 pp. 122-128.

014 to 012: consequential handoff

Parenting and child development -> Identity and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Identity and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Single identity label or credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Person and receiving institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Selective multi-context identity graph with provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Cross-context identity study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 129-135; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 012 pp. 129-135.

014 to 013: consequential handoff

Parenting and child development -> Relationships and intimacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Relationships and intimacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Relationship status or personality label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Partners and wider support network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Reciprocal state and burden ledger plus consent architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Dyadic longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 136-142; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 013 pp. 136-142.

014 to 014: consequential handoff

Parenting and child development -> Parenting and child development | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

INTERFACE AND COUPLING STATUS

This is a within-domain loop: the post-state of Parenting and child development becomes the next native state under its existing map. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Age norm, grade or behavior label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Child, parent, school, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Developmental state map plus distributed support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Longitudinal family-school cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 143-149; WITHIN-DOMAIN RECURRENCE. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 014 pp. 143-149.

014 to 015: consequential handoff

Parenting and child development -> Purpose and self-actualization | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Purpose and self-actualization; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Career status, wealth or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Person, relationships, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Whole-person capability architecture and burden guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Longitudinal multidimensional evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 150-156; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 015 pp. 150-156.

014 to 016: consequential handoff

Parenting and child development -> Existential wellbeing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Existential wellbeing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Symptom or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Person, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Voluntary meaning-reflection and support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Patient/user-reported longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 157-163; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 016 pp. 157-163.

014 to 017: consequential handoff

Parenting and child development -> Spiritual life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Spiritual life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Institutional affiliation alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Individual, family, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Ethical observational study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 164-170; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 017 pp. 164-170.

014 to 018: consequential handoff

Parenting and child development -> Religion and community institutions | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Religion and community institutions; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Membership or doctrinal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Members, families, leaders, wider community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Transparent governance, reporting, safeguarding and exit rights. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Institutional longitudinal audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 171-177; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 018 pp. 171-177.

014 to 019: consequential handoff

Parenting and child development -> Emotion and affect regulation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Emotion and affect regulation: Internal state, context, physiology, cognition and social feedback.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Emotion and affect regulation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Valence score or symptom label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Person and relationships. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: State-aware regulation architecture with physiological feedback. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Crossover intervention study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 178-184; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 019 pp. 178-184.

014 to 020: consequential handoff

Parenting and child development -> Trust and fidelity between people | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Trust and fidelity between people: History, promises, evidence, uncertainty and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Trust and fidelity between people; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Trusted/untrusted binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: People and institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Dynamic provenance and expectation architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Prospective trust-repair study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 185-191; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 020 pp. 185-191.

014 to 021: consequential handoff

Parenting and child development -> Healthcare delivery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Healthcare delivery: Clinical state, logistics, caregiver capacity, finance and post-discharge environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Healthcare delivery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Episode-of-care schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Patient, caregiver, outpatient system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Consequential discharge/care orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 193-199; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 021 pp. 193-199.

014 to 022: consequential handoff

Parenting and child development -> Diagnostics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Diagnostics: Underlying disease state, uncertainty, test characteristics and downstream actions.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Diagnostics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Single test result. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Patient, clinician, payer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Bayesian multi-source diagnostic schema + uncertainty communication. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Prospective blinded diagnostic study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 200-206; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 022 pp. 200-206.

014 to 023: consequential handoff

Parenting and child development -> Cancer ecology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Cancer ecology: Clone mix, immune state, microenvironment, host reserve and therapy exposure.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Cancer ecology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Stage/tumor-size snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Resistant clones, healthy tissue, immune system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Adaptive ecological state estimator + resistance/host capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Preclinical then clinical adaptive trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 207-213; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 023 pp. 207-213.

014 to 024: consequential handoff

Parenting and child development -> Neuroscience and neurodegeneration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Neuroscience and neurodegeneration: Neural, glial, vascular, metabolic, network and functional state.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Neuroscience and neurodegeneration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Single biomarker or visible function. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Neural networks, metabolism, caregiver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Multimodal state estimator + restorative capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Multimodal longitudinal intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 214-220; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 024 pp. 214-220.

014 to 025: consequential handoff

Parenting and child development -> Aging biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Aging biology: Coupled damage, repair, senescence, immunity, metabolism and regeneration.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Aging biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Age scalar or isolated hallmark. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Cells, tissues, immune system, metabolism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Moving-bottleneck RVG controller across damage/repair channels. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Preclinical multi-pathway study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 221-227; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 025 pp. 221-227.

014 to 026: consequential handoff

Parenting and child development -> Immunology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Immunology: Immune activation, tolerance, pathogen/tumor signals and tissue damage.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Immunology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Single cytokine or cell-count schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Pathogen, immune cells, host tissue. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: State-dependent immune control balancing clearance and collateral damage. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Controlled biological study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 228-234; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 026 pp. 228-234.

014 to 027: consequential handoff

Parenting and child development -> Infectious disease | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Infectious disease: Pathogen dynamics, host immunity, behavior, network spread and treatment.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Infectious disease; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Case count or pathogen-only model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Patients, contacts, health system, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Multi-carrier containment + treatment + livelihood capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Prospective outbreak protocol'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 235-241; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 027 pp. 235-241.

014 to 028: consequential handoff

Parenting and child development -> Microbiome | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Microbiome: Host physiology plus microbial ecology and diet/environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Microbiome; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Species abundance snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Host and microbial community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Functional ecosystem state model and adaptive intervention. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Controlled longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 242-248; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 028 pp. 242-248.

014 to 029: consequential handoff

Parenting and child development -> Genomics and proteomics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Genomics and proteomics: Variants, expression, proteins, pathways, context and phenotype.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Genomics and proteomics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Single marker/pathogenicity label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Cells, tissues, patient. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Multi-omic causal state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Prospective multi-omic validation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 249-255; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 029 pp. 249-255.

014 to 030: consequential handoff

Parenting and child development -> Surgery and rehabilitation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Surgery and rehabilitation: Anatomy, function, pain, recovery capacity, home support and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Surgery and rehabilitation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Procedure success or anatomical correction. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Patient, caregiver, rehab system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Prehabilitation + procedure + recovery orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 256-262; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 030 pp. 256-262.

014 to 031: consequential handoff

Parenting and child development -> Early-childhood development and education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Early-childhood development and education: Development, safety, language, nutrition, play, attachment and resources.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Early-childhood development and education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Age milestone or readiness score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Child, caregiver, educator. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Integrated developmental support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Longitudinal program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 264-270; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 031 pp. 264-270.

014 to 032: consequential handoff

Parenting and child development -> K-12 education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

K-12 education: Knowledge, skills, wellbeing, context, resources and learning trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into K-12 education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Grade/test score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Student, teacher, family. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Capability graph + adaptive learning + wellbeing constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Cluster randomized trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 271-277; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 032 pp. 271-277.

014 to 033: consequential handoff

Parenting and child development -> Higher education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Higher education: Capability, knowledge, network, finances and career pathways.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Higher education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Degree/GPA credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Student, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Capability/provenance portfolio + adaptive pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Longitudinal graduate outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 278-284; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 033 pp. 278-284.

014 to 034: consequential handoff

Parenting and child development -> Vocational and workforce learning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Vocational and workforce learning: Skills, task demand, wages, mobility and employer needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Vocational and workforce learning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Course completion certificate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Worker, employer, training provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Skill-to-task provenance and placement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Matched labor-market evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 285-291; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 034 pp. 285-291.

014 to 035: consequential handoff

Parenting and child development -> Scientific research | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Scientific research: Hypotheses, methods, data, negative results, replication and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Scientific research; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Publication/citation unit. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Researchers, institutions, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Experiment provenance + negative-result + replication architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Cross-lab replication program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 292-298; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 035 pp. 292-298.

014 to 036: consequential handoff

Parenting and child development -> Justice and courts | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Justice and courts: Facts, evidence, harm, intent, procedure, history and remedies.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Justice and courts; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Case category or docket state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Victims, accused, families, courts, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Causal provenance + harm/restitution + recurrence architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Prospective process evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 299-305; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 036 pp. 299-305.

014 to 037: consequential handoff

Parenting and child development -> Policing and public safety systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Policing and public safety systems: Threat, context, evidence, community trust, capacity and alternatives.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Policing and public safety systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Incident/offense label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Residents, officers, victims, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Evidence-first response selection + prevention/support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Independent public evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 306-312; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 037 pp. 306-312.

014 to 038: consequential handoff

Parenting and child development -> Corrections, rehabilitation and reintegration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Corrections, rehabilitation and reintegration: Risk, harm, needs, skills, housing, work and social support.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Corrections, rehabilitation and reintegration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Sentence/recidivism risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Person, family, community, justice system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Rehabilitation + restitution + housing/work capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Longitudinal controlled program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 313-319; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 038 pp. 313-319.

014 to 039: consequential handoff

Parenting and child development -> Public administration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Public administration: Citizen state, eligibility, documents, services and agency capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Public administration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Program-specific record. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Citizen, frontline staff, budget. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Interoperable verified state + once-only data + case orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Agency pilot with citizen/staff metrics'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 320-326; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 039 pp. 320-326.

014 to 040: consequential handoff

Parenting and child development -> Governance and institutional design | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Governance and institutional design: Authority, incentives, information, accountability, resources and affected populations.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Governance and institutional design; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Organizational chart or legal mandate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Citizens, agencies, future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Cross-boundary outcome ledger + accountability and capacity design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Prospective institutional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 327-333; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 040 pp. 327-333.

014 to 041: consequential handoff

Parenting and child development -> Beauty and aesthetics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Beauty and aesthetics: Biology, preference, culture, identity, safety, cost and perception.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Beauty and aesthetics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Universal beauty standard or product category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Person, body, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Personalized aesthetic/safety state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Consumer/clinical outcome study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 335-341; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 041 pp. 335-341.

014 to 042: consequential handoff

Parenting and child development -> Fashion and apparel | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Fashion and apparel: Identity, fit, comfort, durability, labor, inventory and lifecycle.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Fashion and apparel; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Size/SKU/category schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Wearer, worker, retailer, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Adaptive sizing + provenance + circularity architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Retail field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 342-348; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 042 pp. 342-348.

014 to 043: consequential handoff

Parenting and child development -> Luxury goods | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Luxury goods: Provenance, scarcity, condition, access, identity, inventory and lifecycle value.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Luxury goods; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Price/status/authenticity binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Buyer, seller, inventory, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Provenance + condition + access + reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Operational field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 349-355; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 043 pp. 349-355.

014 to 044: consequential handoff

Parenting and child development -> Hospitality | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Hospitality: Guest needs, staff capacity, time, room state, logistics and locality.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Hospitality; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Booking/reservation state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Guest, staff, operator, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: End-to-end experience and workload orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Property-level A/B evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 356-362; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 044 pp. 356-362.

014 to 045: consequential handoff

Parenting and child development -> Travel and tourism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Travel and tourism: Mobility, cost, safety, experience, local capacity and environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Travel and tourism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Itinerary/booking schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Traveler, worker, resident, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Consequential itinerary/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Destination pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 363-369; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 045 pp. 363-369.

014 to 046: consequential handoff

Parenting and child development -> Art and cultural markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Art and cultural markets: Creative work, provenance, rights, cultural meaning, scarcity and audience.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Art and cultural markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Price/ownership/engagement proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Artist, audience, collector, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Rights/provenance/value-sharing architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Marketplace field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 370-376; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 046 pp. 370-376.

014 to 047: consequential handoff

Parenting and child development -> Music and entertainment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Music and entertainment: Creative contribution, rights, attention, audience value and platform economics.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Music and entertainment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Stream/view count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Creators, audiences, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Contribution/provenance + value-distribution architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 377-383; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 047 pp. 377-383.

014 to 048: consequential handoff

Parenting and child development -> Gaming and virtual worlds | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Gaming and virtual worlds: Player goals, time, identity, economy, safety and creator contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Gaming and virtual worlds; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Retention/spend metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Players, creators, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Cross-reality value and safety controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 384-390; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 048 pp. 384-390.

014 to 049: consequential handoff

Parenting and child development -> Sports and performance | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Sports and performance: Performance, health, training load, recovery, team dynamics and career horizon.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Sports and performance; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Win/score/output metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Athlete, team, family, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Load/recovery/career controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Prospective team study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 391-397; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 049 pp. 391-397.

014 to 050: consequential handoff

Parenting and child development -> Experience design and events | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Experience design and events: Attention, emotion, logistics, accessibility, staff load and community impact.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Experience design and events; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Attendance/NPS/ticket revenue. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Guests, staff, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: End-to-end experience-state orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Event A/B study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 398-404; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 050 pp. 398-404.

014 to 051: consequential handoff

Parenting and child development -> Currency and monetary experience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Currency and monetary experience: Purchasing power, liquidity, settlement, access, trust and macro context.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Currency and monetary experience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Nominal unit/FX quote. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Households, firms, intermediaries. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Consequential monetary-state and settlement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Historical + prospective policy-neutral system test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 406-412; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 051 pp. 406-412.

014 to 052: consequential handoff

Parenting and child development -> Payments and remittances | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Payments and remittances: Amount, fees, FX, settlement time, access, fraud and recipient liquidity.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Payments and remittances; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Successful transfer binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Sender, receiver, provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: End-to-end transfer optimization with transparent provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Transaction-level field test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 413-419; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 052 pp. 413-419.

014 to 053: consequential handoff

Parenting and child development -> Banking and liquidity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Banking and liquidity: Deposits, credit, liquidity, capital, customer state and network exposures.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Banking and liquidity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Product/account or institution-local balance sheet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Banks, customers, counterparties, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Network consequential balance sheet + capacity buffers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Stress test + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 420-426; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 053 pp. 420-426.

014 to 054: consequential handoff

Parenting and child development -> Credit and underwriting | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Credit and underwriting: Cashflow, assets, obligations, trajectory, capability and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Credit and underwriting; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Static score/category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Borrower, lender, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Dynamic provenance/capacity underwriting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Prospective lending trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 427-433; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 054 pp. 427-433.

014 to 055: consequential handoff

Parenting and child development -> Insurance and resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Insurance and resilience: Hazard, exposure, prevention, coverage, recovery and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Insurance and resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Loss probability/policy class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Policyholder, insurer, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Prevention + resilience + coverage architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Pilot product evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 434-440; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 055 pp. 434-440.

014 to 056: consequential handoff

Parenting and child development -> Capital markets and investing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Capital markets and investing: Price, cashflow, externalities, network risk and long-horizon value.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Capital markets and investing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Return/risk factor set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Investor, firm, workers, public, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Consequential asset ledger with carrier constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Historical backtest + prospective paper portfolio'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 441-447; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 056 pp. 441-447.

014 to 057: consequential handoff

Parenting and child development -> Private wealth and family capital | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Private wealth and family capital: Financial, human, social, health and intergenerational capital.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Private wealth and family capital; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Portfolio net worth. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Client, family, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Whole-capital balance sheet + goals/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Longitudinal client evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 448-454; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 057 pp. 448-454.

014 to 058: consequential handoff

Parenting and child development -> Labor and talent markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Labor and talent markets: Capability, workload, pay, health, learning and opportunity.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Labor and talent markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Job title/CV/credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Worker, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Capability-state + workload + mobility architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Workplace pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 455-461; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 058 pp. 455-461.

014 to 059: consequential handoff

Parenting and child development -> Organizations and enterprises | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Organizations and enterprises: Functions, dependencies, people, cash, knowledge and customer value.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Organizations and enterprises; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Department/KPI structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Workers, customers, suppliers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Enterprise consequential graph + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Multi-team field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 462-468; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 059 pp. 462-468.

014 to 060: consequential handoff

Parenting and child development -> Entrepreneurship and venture creation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Entrepreneurship and venture creation: Unmet burden, carrier, willingness to pay, build cost and adoption.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Entrepreneurship and venture creation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Existing market category/TAM. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Founder initially, then customer/system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Mutual-Uptick blocker discovery + missing-capacity build. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Pilot venture with carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 469-475; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 060 pp. 469-475.

014 to 061: consequential handoff

Parenting and child development -> Artificial intelligence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Artificial intelligence: Model state, source reality, user intent, provenance, uncertainty and downstream action.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Artificial intelligence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Prompt/context window/model output. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: User, verifier, downstream system, compute. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Persistent schema/provenance layer + self-audit and escalation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Sealed cross-model benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 477-483; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 061 pp. 477-483.

014 to 062: consequential handoff

Parenting and child development -> Software systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Software systems: Requirements, dependencies, state, users, infrastructure and technical debt.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Software systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Feature/ticket/local module schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Developers, users, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Dependency/provenance graph + consequential release controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Repository-level prospective benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 484-490; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 062 pp. 484-490.

014 to 063: consequential handoff

Parenting and child development -> Cybersecurity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Cybersecurity: Actual attack graph, identities, vulnerabilities, privileges and attacker state.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Cybersecurity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Defender inventory/rules/log view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Systems, users, analysts, business continuity. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Self-updating attack schema + carrier prediction + safe containment/failover. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Red-team sealed telemetry benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 491-497; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 063 pp. 491-497.

014 to 064: consequential handoff

Parenting and child development -> Data infrastructure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Data infrastructure: Datasets, lineage, semantics, permissions, quality and downstream uses.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Data infrastructure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Table/file/schema local view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Analysts, models, users, compliance. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Provenance graph + semantic reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Enterprise data benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 498-504; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 064 pp. 498-504.

014 to 065: consequential handoff

Parenting and child development -> Privacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Privacy: Data state, purposes, consent, exposure, value and future misuse.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Privacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Consent checkbox or access-control list. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Person, organization, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Selective disclosure + provenance + minimization architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Field trial + attack testing'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 505-511; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 065 pp. 505-511.

014 to 066: consequential handoff

Parenting and child development -> Digital identity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Digital identity: Attributes, credentials, context, revocation, privacy and trust.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Digital identity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Single identifier/account. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Person, verifier, issuer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Selective-verification credential graph. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Cross-service pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 512-518; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 066 pp. 512-518.

014 to 067: consequential handoff

Parenting and child development -> Internet and communications | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Internet and communications: Topology, capacity, latency, content, trust and user needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Internet and communications; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Throughput/uptime metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Users, networks, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Consequential routing + fidelity/provenance layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Network/application experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 519-525; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 067 pp. 519-525.

014 to 068: consequential handoff

Parenting and child development -> Media and information ecosystems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Media and information ecosystems: Claims, evidence, incentives, attention, creators and audiences.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Media and information ecosystems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Engagement/feed rank. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Audience, creator, public discourse. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Claim provenance + quality + incentive reconciliation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 526-532; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 068 pp. 526-532.

014 to 069: consequential handoff

Parenting and child development -> Language and translation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Language and translation: Meaning, context, culture, pragmatics and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Language and translation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Word/token correspondence. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Speakers, institutions, models. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Semantic/provenance translation with ambiguity tracking. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Blind human evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 533-539; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 069 pp. 533-539.

014 to 070: consequential handoff

Parenting and child development -> Knowledge and ontologies | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Knowledge and ontologies: Entities, relations, provenance, incompatible schemas and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Knowledge and ontologies; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Single ontology/taxonomy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Researchers, AI, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Cross-schema translation + minimal sufficient ontology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Cross-domain benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 540-546; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 070 pp. 540-546.

014 to 071: consequential handoff

Parenting and child development -> Energy and power grids | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Energy and power grids: Generation, load, storage, network constraints, prices and reliability.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Energy and power grids; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Local device efficiency or node KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Grid nodes, customers, storage, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Consequential grid controller + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Grid simulation + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 548-554; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 071 pp. 548-554.

014 to 072: consequential handoff

Parenting and child development -> Water and irrigation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Water and irrigation: Withdrawals, consumptive use, return flows, storage, aquifers and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Water and irrigation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Farm/project efficiency. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Downstream users, rivers, aquifers, ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Basin-wide accounting + catchment + allocation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Basin holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 555-561; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 072 pp. 555-561.

014 to 073: consequential handoff

Parenting and child development -> Food and agriculture | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Food and agriculture: Yield, soil, water, inputs, nutrition, labor, market and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Food and agriculture; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Yield/acre or commodity price. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Farmer, consumer, soil, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Coupled regenerative production controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Multi-season farm trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 562-568; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 073 pp. 562-568.

014 to 074: consequential handoff

Parenting and child development -> Supply chains and logistics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Supply chains and logistics: Inventory, demand, transport, suppliers, lead times and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Supply chains and logistics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Node-level cost/service KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Suppliers, warehouses, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Carrier-aware flow controller + buffer placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Historical + live pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 569-575; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 074 pp. 569-575.

014 to 075: consequential handoff

Parenting and child development -> Manufacturing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Manufacturing: Materials, energy, machines, labor, quality, maintenance and waste.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Manufacturing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Unit cost/OEE. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Workers, machines, environment, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Closed-loop production and maintenance architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Factory pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 576-582; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 075 pp. 576-582.

014 to 076: consequential handoff

Parenting and child development -> Waste and circular materials | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Waste and circular materials: Material composition, location, contamination, residual value and logistics.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Waste and circular materials; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Waste tonnage/disposal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Communities, environment, future production. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Material provenance + recapture + transformation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Municipal/industrial pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 583-589; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 076 pp. 583-589.

014 to 077: consequential handoff

Parenting and child development -> Transportation and mobility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Transportation and mobility: Trips, time, safety, access, energy, congestion and land use.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Transportation and mobility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Vehicle throughput/speed. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Travelers, neighborhoods, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Multimodal consequential mobility controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'City corridor pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 590-596; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 077 pp. 590-596.

014 to 078: consequential handoff

Parenting and child development -> Cities and urban systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Cities and urban systems: Housing, jobs, transport, health, utilities, safety and public space.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Cities and urban systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Agency-by-agency city data. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Residents, agencies, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: City consequential digital twin + coordinated capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'District pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 597-603; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 078 pp. 597-603.

014 to 079: consequential handoff

Parenting and child development -> Climate and disaster resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Climate and disaster resilience: Hazard, exposure, vulnerability, infrastructure, food, health and recovery.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Climate and disaster resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Hazard forecast alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: People, infrastructure, ecosystems, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Anticipatory catchment + prepositioned capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Prospective matched pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 604-610; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 079 pp. 604-610.

014 to 080: consequential handoff

Parenting and child development -> Ecology and biodiversity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Ecology and biodiversity: Species, habitats, flows, extraction, communities and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Ecology and biodiversity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Protected-area/local species metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Species, habitats, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Landscape-scale leakage/carrier accounting + livelihoods. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Landscape holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 611-617; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 080 pp. 611-617.

014 to 081: consequential handoff

Parenting and child development -> Cell biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Cell biology: Signaling, organelles, metabolism, damage, repair and cell-state transitions.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Cell biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Single pathway/marker. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Organelles, pathways, neighboring cells. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Multi-state cellular controller + capacity targeting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'In-vitro perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 619-625; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 081 pp. 619-625.

014 to 082: consequential handoff

Parenting and child development -> Molecular biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Molecular biology: Molecules, conformations, binding networks, concentrations and kinetics.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Molecular biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Single interaction/target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Molecules, pathways, host system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Reaction/network state model + off-target carrier control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Bench experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 626-632; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 082 pp. 626-632.

014 to 083: consequential handoff

Parenting and child development -> Nanotechnology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Nanotechnology: Particle properties, surfaces, transport, environment and biological interaction.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Nanotechnology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Particle spec alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Cells, environment, users. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Lifecycle and interaction-aware nano design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Bench + environmental tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 633-639; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 083 pp. 633-639.

014 to 084: consequential handoff

Parenting and child development -> Chemistry and reaction systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Chemistry and reaction systems: Species, reaction network, kinetics, energy, byproducts and separation.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Chemistry and reaction systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Target yield/selectivity. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Reactor, environment, downstream process. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Consequential reaction-network optimization + recovery loops. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Reactor experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 640-646; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 084 pp. 640-646.

014 to 085: consequential handoff

Parenting and child development -> Materials science | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Materials science: Microstructure, defects, stress, temperature, lifecycle and manufacturing.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Materials science; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Bulk property spec. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Material, structure, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Defect-aware multiproperty design + recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Lab characterization'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 647-653; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 085 pp. 647-653.

014 to 086: consequential handoff

Parenting and child development -> Classical mechanics and control | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Classical mechanics and control: Physical state, dynamics, sensors, actuators and disturbance.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Classical mechanics and control; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Partial state observation/local control objective. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Plant, actuator, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Representation-aware full-state controller + regenerative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Physical bench experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 654-660; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 086 pp. 654-660.

014 to 087: consequential handoff

Parenting and child development -> Thermodynamics and nonequilibrium systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Thermodynamics and nonequilibrium systems: Energy, entropy, gradients, reservoirs, flows and constraints.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Thermodynamics and nonequilibrium systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Local efficiency/temperature metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Reservoirs, environment, components. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Whole-boundary energy/exergy and recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Physical experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 661-667; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 087 pp. 661-667.

014 to 088: consequential handoff

Parenting and child development -> Electromagnetism and circuits | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Electromagnetism and circuits: Fields, voltages, currents, topology, storage and losses.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Electromagnetism and circuits; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Local component state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Circuit elements, sources, loads. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Full-network state estimation + capacity/recovery placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Bench circuit experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 668-674; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 088 pp. 668-674.

014 to 089: consequential handoff

Parenting and child development -> Quantum systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Quantum systems: Quantum state, observables, measurement, control and decoherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Quantum systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Accessible observable set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Quantum system, apparatus, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Constraint-respecting measurement/control schema + capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Laboratory quantum experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 675-681; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 089 pp. 675-681.

014 to 090: consequential handoff

Parenting and child development -> Pure mathematics and formal systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Pure mathematics and formal systems: Objects, relations, axioms, language, proofs and translations.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Pure mathematics and formal systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Chosen signature/type system/quotient. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Proof system, translator, solver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Minimal sufficient schema preserving required relations. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Machine-checked theorem suite'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 682-688; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 090 pp. 682-688.

014 to 091: consequential handoff

Parenting and child development -> Statistics and causal inference | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Statistics and causal inference: Data-generating process, sampling, measurement, confounding and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Statistics and causal inference; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Chosen model/estimand. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Decision makers, future samples, affected groups. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Provenance-aware multi-model causal state + identifiability guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Simulation + multi-dataset benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 690-696; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 091 pp. 690-696.

014 to 092: consequential handoff

Parenting and child development -> Logic and reasoning systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Logic and reasoning systems: Premises, inference rules, contradictions, uncertainty and goals.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Logic and reasoning systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Single logical calculus. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Reasoner, downstream decision. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Multi-logic translation + contradiction provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Formal benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 697-703; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 092 pp. 697-703.

014 to 093: consequential handoff

Parenting and child development -> Geography and territorial systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Geography and territorial systems: People, ecosystems, infrastructure, flows and administrative boundaries.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Geography and territorial systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Jurisdiction/map boundary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Border communities, watersheds, networks. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Flow-based territorial state model. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Regional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 704-710; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 093 pp. 704-710.

014 to 094: consequential handoff

Parenting and child development -> Informal economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Informal economy: Real work, exchange, trust, risk and household needs outside formal records.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Informal economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Formal registry/tax/business schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Workers, households, state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Low-friction recognition, protection and access architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Field pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 711-717; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 094 pp. 711-717.

014 to 095: consequential handoff

Parenting and child development -> Illicit and black markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Illicit and black markets: Hidden demand, supply, coercion, enforcement, prices and harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Illicit and black markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Official market data that excludes hidden exchange. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Victims, communities, lawful firms, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Independent harm-reduction/public-safety evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 718-724; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 095 pp. 718-724.

014 to 096: consequential handoff

Parenting and child development -> Orbital and space economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Orbital and space economy: Spacecraft, debris, spectrum, energy, logistics and operator incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Orbital and space economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Mission-local success metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Other spacecraft, operators, orbital environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Orbital consequential ledger + shared capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Simulation + mission pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 725-731; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 096 pp. 725-731.

014 to 097: consequential handoff

Parenting and child development -> Extraterrestrial settlement | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Extraterrestrial settlement: Life support, energy, materials, health, governance and closed ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Extraterrestrial settlement; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Earth-derived subsystem silos. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Crew, machines, habitat ecology. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Closed-loop consequential state + autonomous capacity construction. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Analog habitat + mission tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 732-738; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 097 pp. 732-738.

014 to 098: consequential handoff

Parenting and child development -> Astrobiology and biosignatures | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Astrobiology and biosignatures: Unknown life chemistries, environments, signals and contamination risks.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Astrobiology and biosignatures; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Earth-centric life schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Scientific program, environment, future missions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Plural biosignature schema + provenance/contamination control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Blind benchmark + mission data'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 739-745; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 098 pp. 739-745.

014 to 099: consequential handoff

Parenting and child development -> Planetary systems and stewardship | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Planetary systems and stewardship: Atmosphere, hydrology, geology, biosphere, resources and settlements.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Planetary systems and stewardship; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Sector-local resource model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Settlements, ecosystems, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Closed-loop planetary resource and restoration architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Earth analog + simulation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 746-752; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 099 pp. 746-752.

014 to 100: consequential handoff

Parenting and child development -> Unknown and not-yet-named realities | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Unknown and not-yet-named realities: Any newly observed substrate, scale, agent, value dimension or exchange mode.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Unknown and not-yet-named realities; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: No adequate schema exists yet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Unknown until carrier tracing identifies it. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Instantiate M_d, define schema, measure gap, trace carrier, construct capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Freeze kernel before learning outcomes; then holdout/replicate'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 753-759; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 100 pp. 753-759.

014 to 101: consequential handoff

Parenting and child development -> Conscious experience and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Conscious experience and self-model: Perception, affect, memory, self-model, attention, internal accessibility and embodied state.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Conscious experience and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: A receiving observer reduces another system to behavior, category or output alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Experiencing system, observers, dependent systems and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Cross-modal state representation with provenance, uncertainty and non-erasure constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Prospective multi-method cross-observer study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 761-767; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 101 pp. 761-767.

014 to 102: consequential handoff

Parenting and child development -> Choice and option topology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Choice and option topology: Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Choice and option topology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Binary free-choice / no-choice label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Chooser, affected people, institutions and future option set. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Feasible-option map plus prebuilt low-friction lawful/prosocial pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Prospective choice-topology intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 768-774; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 102 pp. 768-774.

014 to 103: consequential handoff

Parenting and child development -> Truth, deception and disclosure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Truth, deception and disclosure: Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Truth, deception and disclosure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Truth/lie binary detached from consequence topology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Speaker, listener, harmed parties, institutions and future trust network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Verification, safe disclosure, correction, restitution and transition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Sealed truth-cost / disclosure study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 775-781; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 103 pp. 775-781.

014 to 104: consequential handoff

Parenting and child development -> Responsibility and causal attribution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Responsibility and causal attribution: Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Responsibility and causal attribution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Moral label detached from the action-producing state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Actor, victims, institutions, community and future actors. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Blinded case reconstruction with preregistered causal criteria'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 782-788; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 104 pp. 782-788.

014 to 105: consequential handoff

Parenting and child development -> Consent, coercion and autonomy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Consent, coercion and autonomy: Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Consent, coercion and autonomy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Signed/expressed consent treated as sufficient state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Decision maker, counterparties, dependents and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Real exit, recourse, reversible consent, information symmetry and alternative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Prospective consent-quality audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 789-795; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 105 pp. 789-795.

014 to 106: consequential handoff

Parenting and child development -> Addiction, compulsion and short-horizon relief | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Addiction, compulsion and short-horizon relief: Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Addiction, compulsion and short-horizon relief; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Substance/behavior category or abstinence binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Person, body, relationships, household, community and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Longitudinal regulated intervention with multi-carrier outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 796-802; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 106 pp. 796-802.

014 to 107: consequential handoff

Parenting and child development -> Crime, violence and reconciliation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Crime, violence and reconciliation: Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Crime, violence and reconciliation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Offense label or actor-only risk score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Victims, actor, families, community, institutions and future potential victims. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Longitudinal controlled justice-program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 803-809; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 107 pp. 803-809.

014 to 108: consequential handoff

Parenting and child development -> Animal sentience and welfare | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Animal sentience and welfare: Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Animal sentience and welfare; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Commodity/yield schema that excludes the animal as a carrier. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Animals, workers, consumers, farmers, land, ecosystems and communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Welfare, alternative-production, livelihood-transition and ecological capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Multi-carrier welfare, nutrition and livelihood trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 810-816; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 108 pp. 810-816.

014 to 109: consequential handoff

Parenting and child development -> Collective agency and institutional choice | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Collective agency and institutional choice: Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Collective agency and institutional choice; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Organization treated as a single actor without internal carrier structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Members, minorities, leaders, outsiders, institutions and future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Distributed decision provenance, dissent channels, accountability and cross-boundary capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Prospective institutional decision audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 817-823; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 109 pp. 817-823.

014 to 110: consequential handoff

Parenting and child development -> Human-AI co-agency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Human-AI co-agency: Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Human-AI co-agency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Model output or benchmark score treated as the whole system. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: User, non-user, model operator, workers, institutions, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Persistent provenance, human control, reversibility, portability, verification and receivingcapacity layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Sealed native-vs-K_R assisted agent benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 824-830; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 110 pp. 824-830.

014 to 111: consequential handoff

Parenting and child development -> Evolution and natural selection | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Evolution and natural selection: Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Evolution and natural selection; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Fitness proxy or single-trait narrative. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Individuals, lineages, populations, interacting species and ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Diversity, ecological capacity and intervention guardrails where deliberate action exists. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Time-locked population/genomic holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 832-838; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 111 pp. 832-838.

014 to 112: consequential handoff

Parenting and child development -> Reproduction, inheritance, mitosis and meiosis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Reproduction, inheritance, mitosis and meiosis: Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Reproduction, inheritance, mitosis and meiosis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Outcome-only birth/division count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Parent cell/organism, daughter cells, gametes, offspring and lineage. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Checkpoint, repair, redundancy and developmental-support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Lineage-resolved perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 839-845; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 112 pp. 839-845.

014 to 113: consequential handoff

Parenting and child development -> Development and morphogenesis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Development and morphogenesis: Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Development and morphogenesis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Single marker or endpoint morphology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Cells, tissues, organs, organism and developmental future state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Stage-aware multi-pathway support, repair and resource architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Longitudinal developmental perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 846-852; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 113 pp. 846-852.

014 to 114: consequential handoff

Parenting and child development -> Metabolism, diet and consumption | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Metabolism, diet and consumption: Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Metabolism, diet and consumption; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Calories/macros or one nutrient target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Gut, microbiome, liver, tissues, household, food system and future organism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Adaptive conversion, buffering, storage, elimination and access capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Controlled longitudinal multi-carrier nutrition study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 853-859; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 114 pp. 853-859.

014 to 115: consequential handoff

Parenting and child development -> Predation, livestock and food-system transformation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Predation, livestock and food-system transformation: Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Predation, livestock and food-system transformation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Yield, price or human nutrition alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Animals, humans, workers, farmers, consumers, land, ecosystems and future food security. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Phased regional transition with preregistered carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 860-866; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 115 pp. 860-866.

014 to 116: consequential handoff

Parenting and child development -> Learning, plasticity and cultural evolution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Learning, plasticity and cultural evolution: Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Learning, plasticity and cultural evolution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Test score, output or adoption count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Learner, teachers, peers, institutions, future self and cultural network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Longitudinal transfer-and-retention experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 867-873; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 116 pp. 867-873.

014 to 117: consequential handoff

Parenting and child development -> Self-organization and emergence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Self-organization and emergence: Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Self-organization and emergence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Macro outcome without micro-carrier ledger. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Components, neighborhoods, emergent structure and external environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Multi-scale simulation plus physical/biological holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 874-880; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 117 pp. 874-880.

014 to 118: consequential handoff

Parenting and child development -> Creation, provenance and dependency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Creation, provenance and dependency: Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Creation, provenance and dependency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Ownership or authorship treated as sufficient relationship model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Creators, created systems, maintainers, users, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Provenance, stewardship, autonomy-transition and reciprocal-viability architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Longitudinal creator-created dependency audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 881-887; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 118 pp. 881-887.

014 to 119: consequential handoff

Parenting and child development -> Cosmological evolution and structure formation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Cosmological evolution and structure formation: Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Cosmological evolution and structure formation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Single scale or observable treated as complete cosmic state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: Observed regions, fields/matter components, instruments, models and observers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Cross-scale observation, uncertainty, model-comparison and instrumentation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Preregistered cross-survey predictive holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 888-894; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 119 pp. 888-894.

014 to 120: consequential handoff

Parenting and child development -> Cross-substrate consciousness, temporal coexistence and closure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

PROPOSED RECEIVER AND STATE

Cross-substrate consciousness, temporal coexistence and closure: The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility.

INTERFACE AND COUPLING STATUS

Proposed interface from Parenting and child development into Cross-substrate consciousness, temporal coexistence and closure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Age norm, grade or behavior label. Receiver's limited view: Any local adapter, species, institution or observer claiming closure from its own schema alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Child, parent, school, community. Candidate receiver carriers: All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Developmental state map plus distributed support capacity. Receiving capacity: Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and.... Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal family-school cohort' with a receiver study of 'Time-locked system-of-systems closure test across multiple adapters'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 143-149 and 895-901; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026). Receiver Adapter 120 pp. 895-901.

014: Parenting and child development

Household / family / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Household / family / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Household / family / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Household / family / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Household / family / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Household / family / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

School / university / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

School / university / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

School / university / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

School / university / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

School / university / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

School / university / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Enterprise / cooperative / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Enterprise / cooperative / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Enterprise / cooperative / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Enterprise / cooperative / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Enterprise / cooperative / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Enterprise / cooperative / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Healthcare / care team / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Healthcare / care team / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Healthcare / care team / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Healthcare / care team / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Healthcare / care team / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Healthcare / care team / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Local government / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Local government / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Local government / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Local government / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Local government / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Local government / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Ecological catchment / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Ecological catchment / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Ecological catchment / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Ecological catchment / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Ecological catchment / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Ecological catchment / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Scientific laboratory / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Scientific laboratory / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Scientific laboratory / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Scientific laboratory / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Scientific laboratory / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Scientific laboratory / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Public infrastructure / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Public infrastructure / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Public infrastructure / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Public infrastructure / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Public infrastructure / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Public infrastructure / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Digital / AI service / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Digital / AI service / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Digital / AI service / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Digital / AI service / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Digital / AI service / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Digital / AI service / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Interregional / planetary / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Interregional / planetary / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Interregional / planetary / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Interregional / planetary / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Interregional / planetary / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Parenting and child development

Interregional / planetary / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Parenting and child development is described in the Atlas as: Biology, attachment, education, safety, resources, environment and agency. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Child or parent compensates for missing support. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Child, parent, school, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Developmental state map plus distributed support capacity. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Child capability and wellbeing rise while caregiver burden falls. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal family-school cohort or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Evidence and source reconstruction

Parenting and child development | protocol 1 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 014: Parenting and child development; original author status: Constructive protocol. Native state: Biology, attachment, education, safety, resources, environment and agency.

EVALUATION OBJECTIVE

Evidence and source reconstruction. Establish what is observed, reported, derived, simulated and currently unavailable. Audit definitions, dates and units.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Age norm, grade or behavior label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Child or parent compensates for missing support. The relevant receiving carriers are: Child, parent, school, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Developmental state map plus distributed support capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Child capability and wellbeing rise while caregiver burden falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal family-school cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Boundary divergence

Parenting and child development | protocol 2 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 014: Parenting and child development; original author status: Constructive protocol. Native state: Biology, attachment, education, safety, resources, environment and agency.

EVALUATION OBJECTIVE

Boundary divergence. Predeclare local and consequential objectives, identical feasible action sets, and a measurable divergence test.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Age norm, grade or behavior label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Child or parent compensates for missing support. The relevant receiving carriers are: Child, parent, school, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Developmental state map plus distributed support capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Child capability and wellbeing rise while caregiver burden falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal family-school cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Causal diagram and identifiability

Parenting and child development | protocol 3 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 014: Parenting and child development; original author status: Constructive protocol. Native state: Biology, attachment, education, safety, resources, environment and agency.

EVALUATION OBJECTIVE

Causal diagram and identifiability. Draw the candidate causal graph; identify confounders, mediators, spillovers and selection mechanisms.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Age norm, grade or behavior label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Child or parent compensates for missing support. The relevant receiving carriers are: Child, parent, school, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Developmental state map plus distributed support capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Child capability and wellbeing rise while caregiver burden falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal family-school cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Receiving carrier identification

Parenting and child development | protocol 4 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 014: Parenting and child development; original author status: Constructive protocol. Native state: Biology, attachment, education, safety, resources, environment and agency.

EVALUATION OBJECTIVE

Receiving carrier identification. Predict the destination, path and delay of consequential burdens before measuring post-state outcomes.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Age norm, grade or behavior label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Child or parent compensates for missing support. The relevant receiving carriers are: Child, parent, school, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Developmental state map plus distributed support capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Child capability and wellbeing rise while caregiver burden falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal family-school cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Hidden compensation accounting

Parenting and child development | protocol 5 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 014: Parenting and child development; original author status: Constructive protocol. Native state: Biology, attachment, education, safety, resources, environment and agency.

EVALUATION OBJECTIVE

Hidden compensation accounting. Measure which agent, reserve, budget, ecosystem or later period silently carries the load.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Age norm, grade or behavior label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Child or parent compensates for missing support. The relevant receiving carriers are: Child, parent, school, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Developmental state map plus distributed support capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Child capability and wellbeing rise while caregiver burden falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal family-school cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Native units and dimensional integrity

Parenting and child development | protocol 6 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 014: Parenting and child development; original author status: Constructive protocol. Native state: Biology, attachment, education, safety, resources, environment and agency.

EVALUATION OBJECTIVE

Native units and dimensional integrity. Define each carrier outcome in its own units; avoid offsetting unlike harms with unsupported scalar sums.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Age norm, grade or behavior label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Child or parent compensates for missing support. The relevant receiving carriers are: Child, parent, school, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Developmental state map plus distributed support capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Child capability and wellbeing rise while caregiver burden falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal family-school cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Capacity specification

Parenting and child development | protocol 7 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 014: Parenting and child development; original author status: Constructive protocol. Native state: Biology, attachment, education, safety, resources, environment and agency.

EVALUATION OBJECTIVE

Capacity specification. Identify the binding receiver constraint and specify the smallest permissible constructive action.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Age norm, grade or behavior label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Child or parent compensates for missing support. The relevant receiving carriers are: Child, parent, school, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Developmental state map plus distributed support capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Child capability and wellbeing rise while caregiver burden falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal family-school cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Intervention design

Parenting and child development | protocol 8 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 014: Parenting and child development; original author status: Constructive protocol. Native state: Biology, attachment, education, safety, resources, environment and agency.

EVALUATION OBJECTIVE

Intervention design. Choose randomized, natural, observational or mechanistic evidence compatible with safety and identifiability.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Age norm, grade or behavior label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Child or parent compensates for missing support. The relevant receiving carriers are: Child, parent, school, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Developmental state map plus distributed support capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Child capability and wellbeing rise while caregiver burden falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal family-school cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Incumbent parity contest

Parenting and child development | protocol 9 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 014: Parenting and child development; original author status: Constructive protocol. Native state: Biology, attachment, education, safety, resources, environment and agency.

EVALUATION OBJECTIVE

Incumbent parity contest. Compare against strongest existing local, boundary-aware, causal and resource-constrained methods.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Age norm, grade or behavior label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Child or parent compensates for missing support. The relevant receiving carriers are: Child, parent, school, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Developmental state map plus distributed support capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Child capability and wellbeing rise while caregiver burden falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal family-school cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Time-window and recurrence

Parenting and child development | protocol 10 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 014: Parenting and child development; original author status: Constructive protocol. Native state: Biology, attachment, education, safety, resources, environment and agency.

EVALUATION OBJECTIVE

Time-window and recurrence. Measure early, intermediate and delayed outcomes, including reserve depletion and changing bottlenecks.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Age norm, grade or behavior label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Child or parent compensates for missing support. The relevant receiving carriers are: Child, parent, school, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Developmental state map plus distributed support capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Child capability and wellbeing rise while caregiver burden falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal family-school cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Ethical and legal safety

Parenting and child development | protocol 11 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 014: Parenting and child development; original author status: Constructive protocol. Native state: Biology, attachment, education, safety, resources, environment and agency.

EVALUATION OBJECTIVE

Ethical and legal safety. Determine affected rights, vulnerable groups, irreversible harms, consent, permissions and safety constraints.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Age norm, grade or behavior label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Child or parent compensates for missing support. The relevant receiving carriers are: Child, parent, school, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Developmental state map plus distributed support capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Child capability and wellbeing rise while caregiver burden falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal family-school cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Sensitivity and negative controls

Parenting and child development | protocol 12 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 014: Parenting and child development; original author status: Constructive protocol. Native state: Biology, attachment, education, safety, resources, environment and agency.

EVALUATION OBJECTIVE

Sensitivity and negative controls. Vary unmeasured confounding, missingness, cost, thresholds and adverse spillover assumptions.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Age norm, grade or behavior label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Child or parent compensates for missing support. The relevant receiving carriers are: Child, parent, school, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Developmental state map plus distributed support capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Child capability and wellbeing rise while caregiver burden falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal family-school cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Replication and provenance

Parenting and child development | protocol 13 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 014: Parenting and child development; original author status: Constructive protocol. Native state: Biology, attachment, education, safety, resources, environment and agency.

EVALUATION OBJECTIVE

Replication and provenance. Version the kernel, code, data, transformation decisions, negative findings and external replication.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Age norm, grade or behavior label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Child or parent compensates for missing support. The relevant receiving carriers are: Child, parent, school, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Developmental state map plus distributed support capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Child capability and wellbeing rise while caregiver burden falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal family-school cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

014: Cross-domain invariant contest

Parenting and child development | protocol 14 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 014: Parenting and child development; original author status: Constructive protocol. Native state: Biology, attachment, education, safety, resources, environment and agency.

EVALUATION OBJECTIVE

Cross-domain invariant contest. Keep K_R fixed while swapping M_d; test whether new measurements produce predictions beyond domain incumbents.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Age norm, grade or behavior label. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Child or parent compensates for missing support. The relevant receiving carriers are: Child, parent, school, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Developmental state map plus distributed support capacity. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Child capability and wellbeing rise while caregiver burden falls.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal family-school cohort. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 014, pp. 143-149 (Rufino 2026).

Adapter 015: Purpose and self-actualization

Psychology and meaning | Internal carrier and capacity reconstruction

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

DOMAIN-NATIVE STATE

Capabilities, values, opportunity, health, autonomy and social contribution

RECORDED RECEIVING SCHEMA

Career status, wealth or productivity proxy

CANDIDATE BURDEN AND RECEIVING CARRIERS

Blocker in the source Atlas: Achievement can be purchased with health or belonging. Candidate receivers: Person, relationships, community.

EXISTING CAPACITY DESIGN

Whole-person capability architecture and burden guardrails

PROTECTED OUTCOME STATED BY THE AUTHOR

Achievement, health, autonomy and contribution improve together

SCIENTIFIC NEXT STEP

Atlas proposed decisive test: Longitudinal multidimensional evaluation. This remains a proposed testing route, not proof of a completed successful implementation.

ORIGINALITY AND CONSTRUCTION OBLIGATION

Run causal receiving-carrier diagnosis before action; compare construction against strong established methods; do not accept positive averages as proof that all material carriers benefited.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015 | Purpose and self-actualization

Individual human / person | Insufficient capacity

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 015, Purpose and self-actualization. Native state: Capabilities, values, opportunity, health, autonomy and social contribution. Potential direct or institutional human pathway: Purpose and self-actualization interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Insufficient capacity: The human has limited time, health, physical access, material resources, protective support or opportunity. Source Atlas proposed limiting condition: Achievement can be purchased with health or belonging.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Whole-person capability architecture and burden guardrails can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Achievement, health, autonomy and contribution improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

015 | Purpose and self-actualization

Individual human / person | Schema mismatch

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 015, Purpose and self-actualization. Native state: Capabilities, values, opportunity, health, autonomy and social contribution. Potential direct or institutional human pathway: Purpose and self-actualization interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Schema mismatch: The person has evidence-grounded capabilities or needs that institutional identifiers, scores or labels do not adequately recognize. Source Atlas proposed limiting condition: Achievement can be purchased with health or belonging.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Whole-person capability architecture and burden guardrails can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Achievement, health, autonomy and contribution improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

015 | Purpose and self-actualization

Individual human / person | Delayed effects

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 015, Purpose and self-actualization. Native state: Capabilities, values, opportunity, health, autonomy and social contribution. Potential direct or institutional human pathway: Purpose and self-actualization interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Delayed effects: A short-term change influences future-self health, skills, income, dependence, options or relationships. Source Atlas proposed limiting condition: Achievement can be purchased with health or belonging.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Whole-person capability architecture and burden guardrails can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Achievement, health, autonomy and contribution improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

015 | Purpose and self-actualization

Individual human / person | Measurement uncertainty

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 015, Purpose and self-actualization. Native state: Capabilities, values, opportunity, health, autonomy and social contribution. Potential direct or institutional human pathway: Purpose and self-actualization interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Measurement uncertainty: The record lacks consented individual outcomes, counterfactuals, follow-up, or reliable protection metrics. Source Atlas proposed limiting condition: Achievement can be purchased with health or belonging.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Whole-person capability architecture and burden guardrails can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Achievement, health, autonomy and contribution improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

015 | Purpose and self-actualization

Individual human / person | Coordination failure

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 015, Purpose and self-actualization. Native state: Capabilities, values, opportunity, health, autonomy and social contribution. Potential direct or institutional human pathway: Purpose and self-actualization interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Coordination failure: Family, employer, provider, government or technical systems hand off obligations to the individual without coordinated support. Source Atlas proposed limiting condition: Achievement can be purchased with health or belonging.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Whole-person capability architecture and burden guardrails can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Achievement, health, autonomy and contribution improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

015 | Purpose and self-actualization

Individual human / person | Adversarial / inequitable distribution

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 015, Purpose and self-actualization. Native state: Capabilities, values, opportunity, health, autonomy and social contribution. Potential direct or institutional human pathway: Purpose and self-actualization interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Adversarial / inequitable distribution: Unequal power, coercion, inaccessible systems, discrimination or exploitative incentives shift costs to a person. Source Atlas proposed limiting condition: Achievement can be purchased with health or belonging.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Whole-person capability architecture and burden guardrails can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Achievement, health, autonomy and contribution improve together. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

015 to 001: consequential handoff

Purpose and self-actualization -> Whole-person quality of life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Whole-person quality of life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Single score, diagnosis, income bracket or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Person, household, caregivers, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Longitudinal cohort with preregistered multidimensional outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 51-57; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 001 pp. 51-57.

015 to 002: consequential handoff

Purpose and self-actualization -> Nutrition and metabolism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Nutrition and metabolism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Calories/macros or generic diet categories. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Body, household budget, food system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Randomized adaptive nutrition trial with cost and adherence carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 58-64; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 002 pp. 58-64.

015 to 003: consequential handoff

Purpose and self-actualization -> Sleep and recovery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Sleep and recovery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Hours slept or wearable score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Body, cognition, household schedule. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Recovery controller integrating timing, environment, workload and physiology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Longitudinal crossover study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 65-71; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 003 pp. 65-71.

015 to 004: consequential handoff

Purpose and self-actualization -> Reproductive and sexual health | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Reproductive and sexual health; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Single fertility, disease or risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Individual, partner, future child, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Clinical trials + patient-reported and partner- impact carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 72-78; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 004 pp. 72-78.

015 to 005: consequential handoff

Purpose and self-actualization -> Disability and accessibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Disability and accessibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Deficit-only person label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Person, caregiver, workplace, public space. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Environment-first accessibility architecture plus assistive capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Before/after environment redesign with workload measures'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 79-85; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 005 pp. 79-85.

015 to 006: consequential handoff

Purpose and self-actualization -> Mobility and physical function | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Mobility and physical function; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Single functional score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Body, caregiver, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Adaptive rehabilitation plus environment and device redesign. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Controlled rehabilitation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 86-92; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 006 pp. 86-92.

015 to 007: consequential handoff

Purpose and self-actualization -> Family and caregiving | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Family and caregiving; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Household role labels. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Primary caregiver, dependents, siblings, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Care-load ledger, shared coordination and external capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Prospective household burden study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 93-99; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 007 pp. 93-99.

015 to 008: consequential handoff

Purpose and self-actualization -> Safety and personal security | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Safety and personal security; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Incident count or generic risk class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Person, community, responder. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Safety architecture that increases protection without reducing autonomy. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Prospective safety intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 100-106; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 008 pp. 100-106.

015 to 009: consequential handoff

Purpose and self-actualization -> Housing and domestic environment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Housing and domestic environment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Property price or occupancy status. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Resident, landlord, neighborhood, city. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Whole-cost housing and location architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Matched housing intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 107-113; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 009 pp. 107-113.

015 to 010: consequential handoff

Purpose and self-actualization -> Human longevity and life-course planning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Human longevity and life-course planning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Chronological age or retirement age. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Person, family, institutions, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Life-course capital and care architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Longitudinal life-course cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 114-120; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 010 pp. 114-120.

015 to 011: consequential handoff

Purpose and self-actualization -> Psychology and social legibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Psychology and social legibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Snapshot diagnosis or social category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Person, family, employer, clinician. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Multidimensional schema plus support matched to hidden burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Longitudinal external cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 122-128; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 011 pp. 122-128.

015 to 012: consequential handoff

Purpose and self-actualization -> Identity and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Identity and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Single identity label or credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Person and receiving institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Selective multi-context identity graph with provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Cross-context identity study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 129-135; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 012 pp. 129-135.

015 to 013: consequential handoff

Purpose and self-actualization -> Relationships and intimacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Relationships and intimacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Relationship status or personality label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Partners and wider support network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Reciprocal state and burden ledger plus consent architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Dyadic longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 136-142; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 013 pp. 136-142.

015 to 014: consequential handoff

Purpose and self-actualization -> Parenting and child development | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Parenting and child development; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Age norm, grade or behavior label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Child, parent, school, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Developmental state map plus distributed support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Longitudinal family-school cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 143-149; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 014 pp. 143-149.

015 to 015: consequential handoff

Purpose and self-actualization -> Purpose and self-actualization | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

INTERFACE AND COUPLING STATUS

This is a within-domain loop: the post-state of Purpose and self-actualization becomes the next native state under its existing map. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Career status, wealth or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Person, relationships, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Whole-person capability architecture and burden guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Longitudinal multidimensional evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 150-156; WITHIN-DOMAIN RECURRENCE. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 015 pp. 150-156.

015 to 016: consequential handoff

Purpose and self-actualization -> Existential wellbeing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Existential wellbeing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Symptom or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Person, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Voluntary meaning-reflection and support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Patient/user-reported longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 157-163; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 016 pp. 157-163.

015 to 017: consequential handoff

Purpose and self-actualization -> Spiritual life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Spiritual life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Institutional affiliation alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Individual, family, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Ethical observational study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 164-170; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 017 pp. 164-170.

015 to 018: consequential handoff

Purpose and self-actualization -> Religion and community institutions | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Religion and community institutions; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Membership or doctrinal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Members, families, leaders, wider community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Transparent governance, reporting, safeguarding and exit rights. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Institutional longitudinal audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 171-177; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 018 pp. 171-177.

015 to 019: consequential handoff

Purpose and self-actualization -> Emotion and affect regulation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Emotion and affect regulation: Internal state, context, physiology, cognition and social feedback.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Emotion and affect regulation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Valence score or symptom label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Person and relationships. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: State-aware regulation architecture with physiological feedback. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Crossover intervention study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 178-184; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 019 pp. 178-184.

015 to 020: consequential handoff

Purpose and self-actualization -> Trust and fidelity between people | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Trust and fidelity between people: History, promises, evidence, uncertainty and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Trust and fidelity between people; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Trusted/untrusted binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: People and institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Dynamic provenance and expectation architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Prospective trust-repair study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 185-191; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 020 pp. 185-191.

015 to 021: consequential handoff

Purpose and self-actualization -> Healthcare delivery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Healthcare delivery: Clinical state, logistics, caregiver capacity, finance and post-discharge environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Healthcare delivery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Episode-of-care schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Patient, caregiver, outpatient system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Consequential discharge/care orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 193-199; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 021 pp. 193-199.

015 to 022: consequential handoff

Purpose and self-actualization -> Diagnostics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Diagnostics: Underlying disease state, uncertainty, test characteristics and downstream actions.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Diagnostics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Single test result. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Patient, clinician, payer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Bayesian multi-source diagnostic schema + uncertainty communication. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Prospective blinded diagnostic study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 200-206; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 022 pp. 200-206.

015 to 023: consequential handoff

Purpose and self-actualization -> Cancer ecology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Cancer ecology: Clone mix, immune state, microenvironment, host reserve and therapy exposure.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Cancer ecology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Stage/tumor-size snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Resistant clones, healthy tissue, immune system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Adaptive ecological state estimator + resistance/host capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Preclinical then clinical adaptive trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 207-213; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 023 pp. 207-213.

015 to 024: consequential handoff

Purpose and self-actualization -> Neuroscience and neurodegeneration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Neuroscience and neurodegeneration: Neural, glial, vascular, metabolic, network and functional state.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Neuroscience and neurodegeneration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Single biomarker or visible function. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Neural networks, metabolism, caregiver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Multimodal state estimator + restorative capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Multimodal longitudinal intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 214-220; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 024 pp. 214-220.

015 to 025: consequential handoff

Purpose and self-actualization -> Aging biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Aging biology: Coupled damage, repair, senescence, immunity, metabolism and regeneration.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Aging biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Age scalar or isolated hallmark. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Cells, tissues, immune system, metabolism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Moving-bottleneck RVG controller across damage/repair channels. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Preclinical multi-pathway study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 221-227; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 025 pp. 221-227.

015 to 026: consequential handoff

Purpose and self-actualization -> Immunology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Immunology: Immune activation, tolerance, pathogen/tumor signals and tissue damage.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Immunology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Single cytokine or cell-count schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Pathogen, immune cells, host tissue. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: State-dependent immune control balancing clearance and collateral damage. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Controlled biological study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 228-234; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 026 pp. 228-234.

015 to 027: consequential handoff

Purpose and self-actualization -> Infectious disease | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Infectious disease: Pathogen dynamics, host immunity, behavior, network spread and treatment.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Infectious disease; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Case count or pathogen-only model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Patients, contacts, health system, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Multi-carrier containment + treatment + livelihood capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Prospective outbreak protocol'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 235-241; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 027 pp. 235-241.

015 to 028: consequential handoff

Purpose and self-actualization -> Microbiome | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Microbiome: Host physiology plus microbial ecology and diet/environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Microbiome; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Species abundance snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Host and microbial community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Functional ecosystem state model and adaptive intervention. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Controlled longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 242-248; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 028 pp. 242-248.

015 to 029: consequential handoff

Purpose and self-actualization -> Genomics and proteomics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Genomics and proteomics: Variants, expression, proteins, pathways, context and phenotype.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Genomics and proteomics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Single marker/pathogenicity label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Cells, tissues, patient. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Multi-omic causal state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Prospective multi-omic validation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 249-255; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 029 pp. 249-255.

015 to 030: consequential handoff

Purpose and self-actualization -> Surgery and rehabilitation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Surgery and rehabilitation: Anatomy, function, pain, recovery capacity, home support and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Surgery and rehabilitation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Procedure success or anatomical correction. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Patient, caregiver, rehab system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Prehabilitation + procedure + recovery orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 256-262; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 030 pp. 256-262.

015 to 031: consequential handoff

Purpose and self-actualization -> Early-childhood development and education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Early-childhood development and education: Development, safety, language, nutrition, play, attachment and resources.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Early-childhood development and education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Age milestone or readiness score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Child, caregiver, educator. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Integrated developmental support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Longitudinal program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 264-270; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 031 pp. 264-270.

015 to 032: consequential handoff

Purpose and self-actualization -> K-12 education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

K-12 education: Knowledge, skills, wellbeing, context, resources and learning trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into K-12 education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Grade/test score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Student, teacher, family. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Capability graph + adaptive learning + wellbeing constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Cluster randomized trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 271-277; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 032 pp. 271-277.

015 to 033: consequential handoff

Purpose and self-actualization -> Higher education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Higher education: Capability, knowledge, network, finances and career pathways.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Higher education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Degree/GPA credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Student, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Capability/provenance portfolio + adaptive pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Longitudinal graduate outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 278-284; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 033 pp. 278-284.

015 to 034: consequential handoff

Purpose and self-actualization -> Vocational and workforce learning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Vocational and workforce learning: Skills, task demand, wages, mobility and employer needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Vocational and workforce learning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Course completion certificate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Worker, employer, training provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Skill-to-task provenance and placement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Matched labor-market evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 285-291; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 034 pp. 285-291.

015 to 035: consequential handoff

Purpose and self-actualization -> Scientific research | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Scientific research: Hypotheses, methods, data, negative results, replication and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Scientific research; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Publication/citation unit. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Researchers, institutions, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Experiment provenance + negative-result + replication architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Cross-lab replication program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 292-298; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 035 pp. 292-298.

015 to 036: consequential handoff

Purpose and self-actualization -> Justice and courts | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Justice and courts: Facts, evidence, harm, intent, procedure, history and remedies.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Justice and courts; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Case category or docket state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Victims, accused, families, courts, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Causal provenance + harm/restitution + recurrence architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Prospective process evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 299-305; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 036 pp. 299-305.

015 to 037: consequential handoff

Purpose and self-actualization -> Policing and public safety systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Policing and public safety systems: Threat, context, evidence, community trust, capacity and alternatives.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Policing and public safety systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Incident/offense label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Residents, officers, victims, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Evidence-first response selection + prevention/support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Independent public evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 306-312; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 037 pp. 306-312.

015 to 038: consequential handoff

Purpose and self-actualization -> Corrections, rehabilitation and reintegration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Corrections, rehabilitation and reintegration: Risk, harm, needs, skills, housing, work and social support.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Corrections, rehabilitation and reintegration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Sentence/recidivism risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Person, family, community, justice system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Rehabilitation + restitution + housing/work capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Longitudinal controlled program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 313-319; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 038 pp. 313-319.

015 to 039: consequential handoff

Purpose and self-actualization -> Public administration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Public administration: Citizen state, eligibility, documents, services and agency capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Public administration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Program-specific record. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Citizen, frontline staff, budget. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Interoperable verified state + once-only data + case orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Agency pilot with citizen/staff metrics'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 320-326; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 039 pp. 320-326.

015 to 040: consequential handoff

Purpose and self-actualization -> Governance and institutional design | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Governance and institutional design: Authority, incentives, information, accountability, resources and affected populations.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Governance and institutional design; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Organizational chart or legal mandate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Citizens, agencies, future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Cross-boundary outcome ledger + accountability and capacity design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Prospective institutional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 327-333; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 040 pp. 327-333.

015 to 041: consequential handoff

Purpose and self-actualization -> Beauty and aesthetics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Beauty and aesthetics: Biology, preference, culture, identity, safety, cost and perception.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Beauty and aesthetics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Universal beauty standard or product category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Person, body, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Personalized aesthetic/safety state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Consumer/clinical outcome study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 335-341; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 041 pp. 335-341.

015 to 042: consequential handoff

Purpose and self-actualization -> Fashion and apparel | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Fashion and apparel: Identity, fit, comfort, durability, labor, inventory and lifecycle.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Fashion and apparel; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Size/SKU/category schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Wearer, worker, retailer, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Adaptive sizing + provenance + circularity architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Retail field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 342-348; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 042 pp. 342-348.

015 to 043: consequential handoff

Purpose and self-actualization -> Luxury goods | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Luxury goods: Provenance, scarcity, condition, access, identity, inventory and lifecycle value.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Luxury goods; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Price/status/authenticity binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Buyer, seller, inventory, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Provenance + condition + access + reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Operational field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 349-355; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 043 pp. 349-355.

015 to 044: consequential handoff

Purpose and self-actualization -> Hospitality | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Hospitality: Guest needs, staff capacity, time, room state, logistics and locality.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Hospitality; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Booking/reservation state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Guest, staff, operator, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: End-to-end experience and workload orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Property-level A/B evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 356-362; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 044 pp. 356-362.

015 to 045: consequential handoff

Purpose and self-actualization -> Travel and tourism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Travel and tourism: Mobility, cost, safety, experience, local capacity and environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Travel and tourism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Itinerary/booking schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Traveler, worker, resident, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Consequential itinerary/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Destination pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 363-369; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 045 pp. 363-369.

015 to 046: consequential handoff

Purpose and self-actualization -> Art and cultural markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Art and cultural markets: Creative work, provenance, rights, cultural meaning, scarcity and audience.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Art and cultural markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Price/ownership/engagement proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Artist, audience, collector, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Rights/provenance/value-sharing architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Marketplace field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 370-376; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 046 pp. 370-376.

015 to 047: consequential handoff

Purpose and self-actualization -> Music and entertainment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Music and entertainment: Creative contribution, rights, attention, audience value and platform economics.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Music and entertainment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Stream/view count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Creators, audiences, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Contribution/provenance + value-distribution architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 377-383; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 047 pp. 377-383.

015 to 048: consequential handoff

Purpose and self-actualization -> Gaming and virtual worlds | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Gaming and virtual worlds: Player goals, time, identity, economy, safety and creator contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Gaming and virtual worlds; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Retention/spend metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Players, creators, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Cross-reality value and safety controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 384-390; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 048 pp. 384-390.

015 to 049: consequential handoff

Purpose and self-actualization -> Sports and performance | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Sports and performance: Performance, health, training load, recovery, team dynamics and career horizon.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Sports and performance; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Win/score/output metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Athlete, team, family, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Load/recovery/career controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Prospective team study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 391-397; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 049 pp. 391-397.

015 to 050: consequential handoff

Purpose and self-actualization -> Experience design and events | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Experience design and events: Attention, emotion, logistics, accessibility, staff load and community impact.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Experience design and events; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Attendance/NPS/ticket revenue. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Guests, staff, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: End-to-end experience-state orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Event A/B study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 398-404; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 050 pp. 398-404.

015 to 051: consequential handoff

Purpose and self-actualization -> Currency and monetary experience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Currency and monetary experience: Purchasing power, liquidity, settlement, access, trust and macro context.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Currency and monetary experience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Nominal unit/FX quote. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Households, firms, intermediaries. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Consequential monetary-state and settlement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Historical + prospective policy-neutral system test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 406-412; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 051 pp. 406-412.

015 to 052: consequential handoff

Purpose and self-actualization -> Payments and remittances | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Payments and remittances: Amount, fees, FX, settlement time, access, fraud and recipient liquidity.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Payments and remittances; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Successful transfer binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Sender, receiver, provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: End-to-end transfer optimization with transparent provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Transaction-level field test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 413-419; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 052 pp. 413-419.

015 to 053: consequential handoff

Purpose and self-actualization -> Banking and liquidity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Banking and liquidity: Deposits, credit, liquidity, capital, customer state and network exposures.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Banking and liquidity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Product/account or institution-local balance sheet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Banks, customers, counterparties, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Network consequential balance sheet + capacity buffers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Stress test + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 420-426; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 053 pp. 420-426.

015 to 054: consequential handoff

Purpose and self-actualization -> Credit and underwriting | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Credit and underwriting: Cashflow, assets, obligations, trajectory, capability and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Credit and underwriting; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Static score/category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Borrower, lender, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Dynamic provenance/capacity underwriting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Prospective lending trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 427-433; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 054 pp. 427-433.

015 to 055: consequential handoff

Purpose and self-actualization -> Insurance and resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Insurance and resilience: Hazard, exposure, prevention, coverage, recovery and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Insurance and resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Loss probability/policy class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Policyholder, insurer, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Prevention + resilience + coverage architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Pilot product evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 434-440; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 055 pp. 434-440.

015 to 056: consequential handoff

Purpose and self-actualization -> Capital markets and investing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Capital markets and investing: Price, cashflow, externalities, network risk and long-horizon value.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Capital markets and investing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Return/risk factor set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Investor, firm, workers, public, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Consequential asset ledger with carrier constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Historical backtest + prospective paper portfolio'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 441-447; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 056 pp. 441-447.

015 to 057: consequential handoff

Purpose and self-actualization -> Private wealth and family capital | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Private wealth and family capital: Financial, human, social, health and intergenerational capital.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Private wealth and family capital; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Portfolio net worth. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Client, family, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Whole-capital balance sheet + goals/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Longitudinal client evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 448-454; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 057 pp. 448-454.

015 to 058: consequential handoff

Purpose and self-actualization -> Labor and talent markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Labor and talent markets: Capability, workload, pay, health, learning and opportunity.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Labor and talent markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Job title/CV/credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Worker, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Capability-state + workload + mobility architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Workplace pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 455-461; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 058 pp. 455-461.

015 to 059: consequential handoff

Purpose and self-actualization -> Organizations and enterprises | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Organizations and enterprises: Functions, dependencies, people, cash, knowledge and customer value.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Organizations and enterprises; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Department/KPI structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Workers, customers, suppliers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Enterprise consequential graph + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Multi-team field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 462-468; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 059 pp. 462-468.

015 to 060: consequential handoff

Purpose and self-actualization -> Entrepreneurship and venture creation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Entrepreneurship and venture creation: Unmet burden, carrier, willingness to pay, build cost and adoption.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Entrepreneurship and venture creation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Existing market category/TAM. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Founder initially, then customer/system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Mutual-Uptick blocker discovery + missing-capacity build. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Pilot venture with carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 469-475; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 060 pp. 469-475.

015 to 061: consequential handoff

Purpose and self-actualization -> Artificial intelligence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Artificial intelligence: Model state, source reality, user intent, provenance, uncertainty and downstream action.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Artificial intelligence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Prompt/context window/model output. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: User, verifier, downstream system, compute. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Persistent schema/provenance layer + self-audit and escalation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Sealed cross-model benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 477-483; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 061 pp. 477-483.

015 to 062: consequential handoff

Purpose and self-actualization -> Software systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Software systems: Requirements, dependencies, state, users, infrastructure and technical debt.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Software systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Feature/ticket/local module schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Developers, users, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Dependency/provenance graph + consequential release controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Repository-level prospective benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 484-490; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 062 pp. 484-490.

015 to 063: consequential handoff

Purpose and self-actualization -> Cybersecurity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Cybersecurity: Actual attack graph, identities, vulnerabilities, privileges and attacker state.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Cybersecurity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Defender inventory/rules/log view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Systems, users, analysts, business continuity. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Self-updating attack schema + carrier prediction + safe containment/failover. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Red-team sealed telemetry benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 491-497; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 063 pp. 491-497.

015 to 064: consequential handoff

Purpose and self-actualization -> Data infrastructure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Data infrastructure: Datasets, lineage, semantics, permissions, quality and downstream uses.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Data infrastructure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Table/file/schema local view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Analysts, models, users, compliance. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Provenance graph + semantic reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Enterprise data benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 498-504; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 064 pp. 498-504.

015 to 065: consequential handoff

Purpose and self-actualization -> Privacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Privacy: Data state, purposes, consent, exposure, value and future misuse.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Privacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Consent checkbox or access-control list. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Person, organization, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Selective disclosure + provenance + minimization architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Field trial + attack testing'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 505-511; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 065 pp. 505-511.

015 to 066: consequential handoff

Purpose and self-actualization -> Digital identity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Digital identity: Attributes, credentials, context, revocation, privacy and trust.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Digital identity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Single identifier/account. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Person, verifier, issuer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Selective-verification credential graph. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Cross-service pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 512-518; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 066 pp. 512-518.

015 to 067: consequential handoff

Purpose and self-actualization -> Internet and communications | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Internet and communications: Topology, capacity, latency, content, trust and user needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Internet and communications; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Throughput/uptime metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Users, networks, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Consequential routing + fidelity/provenance layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Network/application experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 519-525; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 067 pp. 519-525.

015 to 068: consequential handoff

Purpose and self-actualization -> Media and information ecosystems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Media and information ecosystems: Claims, evidence, incentives, attention, creators and audiences.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Media and information ecosystems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Engagement/feed rank. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Audience, creator, public discourse. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Claim provenance + quality + incentive reconciliation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 526-532; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 068 pp. 526-532.

015 to 069: consequential handoff

Purpose and self-actualization -> Language and translation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Language and translation: Meaning, context, culture, pragmatics and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Language and translation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Word/token correspondence. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Speakers, institutions, models. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Semantic/provenance translation with ambiguity tracking. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Blind human evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 533-539; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 069 pp. 533-539.

015 to 070: consequential handoff

Purpose and self-actualization -> Knowledge and ontologies | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Knowledge and ontologies: Entities, relations, provenance, incompatible schemas and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Knowledge and ontologies; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Single ontology/taxonomy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Researchers, AI, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Cross-schema translation + minimal sufficient ontology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Cross-domain benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 540-546; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 070 pp. 540-546.

015 to 071: consequential handoff

Purpose and self-actualization -> Energy and power grids | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Energy and power grids: Generation, load, storage, network constraints, prices and reliability.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Energy and power grids; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Local device efficiency or node KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Grid nodes, customers, storage, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Consequential grid controller + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Grid simulation + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 548-554; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 071 pp. 548-554.

015 to 072: consequential handoff

Purpose and self-actualization -> Water and irrigation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Water and irrigation: Withdrawals, consumptive use, return flows, storage, aquifers and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Water and irrigation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Farm/project efficiency. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Downstream users, rivers, aquifers, ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Basin-wide accounting + catchment + allocation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Basin holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 555-561; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 072 pp. 555-561.

015 to 073: consequential handoff

Purpose and self-actualization -> Food and agriculture | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Food and agriculture: Yield, soil, water, inputs, nutrition, labor, market and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Food and agriculture; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Yield/acre or commodity price. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Farmer, consumer, soil, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Coupled regenerative production controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Multi-season farm trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 562-568; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 073 pp. 562-568.

015 to 074: consequential handoff

Purpose and self-actualization -> Supply chains and logistics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Supply chains and logistics: Inventory, demand, transport, suppliers, lead times and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Supply chains and logistics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Node-level cost/service KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Suppliers, warehouses, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Carrier-aware flow controller + buffer placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Historical + live pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 569-575; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 074 pp. 569-575.

015 to 075: consequential handoff

Purpose and self-actualization -> Manufacturing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Manufacturing: Materials, energy, machines, labor, quality, maintenance and waste.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Manufacturing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Unit cost/OEE. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Workers, machines, environment, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Closed-loop production and maintenance architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Factory pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 576-582; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 075 pp. 576-582.

015 to 076: consequential handoff

Purpose and self-actualization -> Waste and circular materials | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Waste and circular materials: Material composition, location, contamination, residual value and logistics.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Waste and circular materials; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Waste tonnage/disposal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Communities, environment, future production. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Material provenance + recapture + transformation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Municipal/industrial pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 583-589; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 076 pp. 583-589.

015 to 077: consequential handoff

Purpose and self-actualization -> Transportation and mobility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Transportation and mobility: Trips, time, safety, access, energy, congestion and land use.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Transportation and mobility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Vehicle throughput/speed. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Travelers, neighborhoods, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Multimodal consequential mobility controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'City corridor pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 590-596; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 077 pp. 590-596.

015 to 078: consequential handoff

Purpose and self-actualization -> Cities and urban systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Cities and urban systems: Housing, jobs, transport, health, utilities, safety and public space.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Cities and urban systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Agency-by-agency city data. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Residents, agencies, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: City consequential digital twin + coordinated capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'District pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 597-603; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 078 pp. 597-603.

015 to 079: consequential handoff

Purpose and self-actualization -> Climate and disaster resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Climate and disaster resilience: Hazard, exposure, vulnerability, infrastructure, food, health and recovery.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Climate and disaster resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Hazard forecast alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: People, infrastructure, ecosystems, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Anticipatory catchment + prepositioned capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Prospective matched pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 604-610; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 079 pp. 604-610.

015 to 080: consequential handoff

Purpose and self-actualization -> Ecology and biodiversity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Ecology and biodiversity: Species, habitats, flows, extraction, communities and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Ecology and biodiversity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Protected-area/local species metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Species, habitats, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Landscape-scale leakage/carrier accounting + livelihoods. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Landscape holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 611-617; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 080 pp. 611-617.

015 to 081: consequential handoff

Purpose and self-actualization -> Cell biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Cell biology: Signaling, organelles, metabolism, damage, repair and cell-state transitions.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Cell biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Single pathway/marker. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Organelles, pathways, neighboring cells. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Multi-state cellular controller + capacity targeting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'In-vitro perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 619-625; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 081 pp. 619-625.

015 to 082: consequential handoff

Purpose and self-actualization -> Molecular biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Molecular biology: Molecules, conformations, binding networks, concentrations and kinetics.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Molecular biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Single interaction/target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Molecules, pathways, host system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Reaction/network state model + off-target carrier control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Bench experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 626-632; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 082 pp. 626-632.

015 to 083: consequential handoff

Purpose and self-actualization -> Nanotechnology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Nanotechnology: Particle properties, surfaces, transport, environment and biological interaction.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Nanotechnology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Particle spec alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Cells, environment, users. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Lifecycle and interaction-aware nano design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Bench + environmental tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 633-639; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 083 pp. 633-639.

015 to 084: consequential handoff

Purpose and self-actualization -> Chemistry and reaction systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Chemistry and reaction systems: Species, reaction network, kinetics, energy, byproducts and separation.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Chemistry and reaction systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Target yield/selectivity. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Reactor, environment, downstream process. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Consequential reaction-network optimization + recovery loops. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Reactor experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 640-646; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 084 pp. 640-646.

015 to 085: consequential handoff

Purpose and self-actualization -> Materials science | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Materials science: Microstructure, defects, stress, temperature, lifecycle and manufacturing.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Materials science; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Bulk property spec. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Material, structure, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Defect-aware multiproperty design + recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Lab characterization'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 647-653; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 085 pp. 647-653.

015 to 086: consequential handoff

Purpose and self-actualization -> Classical mechanics and control | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Classical mechanics and control: Physical state, dynamics, sensors, actuators and disturbance.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Classical mechanics and control; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Partial state observation/local control objective. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Plant, actuator, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Representation-aware full-state controller + regenerative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Physical bench experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 654-660; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 086 pp. 654-660.

015 to 087: consequential handoff

Purpose and self-actualization -> Thermodynamics and nonequilibrium systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Thermodynamics and nonequilibrium systems: Energy, entropy, gradients, reservoirs, flows and constraints.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Thermodynamics and nonequilibrium systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Local efficiency/temperature metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Reservoirs, environment, components. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Whole-boundary energy/exergy and recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Physical experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 661-667; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 087 pp. 661-667.

015 to 088: consequential handoff

Purpose and self-actualization -> Electromagnetism and circuits | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Electromagnetism and circuits: Fields, voltages, currents, topology, storage and losses.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Electromagnetism and circuits; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Local component state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Circuit elements, sources, loads. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Full-network state estimation + capacity/recovery placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Bench circuit experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 668-674; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 088 pp. 668-674.

015 to 089: consequential handoff

Purpose and self-actualization -> Quantum systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Quantum systems: Quantum state, observables, measurement, control and decoherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Quantum systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Accessible observable set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Quantum system, apparatus, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Constraint-respecting measurement/control schema + capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Laboratory quantum experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 675-681; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 089 pp. 675-681.

015 to 090: consequential handoff

Purpose and self-actualization -> Pure mathematics and formal systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Pure mathematics and formal systems: Objects, relations, axioms, language, proofs and translations.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Pure mathematics and formal systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Chosen signature/type system/quotient. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Proof system, translator, solver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Minimal sufficient schema preserving required relations. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Machine-checked theorem suite'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 682-688; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 090 pp. 682-688.

015 to 091: consequential handoff

Purpose and self-actualization -> Statistics and causal inference | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Statistics and causal inference: Data-generating process, sampling, measurement, confounding and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Statistics and causal inference; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Chosen model/estimand. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Decision makers, future samples, affected groups. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Provenance-aware multi-model causal state + identifiability guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Simulation + multi-dataset benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 690-696; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 091 pp. 690-696.

015 to 092: consequential handoff

Purpose and self-actualization -> Logic and reasoning systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Logic and reasoning systems: Premises, inference rules, contradictions, uncertainty and goals.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Logic and reasoning systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Single logical calculus. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Reasoner, downstream decision. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Multi-logic translation + contradiction provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Formal benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 697-703; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 092 pp. 697-703.

015 to 093: consequential handoff

Purpose and self-actualization -> Geography and territorial systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Geography and territorial systems: People, ecosystems, infrastructure, flows and administrative boundaries.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Geography and territorial systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Jurisdiction/map boundary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Border communities, watersheds, networks. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Flow-based territorial state model. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Regional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 704-710; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 093 pp. 704-710.

015 to 094: consequential handoff

Purpose and self-actualization -> Informal economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Informal economy: Real work, exchange, trust, risk and household needs outside formal records.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Informal economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Formal registry/tax/business schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Workers, households, state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Low-friction recognition, protection and access architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Field pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 711-717; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 094 pp. 711-717.

015 to 095: consequential handoff

Purpose and self-actualization -> Illicit and black markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Illicit and black markets: Hidden demand, supply, coercion, enforcement, prices and harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Illicit and black markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Official market data that excludes hidden exchange. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Victims, communities, lawful firms, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Independent harm-reduction/public-safety evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 718-724; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 095 pp. 718-724.

015 to 096: consequential handoff

Purpose and self-actualization -> Orbital and space economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Orbital and space economy: Spacecraft, debris, spectrum, energy, logistics and operator incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Orbital and space economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Mission-local success metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Other spacecraft, operators, orbital environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Orbital consequential ledger + shared capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Simulation + mission pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 725-731; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 096 pp. 725-731.

015 to 097: consequential handoff

Purpose and self-actualization -> Extraterrestrial settlement | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Extraterrestrial settlement: Life support, energy, materials, health, governance and closed ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Extraterrestrial settlement; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Earth-derived subsystem silos. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Crew, machines, habitat ecology. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Closed-loop consequential state + autonomous capacity construction. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Analog habitat + mission tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 732-738; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 097 pp. 732-738.

015 to 098: consequential handoff

Purpose and self-actualization -> Astrobiology and biosignatures | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Astrobiology and biosignatures: Unknown life chemistries, environments, signals and contamination risks.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Astrobiology and biosignatures; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Earth-centric life schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Scientific program, environment, future missions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Plural biosignature schema + provenance/contamination control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Blind benchmark + mission data'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 739-745; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 098 pp. 739-745.

015 to 099: consequential handoff

Purpose and self-actualization -> Planetary systems and stewardship | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Planetary systems and stewardship: Atmosphere, hydrology, geology, biosphere, resources and settlements.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Planetary systems and stewardship; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Sector-local resource model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Settlements, ecosystems, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Closed-loop planetary resource and restoration architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Earth analog + simulation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 746-752; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 099 pp. 746-752.

015 to 100: consequential handoff

Purpose and self-actualization -> Unknown and not-yet-named realities | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Unknown and not-yet-named realities: Any newly observed substrate, scale, agent, value dimension or exchange mode.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Unknown and not-yet-named realities; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: No adequate schema exists yet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Unknown until carrier tracing identifies it. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Instantiate M_d, define schema, measure gap, trace carrier, construct capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Freeze kernel before learning outcomes; then holdout/replicate'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 753-759; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 100 pp. 753-759.

015 to 101: consequential handoff

Purpose and self-actualization -> Conscious experience and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Conscious experience and self-model: Perception, affect, memory, self-model, attention, internal accessibility and embodied state.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Conscious experience and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: A receiving observer reduces another system to behavior, category or output alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Experiencing system, observers, dependent systems and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Cross-modal state representation with provenance, uncertainty and non-erasure constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Prospective multi-method cross-observer study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 761-767; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 101 pp. 761-767.

015 to 102: consequential handoff

Purpose and self-actualization -> Choice and option topology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Choice and option topology: Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Choice and option topology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Binary free-choice / no-choice label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Chooser, affected people, institutions and future option set. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Feasible-option map plus prebuilt low-friction lawful/prosocial pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Prospective choice-topology intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 768-774; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 102 pp. 768-774.

015 to 103: consequential handoff

Purpose and self-actualization -> Truth, deception and disclosure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Truth, deception and disclosure: Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Truth, deception and disclosure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Truth/lie binary detached from consequence topology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Speaker, listener, harmed parties, institutions and future trust network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Verification, safe disclosure, correction, restitution and transition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Sealed truth-cost / disclosure study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 775-781; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 103 pp. 775-781.

015 to 104: consequential handoff

Purpose and self-actualization -> Responsibility and causal attribution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Responsibility and causal attribution: Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Responsibility and causal attribution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Moral label detached from the action-producing state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Actor, victims, institutions, community and future actors. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Blinded case reconstruction with preregistered causal criteria'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 782-788; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 104 pp. 782-788.

015 to 105: consequential handoff

Purpose and self-actualization -> Consent, coercion and autonomy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Consent, coercion and autonomy: Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Consent, coercion and autonomy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Signed/expressed consent treated as sufficient state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Decision maker, counterparties, dependents and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Real exit, recourse, reversible consent, information symmetry and alternative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Prospective consent-quality audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 789-795; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 105 pp. 789-795.

015 to 106: consequential handoff

Purpose and self-actualization -> Addiction, compulsion and short-horizon relief | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Addiction, compulsion and short-horizon relief: Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Addiction, compulsion and short-horizon relief; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Substance/behavior category or abstinence binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Person, body, relationships, household, community and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Longitudinal regulated intervention with multi-carrier outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 796-802; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 106 pp. 796-802.

015 to 107: consequential handoff

Purpose and self-actualization -> Crime, violence and reconciliation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Crime, violence and reconciliation: Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Crime, violence and reconciliation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Offense label or actor-only risk score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Victims, actor, families, community, institutions and future potential victims. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Longitudinal controlled justice-program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 803-809; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 107 pp. 803-809.

015 to 108: consequential handoff

Purpose and self-actualization -> Animal sentience and welfare | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Animal sentience and welfare: Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Animal sentience and welfare; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Commodity/yield schema that excludes the animal as a carrier. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Animals, workers, consumers, farmers, land, ecosystems and communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Welfare, alternative-production, livelihood-transition and ecological capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Multi-carrier welfare, nutrition and livelihood trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 810-816; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 108 pp. 810-816.

015 to 109: consequential handoff

Purpose and self-actualization -> Collective agency and institutional choice | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Collective agency and institutional choice: Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Collective agency and institutional choice; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Organization treated as a single actor without internal carrier structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Members, minorities, leaders, outsiders, institutions and future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Distributed decision provenance, dissent channels, accountability and cross-boundary capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Prospective institutional decision audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 817-823; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 109 pp. 817-823.

015 to 110: consequential handoff

Purpose and self-actualization -> Human-AI co-agency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Human-AI co-agency: Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Human-AI co-agency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Model output or benchmark score treated as the whole system. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: User, non-user, model operator, workers, institutions, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Persistent provenance, human control, reversibility, portability, verification and receivingcapacity layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Sealed native-vs-K_R assisted agent benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 824-830; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 110 pp. 824-830.

015 to 111: consequential handoff

Purpose and self-actualization -> Evolution and natural selection | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Evolution and natural selection: Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Evolution and natural selection; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Fitness proxy or single-trait narrative. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Individuals, lineages, populations, interacting species and ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Diversity, ecological capacity and intervention guardrails where deliberate action exists. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Time-locked population/genomic holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 832-838; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 111 pp. 832-838.

015 to 112: consequential handoff

Purpose and self-actualization -> Reproduction, inheritance, mitosis and meiosis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Reproduction, inheritance, mitosis and meiosis: Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Reproduction, inheritance, mitosis and meiosis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Outcome-only birth/division count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Parent cell/organism, daughter cells, gametes, offspring and lineage. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Checkpoint, repair, redundancy and developmental-support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Lineage-resolved perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 839-845; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 112 pp. 839-845.

015 to 113: consequential handoff

Purpose and self-actualization -> Development and morphogenesis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Development and morphogenesis: Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Development and morphogenesis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Single marker or endpoint morphology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Cells, tissues, organs, organism and developmental future state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Stage-aware multi-pathway support, repair and resource architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Longitudinal developmental perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 846-852; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 113 pp. 846-852.

015 to 114: consequential handoff

Purpose and self-actualization -> Metabolism, diet and consumption | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Metabolism, diet and consumption: Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Metabolism, diet and consumption; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Calories/macros or one nutrient target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Gut, microbiome, liver, tissues, household, food system and future organism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Adaptive conversion, buffering, storage, elimination and access capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Controlled longitudinal multi-carrier nutrition study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 853-859; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 114 pp. 853-859.

015 to 115: consequential handoff

Purpose and self-actualization -> Predation, livestock and food-system transformation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Predation, livestock and food-system transformation: Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Predation, livestock and food-system transformation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Yield, price or human nutrition alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Animals, humans, workers, farmers, consumers, land, ecosystems and future food security. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Phased regional transition with preregistered carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 860-866; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 115 pp. 860-866.

015 to 116: consequential handoff

Purpose and self-actualization -> Learning, plasticity and cultural evolution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Learning, plasticity and cultural evolution: Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Learning, plasticity and cultural evolution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Test score, output or adoption count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Learner, teachers, peers, institutions, future self and cultural network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Longitudinal transfer-and-retention experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 867-873; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 116 pp. 867-873.

015 to 117: consequential handoff

Purpose and self-actualization -> Self-organization and emergence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Self-organization and emergence: Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Self-organization and emergence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Macro outcome without micro-carrier ledger. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Components, neighborhoods, emergent structure and external environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Multi-scale simulation plus physical/biological holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 874-880; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 117 pp. 874-880.

015 to 118: consequential handoff

Purpose and self-actualization -> Creation, provenance and dependency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Creation, provenance and dependency: Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Creation, provenance and dependency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Ownership or authorship treated as sufficient relationship model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Creators, created systems, maintainers, users, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Provenance, stewardship, autonomy-transition and reciprocal-viability architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Longitudinal creator-created dependency audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 881-887; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 118 pp. 881-887.

015 to 119: consequential handoff

Purpose and self-actualization -> Cosmological evolution and structure formation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Cosmological evolution and structure formation: Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Cosmological evolution and structure formation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Single scale or observable treated as complete cosmic state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: Observed regions, fields/matter components, instruments, models and observers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Cross-scale observation, uncertainty, model-comparison and instrumentation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Preregistered cross-survey predictive holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 888-894; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 119 pp. 888-894.

015 to 120: consequential handoff

Purpose and self-actualization -> Cross-substrate consciousness, temporal coexistence and closure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

PROPOSED RECEIVER AND STATE

Cross-substrate consciousness, temporal coexistence and closure: The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility.

INTERFACE AND COUPLING STATUS

Proposed interface from Purpose and self-actualization into Cross-substrate consciousness, temporal coexistence and closure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Career status, wealth or productivity proxy. Receiver's limited view: Any local adapter, species, institution or observer claiming closure from its own schema alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, relationships, community. Candidate receiver carriers: All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Whole-person capability architecture and burden guardrails. Receiving capacity: Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and.... Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Longitudinal multidimensional evaluation' with a receiver study of 'Time-locked system-of-systems closure test across multiple adapters'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 150-156 and 895-901; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026). Receiver Adapter 120 pp. 895-901.

015: Purpose and self-actualization

Household / family / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Household / family / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Household / family / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Household / family / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Household / family / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Household / family / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

School / university / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

School / university / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

School / university / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

School / university / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

School / university / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

School / university / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Enterprise / cooperative / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Enterprise / cooperative / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Enterprise / cooperative / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Enterprise / cooperative / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Enterprise / cooperative / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Enterprise / cooperative / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Healthcare / care team / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Healthcare / care team / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Healthcare / care team / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Healthcare / care team / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Healthcare / care team / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Healthcare / care team / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Local government / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Local government / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Local government / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Local government / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Local government / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Local government / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Ecological catchment / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Ecological catchment / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Ecological catchment / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Ecological catchment / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Ecological catchment / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Ecological catchment / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Scientific laboratory / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Scientific laboratory / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Scientific laboratory / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Scientific laboratory / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Scientific laboratory / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Scientific laboratory / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Public infrastructure / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Public infrastructure / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Public infrastructure / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Public infrastructure / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Public infrastructure / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Public infrastructure / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Digital / AI service / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Digital / AI service / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Digital / AI service / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Digital / AI service / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Digital / AI service / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Digital / AI service / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Interregional / planetary / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Interregional / planetary / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Interregional / planetary / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Interregional / planetary / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Interregional / planetary / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Purpose and self-actualization

Interregional / planetary / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Purpose and self-actualization is described in the Atlas as: Capabilities, values, opportunity, health, autonomy and social contribution. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Achievement can be purchased with health or belonging. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, relationships, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Whole-person capability architecture and burden guardrails. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Achievement, health, autonomy and contribution improve together. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Longitudinal multidimensional evaluation or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Evidence and source reconstruction

Purpose and self-actualization | protocol 1 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 015: Purpose and self-actualization; original author status: Origin-linked constructive fit. Native state: Capabilities, values, opportunity, health, autonomy and social contribution.

EVALUATION OBJECTIVE

Evidence and source reconstruction. Establish what is observed, reported, derived, simulated and currently unavailable. Audit definitions, dates and units.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Career status, wealth or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Achievement can be purchased with health or belonging. The relevant receiving carriers are: Person, relationships, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-person capability architecture and burden guardrails. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Achievement, health, autonomy and contribution improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal multidimensional evaluation. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Boundary divergence

Purpose and self-actualization | protocol 2 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 015: Purpose and self-actualization; original author status: Origin-linked constructive fit. Native state: Capabilities, values, opportunity, health, autonomy and social contribution.

EVALUATION OBJECTIVE

Boundary divergence. Predeclare local and consequential objectives, identical feasible action sets, and a measurable divergence test.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Career status, wealth or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Achievement can be purchased with health or belonging. The relevant receiving carriers are: Person, relationships, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-person capability architecture and burden guardrails. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Achievement, health, autonomy and contribution improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal multidimensional evaluation. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Causal diagram and identifiability

Purpose and self-actualization | protocol 3 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 015: Purpose and self-actualization; original author status: Origin-linked constructive fit. Native state: Capabilities, values, opportunity, health, autonomy and social contribution.

EVALUATION OBJECTIVE

Causal diagram and identifiability. Draw the candidate causal graph; identify confounders, mediators, spillovers and selection mechanisms.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Career status, wealth or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Achievement can be purchased with health or belonging. The relevant receiving carriers are: Person, relationships, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-person capability architecture and burden guardrails. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Achievement, health, autonomy and contribution improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal multidimensional evaluation. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Receiving carrier identification

Purpose and self-actualization | protocol 4 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 015: Purpose and self-actualization; original author status: Origin-linked constructive fit. Native state: Capabilities, values, opportunity, health, autonomy and social contribution.

EVALUATION OBJECTIVE

Receiving carrier identification. Predict the destination, path and delay of consequential burdens before measuring post-state outcomes.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Career status, wealth or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Achievement can be purchased with health or belonging. The relevant receiving carriers are: Person, relationships, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-person capability architecture and burden guardrails. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Achievement, health, autonomy and contribution improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal multidimensional evaluation. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Hidden compensation accounting

Purpose and self-actualization | protocol 5 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 015: Purpose and self-actualization; original author status: Origin-linked constructive fit. Native state: Capabilities, values, opportunity, health, autonomy and social contribution.

EVALUATION OBJECTIVE

Hidden compensation accounting. Measure which agent, reserve, budget, ecosystem or later period silently carries the load.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Career status, wealth or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Achievement can be purchased with health or belonging. The relevant receiving carriers are: Person, relationships, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-person capability architecture and burden guardrails. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Achievement, health, autonomy and contribution improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal multidimensional evaluation. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Native units and dimensional integrity

Purpose and self-actualization | protocol 6 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 015: Purpose and self-actualization; original author status: Origin-linked constructive fit. Native state: Capabilities, values, opportunity, health, autonomy and social contribution.

EVALUATION OBJECTIVE

Native units and dimensional integrity. Define each carrier outcome in its own units; avoid offsetting unlike harms with unsupported scalar sums.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Career status, wealth or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Achievement can be purchased with health or belonging. The relevant receiving carriers are: Person, relationships, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-person capability architecture and burden guardrails. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Achievement, health, autonomy and contribution improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal multidimensional evaluation. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Capacity specification

Purpose and self-actualization | protocol 7 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 015: Purpose and self-actualization; original author status: Origin-linked constructive fit. Native state: Capabilities, values, opportunity, health, autonomy and social contribution.

EVALUATION OBJECTIVE

Capacity specification. Identify the binding receiver constraint and specify the smallest permissible constructive action.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Career status, wealth or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Achievement can be purchased with health or belonging. The relevant receiving carriers are: Person, relationships, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-person capability architecture and burden guardrails. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Achievement, health, autonomy and contribution improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal multidimensional evaluation. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Intervention design

Purpose and self-actualization | protocol 8 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 015: Purpose and self-actualization; original author status: Origin-linked constructive fit. Native state: Capabilities, values, opportunity, health, autonomy and social contribution.

EVALUATION OBJECTIVE

Intervention design. Choose randomized, natural, observational or mechanistic evidence compatible with safety and identifiability.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Career status, wealth or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Achievement can be purchased with health or belonging. The relevant receiving carriers are: Person, relationships, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-person capability architecture and burden guardrails. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Achievement, health, autonomy and contribution improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal multidimensional evaluation. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Incumbent parity contest

Purpose and self-actualization | protocol 9 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 015: Purpose and self-actualization; original author status: Origin-linked constructive fit. Native state: Capabilities, values, opportunity, health, autonomy and social contribution.

EVALUATION OBJECTIVE

Incumbent parity contest. Compare against strongest existing local, boundary-aware, causal and resource-constrained methods.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Career status, wealth or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Achievement can be purchased with health or belonging. The relevant receiving carriers are: Person, relationships, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-person capability architecture and burden guardrails. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Achievement, health, autonomy and contribution improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal multidimensional evaluation. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Time-window and recurrence

Purpose and self-actualization | protocol 10 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 015: Purpose and self-actualization; original author status: Origin-linked constructive fit. Native state: Capabilities, values, opportunity, health, autonomy and social contribution.

EVALUATION OBJECTIVE

Time-window and recurrence. Measure early, intermediate and delayed outcomes, including reserve depletion and changing bottlenecks.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Career status, wealth or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Achievement can be purchased with health or belonging. The relevant receiving carriers are: Person, relationships, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-person capability architecture and burden guardrails. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Achievement, health, autonomy and contribution improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal multidimensional evaluation. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Ethical and legal safety

Purpose and self-actualization | protocol 11 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 015: Purpose and self-actualization; original author status: Origin-linked constructive fit. Native state: Capabilities, values, opportunity, health, autonomy and social contribution.

EVALUATION OBJECTIVE

Ethical and legal safety. Determine affected rights, vulnerable groups, irreversible harms, consent, permissions and safety constraints.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Career status, wealth or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Achievement can be purchased with health or belonging. The relevant receiving carriers are: Person, relationships, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-person capability architecture and burden guardrails. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Achievement, health, autonomy and contribution improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal multidimensional evaluation. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Sensitivity and negative controls

Purpose and self-actualization | protocol 12 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 015: Purpose and self-actualization; original author status: Origin-linked constructive fit. Native state: Capabilities, values, opportunity, health, autonomy and social contribution.

EVALUATION OBJECTIVE

Sensitivity and negative controls. Vary unmeasured confounding, missingness, cost, thresholds and adverse spillover assumptions.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Career status, wealth or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Achievement can be purchased with health or belonging. The relevant receiving carriers are: Person, relationships, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-person capability architecture and burden guardrails. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Achievement, health, autonomy and contribution improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal multidimensional evaluation. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Replication and provenance

Purpose and self-actualization | protocol 13 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 015: Purpose and self-actualization; original author status: Origin-linked constructive fit. Native state: Capabilities, values, opportunity, health, autonomy and social contribution.

EVALUATION OBJECTIVE

Replication and provenance. Version the kernel, code, data, transformation decisions, negative findings and external replication.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Career status, wealth or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Achievement can be purchased with health or belonging. The relevant receiving carriers are: Person, relationships, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-person capability architecture and burden guardrails. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Achievement, health, autonomy and contribution improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal multidimensional evaluation. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

015: Cross-domain invariant contest

Purpose and self-actualization | protocol 14 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 015: Purpose and self-actualization; original author status: Origin-linked constructive fit. Native state: Capabilities, values, opportunity, health, autonomy and social contribution.

EVALUATION OBJECTIVE

Cross-domain invariant contest. Keep K_R fixed while swapping M_d; test whether new measurements produce predictions beyond domain incumbents.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Career status, wealth or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Achievement can be purchased with health or belonging. The relevant receiving carriers are: Person, relationships, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Whole-person capability architecture and burden guardrails. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Achievement, health, autonomy and contribution improve together.

RETEST AND SCOPE CONTROL

Candidate decisive method: Longitudinal multidimensional evaluation. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 015, pp. 150-156 (Rufino 2026).

Adapter 016: Existential wellbeing

Psychology and meaning | Internal carrier and capacity reconstruction

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

DOMAIN-NATIVE STATE

Meaning, mortality awareness, belonging, agency and life coherence

RECORDED RECEIVING SCHEMA

Symptom or productivity proxy

CANDIDATE BURDEN AND RECEIVING CARRIERS

Blocker in the source Atlas: Meaning needs displaced into consumption, work or crisis care. Candidate receivers: Person, community.

EXISTING CAPACITY DESIGN

Voluntary meaning-reflection and support architecture

PROTECTED OUTCOME STATED BY THE AUTHOR

Distress falls while agency, belonging and functioning improve

SCIENTIFIC NEXT STEP

Atlas proposed decisive test: Patient/user-reported longitudinal study. This remains a proposed testing route, not proof of a completed successful implementation.

ORIGINALITY AND CONSTRUCTION OBLIGATION

Run causal receiving-carrier diagnosis before action; compare construction against strong established methods; do not accept positive averages as proof that all material carriers benefited.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016 | Existential wellbeing

Individual human / person | Insufficient capacity

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 016, Existential wellbeing. Native state: Meaning, mortality awareness, belonging, agency and life coherence. Potential direct or institutional human pathway: Existential wellbeing interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Insufficient capacity: The human has limited time, health, physical access, material resources, protective support or opportunity. Source Atlas proposed limiting condition: Meaning needs displaced into consumption, work or crisis care.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Voluntary meaning-reflection and support architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Distress falls while agency, belonging and functioning improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

016 | Existential wellbeing

Individual human / person | Schema mismatch

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 016, Existential wellbeing. Native state: Meaning, mortality awareness, belonging, agency and life coherence. Potential direct or institutional human pathway: Existential wellbeing interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Schema mismatch: The person has evidence-grounded capabilities or needs that institutional identifiers, scores or labels do not adequately recognize. Source Atlas proposed limiting condition: Meaning needs displaced into consumption, work or crisis care.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Voluntary meaning-reflection and support architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Distress falls while agency, belonging and functioning improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

016 | Existential wellbeing

Individual human / person | Delayed effects

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 016, Existential wellbeing. Native state: Meaning, mortality awareness, belonging, agency and life coherence. Potential direct or institutional human pathway: Existential wellbeing interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Delayed effects: A short-term change influences future-self health, skills, income, dependence, options or relationships. Source Atlas proposed limiting condition: Meaning needs displaced into consumption, work or crisis care.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Voluntary meaning-reflection and support architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Distress falls while agency, belonging and functioning improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

016 | Existential wellbeing

Individual human / person | Measurement uncertainty

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 016, Existential wellbeing. Native state: Meaning, mortality awareness, belonging, agency and life coherence. Potential direct or institutional human pathway: Existential wellbeing interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Measurement uncertainty: The record lacks consented individual outcomes, counterfactuals, follow-up, or reliable protection metrics. Source Atlas proposed limiting condition: Meaning needs displaced into consumption, work or crisis care.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Voluntary meaning-reflection and support architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Distress falls while agency, belonging and functioning improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

016 | Existential wellbeing

Individual human / person | Coordination failure

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 016, Existential wellbeing. Native state: Meaning, mortality awareness, belonging, agency and life coherence. Potential direct or institutional human pathway: Existential wellbeing interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Coordination failure: Family, employer, provider, government or technical systems hand off obligations to the individual without coordinated support. Source Atlas proposed limiting condition: Meaning needs displaced into consumption, work or crisis care.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Voluntary meaning-reflection and support architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Distress falls while agency, belonging and functioning improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

016 | Existential wellbeing

Individual human / person | Adversarial / inequitable distribution

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 016, Existential wellbeing. Native state: Meaning, mortality awareness, belonging, agency and life coherence. Potential direct or institutional human pathway: Existential wellbeing interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Adversarial / inequitable distribution: Unequal power, coercion, inaccessible systems, discrimination or exploitative incentives shift costs to a person. Source Atlas proposed limiting condition: Meaning needs displaced into consumption, work or crisis care.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Voluntary meaning-reflection and support architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Distress falls while agency, belonging and functioning improve. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

016 to 001: consequential handoff

Existential wellbeing -> Whole-person quality of life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Whole-person quality of life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Single score, diagnosis, income bracket or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Person, household, caregivers, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Longitudinal cohort with preregistered multidimensional outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 51-57; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 001 pp. 51-57.

016 to 002: consequential handoff

Existential wellbeing -> Nutrition and metabolism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Nutrition and metabolism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Calories/macros or generic diet categories. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Body, household budget, food system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Randomized adaptive nutrition trial with cost and adherence carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 58-64; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 002 pp. 58-64.

016 to 003: consequential handoff

Existential wellbeing -> Sleep and recovery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Sleep and recovery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Hours slept or wearable score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Body, cognition, household schedule. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Recovery controller integrating timing, environment, workload and physiology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Longitudinal crossover study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 65-71; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 003 pp. 65-71.

016 to 004: consequential handoff

Existential wellbeing -> Reproductive and sexual health | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Reproductive and sexual health; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Single fertility, disease or risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Individual, partner, future child, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Clinical trials + patient-reported and partner- impact carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 72-78; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 004 pp. 72-78.

016 to 005: consequential handoff

Existential wellbeing -> Disability and accessibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Disability and accessibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Deficit-only person label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Person, caregiver, workplace, public space. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Environment-first accessibility architecture plus assistive capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Before/after environment redesign with workload measures'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 79-85; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 005 pp. 79-85.

016 to 006: consequential handoff

Existential wellbeing -> Mobility and physical function | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Mobility and physical function; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Single functional score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Body, caregiver, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Adaptive rehabilitation plus environment and device redesign. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Controlled rehabilitation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 86-92; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 006 pp. 86-92.

016 to 007: consequential handoff

Existential wellbeing -> Family and caregiving | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Family and caregiving; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Household role labels. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Primary caregiver, dependents, siblings, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Care-load ledger, shared coordination and external capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Prospective household burden study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 93-99; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 007 pp. 93-99.

016 to 008: consequential handoff

Existential wellbeing -> Safety and personal security | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Safety and personal security; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Incident count or generic risk class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Person, community, responder. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Safety architecture that increases protection without reducing autonomy. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Prospective safety intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 100-106; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 008 pp. 100-106.

016 to 009: consequential handoff

Existential wellbeing -> Housing and domestic environment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Housing and domestic environment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Property price or occupancy status. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Resident, landlord, neighborhood, city. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Whole-cost housing and location architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Matched housing intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 107-113; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 009 pp. 107-113.

016 to 010: consequential handoff

Existential wellbeing -> Human longevity and life-course planning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Human longevity and life-course planning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Chronological age or retirement age. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Person, family, institutions, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Life-course capital and care architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Longitudinal life-course cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 114-120; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 010 pp. 114-120.

016 to 011: consequential handoff

Existential wellbeing -> Psychology and social legibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Psychology and social legibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Snapshot diagnosis or social category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Person, family, employer, clinician. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Multidimensional schema plus support matched to hidden burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Longitudinal external cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 122-128; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 011 pp. 122-128.

016 to 012: consequential handoff

Existential wellbeing -> Identity and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Identity and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Single identity label or credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Person and receiving institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Selective multi-context identity graph with provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Cross-context identity study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 129-135; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 012 pp. 129-135.

016 to 013: consequential handoff

Existential wellbeing -> Relationships and intimacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Relationships and intimacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Relationship status or personality label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Partners and wider support network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Reciprocal state and burden ledger plus consent architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Dyadic longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 136-142; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 013 pp. 136-142.

016 to 014: consequential handoff

Existential wellbeing -> Parenting and child development | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Parenting and child development; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Age norm, grade or behavior label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Child, parent, school, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Developmental state map plus distributed support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Longitudinal family-school cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 143-149; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 014 pp. 143-149.

016 to 015: consequential handoff

Existential wellbeing -> Purpose and self-actualization | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Purpose and self-actualization; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Career status, wealth or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Person, relationships, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Whole-person capability architecture and burden guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Longitudinal multidimensional evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 150-156; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 015 pp. 150-156.

016 to 016: consequential handoff

Existential wellbeing -> Existential wellbeing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

INTERFACE AND COUPLING STATUS

This is a within-domain loop: the post-state of Existential wellbeing becomes the next native state under its existing map. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Symptom or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Person, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Voluntary meaning-reflection and support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Patient/user-reported longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 157-163; WITHIN-DOMAIN RECURRENCE. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 016 pp. 157-163.

016 to 017: consequential handoff

Existential wellbeing -> Spiritual life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Spiritual life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Institutional affiliation alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Individual, family, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Ethical observational study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 164-170; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 017 pp. 164-170.

016 to 018: consequential handoff

Existential wellbeing -> Religion and community institutions | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Religion and community institutions; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Membership or doctrinal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Members, families, leaders, wider community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Transparent governance, reporting, safeguarding and exit rights. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Institutional longitudinal audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 171-177; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 018 pp. 171-177.

016 to 019: consequential handoff

Existential wellbeing -> Emotion and affect regulation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Emotion and affect regulation: Internal state, context, physiology, cognition and social feedback.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Emotion and affect regulation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Valence score or symptom label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Person and relationships. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: State-aware regulation architecture with physiological feedback. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Crossover intervention study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 178-184; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 019 pp. 178-184.

016 to 020: consequential handoff

Existential wellbeing -> Trust and fidelity between people | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Trust and fidelity between people: History, promises, evidence, uncertainty and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Trust and fidelity between people; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Trusted/untrusted binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: People and institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Dynamic provenance and expectation architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Prospective trust-repair study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 185-191; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 020 pp. 185-191.

016 to 021: consequential handoff

Existential wellbeing -> Healthcare delivery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Healthcare delivery: Clinical state, logistics, caregiver capacity, finance and post-discharge environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Healthcare delivery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Episode-of-care schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Patient, caregiver, outpatient system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Consequential discharge/care orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 193-199; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 021 pp. 193-199.

016 to 022: consequential handoff

Existential wellbeing -> Diagnostics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Diagnostics: Underlying disease state, uncertainty, test characteristics and downstream actions.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Diagnostics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Single test result. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Patient, clinician, payer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Bayesian multi-source diagnostic schema + uncertainty communication. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Prospective blinded diagnostic study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 200-206; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 022 pp. 200-206.

016 to 023: consequential handoff

Existential wellbeing -> Cancer ecology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Cancer ecology: Clone mix, immune state, microenvironment, host reserve and therapy exposure.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Cancer ecology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Stage/tumor-size snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Resistant clones, healthy tissue, immune system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Adaptive ecological state estimator + resistance/host capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Preclinical then clinical adaptive trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 207-213; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 023 pp. 207-213.

016 to 024: consequential handoff

Existential wellbeing -> Neuroscience and neurodegeneration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Neuroscience and neurodegeneration: Neural, glial, vascular, metabolic, network and functional state.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Neuroscience and neurodegeneration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Single biomarker or visible function. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Neural networks, metabolism, caregiver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Multimodal state estimator + restorative capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Multimodal longitudinal intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 214-220; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 024 pp. 214-220.

016 to 025: consequential handoff

Existential wellbeing -> Aging biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Aging biology: Coupled damage, repair, senescence, immunity, metabolism and regeneration.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Aging biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Age scalar or isolated hallmark. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Cells, tissues, immune system, metabolism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Moving-bottleneck RVG controller across damage/repair channels. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Preclinical multi-pathway study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 221-227; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 025 pp. 221-227.

016 to 026: consequential handoff

Existential wellbeing -> Immunology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Immunology: Immune activation, tolerance, pathogen/tumor signals and tissue damage.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Immunology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Single cytokine or cell-count schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Pathogen, immune cells, host tissue. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: State-dependent immune control balancing clearance and collateral damage. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Controlled biological study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 228-234; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 026 pp. 228-234.

016 to 027: consequential handoff

Existential wellbeing -> Infectious disease | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Infectious disease: Pathogen dynamics, host immunity, behavior, network spread and treatment.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Infectious disease; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Case count or pathogen-only model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Patients, contacts, health system, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Multi-carrier containment + treatment + livelihood capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Prospective outbreak protocol'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 235-241; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 027 pp. 235-241.

016 to 028: consequential handoff

Existential wellbeing -> Microbiome | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Microbiome: Host physiology plus microbial ecology and diet/environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Microbiome; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Species abundance snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Host and microbial community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Functional ecosystem state model and adaptive intervention. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Controlled longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 242-248; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 028 pp. 242-248.

016 to 029: consequential handoff

Existential wellbeing -> Genomics and proteomics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Genomics and proteomics: Variants, expression, proteins, pathways, context and phenotype.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Genomics and proteomics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Single marker/pathogenicity label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Cells, tissues, patient. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Multi-omic causal state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Prospective multi-omic validation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 249-255; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 029 pp. 249-255.

016 to 030: consequential handoff

Existential wellbeing -> Surgery and rehabilitation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Surgery and rehabilitation: Anatomy, function, pain, recovery capacity, home support and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Surgery and rehabilitation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Procedure success or anatomical correction. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Patient, caregiver, rehab system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Prehabilitation + procedure + recovery orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 256-262; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 030 pp. 256-262.

016 to 031: consequential handoff

Existential wellbeing -> Early-childhood development and education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Early-childhood development and education: Development, safety, language, nutrition, play, attachment and resources.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Early-childhood development and education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Age milestone or readiness score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Child, caregiver, educator. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Integrated developmental support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Longitudinal program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 264-270; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 031 pp. 264-270.

016 to 032: consequential handoff

Existential wellbeing -> K-12 education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

K-12 education: Knowledge, skills, wellbeing, context, resources and learning trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into K-12 education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Grade/test score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Student, teacher, family. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Capability graph + adaptive learning + wellbeing constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Cluster randomized trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 271-277; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 032 pp. 271-277.

016 to 033: consequential handoff

Existential wellbeing -> Higher education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Higher education: Capability, knowledge, network, finances and career pathways.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Higher education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Degree/GPA credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Student, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Capability/provenance portfolio + adaptive pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Longitudinal graduate outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 278-284; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 033 pp. 278-284.

016 to 034: consequential handoff

Existential wellbeing -> Vocational and workforce learning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Vocational and workforce learning: Skills, task demand, wages, mobility and employer needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Vocational and workforce learning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Course completion certificate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Worker, employer, training provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Skill-to-task provenance and placement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Matched labor-market evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 285-291; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 034 pp. 285-291.

016 to 035: consequential handoff

Existential wellbeing -> Scientific research | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Scientific research: Hypotheses, methods, data, negative results, replication and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Scientific research; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Publication/citation unit. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Researchers, institutions, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Experiment provenance + negative-result + replication architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Cross-lab replication program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 292-298; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 035 pp. 292-298.

016 to 036: consequential handoff

Existential wellbeing -> Justice and courts | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Justice and courts: Facts, evidence, harm, intent, procedure, history and remedies.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Justice and courts; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Case category or docket state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Victims, accused, families, courts, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Causal provenance + harm/restitution + recurrence architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Prospective process evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 299-305; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 036 pp. 299-305.

016 to 037: consequential handoff

Existential wellbeing -> Policing and public safety systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Policing and public safety systems: Threat, context, evidence, community trust, capacity and alternatives.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Policing and public safety systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Incident/offense label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Residents, officers, victims, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Evidence-first response selection + prevention/support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Independent public evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 306-312; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 037 pp. 306-312.

016 to 038: consequential handoff

Existential wellbeing -> Corrections, rehabilitation and reintegration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Corrections, rehabilitation and reintegration: Risk, harm, needs, skills, housing, work and social support.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Corrections, rehabilitation and reintegration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Sentence/recidivism risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Person, family, community, justice system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Rehabilitation + restitution + housing/work capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Longitudinal controlled program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 313-319; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 038 pp. 313-319.

016 to 039: consequential handoff

Existential wellbeing -> Public administration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Public administration: Citizen state, eligibility, documents, services and agency capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Public administration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Program-specific record. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Citizen, frontline staff, budget. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Interoperable verified state + once-only data + case orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Agency pilot with citizen/staff metrics'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 320-326; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 039 pp. 320-326.

016 to 040: consequential handoff

Existential wellbeing -> Governance and institutional design | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Governance and institutional design: Authority, incentives, information, accountability, resources and affected populations.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Governance and institutional design; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Organizational chart or legal mandate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Citizens, agencies, future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Cross-boundary outcome ledger + accountability and capacity design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Prospective institutional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 327-333; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 040 pp. 327-333.

016 to 041: consequential handoff

Existential wellbeing -> Beauty and aesthetics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Beauty and aesthetics: Biology, preference, culture, identity, safety, cost and perception.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Beauty and aesthetics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Universal beauty standard or product category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Person, body, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Personalized aesthetic/safety state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Consumer/clinical outcome study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 335-341; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 041 pp. 335-341.

016 to 042: consequential handoff

Existential wellbeing -> Fashion and apparel | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Fashion and apparel: Identity, fit, comfort, durability, labor, inventory and lifecycle.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Fashion and apparel; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Size/SKU/category schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Wearer, worker, retailer, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Adaptive sizing + provenance + circularity architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Retail field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 342-348; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 042 pp. 342-348.

016 to 043: consequential handoff

Existential wellbeing -> Luxury goods | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Luxury goods: Provenance, scarcity, condition, access, identity, inventory and lifecycle value.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Luxury goods; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Price/status/authenticity binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Buyer, seller, inventory, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Provenance + condition + access + reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Operational field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 349-355; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 043 pp. 349-355.

016 to 044: consequential handoff

Existential wellbeing -> Hospitality | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Hospitality: Guest needs, staff capacity, time, room state, logistics and locality.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Hospitality; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Booking/reservation state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Guest, staff, operator, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: End-to-end experience and workload orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Property-level A/B evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 356-362; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 044 pp. 356-362.

016 to 045: consequential handoff

Existential wellbeing -> Travel and tourism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Travel and tourism: Mobility, cost, safety, experience, local capacity and environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Travel and tourism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Itinerary/booking schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Traveler, worker, resident, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Consequential itinerary/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Destination pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 363-369; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 045 pp. 363-369.

016 to 046: consequential handoff

Existential wellbeing -> Art and cultural markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Art and cultural markets: Creative work, provenance, rights, cultural meaning, scarcity and audience.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Art and cultural markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Price/ownership/engagement proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Artist, audience, collector, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Rights/provenance/value-sharing architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Marketplace field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 370-376; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 046 pp. 370-376.

016 to 047: consequential handoff

Existential wellbeing -> Music and entertainment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Music and entertainment: Creative contribution, rights, attention, audience value and platform economics.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Music and entertainment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Stream/view count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Creators, audiences, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Contribution/provenance + value-distribution architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 377-383; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 047 pp. 377-383.

016 to 048: consequential handoff

Existential wellbeing -> Gaming and virtual worlds | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Gaming and virtual worlds: Player goals, time, identity, economy, safety and creator contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Gaming and virtual worlds; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Retention/spend metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Players, creators, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Cross-reality value and safety controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 384-390; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 048 pp. 384-390.

016 to 049: consequential handoff

Existential wellbeing -> Sports and performance | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Sports and performance: Performance, health, training load, recovery, team dynamics and career horizon.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Sports and performance; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Win/score/output metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Athlete, team, family, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Load/recovery/career controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Prospective team study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 391-397; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 049 pp. 391-397.

016 to 050: consequential handoff

Existential wellbeing -> Experience design and events | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Experience design and events: Attention, emotion, logistics, accessibility, staff load and community impact.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Experience design and events; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Attendance/NPS/ticket revenue. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Guests, staff, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: End-to-end experience-state orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Event A/B study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 398-404; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 050 pp. 398-404.

016 to 051: consequential handoff

Existential wellbeing -> Currency and monetary experience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Currency and monetary experience: Purchasing power, liquidity, settlement, access, trust and macro context.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Currency and monetary experience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Nominal unit/FX quote. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Households, firms, intermediaries. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Consequential monetary-state and settlement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Historical + prospective policy-neutral system test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 406-412; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 051 pp. 406-412.

016 to 052: consequential handoff

Existential wellbeing -> Payments and remittances | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Payments and remittances: Amount, fees, FX, settlement time, access, fraud and recipient liquidity.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Payments and remittances; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Successful transfer binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Sender, receiver, provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: End-to-end transfer optimization with transparent provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Transaction-level field test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 413-419; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 052 pp. 413-419.

016 to 053: consequential handoff

Existential wellbeing -> Banking and liquidity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Banking and liquidity: Deposits, credit, liquidity, capital, customer state and network exposures.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Banking and liquidity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Product/account or institution-local balance sheet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Banks, customers, counterparties, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Network consequential balance sheet + capacity buffers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Stress test + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 420-426; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 053 pp. 420-426.

016 to 054: consequential handoff

Existential wellbeing -> Credit and underwriting | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Credit and underwriting: Cashflow, assets, obligations, trajectory, capability and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Credit and underwriting; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Static score/category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Borrower, lender, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Dynamic provenance/capacity underwriting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Prospective lending trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 427-433; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 054 pp. 427-433.

016 to 055: consequential handoff

Existential wellbeing -> Insurance and resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Insurance and resilience: Hazard, exposure, prevention, coverage, recovery and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Insurance and resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Loss probability/policy class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Policyholder, insurer, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Prevention + resilience + coverage architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Pilot product evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 434-440; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 055 pp. 434-440.

016 to 056: consequential handoff

Existential wellbeing -> Capital markets and investing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Capital markets and investing: Price, cashflow, externalities, network risk and long-horizon value.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Capital markets and investing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Return/risk factor set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Investor, firm, workers, public, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Consequential asset ledger with carrier constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Historical backtest + prospective paper portfolio'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 441-447; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 056 pp. 441-447.

016 to 057: consequential handoff

Existential wellbeing -> Private wealth and family capital | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Private wealth and family capital: Financial, human, social, health and intergenerational capital.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Private wealth and family capital; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Portfolio net worth. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Client, family, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Whole-capital balance sheet + goals/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Longitudinal client evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 448-454; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 057 pp. 448-454.

016 to 058: consequential handoff

Existential wellbeing -> Labor and talent markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Labor and talent markets: Capability, workload, pay, health, learning and opportunity.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Labor and talent markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Job title/CV/credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Worker, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Capability-state + workload + mobility architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Workplace pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 455-461; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 058 pp. 455-461.

016 to 059: consequential handoff

Existential wellbeing -> Organizations and enterprises | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Organizations and enterprises: Functions, dependencies, people, cash, knowledge and customer value.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Organizations and enterprises; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Department/KPI structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Workers, customers, suppliers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Enterprise consequential graph + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Multi-team field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 462-468; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 059 pp. 462-468.

016 to 060: consequential handoff

Existential wellbeing -> Entrepreneurship and venture creation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Entrepreneurship and venture creation: Unmet burden, carrier, willingness to pay, build cost and adoption.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Entrepreneurship and venture creation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Existing market category/TAM. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Founder initially, then customer/system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Mutual-Uptick blocker discovery + missing-capacity build. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Pilot venture with carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 469-475; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 060 pp. 469-475.

016 to 061: consequential handoff

Existential wellbeing -> Artificial intelligence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Artificial intelligence: Model state, source reality, user intent, provenance, uncertainty and downstream action.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Artificial intelligence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Prompt/context window/model output. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: User, verifier, downstream system, compute. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Persistent schema/provenance layer + self-audit and escalation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Sealed cross-model benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 477-483; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 061 pp. 477-483.

016 to 062: consequential handoff

Existential wellbeing -> Software systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Software systems: Requirements, dependencies, state, users, infrastructure and technical debt.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Software systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Feature/ticket/local module schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Developers, users, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Dependency/provenance graph + consequential release controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Repository-level prospective benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 484-490; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 062 pp. 484-490.

016 to 063: consequential handoff

Existential wellbeing -> Cybersecurity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Cybersecurity: Actual attack graph, identities, vulnerabilities, privileges and attacker state.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Cybersecurity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Defender inventory/rules/log view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Systems, users, analysts, business continuity. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Self-updating attack schema + carrier prediction + safe containment/failover. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Red-team sealed telemetry benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 491-497; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 063 pp. 491-497.

016 to 064: consequential handoff

Existential wellbeing -> Data infrastructure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Data infrastructure: Datasets, lineage, semantics, permissions, quality and downstream uses.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Data infrastructure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Table/file/schema local view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Analysts, models, users, compliance. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Provenance graph + semantic reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Enterprise data benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 498-504; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 064 pp. 498-504.

016 to 065: consequential handoff

Existential wellbeing -> Privacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Privacy: Data state, purposes, consent, exposure, value and future misuse.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Privacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Consent checkbox or access-control list. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Person, organization, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Selective disclosure + provenance + minimization architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Field trial + attack testing'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 505-511; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 065 pp. 505-511.

016 to 066: consequential handoff

Existential wellbeing -> Digital identity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Digital identity: Attributes, credentials, context, revocation, privacy and trust.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Digital identity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Single identifier/account. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Person, verifier, issuer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Selective-verification credential graph. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Cross-service pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 512-518; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 066 pp. 512-518.

016 to 067: consequential handoff

Existential wellbeing -> Internet and communications | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Internet and communications: Topology, capacity, latency, content, trust and user needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Internet and communications; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Throughput/uptime metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Users, networks, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Consequential routing + fidelity/provenance layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Network/application experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 519-525; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 067 pp. 519-525.

016 to 068: consequential handoff

Existential wellbeing -> Media and information ecosystems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Media and information ecosystems: Claims, evidence, incentives, attention, creators and audiences.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Media and information ecosystems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Engagement/feed rank. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Audience, creator, public discourse. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Claim provenance + quality + incentive reconciliation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 526-532; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 068 pp. 526-532.

016 to 069: consequential handoff

Existential wellbeing -> Language and translation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Language and translation: Meaning, context, culture, pragmatics and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Language and translation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Word/token correspondence. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Speakers, institutions, models. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Semantic/provenance translation with ambiguity tracking. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Blind human evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 533-539; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 069 pp. 533-539.

016 to 070: consequential handoff

Existential wellbeing -> Knowledge and ontologies | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Knowledge and ontologies: Entities, relations, provenance, incompatible schemas and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Knowledge and ontologies; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Single ontology/taxonomy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Researchers, AI, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Cross-schema translation + minimal sufficient ontology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Cross-domain benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 540-546; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 070 pp. 540-546.

016 to 071: consequential handoff

Existential wellbeing -> Energy and power grids | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Energy and power grids: Generation, load, storage, network constraints, prices and reliability.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Energy and power grids; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Local device efficiency or node KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Grid nodes, customers, storage, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Consequential grid controller + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Grid simulation + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 548-554; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 071 pp. 548-554.

016 to 072: consequential handoff

Existential wellbeing -> Water and irrigation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Water and irrigation: Withdrawals, consumptive use, return flows, storage, aquifers and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Water and irrigation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Farm/project efficiency. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Downstream users, rivers, aquifers, ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Basin-wide accounting + catchment + allocation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Basin holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 555-561; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 072 pp. 555-561.

016 to 073: consequential handoff

Existential wellbeing -> Food and agriculture | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Food and agriculture: Yield, soil, water, inputs, nutrition, labor, market and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Food and agriculture; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Yield/acre or commodity price. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Farmer, consumer, soil, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Coupled regenerative production controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Multi-season farm trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 562-568; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 073 pp. 562-568.

016 to 074: consequential handoff

Existential wellbeing -> Supply chains and logistics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Supply chains and logistics: Inventory, demand, transport, suppliers, lead times and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Supply chains and logistics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Node-level cost/service KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Suppliers, warehouses, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Carrier-aware flow controller + buffer placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Historical + live pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 569-575; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 074 pp. 569-575.

016 to 075: consequential handoff

Existential wellbeing -> Manufacturing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Manufacturing: Materials, energy, machines, labor, quality, maintenance and waste.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Manufacturing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Unit cost/OEE. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Workers, machines, environment, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Closed-loop production and maintenance architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Factory pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 576-582; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 075 pp. 576-582.

016 to 076: consequential handoff

Existential wellbeing -> Waste and circular materials | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Waste and circular materials: Material composition, location, contamination, residual value and logistics.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Waste and circular materials; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Waste tonnage/disposal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Communities, environment, future production. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Material provenance + recapture + transformation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Municipal/industrial pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 583-589; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 076 pp. 583-589.

016 to 077: consequential handoff

Existential wellbeing -> Transportation and mobility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Transportation and mobility: Trips, time, safety, access, energy, congestion and land use.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Transportation and mobility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Vehicle throughput/speed. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Travelers, neighborhoods, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Multimodal consequential mobility controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'City corridor pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 590-596; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 077 pp. 590-596.

016 to 078: consequential handoff

Existential wellbeing -> Cities and urban systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Cities and urban systems: Housing, jobs, transport, health, utilities, safety and public space.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Cities and urban systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Agency-by-agency city data. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Residents, agencies, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: City consequential digital twin + coordinated capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'District pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 597-603; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 078 pp. 597-603.

016 to 079: consequential handoff

Existential wellbeing -> Climate and disaster resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Climate and disaster resilience: Hazard, exposure, vulnerability, infrastructure, food, health and recovery.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Climate and disaster resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Hazard forecast alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: People, infrastructure, ecosystems, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Anticipatory catchment + prepositioned capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Prospective matched pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 604-610; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 079 pp. 604-610.

016 to 080: consequential handoff

Existential wellbeing -> Ecology and biodiversity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Ecology and biodiversity: Species, habitats, flows, extraction, communities and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Ecology and biodiversity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Protected-area/local species metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Species, habitats, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Landscape-scale leakage/carrier accounting + livelihoods. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Landscape holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 611-617; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 080 pp. 611-617.

016 to 081: consequential handoff

Existential wellbeing -> Cell biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Cell biology: Signaling, organelles, metabolism, damage, repair and cell-state transitions.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Cell biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Single pathway/marker. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Organelles, pathways, neighboring cells. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Multi-state cellular controller + capacity targeting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'In-vitro perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 619-625; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 081 pp. 619-625.

016 to 082: consequential handoff

Existential wellbeing -> Molecular biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Molecular biology: Molecules, conformations, binding networks, concentrations and kinetics.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Molecular biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Single interaction/target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Molecules, pathways, host system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Reaction/network state model + off-target carrier control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Bench experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 626-632; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 082 pp. 626-632.

016 to 083: consequential handoff

Existential wellbeing -> Nanotechnology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Nanotechnology: Particle properties, surfaces, transport, environment and biological interaction.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Nanotechnology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Particle spec alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Cells, environment, users. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Lifecycle and interaction-aware nano design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Bench + environmental tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 633-639; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 083 pp. 633-639.

016 to 084: consequential handoff

Existential wellbeing -> Chemistry and reaction systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Chemistry and reaction systems: Species, reaction network, kinetics, energy, byproducts and separation.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Chemistry and reaction systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Target yield/selectivity. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Reactor, environment, downstream process. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Consequential reaction-network optimization + recovery loops. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Reactor experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 640-646; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 084 pp. 640-646.

016 to 085: consequential handoff

Existential wellbeing -> Materials science | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Materials science: Microstructure, defects, stress, temperature, lifecycle and manufacturing.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Materials science; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Bulk property spec. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Material, structure, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Defect-aware multiproperty design + recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Lab characterization'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 647-653; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 085 pp. 647-653.

016 to 086: consequential handoff

Existential wellbeing -> Classical mechanics and control | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Classical mechanics and control: Physical state, dynamics, sensors, actuators and disturbance.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Classical mechanics and control; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Partial state observation/local control objective. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Plant, actuator, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Representation-aware full-state controller + regenerative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Physical bench experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 654-660; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 086 pp. 654-660.

016 to 087: consequential handoff

Existential wellbeing -> Thermodynamics and nonequilibrium systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Thermodynamics and nonequilibrium systems: Energy, entropy, gradients, reservoirs, flows and constraints.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Thermodynamics and nonequilibrium systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Local efficiency/temperature metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Reservoirs, environment, components. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Whole-boundary energy/exergy and recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Physical experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 661-667; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 087 pp. 661-667.

016 to 088: consequential handoff

Existential wellbeing -> Electromagnetism and circuits | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Electromagnetism and circuits: Fields, voltages, currents, topology, storage and losses.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Electromagnetism and circuits; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Local component state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Circuit elements, sources, loads. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Full-network state estimation + capacity/recovery placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Bench circuit experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 668-674; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 088 pp. 668-674.

016 to 089: consequential handoff

Existential wellbeing -> Quantum systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Quantum systems: Quantum state, observables, measurement, control and decoherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Quantum systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Accessible observable set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Quantum system, apparatus, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Constraint-respecting measurement/control schema + capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Laboratory quantum experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 675-681; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 089 pp. 675-681.

016 to 090: consequential handoff

Existential wellbeing -> Pure mathematics and formal systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Pure mathematics and formal systems: Objects, relations, axioms, language, proofs and translations.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Pure mathematics and formal systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Chosen signature/type system/quotient. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Proof system, translator, solver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Minimal sufficient schema preserving required relations. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Machine-checked theorem suite'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 682-688; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 090 pp. 682-688.

016 to 091: consequential handoff

Existential wellbeing -> Statistics and causal inference | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Statistics and causal inference: Data-generating process, sampling, measurement, confounding and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Statistics and causal inference; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Chosen model/estimand. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Decision makers, future samples, affected groups. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Provenance-aware multi-model causal state + identifiability guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Simulation + multi-dataset benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 690-696; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 091 pp. 690-696.

016 to 092: consequential handoff

Existential wellbeing -> Logic and reasoning systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Logic and reasoning systems: Premises, inference rules, contradictions, uncertainty and goals.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Logic and reasoning systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Single logical calculus. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Reasoner, downstream decision. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Multi-logic translation + contradiction provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Formal benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 697-703; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 092 pp. 697-703.

016 to 093: consequential handoff

Existential wellbeing -> Geography and territorial systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Geography and territorial systems: People, ecosystems, infrastructure, flows and administrative boundaries.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Geography and territorial systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Jurisdiction/map boundary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Border communities, watersheds, networks. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Flow-based territorial state model. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Regional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 704-710; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 093 pp. 704-710.

016 to 094: consequential handoff

Existential wellbeing -> Informal economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Informal economy: Real work, exchange, trust, risk and household needs outside formal records.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Informal economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Formal registry/tax/business schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Workers, households, state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Low-friction recognition, protection and access architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Field pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 711-717; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 094 pp. 711-717.

016 to 095: consequential handoff

Existential wellbeing -> Illicit and black markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Illicit and black markets: Hidden demand, supply, coercion, enforcement, prices and harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Illicit and black markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Official market data that excludes hidden exchange. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Victims, communities, lawful firms, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Independent harm-reduction/public-safety evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 718-724; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 095 pp. 718-724.

016 to 096: consequential handoff

Existential wellbeing -> Orbital and space economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Orbital and space economy: Spacecraft, debris, spectrum, energy, logistics and operator incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Orbital and space economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Mission-local success metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Other spacecraft, operators, orbital environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Orbital consequential ledger + shared capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Simulation + mission pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 725-731; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 096 pp. 725-731.

016 to 097: consequential handoff

Existential wellbeing -> Extraterrestrial settlement | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Extraterrestrial settlement: Life support, energy, materials, health, governance and closed ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Extraterrestrial settlement; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Earth-derived subsystem silos. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Crew, machines, habitat ecology. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Closed-loop consequential state + autonomous capacity construction. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Analog habitat + mission tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 732-738; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 097 pp. 732-738.

016 to 098: consequential handoff

Existential wellbeing -> Astrobiology and biosignatures | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Astrobiology and biosignatures: Unknown life chemistries, environments, signals and contamination risks.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Astrobiology and biosignatures; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Earth-centric life schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Scientific program, environment, future missions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Plural biosignature schema + provenance/contamination control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Blind benchmark + mission data'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 739-745; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 098 pp. 739-745.

016 to 099: consequential handoff

Existential wellbeing -> Planetary systems and stewardship | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Planetary systems and stewardship: Atmosphere, hydrology, geology, biosphere, resources and settlements.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Planetary systems and stewardship; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Sector-local resource model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Settlements, ecosystems, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Closed-loop planetary resource and restoration architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Earth analog + simulation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 746-752; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 099 pp. 746-752.

016 to 100: consequential handoff

Existential wellbeing -> Unknown and not-yet-named realities | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Unknown and not-yet-named realities: Any newly observed substrate, scale, agent, value dimension or exchange mode.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Unknown and not-yet-named realities; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: No adequate schema exists yet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Unknown until carrier tracing identifies it. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Instantiate M_d, define schema, measure gap, trace carrier, construct capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Freeze kernel before learning outcomes; then holdout/replicate'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 753-759; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 100 pp. 753-759.

016 to 101: consequential handoff

Existential wellbeing -> Conscious experience and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Conscious experience and self-model: Perception, affect, memory, self-model, attention, internal accessibility and embodied state.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Conscious experience and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: A receiving observer reduces another system to behavior, category or output alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Experiencing system, observers, dependent systems and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Cross-modal state representation with provenance, uncertainty and non-erasure constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Prospective multi-method cross-observer study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 761-767; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 101 pp. 761-767.

016 to 102: consequential handoff

Existential wellbeing -> Choice and option topology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Choice and option topology: Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Choice and option topology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Binary free-choice / no-choice label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Chooser, affected people, institutions and future option set. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Feasible-option map plus prebuilt low-friction lawful/prosocial pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Prospective choice-topology intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 768-774; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 102 pp. 768-774.

016 to 103: consequential handoff

Existential wellbeing -> Truth, deception and disclosure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Truth, deception and disclosure: Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Truth, deception and disclosure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Truth/lie binary detached from consequence topology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Speaker, listener, harmed parties, institutions and future trust network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Verification, safe disclosure, correction, restitution and transition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Sealed truth-cost / disclosure study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 775-781; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 103 pp. 775-781.

016 to 104: consequential handoff

Existential wellbeing -> Responsibility and causal attribution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Responsibility and causal attribution: Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Responsibility and causal attribution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Moral label detached from the action-producing state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Actor, victims, institutions, community and future actors. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Blinded case reconstruction with preregistered causal criteria'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 782-788; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 104 pp. 782-788.

016 to 105: consequential handoff

Existential wellbeing -> Consent, coercion and autonomy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Consent, coercion and autonomy: Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Consent, coercion and autonomy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Signed/expressed consent treated as sufficient state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Decision maker, counterparties, dependents and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Real exit, recourse, reversible consent, information symmetry and alternative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Prospective consent-quality audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 789-795; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 105 pp. 789-795.

016 to 106: consequential handoff

Existential wellbeing -> Addiction, compulsion and short-horizon relief | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Addiction, compulsion and short-horizon relief: Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Addiction, compulsion and short-horizon relief; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Substance/behavior category or abstinence binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Person, body, relationships, household, community and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Longitudinal regulated intervention with multi-carrier outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 796-802; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 106 pp. 796-802.

016 to 107: consequential handoff

Existential wellbeing -> Crime, violence and reconciliation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Crime, violence and reconciliation: Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Crime, violence and reconciliation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Offense label or actor-only risk score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Victims, actor, families, community, institutions and future potential victims. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Longitudinal controlled justice-program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 803-809; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 107 pp. 803-809.

016 to 108: consequential handoff

Existential wellbeing -> Animal sentience and welfare | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Animal sentience and welfare: Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Animal sentience and welfare; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Commodity/yield schema that excludes the animal as a carrier. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Animals, workers, consumers, farmers, land, ecosystems and communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Welfare, alternative-production, livelihood-transition and ecological capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Multi-carrier welfare, nutrition and livelihood trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 810-816; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 108 pp. 810-816.

016 to 109: consequential handoff

Existential wellbeing -> Collective agency and institutional choice | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Collective agency and institutional choice: Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Collective agency and institutional choice; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Organization treated as a single actor without internal carrier structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Members, minorities, leaders, outsiders, institutions and future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Distributed decision provenance, dissent channels, accountability and cross-boundary capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Prospective institutional decision audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 817-823; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 109 pp. 817-823.

016 to 110: consequential handoff

Existential wellbeing -> Human-AI co-agency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Human-AI co-agency: Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Human-AI co-agency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Model output or benchmark score treated as the whole system. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: User, non-user, model operator, workers, institutions, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Persistent provenance, human control, reversibility, portability, verification and receivingcapacity layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Sealed native-vs-K_R assisted agent benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 824-830; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 110 pp. 824-830.

016 to 111: consequential handoff

Existential wellbeing -> Evolution and natural selection | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Evolution and natural selection: Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Evolution and natural selection; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Fitness proxy or single-trait narrative. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Individuals, lineages, populations, interacting species and ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Diversity, ecological capacity and intervention guardrails where deliberate action exists. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Time-locked population/genomic holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 832-838; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 111 pp. 832-838.

016 to 112: consequential handoff

Existential wellbeing -> Reproduction, inheritance, mitosis and meiosis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Reproduction, inheritance, mitosis and meiosis: Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Reproduction, inheritance, mitosis and meiosis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Outcome-only birth/division count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Parent cell/organism, daughter cells, gametes, offspring and lineage. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Checkpoint, repair, redundancy and developmental-support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Lineage-resolved perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 839-845; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 112 pp. 839-845.

016 to 113: consequential handoff

Existential wellbeing -> Development and morphogenesis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Development and morphogenesis: Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Development and morphogenesis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Single marker or endpoint morphology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Cells, tissues, organs, organism and developmental future state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Stage-aware multi-pathway support, repair and resource architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Longitudinal developmental perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 846-852; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 113 pp. 846-852.

016 to 114: consequential handoff

Existential wellbeing -> Metabolism, diet and consumption | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Metabolism, diet and consumption: Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Metabolism, diet and consumption; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Calories/macros or one nutrient target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Gut, microbiome, liver, tissues, household, food system and future organism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Adaptive conversion, buffering, storage, elimination and access capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Controlled longitudinal multi-carrier nutrition study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 853-859; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 114 pp. 853-859.

016 to 115: consequential handoff

Existential wellbeing -> Predation, livestock and food-system transformation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Predation, livestock and food-system transformation: Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Predation, livestock and food-system transformation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Yield, price or human nutrition alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Animals, humans, workers, farmers, consumers, land, ecosystems and future food security. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Phased regional transition with preregistered carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 860-866; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 115 pp. 860-866.

016 to 116: consequential handoff

Existential wellbeing -> Learning, plasticity and cultural evolution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Learning, plasticity and cultural evolution: Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Learning, plasticity and cultural evolution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Test score, output or adoption count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Learner, teachers, peers, institutions, future self and cultural network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Longitudinal transfer-and-retention experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 867-873; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 116 pp. 867-873.

016 to 117: consequential handoff

Existential wellbeing -> Self-organization and emergence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Self-organization and emergence: Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Self-organization and emergence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Macro outcome without micro-carrier ledger. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Components, neighborhoods, emergent structure and external environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Multi-scale simulation plus physical/biological holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 874-880; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 117 pp. 874-880.

016 to 118: consequential handoff

Existential wellbeing -> Creation, provenance and dependency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Creation, provenance and dependency: Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Creation, provenance and dependency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Ownership or authorship treated as sufficient relationship model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Creators, created systems, maintainers, users, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Provenance, stewardship, autonomy-transition and reciprocal-viability architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Longitudinal creator-created dependency audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 881-887; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 118 pp. 881-887.

016 to 119: consequential handoff

Existential wellbeing -> Cosmological evolution and structure formation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Cosmological evolution and structure formation: Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Cosmological evolution and structure formation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Single scale or observable treated as complete cosmic state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: Observed regions, fields/matter components, instruments, models and observers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Cross-scale observation, uncertainty, model-comparison and instrumentation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Preregistered cross-survey predictive holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 888-894; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 119 pp. 888-894.

016 to 120: consequential handoff

Existential wellbeing -> Cross-substrate consciousness, temporal coexistence and closure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

PROPOSED RECEIVER AND STATE

Cross-substrate consciousness, temporal coexistence and closure: The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility.

INTERFACE AND COUPLING STATUS

Proposed interface from Existential wellbeing into Cross-substrate consciousness, temporal coexistence and closure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Symptom or productivity proxy. Receiver's limited view: Any local adapter, species, institution or observer claiming closure from its own schema alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Person, community. Candidate receiver carriers: All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary meaning-reflection and support architecture. Receiving capacity: Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and.... Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Patient/user-reported longitudinal study' with a receiver study of 'Time-locked system-of-systems closure test across multiple adapters'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 157-163 and 895-901; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026). Receiver Adapter 120 pp. 895-901.

016: Existential wellbeing

Household / family / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Household / family / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Household / family / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Household / family / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Household / family / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Household / family / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

School / university / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

School / university / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

School / university / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

School / university / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

School / university / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

School / university / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Enterprise / cooperative / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Enterprise / cooperative / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Enterprise / cooperative / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Enterprise / cooperative / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Enterprise / cooperative / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Enterprise / cooperative / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Healthcare / care team / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Healthcare / care team / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Healthcare / care team / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Healthcare / care team / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Healthcare / care team / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Healthcare / care team / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Local government / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Local government / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Local government / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Local government / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Local government / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Local government / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Ecological catchment / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Ecological catchment / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Ecological catchment / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Ecological catchment / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Ecological catchment / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Ecological catchment / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Scientific laboratory / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Scientific laboratory / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Scientific laboratory / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Scientific laboratory / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Scientific laboratory / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Scientific laboratory / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Public infrastructure / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Public infrastructure / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Public infrastructure / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Public infrastructure / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Public infrastructure / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Public infrastructure / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Digital / AI service / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Digital / AI service / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Digital / AI service / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Digital / AI service / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Digital / AI service / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Digital / AI service / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Interregional / planetary / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Interregional / planetary / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Interregional / planetary / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Interregional / planetary / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Interregional / planetary / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Existential wellbeing

Interregional / planetary / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Existential wellbeing is described in the Atlas as: Meaning, mortality awareness, belonging, agency and life coherence. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Meaning needs displaced into consumption, work or crisis care. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Person, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary meaning-reflection and support architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Distress falls while agency, belonging and functioning improve. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Patient/user-reported longitudinal study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Evidence and source reconstruction

Existential wellbeing | protocol 1 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 016: Existential wellbeing; original author status: Constructive protocol. Native state: Meaning, mortality awareness, belonging, agency and life coherence.

EVALUATION OBJECTIVE

Evidence and source reconstruction. Establish what is observed, reported, derived, simulated and currently unavailable. Audit definitions, dates and units.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Symptom or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Meaning needs displaced into consumption, work or crisis care. The relevant receiving carriers are: Person, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary meaning-reflection and support architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Distress falls while agency, belonging and functioning improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Patient/user-reported longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Boundary divergence

Existential wellbeing | protocol 2 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 016: Existential wellbeing; original author status: Constructive protocol. Native state: Meaning, mortality awareness, belonging, agency and life coherence.

EVALUATION OBJECTIVE

Boundary divergence. Predeclare local and consequential objectives, identical feasible action sets, and a measurable divergence test.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Symptom or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Meaning needs displaced into consumption, work or crisis care. The relevant receiving carriers are: Person, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary meaning-reflection and support architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Distress falls while agency, belonging and functioning improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Patient/user-reported longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Causal diagram and identifiability

Existential wellbeing | protocol 3 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 016: Existential wellbeing; original author status: Constructive protocol. Native state: Meaning, mortality awareness, belonging, agency and life coherence.

EVALUATION OBJECTIVE

Causal diagram and identifiability. Draw the candidate causal graph; identify confounders, mediators, spillovers and selection mechanisms.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Symptom or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Meaning needs displaced into consumption, work or crisis care. The relevant receiving carriers are: Person, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary meaning-reflection and support architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Distress falls while agency, belonging and functioning improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Patient/user-reported longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Receiving carrier identification

Existential wellbeing | protocol 4 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 016: Existential wellbeing; original author status: Constructive protocol. Native state: Meaning, mortality awareness, belonging, agency and life coherence.

EVALUATION OBJECTIVE

Receiving carrier identification. Predict the destination, path and delay of consequential burdens before measuring post-state outcomes.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Symptom or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Meaning needs displaced into consumption, work or crisis care. The relevant receiving carriers are: Person, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary meaning-reflection and support architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Distress falls while agency, belonging and functioning improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Patient/user-reported longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Hidden compensation accounting

Existential wellbeing | protocol 5 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 016: Existential wellbeing; original author status: Constructive protocol. Native state: Meaning, mortality awareness, belonging, agency and life coherence.

EVALUATION OBJECTIVE

Hidden compensation accounting. Measure which agent, reserve, budget, ecosystem or later period silently carries the load.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Symptom or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Meaning needs displaced into consumption, work or crisis care. The relevant receiving carriers are: Person, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary meaning-reflection and support architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Distress falls while agency, belonging and functioning improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Patient/user-reported longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Native units and dimensional integrity

Existential wellbeing | protocol 6 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 016: Existential wellbeing; original author status: Constructive protocol. Native state: Meaning, mortality awareness, belonging, agency and life coherence.

EVALUATION OBJECTIVE

Native units and dimensional integrity. Define each carrier outcome in its own units; avoid offsetting unlike harms with unsupported scalar sums.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Symptom or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Meaning needs displaced into consumption, work or crisis care. The relevant receiving carriers are: Person, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary meaning-reflection and support architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Distress falls while agency, belonging and functioning improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Patient/user-reported longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Capacity specification

Existential wellbeing | protocol 7 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 016: Existential wellbeing; original author status: Constructive protocol. Native state: Meaning, mortality awareness, belonging, agency and life coherence.

EVALUATION OBJECTIVE

Capacity specification. Identify the binding receiver constraint and specify the smallest permissible constructive action.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Symptom or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Meaning needs displaced into consumption, work or crisis care. The relevant receiving carriers are: Person, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary meaning-reflection and support architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Distress falls while agency, belonging and functioning improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Patient/user-reported longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Intervention design

Existential wellbeing | protocol 8 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 016: Existential wellbeing; original author status: Constructive protocol. Native state: Meaning, mortality awareness, belonging, agency and life coherence.

EVALUATION OBJECTIVE

Intervention design. Choose randomized, natural, observational or mechanistic evidence compatible with safety and identifiability.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Symptom or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Meaning needs displaced into consumption, work or crisis care. The relevant receiving carriers are: Person, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary meaning-reflection and support architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Distress falls while agency, belonging and functioning improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Patient/user-reported longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Incumbent parity contest

Existential wellbeing | protocol 9 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 016: Existential wellbeing; original author status: Constructive protocol. Native state: Meaning, mortality awareness, belonging, agency and life coherence.

EVALUATION OBJECTIVE

Incumbent parity contest. Compare against strongest existing local, boundary-aware, causal and resource-constrained methods.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Symptom or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Meaning needs displaced into consumption, work or crisis care. The relevant receiving carriers are: Person, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary meaning-reflection and support architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Distress falls while agency, belonging and functioning improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Patient/user-reported longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Time-window and recurrence

Existential wellbeing | protocol 10 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 016: Existential wellbeing; original author status: Constructive protocol. Native state: Meaning, mortality awareness, belonging, agency and life coherence.

EVALUATION OBJECTIVE

Time-window and recurrence. Measure early, intermediate and delayed outcomes, including reserve depletion and changing bottlenecks.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Symptom or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Meaning needs displaced into consumption, work or crisis care. The relevant receiving carriers are: Person, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary meaning-reflection and support architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Distress falls while agency, belonging and functioning improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Patient/user-reported longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Ethical and legal safety

Existential wellbeing | protocol 11 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 016: Existential wellbeing; original author status: Constructive protocol. Native state: Meaning, mortality awareness, belonging, agency and life coherence.

EVALUATION OBJECTIVE

Ethical and legal safety. Determine affected rights, vulnerable groups, irreversible harms, consent, permissions and safety constraints.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Symptom or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Meaning needs displaced into consumption, work or crisis care. The relevant receiving carriers are: Person, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary meaning-reflection and support architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Distress falls while agency, belonging and functioning improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Patient/user-reported longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Sensitivity and negative controls

Existential wellbeing | protocol 12 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 016: Existential wellbeing; original author status: Constructive protocol. Native state: Meaning, mortality awareness, belonging, agency and life coherence.

EVALUATION OBJECTIVE

Sensitivity and negative controls. Vary unmeasured confounding, missingness, cost, thresholds and adverse spillover assumptions.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Symptom or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Meaning needs displaced into consumption, work or crisis care. The relevant receiving carriers are: Person, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary meaning-reflection and support architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Distress falls while agency, belonging and functioning improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Patient/user-reported longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Replication and provenance

Existential wellbeing | protocol 13 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 016: Existential wellbeing; original author status: Constructive protocol. Native state: Meaning, mortality awareness, belonging, agency and life coherence.

EVALUATION OBJECTIVE

Replication and provenance. Version the kernel, code, data, transformation decisions, negative findings and external replication.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Symptom or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Meaning needs displaced into consumption, work or crisis care. The relevant receiving carriers are: Person, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary meaning-reflection and support architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Distress falls while agency, belonging and functioning improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Patient/user-reported longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

016: Cross-domain invariant contest

Existential wellbeing | protocol 14 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 016: Existential wellbeing; original author status: Constructive protocol. Native state: Meaning, mortality awareness, belonging, agency and life coherence.

EVALUATION OBJECTIVE

Cross-domain invariant contest. Keep K_R fixed while swapping M_d; test whether new measurements produce predictions beyond domain incumbents.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Symptom or productivity proxy. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Meaning needs displaced into consumption, work or crisis care. The relevant receiving carriers are: Person, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary meaning-reflection and support architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Distress falls while agency, belonging and functioning improve.

RETEST AND SCOPE CONTROL

Candidate decisive method: Patient/user-reported longitudinal study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 016, pp. 157-163 (Rufino 2026).

Adapter 017: Spiritual life

Psychology and meaning | Internal carrier and capacity reconstruction

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

DOMAIN-NATIVE STATE

Belief, practice, meaning, community, conscience and autonomy

RECORDED RECEIVING SCHEMA

Institutional affiliation alone

CANDIDATE BURDEN AND RECEIVING CARRIERS

Blocker in the source Atlas: Community benefit can shift burden to autonomy or dissent. Candidate receivers: Individual, family, community.

EXISTING CAPACITY DESIGN

Voluntary, transparent, safeguarding-centered spiritual/community architecture

PROTECTED OUTCOME STATED BY THE AUTHOR

Meaning and belonging improve without coercion or exclusion

SCIENTIFIC NEXT STEP

Atlas proposed decisive test: Ethical observational study. This remains a proposed testing route, not proof of a completed successful implementation.

ORIGINALITY AND CONSTRUCTION OBLIGATION

Run causal receiving-carrier diagnosis before action; compare construction against strong established methods; do not accept positive averages as proof that all material carriers benefited.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017 | Spiritual life

Individual human / person | Insufficient capacity

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 017, Spiritual life. Native state: Belief, practice, meaning, community, conscience and autonomy. Potential direct or institutional human pathway: Spiritual life interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Insufficient capacity: The human has limited time, health, physical access, material resources, protective support or opportunity. Source Atlas proposed limiting condition: Community benefit can shift burden to autonomy or dissent.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Voluntary, transparent, safeguarding-centered spiritual/community architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Meaning and belonging improve without coercion or exclusion. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

017 | Spiritual life

Individual human / person | Schema mismatch

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 017, Spiritual life. Native state: Belief, practice, meaning, community, conscience and autonomy. Potential direct or institutional human pathway: Spiritual life interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Schema mismatch: The person has evidence-grounded capabilities or needs that institutional identifiers, scores or labels do not adequately recognize. Source Atlas proposed limiting condition: Community benefit can shift burden to autonomy or dissent.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Voluntary, transparent, safeguarding-centered spiritual/community architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Meaning and belonging improve without coercion or exclusion. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

017 | Spiritual life

Individual human / person | Delayed effects

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 017, Spiritual life. Native state: Belief, practice, meaning, community, conscience and autonomy. Potential direct or institutional human pathway: Spiritual life interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Delayed effects: A short-term change influences future-self health, skills, income, dependence, options or relationships. Source Atlas proposed limiting condition: Community benefit can shift burden to autonomy or dissent.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Voluntary, transparent, safeguarding-centered spiritual/community architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Meaning and belonging improve without coercion or exclusion. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

017 | Spiritual life

Individual human / person | Measurement uncertainty

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 017, Spiritual life. Native state: Belief, practice, meaning, community, conscience and autonomy. Potential direct or institutional human pathway: Spiritual life interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Measurement uncertainty: The record lacks consented individual outcomes, counterfactuals, follow-up, or reliable protection metrics. Source Atlas proposed limiting condition: Community benefit can shift burden to autonomy or dissent.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Voluntary, transparent, safeguarding-centered spiritual/community architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Meaning and belonging improve without coercion or exclusion. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

017 | Spiritual life

Individual human / person | Coordination failure

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 017, Spiritual life. Native state: Belief, practice, meaning, community, conscience and autonomy. Potential direct or institutional human pathway: Spiritual life interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Coordination failure: Family, employer, provider, government or technical systems hand off obligations to the individual without coordinated support. Source Atlas proposed limiting condition: Community benefit can shift burden to autonomy or dissent.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Voluntary, transparent, safeguarding-centered spiritual/community architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Meaning and belonging improve without coercion or exclusion. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

017 | Spiritual life

Individual human / person | Adversarial / inequitable distribution

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 017, Spiritual life. Native state: Belief, practice, meaning, community, conscience and autonomy. Potential direct or institutional human pathway: Spiritual life interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Adversarial / inequitable distribution: Unequal power, coercion, inaccessible systems, discrimination or exploitative incentives shift costs to a person. Source Atlas proposed limiting condition: Community benefit can shift burden to autonomy or dissent.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Voluntary, transparent, safeguarding-centered spiritual/community architecture can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Meaning and belonging improve without coercion or exclusion. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

017 to 001: consequential handoff

Spiritual life -> Whole-person quality of life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Whole-person quality of life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Single score, diagnosis, income bracket or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Person, household, caregivers, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Longitudinal cohort with preregistered multidimensional outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 51-57; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 001 pp. 51-57.

017 to 002: consequential handoff

Spiritual life -> Nutrition and metabolism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Nutrition and metabolism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Calories/macros or generic diet categories. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Body, household budget, food system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Randomized adaptive nutrition trial with cost and adherence carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 58-64; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 002 pp. 58-64.

017 to 003: consequential handoff

Spiritual life -> Sleep and recovery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Sleep and recovery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Hours slept or wearable score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Body, cognition, household schedule. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Recovery controller integrating timing, environment, workload and physiology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Longitudinal crossover study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 65-71; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 003 pp. 65-71.

017 to 004: consequential handoff

Spiritual life -> Reproductive and sexual health | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Reproductive and sexual health; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Single fertility, disease or risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Individual, partner, future child, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Clinical trials + patient-reported and partner- impact carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 72-78; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 004 pp. 72-78.

017 to 005: consequential handoff

Spiritual life -> Disability and accessibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Disability and accessibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Deficit-only person label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Person, caregiver, workplace, public space. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Environment-first accessibility architecture plus assistive capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Before/after environment redesign with workload measures'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 79-85; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 005 pp. 79-85.

017 to 006: consequential handoff

Spiritual life -> Mobility and physical function | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Mobility and physical function; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Single functional score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Body, caregiver, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Adaptive rehabilitation plus environment and device redesign. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Controlled rehabilitation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 86-92; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 006 pp. 86-92.

017 to 007: consequential handoff

Spiritual life -> Family and caregiving | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Family and caregiving; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Household role labels. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Primary caregiver, dependents, siblings, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Care-load ledger, shared coordination and external capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Prospective household burden study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 93-99; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 007 pp. 93-99.

017 to 008: consequential handoff

Spiritual life -> Safety and personal security | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Safety and personal security; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Incident count or generic risk class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Person, community, responder. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Safety architecture that increases protection without reducing autonomy. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Prospective safety intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 100-106; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 008 pp. 100-106.

017 to 009: consequential handoff

Spiritual life -> Housing and domestic environment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Housing and domestic environment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Property price or occupancy status. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Resident, landlord, neighborhood, city. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Whole-cost housing and location architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Matched housing intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 107-113; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 009 pp. 107-113.

017 to 010: consequential handoff

Spiritual life -> Human longevity and life-course planning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Human longevity and life-course planning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Chronological age or retirement age. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Person, family, institutions, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Life-course capital and care architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Longitudinal life-course cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 114-120; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 010 pp. 114-120.

017 to 011: consequential handoff

Spiritual life -> Psychology and social legibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Psychology and social legibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Snapshot diagnosis or social category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Person, family, employer, clinician. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Multidimensional schema plus support matched to hidden burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Longitudinal external cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 122-128; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 011 pp. 122-128.

017 to 012: consequential handoff

Spiritual life -> Identity and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Identity and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Single identity label or credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Person and receiving institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Selective multi-context identity graph with provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Cross-context identity study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 129-135; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 012 pp. 129-135.

017 to 013: consequential handoff

Spiritual life -> Relationships and intimacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Relationships and intimacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Relationship status or personality label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Partners and wider support network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Reciprocal state and burden ledger plus consent architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Dyadic longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 136-142; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 013 pp. 136-142.

017 to 014: consequential handoff

Spiritual life -> Parenting and child development | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Parenting and child development; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Age norm, grade or behavior label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Child, parent, school, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Developmental state map plus distributed support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Longitudinal family-school cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 143-149; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 014 pp. 143-149.

017 to 015: consequential handoff

Spiritual life -> Purpose and self-actualization | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Purpose and self-actualization; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Career status, wealth or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Person, relationships, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Whole-person capability architecture and burden guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Longitudinal multidimensional evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 150-156; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 015 pp. 150-156.

017 to 016: consequential handoff

Spiritual life -> Existential wellbeing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Existential wellbeing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Symptom or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Person, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Voluntary meaning-reflection and support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Patient/user-reported longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 157-163; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 016 pp. 157-163.

017 to 017: consequential handoff

Spiritual life -> Spiritual life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

INTERFACE AND COUPLING STATUS

This is a within-domain loop: the post-state of Spiritual life becomes the next native state under its existing map. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Institutional affiliation alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Individual, family, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Ethical observational study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 164-170; WITHIN-DOMAIN RECURRENCE. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 017 pp. 164-170.

017 to 018: consequential handoff

Spiritual life -> Religion and community institutions | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Religion and community institutions; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Membership or doctrinal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Members, families, leaders, wider community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Transparent governance, reporting, safeguarding and exit rights. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Institutional longitudinal audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 171-177; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 018 pp. 171-177.

017 to 019: consequential handoff

Spiritual life -> Emotion and affect regulation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Emotion and affect regulation: Internal state, context, physiology, cognition and social feedback.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Emotion and affect regulation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Valence score or symptom label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Person and relationships. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: State-aware regulation architecture with physiological feedback. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Crossover intervention study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 178-184; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 019 pp. 178-184.

017 to 020: consequential handoff

Spiritual life -> Trust and fidelity between people | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Trust and fidelity between people: History, promises, evidence, uncertainty and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Trust and fidelity between people; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Trusted/untrusted binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: People and institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Dynamic provenance and expectation architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Prospective trust-repair study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 185-191; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 020 pp. 185-191.

017 to 021: consequential handoff

Spiritual life -> Healthcare delivery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Healthcare delivery: Clinical state, logistics, caregiver capacity, finance and post-discharge environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Healthcare delivery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Episode-of-care schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Patient, caregiver, outpatient system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Consequential discharge/care orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 193-199; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 021 pp. 193-199.

017 to 022: consequential handoff

Spiritual life -> Diagnostics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Diagnostics: Underlying disease state, uncertainty, test characteristics and downstream actions.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Diagnostics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Single test result. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Patient, clinician, payer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Bayesian multi-source diagnostic schema + uncertainty communication. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Prospective blinded diagnostic study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 200-206; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 022 pp. 200-206.

017 to 023: consequential handoff

Spiritual life -> Cancer ecology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Cancer ecology: Clone mix, immune state, microenvironment, host reserve and therapy exposure.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Cancer ecology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Stage/tumor-size snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Resistant clones, healthy tissue, immune system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Adaptive ecological state estimator + resistance/host capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Preclinical then clinical adaptive trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 207-213; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 023 pp. 207-213.

017 to 024: consequential handoff

Spiritual life -> Neuroscience and neurodegeneration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Neuroscience and neurodegeneration: Neural, glial, vascular, metabolic, network and functional state.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Neuroscience and neurodegeneration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Single biomarker or visible function. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Neural networks, metabolism, caregiver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Multimodal state estimator + restorative capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Multimodal longitudinal intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 214-220; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 024 pp. 214-220.

017 to 025: consequential handoff

Spiritual life -> Aging biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Aging biology: Coupled damage, repair, senescence, immunity, metabolism and regeneration.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Aging biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Age scalar or isolated hallmark. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Cells, tissues, immune system, metabolism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Moving-bottleneck RVG controller across damage/repair channels. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Preclinical multi-pathway study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 221-227; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 025 pp. 221-227.

017 to 026: consequential handoff

Spiritual life -> Immunology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Immunology: Immune activation, tolerance, pathogen/tumor signals and tissue damage.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Immunology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Single cytokine or cell-count schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Pathogen, immune cells, host tissue. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: State-dependent immune control balancing clearance and collateral damage. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Controlled biological study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 228-234; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 026 pp. 228-234.

017 to 027: consequential handoff

Spiritual life -> Infectious disease | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Infectious disease: Pathogen dynamics, host immunity, behavior, network spread and treatment.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Infectious disease; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Case count or pathogen-only model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Patients, contacts, health system, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Multi-carrier containment + treatment + livelihood capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Prospective outbreak protocol'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 235-241; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 027 pp. 235-241.

017 to 028: consequential handoff

Spiritual life -> Microbiome | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Microbiome: Host physiology plus microbial ecology and diet/environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Microbiome; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Species abundance snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Host and microbial community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Functional ecosystem state model and adaptive intervention. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Controlled longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 242-248; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 028 pp. 242-248.

017 to 029: consequential handoff

Spiritual life -> Genomics and proteomics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Genomics and proteomics: Variants, expression, proteins, pathways, context and phenotype.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Genomics and proteomics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Single marker/pathogenicity label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Cells, tissues, patient. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Multi-omic causal state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Prospective multi-omic validation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 249-255; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 029 pp. 249-255.

017 to 030: consequential handoff

Spiritual life -> Surgery and rehabilitation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Surgery and rehabilitation: Anatomy, function, pain, recovery capacity, home support and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Surgery and rehabilitation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Procedure success or anatomical correction. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Patient, caregiver, rehab system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Prehabilitation + procedure + recovery orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 256-262; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 030 pp. 256-262.

017 to 031: consequential handoff

Spiritual life -> Early-childhood development and education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Early-childhood development and education: Development, safety, language, nutrition, play, attachment and resources.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Early-childhood development and education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Age milestone or readiness score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Child, caregiver, educator. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Integrated developmental support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Longitudinal program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 264-270; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 031 pp. 264-270.

017 to 032: consequential handoff

Spiritual life -> K-12 education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

K-12 education: Knowledge, skills, wellbeing, context, resources and learning trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into K-12 education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Grade/test score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Student, teacher, family. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Capability graph + adaptive learning + wellbeing constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Cluster randomized trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 271-277; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 032 pp. 271-277.

017 to 033: consequential handoff

Spiritual life -> Higher education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Higher education: Capability, knowledge, network, finances and career pathways.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Higher education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Degree/GPA credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Student, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Capability/provenance portfolio + adaptive pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Longitudinal graduate outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 278-284; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 033 pp. 278-284.

017 to 034: consequential handoff

Spiritual life -> Vocational and workforce learning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Vocational and workforce learning: Skills, task demand, wages, mobility and employer needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Vocational and workforce learning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Course completion certificate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Worker, employer, training provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Skill-to-task provenance and placement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Matched labor-market evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 285-291; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 034 pp. 285-291.

017 to 035: consequential handoff

Spiritual life -> Scientific research | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Scientific research: Hypotheses, methods, data, negative results, replication and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Scientific research; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Publication/citation unit. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Researchers, institutions, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Experiment provenance + negative-result + replication architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Cross-lab replication program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 292-298; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 035 pp. 292-298.

017 to 036: consequential handoff

Spiritual life -> Justice and courts | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Justice and courts: Facts, evidence, harm, intent, procedure, history and remedies.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Justice and courts; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Case category or docket state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Victims, accused, families, courts, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Causal provenance + harm/restitution + recurrence architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Prospective process evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 299-305; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 036 pp. 299-305.

017 to 037: consequential handoff

Spiritual life -> Policing and public safety systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Policing and public safety systems: Threat, context, evidence, community trust, capacity and alternatives.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Policing and public safety systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Incident/offense label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Residents, officers, victims, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Evidence-first response selection + prevention/support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Independent public evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 306-312; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 037 pp. 306-312.

017 to 038: consequential handoff

Spiritual life -> Corrections, rehabilitation and reintegration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Corrections, rehabilitation and reintegration: Risk, harm, needs, skills, housing, work and social support.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Corrections, rehabilitation and reintegration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Sentence/recidivism risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Person, family, community, justice system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Rehabilitation + restitution + housing/work capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Longitudinal controlled program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 313-319; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 038 pp. 313-319.

017 to 039: consequential handoff

Spiritual life -> Public administration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Public administration: Citizen state, eligibility, documents, services and agency capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Public administration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Program-specific record. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Citizen, frontline staff, budget. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Interoperable verified state + once-only data + case orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Agency pilot with citizen/staff metrics'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 320-326; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 039 pp. 320-326.

017 to 040: consequential handoff

Spiritual life -> Governance and institutional design | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Governance and institutional design: Authority, incentives, information, accountability, resources and affected populations.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Governance and institutional design; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Organizational chart or legal mandate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Citizens, agencies, future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Cross-boundary outcome ledger + accountability and capacity design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Prospective institutional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 327-333; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 040 pp. 327-333.

017 to 041: consequential handoff

Spiritual life -> Beauty and aesthetics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Beauty and aesthetics: Biology, preference, culture, identity, safety, cost and perception.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Beauty and aesthetics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Universal beauty standard or product category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Person, body, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Personalized aesthetic/safety state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Consumer/clinical outcome study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 335-341; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 041 pp. 335-341.

017 to 042: consequential handoff

Spiritual life -> Fashion and apparel | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Fashion and apparel: Identity, fit, comfort, durability, labor, inventory and lifecycle.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Fashion and apparel; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Size/SKU/category schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Wearer, worker, retailer, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Adaptive sizing + provenance + circularity architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Retail field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 342-348; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 042 pp. 342-348.

017 to 043: consequential handoff

Spiritual life -> Luxury goods | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Luxury goods: Provenance, scarcity, condition, access, identity, inventory and lifecycle value.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Luxury goods; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Price/status/authenticity binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Buyer, seller, inventory, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Provenance + condition + access + reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Operational field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 349-355; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 043 pp. 349-355.

017 to 044: consequential handoff

Spiritual life -> Hospitality | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Hospitality: Guest needs, staff capacity, time, room state, logistics and locality.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Hospitality; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Booking/reservation state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Guest, staff, operator, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: End-to-end experience and workload orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Property-level A/B evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 356-362; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 044 pp. 356-362.

017 to 045: consequential handoff

Spiritual life -> Travel and tourism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Travel and tourism: Mobility, cost, safety, experience, local capacity and environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Travel and tourism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Itinerary/booking schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Traveler, worker, resident, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Consequential itinerary/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Destination pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 363-369; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 045 pp. 363-369.

017 to 046: consequential handoff

Spiritual life -> Art and cultural markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Art and cultural markets: Creative work, provenance, rights, cultural meaning, scarcity and audience.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Art and cultural markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Price/ownership/engagement proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Artist, audience, collector, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Rights/provenance/value-sharing architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Marketplace field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 370-376; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 046 pp. 370-376.

017 to 047: consequential handoff

Spiritual life -> Music and entertainment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Music and entertainment: Creative contribution, rights, attention, audience value and platform economics.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Music and entertainment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Stream/view count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Creators, audiences, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Contribution/provenance + value-distribution architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 377-383; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 047 pp. 377-383.

017 to 048: consequential handoff

Spiritual life -> Gaming and virtual worlds | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Gaming and virtual worlds: Player goals, time, identity, economy, safety and creator contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Gaming and virtual worlds; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Retention/spend metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Players, creators, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Cross-reality value and safety controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 384-390; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 048 pp. 384-390.

017 to 049: consequential handoff

Spiritual life -> Sports and performance | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Sports and performance: Performance, health, training load, recovery, team dynamics and career horizon.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Sports and performance; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Win/score/output metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Athlete, team, family, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Load/recovery/career controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Prospective team study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 391-397; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 049 pp. 391-397.

017 to 050: consequential handoff

Spiritual life -> Experience design and events | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Experience design and events: Attention, emotion, logistics, accessibility, staff load and community impact.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Experience design and events; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Attendance/NPS/ticket revenue. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Guests, staff, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: End-to-end experience-state orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Event A/B study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 398-404; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 050 pp. 398-404.

017 to 051: consequential handoff

Spiritual life -> Currency and monetary experience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Currency and monetary experience: Purchasing power, liquidity, settlement, access, trust and macro context.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Currency and monetary experience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Nominal unit/FX quote. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Households, firms, intermediaries. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Consequential monetary-state and settlement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Historical + prospective policy-neutral system test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 406-412; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 051 pp. 406-412.

017 to 052: consequential handoff

Spiritual life -> Payments and remittances | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Payments and remittances: Amount, fees, FX, settlement time, access, fraud and recipient liquidity.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Payments and remittances; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Successful transfer binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Sender, receiver, provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: End-to-end transfer optimization with transparent provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Transaction-level field test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 413-419; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 052 pp. 413-419.

017 to 053: consequential handoff

Spiritual life -> Banking and liquidity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Banking and liquidity: Deposits, credit, liquidity, capital, customer state and network exposures.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Banking and liquidity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Product/account or institution-local balance sheet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Banks, customers, counterparties, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Network consequential balance sheet + capacity buffers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Stress test + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 420-426; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 053 pp. 420-426.

017 to 054: consequential handoff

Spiritual life -> Credit and underwriting | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Credit and underwriting: Cashflow, assets, obligations, trajectory, capability and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Credit and underwriting; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Static score/category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Borrower, lender, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Dynamic provenance/capacity underwriting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Prospective lending trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 427-433; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 054 pp. 427-433.

017 to 055: consequential handoff

Spiritual life -> Insurance and resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Insurance and resilience: Hazard, exposure, prevention, coverage, recovery and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Insurance and resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Loss probability/policy class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Policyholder, insurer, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Prevention + resilience + coverage architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Pilot product evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 434-440; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 055 pp. 434-440.

017 to 056: consequential handoff

Spiritual life -> Capital markets and investing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Capital markets and investing: Price, cashflow, externalities, network risk and long-horizon value.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Capital markets and investing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Return/risk factor set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Investor, firm, workers, public, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Consequential asset ledger with carrier constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Historical backtest + prospective paper portfolio'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 441-447; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 056 pp. 441-447.

017 to 057: consequential handoff

Spiritual life -> Private wealth and family capital | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Private wealth and family capital: Financial, human, social, health and intergenerational capital.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Private wealth and family capital; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Portfolio net worth. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Client, family, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Whole-capital balance sheet + goals/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Longitudinal client evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 448-454; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 057 pp. 448-454.

017 to 058: consequential handoff

Spiritual life -> Labor and talent markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Labor and talent markets: Capability, workload, pay, health, learning and opportunity.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Labor and talent markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Job title/CV/credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Worker, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Capability-state + workload + mobility architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Workplace pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 455-461; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 058 pp. 455-461.

017 to 059: consequential handoff

Spiritual life -> Organizations and enterprises | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Organizations and enterprises: Functions, dependencies, people, cash, knowledge and customer value.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Organizations and enterprises; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Department/KPI structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Workers, customers, suppliers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Enterprise consequential graph + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Multi-team field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 462-468; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 059 pp. 462-468.

017 to 060: consequential handoff

Spiritual life -> Entrepreneurship and venture creation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Entrepreneurship and venture creation: Unmet burden, carrier, willingness to pay, build cost and adoption.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Entrepreneurship and venture creation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Existing market category/TAM. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Founder initially, then customer/system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Mutual-Uptick blocker discovery + missing-capacity build. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Pilot venture with carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 469-475; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 060 pp. 469-475.

017 to 061: consequential handoff

Spiritual life -> Artificial intelligence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Artificial intelligence: Model state, source reality, user intent, provenance, uncertainty and downstream action.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Artificial intelligence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Prompt/context window/model output. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: User, verifier, downstream system, compute. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Persistent schema/provenance layer + self-audit and escalation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Sealed cross-model benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 477-483; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 061 pp. 477-483.

017 to 062: consequential handoff

Spiritual life -> Software systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Software systems: Requirements, dependencies, state, users, infrastructure and technical debt.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Software systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Feature/ticket/local module schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Developers, users, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Dependency/provenance graph + consequential release controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Repository-level prospective benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 484-490; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 062 pp. 484-490.

017 to 063: consequential handoff

Spiritual life -> Cybersecurity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Cybersecurity: Actual attack graph, identities, vulnerabilities, privileges and attacker state.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Cybersecurity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Defender inventory/rules/log view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Systems, users, analysts, business continuity. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Self-updating attack schema + carrier prediction + safe containment/failover. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Red-team sealed telemetry benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 491-497; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 063 pp. 491-497.

017 to 064: consequential handoff

Spiritual life -> Data infrastructure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Data infrastructure: Datasets, lineage, semantics, permissions, quality and downstream uses.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Data infrastructure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Table/file/schema local view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Analysts, models, users, compliance. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Provenance graph + semantic reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Enterprise data benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 498-504; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 064 pp. 498-504.

017 to 065: consequential handoff

Spiritual life -> Privacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Privacy: Data state, purposes, consent, exposure, value and future misuse.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Privacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Consent checkbox or access-control list. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Person, organization, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Selective disclosure + provenance + minimization architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Field trial + attack testing'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 505-511; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 065 pp. 505-511.

017 to 066: consequential handoff

Spiritual life -> Digital identity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Digital identity: Attributes, credentials, context, revocation, privacy and trust.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Digital identity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Single identifier/account. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Person, verifier, issuer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Selective-verification credential graph. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Cross-service pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 512-518; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 066 pp. 512-518.

017 to 067: consequential handoff

Spiritual life -> Internet and communications | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Internet and communications: Topology, capacity, latency, content, trust and user needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Internet and communications; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Throughput/uptime metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Users, networks, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Consequential routing + fidelity/provenance layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Network/application experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 519-525; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 067 pp. 519-525.

017 to 068: consequential handoff

Spiritual life -> Media and information ecosystems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Media and information ecosystems: Claims, evidence, incentives, attention, creators and audiences.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Media and information ecosystems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Engagement/feed rank. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Audience, creator, public discourse. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Claim provenance + quality + incentive reconciliation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 526-532; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 068 pp. 526-532.

017 to 069: consequential handoff

Spiritual life -> Language and translation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Language and translation: Meaning, context, culture, pragmatics and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Language and translation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Word/token correspondence. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Speakers, institutions, models. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Semantic/provenance translation with ambiguity tracking. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Blind human evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 533-539; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 069 pp. 533-539.

017 to 070: consequential handoff

Spiritual life -> Knowledge and ontologies | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Knowledge and ontologies: Entities, relations, provenance, incompatible schemas and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Knowledge and ontologies; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Single ontology/taxonomy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Researchers, AI, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Cross-schema translation + minimal sufficient ontology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Cross-domain benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 540-546; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 070 pp. 540-546.

017 to 071: consequential handoff

Spiritual life -> Energy and power grids | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Energy and power grids: Generation, load, storage, network constraints, prices and reliability.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Energy and power grids; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Local device efficiency or node KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Grid nodes, customers, storage, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Consequential grid controller + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Grid simulation + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 548-554; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 071 pp. 548-554.

017 to 072: consequential handoff

Spiritual life -> Water and irrigation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Water and irrigation: Withdrawals, consumptive use, return flows, storage, aquifers and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Water and irrigation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Farm/project efficiency. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Downstream users, rivers, aquifers, ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Basin-wide accounting + catchment + allocation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Basin holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 555-561; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 072 pp. 555-561.

017 to 073: consequential handoff

Spiritual life -> Food and agriculture | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Food and agriculture: Yield, soil, water, inputs, nutrition, labor, market and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Food and agriculture; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Yield/acre or commodity price. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Farmer, consumer, soil, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Coupled regenerative production controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Multi-season farm trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 562-568; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 073 pp. 562-568.

017 to 074: consequential handoff

Spiritual life -> Supply chains and logistics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Supply chains and logistics: Inventory, demand, transport, suppliers, lead times and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Supply chains and logistics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Node-level cost/service KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Suppliers, warehouses, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Carrier-aware flow controller + buffer placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Historical + live pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 569-575; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 074 pp. 569-575.

017 to 075: consequential handoff

Spiritual life -> Manufacturing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Manufacturing: Materials, energy, machines, labor, quality, maintenance and waste.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Manufacturing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Unit cost/OEE. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Workers, machines, environment, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Closed-loop production and maintenance architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Factory pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 576-582; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 075 pp. 576-582.

017 to 076: consequential handoff

Spiritual life -> Waste and circular materials | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Waste and circular materials: Material composition, location, contamination, residual value and logistics.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Waste and circular materials; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Waste tonnage/disposal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Communities, environment, future production. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Material provenance + recapture + transformation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Municipal/industrial pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 583-589; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 076 pp. 583-589.

017 to 077: consequential handoff

Spiritual life -> Transportation and mobility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Transportation and mobility: Trips, time, safety, access, energy, congestion and land use.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Transportation and mobility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Vehicle throughput/speed. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Travelers, neighborhoods, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Multimodal consequential mobility controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'City corridor pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 590-596; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 077 pp. 590-596.

017 to 078: consequential handoff

Spiritual life -> Cities and urban systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Cities and urban systems: Housing, jobs, transport, health, utilities, safety and public space.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Cities and urban systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Agency-by-agency city data. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Residents, agencies, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: City consequential digital twin + coordinated capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'District pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 597-603; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 078 pp. 597-603.

017 to 079: consequential handoff

Spiritual life -> Climate and disaster resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Climate and disaster resilience: Hazard, exposure, vulnerability, infrastructure, food, health and recovery.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Climate and disaster resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Hazard forecast alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: People, infrastructure, ecosystems, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Anticipatory catchment + prepositioned capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Prospective matched pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 604-610; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 079 pp. 604-610.

017 to 080: consequential handoff

Spiritual life -> Ecology and biodiversity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Ecology and biodiversity: Species, habitats, flows, extraction, communities and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Ecology and biodiversity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Protected-area/local species metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Species, habitats, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Landscape-scale leakage/carrier accounting + livelihoods. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Landscape holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 611-617; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 080 pp. 611-617.

017 to 081: consequential handoff

Spiritual life -> Cell biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Cell biology: Signaling, organelles, metabolism, damage, repair and cell-state transitions.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Cell biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Single pathway/marker. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Organelles, pathways, neighboring cells. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Multi-state cellular controller + capacity targeting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'In-vitro perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 619-625; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 081 pp. 619-625.

017 to 082: consequential handoff

Spiritual life -> Molecular biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Molecular biology: Molecules, conformations, binding networks, concentrations and kinetics.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Molecular biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Single interaction/target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Molecules, pathways, host system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Reaction/network state model + off-target carrier control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Bench experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 626-632; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 082 pp. 626-632.

017 to 083: consequential handoff

Spiritual life -> Nanotechnology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Nanotechnology: Particle properties, surfaces, transport, environment and biological interaction.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Nanotechnology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Particle spec alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Cells, environment, users. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Lifecycle and interaction-aware nano design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Bench + environmental tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 633-639; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 083 pp. 633-639.

017 to 084: consequential handoff

Spiritual life -> Chemistry and reaction systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Chemistry and reaction systems: Species, reaction network, kinetics, energy, byproducts and separation.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Chemistry and reaction systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Target yield/selectivity. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Reactor, environment, downstream process. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Consequential reaction-network optimization + recovery loops. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Reactor experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 640-646; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 084 pp. 640-646.

017 to 085: consequential handoff

Spiritual life -> Materials science | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Materials science: Microstructure, defects, stress, temperature, lifecycle and manufacturing.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Materials science; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Bulk property spec. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Material, structure, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Defect-aware multiproperty design + recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Lab characterization'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 647-653; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 085 pp. 647-653.

017 to 086: consequential handoff

Spiritual life -> Classical mechanics and control | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Classical mechanics and control: Physical state, dynamics, sensors, actuators and disturbance.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Classical mechanics and control; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Partial state observation/local control objective. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Plant, actuator, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Representation-aware full-state controller + regenerative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Physical bench experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 654-660; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 086 pp. 654-660.

017 to 087: consequential handoff

Spiritual life -> Thermodynamics and nonequilibrium systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Thermodynamics and nonequilibrium systems: Energy, entropy, gradients, reservoirs, flows and constraints.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Thermodynamics and nonequilibrium systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Local efficiency/temperature metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Reservoirs, environment, components. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Whole-boundary energy/exergy and recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Physical experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 661-667; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 087 pp. 661-667.

017 to 088: consequential handoff

Spiritual life -> Electromagnetism and circuits | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Electromagnetism and circuits: Fields, voltages, currents, topology, storage and losses.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Electromagnetism and circuits; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Local component state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Circuit elements, sources, loads. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Full-network state estimation + capacity/recovery placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Bench circuit experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 668-674; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 088 pp. 668-674.

017 to 089: consequential handoff

Spiritual life -> Quantum systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Quantum systems: Quantum state, observables, measurement, control and decoherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Quantum systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Accessible observable set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Quantum system, apparatus, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Constraint-respecting measurement/control schema + capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Laboratory quantum experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 675-681; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 089 pp. 675-681.

017 to 090: consequential handoff

Spiritual life -> Pure mathematics and formal systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Pure mathematics and formal systems: Objects, relations, axioms, language, proofs and translations.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Pure mathematics and formal systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Chosen signature/type system/quotient. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Proof system, translator, solver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Minimal sufficient schema preserving required relations. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Machine-checked theorem suite'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 682-688; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 090 pp. 682-688.

017 to 091: consequential handoff

Spiritual life -> Statistics and causal inference | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Statistics and causal inference: Data-generating process, sampling, measurement, confounding and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Statistics and causal inference; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Chosen model/estimand. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Decision makers, future samples, affected groups. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Provenance-aware multi-model causal state + identifiability guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Simulation + multi-dataset benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 690-696; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 091 pp. 690-696.

017 to 092: consequential handoff

Spiritual life -> Logic and reasoning systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Logic and reasoning systems: Premises, inference rules, contradictions, uncertainty and goals.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Logic and reasoning systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Single logical calculus. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Reasoner, downstream decision. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Multi-logic translation + contradiction provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Formal benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 697-703; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 092 pp. 697-703.

017 to 093: consequential handoff

Spiritual life -> Geography and territorial systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Geography and territorial systems: People, ecosystems, infrastructure, flows and administrative boundaries.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Geography and territorial systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Jurisdiction/map boundary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Border communities, watersheds, networks. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Flow-based territorial state model. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Regional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 704-710; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 093 pp. 704-710.

017 to 094: consequential handoff

Spiritual life -> Informal economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Informal economy: Real work, exchange, trust, risk and household needs outside formal records.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Informal economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Formal registry/tax/business schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Workers, households, state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Low-friction recognition, protection and access architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Field pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 711-717; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 094 pp. 711-717.

017 to 095: consequential handoff

Spiritual life -> Illicit and black markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Illicit and black markets: Hidden demand, supply, coercion, enforcement, prices and harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Illicit and black markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Official market data that excludes hidden exchange. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Victims, communities, lawful firms, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Independent harm-reduction/public-safety evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 718-724; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 095 pp. 718-724.

017 to 096: consequential handoff

Spiritual life -> Orbital and space economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Orbital and space economy: Spacecraft, debris, spectrum, energy, logistics and operator incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Orbital and space economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Mission-local success metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Other spacecraft, operators, orbital environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Orbital consequential ledger + shared capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Simulation + mission pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 725-731; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 096 pp. 725-731.

017 to 097: consequential handoff

Spiritual life -> Extraterrestrial settlement | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Extraterrestrial settlement: Life support, energy, materials, health, governance and closed ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Extraterrestrial settlement; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Earth-derived subsystem silos. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Crew, machines, habitat ecology. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Closed-loop consequential state + autonomous capacity construction. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Analog habitat + mission tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 732-738; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 097 pp. 732-738.

017 to 098: consequential handoff

Spiritual life -> Astrobiology and biosignatures | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Astrobiology and biosignatures: Unknown life chemistries, environments, signals and contamination risks.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Astrobiology and biosignatures; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Earth-centric life schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Scientific program, environment, future missions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Plural biosignature schema + provenance/contamination control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Blind benchmark + mission data'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 739-745; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 098 pp. 739-745.

017 to 099: consequential handoff

Spiritual life -> Planetary systems and stewardship | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Planetary systems and stewardship: Atmosphere, hydrology, geology, biosphere, resources and settlements.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Planetary systems and stewardship; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Sector-local resource model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Settlements, ecosystems, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Closed-loop planetary resource and restoration architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Earth analog + simulation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 746-752; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 099 pp. 746-752.

017 to 100: consequential handoff

Spiritual life -> Unknown and not-yet-named realities | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Unknown and not-yet-named realities: Any newly observed substrate, scale, agent, value dimension or exchange mode.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Unknown and not-yet-named realities; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: No adequate schema exists yet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Unknown until carrier tracing identifies it. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Instantiate M_d, define schema, measure gap, trace carrier, construct capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Freeze kernel before learning outcomes; then holdout/replicate'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 753-759; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 100 pp. 753-759.

017 to 101: consequential handoff

Spiritual life -> Conscious experience and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Conscious experience and self-model: Perception, affect, memory, self-model, attention, internal accessibility and embodied state.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Conscious experience and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: A receiving observer reduces another system to behavior, category or output alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Experiencing system, observers, dependent systems and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Cross-modal state representation with provenance, uncertainty and non-erasure constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Prospective multi-method cross-observer study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 761-767; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 101 pp. 761-767.

017 to 102: consequential handoff

Spiritual life -> Choice and option topology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Choice and option topology: Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Choice and option topology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Binary free-choice / no-choice label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Chooser, affected people, institutions and future option set. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Feasible-option map plus prebuilt low-friction lawful/prosocial pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Prospective choice-topology intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 768-774; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 102 pp. 768-774.

017 to 103: consequential handoff

Spiritual life -> Truth, deception and disclosure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Truth, deception and disclosure: Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Truth, deception and disclosure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Truth/lie binary detached from consequence topology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Speaker, listener, harmed parties, institutions and future trust network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Verification, safe disclosure, correction, restitution and transition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Sealed truth-cost / disclosure study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 775-781; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 103 pp. 775-781.

017 to 104: consequential handoff

Spiritual life -> Responsibility and causal attribution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Responsibility and causal attribution: Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Responsibility and causal attribution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Moral label detached from the action-producing state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Actor, victims, institutions, community and future actors. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Blinded case reconstruction with preregistered causal criteria'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 782-788; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 104 pp. 782-788.

017 to 105: consequential handoff

Spiritual life -> Consent, coercion and autonomy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Consent, coercion and autonomy: Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Consent, coercion and autonomy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Signed/expressed consent treated as sufficient state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Decision maker, counterparties, dependents and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Real exit, recourse, reversible consent, information symmetry and alternative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Prospective consent-quality audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 789-795; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 105 pp. 789-795.

017 to 106: consequential handoff

Spiritual life -> Addiction, compulsion and short-horizon relief | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Addiction, compulsion and short-horizon relief: Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Addiction, compulsion and short-horizon relief; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Substance/behavior category or abstinence binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Person, body, relationships, household, community and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Longitudinal regulated intervention with multi-carrier outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 796-802; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 106 pp. 796-802.

017 to 107: consequential handoff

Spiritual life -> Crime, violence and reconciliation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Crime, violence and reconciliation: Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Crime, violence and reconciliation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Offense label or actor-only risk score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Victims, actor, families, community, institutions and future potential victims. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Longitudinal controlled justice-program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 803-809; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 107 pp. 803-809.

017 to 108: consequential handoff

Spiritual life -> Animal sentience and welfare | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Animal sentience and welfare: Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Animal sentience and welfare; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Commodity/yield schema that excludes the animal as a carrier. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Animals, workers, consumers, farmers, land, ecosystems and communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Welfare, alternative-production, livelihood-transition and ecological capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Multi-carrier welfare, nutrition and livelihood trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 810-816; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 108 pp. 810-816.

017 to 109: consequential handoff

Spiritual life -> Collective agency and institutional choice | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Collective agency and institutional choice: Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Collective agency and institutional choice; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Organization treated as a single actor without internal carrier structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Members, minorities, leaders, outsiders, institutions and future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Distributed decision provenance, dissent channels, accountability and cross-boundary capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Prospective institutional decision audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 817-823; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 109 pp. 817-823.

017 to 110: consequential handoff

Spiritual life -> Human-AI co-agency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Human-AI co-agency: Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Human-AI co-agency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Model output or benchmark score treated as the whole system. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: User, non-user, model operator, workers, institutions, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Persistent provenance, human control, reversibility, portability, verification and receivingcapacity layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Sealed native-vs-K_R assisted agent benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 824-830; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 110 pp. 824-830.

017 to 111: consequential handoff

Spiritual life -> Evolution and natural selection | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Evolution and natural selection: Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Evolution and natural selection; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Fitness proxy or single-trait narrative. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Individuals, lineages, populations, interacting species and ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Diversity, ecological capacity and intervention guardrails where deliberate action exists. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Time-locked population/genomic holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 832-838; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 111 pp. 832-838.

017 to 112: consequential handoff

Spiritual life -> Reproduction, inheritance, mitosis and meiosis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Reproduction, inheritance, mitosis and meiosis: Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Reproduction, inheritance, mitosis and meiosis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Outcome-only birth/division count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Parent cell/organism, daughter cells, gametes, offspring and lineage. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Checkpoint, repair, redundancy and developmental-support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Lineage-resolved perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 839-845; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 112 pp. 839-845.

017 to 113: consequential handoff

Spiritual life -> Development and morphogenesis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Development and morphogenesis: Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Development and morphogenesis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Single marker or endpoint morphology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Cells, tissues, organs, organism and developmental future state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Stage-aware multi-pathway support, repair and resource architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Longitudinal developmental perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 846-852; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 113 pp. 846-852.

017 to 114: consequential handoff

Spiritual life -> Metabolism, diet and consumption | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Metabolism, diet and consumption: Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Metabolism, diet and consumption; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Calories/macros or one nutrient target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Gut, microbiome, liver, tissues, household, food system and future organism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Adaptive conversion, buffering, storage, elimination and access capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Controlled longitudinal multi-carrier nutrition study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 853-859; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 114 pp. 853-859.

017 to 115: consequential handoff

Spiritual life -> Predation, livestock and food-system transformation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Predation, livestock and food-system transformation: Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Predation, livestock and food-system transformation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Yield, price or human nutrition alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Animals, humans, workers, farmers, consumers, land, ecosystems and future food security. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Phased regional transition with preregistered carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 860-866; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 115 pp. 860-866.

017 to 116: consequential handoff

Spiritual life -> Learning, plasticity and cultural evolution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Learning, plasticity and cultural evolution: Neural plasticity, memory, skill, belief, imitation, teaching, incentives and social transmission.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Learning, plasticity and cultural evolution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Test score, output or adoption count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Learner, teachers, peers, institutions, future self and cultural network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Feedback, practice, memory, rest, social scaffolding and plural knowledge capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Longitudinal transfer-and-retention experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 867-873; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 116 pp. 867-873.

017 to 117: consequential handoff

Spiritual life -> Self-organization and emergence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Self-organization and emergence: Local interactions, gradients, constraints, feedback, network topology, resource flows and macrostate.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Self-organization and emergence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Macro outcome without micro-carrier ledger. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Components, neighborhoods, emergent structure and external environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Boundary conditions, damping, redundancy, resource routing and adaptive feedback capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Multi-scale simulation plus physical/biological holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 874-880; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 117 pp. 874-880.

017 to 118: consequential handoff

Spiritual life -> Creation, provenance and dependency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Creation, provenance and dependency: Origin lineage, creator-created dependency, resources, control, autonomy, maintenance and reciprocal effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Creation, provenance and dependency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Ownership or authorship treated as sufficient relationship model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Creators, created systems, maintainers, users, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Provenance, stewardship, autonomy-transition and reciprocal-viability architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Longitudinal creator-created dependency audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 881-887; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 118 pp. 881-887.

017 to 119: consequential handoff

Spiritual life -> Cosmological evolution and structure formation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Cosmological evolution and structure formation: Spacetime geometry, fields, matter/radiation, density structure, expansion, gravitation and observational state.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Cosmological evolution and structure formation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Single scale or observable treated as complete cosmic state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: Observed regions, fields/matter components, instruments, models and observers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Cross-scale observation, uncertainty, model-comparison and instrumentation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Preregistered cross-survey predictive holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 888-894; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 119 pp. 888-894.

017 to 120: consequential handoff

Spiritual life -> Cross-substrate consciousness, temporal coexistence and closure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

PROPOSED RECEIVER AND STATE

Cross-substrate consciousness, temporal coexistence and closure: The entire coupled consequential state across Adapters 001-119, including dependencies, time horizons and current consciousness-legibility.

INTERFACE AND COUPLING STATUS

Proposed interface from Spiritual life into Cross-substrate consciousness, temporal coexistence and closure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Institutional affiliation alone. Receiver's limited view: Any local adapter, species, institution or observer claiming closure from its own schema alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Individual, family, community. Candidate receiver carriers: All materially coupled conscious carriers reached through direct, indirect and delayed dependency paths. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Receiving capacity: Coordinated capacity construction across relevant adapters, phased through time, while preserving openness to newly legible consciousness and.... Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Ethical observational study' with a receiver study of 'Time-locked system-of-systems closure test across multiple adapters'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 164-170 and 895-901; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026). Receiver Adapter 120 pp. 895-901.

017: Spiritual life

Household / family / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Household / family / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Household / family / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Household / family / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Household / family / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Household / family / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Household / family. decision affects caretakers, time, participation and household reserve. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

School / university / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

School / university / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

School / university / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

School / university / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

School / university / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

School / university / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: School / university. hand-off links learning, credentialing, accessible support and opportunity. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Enterprise / cooperative / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Enterprise / cooperative / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Enterprise / cooperative / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Enterprise / cooperative / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Enterprise / cooperative / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Enterprise / cooperative / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Enterprise / cooperative. handoff links throughput, workers, buyers, capital and governance. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Healthcare / care team / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Healthcare / care team / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Healthcare / care team / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Healthcare / care team / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Healthcare / care team / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Healthcare / care team / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Healthcare / care team. handoff links treatment, safety, continuity, caregiving and costs. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Local government / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Local government / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Local government / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Local government / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Local government / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Local government / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Local government. handoff links service eligibility, public resources and excluded residents. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Ecological catchment / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Ecological catchment / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Ecological catchment / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Ecological catchment / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Ecological catchment / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Ecological catchment / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Ecological catchment. handoff links habitat, resource flows, affected communities and time. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Scientific laboratory / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Scientific laboratory / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Scientific laboratory / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Scientific laboratory / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Scientific laboratory / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Scientific laboratory / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Scientific laboratory. handoff links observation, instrument limits, replication and interpretation. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Public infrastructure / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Public infrastructure / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Public infrastructure / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Public infrastructure / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Public infrastructure / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Public infrastructure / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Public infrastructure. handoff links material flows, reliability, maintenance and external exposure. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Digital / AI service / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Digital / AI service / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Digital / AI service / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Digital / AI service / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Digital / AI service / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Digital / AI service / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Digital / AI service. handoff links model representation, human decisions, access and failure modes. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Interregional / planetary / Insufficient capacity | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Insufficient capacity, meaning receiver cannot accept full proposed influx under observed resource limits. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under insufficient capacity, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Interregional / planetary / Schema mismatch | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Schema mismatch, meaning institutional representation misses a material part of the evidence-grounded state. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under schema mismatch, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Interregional / planetary / Delayed effects | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Delayed effects, meaning beneficial local outcome may create later burdens in coupled receivers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under delayed effects, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Interregional / planetary / Measurement uncertainty | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Measurement uncertainty, meaning causal pathway or protected-carrier outcome is not yet identifiable. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under measurement uncertainty, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Interregional / planetary / Coordination failure | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Coordination failure, meaning individually reasonable actions create jointly harmful or inefficient interactions. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under coordination failure, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Spiritual life

Interregional / planetary / Adversarial / inequitable distribution | one domain-native research configuration

DESIGN SCENARIO / NOT A HISTORICAL EVENT

RESEARCH ENVIRONMENT

Candidate setting: Interregional / planetary. handoff links transboundary effects, governance and deferred consequences. No real-world site is asserted by this planning scenario.

NATIVE MECHANISM TO PRESERVE

Spiritual life is described in the Atlas as: Belief, practice, meaning, community, conscience and autonomy. Any deployment must preserve the established physical, biological, legal or institutional mechanism of this domain.

OBSERVED-IN-ATLAS CANDIDATE BLOCKER

Community benefit can shift burden to autonomy or dissent. Additional scenario stressor: Adversarial / inequitable distribution, meaning locally favored actors can externalize burden onto less-protected carriers. This stressor has not been observed in a specific population here.

LERM CAUSAL WORK ORDER

Define actionable event a and comparator a0. Estimate D_a(j,k,tau) for Individual, family, community. Identify pathways and hidden compensation using credible data rather than narrative fit.

IAMF-P CONSTRUCTIVE PROPOSAL

Evaluate a capacity build based on: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Under adversarial / inequitable distribution, test whether altering topology before the action is safer than boundary-aware re-selection.

MANDATORY COUNTERFACTUAL AND SAFETY

Use the strongest admissible incumbent; hold information, intervention budget and horizon equal. Reject options that violate safety, consent or governing physical constraints.

CONSEQUENTIAL SUCCESS MEASUREMENTS

Author's native acceptance: Meaning and belonging improve without coercion or exclusion. Specify thresholds, subgroup exposure, future reserve and uncertainty before releasing the intervention.

NEXT REPRODUCIBLE OPERATION

Use Ethical observational study or a more valid native design. If no solution has been shown, report the binding constraint and next legitimate construction search; do not invent a PASS.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Evidence and source reconstruction

Spiritual life | protocol 1 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 017: Spiritual life; original author status: Constructive protocol. Native state: Belief, practice, meaning, community, conscience and autonomy.

EVALUATION OBJECTIVE

Evidence and source reconstruction. Establish what is observed, reported, derived, simulated and currently unavailable. Audit definitions, dates and units.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Institutional affiliation alone. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Community benefit can shift burden to autonomy or dissent. The relevant receiving carriers are: Individual, family, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Meaning and belonging improve without coercion or exclusion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Ethical observational study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Boundary divergence

Spiritual life | protocol 2 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 017: Spiritual life; original author status: Constructive protocol. Native state: Belief, practice, meaning, community, conscience and autonomy.

EVALUATION OBJECTIVE

Boundary divergence. Predeclare local and consequential objectives, identical feasible action sets, and a measurable divergence test.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Institutional affiliation alone. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Community benefit can shift burden to autonomy or dissent. The relevant receiving carriers are: Individual, family, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Meaning and belonging improve without coercion or exclusion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Ethical observational study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Causal diagram and identifiability

Spiritual life | protocol 3 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 017: Spiritual life; original author status: Constructive protocol. Native state: Belief, practice, meaning, community, conscience and autonomy.

EVALUATION OBJECTIVE

Causal diagram and identifiability. Draw the candidate causal graph; identify confounders, mediators, spillovers and selection mechanisms.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Institutional affiliation alone. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Community benefit can shift burden to autonomy or dissent. The relevant receiving carriers are: Individual, family, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Meaning and belonging improve without coercion or exclusion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Ethical observational study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Receiving carrier identification

Spiritual life | protocol 4 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 017: Spiritual life; original author status: Constructive protocol. Native state: Belief, practice, meaning, community, conscience and autonomy.

EVALUATION OBJECTIVE

Receiving carrier identification. Predict the destination, path and delay of consequential burdens before measuring post-state outcomes.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Institutional affiliation alone. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Community benefit can shift burden to autonomy or dissent. The relevant receiving carriers are: Individual, family, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Meaning and belonging improve without coercion or exclusion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Ethical observational study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Hidden compensation accounting

Spiritual life | protocol 5 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 017: Spiritual life; original author status: Constructive protocol. Native state: Belief, practice, meaning, community, conscience and autonomy.

EVALUATION OBJECTIVE

Hidden compensation accounting. Measure which agent, reserve, budget, ecosystem or later period silently carries the load.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Institutional affiliation alone. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Community benefit can shift burden to autonomy or dissent. The relevant receiving carriers are: Individual, family, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Meaning and belonging improve without coercion or exclusion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Ethical observational study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Native units and dimensional integrity

Spiritual life | protocol 6 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 017: Spiritual life; original author status: Constructive protocol. Native state: Belief, practice, meaning, community, conscience and autonomy.

EVALUATION OBJECTIVE

Native units and dimensional integrity. Define each carrier outcome in its own units; avoid offsetting unlike harms with unsupported scalar sums.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Institutional affiliation alone. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Community benefit can shift burden to autonomy or dissent. The relevant receiving carriers are: Individual, family, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Meaning and belonging improve without coercion or exclusion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Ethical observational study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Capacity specification

Spiritual life | protocol 7 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 017: Spiritual life; original author status: Constructive protocol. Native state: Belief, practice, meaning, community, conscience and autonomy.

EVALUATION OBJECTIVE

Capacity specification. Identify the binding receiver constraint and specify the smallest permissible constructive action.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Institutional affiliation alone. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Community benefit can shift burden to autonomy or dissent. The relevant receiving carriers are: Individual, family, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Meaning and belonging improve without coercion or exclusion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Ethical observational study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Intervention design

Spiritual life | protocol 8 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 017: Spiritual life; original author status: Constructive protocol. Native state: Belief, practice, meaning, community, conscience and autonomy.

EVALUATION OBJECTIVE

Intervention design. Choose randomized, natural, observational or mechanistic evidence compatible with safety and identifiability.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Institutional affiliation alone. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Community benefit can shift burden to autonomy or dissent. The relevant receiving carriers are: Individual, family, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Meaning and belonging improve without coercion or exclusion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Ethical observational study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Incumbent parity contest

Spiritual life | protocol 9 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 017: Spiritual life; original author status: Constructive protocol. Native state: Belief, practice, meaning, community, conscience and autonomy.

EVALUATION OBJECTIVE

Incumbent parity contest. Compare against strongest existing local, boundary-aware, causal and resource-constrained methods.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Institutional affiliation alone. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Community benefit can shift burden to autonomy or dissent. The relevant receiving carriers are: Individual, family, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Meaning and belonging improve without coercion or exclusion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Ethical observational study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Time-window and recurrence

Spiritual life | protocol 10 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 017: Spiritual life; original author status: Constructive protocol. Native state: Belief, practice, meaning, community, conscience and autonomy.

EVALUATION OBJECTIVE

Time-window and recurrence. Measure early, intermediate and delayed outcomes, including reserve depletion and changing bottlenecks.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Institutional affiliation alone. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Community benefit can shift burden to autonomy or dissent. The relevant receiving carriers are: Individual, family, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Meaning and belonging improve without coercion or exclusion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Ethical observational study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Ethical and legal safety

Spiritual life | protocol 11 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 017: Spiritual life; original author status: Constructive protocol. Native state: Belief, practice, meaning, community, conscience and autonomy.

EVALUATION OBJECTIVE

Ethical and legal safety. Determine affected rights, vulnerable groups, irreversible harms, consent, permissions and safety constraints.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Institutional affiliation alone. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Community benefit can shift burden to autonomy or dissent. The relevant receiving carriers are: Individual, family, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Meaning and belonging improve without coercion or exclusion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Ethical observational study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Sensitivity and negative controls

Spiritual life | protocol 12 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 017: Spiritual life; original author status: Constructive protocol. Native state: Belief, practice, meaning, community, conscience and autonomy.

EVALUATION OBJECTIVE

Sensitivity and negative controls. Vary unmeasured confounding, missingness, cost, thresholds and adverse spillover assumptions.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Institutional affiliation alone. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Community benefit can shift burden to autonomy or dissent. The relevant receiving carriers are: Individual, family, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Meaning and belonging improve without coercion or exclusion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Ethical observational study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Replication and provenance

Spiritual life | protocol 13 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 017: Spiritual life; original author status: Constructive protocol. Native state: Belief, practice, meaning, community, conscience and autonomy.

EVALUATION OBJECTIVE

Replication and provenance. Version the kernel, code, data, transformation decisions, negative findings and external replication.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Institutional affiliation alone. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Community benefit can shift burden to autonomy or dissent. The relevant receiving carriers are: Individual, family, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Meaning and belonging improve without coercion or exclusion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Ethical observational study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

017: Cross-domain invariant contest

Spiritual life | protocol 14 of 14

RESEARCH PROTOCOL / NO NEW EMPIRICAL RESULT

ORIGINAL DOMAIN AND PRIOR RECORD

Adapter 017: Spiritual life; original author status: Constructive protocol. Native state: Belief, practice, meaning, community, conscience and autonomy.

EVALUATION OBJECTIVE

Cross-domain invariant contest. Keep K_R fixed while swapping M_d; test whether new measurements produce predictions beyond domain incumbents.

SCHEMA AND CANDIDATE BIAS

Currently described receiver representation: Institutional affiliation alone. Distinguish genuine measurement failure from domain states that do not exist.

CAUSAL PATHWAY TO DISCRIMINATE

Atlas candidate bottleneck: Community benefit can shift burden to autonomy or dissent. The relevant receiving carriers are: Individual, family, community.

INTERVENTION WHOSE EFFECT MATTERS

Proposed constructive design: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Show a feasible native action rather than restating a goal.

WHAT TO REPORT

Record exact sources, units, time, local and consequential objectives, strongest comparator, effect sizes, uncertainty and documented harms. Reference native goal: Meaning and belonging improve without coercion or exclusion.

RETEST AND SCOPE CONTROL

Candidate decisive method: Ethical observational study. Determine whether the fixed operator adds results beyond domain science, and retain negative findings.

CONSEQUENCE OF NON-PASS

Make the next constraint legible: missing causal evidence, insufficient capacity, unacceptable cost, physical impossibility, or external protected-carrier burden. Do not claim success without verified outcomes.

Source: Atlas Adapter 017, pp. 164-170 (Rufino 2026).

Adapter 018: Religion and community institutions

Psychology and meaning | Internal carrier and capacity reconstruction

ANALYTICAL DESIGN / NOT AN OBSERVED IMPLEMENTATION

DOMAIN-NATIVE STATE

Doctrine, governance, resources, safeguarding and member experience

RECORDED RECEIVING SCHEMA

Membership or doctrinal category

CANDIDATE BURDEN AND RECEIVING CARRIERS

Blocker in the source Atlas: Institutional continuity can externalize harm or dissent costs. Candidate receivers: Members, families, leaders, wider community.

EXISTING CAPACITY DESIGN

Transparent governance, reporting, safeguarding and exit rights

PROTECTED OUTCOME STATED BY THE AUTHOR

Community value rises while coercion and hidden harm fall

SCIENTIFIC NEXT STEP

Atlas proposed decisive test: Institutional longitudinal audit. This remains a proposed testing route, not proof of a completed successful implementation.

ORIGINALITY AND CONSTRUCTION OBLIGATION

Run causal receiving-carrier diagnosis before action; compare construction against strong established methods; do not accept positive averages as proof that all material carriers benefited.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026).

018 | Religion and community institutions

Individual human / person | Insufficient capacity

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 018, Religion and community institutions. Native state: Doctrine, governance, resources, safeguarding and member experience. Potential direct or institutional human pathway: Religion and community institutions interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Insufficient capacity: The human has limited time, health, physical access, material resources, protective support or opportunity. Source Atlas proposed limiting condition: Institutional continuity can externalize harm or dissent costs.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Transparent governance, reporting, safeguarding and exit rights can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Community value rises while coercion and hidden harm fall. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

018 | Religion and community institutions

Individual human / person | Schema mismatch

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 018, Religion and community institutions. Native state: Doctrine, governance, resources, safeguarding and member experience. Potential direct or institutional human pathway: Religion and community institutions interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Schema mismatch: The person has evidence-grounded capabilities or needs that institutional identifiers, scores or labels do not adequately recognize. Source Atlas proposed limiting condition: Institutional continuity can externalize harm or dissent costs.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Transparent governance, reporting, safeguarding and exit rights can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Community value rises while coercion and hidden harm fall. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

018 | Religion and community institutions

Individual human / person | Delayed effects

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 018, Religion and community institutions. Native state: Doctrine, governance, resources, safeguarding and member experience. Potential direct or institutional human pathway: Religion and community institutions interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Delayed effects: A short-term change influences future-self health, skills, income, dependence, options or relationships. Source Atlas proposed limiting condition: Institutional continuity can externalize harm or dissent costs.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Transparent governance, reporting, safeguarding and exit rights can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Community value rises while coercion and hidden harm fall. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

018 | Religion and community institutions

Individual human / person | Measurement uncertainty

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 018, Religion and community institutions. Native state: Doctrine, governance, resources, safeguarding and member experience. Potential direct or institutional human pathway: Religion and community institutions interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Measurement uncertainty: The record lacks consented individual outcomes, counterfactuals, follow-up, or reliable protection metrics. Source Atlas proposed limiting condition: Institutional continuity can externalize harm or dissent costs.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Transparent governance, reporting, safeguarding and exit rights can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Community value rises while coercion and hidden harm fall. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

018 | Religion and community institutions

Individual human / person | Coordination failure

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 018, Religion and community institutions. Native state: Doctrine, governance, resources, safeguarding and member experience. Potential direct or institutional human pathway: Religion and community institutions interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Coordination failure: Family, employer, provider, government or technical systems hand off obligations to the individual without coordinated support. Source Atlas proposed limiting condition: Institutional continuity can externalize harm or dissent costs.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Transparent governance, reporting, safeguarding and exit rights can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Community value rises while coercion and hidden harm fall. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

018 | Religion and community institutions

Individual human / person | Adversarial / inequitable distribution

PERSON AS PRIMARY CONSEQUENTIAL CARRIER

Study setting: Individual human / person. The person is an actual agent with dignity, physical needs, autonomy, relationships, and a future self, not simply a household, institution, metric or interchangeable resource.

NATIVE DOMAIN AND CAUSAL INTERFACE

Adapter 018, Religion and community institutions. Native state: Doctrine, governance, resources, safeguarding and member experience. Potential direct or institutional human pathway: Religion and community institutions interacts with a person through the native system, if the linkage is empirically identified.

CRITICAL CONDITION TO INVESTIGATE

Adversarial / inequitable distribution: Unequal power, coercion, inaccessible systems, discrimination or exploitative incentives shift costs to a person. Source Atlas proposed limiting condition: Institutional continuity can externalize harm or dissent costs.

OBSERVATION / RECORD REQUIRED

Identify whether an individual is directly or indirectly exposed; document time, agency, consent, rights, health, access, capacity, and delayed effects where causally relevant. Evidence of no person-level link remains an honest result.

LERM RECEIVING-CARRIER TRACE

Define a domain-native action and a fair comparator, trace what the specific person receives, what the person supplies in hidden compensation, and which other actors or future states bear consequences.

IAMF-P CONSTRUCTIVE TASK

Investigate whether Transparent governance, reporting, safeguarding and exit rights can be adapted to build a genuine receiving capacity for that individual without shifting harm. A design proposal does not demonstrate a working intervention.

MUTUAL UPTICK AND NEXT OPERATION

Candidate Atlas goal: Community value rises while coercion and hidden harm fall. Measure actual individual and other protected-carrier outcomes before and after an authorized action, over appropriate horizons. If unmet, record the limiting constraint and next ethically admissible construction search.

018 to 001: consequential handoff

Religion and community institutions -> Whole-person quality of life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Whole-person quality of life: Health, function, time, autonomy, relationships, safety, income, environment and future capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Whole-person quality of life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Single score, diagnosis, income bracket or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Person, household, caregivers, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Whole-life state model plus coordinated capacity across health, time, income and environment. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Longitudinal cohort with preregistered multidimensional outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 51-57; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 001 pp. 51-57.

018 to 002: consequential handoff

Religion and community institutions -> Nutrition and metabolism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Nutrition and metabolism: Diet, metabolic state, affordability, culture, timing, microbiome and activity.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Nutrition and metabolism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Calories/macros or generic diet categories. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Body, household budget, food system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Adaptive nutrition and access architecture with feedback and affordability constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Randomized adaptive nutrition trial with cost and adherence carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 58-64; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 002 pp. 58-64.

018 to 003: consequential handoff

Religion and community institutions -> Sleep and recovery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Sleep and recovery: Sleep architecture, circadian timing, stress, workload, environment and recovery reserve.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Sleep and recovery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Hours slept or wearable score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Body, cognition, household schedule. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Recovery controller integrating timing, environment, workload and physiology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Longitudinal crossover study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 65-71; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 003 pp. 65-71.

018 to 004: consequential handoff

Religion and community institutions -> Reproductive and sexual health | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Reproductive and sexual health: Endocrine, reproductive, sexual, relational, consent, fertility and safety state.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Reproductive and sexual health; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Single fertility, disease or risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Individual, partner, future child, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Longitudinal reproductive-state architecture plus consent/safety controls. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Clinical trials + patient-reported and partner- impact carriers'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 72-78; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 004 pp. 72-78.

018 to 005: consequential handoff

Religion and community institutions -> Disability and accessibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Disability and accessibility: Capabilities plus environmental demands, interfaces and support.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Disability and accessibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Deficit-only person label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Person, caregiver, workplace, public space. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Environment-first accessibility architecture plus assistive capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Before/after environment redesign with workload measures'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 79-85; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 005 pp. 79-85.

018 to 006: consequential handoff

Religion and community institutions -> Mobility and physical function | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Mobility and physical function: Strength, pain, balance, endurance, environment, assistive devices.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Mobility and physical function; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Single functional score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Body, caregiver, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Adaptive rehabilitation plus environment and device redesign. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Controlled rehabilitation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 86-92; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 006 pp. 86-92.

018 to 007: consequential handoff

Religion and community institutions -> Family and caregiving | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Family and caregiving: Needs, capacities, schedules, money, emotional load, dependency and support network.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Family and caregiving; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Household role labels. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Primary caregiver, dependents, siblings, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Care-load ledger, shared coordination and external capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Prospective household burden study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 93-99; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 007 pp. 93-99.

018 to 008: consequential handoff

Religion and community institutions -> Safety and personal security | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Safety and personal security: Threat exposure, environment, support, mobility and response capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Safety and personal security; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Incident count or generic risk class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Person, community, responder. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Safety architecture that increases protection without reducing autonomy. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Prospective safety intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 100-106; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 008 pp. 100-106.

018 to 009: consequential handoff

Religion and community institutions -> Housing and domestic environment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Housing and domestic environment: Shelter, cost, commute, safety, air, heat, crowding and social context.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Housing and domestic environment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Property price or occupancy status. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Resident, landlord, neighborhood, city. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Whole-cost housing and location architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Matched housing intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 107-113; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 009 pp. 107-113.

018 to 010: consequential handoff

Religion and community institutions -> Human longevity and life-course planning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Human longevity and life-course planning: Healthspan, lifespan, finances, relationships, purpose and care capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Human longevity and life-course planning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Chronological age or retirement age. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Person, family, institutions, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Life-course capital and care architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Longitudinal life-course cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 114-120; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 010 pp. 114-120.

018 to 011: consequential handoff

Religion and community institutions -> Psychology and social legibility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Psychology and social legibility: Longitudinal capability, burden, trauma, environment, relationships and compensation.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Psychology and social legibility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Snapshot diagnosis or social category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Person, family, employer, clinician. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Multidimensional schema plus support matched to hidden burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Longitudinal external cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 122-128; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 011 pp. 122-128.

018 to 012: consequential handoff

Religion and community institutions -> Identity and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Identity and self-model: Attributes, history, roles, values, capabilities and contexts.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Identity and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Single identity label or credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Person and receiving institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Selective multi-context identity graph with provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Cross-context identity study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 129-135; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 012 pp. 129-135.

018 to 013: consequential handoff

Religion and community institutions -> Relationships and intimacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Relationships and intimacy: Needs, boundaries, consent, trust, history, resources and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Relationships and intimacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Relationship status or personality label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Partners and wider support network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Reciprocal state and burden ledger plus consent architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Dyadic longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 136-142; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 013 pp. 136-142.

018 to 014: consequential handoff

Religion and community institutions -> Parenting and child development | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Parenting and child development: Biology, attachment, education, safety, resources, environment and agency.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Parenting and child development; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Age norm, grade or behavior label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Child, parent, school, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Developmental state map plus distributed support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Longitudinal family-school cohort'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 143-149; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 014 pp. 143-149.

018 to 015: consequential handoff

Religion and community institutions -> Purpose and self-actualization | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Purpose and self-actualization: Capabilities, values, opportunity, health, autonomy and social contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Purpose and self-actualization; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Career status, wealth or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Person, relationships, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Whole-person capability architecture and burden guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Longitudinal multidimensional evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 150-156; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 015 pp. 150-156.

018 to 016: consequential handoff

Religion and community institutions -> Existential wellbeing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Existential wellbeing: Meaning, mortality awareness, belonging, agency and life coherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Existential wellbeing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Symptom or productivity proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Person, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Voluntary meaning-reflection and support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Patient/user-reported longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 157-163; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 016 pp. 157-163.

018 to 017: consequential handoff

Religion and community institutions -> Spiritual life | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Spiritual life: Belief, practice, meaning, community, conscience and autonomy.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Spiritual life; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Institutional affiliation alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Individual, family, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Voluntary, transparent, safeguarding-centered spiritual/community architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Ethical observational study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 164-170; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 017 pp. 164-170.

018 to 018: consequential handoff

Religion and community institutions -> Religion and community institutions | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

INTERFACE AND COUPLING STATUS

This is a within-domain loop: the post-state of Religion and community institutions becomes the next native state under its existing map. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Membership or doctrinal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Members, families, leaders, wider community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Transparent governance, reporting, safeguarding and exit rights. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Institutional longitudinal audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 171-177; WITHIN-DOMAIN RECURRENCE. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 018 pp. 171-177.

018 to 019: consequential handoff

Religion and community institutions -> Emotion and affect regulation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Emotion and affect regulation: Internal state, context, physiology, cognition and social feedback.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Emotion and affect regulation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Valence score or symptom label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Person and relationships. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: State-aware regulation architecture with physiological feedback. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Crossover intervention study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 178-184; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 019 pp. 178-184.

018 to 020: consequential handoff

Religion and community institutions -> Trust and fidelity between people | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Trust and fidelity between people: History, promises, evidence, uncertainty and reciprocity.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Trust and fidelity between people; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Trusted/untrusted binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: People and institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Dynamic provenance and expectation architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Prospective trust-repair study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 185-191; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 020 pp. 185-191.

018 to 021: consequential handoff

Religion and community institutions -> Healthcare delivery | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Healthcare delivery: Clinical state, logistics, caregiver capacity, finance and post-discharge environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Healthcare delivery; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Episode-of-care schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Patient, caregiver, outpatient system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Consequential discharge/care orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 193-199; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 021 pp. 193-199.

018 to 022: consequential handoff

Religion and community institutions -> Diagnostics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Diagnostics: Underlying disease state, uncertainty, test characteristics and downstream actions.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Diagnostics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Single test result. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Patient, clinician, payer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Bayesian multi-source diagnostic schema + uncertainty communication. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Prospective blinded diagnostic study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 200-206; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 022 pp. 200-206.

018 to 023: consequential handoff

Religion and community institutions -> Cancer ecology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Cancer ecology: Clone mix, immune state, microenvironment, host reserve and therapy exposure.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Cancer ecology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Stage/tumor-size snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Resistant clones, healthy tissue, immune system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Adaptive ecological state estimator + resistance/host capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Preclinical then clinical adaptive trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 207-213; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 023 pp. 207-213.

018 to 024: consequential handoff

Religion and community institutions -> Neuroscience and neurodegeneration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Neuroscience and neurodegeneration: Neural, glial, vascular, metabolic, network and functional state.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Neuroscience and neurodegeneration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Single biomarker or visible function. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Neural networks, metabolism, caregiver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Multimodal state estimator + restorative capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Multimodal longitudinal intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 214-220; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 024 pp. 214-220.

018 to 025: consequential handoff

Religion and community institutions -> Aging biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Aging biology: Coupled damage, repair, senescence, immunity, metabolism and regeneration.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Aging biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Age scalar or isolated hallmark. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Cells, tissues, immune system, metabolism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Moving-bottleneck RVG controller across damage/repair channels. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Preclinical multi-pathway study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 221-227; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 025 pp. 221-227.

018 to 026: consequential handoff

Religion and community institutions -> Immunology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Immunology: Immune activation, tolerance, pathogen/tumor signals and tissue damage.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Immunology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Single cytokine or cell-count schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Pathogen, immune cells, host tissue. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: State-dependent immune control balancing clearance and collateral damage. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Controlled biological study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 228-234; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 026 pp. 228-234.

018 to 027: consequential handoff

Religion and community institutions -> Infectious disease | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Infectious disease: Pathogen dynamics, host immunity, behavior, network spread and treatment.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Infectious disease; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Case count or pathogen-only model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Patients, contacts, health system, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Multi-carrier containment + treatment + livelihood capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Prospective outbreak protocol'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 235-241; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 027 pp. 235-241.

018 to 028: consequential handoff

Religion and community institutions -> Microbiome | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Microbiome: Host physiology plus microbial ecology and diet/environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Microbiome; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Species abundance snapshot. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Host and microbial community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Functional ecosystem state model and adaptive intervention. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Controlled longitudinal study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 242-248; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 028 pp. 242-248.

018 to 029: consequential handoff

Religion and community institutions -> Genomics and proteomics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Genomics and proteomics: Variants, expression, proteins, pathways, context and phenotype.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Genomics and proteomics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Single marker/pathogenicity label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Cells, tissues, patient. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Multi-omic causal state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Prospective multi-omic validation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 249-255; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 029 pp. 249-255.

018 to 030: consequential handoff

Religion and community institutions -> Surgery and rehabilitation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Surgery and rehabilitation: Anatomy, function, pain, recovery capacity, home support and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Surgery and rehabilitation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Procedure success or anatomical correction. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Patient, caregiver, rehab system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Prehabilitation + procedure + recovery orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Pragmatic trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 256-262; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 030 pp. 256-262.

018 to 031: consequential handoff

Religion and community institutions -> Early-childhood development and education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Early-childhood development and education: Development, safety, language, nutrition, play, attachment and resources.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Early-childhood development and education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Age milestone or readiness score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Child, caregiver, educator. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Integrated developmental support architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Longitudinal program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 264-270; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 031 pp. 264-270.

018 to 032: consequential handoff

Religion and community institutions -> K-12 education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

K-12 education: Knowledge, skills, wellbeing, context, resources and learning trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into K-12 education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Grade/test score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Student, teacher, family. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Capability graph + adaptive learning + wellbeing constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Cluster randomized trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 271-277; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 032 pp. 271-277.

018 to 033: consequential handoff

Religion and community institutions -> Higher education | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Higher education: Capability, knowledge, network, finances and career pathways.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Higher education; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Degree/GPA credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Student, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Capability/provenance portfolio + adaptive pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Longitudinal graduate outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 278-284; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 033 pp. 278-284.

018 to 034: consequential handoff

Religion and community institutions -> Vocational and workforce learning | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Vocational and workforce learning: Skills, task demand, wages, mobility and employer needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Vocational and workforce learning; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Course completion certificate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Worker, employer, training provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Skill-to-task provenance and placement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Matched labor-market evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 285-291; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 034 pp. 285-291.

018 to 035: consequential handoff

Religion and community institutions -> Scientific research | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Scientific research: Hypotheses, methods, data, negative results, replication and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Scientific research; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Publication/citation unit. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Researchers, institutions, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Experiment provenance + negative-result + replication architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Cross-lab replication program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 292-298; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 035 pp. 292-298.

018 to 036: consequential handoff

Religion and community institutions -> Justice and courts | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Justice and courts: Facts, evidence, harm, intent, procedure, history and remedies.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Justice and courts; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Case category or docket state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Victims, accused, families, courts, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Causal provenance + harm/restitution + recurrence architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Prospective process evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 299-305; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 036 pp. 299-305.

018 to 037: consequential handoff

Religion and community institutions -> Policing and public safety systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Policing and public safety systems: Threat, context, evidence, community trust, capacity and alternatives.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Policing and public safety systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Incident/offense label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Residents, officers, victims, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Evidence-first response selection + prevention/support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Independent public evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 306-312; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 037 pp. 306-312.

018 to 038: consequential handoff

Religion and community institutions -> Corrections, rehabilitation and reintegration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Corrections, rehabilitation and reintegration: Risk, harm, needs, skills, housing, work and social support.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Corrections, rehabilitation and reintegration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Sentence/recidivism risk label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Person, family, community, justice system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Rehabilitation + restitution + housing/work capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Longitudinal controlled program'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 313-319; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 038 pp. 313-319.

018 to 039: consequential handoff

Religion and community institutions -> Public administration | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Public administration: Citizen state, eligibility, documents, services and agency capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Public administration; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Program-specific record. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Citizen, frontline staff, budget. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Interoperable verified state + once-only data + case orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Agency pilot with citizen/staff metrics'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 320-326; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 039 pp. 320-326.

018 to 040: consequential handoff

Religion and community institutions -> Governance and institutional design | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Governance and institutional design: Authority, incentives, information, accountability, resources and affected populations.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Governance and institutional design; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Organizational chart or legal mandate. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Citizens, agencies, future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Cross-boundary outcome ledger + accountability and capacity design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Prospective institutional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 327-333; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 040 pp. 327-333.

018 to 041: consequential handoff

Religion and community institutions -> Beauty and aesthetics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Beauty and aesthetics: Biology, preference, culture, identity, safety, cost and perception.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Beauty and aesthetics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Universal beauty standard or product category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Person, body, household. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Personalized aesthetic/safety state architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Consumer/clinical outcome study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 335-341; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 041 pp. 335-341.

018 to 042: consequential handoff

Religion and community institutions -> Fashion and apparel | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Fashion and apparel: Identity, fit, comfort, durability, labor, inventory and lifecycle.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Fashion and apparel; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Size/SKU/category schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Wearer, worker, retailer, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Adaptive sizing + provenance + circularity architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Retail field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 342-348; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 042 pp. 342-348.

018 to 043: consequential handoff

Religion and community institutions -> Luxury goods | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Luxury goods: Provenance, scarcity, condition, access, identity, inventory and lifecycle value.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Luxury goods; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Price/status/authenticity binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Buyer, seller, inventory, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Provenance + condition + access + reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Operational field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 349-355; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 043 pp. 349-355.

018 to 044: consequential handoff

Religion and community institutions -> Hospitality | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Hospitality: Guest needs, staff capacity, time, room state, logistics and locality.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Hospitality; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Booking/reservation state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Guest, staff, operator, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: End-to-end experience and workload orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Property-level A/B evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 356-362; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 044 pp. 356-362.

018 to 045: consequential handoff

Religion and community institutions -> Travel and tourism | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Travel and tourism: Mobility, cost, safety, experience, local capacity and environment.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Travel and tourism; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Itinerary/booking schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Traveler, worker, resident, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Consequential itinerary/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Destination pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 363-369; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 045 pp. 363-369.

018 to 046: consequential handoff

Religion and community institutions -> Art and cultural markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Art and cultural markets: Creative work, provenance, rights, cultural meaning, scarcity and audience.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Art and cultural markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Price/ownership/engagement proxy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Artist, audience, collector, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Rights/provenance/value-sharing architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Marketplace field study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 370-376; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 046 pp. 370-376.

018 to 047: consequential handoff

Religion and community institutions -> Music and entertainment | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Music and entertainment: Creative contribution, rights, attention, audience value and platform economics.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Music and entertainment; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Stream/view count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Creators, audiences, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Contribution/provenance + value-distribution architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 377-383; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 047 pp. 377-383.

018 to 048: consequential handoff

Religion and community institutions -> Gaming and virtual worlds | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Gaming and virtual worlds: Player goals, time, identity, economy, safety and creator contribution.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Gaming and virtual worlds; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Retention/spend metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Players, creators, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Cross-reality value and safety controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 384-390; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 048 pp. 384-390.

018 to 049: consequential handoff

Religion and community institutions -> Sports and performance | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Sports and performance: Performance, health, training load, recovery, team dynamics and career horizon.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Sports and performance; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Win/score/output metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Athlete, team, family, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Load/recovery/career controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Prospective team study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 391-397; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 049 pp. 391-397.

018 to 050: consequential handoff

Religion and community institutions -> Experience design and events | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Experience design and events: Attention, emotion, logistics, accessibility, staff load and community impact.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Experience design and events; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Attendance/NPS/ticket revenue. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Guests, staff, locality. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: End-to-end experience-state orchestration. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Event A/B study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 398-404; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 050 pp. 398-404.

018 to 051: consequential handoff

Religion and community institutions -> Currency and monetary experience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Currency and monetary experience: Purchasing power, liquidity, settlement, access, trust and macro context.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Currency and monetary experience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Nominal unit/FX quote. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Households, firms, intermediaries. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Consequential monetary-state and settlement architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Historical + prospective policy-neutral system test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 406-412; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 051 pp. 406-412.

018 to 052: consequential handoff

Religion and community institutions -> Payments and remittances | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Payments and remittances: Amount, fees, FX, settlement time, access, fraud and recipient liquidity.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Payments and remittances; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Successful transfer binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Sender, receiver, provider. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: End-to-end transfer optimization with transparent provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Transaction-level field test'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 413-419; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 052 pp. 413-419.

018 to 053: consequential handoff

Religion and community institutions -> Banking and liquidity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Banking and liquidity: Deposits, credit, liquidity, capital, customer state and network exposures.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Banking and liquidity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Product/account or institution-local balance sheet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Banks, customers, counterparties, public. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Network consequential balance sheet + capacity buffers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Stress test + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 420-426; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 053 pp. 420-426.

018 to 054: consequential handoff

Religion and community institutions -> Credit and underwriting | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Credit and underwriting: Cashflow, assets, obligations, trajectory, capability and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Credit and underwriting; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Static score/category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Borrower, lender, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Dynamic provenance/capacity underwriting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Prospective lending trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 427-433; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 054 pp. 427-433.

018 to 055: consequential handoff

Religion and community institutions -> Insurance and resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Insurance and resilience: Hazard, exposure, prevention, coverage, recovery and incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Insurance and resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Loss probability/policy class. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Policyholder, insurer, community. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Prevention + resilience + coverage architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Pilot product evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 434-440; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 055 pp. 434-440.

018 to 056: consequential handoff

Religion and community institutions -> Capital markets and investing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Capital markets and investing: Price, cashflow, externalities, network risk and long-horizon value.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Capital markets and investing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Return/risk factor set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Investor, firm, workers, public, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Consequential asset ledger with carrier constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Historical backtest + prospective paper portfolio'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 441-447; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 056 pp. 441-447.

018 to 057: consequential handoff

Religion and community institutions -> Private wealth and family capital | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Private wealth and family capital: Financial, human, social, health and intergenerational capital.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Private wealth and family capital; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Portfolio net worth. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Client, family, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Whole-capital balance sheet + goals/capacity controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Longitudinal client evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 448-454; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 057 pp. 448-454.

018 to 058: consequential handoff

Religion and community institutions -> Labor and talent markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Labor and talent markets: Capability, workload, pay, health, learning and opportunity.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Labor and talent markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Job title/CV/credential. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Worker, family, employer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Capability-state + workload + mobility architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Workplace pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 455-461; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 058 pp. 455-461.

018 to 059: consequential handoff

Religion and community institutions -> Organizations and enterprises | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Organizations and enterprises: Functions, dependencies, people, cash, knowledge and customer value.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Organizations and enterprises; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Department/KPI structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Workers, customers, suppliers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Enterprise consequential graph + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Multi-team field experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 462-468; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 059 pp. 462-468.

018 to 060: consequential handoff

Religion and community institutions -> Entrepreneurship and venture creation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Entrepreneurship and venture creation: Unmet burden, carrier, willingness to pay, build cost and adoption.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Entrepreneurship and venture creation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Existing market category/TAM. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Founder initially, then customer/system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Mutual-Uptick blocker discovery + missing-capacity build. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Pilot venture with carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 469-475; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 060 pp. 469-475.

018 to 061: consequential handoff

Religion and community institutions -> Artificial intelligence | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Artificial intelligence: Model state, source reality, user intent, provenance, uncertainty and downstream action.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Artificial intelligence; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Prompt/context window/model output. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: User, verifier, downstream system, compute. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Persistent schema/provenance layer + self-audit and escalation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Sealed cross-model benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 477-483; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 061 pp. 477-483.

018 to 062: consequential handoff

Religion and community institutions -> Software systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Software systems: Requirements, dependencies, state, users, infrastructure and technical debt.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Software systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Feature/ticket/local module schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Developers, users, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Dependency/provenance graph + consequential release controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Repository-level prospective benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 484-490; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 062 pp. 484-490.

018 to 063: consequential handoff

Religion and community institutions -> Cybersecurity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Cybersecurity: Actual attack graph, identities, vulnerabilities, privileges and attacker state.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Cybersecurity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Defender inventory/rules/log view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Systems, users, analysts, business continuity. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Self-updating attack schema + carrier prediction + safe containment/failover. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Red-team sealed telemetry benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 491-497; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 063 pp. 491-497.

018 to 064: consequential handoff

Religion and community institutions -> Data infrastructure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Data infrastructure: Datasets, lineage, semantics, permissions, quality and downstream uses.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Data infrastructure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Table/file/schema local view. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Analysts, models, users, compliance. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Provenance graph + semantic reconciliation layer. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Enterprise data benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 498-504; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 064 pp. 498-504.

018 to 065: consequential handoff

Religion and community institutions -> Privacy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Privacy: Data state, purposes, consent, exposure, value and future misuse.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Privacy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Consent checkbox or access-control list. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Person, organization, future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Selective disclosure + provenance + minimization architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Field trial + attack testing'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 505-511; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 065 pp. 505-511.

018 to 066: consequential handoff

Religion and community institutions -> Digital identity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Digital identity: Attributes, credentials, context, revocation, privacy and trust.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Digital identity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Single identifier/account. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Person, verifier, issuer. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Selective-verification credential graph. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Cross-service pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 512-518; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 066 pp. 512-518.

018 to 067: consequential handoff

Religion and community institutions -> Internet and communications | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Internet and communications: Topology, capacity, latency, content, trust and user needs.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Internet and communications; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Throughput/uptime metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Users, networks, platforms. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Consequential routing + fidelity/provenance layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Network/application experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 519-525; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 067 pp. 519-525.

018 to 068: consequential handoff

Religion and community institutions -> Media and information ecosystems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Media and information ecosystems: Claims, evidence, incentives, attention, creators and audiences.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Media and information ecosystems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Engagement/feed rank. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Audience, creator, public discourse. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Claim provenance + quality + incentive reconciliation. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Platform experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 526-532; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 068 pp. 526-532.

018 to 069: consequential handoff

Religion and community institutions -> Language and translation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Language and translation: Meaning, context, culture, pragmatics and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Language and translation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Word/token correspondence. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Speakers, institutions, models. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Semantic/provenance translation with ambiguity tracking. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Blind human evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 533-539; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 069 pp. 533-539.

018 to 070: consequential handoff

Religion and community institutions -> Knowledge and ontologies | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Knowledge and ontologies: Entities, relations, provenance, incompatible schemas and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Knowledge and ontologies; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Single ontology/taxonomy. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Researchers, AI, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Cross-schema translation + minimal sufficient ontology. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Cross-domain benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 540-546; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 070 pp. 540-546.

018 to 071: consequential handoff

Religion and community institutions -> Energy and power grids | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Energy and power grids: Generation, load, storage, network constraints, prices and reliability.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Energy and power grids; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Local device efficiency or node KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Grid nodes, customers, storage, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Consequential grid controller + capacity placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Grid simulation + pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 548-554; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 071 pp. 548-554.

018 to 072: consequential handoff

Religion and community institutions -> Water and irrigation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Water and irrigation: Withdrawals, consumptive use, return flows, storage, aquifers and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Water and irrigation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Farm/project efficiency. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Downstream users, rivers, aquifers, ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Basin-wide accounting + catchment + allocation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Basin holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 555-561; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 072 pp. 555-561.

018 to 073: consequential handoff

Religion and community institutions -> Food and agriculture | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Food and agriculture: Yield, soil, water, inputs, nutrition, labor, market and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Food and agriculture; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Yield/acre or commodity price. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Farmer, consumer, soil, ecosystem. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Coupled regenerative production controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Multi-season farm trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 562-568; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 073 pp. 562-568.

018 to 074: consequential handoff

Religion and community institutions -> Supply chains and logistics | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Supply chains and logistics: Inventory, demand, transport, suppliers, lead times and risk.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Supply chains and logistics; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Node-level cost/service KPI. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Suppliers, warehouses, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Carrier-aware flow controller + buffer placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Historical + live pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 569-575; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 074 pp. 569-575.

018 to 075: consequential handoff

Religion and community institutions -> Manufacturing | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Manufacturing: Materials, energy, machines, labor, quality, maintenance and waste.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Manufacturing; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Unit cost/OEE. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Workers, machines, environment, customers. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Closed-loop production and maintenance architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Factory pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 576-582; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 075 pp. 576-582.

018 to 076: consequential handoff

Religion and community institutions -> Waste and circular materials | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Waste and circular materials: Material composition, location, contamination, residual value and logistics.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Waste and circular materials; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Waste tonnage/disposal category. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Communities, environment, future production. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Material provenance + recapture + transformation capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Municipal/industrial pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 583-589; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 076 pp. 583-589.

018 to 077: consequential handoff

Religion and community institutions -> Transportation and mobility | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Transportation and mobility: Trips, time, safety, access, energy, congestion and land use.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Transportation and mobility; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Vehicle throughput/speed. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Travelers, neighborhoods, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Multimodal consequential mobility controller. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'City corridor pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 590-596; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 077 pp. 590-596.

018 to 078: consequential handoff

Religion and community institutions -> Cities and urban systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Cities and urban systems: Housing, jobs, transport, health, utilities, safety and public space.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Cities and urban systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Agency-by-agency city data. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Residents, agencies, infrastructure. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: City consequential digital twin + coordinated capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'District pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 597-603; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 078 pp. 597-603.

018 to 079: consequential handoff

Religion and community institutions -> Climate and disaster resilience | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Climate and disaster resilience: Hazard, exposure, vulnerability, infrastructure, food, health and recovery.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Climate and disaster resilience; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Hazard forecast alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: People, infrastructure, ecosystems, economy. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Anticipatory catchment + prepositioned capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Prospective matched pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 604-610; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 079 pp. 604-610.

018 to 080: consequential handoff

Religion and community institutions -> Ecology and biodiversity | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Ecology and biodiversity: Species, habitats, flows, extraction, communities and climate.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Ecology and biodiversity; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Protected-area/local species metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Species, habitats, communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Landscape-scale leakage/carrier accounting + livelihoods. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Landscape holdout study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 611-617; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 080 pp. 611-617.

018 to 081: consequential handoff

Religion and community institutions -> Cell biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Cell biology: Signaling, organelles, metabolism, damage, repair and cell-state transitions.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Cell biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Single pathway/marker. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Organelles, pathways, neighboring cells. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Multi-state cellular controller + capacity targeting. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'In-vitro perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 619-625; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 081 pp. 619-625.

018 to 082: consequential handoff

Religion and community institutions -> Molecular biology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Molecular biology: Molecules, conformations, binding networks, concentrations and kinetics.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Molecular biology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Single interaction/target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Molecules, pathways, host system. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Reaction/network state model + off-target carrier control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Bench experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 626-632; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 082 pp. 626-632.

018 to 083: consequential handoff

Religion and community institutions -> Nanotechnology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Nanotechnology: Particle properties, surfaces, transport, environment and biological interaction.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Nanotechnology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Particle spec alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Cells, environment, users. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Lifecycle and interaction-aware nano design. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Bench + environmental tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 633-639; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 083 pp. 633-639.

018 to 084: consequential handoff

Religion and community institutions -> Chemistry and reaction systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Chemistry and reaction systems: Species, reaction network, kinetics, energy, byproducts and separation.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Chemistry and reaction systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Target yield/selectivity. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Reactor, environment, downstream process. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Consequential reaction-network optimization + recovery loops. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Reactor experiments'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 640-646; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 084 pp. 640-646.

018 to 085: consequential handoff

Religion and community institutions -> Materials science | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Materials science: Microstructure, defects, stress, temperature, lifecycle and manufacturing.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Materials science; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Bulk property spec. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Material, structure, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Defect-aware multiproperty design + recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Lab characterization'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 647-653; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 085 pp. 647-653.

018 to 086: consequential handoff

Religion and community institutions -> Classical mechanics and control | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Classical mechanics and control: Physical state, dynamics, sensors, actuators and disturbance.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Classical mechanics and control; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Partial state observation/local control objective. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Plant, actuator, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Representation-aware full-state controller + regenerative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Physical bench experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 654-660; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 086 pp. 654-660.

018 to 087: consequential handoff

Religion and community institutions -> Thermodynamics and nonequilibrium systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Thermodynamics and nonequilibrium systems: Energy, entropy, gradients, reservoirs, flows and constraints.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Thermodynamics and nonequilibrium systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Local efficiency/temperature metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Reservoirs, environment, components. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Whole-boundary energy/exergy and recovery architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Physical experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 661-667; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 087 pp. 661-667.

018 to 088: consequential handoff

Religion and community institutions -> Electromagnetism and circuits | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Electromagnetism and circuits: Fields, voltages, currents, topology, storage and losses.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Electromagnetism and circuits; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Local component state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Circuit elements, sources, loads. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Full-network state estimation + capacity/recovery placement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Bench circuit experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 668-674; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 088 pp. 668-674.

018 to 089: consequential handoff

Religion and community institutions -> Quantum systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Quantum systems: Quantum state, observables, measurement, control and decoherence.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Quantum systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Accessible observable set. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Quantum system, apparatus, environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Constraint-respecting measurement/control schema + capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Laboratory quantum experiment'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 675-681; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 089 pp. 675-681.

018 to 090: consequential handoff

Religion and community institutions -> Pure mathematics and formal systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Pure mathematics and formal systems: Objects, relations, axioms, language, proofs and translations.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Pure mathematics and formal systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Chosen signature/type system/quotient. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Proof system, translator, solver. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Minimal sufficient schema preserving required relations. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Machine-checked theorem suite'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 682-688; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 090 pp. 682-688.

018 to 091: consequential handoff

Religion and community institutions -> Statistics and causal inference | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Statistics and causal inference: Data-generating process, sampling, measurement, confounding and uncertainty.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Statistics and causal inference; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Chosen model/estimand. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Decision makers, future samples, affected groups. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Provenance-aware multi-model causal state + identifiability guardrails. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Simulation + multi-dataset benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 690-696; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 091 pp. 690-696.

018 to 092: consequential handoff

Religion and community institutions -> Logic and reasoning systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Logic and reasoning systems: Premises, inference rules, contradictions, uncertainty and goals.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Logic and reasoning systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Single logical calculus. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Reasoner, downstream decision. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Multi-logic translation + contradiction provenance. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Formal benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 697-703; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 092 pp. 697-703.

018 to 093: consequential handoff

Religion and community institutions -> Geography and territorial systems | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Geography and territorial systems: People, ecosystems, infrastructure, flows and administrative boundaries.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Geography and territorial systems; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Jurisdiction/map boundary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Border communities, watersheds, networks. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Flow-based territorial state model. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Regional pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 704-710; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 093 pp. 704-710.

018 to 094: consequential handoff

Religion and community institutions -> Informal economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Informal economy: Real work, exchange, trust, risk and household needs outside formal records.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Informal economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Formal registry/tax/business schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Workers, households, state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Low-friction recognition, protection and access architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Field pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 711-717; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 094 pp. 711-717.

018 to 095: consequential handoff

Religion and community institutions -> Illicit and black markets | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Illicit and black markets: Hidden demand, supply, coercion, enforcement, prices and harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Illicit and black markets; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Official market data that excludes hidden exchange. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Victims, communities, lawful firms, institutions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Lawful substitutes, prevention, provenance, treatment/rehabilitation and targeted enforcement. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Independent harm-reduction/public-safety evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 718-724; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 095 pp. 718-724.

018 to 096: consequential handoff

Religion and community institutions -> Orbital and space economy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Orbital and space economy: Spacecraft, debris, spectrum, energy, logistics and operator incentives.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Orbital and space economy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Mission-local success metric. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Other spacecraft, operators, orbital environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Orbital consequential ledger + shared capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Simulation + mission pilot'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 725-731; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 096 pp. 725-731.

018 to 097: consequential handoff

Religion and community institutions -> Extraterrestrial settlement | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Extraterrestrial settlement: Life support, energy, materials, health, governance and closed ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Extraterrestrial settlement; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Earth-derived subsystem silos. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Crew, machines, habitat ecology. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Closed-loop consequential state + autonomous capacity construction. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Analog habitat + mission tests'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 732-738; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 097 pp. 732-738.

018 to 098: consequential handoff

Religion and community institutions -> Astrobiology and biosignatures | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Astrobiology and biosignatures: Unknown life chemistries, environments, signals and contamination risks.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Astrobiology and biosignatures; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Earth-centric life schema. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Scientific program, environment, future missions. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Plural biosignature schema + provenance/contamination control. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Blind benchmark + mission data'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 739-745; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 098 pp. 739-745.

018 to 099: consequential handoff

Religion and community institutions -> Planetary systems and stewardship | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Planetary systems and stewardship: Atmosphere, hydrology, geology, biosphere, resources and settlements.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Planetary systems and stewardship; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Sector-local resource model. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Settlements, ecosystems, future generations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Closed-loop planetary resource and restoration architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Earth analog + simulation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 746-752; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 099 pp. 746-752.

018 to 100: consequential handoff

Religion and community institutions -> Unknown and not-yet-named realities | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Unknown and not-yet-named realities: Any newly observed substrate, scale, agent, value dimension or exchange mode.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Unknown and not-yet-named realities; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: No adequate schema exists yet. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Unknown until carrier tracing identifies it. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Instantiate M_d, define schema, measure gap, trace carrier, construct capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Freeze kernel before learning outcomes; then holdout/replicate'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 753-759; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 100 pp. 753-759.

018 to 101: consequential handoff

Religion and community institutions -> Conscious experience and self-model | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Conscious experience and self-model: Perception, affect, memory, self-model, attention, internal accessibility and embodied state.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Conscious experience and self-model; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: A receiving observer reduces another system to behavior, category or output alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Experiencing system, observers, dependent systems and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Cross-modal state representation with provenance, uncertainty and non-erasure constraints. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Prospective multi-method cross-observer study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 761-767; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 101 pp. 761-767.

018 to 102: consequential handoff

Religion and community institutions -> Choice and option topology | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Choice and option topology: Actual options, perceived options, cost, risk, time, capacity, knowledge, coercion and expected consequence.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Choice and option topology; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Binary free-choice / no-choice label. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Chooser, affected people, institutions and future option set. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Feasible-option map plus prebuilt low-friction lawful/prosocial pathways. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Prospective choice-topology intervention'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 768-774; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 102 pp. 768-774.

018 to 103: consequential handoff

Religion and community institutions -> Truth, deception and disclosure | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Truth, deception and disclosure: Belief, evidence, incentives, threat, reputation, disclosure cost, dependency and repair capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Truth, deception and disclosure; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Truth/lie binary detached from consequence topology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Speaker, listener, harmed parties, institutions and future trust network. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Verification, safe disclosure, correction, restitution and transition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Sealed truth-cost / disclosure study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 775-781; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 103 pp. 775-781.

018 to 104: consequential handoff

Religion and community institutions -> Responsibility and causal attribution | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Responsibility and causal attribution: Knowledge, foresight, control, alternatives, coercion, causal contribution, action and resulting displacement.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Responsibility and causal attribution; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Moral label detached from the action-producing state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Actor, victims, institutions, community and future actors. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Causal-attribution ledger integrating option topology, foreseeability, control, harm and repair. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Blinded case reconstruction with preregistered causal criteria'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 782-788; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 104 pp. 782-788.

018 to 105: consequential handoff

Religion and community institutions -> Consent, coercion and autonomy | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Consent, coercion and autonomy: Information, power, alternatives, dependency, exit, reversibility, time pressure and capacity.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Consent, coercion and autonomy; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Signed/expressed consent treated as sufficient state. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Decision maker, counterparties, dependents and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Real exit, recourse, reversible consent, information symmetry and alternative capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Prospective consent-quality audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 789-795; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 105 pp. 789-795.

018 to 106: consequential handoff

Religion and community institutions -> Addiction, compulsion and short-horizon relief | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Addiction, compulsion and short-horizon relief: Distress, reward, relief, dependence, physiology, social setting, opportunity and future option set.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Addiction, compulsion and short-horizon relief; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Substance/behavior category or abstinence binary. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Person, body, relationships, household, community and future self. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Replacement regulation capacity plus medical/social/economic support matched to the absorbed burden. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Longitudinal regulated intervention with multi-carrier outcomes'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 796-802; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 106 pp. 796-802.

018 to 107: consequential handoff

Religion and community institutions -> Crime, violence and reconciliation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Crime, violence and reconciliation: Actor state, victim state, opportunity, motives, option topology, weapons/access, social environment and foreseeable harm.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Crime, violence and reconciliation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Offense label or actor-only risk score. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Victims, actor, families, community, institutions and future potential victims. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Prevention, containment where needed, restitution, rehabilitation and reintegration capacity in one ledger. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Longitudinal controlled justice-program evaluation'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 803-809; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 107 pp. 803-809.

018 to 108: consequential handoff

Religion and community institutions -> Animal sentience and welfare | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Animal sentience and welfare: Physiology, behavior, social state, environment, pain/pleasure proxies, health and life trajectory.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Animal sentience and welfare; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Commodity/yield schema that excludes the animal as a carrier. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Animals, workers, consumers, farmers, land, ecosystems and communities. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Welfare, alternative-production, livelihood-transition and ecological capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Multi-carrier welfare, nutrition and livelihood trial'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 810-816; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 108 pp. 810-816.

018 to 109: consequential handoff

Religion and community institutions -> Collective agency and institutional choice | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Collective agency and institutional choice: Shared beliefs, rules, authority, voting, incentives, information, dissent, enforcement and institutional memory.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Collective agency and institutional choice; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Organization treated as a single actor without internal carrier structure. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Members, minorities, leaders, outsiders, institutions and future administrations. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Distributed decision provenance, dissent channels, accountability and cross-boundary capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Prospective institutional decision audit'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 817-823; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 109 pp. 817-823.

018 to 110: consequential handoff

Religion and community institutions -> Human-AI co-agency | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Human-AI co-agency: Human intent, model state, training/provenance, tools, permissions, action, reversibility, dependency and downstream effects.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Human-AI co-agency; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Model output or benchmark score treated as the whole system. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: User, non-user, model operator, workers, institutions, infrastructure and environment. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Persistent provenance, human control, reversibility, portability, verification and receivingcapacity layers. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Sealed native-vs-K_R assisted agent benchmark'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 824-830; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 110 pp. 824-830.

018 to 111: consequential handoff

Religion and community institutions -> Evolution and natural selection | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Evolution and natural selection: Genotype, phenotype, environment, mutation, recombination, drift, selection, gene flow and lineage history.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Evolution and natural selection; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Fitness proxy or single-trait narrative. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Individuals, lineages, populations, interacting species and ecosystems. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Diversity, ecological capacity and intervention guardrails where deliberate action exists. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Time-locked population/genomic holdout'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 832-838; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 111 pp. 832-838.

018 to 112: consequential handoff

Religion and community institutions -> Reproduction, inheritance, mitosis and meiosis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Reproduction, inheritance, mitosis and meiosis: Chromosomes, cell-cycle state, replication, recombination, segregation, repair and developmental context.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Reproduction, inheritance, mitosis and meiosis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Outcome-only birth/division count. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Parent cell/organism, daughter cells, gametes, offspring and lineage. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Checkpoint, repair, redundancy and developmental-support capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Lineage-resolved perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 839-845; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 112 pp. 839-845.

018 to 113: consequential handoff

Religion and community institutions -> Development and morphogenesis | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Development and morphogenesis: Gene regulation, gradients, cell fate, tissue geometry, signaling, mechanics, resources and developmental time.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Development and morphogenesis; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Single marker or endpoint morphology. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Cells, tissues, organs, organism and developmental future state. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Stage-aware multi-pathway support, repair and resource architecture. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Longitudinal developmental perturbation study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 846-852; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 113 pp. 846-852.

018 to 114: consequential handoff

Religion and community institutions -> Metabolism, diet and consumption | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Metabolism, diet and consumption: Incoming matter/energy/information, digestion, transport, microbiome, storage, elimination and metabolic regulation.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Metabolism, diet and consumption; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Calories/macros or one nutrient target. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Gut, microbiome, liver, tissues, household, food system and future organism. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Adaptive conversion, buffering, storage, elimination and access capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Controlled longitudinal multi-carrier nutrition study'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 853-859; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 114 pp. 853-859.

018 to 115: consequential handoff

Religion and community institutions -> Predation, livestock and food-system transformation | candidate causal interface

ANALYTICAL COUPLING / REAL EDGE NOT YET IDENTIFIED

ORIGINATING DOMAIN AND STATE

Religion and community institutions: Doctrine, governance, resources, safeguarding and member experience.

PROPOSED RECEIVER AND STATE

Predation, livestock and food-system transformation: Predator-prey relations, husbandry, feed, land, labor, animal state, nutrition, culture, price and ecology.

INTERFACE AND COUPLING STATUS

Proposed interface from Religion and community institutions into Predation, livestock and food-system transformation; a physical, institutional or informational pathway must first be observed before a causal edge can be asserted. No edge is presumed to exist solely because both domains appear in the Atlas.

SCHEMA TRANSFORMATION

Source's limited view: Membership or doctrinal category. Receiver's limited view: Yield, price or human nutrition alone. Design a non-lossy handoff or explicitly record what is dropped.

WHO COULD CARRY THE BURDEN?

Origin carriers: Members, families, leaders, wider community. Candidate receiver carriers: Animals, humans, workers, farmers, consumers, land, ecosystems and future food security. Each must be assessed in native units, including time-shifted burdens.

CANDIDATE CONSTRUCTIVE BRIDGE

Origin capacity: Transparent governance, reporting, safeguarding and exit rights. Receiving capacity: Welfare, alternative proteins, regenerative land use, livelihood transition and nutrition capacity. Specify which receiving bottleneck a verified interaction would actually encounter.

MINIMUM DECISIVE EXPERIMENT

Pair a native study of 'Institutional longitudinal audit' with a receiver study of 'Phased regional transition with preregistered carrier ledger'. Preserve matched baseline, causal identification, resource parity and follow-up.

INTERPRETATION AND GATE

Original source pp. 171-177 and 860-866; CROSS-DOMAIN POTENTIAL HANDOFF. Not evidence that either implementation has reached Mutual Uptick.

Source: Atlas Adapter 018, pp. 171-177 (Rufino 2026). Receiver Adapter 115 pp. 860-866.