



1	2	3	4	5	
A					A
B					B
C					C
D					D
1	2	3	4	5	

Sheet 1



File: sheet1.kicad_sch

Sheet 2



File: sheet2.kicad_sch

Sheet 3



File: sheet3.kicad_sch

Sheet 4



File: sheet4.kicad_sch


Sheet 5





File: sheet5.kicad_sch

MAIN PAGE		
Jeff Tranter		
Sheet: /		
File: 6800sbc.kicad_sch		
Title: 6800 Single Board Computer		
Size: USLetter	Date: 2022-03-02	Rev: 0.1
KiCad E.D.A. kicad 6.0.2+dfsg-1		Id: 1/6


UNREGULATED
AC OR DC IN
8-25V




REGULATED
5V IN



UNUSED GATES



BYPASS CAPS (ONE PER IC)



POWER

Jeff Tranter

Sheet: /Sheet 1/

File: sheet1.kicad_sch


Title: 6800 Single Board Computer

Size: USLetter Date: 2022-03-02

KiCad E.D.A. kicad 6.0.2+dfsg-1

Rev: 0.1

Id: 2/6



DISPLAY, KEYBOARD

Jeff Tranter

Sheet: /Sheet 4/

File: sheet4.kicad_sch


Title: 6800 Single Board Computer

Size: USLetter Date: 2022-03-02

KiCad E.D.A. kicad 6.0.2+dfsg-1

Rev: 0.1

Id: 3/6



CPU, RAM, ROM

Jeff Tranter

Sheet: /Sheet 2/

File: sheet2.kicad_sch

Title: 6800 Single Board Computer


Size: USLetter Date: 2022-03-02

KiCad E.D.A. kicad 6.0.2+dfsg-1


Rev: 1.0

Id: 4/6


ADDRESS DECODING




PARALLEL INTERFACE



SERIAL INTERFACE



SERIAL CLOCK (115,200 BPS X 16)



PARALLEL, SERIAL

Jeff Tranter

Sheet: /Sheet 3/

File: sheet3.kicad_sch

Title: 6800 Single Board Computer

Size: USLetter Date: 2022-03-02

KiCad E.D.A. kicad 6.0.2+dfsg-1

Rev: 0.1

Id: 6/6