



Job Study

Functional Jobs (Core, Direct, & Indirect)

Job Executor: Patient with Illness (Leukemia)

- Obtain nutrition
- Maintain cleanliness
- Ensure special needs
- Identify a predisposition for an illness
- Obtain knowledge about an illness
- Determine if patient has an illness
- Obtain additional opinions
- Obtain knowledge about patient's specific condition
- Identify treatment options
- Schedule treatment
- Obtain treatment
- Determine the severity and impact of the patient's illness
- Obtain sources for treatment
- Obtain insurance coverage for treatment
- Obtain financial support
- Obtain emotional support
- Obtain spiritual support
- Provide emotional support for patient's family
- Provide education for patient's family
- Manage the healthcare bills & payment
- Modify lifestyle and nutrition
- Achieve a steady state for patient's health
- Monitor patient's health






Job Executor: Family of Patient with Illness (Leukemia)

- Obtain consultation on patient status
- Obtain reassurance of ongoing care
- Obtain guidance on assisting patient
- Determine options for treatment
- Ensure special needs are addressed
- Obtain counseling for stress
- Obtain counseling for grief
- Establish relationship with staff
- Manage insurance coverage for patient
- Manage medical bills for patient



Job Map

Reference Model for Job Maps





Core Functional Job: Steps & Outcomes (projected)

Job Executor:

Patient with Illness (Leukemia)

Core Functional Job:

Receiving treatment for Illness (Leukemia) in a hospital

Job Steps & Outcomes:

- Step 1: Arrive at treatment location
 - Outcome: Reduce the likelihood that there are no available parking spots
 - Outcome: Reduce the likelihood that the parking lot is far from the treatment center
 - Outcome: Increase the likelihood that public transportation is nearby the treatment center
 - Outcome: Increase the likelihood that help is available to assist patients to the treatment center
 - Outcome: Reduce the likelihood that payment is required to park
- Step 2: Check-in with Admissions
 - Outcome: Increase the likelihood that the staff is friendly when arriving
 - Outcome: Reduce the amount of time required to check-in
 - Outcome: Reduce the likelihood that patients have to fill in the same forms upon arrival (each time)
- Step 2a: Ensure Insurance coverage is in place
 - Outcome: Reduce the likelihood that the insurance needs to be verified for each visit
 - Outcome: Reduce the likelihood that the insurance does not cover the visit
- Step 2b: Pay deductible / co-pay



- Outcome: Reduce the likelihood that out-of-pocket payment is required
 - Outcome: Reduce the amount of required out-of-pocket payment
- Step 2b: Wait in the waiting room
 - Outcome: Reduce the amount of time required to wait for treatment
 - Outcome: Reduce the amount of tension that builds before a given treatment
 - Outcome: Reduce the amount of stress a patient feels while waiting for treatment
- Step 3: Access treatment room / area
 - Outcome: Increase the likelihood that the treatment room is inviting & warm
 - Outcome: Reduce the likelihood that the temperature is too cold
- Step 4: Begin treatment
 - Outcome: Increase the likelihood that the right treatment has been prepared
 - Outcome: Reduce the likelihood that the practitioner is tense
 - Outcome: Reduce the likelihood that the infusion therapy is painful
 - Outcome: Reduce the amount of time required for the treatment
- Step 5: Monitor treatment
 - Outcome: Increase the likelihood of sensing early onset of pain
 - Outcome: Reduce the likelihood that the therapy is administered within safe limits for the patient's condition
 - Outcome: Increase the likelihood of sensing early onset of nausea



- Outcome: Reduce the likelihood of exposure to hazardous materials
 - Outcome: Increase the likelihood that the practitioner is communicating patient status during treatment
- Step 6: Adjust treatment
 - Outcome: Increase the likelihood that the patient can adjust the treatment
 - Outcome: Increase the likelihood patient can notify the practitioner to adjust the treatment
 - Outcome: Reduce the amount of time to adjust the treatment
- Step 7: Complete treatment
 - Outcome: Reduce the amount of time to remove the infusion
 - Outcome: Reduce the likelihood of exposure to hazardous materials
 - Outcome: Reduce the likelihood of experiencing pain once the infusion is removed
 - Outcome: Reduce the likelihood of bruising where the needle entered the vein
- Step 8: Obtain instructions for post-treatment recovery
 - Outcome: Increase the likelihood that the patient receives the right instructions for recovery
 - Outcome: Increase the likelihood that the instructions are clearly understandable
 - Outcome: Reduce the amount of pages containing the instructions
- Step 9: Check out from admissions
 - Outcome: Increase the likelihood that the next appointment has been pre-scheduled for the patient
 - Outcome: Increase the likelihood of being notified of the next appointment



- Outcome: Reduce the likelihood of experiencing stress when trying to confirm the next appointment
- Step 11: Leave treatment location
 - Outcome: Increase the likelihood that the parking lot has easy access to a major street
 - Outcome: Reduce the likelihood of collision when exiting the parking lot
 - Outcome: Reduce the amount of time to obtain public transportation



Emotional (Personal & Social) & Spiritual Jobs:

Job Executor: Patient with Leukemia

- Retain personal dignity
- Maintain feeling of self-worth
- Avoid stress
- Avoid feeling sad or depressed
- Perceive self as competent
- Perceive self as important
- Create a sense of hopefulness
- Avoid loneliness
- Build a closer relationship with G-d
- Develop a sense of belonging
- Perceive a better place awaits us
- Receive forgiveness & understanding
- Feel respected



Job Executor: Family of Patient with Leukemia

- Perceive self as competent
- Feel confident
 - that patient is receiving the right medication
 - that patient is receiving the right care
- Perceive self as knowledgeable resource
- Perceive self as collaborative resource
- Avoid feelings of failure
- Avoid feelings of depression or sadness
- Avoid stress
- Feel a sense of accomplishment
 - With easing transition,
 - providing care,
 - providing companionship
- Feel happy that patient's (functional, emotional, & spiritual) needs are being met