


BA MM Touchpoint Mechanism – The Assembler

General Idea + Treatment for BPMN Activity To Capability Instance


By Lloyd Dugan __ Rev2.1 (9/19/2017)

Based on MM Work by Jim Rhyne and Lloyd Dugan, Previous Whitepaper on
BA-BPM Alignment, and Recent Delivered Webinar on BPM.com

Proposed Assembler Pattern for Touchpoints in BA MM




Foundations Elements
Beget Package Elements




NOTE: Inheritance needed to ensure Capability Instances include Capability attributes

Assembler Element Points
To A Model Element



TOUCHPOINT EXAMPLE: A “CapInstProcessAssembler class will “assemble” one or more “Activity” from a BPMN Process Model (where “Activity” is the “Proxy” or is behind the “Proxy”) that collectively points to a corresponding “CapabilityInstance” that realizes a corresponding “Capability”

Proposed Capability Instance Assembler for BPMN MM – BA MM



Some Things To Note / Questions To Answer / Issues To Resolve


- Capability Instance inheriting from Capability (with Capability a Class Element and Capability Instance a Business Object) – confirming as necessary!
- Assembler can connect to a “Class Element” that is “abstract” (e.g., Outcome) or a “Business Object” that is “concrete” (e.g., Capability Instance), but what does this really end up meaning?
 - Or, should we create a “concrete” class for Outcome (the analog to the Capability Instance), and make “touchpoint” connections only to “concrete” classes in BA MM?
- Proxy class was not really needed – is it still necessary in the larger sense?
- **Intention is to support multiple modeling styles via a consistently applied mechanism that implements the modeler’s/architect’s specifications:**
 - **Can pull in all Activities in a Process or just some Activities in a process**
 - **Activities can be at whatever level of decomposition desired**
 - **Suggested approach: “parallelism” in mapping to Capability Instance – Capability Instances for a more decomposed Capability model may be more meaningfully mapped when using more detailed Process models that minimize granularity issues**
- Scenarios needed to confirm efficacy of mechanism and its inner structure:
 - An XML tracing would be useful as well, but requires BA MM stability and completeness
 - Tool vendor feedback on this is critical
- Relationship to heat map construction and valuation should be made explicit – use scenarios!
- **Local variations of a standard process may test this as Capability Instances (but then what is the relationship of Capability or Capability Instance to the standard process representation), which then support heat map analyses of associated Capabilities**
- Similar treatment for OutcomeAssembler exists, but choice is to either:
 - Map down to Event Definition (type) level and work with that level of detail (which is more likely to be done by the modeler)
 - Map down to Item Definition (data) level and work with that level of detail, which also brings in the Activity level input/output of data
- Mapping to Outcome from BPMN treats Events as mechanisms for transmitting State, which seems logical but is not necessarily the element’s intention!
- Similar approach will be applied to CMMN and DMN (partially done)!

Mapping Example – Selecting Specific Activities in a Process

Example Mapping of Operational-Level Business Processes and Activities To Related Capabilities		Account Restructuring Capabilities				
		Basic Eligibility Determination	Customer Product / Matching	Account Risk Determination	Account Price Determination	Account Offer Finalization
Conduct Mailing Campaign Process and Activities	• Prepare mailing lists of prospective customers	X				
	• Produce items to mail to prospective customers		X			
	• Mail items to prospective customers		X			
	• Record received customer responses		X			
	• Perform response follow-up to customers			X		
Mine Customer Purchases Process and Activities	• Perform periodic queries of recent purchases	X				
	• Determine potential new purchases by customers		X			
	• Update customer purchase profiles		X	X		
Provide Customer Quote Process and Activities	• Record customer quote request				X	
	• Prepare customer quote response				X	
	• Deliver customer quote response					X


Figure 4 - Sample Process to Capability Mapping

Activity-level ratings can be specifically aligned with Capability Instances though granularity differences can make this challenging to do (which do not have to abide by BPMN composition rules – such as in a subprocess – unless the modeling style and approach aspires to such alignment)



Customer Product Matching for Mail Campaign

Customer Product Matching from Mining



Capability Instance:

Customer Product Matching for Mail Campaign

`<semantic:capabilityinstance id="_55e4w865-5019-9hy7-845" name="Customer Product Matching for Mail Campaign"...>`

Assembler:

`<semantic:capinstprocessassembler id="_85000865-9014-46hi-576...">`

Process:

Conduct Mail Campaign

`<semantic:process id="_64403060-6913-4f7e-b0b8-05abc5735769" name="Conduct Mail Campaign"...>`

Activities:

- Produce Customer Items
- Mail Customer Items
- Record Customer Responses

`<semantic:task id="_8fa9f8b2-443b-4fbc-b48a-6a3d034816f6" name="Produce Customer Items"...>`


Mapping Example – Selecting All Activities in a Process

<<See accompanying video of a heat map based on this approach>>

Example Mapping of Operational-Level Business Processes and Activities To Related Capabilities		Account Restructuring Capabilities				
		Basic Eligibility Determination	Customer Product Matching	Account Risk Determination	Account Price Determination	Account Offer Finalization
Conduct Mailing Campaign Process and Activities	• Prepare mailing lists of prospective customers	X				
	• Produce items to mail to prospective customers		X			
	• Mail items to prospective customers		X			
	• Record received customer responses		X			
	• Perform response follow-up to customers			X		
Mine Customer Purchases Process and Activities	• Perform periodic queries of recent purchases	X				
	• Determine potential new purchases by customers		X			
	• Update customer purchase profiles		X	X		
Provide Customer Quote Process and Activities	• Record customer quote request				X	
	• Prepare customer quote response				X	
	• Deliver customer quote response					X


Figure 4 - Sample Process to Capability Mapping

Activity-level ratings can be collectively aligned with Capability Instances at the Process-level that ignore granularity differences (though, if inclusive enough, this can become equivalent to mapping to a Capability Instance for the compositionally higher-level Capability)



Customer Product Matching for Mail Campaign

Customer Product Matching from Mining



Capability Instance:

Customer Product Matching for Mail Campaign

<semantic:capabilityinstance id="_55e4w865-5019-9hy7-845" name="Customer Product Matching for Mail Campaign"...>

Assembler:

<semantic:capinstprocessassembler id="_85000865-9014-46hi-576"...>

Process:

Conduct Mail Campaign

<semantic:process id="_64403060-6913-4f7e-b0b8-05abc5735769" name="Conduct Mail Campaign"...>


Activities:

- Prepare Customer Lists
- Produce Customer Items
- Mail Customer Items
- Record Customer Responses
- Perform Customer Follow-up


<semantic:task id="_8fa9f8b2-443b-4fbc-b48a-6a3d034816f6" name="Produce Customer Items"...>

Mapping a Local Process (Variant of Standard Representation) To a Capability Via a Capability Instance

Local Process Model – Milestone View



Corresponding Capability Instance Mapping



Corresponding Capability Map

Local Business Process Example:

Field-level version may reflect local variations of behavior and/or naming conventions for the modeled activities, events, and data of the process

... And a more detailed view shows ...



... Those variations from the standard process that reflect local understandings of the process, as shown here with the variation detail added ...

... That can be mapped for governance purposes ...

... To corresponding capability instances (concrete manifestations of abstract capabilities) that are managed at the enterprise level by way of the mapping to the corresponding capabilities

Analyzing Local Processes that Map To Capability Instances To Feed Assessments of Capabilities


Rationalize the variations by eliminating unnecessary duplications or changing the processes, guided by heat maps of the associated capabilities



Acceptable Performance Variation

Optimal Performance Compliance

Target the variations for elimination or changes based on level of performance variation from target



Other

Subsidiary

Corporate

Field

