

# Sabitha2

*by* Senthil Pandi S

---

**Submission date:** 19-Nov-2024 02:58AM (UTC-0600)

**Submission ID:** 2524886878

**File name:** Batch\_C35\_AutoRecovered\_\_up\_1.pdf (207.05K)

**Word count:** 5190

**Character count:** 30252

# Smart Glass for Visually Impaired Person

10

Dr Sabitha R  
Department of Computer Science and  
Engineering  
Rajalakshmi Engineering College  
Chennai, India  
[sabitha.r@rajalakshmi.edu.in](mailto:sabitha.r@rajalakshmi.edu.in)

Rathi Devi J,

Department of Computer Science and  
Engineering  
Rajalakshmi Engineering College  
Chennai, India  
[210701506@rajalakshmi.edu.in](mailto:210701506@rajalakshmi.edu.in)

27

Jegan G,  
Department of Computer Science and  
Engineering  
Rajalakshmi Engineering College  
Chennai, India  
[210701521@rajalakshmi.edu.in](mailto:210701521@rajalakshmi.edu.in)

5

**Abstract-** The development of assistive technology is essential to giving people with visual impairments more freedom and security in their everyday lives. The "Smart Glass" system described in this paper was created to improve emergency response and navigation for visually impaired users by integrating contemporary technology. An ultrasonic sensor for obstacle detection, a camera for emergency video recording, a microcontroller for data processing management, and a GPS module for real-time location tracking are all part of the system. These elements interact with a specific mobile application, allowing for seamless, instantaneous communication and emergency assistance. In order to promote safe movement, the ultrasonic sensor continuously scans the environment and provides audio feedback to users when it detects obstacles. To provide quick assistance in an emergency, the smart glasses turn on the camera to record live video while also sending location information and video to pre-configured emergency contacts via Bluetooth. The mobile app offers a simple user interface for managing contact lists, system settings, and notifications. Additionally, the system is able to discriminate between familiar and unfamiliar locations; it only sounds an alert when the user is in an unfamiliar area, reducing the number of pointless notifications in everyday settings. This smart glass integration integrates mobile technology and the Internet of Things to enhance the mobility and security of people with visual impairments, promoting increased self-reliance and self-assurance in day-to-day activities.

**Keywords:**

Bluetooth, mobile interface, GPS tracking, smart glasses, assistive technology, obstacle detection, and the Internet of Things

## I. INTRODUCTION

12

Two major obstacles that visually impaired people must overcome in their daily lives are mobility and safety. In order to navigate complicated environments without sight, one must heavily rely on aids such as walking canes, guide dogs, or other people's help. Although these solutions offer some assistance, they are frequently inflexible and not available to everyone. The development of assistive devices that enable visually impaired people to navigate independently with little need for outside assistance is becoming more popular as a result of technological advancements. Wearable technology, especially smart glasses, presents a promising way to promote self-reliance and provide real-time assistance in this regard.

Smart glass systems combined with Internet of Things (IoT) technology can provide a comprehensive solution for improving the safety and spatial awareness of people with visual impairments. A GPS module for real-time location tracking, a camera for emergency situations, and an ultrasonic sensor for obstacle detection are some of the cutting-edge

features included in the suggested smart glass system. Through Bluetooth, these parts are linked to a mobile application, enabling smooth communication with emergency contacts. The goal of this all-encompassing strategy is to improve navigation while simultaneously offering quick response options in the event of an emergency. This is especially important for people who might be by themselves when help is needed.

The ability of this smart glass system to distinguish between familiar and unfamiliar places is one of its novel features. The system reduces needless alerts and communications by logging and identifying frequently visited locations, which lessens notification fatigue for the user and their emergency contacts. For instance, when a visually impaired person moves around their house or place of employment, the system detects these areas as safe areas and refrains from needlessly notifying contacts. But when the user goes into new places, the system automatically triggers emergency features. It then sends GPS coordinates and live video to pre-specified contacts, enabling them to track the user's location in real time and react appropriately.

Thus, the suggested smart glass system makes use of Internet of Things technology to improve the self-reliance and self-assurance of people with visual impairments. Real-time obstacle detection and emergency communication are integrated into it, making it a useful assistive technology that can be used for both routine navigation and possible emergencies. The goal of this study is to advance assistive technology by showing that well-designed wearables can significantly enhance the lives of those who are blind or visually impaired.

Advanced technology and human-centered design have come together to create smart glasses for the blind and visually impaired. Wearable technology, such as the suggested smart glass system, gives users more autonomy, confidence, and spatial awareness in their daily lives. This device combines sensor-based navigation, artificial intelligence, and the Internet of Things in a way that allows for continuous environmental sensing and data processing without interfering with the user's movement. The smart glass device seeks to close the gap between traditional mobility aids and the demand for flexible, real-time support, especially in challenging or unfamiliar environments, by combining these components.

Using IoT-enabled communication capabilities, this smart glass solution makes sure that, in an emergency, visually impaired people stay in touch with their support system.

When necessary, users can share their location and surroundings in real time and promptly notify emergency contacts via a mobile app. In scenarios where visually impaired users may encounter unanticipated hazards, such as in crowded areas or places with uneven surfaces, this feature is essential for providing prompt assistance. Users and their families can rest easy knowing that this assistive device is safe thanks to its ability to connect to designated contacts.

The ability of this smart glass system to adapt to a variety of environments is another important benefit. In familiar settings, conventional aids like walking canes or guide dogs are frequently useful, but they might not work as well in unfamiliar or complicated settings. On the other hand, the suggested smart glasses recognize and adapt to different situations, providing users with audio feedback in real time to alert them to potential dangers and impediments. For example, the ultrasonic sensor and object detection algorithm can distinguish between a stationary object, a moving vehicle, and a pedestrian when an obstacle is detected, alerting the user to its nature and proximity. By reducing the cognitive load required for navigation, this degree of thorough feedback improves the user experience overall and frees up users to concentrate on other tasks.

From a technological standpoint, the smart glass system represents a groundbreaking advancement in the integration of cognitive and sensory support into a wearable, lightweight design. The YOLO algorithm, which is excellent at real-time object detection, is used by the device to guarantee that visually impaired people can get instant information about their environment. Through the integration of sensor-guided obstacle detection and GPS-based spatial awareness, the smart glasses facilitate a comprehensive strategy for autonomous navigation. As a model for future devices that can accommodate a wider range of sensory or mobility impairments, the project demonstrates how assistive technologies can adapt to the unique needs of users.

[12] ultimate goal of the proposed smart glass project is to improve the lives of people with visual impairments by focusing on user-centric, Internet of Things-powered solutions. This will also contribute to the larger field of assistive technology. By enabling users to safely navigate a variety of environments while maintaining contact with emergency support when necessary, this device gives users a newfound sense of independence and confidence. This study shows how wearable technology can help people with disabilities, but it also shows how society is changing how it sees and supports people with visual impairments, becoming more inclusive and empowering in the process.

## II. LITERATURE REVIEW

[2] In [1] The suggested smart glass system for the blind and visually impaired improves autonomous navigation by utilizing deep learning models and sophisticated computer vision, especially in low-light and nighttime conditions. It includes modules for text-to-speech and tactile graphics generation, low-light image enhancement, real-time object detection and recognition, and salient object detection. Together, these elements offer tactile and auditory feedback,

enhancing the user's safety and situational awareness. The system reduces the power consumption of the glasses and prolongs battery life by connecting to a smartphone via Bluetooth for processing, making it a useful and efficient solution for difficult environments.

In [2], the project's main goal is to develop reasonably priced smart glasses that will increase the independence of people with visual impairments. The system, which uses a Raspberry Pi 4 as its central processing unit, has a camera for taking pictures, ultrasonic sensors for identifying obstructions, and Python for programming and control. It employs the YOLO algorithm for real-time object detection and OCR to read text from images, which is then converted into speech through a Text-to-Speech (TTS) module. For people who cannot afford pricey assistive technologies, the glasses' real-time audio feedback improves safety and quality of life by assisting users in navigating their surroundings, identifying objects, and avoiding hazards.

In [3] The project aims to develop low-cost smart glasses that will help those with visual impairments navigate and recognize objects. The system uses a Raspberry Pi as its central processing unit and incorporates text-to-speech technology to provide audio feedback in real time, an ultrasonic sensor for obstacle detection, and a camera for face recognition. When an obstacle is identified, the user is given audio cues about how close it is, and faces that have been recognized are identified using a pre-loaded dataset and spoken out loud. With the help of this easy-to-use, reasonably priced, and portable solution, which uses OpenCV for image processing and possibly IoT features for extra functionality, visually impaired people will eventually be able to safely and independently navigate their surroundings.

[4] "Design and Implementation of Smart Glasses for Blind People" describes the development of a smart glasses system intended to help people with visual impairments navigate their surroundings. With two 8MP USB cameras for stereo vision, the system uses a Raspberry Pi as its central processing unit to identify obstacles and calculate their distances. It increases users' independence and safety by using computer vision techniques to recognize objects and communicate information to them through auditory cues. Important parts include headphones for audio output, vibration motors for tactile feedback, and a Python software framework with OpenCV and GTTS libraries for image processing and text-to-speech conversion, respectively. The prototype's ability to detect obstacles and provide real-time user feedback was proven through testing.

In [5] The YOLO V3 algorithm and a smartphone's camera are used by the Object Detection System for visually impaired people to identify objects in real time, improving their independence in both indoor and outdoor settings. The system records continuous video, processes the frames to identify multiple objects, and then translates the labels of the objects it has identified into speech. Users can then receive auditory feedback via headphones or the speaker on their smartphone. By improving environmental awareness, this affordable and easy-to-use solution enables visually impaired



people to move more confidently in dynamic environments and avoid obstacles.

In [6] The development of a flexible smart glass device that improves the independence of people with visual impairments by incorporating features like object recognition, reading, and Braille conversion is presented in the paper "Smart Glass with Multi-Functionalities for Assisting Visually Impaired People." The Raspberry Pi Zero W powers the smart glass, which has three modes: "Seeing Mode" for object recognition and location, "Reading Mode" for recording and reading text aloud while converting it to Braille, and "Writing Mode" for converting spoken words into Braille text for cloud storage. The gadget also has an ultrasonic sensor for obstacle detection, which makes it a portable, affordable, and useful everyday tool.

In [7] describes a smart glasses prototype that turns printed text into speech to help people with visual impairments read hardcopy materials. With the help of a Raspberry Pi 3B, a camera, and optical character recognition (OCR) technology, the gadget records text, uses Tesseract OCR to process it, and then uses a text-to-speech synthesizer to turn it into audio output. When a push button is pressed, the system effectively reads and turns different kinds of text into speech in roughly ten seconds, providing a cheap, portable, and multipurpose solution that increases user autonomy. The authors make suggestions for possible future improvements, such as integrating machine learning to read documents that are handwritten.

In [8] The paper "LidSonic V2.0: A LiDAR and Deep-Learning-Based Green Assistive Edge Device to Enhance Mobility for the Visually Impaired" presents LidSonic V2.0, an energy-efficient and reasonably priced assistive technology intended to increase the mobility of people with visual impairments. The gadget helps users navigate their environment by detecting and classifying obstacles using LiDAR, ultrasonic sensors, and deep learning algorithms. LidSonic V2.0, which is Bluetooth-enabled and works with smart glasses and smartphone apps, gives spoken feedback through the app and instant feedback through a buzzer. The device, which costs less than USD 80 and is constructed with off-the-shelf components, has a 96% accuracy rate and uses less energy than the LidSonic V1.0.

In [9] The goal of the paper "Automatic Fire Detection and Notification System Based on Improved YOLOv4 for the Blind and Visually Impaired" is to improve safety for blind and VI people by introducing a smart glasses-based fire detection system. In order to detect fires in real time, the system uses a camera to take pictures and then uses an AI server to process the images using an enhanced YOLOv4 deep learning model. The system helps users recognize and react to dangerous situations by providing auditory notifications when a fire is detected. The limitations of conventional fire detection systems, including false alarms and sensor problems, are discussed in the paper along with the benefits of a vision-based method that provides better accuracy and spatial awareness in a range of indoor environments.

In [10] The study "Automatic Object Detection Algorithm-Based Braille Image Generation System for the Recognition of Real-Life Obstacles for Visually Impaired People" describes a system that lets visually impaired people navigate by identifying obstacles using smart glasses and a smartphone. The system takes pictures, processes them with GrabCut for object extraction and the YOLOv3 algorithm for object detection, and then turns the objects it finds into braille images that are sent to a braille pad. The system offers users effective tactile feedback with an object detection accuracy of over 90% and a braille image conversion time of 6.6 seconds. In order to improve indoor and outdoor navigation, visually impaired testers favored simplified tactile graphics that highlight object outlines.

In [11], the project suggests a smart glass that combines IoT and machine learning technologies to help people with speech, hearing, or vision impairments. The YOLO object detection algorithm, cameras, and proximity sensors are used to detect obstacles and translate them into speech for the visually impaired. The device records speech through a microphone and transforms it into text that is shown on a heads-up display (HUD) for the deaf. Through the use of cameras, hand gestures are recognized and converted into speech or text for the mute. This all-inclusive solution uses speech recognition, real-time object detection, and machine learning to improve the quality of life for people with disabilities.

In [12] In this paper, a smart glass system that helps blind and VI people navigate their environment is presented. It uses ultrasonic sensors, which have a 5–6 m range, mounted on glasses and a knee cap to detect obstacles in all directions, including hazards at ground level. The Arduino microcontroller-controlled system guides users around obstacles by providing real-time audio feedback via an Interactive Voice Response (IVR) system. The inexpensive, portable, and user-friendly solution prioritizes ground-level hazards and aims to improve visually impaired users' independent mobility.

In [13] A real-time scene analysis system based on Google Glass is presented in the paper to help visually impaired people navigate their environment. The system takes pictures, processes them using cloud computing, and then produces audio descriptions of the scene using Google Glass's camera, bone-conduction speakers, and Microsoft's Azure Custom Vision API. Google Glass and the API can communicate via a smartphone app, and object recognition in Indian environments is improved by a custom dataset. By providing real-time feedback with a response time of less than a second, the system provides a portable, lightweight, and easy-to-use solution for autonomous mobility.

In [14] "Design and Implementation of an Intelligent Assistive System for Visually Impaired People for Aerial Obstacle Avoidance and Fall Detection" describes a clever system intended to increase the safety and mobility of people with visual impairments. To identify aerial obstacles and falls, it integrates wearable smart glasses, an intelligent walking stick, a cloud-based platform, and a mobile app called V-Protector. While the walking stick offers haptic

feedback and uses motion sensors to detect falls, the smart glasses use an infrared sensor to identify obstacles like tree branches. The system has a 98.3% fall detection accuracy and notifies caregivers of emergencies along with GPS location when a fall occurs.

In [15] The article "Design of Blind Assistive System Using Internet of Things - A Survey" in [15] examines a number of Internet of Things (IoT)-enabled assistive systems that are intended to improve the mobility and security of people who are blind or visually impaired. Smart devices such as smart sticks are specifically highlighted. In addition to GPS modules for location tracking and emergency alerts, these smart sticks have ultrasonic sensors for obstacle detection that give users tactile or auditory feedback. According to the survey, these technologies have the potential to significantly enhance the quality of life for people with visual impairments by enabling safer and more autonomous navigation in their surroundings.

### III. SYSTEM DESIGN AND METHODOLOGY

#### A. SYSTEM OVERVIEW

To assist visually impaired users, the IoT-enabled Smart Glass System makes use of IoT sensors and actuators. As the main processing unit, the Arduino microcontroller is at the heart of the system in Figure 1. After processing the data from multiple sensors and modules, this microcontroller provides the actuators with the necessary instructions or feedback. The microcontroller serves as the "brain" of the smart glass system, coordinating the interaction between input devices (sensors) and output devices (actuators) to provide the user with real-time support and direction.




Figure . 1

#### B. HARDWARE COMPONENTS:

**Microcontroller(Arduino):** Arduino (Figure 1) is the microcontroller at the core of the smart glass system. It controls information from all linked sensors, such as the GPS unit, ESP32-CAM camera, and ultrasonic sensor. After processing this sensor data, the Arduino sends output signals to the Bluetooth module for connecting to the mobile app, the speaker/earphone for user alerts, and other peripheral devices. The microcontroller is essential to the system's ability to provide real-time help and alerts, which improves user safety and navigation by facilitating timely and seamless data flow between all hardware components.



**Ultrasonic Sensor:** The user's path is detected by this sensor. It gives the microcontroller real-time information about possible obstacles by using sound waves to measure the distance between the user and surrounding objects. By using this information, the system can send out alerts that help people with visual impairments navigate safely and avoid collisions.



**Camera Module (ESP32-CAM):** The smart glass system's vision component is the ESP32-CAM module. It can take pictures or stream video straight to a mobile app thanks to its 2 MP camera and integrated Wi-Fi. Because it can be used to record live visual data—which is essential in emergency situations—this module is especially well-suited for real-time applications.

**GPS Module:** The microcontroller receives data from the GPS module, which tracks the user's location in real time. The mobile app helps emergency contacts find the user in an emergency by sending them location data. If the user needs help or is in an unfamiliar place, this feature is especially helpful.

**Battery/Power Supply:** All of the parts are powered by the battery or power supply, which guarantees the smart glass system runs continuously. For the sensors, microcontroller,

and communication modules to operate without hiccups during operation, a dependable power source is essential.

#### C. ACTUATORS AND INTERFACES (OUTPUT DEVICES):

**Bluetooth Module:** The microcontroller and the user's mobile application can communicate wirelessly thanks to this module. Real-time transmission of sensor data, location data, and emergency alerts via Bluetooth offers a practical means of informing the user and their contacts.

**Speaker/Earphone:** The speaker or earphone serves as the audio output interface, providing the user with real-time voice alerts and navigational assistance. It enables the user to hear location-based updates and obstacles' warnings. For users who are blind or visually impaired, this hands-free interaction is especially crucial because it allows for smooth communication and help.

**Mobile App:** The mobile app serves as a vital user interface that makes it simple to manage settings and notifications while monitoring the user's progress. Through a Bluetooth connection, it shows real-time GPS data and sensor alerts on the smart glass and enables emergency features like camera-based video streaming. Additionally, the app notifies emergency contacts of critical information, guaranteeing that assistance is available in an emergency.

#### D. SYSTEM WORKFLOW:

**Start: System Initialization** All of the system's essential parts, such as the sensors, GPS module, Bluetooth connectivity, and microcontroller (Arduino), are initialized before it starts up. This stage guarantees that the gadget is completely operational and prepared to help the user.

**System Activation** The smart glass system turns on all of its sensors and modules after initialization. Real-time location data is provided by the GPS, Bluetooth guarantees connectivity with the mobile app, and an ultrasonic sensor continuously scans the surroundings for obstacles.


**Obstacle Detection** The main instrument for identifying obstructions in the user's path is the ultrasonic sensor. It constantly looks around and alerts the microcontroller when an obstruction comes within a certain range.

**Decision - Obstacle Detected?** At this point, the system determines if there is an obstruction. The system moves on to the following stage, object recognition, if an obstruction is found. It goes back to the obstacle detection loop and keeps scanning until it finds an obstacle if none is detected.

**YOLO Object Recognition** The system uses YOLO (You Only Look Once) object recognition to recognize and categorize obstacles if they are detected. This step gives the user important context by assisting in identifying the type of object (such as a person, car, or other object).

**Location Check** After identifying an object, the system uses GPS data to determine the user's location and determine if they are in a familiar or unfamiliar area. This data is essential for figuring out how much help the user might require.

**Decision - Familiar Location?** The system determines whether the location is known or unknown based on the GPS data. The system reverts to the obstacle detection loop if the user is in a familiar area, enabling autonomous navigation. For added safety, the system switches to emergency mode if the location is unknown.



**Emergency Mode Activation** The system switches to emergency mode when it is in an unfamiliar or possibly dangerous place. In this mode, it records the user's current GPS coordinates and records a live video feed from the camera. In order to notify emergency contacts, this information is essential.

**Data Transfer to Mobile App** The paired mobile app receives the GPS location and live video feed through Bluetooth. This gives the mobile app access to real-time data,



preparing it to alert emergency contacts in case of an emergency.

**Notify Emergency Contacts** Following data transfer, the mobile app notifies emergency contacts, giving them the user's exact location and live video. This feature is intended to provide prompt assistance, guaranteeing the user's safety in the event of an emergency.

**End: Completing the Activity Flow** The system finishes the current activity flow after alerting emergency contacts. After that, it either resets or keeps checking the surroundings, keeping the user safe and helping.

#### IV. SYSTEM IMPLEMENTATION

##### A. SOFTWARE IMPLEMENTATION:

The software implementation of the smart glass system entails processing sensor data, providing the user with real-time feedback, and programming each hardware component to function as a whole. This section describes how to set up the different software elements and algorithms that allow for location tracking, obstacle detection, and emergency alerts..

##### 1. Microcontroller Programming

The Arduino microcontroller, which is programmed to gather information from linked sensors and react appropriately, is the brains behind the smart glass system. Each sensor's operation is controlled by code, which is usually written in C/C++ using the Arduino IDE. The GPS module tracks and updates the user's location continuously, and the ultrasonic sensor finds obstacles in the user's path. Location verification, obstacle detection, and emergency mode activation are important features. By providing timely alerts and guidance, this configuration allows the Arduino to offer real-time support, improving navigation and safety for visually impaired users.

##### 2. Object Detection Using YOLO Algorithm

Using a camera module to record visual data in real time, the YOLO (You Only Look Once) algorithm is integrated to identify and categorize objects in the user's immediate environment. The YOLO model is run using frameworks like TensorFlow or OpenCV on an external processor or mobile application. After that, the app shows the identified objects and calculates their distances, providing instant object recognition to improve the user's safety and spatial awareness in real time.

##### 3. Bluetooth Communication

The microcontroller and a paired mobile app can exchange data thanks to Bluetooth, which creates a secure connection for sharing location information, live video, and emergency alerts. Real-time data transfer is made possible by the Bluetooth communication code, which guarantees a steady connection and is controlled by libraries like Bluetooth Serial. During emergencies, this configuration ensures reliable communication and timely notification of important information to designated contacts.

##### 4. Emergency Notification System

The system enters emergency mode when it recognizes a strange place or a potentially hazardous obstruction. In this mode, the GPS module provides location information while the camera captures live video. The mobile app receives both and promptly sends emergency contacts an SMS or in-app alert with the GPS coordinates and live video feed. This method uses Bluetooth communication to make sure that important information gets to contacts fast, allowing for prompt assistance.

##### B. HARDWARE IMPLEMENTATION

**Microcontroller (Arduino):** It serves as the "brain" of the smart glasses, coordinating functions like location tracking, obstacle detection, and mobile device communication.

**Ultrasonic Sensor:** This sensor, which is used for short-range obstacle detection, continuously calculates the distance to objects in the vicinity and provides real-time proximity feedback to assist the user in avoiding obstacles.

**Camera Module (ESP32-CAM):** Identifies objects in the user's environment quickly and accurately by capturing visual information in real time and processing it using algorithms like YOLO.

**GPS Module:** Uses location tracking to distinguish between familiar and unknown locations. This element is essential for figuring out when to sound emergency alerts in the event that the user is in an unfamiliar location.

**Bluetooth Module:** It permits wireless communication with the mobile application, enabling the transmission of information to emergency contacts, including GPS coordinates, live video, and alerts.

**Mobile Application:** Serves as both the emergency notification system and the user interface. In addition to processing data from the microcontroller, the app may also offer voice-based navigation instructions and sends real-time location and video alerts to emergency contacts.

**Power Supply** The smart glasses are powered by a small battery unit, usually rechargeable, which also guarantees continuous operation of the microcontroller and sensors.

**Headphones or Speaker:** Gives the user audio feedback when there are obstacles, location alerts, or any other instructions that are required to improve navigation.

#### V. CONCLUSION

This study introduces a "Smart Glass" system that uses mobile technology and the Internet of Things to improve the mobility, safety, and independence of people with visual impairments. The system offers navigation assistance and emergency support thanks to its GPS module, emergency

camera, microcontroller, and ultrasonic sensor for continuous obstacle detection and real-time location tracking. Instant location sharing and live video sharing with emergency contacts are made possible by Bluetooth-enabled communication, guaranteeing timely assistance when needed. The smart glass reduces needless alerts by differentiating between familiar and unfamiliar locations, improving usability while preserving crucial support.

This smart glass is a significant development in assistive technology, emphasizing useful, approachable solutions for safety and navigation requirements. Machine learning algorithms to improve obstacle detection and distinguish between different objects and conditions could be part of future advancements. Furthermore, alerts for problems like falls or abnormal vital signs could be sent by wearable health sensors, which could then integrate with cloud services to customize help according to each person's needs and preferences.

These improvements have the potential to make the smart glass a comprehensive assistive technology that gives visually impaired people even more freedom and security. The potential of IoT-driven assistive devices to develop easily accessible and flexible solutions that promote independence and enhance quality of life is demonstrated by this system.

## VI. REFERENCE

- [1] Mukhiddinov, Mukhriddin, and Jinsoo Cho. "Smart glass system using deep learning for the blind and visually impaired." *Electronics* 10.22 (2021): 2756.
- [2] Nandyal, Suvarna, Prajita R. Udgiri, and Sakshi Sherikar. "Smart Glasses for Visually Impaired Person." *Journal of Scientific Research and Technology* (2023): 21-31.
- [25] Srividya, K., et al. "Smart Glasses for Disabled People." *2023 Intelligent Computing and Control for Engineering and Business Systems (ICCEBS)*. IEEE, 2023.
- [4] Abayomi, Rotimi. "Design and Implementation of Smart Glasses for Blind People." (2022).
- [5] Kumar, D. Ravi, et al. "Object detection system for visually impaired persons using smartphone." *ICDSMLA 2020: Proceedings of the 2nd International Conference on Data Science, Machine Learning and Applications*. Springer Singapore, 2022.
- [6] Sudharshan, G., S. Sowdeshwar, and M. Jagannath. "Smart Glass with Multi-Functionalities for Assisting Visually Impaired People." *Journal of Physics: Conference Series*. Vol. 2318. No. 1. IOP Publishing, 2022.
- [7] Ali Hassan, Esra, and Tong Boon Tang. "Smart glasses for the visually impaired people." *Computers Helping People with Special Needs: 15th International Conference, ICCHP 2016, Linz, Austria, July 13-15, 2016, Proceedings, Part II 15*. Springer International Publishing, 2016.
- [8] S. SenthilPandi, D. Paulraj, D. Mithun and N. K. A. "Object Detection using Learning Algorithm and IoT," *2023 International Conference on Research Methodologies in Knowledge Management, Artificial Intelligence and Telecommunication Engineering (RMKMATE)*, Chennai, India, 2023, pp. 1-6, doi: 10.1109/RMKMATE59243.2023.10369005
- [9] Kumar P, Karthick V, Lithish kumar S and Madhavan V (2024), "Based Talking and Virtual Eye for Visionless People," *2024 Second International Conference on Emerging Trends in Information Technology and Engineering (ICETITE)*, Vellore, India, 2024, pp. 1-6, doi: 10.1109/ic-ETITE58242.2024.10493777.
- [10] Lee, Dayeon, and Jinsoo Cho. "Automatic object detection algorithm-based braille image generation system for the recognition of real-life obstacles for visually impaired people." *Sensors* 22.4 (2022): 1601.
- [11] Salvi, Siddhant, Sudipta Pahar, and Yuvraj Kadale. "Smart glass using IoT and machine learning technologies to aid the blind, dumb and deaf." *Journal of Physics: Conference Series*. Vol. 1804. No. 1. IOP Publishing, 2021.
- [12] Bhuniya, Ankita, et al. "Smart glass for blind people." *Amse J. Ieta* 38 (2017): 102-110.
- [13] Rao, Sanjeev U., et al. "A Google glass based real-time scene analysis for the visually impaired." *IEEE Access* 9 (2021): 166351-166369.
- [14] Chang, Wan-Jung, et al. "Design and implementation of an intelligent assistive system for visually impaired people for aerial obstacle avoidance and fall detection." *IEEE Sensors Journal* 20.17 (2020): 10199-10210.
- [15] Selvi, A., et al. "Design of Blind Assistive System Using Internet of Things-A Survey." *2024 5th International Conference on Intelligent Communication Technologies and Virtual Mobile Networks (ICICV)*. IEEE, 2024.



## ORIGINALITY REPORT

15%

SIMILARITY INDEX

12%

INTERNET SOURCES

13%

PUBLICATIONS

8%

STUDENT PAPERS

## PRIMARY SOURCES

1	Submitted to Western New England College Student Paper	1 %
2	dspace.univ-eloued.dz Internet Source	1 %
3	Submitted to University of Northampton Student Paper	1 %
4	ijircce.com Internet Source	1 %
5	www.mdpi.com Internet Source	1 %
6	www.ijisrt.com Internet Source	1 %
7	Submitted to Tarrant County College Student Paper	1 %
8	ijeecs.iaescore.com Internet Source	1 %
9	Submitted to National College of Ireland Student Paper	1 %

10	<a href="http://www.ijrte.org">www.ijrte.org</a> Internet Source	1 %
11	Submitted to Fielding Institute Student Paper	1 %
12	<a href="http://www.researchgate.net">www.researchgate.net</a> Internet Source	<1 %
13	Leandro Rossetti de Souza, Rosemary Francisco, João Elison da Rosa Tavares, Jorge Luis Victória Barbosa. "Intelligent environments and assistive technologies for assisting visually impaired people: a systematic literature review", Universal Access in the Information Society, 2024 Publication	<1 %
14	<a href="http://nec.edu.in">nec.edu.in</a> Internet Source	<1 %
15	<a href="http://pdf.blucher.com.br">pdf.blucher.com.br</a> Internet Source	<1 %
16	Submitted to University College London Student Paper	<1 %
17	<a href="http://digibug.ugr.es">digibug.ugr.es</a> Internet Source	<1 %
18	<a href="http://extranet.inlb.qc.ca">extranet.inlb.qc.ca</a> Internet Source	<1 %

19

Θεοδώρου, Παρασκευή | Theodorou, Paraskevi. "Design, Development and Technology Acceptance Modeling of Accessibility Systems for People with Sensory Impairments with Applications on Autonomous Smartphone-Based Navigation Systems for Blind People", University of Piraeus (Greece), 2023

Publication

<1 %

20

Submitted to AUT University

Student Paper

<1 %

21

A. Rohith Kumar, K. Sanjay, M. Praveen. "EchoGuide: Empowering the Visually Impaired with IoT-Enabled Smart Stick and Audio Navigation", 2023 2nd International Conference on Automation, Computing and Renewable Systems (ICACRS), 2023

Publication

<1 %

22

jsrtjournal.com

Internet Source

<1 %

23

Wan-Jung Chang, Liang-Bi Chen, Ming-Che Chen, Jian-Ping Su, Cheng-You Sie, Ching-Hsiang Yang. "Design and Implementation of an Intelligent Assistive System for Visually Impaired People for Aerial Obstacle Avoidance and Fall Detection", IEEE Sensors Journal, 2020

Publication

<1 %



24	<a href="http://www.frontiersin.org">www.frontiersin.org</a> Internet Source	<1 %
25	<a href="http://www.kpriet.ac.in">www.kpriet.ac.in</a> Internet Source	<1 %
26	Maram Fahaad Almufareh, Samabia Tehsin, Mamoonah Humayun, Sumaira Kausar. "Intellectual Disability and Technology: An Artificial Intelligence Perspective and Framework", Journal of Disability Research, 2023 Publication	<1 %
27	<a href="http://issuu.com">issuu.com</a> Internet Source	<1 %
28	Submitted to Glasgow Caledonian University Student Paper	<1 %
29	<a href="http://discovery.researcher.life">discovery.researcher.life</a> Internet Source	<1 %
30	<a href="http://www.ijcaonline.org">www.ijcaonline.org</a> Internet Source	<1 %
31	Nayana B R, Yogesh Raju N R, Abhav S Velidi. "Low-cost Smart Glasses for People with Visual Impairments", 2023 International Conference on Advances in Electronics, Communication, Computing and Intelligent Information Systems (ICAECIS), 2023 Publication	<1 %

32

[assets.researchsquare.com](https://assets.researchsquare.com)

Internet Source

&lt;1 %

33

[www.e3s-conferences.org](https://www.e3s-conferences.org)

Internet Source

&lt;1 %

34

[www.techscience.com](https://www.techscience.com)

Internet Source

&lt;1 %

35

H L Gururaj, M R Pooja, Francesco Flammini.  
"Recent Trends in Computational Sciences",  
CRC Press, 2023

Publication

&lt;1 %

36

Hafeez Ali A., Sanjeev U. Rao, Swaroop  
Ranganath, T. S. Ashwin, Guddeti Ram  
Mohana Reddy. "A Google Glass Based Real-  
Time Scene Analysis for the Visually  
Impaired", IEEE Access, 2021

Publication

&lt;1 %

37

Mistha Panwar, Akshika Dhankhar, Harshita  
Rajoria, jasmine Soreng, Ranya Batsyas,  
poonam RANI kharangarh. "Review—  
Innovations in Flexible Sensory Devices for  
the Visually Impaired", ECS Journal of Solid  
State Science and Technology, 2024

Publication

&lt;1 %

38

Mukhriddin Mukhiddinov, Jinsoo Cho. "Smart  
Glass System Using Deep Learning for the  
Blind and Visually Impaired", Electronics, 2021

Publication

&lt;1 %

39

"ICDSMLA 2020", Springer Science and Business Media LLC, 2022

Publication

<1 %

40

Bineeth Kuriakose, Raju Shrestha, Frode Eika Sandnes. "Exploring the User Experience of an AI-based Smartphone Navigation Assistant for People with Visual Impairments", Proceedings of the 15th Biannual Conference of the Italian SIGCHI Chapter, 2023

Publication

<1 %

41

Jucheng Song, Jixu Wang, Shuliang Zhu, Haidong Hu, Mingliang Zhai, Jiucheng Xie, Hao Gao. "Mixture reality-based assistive system for visually impaired people", Displays, 2023

Publication

<1 %

42

Jyoti Madake, Shripad Bhatlawande, Anjali Solanke, Swati Shilaskar. "A Qualitative and Quantitative Analysis of Research in Mobility Technologies for Visually Impaired People", IEEE Access, 2023

Publication

<1 %

43

Ming Yan, Zijun Lin, Peng Lu, Mansu Wang, Lucia Rampino, Giandomenico Caruso. "Speculative Exploration on Future Sustainable Human-Machine Interface Design in Automated Shuttle Buses", Sustainability, 2023

<1 %



44

linkinghub.elsevier.com

Internet Source

<1 %

Exclude quotes Off

Exclude matches Off

Exclude bibliography Off