

Available online at www.sciencedirect.com

ScienceDirect

journal homepage: www.elsevier.com/locate/he

Development of porous nickel catalysts by low-temperature Ni–Al chemical alloying and post selective Al leaching, and their application for ammonia decomposition

Yu-Jin Lee ^{a,b}, Yong-Seok Lee ^{a,c}, Jun Young Cha ^a, Young Suk Jo ^a, Hyangsoo Jeong ^a, Hyuntae Sohn ^a, Chang Won Yoon ^{a,d}, Yongmin Kim ^{a,*}, Kwang-Bum Kim ^{b,**}, Suk Woo Nam ^{a,***}

^a Center for Hydrogen and Fuel Cell Research, Korea Institute of Science and Technology, Seoul, 02792, Republic of Korea

^b Department of Material Science & Engineering, Yonsei University, Seoul, 03722, Republic of Korea


^c Department of Mechanical Engineering, School of Industrial and Mechanical Engineering, The University of Suwon, Hwaseong, 18323, Republic of Korea

^d KHU-KIST Department of Converging Science and Technology, Kyung Hee University, Seoul, 02447, Republic of Korea

HIGHLIGHTS

- Ni–Al alloy powders were synthesized by a low-temperature chemical alloying method.
- Post aluminum leaching converts Ni–Al alloy precursors into porous nickel catalysts.
- Ammonia decomposition was successfully carried out using porous nickel catalysts.

GRAPHICAL ABSTRACT



ARTICLE INFO

Article history:

Received 11 December 2019

Received in revised form

29 April 2020

Accepted 4 May 2020

Available online 7 June 2020

ABSTRACT

Micron-sized Ni–Al alloy powders (Ni–x wt.%Al, x = 40, 50, 60) were synthesized using the low-temperature chemical alloying (LTCA) at 500 °C. The three different as-prepared Ni–Al alloy powders were composed of Ni₂Al₃ and/or NiAl₃ phases while achieving thermodynamic equilibrium compositions (Ni–40 wt.%Al, Ni₂Al₃; Ni–50 wt.%Al, the coexistence of Ni₂Al₃ and NiAl₃; Ni–60 wt.%Al, NiAl₃). The LTCA method demonstrates that it is capable of producing Al-rich Ni–Al alloy powders while maintaining a particle size similar to that of the starting Ni particles. The three Ni–Al alloy powders were used as precursor materials to

* Corresponding author.

** Corresponding author.

*** Corresponding author.

E-mail addresses: yongminkim@kist.re.kr (Y. Kim), kbkim@yonsei.ac.kr (K.-B. Kim), swn@kist.re.kr (S.W. Nam).

<https://doi.org/10.1016/j.ijhydene.2020.05.025>

0360-3199/© 2020 Hydrogen Energy Publications LLC. Published by Elsevier Ltd. All rights reserved.