



Contents lists available at ScienceDirect

## Chemical Engineering Journal

journal homepage: [www.elsevier.com/locate/cej](http://www.elsevier.com/locate/cej)

# Graphene quantum dots with nitrogen and oxygen derived from simultaneous reaction of solvent as exfoliant and dopant

Gil-Seong Kang<sup>a,b</sup>, Sungho Lee<sup>a</sup>, Jun-Seok Yeo<sup>a</sup>, Eun-Su Choi<sup>c</sup>, Doh C. Lee<sup>b</sup>, Seok-In Na<sup>c,\*</sup>, Han-Ik Joh<sup>d,\*</sup>

<sup>a</sup> Carbon Composite Materials Research Center, Korea Institute of Science and Technology (KIST), 92 Chudong-ro, Bongdong-eup, Wanju-gun, Jeollabuk-do 55324, Republic of Korea

<sup>b</sup> Department of Chemical and Biomolecular Engineering, KAIST Institute for the Nanocentury, Korea Advanced Institute of Science and Technology (KAIST), 291 Daehak-ro, Yuseong-gu, Daejeon 34141, Republic of Korea


<sup>c</sup> Professional Graduate School of Flexible and Printable Electronics, LANL-CBNU Engineering Institute-Korea, Chonbuk National University, 664-14, Deokjin-dong, Deokjin-gu, Jeonju-si, Jeollabuk-do 561-756, Republic of Korea

<sup>d</sup> Department of Energy Engineering, Konkuk University, 120 Neungdong-ro, Gwangjin-gu, Seoul 05029, Republic of Korea

## HIGHLIGHTS

- N- and O- doped graphene quantum dots (NO-GQDs) were synthesized.
- Solvothermal reaction can exfoliate, cut, and transform the graphite into NO-GQDs.
- NO-GQDs have a less defective and edge-functionalized structure.
- NO-GQDs facilitate rapid hole-extraction in perovskite solar cells.
- Addition of NO-GQDs shows a 36.2% increase in the power conversion efficiency.

## GRAPHICAL ABSTRACT



## ARTICLE INFO

## Keywords:

Graphene  
Nitrogen and oxygen doped graphene quantum dots (NO-GQDs)  
Solvothermal reaction  
Graphite exfoliation  
Perovskite solar cells  
Hole-transporting materials (HTMs)

## ABSTRACT

Graphene quantum dots (GQDs) are promising materials for optoelectronic devices because their band-gap, derived from quantum confinement and edge effects, can be easily tuned via their size or surface/edge states. In this paper, a novel approach to synthesize nitrogen- and oxygen-doped GQDs (NO-GQDs) is presented. Nitrogen and oxygen are mainly bound at the GQD edges, resulting in high crystallinity and good electrical properties. A simple solvothermal reaction using *N*-methyl-2-pyrrolidone (NMP), whose surface energy is similar to that of graphite as a raw material, can simultaneously exfoliate, cut, and finally transform the graphite into the GQDs with heteroatoms derived from the decomposed NMP solution. The synthesized NO-GQDs have a less defective and more selectively edge-functionalized structure compared to other reported GQDs. The electrical properties of NO-GQDs are investigated using them as the additive of hole-transporting materials (HTMs) in an optoelectronic device such as perovskite solar cells (PeSCs). Compared with PEDOT:PSS, a mixture of NO-GQDs and PEDOT:PSS shows a 36.2% increase in the power conversion efficiency (PCE) (maximum PCE: 11.47%) and good device stability. Therefore, it is believed that the improvement of photovoltaics is solely attributed from NO-GQDs which act as a positive role of faster hole transfer. We could confirm that the NO-GQDs facilitate hole-extraction from a photoactive layer and guarantee the more stable operation of PeSCs.

\* Corresponding authors.

E-mail addresses: [nsi12@jbnu.ac.kr](mailto:nsi12@jbnu.ac.kr) (S.-I. Na), [hijoh@konkuk.ac.kr](mailto:hijoh@konkuk.ac.kr) (H.-I. Joh).

<https://doi.org/10.1016/j.cej.2019.04.192>

Received 19 January 2019; Received in revised form 26 April 2019; Accepted 27 April 2019

Available online 29 April 2019

1385-8947/© 2019 Elsevier B.V. All rights reserved.