


Available online at www.sciencedirect.com

ScienceDirect

journal homepage: www.elsevier.com/locate/hydro

Hydrocarbon-based electrode ionomer for proton exchange membrane fuel cells

Ji Eon Chae ^{a,b}, Sung Jong Yoo ^a, Jin Young Kim ^a, Jong Hyun Jang ^a,
So Young Lee ^{a,*}, Kwang Ho Song ^{b,**}, Hyoung-Juhn Kim ^{a,***}


^a Center for Hydrogen and Fuel Cell Research, Korea Institute of Science and Technology (KIST), Hwarang-ro 14-gil 5, Seongbuk-gu, Seoul, 02792, Republic of Korea

^b Department of Chemical and Biological Engineering, Korea University, Anam-ro 145, Seongbuk-gu, Seoul, 02841, Republic of Korea

HIGHLIGHTS

- Synthesis of polymer electrolytes which have different molecular weight (MW).
- Fabrication of membrane electrode assembly with different MW polymer electrolyte binder.
- Optimization of electrode configuration for high fuel cell performance.

GRAPHICAL ABSTRACT



ARTICLE INFO

Article history:

Received 13 December 2019

Received in revised form

9 February 2020

Accepted 1 March 2020

Available online 27 March 2020

Keywords:

Hydrocarbon-based electrode ionomer

Membrane-electrode assembly

Polymer electrolyte

ABSTRACT

The electrode ionomer is a key factor that significantly affects the catalyst layer morphology and fuel cell performance. Herein, sulfonated poly(arylene ether sulfone)-based electrode ionomers with polymers of various molecular weights and alcohol/water mixtures were prepared, and those comprising the alcohol/water mixture showed a higher performance than the ones prepared using higher boiling solvents, such as dimethylacetamide; this is owing to the formation of the uniformly dispersed ionomer catalyst layer. The relation between ionomer molecular weight for the same polymer structure and the sulfonation degree was investigated. Because the chain length of polymer varies with molecular weight and chain entanglement degree, its molecular weight affects the electrode morphology. As the ionomer covered the catalyst, the agglomerates formed were of different morphologies according to their molecular weight, which could be deduced

* Corresponding author.

** Corresponding author.

*** Corresponding author.

E-mail addresses: sylee5406@kist.re.kr (S.Y. Lee), khsong@korea.ac.kr (K.H. Song), hjkim25@kist.re.kr (H.-J. Kim).

<https://doi.org/10.1016/j.ijhydene.2020.03.003>

0360-3199/© 2020 Hydrogen Energy Publications LLC. Published by Elsevier Ltd. All rights reserved.