

1. Introduction

This is the introduction of the text. In fact, this is a random test of some stuff to do with a test bibliography what I just made ????. This is a further test with two references ?????. As Herborn et al. ??? pointed out, tits are pretty cool. This is a great big long block of text with a hard return after **this**. Some further text, after which I will attempt a page break. Here is a further part-sentence in which I will test the insertion of a different type of reference ??? =10.1006/gcen.2001.7749. This is the next sentence.

2. Methods

General methods text close to header.

2.1. Methods subsection 1

Here is some more methods text with a code block.

```
summary(cars)
```

```
##      speed      dist
## Min.   : 4.0    Min.   :  2.00
## 1st Qu.:12.0    1st Qu.: 26.00
## Median :15.0    Median : 36.00
## Mean   :15.4    Mean   : 42.98
## 3rd Qu.:19.0    3rd Qu.: 56.00
## Max.   :25.0    Max.   :120.00
```

Here is the same table but run through tableCat():

| speed | dist |
|-------|------|
| 4 | 2 |
| 4 | 10 |
| 7 | 4 |
| 7 | 22 |
| 8 | 16 |

And here is the same table (Table 1) again, but now with a caption and label:

Table 2: Table 1. This is the actual table caption

| speed | dist |
|-------|------|
| 4 | 2 |
| 4 | 10 |
| 7 | 4 |
| 7 | 22 |
| 8 | 16 |


Here is a further attempt with the same table but using `kable()`:

Table 3: test

| speed | dist |
|-------|------|
| 4 | 2 |
| 4 | 10 |
| 7 | 4 |
| 7 | 22 |
| 8 | 16 |

2.1.2. Header level 3

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.

References