

Mars Landing Site Selection — Final Report

MarsLab Integration Pipeline v2.0 — 2026-03-06 10:40 UTC

Phase 1: 55 named regions → 5 viable candidates

Phase 2: High-resolution 0.5° grid refinement → pinpointed optimal coordinates

Data sources: MOLA terrain, Neural Climate Emulator, SWIM v2.1, ISRU Accessibility, RAG (5,193 vectors)

Executive Summary

Optimal Landing Site: 42.0°N, 176.0°E — Western Arcadia Planitia

After a two-phase analysis — 55-region screening followed by a 493-point high-resolution grid search at 0.5° resolution — we pinpoint **42.0°N, 176.0°E** as the optimal landing site for a human ice-ISRU mission to Mars.

Metric	Value
Composite Score	0.8138 (highest of 493 points)
Elevation	-4,035 m MOLA
Slope	0.13° (virtually flat)
Landing Site Score	92.7/100 (Grade A)
SWIM Ice Consistency	avg=0.829 (0-1m: 0.498, 1-5m: 0.998 , 5m+: 0.992)
Climate Resilience	0.746
Temperature Range	148–223 K (-125 to -50°C)
Peak Dust τ	0.399
Peak Wind	6.8 m/s

The site's defining characteristic is its extraordinary SWIM ice consistency at 1-5m depth (**0.998**) and 5m+ depth (**0.992**) — effectively near-perfect ice detection confidence. This far exceeds neighboring grid points (typically 0.571) and indicates a localized, high-confidence subsurface ice deposit ideally suited for ISRU extraction.

The terrain is exceptionally flat (0.13° slope, elevation -4,035m), well within Starship's EDL envelope (< -2 km, < 5° slope). All four seasonal grades are A or near-A, indicating year-round operational viability.

Comparison with SpaceX/Golombek 2021 Candidate Sites

Our pipeline independently converged on Arcadia Planitia, aligning with Golombek et al. (2021, LPSC 52, #2420) which downselected 7 sites in the same broad region for SpaceX Starship. However, our optimal site (**42.0°N, 176.0°E**) differs from the published SpaceX candidates in two important ways:

1. **Latitude:** Our site is at 42°N, poleward of SpaceX's hard <40°N constraint (driven by solar power/thermal). This is a deliberate trade-off — for an ice-ISRU-first mission, the 42°N sweet spot offers dramatically higher ice confidence (SWIM 0.829 vs ~0.4–0.5 at SpaceX latitudes).
2. **Longitude:** Our site is in western Arcadia (176°E), while SpaceX AP sites cluster at 189–197°E near the Amazonis boundary — roughly 1,100 km apart.

Site	Region	Lat (°N)	Lon (°E)	Status	Key Attribute
Ours	W. Arcadia	42.0	176.0	MarsLab optimal	SWIM=0.829, near-perfect 1-5m ice
PM-1	Phlegra Montes	35.5	163.6	Primary	Highest SWIM geomorphic; LDA association
AP-1	Arcadia Planitia	39.8	192.1	Primary	Safest surface; moderate SWIM
AP-9	Arcadia Planitia	39.1	196.7	Primary	Thickest SHARAD radar ice; highest SWIM
EM-16	Erebus Montes	38.6	190.2	Primary	Strongest radar return; brain terrain
AP-8	Arcadia Planitia	39.1	189.8	Secondary	Safest surface; highest neutron SWIM
EM-15	Erebus Montes	39.8	195.6	Secondary	Well-developed polygons; smooth
PM-7	Phlegra Montes	35.5	163.6	Secondary	Adjacent to lineated valley fill




Figure 3. MarsLab optimal site vs SpaceX/Golombek (2021) 7 downselected candidates. Red dashed line = SpaceX's <40°N latitude constraint. Our site at 42°N trades solar margin for dramatically higher ice availability.

Interpretation: SpaceX optimizes for a crewed multi-purpose mission (solar power, thermal, safety). Our analysis optimizes for ice-ISRU as the primary mission driver. Both converge on Arcadia Planitia as the target region — the difference is latitude (40°N vs 42°N), reflecting the ice–solar tradeoff. For missions with nuclear power or advanced solar arrays tolerating higher latitudes, 42°N offers a substantially richer ice deposit.




Figure 1. Composite landing site score heatmap over Arcadia Planitia (493 points, 0.5° grid). Green star marks the optimal site at 42.0°N, 176.0°E.




Figure 2. SWIM subsurface ice consistency map. The anomalous hot spot at 42°N, 176°E shows SWIM avg=0.829 — far exceeding surrounding points.

High-Resolution Refinement (Phase 2)

A 493-point grid search at 0.5° resolution over 38–46°N × 170–184°E confirmed **42.0°N, 176.0°E** as the clear #1, with a composite score of 0.8138 — 4.8% ahead of #2 (45.0°N, 179.0°E, score 0.7767). Top 10:

Rank	Lat°N	Lon°E	Composite	SWIM avg	SWIM 1-5m	Elev (m)	Slope°	Grade
1	42.0	176.0	0.8138	0.829	0.998	-4035	0.1	A
2	45.0	179.0	0.7767	0.673	0.571	-4143	0.4	A
3	42.5	177.0	0.7762	0.694	0.571	-4051	0.2	A
4	42.5	176.0	0.7760	0.696	0.571	-4045	0.2	A
5	42.5	178.0	0.7704	0.757	1.000	-4050	0.3	A
6	43.0	177.0	0.7689	0.695	0.571	-4067	0.9	A
7	45.0	174.5	0.7679	0.655	0.857	-4042	0.3	A
8	43.5	177.5	0.7677	0.683	0.571	-4054	0.3	A
9	45.5	177.5	0.7672	0.681	0.571	-4105	0.7	A
10	44.0	176.5	0.7660	0.689	0.571	-4052	0.6	A

The entire 42–43°N, 176–178°E zone is Grade A with high SWIM. The #1 point's anomalous SWIM 1-5m (0.998 vs ~0.571 neighbors) suggests a localized ice lens or deposit boundary detected by SWIM's integrated geophysical methods.




Figure 4. MOLA elevation (left) and terrain slope (right) across the Arcadia refinement grid. Star marks optimal site at -4,035m elevation, 0.13° slope.




Figure 5. Left: SWIM ice consistency by depth layer for top 6 sites. Site #1 has anomalous 1-5m and 5m+ readings near 1.0. Right: Multi-criteria radar profile for the optimal site vs top-20 average.

Key Risks and Mitigations

Risk	Severity	Mitigation
Latitude >40°N reduces solar irradiance by ~5% vs SpaceX sites	Medium	Nuclear (Kilopower) or high-efficiency solar arrays
SWIM anomaly may be data artifact, not real ice concentration	Medium	Validate with targeted SHARAD/MARSIS orbital passes
0.5° grid may miss local hazards (craters, boulders)	Low	Request HiRISE stereo imaging at 25 cm/px
Dust storm season (Ls 180–330) increases opacity	Low	Peak $\tau=0.40$ is well below mission-threatening levels

Recommended Precursor Activities

1. **SHARAD targeted pass** over 42.0°N, 176.0°E to verify subsurface reflector at 1-5m depth
2. **HiRISE stereo imaging** (25 cm/px) to assess rock abundance and micro-terrain
3. **CRISM spectral observation** to detect surface hydration minerals
4. **Thermal inertia mapping** (TES/THEMIS) to constrain near-surface ice depth




Figure 6. Phase 1 regional analysis. Left: Final composite scores for 5 viable candidates (out of 55). Right: Multi-metric comparison across Landing Scorer, SWIM Ice, ISRU Access, and Climate Resilience.

Phase 1: Quantitative Rankings (55 Regions → 5 Candidates)

Rank	Region	Score	Grade	Elev (m)	SWIM Ice	Access	Climate	LS Avg
#1	Arcadia Planitia	76.7	B	-4043	0.538	0.731	0.801	87.5
#2	Utopia Planitia	75.2	B	-4828	0.434	0.852	0.811	89.5
#3	Acidalia Planitia	74.3	B	-4594	0.391	0.862	0.810	89.6
#4	Viking 2 Site	70.6	B	-2184	0.388	0.729	0.802	89.6
#5	Chryse Planitia	61.0	C	-3909	0.000	0.875	0.734	89.0

Scoring Methodology

Hard Constraints (Elimination)

- **Elevation:** < -2000m MOLA (Starship EDL)
- **Latitude:** 25–50°N (ice belt + solar)
- **Terrain:** Exclude volcanic/canyon regions (slope hazard)

Final Composite Weights

- **Landing Scorer:** 30%
- **Swim Ice:** 25%
- **Accessibility:** 15%

- **Climate Resilience:** 20%
- **Science Bonus:** 10%

Detailed Site Profiles

#1 — Arcadia Planitia (B, 76.7/100)

Location: 49.02°N, -171.85°E | **Elevation:** -4043m MOLA

Landing Site Scorer (4 Seasons)

- Average: **87.5/100** | Worst: 78.2 | Best: 95.0
- Grades: Ls=0°: A, Ls=90°: A, Ls=180°: A, Ls=270°: B

Category	Score	Weight	Assessment
terrain	1.000	0.20	Excellent terrain: -4043m elevation, 0.0° slope
climate	0.775	0.25	T_mean=178.3K (-94.8°C), P=636Pa
dust	1.000	0.15	Clear skies ($\tau=0.30$) — excellent visibility
wind	0.781	0.15	Wind 7.2 m/s — moderate
frost	0.721	0.10	Occasional frost (14%) — manageable
science_value	0.900	0.15	Science value: high

SWIM Ice Consistency

- **Average:** 0.538
- 0-1m: 0.686
- 1-5m: 0.429
- 5m+: 0.500

ISRU Accessibility

- **Composite:** 0.731 (confidence: medium)
- Excavation: 0.464 | Landing: 0.997

Climate Resilience (12-Point Annual)

- **Score:** 0.801
- Temperature: 148–216 K (-125—57 °C)
- Peak dust τ : 0.38 | Peak wind: 7.9 m/s | Frost months: 0/12

Scientific Context — Ice & ISRU

At Arcadia Planitia, subsurface water ice has been extensively studied using various methods, including SHARAD radar, SWIM project, and geomorphological analysis. Key findings include:

1. **SWIM Data:** The Subsurface Water Ice Mapping (SWIM) project, which integrates multiple datasets, including SHARAD, GRS, thermal inertia, geomorphology, and CRISM data, indicates high consistency of ice presence in the southern region of Arcadia Planitia [Source 2]. The ice consistency score ranges from 0.78 to 0.92, with a depth estimate of 1-5 m [Source 3].
2. **SHARAD Radar Detections:** SHARAD radar has detected subsurface reflectors consistent with an ice table at shallow depths, extending to depths of 20-40 m [Source 7]. This suggests the presence of widespread subsurface ice deposits.
3. **Ice Depth Estimates:** Ice depth estimates at Arcadia Planitia vary, with SWIM data indicating depths of 1-5 m [Source 3], while SHARAD radar detections suggest depths of up to 20-40 m [Source 7]. Fresh impact craters expose clean water ice at depths of 1-10 m [Source 7].
4. **ISRU Implications:** The presence of subsurface water ice at Arcadia Planitia has significant implications for In-Situ Resource Utilization (ISRU) and human exploration. The ice can be used as a resource for life support, propulsion, and other purposes, making Arcadia Planitia a potential landing site for future Mars missions [Source 2, Source 6].

Overall, the data suggest that Arcadia Planitia is a region with significant subsurface water ice deposits, which can be utilized for future human exploration and ISRU purposes. However, further studies are needed to refine the estimates of ice depth and distribution. [Source 1, Source 2, Source 3, Source 7]

Sources: `marlab://knowledge/sharad`, `/disk1/cspark/MarsLab/knowledge/mars_arcadia_planitia.md`, `/disk1/cspark/MarsLab/knowledge/mars_ice_science.md`

Scientific Context — Landing Suitability

Based on the provided context, Arcadia Planitia (lat 49.0°N, elev -4043m) is considered a prime candidate for the first human Mars landing site [Source 1]. The region offers a combination of accessible ice, adequate solar power, and favorable Entry, Descent, and Landing (EDL) conditions, particularly in the southern portion (~40–50°N) [Source 1].

The terrain in Arcadia Planitia is characterized as smooth volcanic plains with periglacial modification [Source 1]. However, the region may require extended traverse capability [Source 2], which could pose a challenge for landing site selection and mission planning.

Geological hazards in the region are not explicitly mentioned in the context, but the presence of near-surface ice deposits and surface composition are considered important factors in the analysis [Source 3]. The region's subsurface structure and ice deposits have been studied using remote sensing data and radar sounding [Source 7], which can inform the assessment of geological hazards.

The scientific value of Arcadia Planitia is high, with opportunities for terrain characterization, landing site selection, and resource utilization planning [Source 4]. The region's geological history and potential resources can be studied using spectral and geological analyses, as well as morphological studies [Source 5, Source 6].

Overall, Arcadia Planitia appears to be a promising landing site for human missions to Mars, offering a unique combination of scientific value, accessible resources, and relatively favorable EDL conditions.

However, further analysis is needed to fully assess the region's terrain, geological hazards, and EDL constraints [Source 2, Source 7].

References:

[Source 1] mars_arcadia_planitia

[Source 2] critique_log

[Source 3] evidence_pack

[Source 4] 2026-03-02_summary

[Source 5] 2026-03-02_summary

[Source 6] 2026-03-02_summary

[Source 7] 2026-03-02

Sources: /disk1/cspark/MarsLab/knowledge/mars_arcadia_planitia.md, /disk1/cspark/MarsLab/backend/agent_reports/84340e1c/critiqu, /disk1/cspark/MarsLab/backend/agent_reports/84340e1c/evidenc

#2 — Utopia Planitia (B, 75.2/100)

Location: 43.05°N, 118.38°E | **Elevation:** -4828m MOLA

Landing Site Scorer (4 Seasons)

- Average: **89.5/100** | Worst: 80.5 | Best: 94.7
- Grades: Ls=0°: A, Ls=90°: A, Ls=180°: A, Ls=270°: A

Category	Score	Weight	Assessment
terrain	1.000	0.20	Excellent terrain: -4828m elevation, 0.6° slope
climate	0.836	0.25	T_mean=182.7K (-90.4°C), P=636Pa
dust	1.000	0.15	Moderate dust ($\tau=0.30$) — acceptable
wind	0.934	0.15	Wind 5.7 m/s — moderate
frost	0.768	0.10	Occasional frost (12%) — manageable
science_value	0.900	0.15	Science value: high

SWIM Ice Consistency

- **Average:** 0.434
- 0-1m: 0.372
- 1-5m: 0.429
- 5m+: 0.500

ISRU Accessibility

- **Composite:** 0.852 (confidence: medium)
- Excavation: 0.714 | Landing: 0.989

Climate Resilience (12-Point Annual)

- **Score:** 0.811
- Temperature: 148–219 K (-125–54 °C)
- Peak dust τ : 0.40 | Peak wind: 6.8 m/s | Frost months: 0/12

Scientific Context — Ice & ISRU

According to the provided context, subsurface water ice at Utopia Planitia is a significant resource for future Mars exploration. Key findings include:

1. **SHARAD radar detections:** SHARAD radar soundings have directly detected subsurface water ice deposits in Utopia Planitia [Source 1, Source 3, Source 5, Source 6]. These deposits are thought to be a result of pore-filling and excess ice formation [Source 6].
2. **SWIM data:** The Subsurface Water Ice Mapping (SWIM) project, which combines SHARAD data with thermal, neutron, and geomorphic evidence, has mapped ice accessibility in Utopia Planitia [Source 1, Source 4]. SWIM data indicate a high ice consistency (0.92) and an estimated ice depth of ~1.8 m in Utopia Planitia [Source 4].
3. **Ice depth estimates:** Radar sounding data and morphological analysis suggest that subsurface ice deposits in Utopia Planitia extend to depths of 20-40 m [Source 7]. However, SWIM data estimate ice depths in Utopia Planitia to be around 1-5 m [Source 4].
4. **ISRU implications:** The presence of subsurface water ice in Utopia Planitia has significant implications for In-Situ Resource Utilization (ISRU) and human exploration. The ice deposits could provide a source of water for life support, propulsion, and other purposes [Source 1, Source 2].

Overall, the data suggest that Utopia Planitia is a promising location for accessing subsurface water ice, which could support future human missions to Mars. However, further research is needed to fully characterize the extent, depth, and accessibility of these ice deposits.

Sources: `mar slab://knowledge/sharad`, `mar slab://knowledge/water_ice`, `/disk1/cspark/MarsLab/backend/mars_research/2026-03-02.json`

Scientific Context — Landing Suitability

Based on the provided context, Utopia Planitia (lat 43.0°N, elev -4828m) appears to be a potential Mars landing site for human missions. Here's an analysis of the site considering terrain, EDL constraints, geological hazards, and scientific value:

Terrain: The terrain in Utopia Planitia is characterized as a broad, low-relief plain [Source 6]. This suggests a relatively flat and smooth surface, which could be beneficial for landing and surface operations.

EDL Constraints: The southern portion of Arcadia Planitia (~40–50°N) is considered a primary zone of human landing site interest due to favorable EDL conditions [Source 6]. Although Utopia Planitia is a different region, its low elevation (-4828m) might pose some challenges for EDL. However, the context does not provide specific information on EDL constraints for Utopia Planitia.

Geological Hazards: The context does not explicitly mention geological hazards in Utopia Planitia. However, the region has been studied for its geological history and potential resources [Source 1, Source 2, Source 3,

Source 4]. The presence of water ice deposits in Utopia Planitia has been detected and characterized [Source 8], which could be both a resource and a potential hazard.

Scientific Value: Utopia Planitia has significant scientific value due to its geological history and potential resources [Source 1, Source 2, Source 3, Source 4]. The region has been studied for its geologic mapping and characterization, which provides insights into the Martian geology and potential biosignatures [Source 1].

In conclusion, Utopia Planitia appears to be a potential Mars landing site for human missions, considering its relatively flat terrain and scientific value. However, more information is needed to fully assess the site's suitability, particularly regarding EDL constraints and geological hazards. Further studies are required to determine the site's feasibility for human missions.

References:

[Source 1]

[Source 2]

[Source 3]

[Source 4]

[Source 6]

[Source 8]

Sources: `/disk1/cspark/MarsLab/backend/mars_research/2026-03-02_summa,` `/disk1/cspark/MarsLab/backend/mars_research/2026-03-02.json,` `/disk1/cspark/MarsLab/knowledge/mars_arcadia_planitia.md`

#3 — Acidalia Planitia (B, 74.3/100)

Location: 41.72°N, -19.35°E | **Elevation:** -4594m MOLA

Landing Site Scorer (4 Seasons)

- Average: **89.6/100** | Worst: 80.4 | Best: 94.6
- Grades: Ls=0°: A, Ls=90°: A, Ls=180°: A, Ls=270°: A

Category	Score	Weight	Assessment
terrain	1.000	0.20	Excellent terrain: -4594m elevation, 0.8° slope
climate	0.837	0.25	T_mean=182.7K (-90.4°C), P=636Pa
dust	1.000	0.15	Moderate dust ($\tau=0.31$) — acceptable
wind	0.944	0.15	Wind 5.6 m/s — moderate
frost	0.812	0.10	No significant frost risk
science_value	0.900	0.15	Science value: high

SWIM Ice Consistency

- **Average:** 0.391
- 0-1m: 0.243
- 1-5m: 0.429

- 5m+: 0.500

ISRU Accessibility

- **Composite:** 0.862 (confidence: medium)
- Excavation: 0.738 | Landing: 0.986

Climate Resilience (12-Point Annual)

- **Score:** 0.810
- Temperature: 148–220 K (-125–54 °C)
- Peak dust τ : 0.40 | Peak wind: 6.7 m/s | Frost months: 0/12

Scientific Context — Ice & ISRU

Based on the provided context, there is limited information specifically about Acidalia Planitia. However, I can provide some general information about subsurface water ice on Mars and the methods used to detect it, which might be relevant to Acidalia Planitia.

According to [Source 1], SHARAD radar has detected massive subsurface water ice deposits in Arcadia Planitia and Utopia Planitia, but there is no mention of Acidalia Planitia. [Source 2] discusses various detection methods for subsurface water ice, including SHARAD/MARSIS radar, neutron spectroscopy, thermal inertia, and geomorphology, but does not provide specific information about Acidalia Planitia.

The SWIM project, mentioned in [Source 3], integrated five datasets to map subsurface water ice distribution, including thermal inertia, epithermal neutron flux, radar dielectric properties, radar geomorphology, and surface geomorphology. However, the context does not provide specific SWIM data for Acidalia Planitia.

[Source 4] mentions that SHARAD radar has detected widespread subsurface reflectors consistent with an ice table at shallow depths, but does not provide specific information about Acidalia Planitia. [Source 6] discusses subsurface water ice deposits in Utopia Planitia, but not Acidalia Planitia.

Regarding ISRU (In-Situ Resource Utilization) implications for human exploration, [Source 7] mentions that SHARAD subsurface reflector detections are promising but have caveats, and depth estimates use assumed dielectric constants, which is a non-physical fallback.

In summary, based on the provided context, there is no specific information about subsurface water ice at Acidalia Planitia, including SWIM data, SHARAD radar detections, ice depth estimates, or ISRU implications for human exploration. More targeted research or data would be needed to address these questions.

Sources: marslab://knowledge/sharad, marslab://knowledge/water_ice, /disk1/cspark/MarsLab/knowledge/mars_ice_science.md

Scientific Context — Landing Suitability

Based on the provided context, there is no information available about Acidalia Planitia as a potential Mars landing site. The context primarily focuses on Arcadia Planitia, Elysium Planitia, and Utopia Planitia, but does not mention Acidalia Planitia.

Therefore, it is not possible to analyze Acidalia Planitia as a potential Mars landing site using the provided context. To conduct a thorough analysis, additional information about Acidalia Planitia's terrain, EDL

constraints, geological hazards, and scientific value would be required [Source 1-8 do not provide relevant information].

Sources: /disk1/cspark/MarsLab/knowledge/mars_arcadia_planitia.md, /disk1/cspark/MarsLab/backend/mars_research/2026-03-02_summa, /disk1/cspark/MarsLab/backend/mars_research/2026-03-02.json

#4 — Viking 2 Site (B, 70.6/100)

Location: 47.50°N, -132.50°E | **Elevation:** -2184m MOLA

Landing Site Scorer (4 Seasons)

- Average: **89.6/100** | Worst: 79.9 | Best: 94.8
- Grades: Ls=0°: A, Ls=90°: A, Ls=180°: A, Ls=270°: B

Category	Score	Weight	Assessment
terrain	1.000	0.20	Excellent terrain: -2184m elevation, 0.2° slope
climate	0.831	0.25	T_mean=182.3K (-90.9°C), P=636Pa
dust	1.000	0.15	Moderate dust ($\tau=0.31$) — acceptable
wind	0.951	0.15	Wind 5.5 m/s — moderate
frost	0.813	0.10	No significant frost risk
science_value	0.900	0.15	Science value: high

SWIM Ice Consistency

- **Average:** 0.388
- 0-1m: 0.234
- 1-5m: 0.429
- 5m+: 0.500

ISRU Accessibility

- **Composite:** 0.729 (confidence: medium)
- Excavation: 0.464 | Landing: 0.994

Climate Resilience (12-Point Annual)

- **Score:** 0.802
- Temperature: 148–223 K (-125—51 °C)
- Peak dust τ : 0.40 | Peak wind: 6.7 m/s | Frost months: 0/12

Scientific Context — Ice & ISRU

Based on the provided context, there is no specific information about subsurface water ice at the Viking 2 Site. However, I can provide general information about subsurface water ice on Mars, which might be relevant.

The SWIM (Subsurface Water Ice Mapping) project has integrated various datasets, including SHARAD radar, thermal, neutron, and geomorphic data, to map subsurface water ice distribution on Mars [Source 1, 5, 7]. The project has found extensive buried ice across mid-latitudes (30°–60° N/S), with ice depths categorized as 0–1 m, 1–5 m, and >5 m [Source 7].

SHARAD radar has detected widespread subsurface reflectors consistent with an ice table at shallow depths [Source 3]. The radar has also detected subsurface ice deposits extending to depths of 20-40m [Source 3, 4]. Fresh impact craters have exposed clean water ice at depths of 1-10m [Source 3, 4].

The ice depth estimates from the SWIM project suggest that Arcadia Planitia and Utopia Planitia have ice depths of 1-5 m and ~1.8 m, respectively [Source 7]. These regions have high ice consistency, making them potential targets for In-Situ Resource Utilization (ISRU) for human exploration.

Although there is no specific information about the Viking 2 Site, the SWIM data and SHARAD radar detections suggest that mid-latitudes on Mars have extensive subsurface water ice deposits, which could be accessible for future human missions. However, more targeted studies would be required to determine the subsurface water ice distribution and ice depth estimates at the Viking 2 Site.

Sources: marslab://knowledge/sharad, marslab://knowledge/water_ice, /disk1/cspark/MarsLab/backend/agent_reports/84340e1c/evidenc

Scientific Context — Landing Suitability

Based on the provided context, there is limited information available to analyze the Viking 2 site as a potential Mars landing site for human missions. However, I can provide some general insights and observations.

The Viking 2 landing site is located at a latitude of 47.5°N and an elevation of -2184m. [Source 1] mentions the geology of central Chryse Planitia and the Viking 1 landing site, but it does not provide specific information about the Viking 2 site.

Considering the terrain, EDL (Entry, Descent, and Landing) constraints, and geological hazards, it is essential to evaluate the site's topography, slope, and roughness. Unfortunately, the provided context does not contain sufficient information to assess these factors for the Viking 2 site.

Regarding scientific value, the Viking 2 site may offer opportunities for exploring the Martian geology and potential resources. However, without more specific information about the site's geological characteristics, it is challenging to determine its scientific value.

In conclusion, based on the provided context, it is not possible to conduct a comprehensive analysis of the Viking 2 site as a potential Mars landing site for human missions. More detailed information about the site's terrain, geological hazards, and scientific value would be required to make an informed assessment.

It is worth noting that the context provides information about other landing sites, such as those in Utopia Planitia [Source 2, Source 6] and Isidis Planitia [Source 4, Source 8], which may be relevant for landing site selection and resource utilization planning. However, these sites are not directly related to the Viking 2 site.

Sources: /disk1/cspark/MarsLab/backend/mars_research/2026-03-02_summa, /disk1/cspark/MarsLab/backend/mars_research/2026-03-02.json, https://pds-imaging.jpl.nasa.gov/portal/mars2020_mission.htm

#5 — Chryse Planitia (C, 61.0/100)

Location: 27.23°N, -40.42°E | **Elevation:** -3909m MOLA

Landing Site Scorer (4 Seasons)

- Average: **89.0/100** | Worst: 82.4 | Best: 91.2
- Grades: Ls=0°: A, Ls=90°: A, Ls=180°: A, Ls=270°: A

Category	Score	Weight	Assessment
terrain	1.000	0.20	Excellent terrain: -3909m elevation, 1.1° slope
climate	0.938	0.25	T_mean=197.3K (-75.9°C), P=636Pa
dust	1.000	0.15	Moderate dust ($\tau=0.34$) — acceptable
wind	0.933	0.15	Wind 5.7 m/s — moderate
frost	0.817	0.10	No significant frost risk
science_value	0.700	0.15	Science value: high

SWIM Ice Consistency

- **Average:** 0.000
- 0-1m: 0.000
- 1-5m: 0.000
- 5m+: 0.000

ISRU Accessibility

- **Composite:** 0.875 (confidence: medium)
- Excavation: 0.776 | Landing: 0.974

Climate Resilience (12-Point Annual)

- **Score:** 0.734
- Temperature: 156–240 K (-117–34 °C)
- Peak dust τ : 0.72 | Peak wind: 7.0 m/s | Frost months: 0/12

Scientific Context — Ice & ISRU

Based on the provided context, there is no specific information about subsurface water ice at Chryse Planitia. The context primarily discusses subsurface water ice deposits in regions such as Arcadia Planitia, Utopia Planitia, and the polar caps, but does not mention Chryse Planitia.

However, the context does provide general information about the detection methods and datasets used to study subsurface water ice on Mars, including SHARAD radar, SWIM (Subsurface Water Ice Mapping) project, and other datasets. It also discusses the implications of subsurface water ice for future human exploration and In-Situ Resource Utilization (ISRU).

If we were to extrapolate the methods and findings from other regions to Chryse Planitia, we could potentially use SHARAD radar and SWIM data to search for subsurface water ice deposits in this region. However, without specific data or studies focused on Chryse Planitia, we cannot make any conclusive statements about the presence, depth, or extent of subsurface water ice in this region.

In summary, the context does not provide sufficient information to answer the question about subsurface water ice at Chryse Planitia. [Source 1-8] do not mention Chryse Planitia, and therefore, we cannot provide a definitive answer to this question based on the provided context.

Sources: marslab://knowledge/sharad, marslab://knowledge/water_ice, /disk1/cspark/MarsLab/knowledge/mars_ice_science.md

Scientific Context — Landing Suitability

Based on the provided context, Chryse Planitia is a potential landing site for Mars missions, but its suitability for human missions is not explicitly evaluated. However, we can analyze the available information to assess its potential.

Terrain and EDL constraints: The context does not provide specific information on the terrain and EDL (Entry, Descent, and Landing) constraints of Chryse Planitia. However, it is mentioned that the study provides insights into the geological history and potential resources of Chryse Planitia, which can be used for landing site selection and resource utilization planning [Source 1, Source 2, Source 4].

Geological hazards: The context does not explicitly mention geological hazards associated with Chryse Planitia. However, the study provides a geologic mapping and characterization of central Chryse Planitia and the Viking 1 landing site, which may help identify potential hazards [Source 3, Source 5].

Scientific value: Chryse Planitia has significant scientific value, as it provides insights into the geological history and potential resources of the region [Source 1, Source 2, Source 4]. The study of Chryse Planitia can help understand the Martian surface processes and potential resources, which is essential for planning and executing future Mars missions [Source 6].

In comparison to Arcadia Planitia, which is considered a prime candidate for the first human Mars landing [Source 8], Chryse Planitia has a lower elevation (-3909m) and is located at a lower latitude (27.2°N). However, the context does not provide a direct comparison of the two regions in terms of terrain, EDL constraints, geological hazards, and scientific value.

In conclusion, while Chryse Planitia has significant scientific value and provides insights into the geological history and potential resources of the region, its suitability as a landing site for human missions is not fully evaluated in the provided context. Further analysis of the terrain, EDL constraints, and geological hazards is necessary to determine its potential as a landing site for human missions.

Sources: /disk1/cspark/MarsLab/backend/mars_research/2026-03-02_summa, /disk1/cspark/MarsLab/backend/mars_research/2026-03-02.json, /disk1/cspark/MarsLab/backend/mars_research/2026-02-26.json

References

1. Golombek et al. (2021) — *SpaceX Starship Landing Sites on Mars*, LPSC 52, Abstract #2420. [PDF](#)
 2. Morgan et al. (2021) — *Availability of subsurface water-ice resources in the northern mid-latitudes of Mars*, *Nature Astronomy* 5, 230–236
 3. Morgan et al. (2025) — *Refined Mapping of Subsurface Water Ice on Mars*, *PSJ* 6(2):29. [DOI](#)
 4. Baker et al. (2024) — *International Mars Ice Mapper Phase 2*, LPSC 2024, Abstract 2506
 5. Stuurman et al. (2016) — *SHARAD detection of widespread subsurface ice in Utopia Planitia*, *GRL* 43
 6. Plaut et al. (2009) — *Radar evidence for ice in lobate debris aprons in the mid-northern latitudes of Mars*, *GRL* 36
 7. Bramson et al. (2015) — *Widespread excess ice in Arcadia Planitia*, *GRL* 42
 8. NASA DRA 5.0 — *Human Exploration of Mars Design Reference Architecture*
 9. Bussey & Hoffman (2016) — *Human Mars Landing Site and Impacts on Mars Surface Operations*, NASA NTRS
 10. Luzzi et al. (2025) — *Geomorphological evidence of near-surface ice at candidate landing sites in northern Amazonis Planitia, Mars*, *JGR Planets* 130(5). [DOI](#)
 11. Hibbard, Williams, Golombek et al. (2021) — *Evidence for widespread glaciation in Arcadia Planitia*, *Icarus* 359
-

Generated by MarsLab Integration Pipeline v2.0. Phase 1: `landing_site_analysis.py` (55→25 candidates). Phase 2: `arcadia_refinement.py` (493-point 0.5° grid). SpaceX comparison sourced from Golombek et al. (2021) and HiRISE candidate site catalog.