
Paid, but nothing arrived

The agent that finds the broken link

Track 02 — The Agent That Can Explain Why · Team MoaHub (solo)

> Your customer already has proof they paid. This agent finds yours.

How it works, in one picture



The problem, the user

- Who: a one-person or small online seller of digital goods, credits, subscriptions. No support team.
- The message: **"I paid, but nothing arrived."**
- Slow answer → card dispute, *product not received*. The customer holds the proof (their bank's payment text). The seller has to find theirs.

Today: four screens, by hand

Payment-provider dashboard · orders database · server logs · mail provider

Same question asked four times, lined up by eye. We did this ourselves while auditing our own checkout.

The solution: one chain, one broken link

```
card authorized → payment provider paid → order confirmed → credits granted → mail delivered
```

Every link is green up to the one that broke. Click the link → the raw row that proves it.

Then: reply draft · fix (needs approval) · dispute evidence bundle.

Agent workflow

1. locate the order (email / order id)
2. `order_journey` — one read-only SQL statement to Zetaris, joining five tables across three datasources
3. deterministic verifier: each link green / red / grey, with refs
4. Nemotron (via Nightshift) explains and drafts the reply; the fix comes from the verifier
5. citation + claim check: the explanation may cite only returned `ref`s, and every amount, record id, email domain and payment, credit or mail status in each sentence must match the rows it cites (on unseen sentences from a separate model: 32/40 wrong caught) — or it is replaced by the verifier's text

Technical stack

Python 3.12 · FastAPI · Zetaris (JDBC driver, unified semantic layer) · Meterless Nightshift · NVIDIA Nemotron 3.5 Lightning · DuckDB (tests) · built with Cursor (project rules in `.cursor/rules`)

How Zetaris was used

- Three datasources: shop app DB (`demo_pg`), payment-provider ledger (`psp_pg`), mail-provider events (`mail_pg`), joined in the semantic layer `order_journey` ; the agent reads an order's whole history with one query, and the page shows it.
- The agent sends SQL only. Nothing is copied. Every row carries `table:key` .
- Same SQL on DuckDB for tests; backend name printed on every result.

Zetaris: the same query, in Zetaris

```sql
-- the agent's journey query: three datasources, one semantic layer, one SQL statement
SELECT DISTINCT o.order_id, o.email AS order_email, p.customer_email AS payer, p.status AS psp,
                g.email AS credits_to, m.event AS mail, m.to_address AS mail_to
FROM lightning.metastore.demo.order_journey.orders o
LEFT JOIN lightning.metastore.demo.order_journey.payments p ON p.payment_id = o.payment_id
LEFT JOIN lightning.metastore.demo.order_journey.grants g ON g.order_id = o.order_id
LEFT JOIN lightning.metastore.demo.order_journey.server_logs l ON l.order_id = o.order_id
LEFT JOIN lightning.metastore.demo.order_journey.mail_events m ON m.order_tag = o.order_id
WHERE o.order_id = 'ord_0906'
```

Execute (Ctrl+Enter)


order_id	order_email	payer	psp	credits_to	mail	mail_to
ord_0906	liam.patel906@exmaple.com	liam.patel906@example.com	PAID	liam.patel906@exmaple.com	sent	liam.patel906@exmaple.com
ord_0906	liam.patel906@exmaple.com	liam.patel906@example.com	PAID	liam.patel906@exmaple.com	bounced	liam.patel906@exmaple.com

The agent's journey query in Zetaris's SQL Workspace: three datasources, one statement — order under `exmaple.com`, payer `example.com`, mail sent then bounced.

How Meterless + NVIDIA were used


- Every model call goes through Nightshift on the Mac: a Nemotron lane (NVIDIA's hosted endpoint in the demo), a receipt for every answer. Addresses are masked and card digits removed before the model sees rows.
- Nemotron explains and drafts; it never decides the verdict.
- Measured on Zetaris (three datasources), six runs: right order and link 6/6 every run; final code: loop named the order 6/6, every returned explanation passed the sentence check (5/5); cross-customer probe blocked every run; claim check on unseen sentences: 32/40 wrong caught, 2/20 true wrongly rejected; 24 automated tests.

Product



Case 6, live through Zetaris: paid with one address, the order was saved under a typo (exmaple.com). Two red links, each with the rows that prove it; the reply asks the customer to confirm, the fix waits for approval.

Product — when nothing is broken



Case 5: grey chain, "You were never charged." The message also quoted another customer's order (ord_0903): not read, and the page says so. All data synthetic.

What's next

- Real payment-provider connectors (Stripe, PortOne) and mail providers as Zetaris REST sources
- Screenshot reading (receipt / card SMS) with a local vision model
- Installable edition for sellers; full Korean text for chain notes and fixes