✓ DevOps user group created.   [View group] ✕

User groups (2) Info
A user group is a collection of IAM users. Use groups to specify permissions for a collection of users.

[↻] [Delete] [**Create group**]

🔍 Search   ‹ 1 ›   ⚙

☐	Group name ▲	Users ▽	Permissions ▽	Creation time ▽
☐	Developers	⚠ 0	⚠ Not defined	Now
☐	DevOps	⚠ 0	⚠ Not defined	Now

User groups ❯ Developers   ⓘ ⊛

| Users | **Permissions** | Access Advisor |

Permissions policies (2) Info
You can attach up to 10 managed policies.

[↻] [Simulate ↗] [Remove] [Add permissions ▼]

Filter by Type

🔍 Search   All types ▼   ‹ 1 ›   ⚙

☐	Policy name ↗ ▲	Type ▽	Attached entities ▽
☐ ⊞ 📦	AmazonEC2ReadOnlyAccess	AWS managed	1
☐ ⊞ 📦	AmazonS3FullAccess	AWS managed	2

DevOps   ⓘ ⊛

| Users | **Permissions** | Access Advisor |

Permissions policies (2) Info
You can attach up to 10 managed policies.

[↻] [Simulate ↗] [Remove] [Add permissions ▼]

Filter by Type

🔍 Search   All types ▼   ‹ 1 ›   ⚙

☐	Policy name ↗ ▲	Type ▽	Attached entities ▽
☐ ⊞ 📦	AmazonEC2FullAccess	AWS managed	1
☐ ⊞ 📦	AmazonS3FullAccess	AWS managed	2

Users (3) Info

An IAM user is an identity with long-term credentials that is used to interact with AWS in an account.

Delete | Create user

	User name ▲	Path ▽	Group: ▽	Last activity ▽	MFA ▽	Password age ▽
☐	Alice	/	1	-	-	⊘ 2 minutes
☐	Bob	/	1	-	-	⊘ 1 minute
☐	Charlie	/	1	-	-	⊘ Now

< 1 >

Alice

General purpose buckets (1) Info

Buckets are containers for data stored in S3.

Copy ARN | Empty | Delete | Create bucket

< 1 >

	Name ▲	AWS Region ▽	Creation date ▽
○	11demobucket11	US East (N. Virginia) us-east-1	February 3, 2026, 17:26:16 (UTC+03:00)

▶ Account snapshot Info

View dashboard

Updated daily

Storage Lens provides visibility into storage usage and activity trends.

▶ External access summary Info

Updated daily

External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

Alice

Instances Info

Last updated less than a minute ago

Connect | Instance state ▼ | Actions ▼ | Launch instances ▼

All states ▼

< 1 >

	Name ✏ ▽	Instance ID	Instance state ▽	Instance type ▽	Status check	Alarm status

No instances

You do not have any instances in this region

Launch instances

Select an instance

☰ EC2 › Instances › Launch an instance ⓘ 🖥 ◎

⊗ **Instance launch failed** 🔷 **Diagnose with Amazon Q**

You are not authorized to perform this operation. User: arn:aws:iam::341920718143:user/Alice is not authorized to perform: ec2:CreateSecurityGroup on resource: arn:aws:ec2:us-east-1:341920718143:vpc/vpc-03a55cdaa9a8040a3 because no identity-based policy allows the ec2:CreateSecurityGroup action. Encoded authorization failure message:

21xqP9AtiLunz_pOmcS5X77s8W0pWlu1_7p4bCrDMfDknDX7lrzUcyXvp5J-SFn13rRqWVg2ODKjh7uA-
U5ru5QsL5deyQb6QIY5Camsn9BHl01j9wWs1eB3aDySa4NTamFvXlVwH2sz9VFouR3FstEPVuO0q4AyqWyj_chPHrXdBa93DAsouEYdPzdHZrm77
Xt79_BSQIwo3l43jWQk_oYXPa6dqzdHkcEY9gqUYs-
a_9eWXYBjdYX1J6xqeb7Cca67aFojbRSjz0HZ6qPFj629CC_K2ij_MwvVY9wVuL0mz3FiPQb_YZwYtnHE6iywJmUe2rIQzy1_rS7fks6kDhR76oPSp2x
ouNa7og3T0A0eBWtJl7Tdl8ifmdGa-BNkz7PR8n5Ghv2I6gwk-
6YAjsJwwhGbekUrq3LyJykYfx7Woe4aProEYF1rG9M4lyGwy6GINSbnXi77Cli6cqBlei45uVKiz_b-
_iL7mD1kS2WK7xS0Rhj27sp867X1f_ZkRuDRrg7TrUMFS87vWcbucml-6ybM5QwLvymLLct10gh9Qg0YOBFXNA

▼ **Launch log**

Initializing requests	⊘ Succeeded
Creating security groups	⊗ Failed

☰ Amazon S3 › Buckets ⓘ 🗗 ◎

⊘ **Successfully created bucket "1lala1"** **View details** ✕
To upload files and folders, or to configure additional bucket settings, choose **View details**.

General purpose buckets (2) Info

🔄 | 🗐 Copy ARN | Empty | Delete | **Create bucket**

Buckets are containers for data stored in S3.

🔍 Find buckets by name ‹ **1** › ⚙

	Name ▲	AWS Region ▽	Creation date ▽
◯	1lala1	Europe (Stockholm) eu-north-1	February 3, 2026, 17:45:51 (UTC+03:00)

Updated daily

View dashboard

Storage Lens provides visibility into storage usage and activity trends.

▶ **External access summary** Info

Updated daily

External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

☰ EC2 › Instances › Launch an instance ⓘ 🖥 ◎

⊗ **Instance launch failed** 🔷 **Diagnose with Amazon Q**

You are not authorized to perform this operation. User: arn:aws:iam::341920718143:user/Bob is not authorized to perform: ec2:CreateSecurityGroup on resource: arn:aws:ec2:eu-north-1:341920718143:vpc/vpc-0bec9e063104c52ae because no identity-based policy allows the ec2:CreateSecurityGroup action. Encoded authorization failure message:

HQDUWqyh0Gq1prxI3tszqE79KUpHmoPa0q0b05ZU0g2kRvz97RdvaBy8Kt9NXKuY8kvMWbhbP3xjdgjPO8SqBaAQ7Yq-1szYctYQGqlYXuB-
eRTquDDgSw4-oLMH0-Jqwf_xpJXU3KVSY6Miv0MLYZHunjuB7Qgj-x9qVc-uraDzjDbDMjm497-YH00owvCZaQHLJivTREju6Mt4gZlRUpscyS-
7RkmusHUatPK99yr1veekF_gh3cYxusbDVxHy5w2M03-
LfZzb06mv1fG_CABW8jFE7cdhhfYr_VYMW4dfxUxzUG5ck_WVrj1p7BQvIgzM4nsodQohEMxB-
ptFmBOCpDbct3EIsBs1C462vhHWx778WrfHPwm4ACC7LtpjYyEZ-zA07L9SXexskWjKlSCxAlh_e7-
5UZIbKL5NWkeJIa6ahrKyqsIK8aMK3lSg1VFnPr0NqVuQI4FIthVxJcRVDr0oX1HQLGeC84bRoKZuoYGW1ufvpq1d_DJRk3g8pYabJ9bC_8ajDdIoAA3
33eSHJb6FWGJZgbr0i6tNKco8C-tEZit4NEhVroc

▼ **Launch log**

Initializing requests	⊘ Succeeded
Creating security groups	⊗ Failed

Q Search [Alt+S]

Europe (Stockholm) ▼

☰ Amazon S3 > Buckets ⓘ

✓ Successfully created bucket "1laytla1"
To upload files and folders, or to configure additional bucket settings, choose **View details**.

View details ✕

General purpose buckets [All AWS Regions]   Directory buckets

General purpose buckets (3) Info
⟳ Copy ARN   Empty   Delete   Create bucket
Buckets are containers for data stored in S3.

🔍 Find buckets by name   ‹ 1 › ⚙

◉	Name ▲	AWS Region ▽	Creation date ▽
○	11demobucket11	US East (N. Virginia) us-east-1	February 3, 2026, 17:26:16 (UTC+03:00)
○	1lala1	Europe (Stockholm) eu-north-1	February 3, 2026, 17:45:51 (UTC+03:00)

▶ **Account snapshot** Info
[Updated daily]
View dashboard
Storage Lens provides visibility into storage usage and activity trends.

▶ **External access summary** Info
[Updated daily]
External access findings help you identify bucket

Q Search [Alt+S]

Europe (Stockholm) ▼

☰ EC2 > Instances > Launch an instance ⓘ

✓ Success
Successfully initiated launch of instance (i-057347ba104b9c1c8)

▶ **Launch log**

Next Steps

🔍 What would you like to do next with this instance, for example "create alarm" or "create backup"

‹ 1 2 3 4 5 6 ›

Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for

Connect to your instance
Once your instance is running, log into it from your local computer.

Connect an RDS database
Configure the connection between an EC2 instance and a database to allow

Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of

---

[Alt+S] ⟳

Account ID: 3419-2071-8143 ▼

United States (N. Virginia) ▼

Bob

dev-bucket1 ⓘ

Objects   Metadata   Properties   Permissions   Metrics   Management   Access Points

Objects

⟳ Copy S3 URI   Copy URL   ⬇ Download   Open ↗   Delete   Actions ▼
Create folder   ⬆ Upload

Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory ↗ to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more ↗

🔍 Find objects by prefix   ○ Show versions   ‹ 1 › ⚙

☐	Name ▲	Type	Last modified	Size	Storage class

⊗ **Insufficient permissions to list objects**   ⟳ Diagnose with Amazon Q
After you or your AWS administrator has updated your permissions to allow the s3:ListBucket action, refresh the page. Learn more about Identity and access management in Amazon S3 ↗

☰ Amazon S3 > Buckets > 1dev-bucket1 ⓘ ⊡ ⟳

1dev-bucket1 Info

Objects | Metadata | Properties | Permissions | Metrics | Management | Access Points

Objects (0) ⟳   ⧉ Copy S3 URI   ⧉ Copy URL   ⬇ Download   Open ↗   Delete   Actions ▼   Create folder   ⬆ Upload

Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory ↗ to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more ↗

🔍 Find objects by prefix   ◯ Show versions   ‹ 1 › ⚙

☐	Name ▲	Type ▽	Last modified ▽	Size ▽	Storage class ▽

No objects
You don't have any objects in this bucket.

⬆ Upload

☰ Amazon S3 > Buckets > 1dev-bucket1 ⊡ ⟳

1dev-bucket1

Objects | Metadata | Properties | Permissions | Metrics | **Management** | Access Points

⊗ **You don't have permission to view the lifecycle configuration**   🔍 Diagnose with Amazon Q
You or your AWS admin must update your IAM permissions to allow `s3:GetLifecycleConfiguration`, and then try again. Learn more about Identity and access management in Amazon S3 ↗

▶ API response

⊗ **You don't have permission to view the replication configuration**   🔍 Diagnose with Amazon Q
You or your AWS admin must update your IAM permissions to allow `s3:GetReplicationConfiguration`, and then refresh the page to continue. Learn more about Identity and access management in Amazon S3 ↗

▶ API response

ⓘ ⟳

✓ **MFA device assigned**   ✕
You can register up to 8 MFA devices of any combination of the currently supported MFA types with your AWS account root and IAM user. With multiple MFA devices, you only need one MFA device to sign in to the AWS console or create a session through the AWS CLI with that user.

Alice Info   Delete

Summary

ARN
⧉ arn:aws:iam::341920718143:user/Alice

Created
February 03, 2026, 16:30 (UTC+03:00)

Console access
Enabled with MFA

Last console sign-in
✓ Today

Access key 1
Create access key