

# betaMC: Monte Carlo for Regression Effect Sizes

Ivan Jacob Agaloos Pesigan

## Description

Generates Monte Carlo confidence intervals for standardized regression coefficients (beta) and other effect sizes, including multiple correlation, semipartial correlations, improvement in R-squared, squared partial correlations, and differences in standardized regression coefficients, for models fitted by `lm()`. **betaMC** combines ideas from Monte Carlo confidence intervals for the indirect effect (Preacher & Selig, 2012) and the sampling covariance matrix of regression coefficients (Dudgeon, 2017) to generate confidence intervals effect sizes in regression.

## Installation

You can install the CRAN release of **betaMC** with:

```
install.packages("betaMC")
```

You can install the development version of **betaMC** from [GitHub](#) with:

```
if (!require("remotes")) install.packages("remotes")
remotes::install_github("jeksterslab/betaMC")
```

## More Information

See [GitHub Pages](#) for package documentation.

## References

- Dudgeon, P. (2017). Some improvements in confidence intervals for standardized regression coefficients. *Psychometrika*, 82(4), 928–951. <https://doi.org/10.1007/s11336-017-9563-z>
- Preacher, K. J., & Selig, J. P. (2012). Advantages of Monte Carlo confidence intervals for indirect effects. *Communication Methods and Measures*, 6(2), 77–98. <https://doi.org/10.1080/19312458.2012.679848>
- R Core Team. (2023). *R: A language and environment for statistical computing*. R Foundation for Statistical Computing. Vienna, Austria. <https://www.R-project.org/>