betaMC: Monte Carlo for Regression Effect Sizes

Ivan Jacob Agaloos Pesigan

Description

Generates Monte Carlo confidence intervals for standardized regression coefficients (beta) and other effect sizes, including multiple correlation, semipartial correlations, improvement in R-squared, squared partial correlations, and differences in standardized regression coefficients, for models fitted by lm(). betamc combines ideas from Monte Carlo confidence intervals for the indirect effect (Pesigan & Cheung, 2023) and the sampling covariance matrix of regression coefficients (Dudgeon,

2017) to generate confidence intervals effect sizes in regression.

Installation

You can install the CRAN release of betaMC with:

install.packages("betaMC")

You can install the development version of betaMC from GitHub with:

if (!require("remotes")) install.packages("remotes")
remotes::install_github("jeksterslab/betaMC")

More Information

See GitHub Pages for package documentation.

1

References

- Dudgeon, P. (2017). Some improvements in confidence intervals for standardized regression coefficients. *Psychometrika*, 82(4), 928–951. https://doi.org/10.1007/s11336-017-9563-z
- Pesigan, I. J. A., & Cheung, S. F. (2023). Monte Carlo confidence intervals for the indirect effect with missing data. *Behavior Research Methods*. https://doi.org/10.3758/s13428-023-02114-4
- R Core Team. (2023). R: A language and environment for statistical computing. R Foundation for Statistical Computing. Vienna, Austria. https://www.R-project.org/