betaSandwich: Staging

Ivan Jacob Agaloos Pesigan

Staging...

```
object <- lm(QUALITY ~ NARTIC + PCTGRT + PCTSUPP, data = nas1982)
```

```
BetaHC(object)
#> Call:
#> BetaHC(object = object)
#> Standardized regression slopes with HC3 standard errors:
                   se t p 0.05% 0.5% 2.5% 97.5% 99.5% 99.95%
#> NARTIC 0.4951 0.0786 6.3025 0.0000 0.2172 0.2832 0.3366 0.6537 0.7071 0.7731
#> PCTGRT 0.3915 0.0818 4.7831 0.0000 0.1019 0.1707 0.2263 0.5567 0.6123 0.6810
#> PCTSUPP 0.2632 0.0855 3.0786 0.0037 -0.0393 0.0325 0.0907 0.4358 0.4940 0.5658
BetaN(object)
#> Call:
#> BetaN(object = object)
#> Standardized regression slopes with MVN standard errors:
           est se t p 0.05% 0.5% 2.5% 97.5% 99.5% 99.95%
#> NARTIC 0.4951 0.0759 6.5272 0.000 0.2268 0.2905 0.3421 0.6482 0.6998 0.7635
#> PCTGRT 0.3915 0.0770 5.0824 0.000 0.1190 0.1837 0.2360 0.5469 0.5993 0.6640
#> PCTSUPP 0.2632 0.0747 3.5224 0.001 -0.0011 0.0616 0.1124 0.4141 0.4649 0.5276
BetaADF(object)
#> Call:
#> BetaADF(object = object)
#> Standardized regression slopes with ADF standard errors:
           est se t p 0.05% 0.5% 2.5% 97.5% 99.5% 99.95%
#> NARTIC 0.4951 0.0674 7.3490 0.0000 0.2568 0.3134 0.3592 0.6311 0.6769 0.7335
#> PCTGRT 0.3915 0.0710 5.5164 0.0000 0.1404 0.2000 0.2483 0.5347 0.5830 0.6426
#> PCTSUPP 0.2632 0.0769 3.4231 0.0014 -0.0088 0.0558 0.1081 0.4184 0.4707 0.5353
```

References

R Core Team. (2022). R: A language and environment for statistical computing. R Foundation for Statistical Computing. Vienna, Austria. https://www.R-project.org/