

fitCTVARMx: Internal Tests

Ivan Jacob Agaloos Pesigan

Tests

```
#> test-fitCTVARMx-fit-ct-var-id-mx-sigma-diag
#> Running CTVAR with 12 parameters
#>
#> Beginning initial fit attempt
#> Running CTVAR with 12 parameters
#>
#> Lowest minimum so far: -2707.31197426421
#>
#> Solution found
```

```
#>
#> Solution found! Final fit=-2707.312 (started at -2583.5637) (1 attempt(s): 1
valid, 0 errors)
#> Start values from best fit:
#> -0.545410808015616,0.655791704057053,-0.4319181053049,0.0684713570989829,-0.1952231790709,0.85913
#> Running CTVAR with 12 parameters
#>
#> Beginning initial fit attempt
#> Running CTVAR with 12 parameters
#>
#> Lowest minimum so far: -2726.62588111983
#>
#> Solution found
```

```
#>
#> Solution found! Final fit=-2726.6259 (started at -2584.9163) (1 attempt(s):
1 valid, 0 errors)
#> Start values from best fit:
#> -0.213900151770005,0.861186849501166,-0.405561461480421,-0.131907517647472,-0.523808720935904,0.8
#>
#> Means of the estimated paramaters per individual.
#>      phi_11      phi_21      phi_31      phi_12      phi_22      phi_32
#> -0.37965548  0.75848928 -0.41873978 -0.03171808 -0.35951595  0.86221607
```

```

#>      phi_13      phi_23      phi_33      sigma_11      sigma_22      sigma_33
#> 0.02195558 -0.08616503 -0.86629112 0.09721581 0.10211013 0.10053139
#>
#> Estimated paramaters per individual.
#>      phi_11      phi_21      phi_31      phi_12      phi_22      phi_32
#> [1,] -0.5454108 0.6557917 -0.4319181 0.06847136 -0.1952232 0.8591364
#> [2,] -0.2139002 0.8611868 -0.4055615 -0.13190752 -0.5238087 0.8652957
#>      phi_13      phi_23      phi_33      sigma_11      sigma_22      sigma_33
#> [1,] -0.05178730 -0.25075038 -0.7402852 0.10027176 0.10763468 0.09333226
#> [2,] 0.09569846 0.07842031 -0.9922970 0.09415987 0.09658558 0.10773053
#> Test passed

#> Running CTVAR with 12 parameters
#>
#> Beginning initial fit attempt
#> Running CTVAR with 12 parameters
#>
#> Lowest minimum so far: -2707.31197426421
#>
#> Solution found

```

```

#>
#> Solution found! Final fit=-2707.312 (started at -2692.6342) (1 attempt(s): 1
valid, 0 errors)
#> Start values from best fit:
#> -0.545410822968464,0.655791720204795,-0.431918099282865,0.0684713331800128,-0.195223149243982,0.8591364
#> Running CTVAR with 12 parameters
#>
#> Beginning initial fit attempt
#> Running CTVAR with 12 parameters
#>
#> Lowest minimum so far: -2726.62588111933
#>
#> Solution found

```

```

#>
#> Solution found! Final fit=-2726.6259 (started at -2715.8485) (1 attempt(s):
1 valid, 0 errors)
#> Start values from best fit:
#> -0.213900127082883,0.861186936784289,-0.405561515713572,-0.131907503993629,-0.523808771434401,0.8652957
#>
#> Means of the estimated paramaters per individual.
#>      phi_11      phi_21      phi_31      phi_12      phi_22      phi_32
#> -0.37965548 0.75848933 -0.41873981 -0.03171809 -0.35951596 0.86221611
#>      phi_13      phi_23      phi_33      sigma_11      sigma_22      sigma_33

```

```

#> 0.02195557 -0.08616504 -0.86629114 0.09721581 0.10211014 0.10053139
#>
#> Estimated paramaters per individual.
#>      phi_11    phi_21    phi_31    phi_12    phi_22    phi_32
#> [1,] -0.5454108 0.6557917 -0.4319181 0.06847133 -0.1952231 0.8591364
#> [2,] -0.2139001 0.8611869 -0.4055615 -0.13190750 -0.5238088 0.8652958
#>      phi_13    phi_23    phi_33    sigma_11    sigma_22    sigma_33
#> [1,] -0.05178729 -0.25075041 -0.7402852 0.10027176 0.10763469 0.09333226
#> [2,] 0.09569843 0.07842032 -0.9922971 0.09415987 0.09658559 0.10773052
#> Test passed

#> test-fitCTVARm-fit-ct-var-id-m-sigma-full
#> Running CTVAR with 15 parameters
#>
#> Beginning initial fit attempt
#> Running CTVAR with 15 parameters
#>
#> Lowest minimum so far: -2708.30352549539
#>
#> Solution found

```

```

#>
#> Solution found! Final fit=-2708.3035 (started at -2583.5637) (1 attempt(s):
1 valid, 0 errors)
#> Start values from best fit:
#> -0.534241206420914,0.62797339469317,-0.434553823990626,0.0533435092912926,-0.189553489184932,0.8
#> Running CTVAR with 15 parameters
#>
#> Beginning initial fit attempt
#> Running CTVAR with 15 parameters
#>
#> Lowest minimum so far: -2729.43541395449
#>
#> Solution found

```

```

#>
#> Solution found! Final fit=-2729.4354 (started at -2584.9163) (1 attempt(s):
1 valid, 0 errors)
#> Start values from best fit:
#> -0.205071078209191,0.88104367367791,-0.376750228145059,-0.147028539743142,-0.542917489941515,0.8
#>
#> Means of the estimated paramaters per individual.
#>      phi_11    phi_21    phi_31    phi_12    phi_22
#> -0.3696561423 0.7545085342 -0.4056520261 -0.0468425152 -0.3662354896
#>      phi_32    phi_13    phi_23    phi_33    sigma_11

```

```

#> 0.8612711545 0.0388481598 -0.0747622926 -0.8654204220 0.0971285185
#>      sigma_21      sigma_22      sigma_31      sigma_32      sigma_33
#> 0.0009342611 0.1021725684 -0.0035821148 -0.0026620320 0.1005236058
#>
#> Estimated paramaters per individual.
#>      phi_11  phi_21  phi_31  phi_12  phi_22  phi_32
#> [1,] -0.5342412 0.6279734 -0.4345538 0.05334351 -0.1895535 0.8656379
#> [2,] -0.2050711 0.8810437 -0.3767502 -0.14702854 -0.5429175 0.8569044
#>      phi_13  phi_23  phi_33  sigma_11  sigma_21  sigma_22
#> [1,] -0.04057728 -0.24885244 -0.7448651 0.10016898 0.004029849 0.10757830
#> [2,] 0.11827360 0.09932785 -0.9859757 0.09408806 -0.002161327 0.09676684
#>      sigma_31  sigma_32  sigma_33
#> [1,] -0.0005085985 -0.002368596 0.09337775
#> [2,] -0.0066556310 -0.002955468 0.10766946
#> Test passed

#> Running CTVAR with 15 parameters
#>
#> Beginning initial fit attempt
#> Running CTVAR with 15 parameters
#>
#> Lowest minimum so far: -2708.30352549542
#>
#> Solution found

```

```

#>
#> Solution found! Final fit=-2708.3035 (started at -2692.6342) (1 attempt(s):
1 valid, 0 errors)
#> Start values from best fit:
#> -0.534241439090794,0.627973836182731,-0.434554104324778,0.0533436206892379,-0.189553553245162,0.8656379,0.8569044,0.09676684,0.09337775,0.10766946,0.10016898,0.004029849,-0.7448651,-0.24885244,-0.04057728
#> Running CTVAR with 15 parameters
#>
#> Beginning initial fit attempt
#> Running CTVAR with 15 parameters
#>
#> Lowest minimum so far: -2729.43541395448
#>
#> Solution found

```

```

#>
#> Solution found! Final fit=-2729.4354 (started at -2715.8485) (1 attempt(s):
1 valid, 0 errors)
#> Start values from best fit:
#> -0.205071165693674,0.881043783235328,-0.376750185855582,-0.147028678756531,-0.542917492518065,0.8569044,0.09676684,0.09337775,0.10766946,0.10016898,0.004029849,-0.7448651,-0.24885244,-0.04057728
#>

```

```

#> Means of the estimated paramaters per individual.
#>      phi_11      phi_21      phi_31      phi_12      phi_22
#> -0.3696563024  0.7545088097 -0.4056521451 -0.0468425290 -0.3662355229
#>      phi_32      phi_13      phi_23      phi_33      sigma_11
#>  0.8612712273  0.0388481828 -0.0747623322 -0.8654204659  0.0971285260
#>      sigma_21      sigma_22      sigma_31      sigma_32      sigma_33
#>  0.0009342544  0.1021725758 -0.0035821156 -0.0026620324  0.1005236009
#>
#> Estimated paramaters per individual.
#>      phi_11      phi_21      phi_31      phi_12      phi_22      phi_32
#> [1,] -0.5342414  0.6279738 -0.4345541  0.05334362 -0.1895536  0.8656381
#> [2,] -0.2050712  0.8810438 -0.3767502 -0.14702868 -0.5429175  0.8569043
#>      phi_13      phi_23      phi_33      sigma_11      sigma_21      sigma_22
#> [1,] -0.04057732 -0.24885250 -0.7448653  0.10016898  0.004029840  0.10757833
#> [2,]  0.11827368  0.09932784 -0.9859756  0.09408807 -0.002161331  0.09676682
#>      sigma_31      sigma_32      sigma_33
#> [1,] -0.0005085965 -0.002368602  0.09337775
#> [2,] -0.0066556348 -0.002955463  0.10766945
#> Test passed

#> test-fitCTVARm-fit-ct-var-id-mx-theta-diag
#> Running CTVAR with 15 parameters
#>
#> Beginning initial fit attempt
#> Running CTVAR with 15 parameters
#>
#> Lowest minimum so far:  -2707.31197420096
#>
#> Solution found

```

```

#>
#> Solution found!  Final fit=-2707.312 (started at 59.80475)  (1 attempt(s):  1
valid, 0 errors)
#> Start values from best fit:
#> -0.545403553270473,0.655780191333924,-0.431937927519135,0.068469691036237,-0.195215180793901,0.8
#> Running CTVAR with 15 parameters
#>
#> Beginning initial fit attempt
#> Running CTVAR with 15 parameters
#>
#> Lowest minimum so far:  -2726.62588111855
#>
#> Solution found

```

```

#>
#> Solution found! Final fit=-2726.6259 (started at 84.166179) (1 attempt(s): 1
valid, 0 errors)
#> Start values from best fit:
#> -0.213899106730518,0.861185478973193,-0.405561987990989,-0.131907351800459,-0.523808434338325,0.8
#>
#> Means of the estimated paramaters per individual.
#>      phi_11      phi_21      phi_31      phi_12      phi_22
#> -3.796513e-01  7.584828e-01 -4.187500e-01 -3.171883e-02 -3.595118e-01
#>      phi_32      phi_13      phi_23      phi_33      sigma_11
#>  8.622209e-01  2.195191e-02 -8.616802e-02 -8.662899e-01  9.721588e-02
#>      sigma_22      sigma_33      theta_11      theta_22      theta_33
#>  1.021101e-01  1.005314e-01  2.225074e-308  1.424465e-12  2.395002e-13
#>
#> Estimated paramaters per individual.
#>      phi_11      phi_21      phi_31      phi_12      phi_22      phi_32
#> [1,] -0.5454036  0.6557802 -0.4319379  0.06846969 -0.1952152  0.8591466
#> [2,] -0.2138991  0.8611855 -0.4055620 -0.13190735 -0.5238084  0.8652951
#>      phi_13      phi_23      phi_33      sigma_11      sigma_22      sigma_33
#> [1,] -0.05179217 -0.25075666 -0.7402836  0.10027194  0.10763471  0.09333229
#> [2,]  0.09569600  0.07842062 -0.9922962  0.09415982  0.09658557  0.10773048
#>      theta_11      theta_22      theta_33
#> [1,] 2.225074e-308 2.848888e-12 4.787923e-13
#> [2,] 2.225074e-308 4.055903e-17 2.080635e-16
#> Test passed

#> Running CTVAR with 15 parameters
#>
#> Beginning initial fit attempt
#> Running CTVAR with 15 parameters
#>
#> Lowest minimum so far: -2707.31197426421
#>
#> Solution found

#>
#> Solution found! Final fit=-2707.312 (started at -34.74447) (1 attempt(s): 1
valid, 0 errors)
#> Start values from best fit:
#> -0.545411047455776,0.655791769968899,-0.431918087958712,0.0684714732476686,-0.195223148449835,0.8
#> Running CTVAR with 15 parameters
#>
#> Beginning initial fit attempt
#> Running CTVAR with 15 parameters
#>

```

```

#> Lowest minimum so far: -2726.62588111983
#>
#> Solution found

#>
#> Solution found! Final fit=-2726.6259 (started at -26.856599) (1 attempt(s):
1 valid, 0 errors)
#> Start values from best fit:
#> -0.213900157034642,0.861186935515007,-0.405561579767654,-0.131907487288541,-0.523808807245147,0.8591365

#>
#> Means of the estimated paramaters per individual.
#>      phi_11      phi_21      phi_31      phi_12      phi_22
#> -3.796556e-01  7.584894e-01 -4.187398e-01 -3.171801e-02 -3.595160e-01
#>      phi_32      phi_13      phi_23      phi_33      sigma_11
#>  8.622161e-01  2.195551e-02 -8.616503e-02 -8.662912e-01  9.721582e-02
#>      sigma_22      sigma_33      theta_11      theta_22      theta_33
#>  1.021101e-01  1.005314e-01  1.583135e-17  1.049599e-17  4.394859e-18
#>
#> Estimated paramaters per individual.
#>      phi_11      phi_21      phi_31      phi_12      phi_22      phi_32
#> [1,] -0.5454110  0.6557918 -0.4319181  0.06847147 -0.1952231  0.8591365
#> [2,] -0.2139002  0.8611869 -0.4055616 -0.13190749 -0.5238088  0.8652957
#>      phi_13      phi_23      phi_33      sigma_11      sigma_22      sigma_33
#> [1,] -0.05178742 -0.25075041 -0.7402854  0.10027177  0.1076347  0.09333225
#> [2,]  0.09569844  0.07842035 -0.9922970  0.09415987  0.0965856  0.10773052
#>      theta_11      theta_22      theta_33
#> [1,] 8.404687e-20 2.225074e-308 2.225074e-308
#> [2,] 3.157865e-17 2.099199e-17 8.789718e-18
#> Test passed

#> test-fitCTVARm-fit-ct-var-id-mx-theta-null
#> Running CTVAR with 12 parameters
#>
#> Beginning initial fit attempt
#> Running CTVAR with 12 parameters
#>
#> Lowest minimum so far: -2707.31197426421
#>
#> Solution found

#>
#> Solution found! Final fit=-2707.312 (started at -2583.5637) (1 attempt(s): 1
valid, 0 errors)
#> Start values from best fit:
#> -0.545410808015616,0.655791704057053,-0.4319181053049,0.0684713570989829,-0.1952231790709,0.8591365

```

```
#> Running CTVAR with 12 parameters
```

```
#>
```

```
#> Beginning initial fit attempt
```

```
#> Running CTVAR with 12 parameters
```

```
#>
```

```
#> Lowest minimum so far: -2726.62588111983
```

```
#>
```

```
#> Solution found
```

```
#>
```

```
#> Solution found! Final fit=-2726.6259 (started at -2584.9163) (1 attempt(s):  
1 valid, 0 errors)
```

```
#> Start values from best fit:
```

```
#> -0.213900151770005,0.861186849501166,-0.405561461480421,-0.131907517647472,-0.523808720935904,0.861186849501166
```

```
#>
```

```
#> Means of the estimated paramaters per individual.
```

```
#>      phi_11      phi_21      phi_31      phi_12      phi_22      phi_32
```

```
#> -0.37965548  0.75848928 -0.41873978 -0.03171808 -0.35951595  0.86221607
```

```
#>      phi_13      phi_23      phi_33      sigma_11      sigma_22      sigma_33
```

```
#>  0.02195558 -0.08616503 -0.86629112  0.09721581  0.10211013  0.10053139
```

```
#>
```

```
#> Estimated paramaters per individual.
```

```
#>      phi_11      phi_21      phi_31      phi_12      phi_22      phi_32
```

```
#> [1,] -0.5454108  0.6557917 -0.4319181  0.06847136 -0.1952232  0.8591364
```

```
#> [2,] -0.2139002  0.8611868 -0.4055615 -0.13190752 -0.5238087  0.8652957
```

```
#>      phi_13      phi_23      phi_33      sigma_11      sigma_22      sigma_33
```

```
#> [1,] -0.05178730 -0.25075038 -0.7402852  0.10027176  0.10763468  0.09333226
```

```
#> [2,]  0.09569846  0.07842031 -0.9922970  0.09415987  0.09658558  0.10773053
```

```
#> Test passed
```

```
#> Running CTVAR with 12 parameters
```

```
#>
```

```
#> Beginning initial fit attempt
```

```
#> Running CTVAR with 12 parameters
```

```
#>
```

```
#> Lowest minimum so far: -2707.31197426421
```

```
#>
```

```
#> Solution found
```

```
#>
```

```
#> Solution found! Final fit=-2707.312 (started at -2692.6342) (1 attempt(s): 1  
valid, 0 errors)
```

```
#> Start values from best fit:
```

```
#> -0.545410822968464,0.655791720204795,-0.431918099282865,0.0684713331800128,-0.195223149243982,0.861186849501166
```

```
#> Running CTVAR with 12 parameters
```



```

#>
#> Beginning initial fit attempt
#> Running CTVAR with 12 parameters
#>
#> Lowest minimum so far: -2726.62588111983
#>
#> Solution found

#>
#> Solution found! Final fit=-2726.6259 (started at -2715.8485) (1 attempt(s):
1 valid, 0 errors)
#> Start values from best fit:
#> -0.213900127082883,0.861186936784289,-0.405561515713572,-0.131907503993629,-0.523808771434401,0.0.

#>
#> Means of the estimated paramaters per individual.
#>      phi_11      phi_21      phi_31      phi_12      phi_22      phi_32
#> -0.37965548  0.75848933 -0.41873981 -0.03171809 -0.35951596  0.86221611
#>      phi_13      phi_23      phi_33      sigma_11      sigma_22      sigma_33
#>  0.02195557 -0.08616504 -0.86629114  0.09721581  0.10211014  0.10053139
#>
#> Estimated paramaters per individual.
#>      phi_11      phi_21      phi_31      phi_12      phi_22      phi_32
#> [1,] -0.5454108  0.6557917 -0.4319181  0.06847133 -0.1952231  0.8591364
#> [2,] -0.2139001  0.8611869 -0.4055615 -0.13190750 -0.5238088  0.8652958
#>      phi_13      phi_23      phi_33      sigma_11      sigma_22      sigma_33
#> [1,] -0.05178729 -0.25075041 -0.7402852  0.10027176  0.10763469  0.09333226
#> [2,]  0.09569843  0.07842032 -0.9922971  0.09415987  0.09658559  0.10773052
#> Test passed

#> test-fitCTVARm $\alpha$ -fit-ct-var-m $\alpha$ -theta-null
#> Error in mxFitFunctionMultigroup(paste0("CTVAR", "_", ids)): could not find function
"mxFitFunctionMultigroup"

```

Environment

```
ls()  
#> [1] "root"
```

Class

```
#> [[1]]  
#> [1] "root_criterion"
```

References

R Core Team. (2024). *R: A language and environment for statistical computing*. R Foundation for Statistical Computing. Vienna, Austria. <https://www.R-project.org/>