

**From Person-Specific Dynamics to Population Inference: A Computationally Efficient
Meta-Analytic Structural Equation Modeling Framework for Integrating Complex Multilevel
Dynamic Models**

Links

Research Compendium

The data and materials for this study are available on OSF (<https://osf.io/uenr7>) and GitHub (<https://github.com/jeksterslab/manMetaVAR>, <https://jeksterslab.github.io/manMetaVAR/index.html>).

fitVARMxID R Package

Source code and documentation for the `fitVARMxID` R package are available on GitHub (<https://github.com/jeksterslab/fitVARMxID>, <https://jeksterslab.github.io/fitVARMxID/index.html>).

metaDyn R Package

Source code and documentation for the `metaDyn` R package are available on GitHub (<https://github.com/jeksterslab/metaDyn>, <https://jeksterslab.github.io/metaDyn/index.html>).

Single Replication from the Simulation Study

This vignette presents a complete walk-through of one representative Monte Carlo replication, including data generation, estimation for each competing method, and selected output and diagnostics. Convergence diagnostics for a representative BMLVAR (Bayesian multilevel vector autoregressive model) replication, including PSR, ESS, and trace plots, are provided via the `Mplus` output section of the simulation-replication vignette.

<https://jeksterslab.github.io/manMetaVAR/articles/sim-rep.html>

Empirical Illustration: Meta-Analysis of Affect Dynamics

This vignette reproduces the empirical example reported in the manuscript, including data preprocessing, person-specific VAR estimation, second-stage meta-analytic synthesis, and the resulting population-level affect-dynamics summaries.

<https://jeksterslab.github.io/manMetaVAR/articles/empirical.html>

Benchmarking MetaVAR Against an Uncertainty-Uncorrected Two-Stage Approach and Bayesian Multilevel VAR

This vignette reports the benchmarking analysis comparing the computational demands of MetaVAR, the uncertainty-uncorrected two-stage benchmark, and BMLVAR under a common simulation setting.

<https://jeksterslab.github.io/manMetaVAR/articles/benchmark.html>

Containers for Reproducibility


This vignette provides the containerized computing environments and step-by-step instructions needed to reproduce the analyses with the required software stack and dependencies.

<https://jeksterslab.github.io/manMetaVAR/articles/containers.html>

Figure 1
Overall Performance

Overall method performance across simulation design cells

Points are means across design cells; horizontal lines show the min-max range. Coverage panels include nominal .95 and Bradley's liberal .92-.97 band.



Coverage heatmap by parameter, design cell, and method

Figure 1 displays the coverage of the 95% confidence interval for the parameters of the VAR(2) model, comparing three methods: MetaVAR, BMLVAR, and Uncorr. The results are presented in a 3x2 grid of heatmaps, showing coverage for Fixed effects and Random effects across different sample sizes (N = 50, 100, 200, 400) and time points (T = 50, 100, 200, 400). The color scale indicates coverage values from -0.75 (dark red) to 0.00 (white).

The parameters estimated are:

- SP 1
- SP 2
- AR 1->1
- CL 1->2
- CL 2->1
- AR 2->2
- Var(SP 1)
- Cov(SP 1, SP 2)
- Var(SP 2)
- Var(AR 1->1)
- Cov(AR 1->1, CL 1->2)
- Cov(AR 1->1, CL 2->1)
- Cov(AR 1->1, AR 2->2)
- Var(CL 1->2)
- Cov(CL 1->2, CL 2->1)
- Cov(CL 1->2, AR 2->2)
- Var(CL 2->1)
- Cov(CL 2->1, AR 2->2)
- Var(AR 2->2)

The heatmaps show that coverage is generally low (dark red) for most parameters, especially for smaller sample sizes and time points. Coverage improves (becomes lighter) as sample size and time points increase. The BMLVAR method shows the highest coverage, while the Uncorr method shows the lowest coverage.


Absolute value of the relative bias heatmap by parameter, design cell, and method

Smaller values are better. The heatmap shows magnitude only, not direction.

Figure 4
RMSE

RMSE heatmap by parameter, design cell, and method

To keep the heatmap readable, RMSE is clipped at the 95th percentile.



Smaller values are better. RMSE is on the original parameter scale, so comparisons are most meaningful within parameter.

Power heatmap by parameter, design cell, and method




Figure 5
Power