Session Info

Ivan Jacob Agaloos Pesigan

Session

```
sessionInfo()
#> R version 4.4.1 (2024-06-14)
#> Platform: x86_64-pc-linux-gnu
#> Running under: Ubuntu 22.04.4 LTS
#>
#> Matrix products: default
          / usr/lib/x86\_64-linux-gnu/openblas-pthread/libblas.so.3
#> LAPACK: /usr/lib/x86_64-linux-gnu/openblas-pthread/libopenblasp-r0.3.20.so; LAPACK version 3.10
#>
#> locale:
#> [1] LC_CTYPE=en_US.UTF-8
                             LC_NUMERIC=C
   [3] LC_TIME=en_US.UTF-8
                              LC_COLLATE=en_US.UTF-8
#> [5] LC_MONETARY=en_US.UTF-8 LC_MESSAGES=en_US.UTF-8
   [7] LC_PAPER=en_US.UTF-8
                                 LC_NAME=C
#> [9] LC_ADDRESS=C
                                  LC_TELEPHONE=C
#> [11] LC_MEASUREMENT=en_US.UTF-8 LC_IDENTIFICATION=C
#>
#> time zone: Etc/UTC
```

```
#> tzcode source: system (glibc)
#> attached base packages:
#> [1] stats
                graphics grDevices utils datasets methods
                                                                base
#> other attached packages:
#> [1] rProject_0.0.13
#>
#> loaded via a namespace (and not attached):
#> [1] backports_1.5.0 R6_2.5.1
                                       lubridate_1.9.3 xfun_0.45
#> [5] magrittr_2.0.3 glue_1.7.0
                                        stringr_1.5.1 knitr_1.47
#> [9] timechange_0.3.0 generics_0.1.3
                                       lifecycle_1.0.4 xml2_1.3.6
#> [13] cli_3.6.3.9000 bibtex_0.5.1
                                        compiler_4.4.1 highr_0.11
#> [17] rprojroot_2.0.4 plyr_1.8.9
                                        httr_1.4.7
                                                        tools_4.4.1
#> [21] evaluate_0.24.0 Rcpp_1.0.12
                                        RefManageR_1.4.0 rlang_1.1.4
#> [25] jsonlite_1.8.8 stringi_1.8.4
```

Packages

```
unname(installed.packages()[, 1])
     [1] "metaVAR"
                                               "abind"
#>
                            "rProject"
                                                                 "arrow"
#>
     [5] "ash"
                            "AsioHeaders"
                                               "askpass"
                                                                 "assertthat"
     [9] "backports"
                            "base64enc"
                                               "betaDelta"
                                                                 "betaMC"
#>
    [13] "betaNB"
                            "betaSandwich"
                                              "BH"
                                                                 "bibtex"
    [17] "BiocManager"
                            "bit"
                                              "bit64"
                                                                 "bitops"
#> [21] "blob"
                            "brew"
                                               "brio"
                                                                 "broom"
```

| #> | [25] | "bslib" | "cachem" | "callr" | "car" |
|----|-------|-----------------|------------------|---------------|----------------|
| #> | [29] | "caracas" | "carData" | "cellranger" | "cffr" |
| #> | [33] | "checkmate" | "cli" | "clipr" | "clock" |
| #> | [37] | "coda" | "cOde" | "collections" | "colorspace" |
| #> | [41] | "commonmark" | "conflicted" | "corpcor" | "covr" |
| #> | [45] | "cowplot" | "cpp11" | "crayon" | "credentials" |
| #> | [49] | "crosstalk" | "cTMed" | "ctsem" | "curl" |
| #> | [53] | "cyclocomp" | "data.table" | "DBI" | "dbplyr" |
| #> | [57] | "Deriv" | "desc" | "deSolve" | "devtools" |
| #> | [61] | "diagram" | "dials" | "DiceDesign" | "diffobj" |
| #> | [65] | "digest" | "distributional" | "distro" | "doBy" |
| #> | [69] | "docopt" | "doFuture" | "downlit" | "dplyr" |
| #> | [73] | "DT" | "dtplyr" | "duckdb" | "dynr" |
| #> | [77] | "dynUtils" | "ellipse" | "ellipsis" | "evaluate" |
| #> | [81] | "expm" | "fansi" | "farver" | "fastDummies" |
| #> | [85] | "fastmap" | "fclust" | "fda" | "fdrtool" |
| #> | [89] | "fds" | "FNN" | "fontawesome" | "forcats" |
| #> | [93] | "foreach" | "Formula" | "fs" | "fst" |
| #> | [97] | "fstcore" | "furrr" | "future" | "future.apply" |
| #> | [101] | "gargle" | "generics" | "gert" | "ggplot2" |
| #> | [105] | "ggrepel" | "gh" | "gitcreds" | "glasso" |
| #> | [109] | "glmnet" | "globals" | "glue" | "googledrive" |
| #> | [113] | "googlesheets4" | "gower" | "GPfit" | "gridExtra" |
| #> | [117] | "gsubfn" | "gtable" | "gtools" | "hardhat" |
| #> | [121] | "haven" | "hdrcde" | "here" | "highr" |
| #> | [125] | "Hmisc" | "hms" | "htmlTable" | "htmltools" |
| #> | [129] | "htmlwidgets" | "httpgd" | "httpuv" | "httr" |
| | | | | | |

| #> | [133] | "httr2" | "ids" | "ifaTools" | "igraph" |
|----|-------|------------------|------------------|----------------|-------------------|
| #> | [137] | "infer" | "ini" | "inline" | "ipred" |
| #> | [141] | "isoband" | "iterators" | "jomo" | "jpeg" |
| #> | [145] | "jquerylib" | "jsonlite" | "jsonvalidate" | "kernlab" |
| #> | [149] | "knitr" | "ks" | "labeling" | "Lahman" |
| #> | [153] | "languageserver" | "later" | "latex2exp" | "lava" |
| #> | [157] | "lavaan" | "lazyeval" | "lhs" | "lifecycle" |
| #> | [161] | "lintr" | "listenv" | "littler" | "lme4" |
| #> | [165] | "locfit" | "longMI" | "loo" | "lubridate" |
| #> | [169] | "magick" | "magrittr" | "markdown" | "MatrixModels" |
| #> | [173] | "matrixStats" | "mclust" | "memoise" | "metaSEM" |
| #> | [177] | "mice" | "microbenchmark" | "mime" | "miniUI" |
| #> | [181] | "minqa" | "mitml" | "mize" | "mnormt" |
| #> | [185] | "modeldata" | "modelenv" | "modelr" | "MplusAutomation" |
| #> | [189] | "multicool" | "munsell" | "mvtnorm" | "nloptr" |
| #> | [193] | "numDeriv" | "nycflights13" | "OpenMx" | "openss1" |
| #> | [197] | "ordinal" | "pan" | "pander" | "parallelly" |
| #> | [201] | "parsnip" | "patchwork" | "pbapply" | "pbivnorm" |
| #> | [205] | "pbkrtest" | "pcaPP" | "pdftools" | "pillar" |
| #> | [209] | "pkgbuild" | "pkgconfig" | "pkgdown" | "pkgload" |
| #> | [213] | "plogr" | "plyr" | "png" | "posterior" |
| #> | [217] | "pracma" | "praise" | "prettyunits" | "printr" |
| #> | [221] | "processx" | "prodlim" | "profvis" | "progress" |
| #> | [225] | "progressr" | "promises" | "proto" | "ps" |
| #> | [229] | "psych" | "purrr" | "qgraph" | "qpdf" |
| #> | [233] | "quadprog" | "quantreg" | "quarto" | "QuickJSR" |
| #> | [237] | "R.cache" | "R.methodsS3" | "R.00" | "R.utils" |
| | | | | | |
| | | | | | |

| #> [241] "R6" "ragg" "rainbow" "rappdirs" #> [245] "rbibutils" "rcmdcheck" "RColorBrewer" "Rcpp" #> [249] "RcppArmadillo" "RcppEigen" "RcppGSL" "RcppParallel" #> [253] "RcppTOML" "RCurl" "RefManageR" "rematch" #> [257] "readxl" "recipes" "RefManageR" "rematch" #> [261] "rematch2" "remotes" "reprex" "reshape2" #> [265] "reticulate" "rex" "rhub" "rlang" #> [269] "RMariaDB" "rmarkdown" "roxygen2" "rpf" #> [273] "RPostgres" "rProject" "rprojroot" "rsample" #> [277] "RSQLite" "rstan" "rstantools" "rstudioapi" #> [281] "rversions" "rvest" "Ryacas" "sass" #> [285] "scales" "selectr" "semlbci" "semmcci" #> [289] "sessioninfo" "shape" "shiny" "simStateSpace #> [293] "slider" "snow" "snowfall" "sourcetools" #> [297] "SparseM" "SQUAREM" "StanHeaders" "statmod" #> [301] "stringi" "stringr" "styler" "symSEM" #> [309] "texreg" "textshaping" "tibble" "tidymodels" #> [313] "tidyr" "tidyselect" "tidyverse" "timechange" #> [317] "timeDate" "tinytex" "tune" "tzdb" #> [321] "ucminf" "unigd" "urlchecker" "usethis" | |
|---|---|
| #> [249] "RcppArmadillo" "RcppEigen" "RcppGSL" "RcppParallel" #> [253] "RcppTOML" "RCurl" "RefManageR" "rematch" #> [257] "readxl" "recipes" "RefManageR" "rematch" #> [261] "rematch2" "remotes" "reprex" "reshape2" #> [265] "reticulate" "rex" "rhub" "rlang" #> [269] "RMariaDB" "rmarkdown" "roxygen2" "rpf" #> [273] "RPostgres" "rProject" "rprojroot" "rsample" #> [277] "RSQLite" "rstan" "rstantools" "rstudioapi" #> [281] "rversions" "rvest" "Ryacas" "sass" #> [285] "scales" "selectr" "semlbci" "semmcci" #> [289] "sessioninfo" "shape" "shiny" "simStateSpace #> [293] "slider" "snow" "snowfall" "sourcetools" #> [297] "SparseM" "SQUAREM" "StanHeaders" "statmod" #> [301] "stringi" "stringr" "styler" "symSEM" #> [309] "texreg" "textshaping" "tibble" "tidywodels" #> [313] "tidyr" "tidyselect" "tidyverse" "timechange" #> [317] "timeDate" "tinytex" "tune" "tzdb" | |
| #> [253] "RcppTOML" "RCurl" "Rdpack" "readr" #> [257] "readxl" "recipes" "RefManageR" "rematch" #> [261] "rematch2" "remotes" "reprex" "reshape2" #> [265] "reticulate" "rex" "rhub" "rlang" #> [269] "RMariaDB" "rmarkdown" "roxygen2" "rpf" #> [273] "RPostgres" "rProject" "rprojroot" "rsample" #> [277] "RSQLite" "rstan" "rstantools" "rstudioapi" #> [281] "rversions" "rvest" "Ryacas" "sass" #> [285] "scales" "selectr" "sembci" "semmcci" #> [289] "sessioninfo" "shape" "shiny" "simStateSpace" #> [293] "slider" "snow" "snowfall" "sourcetools" #> [297] "SparseM" "SQUAREM" "StanHeaders" "statmod" #> [301] "stringi" "stringr" "styler" "symSEM" #> [305] "sys" "systemfonts" "tensorA" "testthat" #> [309] "texreg" "textshaping" "tibble" "tidywodels" #> [313] "tidyr" "tidyselect" "tidyverse" "timechange" #> [317] "timeDate" "tinytex" "tune" "tzdb" | |
| #> [257] "readxl" "recipes" "RefManageR" "rematch" #> [261] "rematch2" "remotes" "reprex" "reshape2" #> [265] "reticulate" "rex" "rhub" "rlang" #> [269] "RMariaDB" "rmarkdown" "roxygen2" "rpf" #> [273] "RPostgres" "rProject" "rprojroot" "rsample" #> [277] "RSQLite" "rstan" "rstantools" "rstudioapi" #> [281] "rversions" "rvest" "Ryacas" "sass" #> [285] "scales" "selectr" "semlbci" "semmcci" #> [289] "sessioninfo" "shape" "shiny" "simStateSpace" #> [293] "slider" "snow" "snowfall" "sourcetools" #> [297] "SparseM" "SQUAREM" "StanHeaders" "statmod" #> [301] "stringi" "stringr" "styler" "symSEM" #> [309] "texreg" "textshaping" "tibble" "tidymodels" #> [313] "tidyr" "tidyselect" "tidyverse" "timechange" #> [317] "timeDate" "tinytex" "tune" "tzdb" | |
| #> [261] "rematch2" "remotes" "reprex" "reshape2" #> [265] "reticulate" "rex" "rhub" "rlang" #> [269] "RMariaDB" "rmarkdown" "roxygen2" "rpf" #> [273] "RPostgres" "rProject" "rprojroot" "rsample" #> [277] "RSQLite" "rstan" "rstantools" "rstudioapi" #> [281] "rversions" "rvest" "Ryacas" "sass" #> [285] "scales" "selectr" "semlbci" "semmcci" #> [289] "sessioninfo" "shape" "shiny" "simStateSpace #> [293] "slider" "snow" "snowfall" "sourcetools" #> [297] "SparseM" "SQUAREM" "StanHeaders" "statmod" #> [301] "stringi" "stringr" "styler" "symSEM" #> [305] "sys" "systemfonts" "tensorA" "testthat" #> [309] "texreg" "textshaping" "tibble" "tidymodels" #> [313] "tidyr" "tidyselect" "tidyverse" "timechange" #> [317] "timeDate" "tinytex" "tune" "tzdb" | |
| #> [265] "reticulate" "rex" "rhub" "rlang" #> [269] "RMariaDB" "rmarkdown" "roxygen2" "rpf" #> [273] "RPostgres" "rProject" "rprojroot" "rsample" #> [277] "RSQLite" "rstan" "rstantools" "rstudioapi" #> [281] "rversions" "rvest" "Ryacas" "sass" #> [285] "scales" "selectr" "semlbci" "semmcci" #> [289] "sessioninfo" "shape" "shiny" "simStateSpace #> [293] "slider" "snow" "snowfall" "sourcetools" #> [297] "SparseM" "SQUAREM" "StanHeaders" "statmod" #> [301] "stringi" "stringr" "styler" "symSEM" #> [309] "texreg" "textshaping" "tibble" "tidymodels" #> [313] "tidyr" "tidyselect" "tidyverse" "timechange" #> [317] "timeDate" "tinytex" "tune" "tzdb" | |
| #> [269] "RMariaDB" "rmarkdown" "roxygen2" "rpf" #> [273] "RPostgres" "rProject" "rprojroot" "rsample" #> [277] "RSQLite" "rstan" "rstantools" "rstudioapi" #> [281] "rversions" "rvest" "Ryacas" "sass" #> [285] "scales" "selectr" "sembci" "semmcci" #> [289] "sessioninfo" "shape" "shiny" "simStateSpace #> [293] "slider" "snow" "snowfall" "sourcetools" #> [297] "SparseM" "SQUAREM" "StanHeaders" "statmod" #> [301] "stringi" "stringr" "styler" "symSEM" #> [305] "sys" "systemfonts" "tensorA" "testthat" #> [309] "texreg" "textshaping" "tibble" "tidymodels" #> [313] "tidyr" "tidyselect" "tidyverse" "timechange" #> [317] "timeDate" "tinytex" "tune" "tzdb" | |
| #> [273] "RPostgres" "rProject" "rprojroot" "rsample" #> [277] "RSQLite" "rstan" "rstantools" "rstudioapi" #> [281] "rversions" "rvest" "Ryacas" "sass" #> [285] "scales" "selectr" "semlbci" "semmcci" #> [289] "sessioninfo" "shape" "shiny" "simStateSpace #> [293] "slider" "snow" "snowfall" "sourcetools" #> [297] "SparseM" "SQUAREM" "StanHeaders" "statmod" #> [301] "stringi" "stringr" "styler" "symSEM" #> [305] "sys" "systemfonts" "tensorA" "testthat" #> [309] "texreg" "textshaping" "tibble" "tidymodels" #> [313] "tidyr" "tidyselect" "tidyverse" "timechange" #> [317] "timeDate" "tinytex" "tune" "tzdb" | |
| #> [277] "RSQLite" "rstan" "rstantools" "rstudioapi" #> [281] "rversions" "rvest" "Ryacas" "sass" #> [285] "scales" "selectr" "semlbci" "semmcci" #> [289] "sessioninfo" "shape" "shiny" "simStateSpace #> [293] "slider" "snow" "snowfall" "sourcetools" #> [297] "SparseM" "SQUAREM" "StanHeaders" "statmod" #> [301] "stringi" "stringr" "styler" "symSEM" #> [305] "sys" "systemfonts" "tensorA" "testthat" #> [309] "texreg" "textshaping" "tibble" "tidymodels" #> [313] "tidyr" "tidyselect" "tidyverse" "timechange" #> [317] "timeDate" "tinytex" "tune" "tzdb" | |
| #> [281] "rversions" "rvest" "Ryacas" "sass" #> [285] "scales" "selectr" "semlbci" "semmcci" #> [289] "sessioninfo" "shape" "shiny" "simStateSpace #> [293] "slider" "snow" "snowfall" "sourcetools" #> [297] "SparseM" "SQUAREM" "StanHeaders" "statmod" #> [301] "stringi" "stringr" "styler" "symSEM" #> [305] "sys" "systemfonts" "tensorA" "testthat" #> [309] "texreg" "textshaping" "tibble" "tidymodels" #> [313] "tidyr" "tidyselect" "tidyverse" "timechange" #> [317] "timeDate" "tinytex" "tune" "tzdb" | |
| #> [285] "scales" "selectr" "semlbci" "semmcci" #> [289] "sessioninfo" "shape" "shiny" "simStateSpace #> [293] "slider" "snow" "snowfall" "sourcetools" #> [297] "SparseM" "SQUAREM" "StanHeaders" "statmod" #> [301] "stringi" "stringr" "styler" "symSEM" #> [305] "sys" "systemfonts" "tensorA" "testthat" #> [309] "texreg" "textshaping" "tibble" "tidymodels" #> [313] "tidyr" "tidyselect" "tidyverse" "timechange" #> [317] "timeDate" "tinytex" "tune" "tzdb" | |
| #> [289] "sessioninfo" "shape" "shiny" "simStateSpace" #> [293] "slider" "snow" "snowfall" "sourcetools" #> [297] "SparseM" "SQUAREM" "StanHeaders" "statmod" #> [301] "stringi" "stringr" "styler" "symSEM" #> [305] "sys" "systemfonts" "tensorA" "testthat" #> [309] "texreg" "textshaping" "tibble" "tidymodels" #> [313] "tidyr" "tidyselect" "tidyverse" "timechange" #> [317] "timeDate" "tinytex" "tune" "tzdb" | |
| #> [293] "slider" "snow" "snowfall" "sourcetools" #> [297] "SparseM" "SQUAREM" "StanHeaders" "statmod" #> [301] "stringi" "stringr" "styler" "symSEM" #> [305] "sys" "systemfonts" "tensorA" "testthat" #> [309] "texreg" "textshaping" "tibble" "tidymodels" #> [313] "tidyr" "tidyselect" "tidyverse" "timechange" #> [317] "timeDate" "tinytex" "tune" "tzdb" | |
| #> [297] "SparseM" "SQUAREM" "StanHeaders" "statmod" #> [301] "stringi" "stringr" "styler" "symSEM" #> [305] "sys" "systemfonts" "tensorA" "testthat" #> [309] "texreg" "textshaping" "tibble" "tidymodels" #> [313] "tidyr" "tidyselect" "tidyverse" "timechange" #> [317] "timeDate" "tinytex" "tune" "tzdb" | 1 |
| #> [301] "stringi" "stringr" "styler" "symSEM" #> [305] "sys" "systemfonts" "tensorA" "testthat" #> [309] "texreg" "textshaping" "tibble" "tidymodels" #> [313] "tidyr" "tidyselect" "tidyverse" "timechange" #> [317] "timeDate" "tinytex" "tune" "tzdb" | |
| #> [305] "sys" "systemfonts" "tensorA" "testthat" #> [309] "texreg" "textshaping" "tibble" "tidymodels" #> [313] "tidyr" "tidyselect" "tidyverse" "timechange" #> [317] "timeDate" "tinytex" "tune" "tzdb" | |
| #> [309] "texreg" "textshaping" "tibble" "tidymodels" #> [313] "tidyr" "tidyselect" "tidyverse" "timechange" #> [317] "timeDate" "tinytex" "tune" "tzdb" | |
| #> [313] "tidyr" "tidyselect" "tidyverse" "timechange" " | |
| #> [317] "timeDate" "tinytex" "tune" "tzdb" | |
| v | |
| #> [321] "ucminf" "unigd" "urlchecker" "usethis" | |
| | |
| #> [325] "utf8" "uuid" "V8" "vctrs" | |
| #> [329] "viridis" "viridisLite" "vroom" "waldo" | |
| #> [333] "warp" "whisker" "whoami" "withr" | |
| #> [337] "workflows" "workflowsets" "xfun" "xml2" | |
| #> [341] "xmlparsedata" "xopen" "xtable" "yaml" | |
| #> [345] "yardstick" "zip" "base" "boot" | |
| | |

| #> | [349] "class" | "cluster" | "codetools" | "compiler" |
|----|------------------|--------------|-------------|-------------|
| #> | [353] "datasets" | "foreign" | "graphics" | "grDevices" |
| #> | [357] "grid" | "KernSmooth" | "lattice" | "MASS" |
| #> | [361] "Matrix" | "methods" | "mgcv" | "nlme" |
| #> | [365] "nnet" | "parallel" | "rpart" | "spatial" |
| #> | [369] "splines" | "stats" | "stats4" | "survival" |
| #> | [373] "tcltk" | "tools" | "utils" | |

References

R Core Team. (2023). R: A language and environment for statistical computing. R Foundation for Statistical Computing. Vienna, Austria. https://www.R-project.org/