

```
LibraryManag... SpringLearnA... Country.java country.xml HelloContro... CountryContr... spring-learn... 16
1 package com.cognizant.springlearn.controller;
2
3 import org.springframework.context.support.ClassPathXmlApplicationContext;
4 import org.springframework.web.bind.annotation.GetMapping;
5 import org.springframework.web.bind.annotation.RestController;
6
7 import com.cognizant.springlearn.Country;
8
9 @RestController
10 public class CountryController {
11
12     @GetMapping("/country")
13     public Country getCountryIndia() {
14
15         ClassPathXmlApplicationContext context =
16             new ClassPathXmlApplicationContext("country.xml");
17
18         Country country = context.getBean("country", Country.class);
19
20         return country;
21     }
22 }
```

```
libraryManag... SpringLearnA... Country.java country.xml HelloContro... CountryContr... spring-learn... 16
<?xml version="1.0" encoding="UTF-8"?>
<beans xmlns="http://www.springframework.org/schema/beans"
       xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
       xsi:schemaLocation="
           http://www.springframework.org/schema/beans
           https://www.springframework.org/schema/beans/spring-beans.xsd">
    <bean id="country" class="com.cognizant.springlearn.Country">
        <property name="code" value="IN"/>
        <property name="name" value="India"/>
    </bean>
    https://www.springframework.org/schema/beans/spring-beans.xsd (xsi:schemaLocation)
</beans>
```

```
Spring Boot (v4.1.0)
2026-07-09T12:16:10.414+05:30 INFO 23004 --- [ restartedMain] c.c.springlearn.SpringLearnApplication : Starting SpringLearnApplication using Java 1
2026-07-09T12:16:10.423+05:30 DEBUG 23004 --- [ restartedMain] c.c.springlearn.SpringLearnApplication : Running with Spring Boot v4.1.0, Spring v7.0
2026-07-09T12:16:10.426+05:30 INFO 23004 --- [ restartedMain] c.c.springlearn.SpringLearnApplication : No active profile set, falling back to 1 def
2026-07-09T12:16:10.587+05:30 INFO 23004 --- [ restartedMain] .e.DevToolsPropertyDefaultsPostProcessor : Devtools property defaults active! Set 'spri
2026-07-09T12:16:10.589+05:30 INFO 23004 --- [ restartedMain] .e.DevToolsPropertyDefaultsPostProcessor : For additional web related logging consider
2026-07-09T12:16:13.163+05:30 INFO 23004 --- [ restartedMain] o.s.boot.tomcat.TomcatWebServer : Tomcat initialized with port 8084 (http)
2026-07-09T12:16:13.193+05:30 INFO 23004 --- [ restartedMain] o.apache.catalina.core.StandardService : Starting service [Tomcat]
2026-07-09T12:16:13.194+05:30 INFO 23004 --- [ restartedMain] o.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat/11.0
2026-07-09T12:16:13.310+05:30 INFO 23004 --- [ restartedMain] b.w.c.s.WebApplicationContextInitializer : Root WebApplicationContext: initialization c
2026-07-09T12:16:14.382+05:30 INFO 23004 --- [ restartedMain] o.s.boot.tomcat.TomcatWebServer : Tomcat started on port 8084 (http) with cont
2026-07-09T12:16:14.406+05:30 INFO 23004 --- [ restartedMain] c.c.springlearn.SpringLearnApplication : Started SpringLearnApplication in 5.297 seco
2026-07-09T12:16:14.804+05:30 DEBUG 23004 --- [ restartedMain] com.cognizant.springlearn.Country : Inside Country Constructor.
2026-07-09T12:16:14.806+05:30 DEBUG 23004 --- [ restartedMain] com.cognizant.springlearn.Country : Inside setCode()
2026-07-09T12:16:14.806+05:30 DEBUG 23004 --- [ restartedMain] com.cognizant.springlearn.Country : Inside setName()
2026-07-09T12:16:14.810+05:30 INFO 23004 --- [ restartedMain] c.c.springlearn.SpringLearnApplication : Country : Country [code=IN, name=India]
2026-07-09T12:16:58.118+05:30 DEBUG 23004 --- [nio-8084-exec-2] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring DispatcherServlet 'dispa
2026-07-09T12:16:58.118+05:30 INFO 23004 --- [nio-8084-exec-2] o.s.web.servlet.DispatcherServlet : Initializing Servlet 'dispatcherServlet'
2026-07-09T12:16:58.129+05:30 INFO 23004 --- [nio-8084-exec-2] o.s.web.servlet.DispatcherServlet : Completed initialization in 17 ms
2026-07-09T12:16:58.571+05:30 DEBUG 23004 --- [nio-8084-exec-2] com.cognizant.springlearn.Country : Inside Country Constructor.
2026-07-09T12:16:58.577+05:30 DEBUG 23004 --- [nio-8084-exec-2] com.cognizant.springlearn.Country : Inside setCode()
```

```

n : Starting SpringLearnApplication using Java 17.0.12 with PID 23004 (C:\Users\jelan\Downloads\spring-learn\spring-learn\target\classes started b
n : Running with Spring Boot v4.1.0, Spring v7.0.8
n : No active profile set, falling back to 1 default profile: "default"
sor : Devtools property defaults active! Set 'spring.devtools.add-properties' to 'false' to disable
sor : For additional web related logging consider setting the 'logging.level.web' property to 'DEBUG'
: Tomcat initialized with port 8084 (http)
e : Starting service [Tomcat]
: Starting Servlet engine: [Apache Tomcat/11.0.22]
zer : Root WebApplicationContext: initialization completed in 2715 ms
: Tomcat started on port 8084 (http) with context path '/'
n : Started SpringLearnApplication in 5.297 seconds (process running for 6.517)
: Inside Country Constructor.
: Inside setCode()
: Inside setName()
n : Country : Country [code=IN, name=India]
: Initializing Spring DispatcherServlet 'dispatcherServlet'
: Initializing Servlet 'dispatcherServlet'
: Completed initialization in 17 ms
: Inside Country Constructor.
: Inside setCode()
: Inside setName()
: Inside getCode()
: Inside getName()
```

localhost:8084/country

Pretty-print ☐

```
{"code": "IN", "name": "India"}
```

Jel Anto's Workspace

Search

Invite Upgrade

Overview GET http://localhost:8084/country No environment

Save Share

GET http://localhost:8084/country Send

Docs Params Authorization Headers 6 Body Scripts Tests Settings Cookies

Headers 6 hidden

Key	Value	D...	Bulk Edit	Presets
Key	Value			Description

Body 200 OK 74 ms 184 B

{ } JSON Preview Visualize

code IN

name India

Adding a Visualization Script

Help me add a visualization script

Add visualization Approve Reject

Allow agent to add visualization script?

```
// Visualization Script
const template = `
<div style="font-family: Arial, sans-serif;
<div style="border: 1px solid #e0e0e0;
<h2 style="margin: 0 0 12px; font-size
<div style="margin-bottom: 8px;"><stro
<div style="margin-bottom: 8px;"><stro
<div style="margin-bottom: 8px;"><stro
<div><strong>Status Code:</strong> {{s
</div>
</div>`;

function createPayload() {
  return {
    responseText: pm.response.text() || 'N
```

Waiting for approval...

Describe what you need. Press @ for context, / for Skills.

Auto

Connect Git Console Terminal 0 0 0

Globals Vault Tools

Search

ENG IN 12:24 PM 7/9/2026

Overview GET http://localhost:8084/country No environment

http://localhost:8084/country

GET http://localhost:8084/country Send

Docs Params Authorization Headers 6 Body Scripts Tests Settings Cookies

Headers 6 hidden

Key	Value	D...	Bulk Edit	Presets
Key	Value	Description		

200 OK 74 ms 184 B

Key	Value
Content-Type	application/json
Content-Length	28
Date	Thu, 09 Jul 2026 06:54:48 GMT
Keep-Alive	timeout=60
Connection	keep-alive

Adding a Visualization Script

Help me add a visualization script

Add visualization Approve Reject

Allow agent to add visualization script?

```
// Visualization Script
const template = `
<div style="font-family: Arial, sans-serif;
<div style="border: 1px solid #000;
<h2 style="margin: 0 0 12px; font-size
<div style="margin-bottom: 8px;"><stro
<div style="margin-bottom: 8px;"><stro
<div style="margin-bottom: 8px;"><stro
<div style="margin-bottom: 8px;"><stro
<div><strong>Status Code:</strong> {{s
</div>
</div>`;

function createPayload() {
  return {
    responseText: pm.response.text() || 'N
```

Waiting for approval...

Describe what you need. Press @ for context, / for Skills.

Auto

localhost:8084/country

Pretty-print

```
{"code": "IN", "name": "India"}
```

The webhint experiment has been turned off by default. To re-enable it, go to Settings > Experiments > Enable webhint.

Network

Filter

10 ms 20 ms 30 ms 40 ms 50 ms 60 ms 70 ms 80 ms 90 ms 100 ms

Name Headers Preview Response Initiator Timing

co...

General

Request URL http://localhost:8084/country

Request Method GET

Status Code 200 OK

Remote Address [::1]:8084

Referrer Policy strict-origin-when-cross-origin

Response headers Raw

Connection keep-alive

Content-Length 28

Content-Type application/json

Date Thu, 09 Jul 2026 06:56:00 GMT

Keep-Alive timeout=60

Request Headers Raw

Console Issues

Pretty-print

```
{ "code": "IN", "name": "India" }
```

The webhint experiment has been turned off by default. To re-enable it, go to Settings > Experiments > Enable webhint.

Welcome

Elements

Console

Sources

Network

Performance

...

Preserve log

Disable cache

No throttling

...

Filter

Invert

More filters

All

Fetch/XHR

Doc

CSS

JS

Font

Img

Media

Manifest

Socket

Wasm

Other

10 ms

20 ms

30 ms

40 ms

50 ms

60 ms

70 ms

80 ms

90 ms

100 ms

110 ms

Name

×

Headers

Preview

Response

Initiator

Timing

co...

n/signed-exchange=v;b;q=0.7

Accept-Encoding

gzip, deflate, br, zstd

Accept-Language

en-US,en;q=0.9

Cache-Control

max-age=0

Connection

keep-alive

Host

localhost:8084

Sec-Ch-Ua

"NotA=Brand";v="8", "Chromium";v="150", "Microsoft Edge";v="150"

Sec-Ch-Ua-Mobile

?0

Sec-Ch-Ua-Platform

"Windows"

Sec-Fetch-Dest

document

Sec-Fetch-Mode

navigate

Sec-Fetch-Site

none

Sec-Fetch-User

?1

Upgrade-Insecure-Requests

1

User-Agent

Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/150.0.0.0 Safari/537.36 Edg/150.0.0.0

requests

Console

Issues

+