

```
Windows PowerShell
C:\Users\jelan\OneDrive\DN-Java-FSE-Solutions\week 5\12>npx create-react-app ticketbookingapp

Creating a new React app in C:\Users\jelan\OneDrive\DN-Java-FSE-Solutions\week 5\12\ticketbookingapp.

Installing packages. This might take a couple of minutes.
Installing react, react-dom, and react-scripts with cra-template...

added 1296 packages in 1m

272 packages are looking for funding
  run `npm fund` for details

Installing template dependencies using npm...

added 17 packages, and removed 1 package in 10s

271 packages are looking for funding
  run `npm fund` for details

npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts core-js@3.49.0 (postinstall: node -e "try{require('./postinstall')}catch(e){}")
npm warn allow-scripts core-js-pure@3.49.0 (postinstall: node -e "try{require('./postinstall')}catch(e){}")
npm warn allow-scripts Run `npm approve-scripts --allow-scripts-pending` to review, or `npm approve-scripts <pkg>` to allow.
Removing template package using npm...

removed 1 package, and audited 1312 packages in 8s

271 packages are looking for funding
  run `npm fund` for details
```

```
Windows PowerShell

To address all issues (including breaking changes), run:
  npm audit fix --force

Run `npm audit` for details.
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts core-js@3.49.0 (postinstall: node -e "try{require('./postinstall')}catch(e){}")
npm warn allow-scripts core-js-pure@3.49.0 (postinstall: node -e "try{require('./postinstall')}catch(e){}")
npm warn allow-scripts Run `npm approve-scripts --allow-scripts-pending` to review, or `npm approve-scripts <pkg>` to allow.

Success! Created ticketbookingapp at C:\Users\jelan\OneDrive\DN-Java-FSE-Solutions\week 5\12\ticketbookingapp
Inside that directory, you can run several commands:

  npm start
    Starts the development server.

  npm run build
    Bundles the app into static files for production.

  npm test
    Starts the test runner.

  npm run eject
    Removes this tool and copies build dependencies, configuration files
    and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:

  cd ticketbookingapp
  npm start

Happy hacking!
```

```
Windows PowerShell
webpack compiled with 2 errors
Compiling...
Compiled successfully!

You can now view ticketbookingapp in the browser.

Local:      http://localhost:3000
On Your Network:  http://192.168.0.221:3000

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully
Compiling...
Compiled successfully!

You can now view ticketbookingapp in the browser.

Local:      http://localhost:3000
On Your Network:  http://192.168.0.221:3000

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully
Compiling...
Compiled successfully!

You can now view ticketbookingapp in the browser.

Local:      http://localhost:3000
On Your Network:  http://192.168.0.221:3000
```

```
File Edit Selection View Go Run ... ticketbookingapp
EXPLORER
TICKETBOOKINGAPP
  .dist
  node_modules
  public
  src
    Components
    JS GuestPage.js
    JS UserPage.js
    # App.css
    JS App.js
    JS App.test.js
    # index.css
    JS index.js
    logo.svg
    JS reportWebVitals.js
    JS setupTests.js
    .gitignore
    package-lock.json
    package.json
    README.md
  OUTLINE
  TIMELINE

src > JS index.js > ...
1 import React from "react";
2 import ReactDOM from "react-dom/client";
3 import "../index.css";
4 import App from "../App";
5
6 const root = ReactDOM.createRoot(document.getElementById("root"));
7
8 root.render(
9   <React.StrictMode>
10     <App />
11   </React.StrictMode>
12 );
```





