









```
Command Prompt
Microsoft Windows [Version 10.0.26200.8875]
(c) Microsoft Corporation. All rights reserved.

C:\Users\jelan>npx create-react-app scorecalculatorapp

Creating a new React app in C:\Users\jelan\scorecalculatorapp.

Installing packages. This might take a couple of minutes.
Installing react, react-dom, and react-scripts with cra-template...

added 1300 packages in 2m

272 packages are looking for funding
  run 'npm fund' for details

Initialized a git repository.

Installing template dependencies using npm...

added 17 packages, and removed 1 package in 11s

271 packages are looking for funding
  run 'npm fund' for details
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts core-js@3.49.0 (postinstall: node -e "try{require('./postinstall')}catch(e){}")
npm warn allow-scripts core-js-pure@3.49.0 (postinstall: node -e "try{require('./postinstall')}catch(e){}")
npm warn allow-scripts
npm warn allow-scripts Run 'npm approve-scripts --allow-scripts-pending' to review, or 'npm approve-scripts <pkg>' to allow.
Removing template package using npm...

removed 1 package, and audited 1316 packages in 11s
```

```
Command Prompt

npm audit fix --force

Run 'npm audit' for details.
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts core-js@3.49.0 (postinstall: node -e "try{require('./postinstall')}catch(e){}")
npm warn allow-scripts core-js-pure@3.49.0 (postinstall: node -e "try{require('./postinstall')}catch(e){}")
npm warn allow-scripts
npm warn allow-scripts Run 'npm approve-scripts --allow-scripts-pending' to review, or 'npm approve-scripts <pkg>' to allow.

Created git commit.

Success! Created scorecalculatorapp at C:\Users\jelan\scorecalculatorapp
Inside that directory, you can run several commands:

  npm start
    Starts the development server.

  npm run build
    Bundles the app into static files for production.

  npm test
    Starts the test runner.

  npm run eject
    Removes this tool and copies build dependencies, configuration files
    and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:

  cd scorecalculatorapp
  npm start

Happy hacking!
```

