VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

DOKUMENTACIJA

Web programiranje 2

https://jelenaberber.github.io/kahove/

Jelena Berber 261/22

Smer: Internet tehnologije

Modul: Web programiranje

Predmet: Web programiranje 2

Contents

1.Uvod	3
1.1 Korišćeni tehnologije	3
1.2 Opis funkcionalnosti	4
1.3 Template	4
2. Organizacija	4
2.1. Organizaciona šema	4
2.3 Opis funkcionalnosti na stranici	5
2.3.1 Pocetna (index.html)	5
2.3.2 Artworks (artworks.html)	6
2.3.3 Cart (cart.html)	7
Ukoliko je korpa prazna prikazzuje se sledece:	8
3.Kodovi	8
3.1. HTML	8
3.1.1. index.html	8
3.1.2 artworks.html	11
3.1.3 cart.html	14
3.2 Javascript	16
3.3 css	25
3.4 JSON	27
3.4.1 products.json	27
3.4.2 meni.json	30
3.4.3 categories.json	31

1.Uvod

1.1 Korišćeni tehnologije

- HTML
- XML
- CSS
- SASS
- Javascript
- JSON
- jQuery
- Bootstrap v4.5 (bez JS-a)

Rađeno u Visual studio code. Sajt hostovan na GitHub.

1.2 Opis funkcionalnosti


- Dinamičko ispisivanje navigacionog menija, iz JSON fajla
- Otvaranje eskpandirajućeg menija na manjim rezolucijama klikom na 'hamburger' ikonicu
- Dinamičko ispisivanje linkova u footer-u
- Upotreba AJAX-a za čitanje JSON fajlova koje se realiyuje funkcijama. U slučaju dolaska do greške, iste se obradjuju
- Dinamička prodavnica, gde su proizvodi, kategorije, brendovi učitani iz JSON fajla, a dostupno je filtriranje i sortiranje proizvoda
- Korpa sa količinom i ukupnim iznosom, kao I obračunavanjem medjuybira sa cenom dostave, pored čega se nalazi forma za upis podataka za naručivanje proizvoda iz gore pomenute korpe
- Provera unetih podataka u formu prilikom napustanja pojedinačnih polja ili nakon pritiska na dugme submit/validacija forme
- Pritiskom na dugme submit, u slučaju da su sva polja ispravno popunjena, otvara se modal sa porukom za korisnika
- Nakon uspešnog unošenja podataka za naručivanje, korisniku se prikazuje informacija o istom
- Nakon dodavanja proizvoda u korpu korisniku se na par sekundi pokazuje informacija o aktivnosti dodavanja u korpu

1.3 Template

Za izradu nije korišćen gotov template, sajt je ručno pisan uz pomoć Bootstrap framework-a. Kod koji realizuje sajt je priložen u nastavku dokumenta.

2. Organizacija


2.1. Organizaciona šema



2.3 Opis funkcionalnosti na stranici

2.3.1 Pocetna (index.html)

Prilikom učitavanja stranice JavaScript-om dinamički, iz JSON fajla, ispisuje lista u navigacionom meniju. Navigacioni meni nestaje na manjim rezolucijama i pojavljuje se "hamburger" dugme koje kada se pritisne otvara navigaciju i prikazuje linkove,. Klik na link u navigaciji vodi na određenu sekciju stranice. Klikom na dugme sa ikonicom korpe u desnom uglu otvara se istoimena stranica koja prikazuje stavke koje ste uznacili da želite da kupite.




Our Artista Roadmap

2022 - The Great Beginning


2023 - The Big Bang

w.




2.3.2 Artworks (artworks.html)


Prilikom ispisivanja stranice, ucitavaju se Header i Footer kao i na ostalim stranicama. Ispisivanje proizvoda je dinamicki po kojima se može sortirati sveukupna ponuda. Dugme "purchuse" prikazuje obavestenje o dodavanju u korpu koje nestaje posle nekoliko sekundi. Sadržaj se dodaje I smešta u localStorage odakle se kasnije ispisuje na stranici korpa. Prilikom svakog ponovnog klika na isti proizvod kolicina se povećava I to se moze videti u gornjem desnom uglu kod dugmeta korpa. Pored korpe se nalayi broj koji u svakom trenutku na svakoj stranici prikayuje ukupan broj knjiga koje su dodate u korpu.




2.3.3 Cart (cart.html)

Na ovoj stranici se nalazi tabela sa izabranim proizvodima i forma za porucivanje.





Ukoliko je korpa prazna prikazzuje se sledece:



3.Kodovi

3.1. HTML

3.1.1. index.html

```
<meta http-equiv="X-UA-Compatible" content="ie=edge">
    ink
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.min.css
 rel="stylesheet" integrity="sha384-
Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeu0xjzrPF/et3URy9Bv1WTRi"
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/6.2.1/css/all.min.css">
</head>
src="assets/img/logo.png" alt="Logo"class="logo"/></a>
                <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarTogglerDemo02" aria-
                    <span class="navbar-toggler-icon"></span>
id="navbarTogglerDemo02">
                    <a class="d-flex" href="cart.html">
                    </a>
                </div>
       </nav>
    </div>
</header>
                <h1>Redefining cntemporary through history.</h1>
                Streathtaking and ispiring creativity is in our DNA.
```

```
<img src="assets/img/banner image.jpg" alt="colors">
            </div>
        </div>
    </div>
center flex-wrap">
        <h1 class="col-12 text-center pt-3">Our Artista Roadmap</h1>
        </div>
    </div>
                <img src="assets/img/fluffy scream.jpg" alt="Fluffy scream"</pre>
            </div>
                <h2>FLUFFY ART</h2>
creatively placed dyed fur.
                <button class="btn btn-primary button more" type="submit"><a</pre>
href="artworks.html">See more</a></button>
            </div>
        </div>
    </div>
            </div>
                <h2 class="text-center">Free Worldwide Shipping</h2>
Countries.
                </div>
            </div>
        </div>
    </div>
</main>
<footer>
```

3.1.2 artworks.html

```
<div class="container-fluid">
src="assets/img/logo.png" alt="Logo"class="logo"/></a>
                <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarTogglerDemo02" aria-
                     <span class="navbar-toggler-icon"></span>
                </button>
id="navbarTogglerDemo02">
                </div>
            </div>
    </div>
    <span class="line"></span>
</header>
href="artworks.html">Discover</a></button>
            </div>
            <div class="col-12 d-flex justify-content-center align-items-</pre>
            </div>
        </div>
        </div>
    </div>
                <img src="assets/img/fluffy scream.jpg" alt="Fluffy scream"</pre>
            <div class="col-5 d-flex justify-content-center flex-column">
                <h2>FLUFFY ART</h2>
```

```
href="artworks.html">See more</a></button>
           </div>
       </div>
   </div>
           <div class="col-3 d-flex align-items-center flex-column p-3">
Appreciated In Every Corner Of The World, We Ship Directly To 200+
Appreciated In Every Corner Of The World, We Ship Directly To 200+
                   <h2 class="text-center">Free Worldwide Shipping</h2>
                   Our Artworks Are Enjoyed And
               </div>
           </div>
       </div>
   </div>
</main>
    <div class="container-fluid blue mt-5 py-5">
id="menu"></div>
id="important"></div>
       </div>
   </div>
crossorigin="anonymous"></script>
   <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.mi
n.js" integrity="sha384-
OERcA2EqjJCMA+/3y+gxIOqMEjwtxJY7qPCqsdltbNJuaOe923+mo//f6V8Qbsw3"
```

3.1.3 cart.html

```
<!doctype html>
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.min.css
awesome/6.2.1/css/all.min.css">
    <title>Home</title>
</head>
            <div class="container-fluid">
                <button class="navbar-toggler" type="button" data-bs-</pre>
                </button>
id="navbarTogglerDemo02">
                    <a class="d-flex" href="cart.html">
                        <i class="fa-solid fa-basket-shopping basket"></i>
                </div>
            </div>
```

```
</div>
    <span class="line"></span>
        <div class="row d-flex align-items-center" id="block">
href="artworks.html">Discover</a></button>
            </div>
        </div>
    </div>
    <div class="container-fluid grey mt-5 d-flex flex-column align-items-</pre>
center flex-wrap">
        </div>
    </div>
                <img src="assets/img/fluffy scream.jpg" alt="Fluffy scream"</pre>
            </div>
                Classical and contemporary masterpieces recreated using
href="artworks.html">See more</a></button>
            </div>
                <i class="fa-sharp fa-solid fa-bag-shopping icons"></i>
                <h2 class="text-center">Free Worldwide Shipping</h2>
Appreciated In Every Corner Of The World, We Ship Directly To 200+
```

```
</div>
                    <h2 class="text-center">Free Worldwide Shipping</h2>
Appreciated In Every Corner Of The World, We Ship Directly To 200+
                </div>
            </div>
    </div>
</main>
    <div class="container-fluid blue mt-5 py-5">
id="important"></div>
        </div>
    </div>
    <script src="https://code.jquery.com/jquery-3.2.1.min.js"></script>
    <script
ApNbqh9B+Y1QKtv3Rn7W3mqPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.mi
</body>
```

3.2 Javascript

```
window.onload = () =>{
   function getData(file, callback) {
     $.ajax({
      url: "assets/data/" + file + ".json",
      method: 'get',
      dataType: "json",
      success: callback,
      error: function(err) {
         console.log(err);
      }
}
```

```
console.log(url)
if(url.indexOf('artworks') != -1){
   pageArtworks();
   getData('categories', printCategories);
   pageCart();
   index();
   console.log(data)
function printNavAndFooter(data) {
function index(){
```

```
console.log(html)
function artworks(data) {
    console.log(data)
   data = filterCategory(data);
    data = dostupnostFilter(data);
   data = filterShipping(data);
            <h5 class="card-title">${art.name}</h5>
    $(".arts").html(printHtml);
function printCategories(data){
    data.forEach(cat => {
    document.getElementById('categories').innerHTML = html;
    $('.category').change(promenaFiltera);
function filterCategory(data) {
    let selectedCategories = [];
```

```
selectedCategories.push(parseInt($(this).val()));
        console.log(selectedCategories)
function promenaFiltera(){
function availableProducts(){
    $('#available').change(promenaFiltera);
availableProducts();
    console.log(available)
function printSortByPrice() {
function sortPrice(data) {
        return data.sort((a,b) => a.price < b.price ? 1 : -1);</pre>
```

```
$("#price").change(promenaFiltera);
    function shippingCost(){
    function filterShipping(data) {
        console.log(shipping)
    function pageArtworks(){
                var id = $(this).data('id');
getItemsFromLocalStorage('productsInCart');
                        addAmount();
                    firstItem();
                function putInCart() {
getItemsFromLocalStorage('productsInCart');
                function existsInCart() {
                    for(obj of productsInCart){
```

```
function addAmount() {
        let products = getItemsFromLocalStorage('productsInCart')
    function firstItem (){
    console.log(getItemsFromLocalStorage('productsInCart'))
let productsInLS = getItemsFromLocalStorage('productsInCart');
let allProducts = data;
    $('#deleteAll').hide();
```

```
for(let el of allProducts) {
                if (el.shipping != 0) {
localStorage.removeItem('productsInCart');
printProduct();
```

```
formValidation();
function formValidation(){
   event.preventDefault();
    var regexForName = /^[A-ZŠĐŽĆČ][a-zšđžćČ]{2,15}((s[A-ZŠĐŽĆČ][a-
    let regexForAddress = /^[\w\.]+(,?\s[\w\.]+)\{2,8\}$/;
   else if(!regexForName.test(name.val())){
    if (email.val() == ''){
    else if(!regexForEmail.test(email.val())){
        email.removeClass('error');
    else if(!regexForAddress.test(address.val())){
        console.log('uspesno')
```

```
let id = $(this).data('delete');
   let products = getItemsFromLocalStorage('productsInCart');
   let result = products.filter(c => c.id !== id);
   console.log(products)
       console.log($('#form'), $('#deleteAll'), $('#print'))
       $('#deleteAll').hide();
        setItemToLocalStorage('productsInCart', null)
       setItemToLocalStorage('productsInCart', result)
   pageCart();
           el.amount = parseInt(el.amount)+1;
   setItemToLocalStorage('productsInCart', products)
   pageCart();
   let products = getItemsFromLocalStorage('productsInCart');
   pageCart();
function makeDdl(option0, values, print) {
```

```
}
    $ (print).html(html);
}
function listsRadioBtn(title, values, print) {
    let innerHtml = `<h6>${title}</h6>`;
    for(let value of values) {
        innerHtml += `<div class="col-12"><input type="radio"

name="rb${title}" value="${value.Value}"/>
        <label>${value.Name}</label></div>`;
    }
    $ (print).html(innerHtml);
}

//local storage
function setItemToLocalStorage(itemKey, itemValue) {
    localStorage.setItem(itemKey, JSON.stringify(itemValue))
}
function getItemsFromLocalStorage(itemKey) {
    return JSON.parse(localStorage.getItem(itemKey));
}

$ ('.category').change(artworks);
}
```

3.3 css

```
.logo{
    width: 60%;
}
a{
    text-decoration: none;
    color: #103948;
}
basket{
    font-size: 30px;
    color: #c8bfe7;
}
.link{
    color: #103948 !important;
}
.line{
    display: block;
    border-bottom: 1px solid #c8bfe7;
    width: 100%;
}
#block{
    background: #c8bfe7;
    width: 100%;
height: 600px;
}
#block img{
    width: 80%;
    height: 75%;
}
.heroCarousel-content {
```

```
position: absolute;
   background: #fff!important;
.more{
.purple{
   color: white !important;
input{
#form label{
```

```
#form input{
    border: none;
    border-bottom: 1px solid #103948;
}
input:focus{
    outline: none;
}
#form span{
    display: none;
}
.error{
    border: 1px solid red !important;
}
.span{
    display: none;
}
```

3.4 ISON

3.4.1 products.json

3.4.2 meni.json

```
[
{
    "id": 1,
    "name" : "Home",
```

```
"src" : "index.html"
},
{
    "id": 2,
    "name" : "Artworks",
    "src" : "artworks.html"
},
{
    "id": 4,
    "name" : "Author",
    "src" : "author.html"
}
```

3.4.3 categories.json

```
[
    "id": 1,
    "name": "Bloq Art"
},
    {
    "id": 2,
        "name": "Fluffy Art"
},
    {
        "id": 3,
        "name": "Clay Art"
}
```