QObject Δ QCPLayerable 4 1 # mVisible # mParentPlot # mParentLayerable # mLayer # mAntialiased + QCPLayerable() + ~QCPLayerable() + visible() + parentPlot() + parentLayerable() + layer() + antialiased() + setVisible() + setLayer() + setLayer() + setAntialiased() + selectTest() + realVisibility() # parentPlotInitialized() # selectionCategory() # clipRect() # applyDefaultAntialiasingHint() # draw() # selectEvent() # deselectEvent() # initializeParentPlot() # setParentLayerable() # moveToLayer() # applyAntialiasingHint() Λ QCPAbstractItem # mClipToAxisRect # mClipAxisRect # mPositions # mAnchors # mSelectable # mSelected + QCPAbstractItem() + ~QCPAbstractItem() + clipToAxisRect() + clipAxisRect() + selectable() + selected() + setClipToAxisRect() + setClipAxisRect() + setSelectable() + setSelected() and 6 more. # selectionCategory() # clipRect() # applyDefaultAntialiasingHint() # draw() # selectEvent() # deselectEvent() # anchorPixelPoint() # distSqrToLine() # rectSelectTest() # createPosition() # createAnchor() Δ **QCPItemRect** + topLeft + bottomRight + top + topRight + right + bottom + bottomLeft left # mPen # mSelectedPen # mBrush # mSelectedBrush + QCPItemRect() + ~QCPItemRect() + pen() + selectedPen() + brush() + selectedBrush() + setPen() + setSelectedPen() + setBrush() + setSelectedBrush() + selectTest() # draw() # anchorPixelPoint() # mainPen()

mainBrush()