```
QObject
               Δ
        QCPLayerable 4 1 2
# mVisible
# mParentPlot
# mParentLayerable
# mLayer
# mAntialiased
+ QCPLayerable()
+ ~QCPLayerable()
+ visible()
+ parentPlot()
+ parentLayerable()
+ layer()
+ antialiased()
+ setVisible()
+ setLayer()
+ setLayer()
+ setAntialiased()
+ selectTest()
+ realVisibility()
# parentPlotInitialized()
# selectionCategory()
# clipRect()
# applyDefaultAntialiasingHint()
# draw()
# selectEvent()
# deselectEvent()
# initializeParentPlot()
# setParentLayerable()
# moveToLayer()
# applyAntialiasingHint()
               Δ
      QCPAbstractItem
# mClipToAxisRect
# mClipAxisRect
# mPositions
# mAnchors
# mSelectable
# mSelected
+ QCPAbstractItem()
+ ~QCPAbstractItem()
+ clipToAxisRect()
+ clipAxisRect()
+ selectable()
+ selected()
+ setClipToAxisRect()
+ setClipAxisRect()
+ setSelectable()
+ setSelected()
and 6 more.
# selectionCategory()
# clipRect()
# applyDefaultAntialiasingHint()
# draw()
# selectEvent()
# deselectEvent()
# anchorPixelPoint()
# distSqrToLine()
# rectSelectTest()
# createPosition()
# createAnchor()
               Δ
        QCPItemText
     + position
     + topLeft
     + top
    + topRight
     + right
     + bottomRight
     + bottom
     + bottomLeft
     + left
    # mColor
    # mSelectedColor
    # mPen
    # mSelectedPen
    # mBrush
    # mSelectedBrush
    # mFont
    # mSelectedFont
    # mText
    # mPositionAlignment
    # mTextAlignment
    # mRotation
    # mPadding
    + QCPItemText()
    + ~QCPItemText()
    + color()
     + selectedColor()
     + pen()
     + selectedPen()
     + brush()
    + selectedBrush()
    + font()
     + selectedFont()
    and 19 more...
    # draw()
    # anchorPixelPoint()
    # getTextDrawPoint()
    # mainFont()
    # mainColor()
    # mainPen()
    # mainBrush()
```