```
Δ
                        QCPLayerable
                # mVisible
                # mParentPlot
                # mParentLayerable
                # mLayer
                # mAntialiased
                + QCPLayerable()
                + ~QCPLayerable()
                + visible()
                + parentPlot()
                + parentLayerable()
                + layer()
                + antialiased()
                + setVisible()
                + setLayer()
                + setLayer()
                + setAntialiased()
                + selectTest()
                + realVisibility()
                # parentPlotInitialized()
                # selectionCategory()
                # clipRect()
                # applyDefaultAntialiasingHint()
                # draw()
                # selectEvent()
                # deselectEvent()
                # initializeParentPlot()
                # setParentLayerable()
                # moveToLayer()
                # applyAntialiasingHint()
                               Δ
                      QCPLayoutElement
                # mParentLayout
                # mMinimumSize
                # mMaximumSize
                # mRect
                # mOuterRect
                # mMargins
                # mMinimumMargins
                # mAutoMargins
                # mMarginGroups
                + QCPLayoutElement()
                + ~QCPLayoutElement()
                + layout()
                + rect()
                + outerRect()
                + margins()
                + minimumMargins()
                + autoMargins()
                + minimumSize()
                + maximumSize()
                and 16 more...
                # calculateAutoMargin()
                # mousePressEvent()
                # mouseMoveEvent()
                # mouseReleaseEvent()
                # mouseDoubleClickEvent()
                # wheelEvent()
                # applyDefaultAntialiasingHint()
                # draw()
                # parentPlotInitialized()
                          QCPLayout
                  + QCPLayout()
                  + update()
                  + elements()
                  + elementCount()
                  + elementAt()
                  + takeAt()
                  + take()
                  + simplify()
                  + removeAt()
                  + remove()
                  + clear()
                  # updateLayout()
                  # sizeConstraintsChanged()
                  # adoptElement()
                  # releaseElement()
                  # getSectionSizes()
       QCPLayoutGrid
                                        QCPLayoutInset
# mElements
# mColumnStretchFactors
                                     # mElements
# mRowStretchFactors
                                     # mInsetPlacement
# mColumnSpacing
                                     # mInsetAlignment
# mRowSpacing
                                     # mInsetRect
+ QCPLayoutGrid()
                                     + QCPLayoutInset()
 + ~QCPLayoutGrid()
                                     + ~QCPLayoutInset()
+ rowCount()
                                     + insetPlacement()
+ columnCount()
                                     + insetAlignment()
+ columnStretchFactors()
                                     + insetRect()
+ rowStretchFactors()
                                     + setInsetPlacement()
+ columnSpacing()
                                     + setInsetAlignment()
 + rowSpacing()
                                     + setInsetRect()
 + setColumnStretchFactor()
                                     + updateLayout()
 + setColumnStretchFactors()
                                     + elementCount()
 and 19 more...
                                     and 7 more...
# getMinimumRowColSizes()
 # getMaximumRowColSizes()
         QCPLegend
# mBorderPen
# mlconBorderPen
# mBrush
# mFont
# mTextColor
# mlconSize
# mlconTextPadding
# mSelectedParts
# mSelectableParts
# mSelectedBorderPen
# mSelectedIconBorderPen
# mSelectedBrush
# mSelectedFont
# mSelectedTextColor
+ QCPLegend()
+ ~QCPLegend()
+ borderPen()
+ brush()
+ font()
+ textČolor()
+ iconSize()
+ iconTextPadding()
+ iconBorderPen()
+ selectableParts()
and 32 more...
# parentPlotInitialized()
# selectionCategory()
# applyDefaultAntialiasingHint()
# draw()
```

selectEvent()
deselectEvent()
getBorderPen()
getBrush()

QObject