```
Δ
        QCPLayerable 4 1
# mVisible
# mParentPlot
# mParentLayerable
# mLayer
# mAntialiased
+ QCPLayerable()
+ ~QCPLayerable()
+ visible()
+ parentPlot()
+ parentLayerable()
+ layer()
+ antialiased()
+ setVisible()
+ setLayer()
+ setLayer()
+ setAntialiased()
+ selectTest()
+ realVisibility()
# parentPlotInitialized()
# selectionCategory()
# clipRect()
# applyDefaultAntialiasingHint()
# draw()
# selectEvent()
# deselectEvent()
# initializeParentPlot()
# setParentLayerable()
# moveToLayer()
# applyAntialiasingHint()
              Λ
     QCPLayoutElement
# mParentLayout
# mMinimumSize
# mMaximumSize
# mRect
# mOuterRect
# mMargins
# mMinimumMargins
# mAutoMargins
# mMarginGroups
+ QCPLayoutElement()
   QCPLayoutElement()
+ layout()
+ rect()
+ outerRect()
+ margins()
+ minimumMargins()
+ autoMargins()
+ minimumSize()
+ maximumSize()
and 16 more...
# calculateAutoMargin()
# mousePressEvent()
# mouseMoveEvent()
# mouseReleaseEvent()
# mouseDoubleClickEvent()
# wheelEvent()
# applyDefaultAntialiasingHint()
# draw()
# parentPlotInitialized()
              Д
         QCPLayout
  + QCPLayout()
  + update()
  + elements()
  + elementCount()
  + elementAt()
  + takeAt()
  + take()
  + simplify()
  + removeAt()
  + remove()
  + clear()
 # updateLayout()
 # sizeConstraintsChanged()
  # adoptElement()
  # releaseElement()
  # getSectionSizes()
              Δ
       QCPLayoutGrid
# mElements
 # mColumnStretchFactors
 # mRowStretchFactors
 # mColumnSpacing
 # mRowSpacing
 + QCPLayoutGrid()
 + ~QCPLayoutGrid()
 + rowCount()
 + columnCount()
 + columnStretchFactors()
 + rowStretchFactors()
 + columnSpacing()
 + rowSpacing()
+ setColumnStretchFactor()
 + setColumnStretchFactors()
 and 19 more..
 # getMinimumRowColSizes()
 # getMaximumRowColSizes()
         QCPLegend
# mBorderPen
# mlconBorderPen
# mBrush
# mFont
# mTextColor
# mlconSize
# mlconTextPadding
# mSelectedParts
# mSelectableParts
# mSelectedBorderPen
# mSelectedIconBorderPen
# mSelectedBrush
# mSelectedFont
# mSelectedTextColor
+ QCPLegend()
+ ~QCPLegend()
+ borderPen()
+ brush()
+ font()
+ textColor()
+ iconSize()
+ iconTextPadding()
+ iconBorderPen()
+ selectableParts()
and 32 more..
# parentPlotInitialized()
# selectionCategory()
# applyDefaultAntialiasingHint()
# draw()
 selectEvent()
# deselectEvent()
```

getBorderPen() # getBrush()

QObject