

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>DREAM CARS</title>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<style>
* {

    box-sizing: border-box;
}

body {
    font-family: Arial, Helvetica, sans-serif;
}

header {
    background-color: gray;
    padding: 30px;
    text-align: center;
    font-size: 35px;
    color: black;
}

nav {
    float: left;
    width: 30%;
    height: 300px;
    background: #ccc;
    padding: 20px;
}
nav ul {
    list-style-type: none;
    padding: 0;
}

article {
    float: left;
    padding: 20px;
    width: 70%;
    background-color: #f1f1f1;
    height: 300px;
}
section::after {
    content: "";
    display: table;
    clear: both;
}
footer {
    background-color: #777;
    padding: 10px;
    text-align: center;
    color: white;
}
```

```
@media (max-width: 600px) {  
  nav, article {  
    width: 100%;  
    height: auto;  
  }  
}
```

```
</style>  
</head>
```

```
<body>
```

```
<h2>Dream Cars</h2>
```

```
<p>In this example, I created a header, two columns/boxes and a footer. On smaller screens, the columns will  
stack on top of each other.</p>
```

```
<p>It is all about my Dream Cars that I will buy in the near future</p>
```

```
<header>
```

```
  <h2>ITS ALL ABOUT CARS</h2>
```

```
</header>
```

```
<section>
```

```
  <nav>
```

```
    <ul>
```

```
      <li><a href="#">IDEAS</a></li>
```

```
    </ul>
```

```
  </nav>
```

```
<article>
```

```
  <h1>MY DREAM CAR IS ALL ABOUT</h1>
```

```
  <p>I WILL MAKE A SIMPLE PORFOLIO IN GIT HUB THAT FOCUCES ON MY HUBBY WHICH IS ABOUT CARS </p>
```

```
  <p>I WILL DISPLAY THE BRANDS OF THESE CARS IN GIT HUV TO ADVERTISE IT</p>
```

```
</article>
```

```
</section>
```

```
<footer>
```

```
  <p>Footer</p>
```

```
</footer>
```

```
</body>
```

```
</html>
```