

Home

W1

W2

W3

W4

W5

W6

W7

W03 Code-along Activity: Home Page Enhancement

Code-along Activity Overview

For this activity, you will code along with an instructor video that walks you through each step of the activity below. Make sure that you pause the video, or re-watch sections as needed, to complete the entire activity.

Overview

Follow the code-along video to update your course home page's layout.

Activity Instructions

1. Open your home page, **index.html**, for editing.
2. Add an unordered list `<ul>` to your home page.
 - ✓ The list should be located in the **main** element at the end (before the closing `</main>` tag).
 - ✓ Your list must have at least three (3) list items, listing your favorite temples.
 - ✓ The listed temples must be text links to a temple detail page using the [Temple List](#) at churchofjesuschrist.org or [Newsroom Temples List](#) or unofficially the [Temples of the Church of Jesus Christ of Latter-day Saints](#)
 - ✓ These links must open up a new browser tab when selected.

Hints

[The Unordered List element](#) – MDN

[HTML <a> Attribute](#) – W3Schools

▼ Check Your Understanding

```
philadelphia-pennsylvania-temple" target="_blank" rel="noopener">Philadelphia Pennsylvania Temple  
paris-france-temple" target="_blank" rel="noopener">Paris France Temple  
berlin-germany-temple" target="_blank" rel="noopener">Berlin Germany Temple
```

3. Open your **styles.css** file for editing.
4. At the top of the document, create a CSS rule for the universal selector (wildcard) that contains three declarations:
 - ✓ Set the **margin** shorthand property to 0.
 - ✓ Set the **padding** shorthand property to 0.
 - ✓ Set the **box-sizing** property to border-box.

Setting the universal selector to have a margin and padding of zero (0) will ensure that all elements on the page will have no margin or padding, regardless of the browser defaults. This will make it easier for you to control the page layout.

When the **box-sizing** property is set to the non-default value of **border-box**, this tells the browser to account for any border and padding in the values you specify for an element's width and height. – [Box-sizing](#) – MDN

▼ Check Your Understanding

```
* {  
  margin: 0;  
  padding: 0;  
  box-sizing: border-box;  
}
```

5. Add a CSS comment at the bottom of your stylesheet that creates a comment header for a section called "Class Selectors". You will be putting your class selector rules below this comment.

▼ Check Your Understanding

```
/* Class Selectors */
```

6. Add a class selector to your CSS after the comment. Name it "**box**".

- ✓ Style the **box** class with basic box model properties for margin, border, padding.
- ✓ Set the value of the margin and padding to 1rem, which equals the root font size.
- ✓ Also add decorations of background-color and color of your own design.
- ✓ Remove any duplication of these properties from the **aside** CSS rule.

▼ Check Your Understanding

```
.box {  
  margin: 1rem;  
  border: 1px solid rgb(0 0 0 / 10%);  
  padding: 1rem;  
  background-color: #ddd;  
  color: #000;  
}
```

Adjusted **aside** rule example. (Your aside may have other properties. This is just an example.)

```
aside {  
  width: 20em;  
  text-align: center;  
}
```

Did you miss the period (.) in your syntax when defining the **box** class?

7. In your HTML, give the **aside** element a class of **box**.

▼ Check Your Understanding

```
<aside class="box">
```

8. In your HTML, give the **ul** element list of temples a class of **box**.

▼ Check Your Understanding

```
<ul class="box">
```

Are you observing and noting the changes by running Live Server or Five Server (localhost) while you make changes and build your page?

9. Use CSS to float your profile image to the right. The paragraph should come right after the picture. If your introduction is too short, you may need to add more content to ensure that the layout looks appropriate.



Floated profile image example

Float Profile Image Example

► Check Your Understanding


10. Using CSS absolute positioning, overlay the state/country heading element on the image within the **aside** element.

This means that you will need to set the container, **aside**, to have a **position: relative;** declaration.

▼ Check Your Understanding

These numbers for top and left may not work for your image. This is just an example.

```
aside h2 {  
  position: absolute;  
  top: 47px;  
  left: 150px;  
}
```



Heading Overlay Example

11. In your HTML **nav** element, add two (2) more **<a>** links:

- ✓ an external link to your LinkedIn profile if you have one.
If you do not have one, link to <https://linkedin.com>.

- ✓ an external link to your Facebook page if you have one.
If you do not have one or would prefer not to share it, link to <https://facebook.com>.

Testing

1. Be sure to **continuously save and test** your page locally using the **Live Server or Five Server** extension in VS Code.
2. Review your work using the course's [development standards checklist](#).
3. **Commit and sync** your page to your remote GitHub Pages enabled wdd130 repository.
4. Post follow-up questions on Microsoft Teams in the **Week 03 Forum** channel.
5. View your published HTML file in a browser to verify that everything has worked correctly.

Hint: The published URL will be located at <https://yourusername.github.io/wdd130>.

▼ Alternative Video Link

In addition to the link that your instructor posted, you are also welcome to watch the following code walkthrough or use its transcript:

- [▶ Enhancing the Course Home Page](#) [18:45 minutes]

Submission

Please pause and re-watch any sections of the instructor video necessary until you have completed the entire activity and your page is similar to the instructor's. When you are finished:

- Return to Canvas to take the quiz.

Return: Week 03

Copyright © Brigham Young University-Idaho | All rights reserved