

REFER NOW

SUSPECTED LASSA FEVER

PATIENT		
Age: 35 years State / LGA: Ondo		Sex: male

PRESENTING FINDINGS		
- Fever for 5 day(s) - Malaria RDT: negative - Headache - Sore throat		

TRIAGE DECISION		
REFER NOW The patient fulfills Lassa fever clinical screening criteria (fever >48hrs, sore throat, headache) with no response to antimalarial therapy and resides in Ondo where Lassa fever is actively circulating, necessitating immediate referral per guidelines.		

SUSPECTED CONDITION		
- Lassa fever (<i>high</i>) - Malaria (<i>moderate</i>) - Bacterial pharyngitis (<i>low</i>)		

ADVISED ACTIONS		
- Suspected Lassa fever: keep the patient in a separate holding area, use infection prevention measures (gloves; avoid contact with blood and body fluids), notify the LGA disease surveillance officer, and refer for Lassa testing. - Alert the relevant authorities: infectious disease team or responsible physician - Start rehydration. Commence Fluid therapy (see guidance on fluid replacement in Chapter 4) - Monitor vital signs every 4 hours (Pulse Rate, Blood Pressure, Respiratory Rate, Temperature) - Carry out dipstick urinalysis for protein and blood		

OUTBREAK CONTEXT		
- Lassa fever — Ondo (live report, date unknown) - Lassa fever — Ondo (live report, 2026-09-06) - Lassa fever — Ondo (NCDC Lassa Fever Situation Report, Week 36, 2026, p.1) - Cerebrospinal meningitis — Ondo (NCDC Cerebrospinal Meningitis Situation Report, Week 14, 2025 (cumulative Epi week 40 2024 - 14 2025), p.1 (older surveillance)) - Cholera — Ondo (NCDC Cholera Situation Report, Week 9, 2025, p.6 (older surveillance))		

TO BE COMPLETED BY HEALTH WORKER		
Referred to (facility): _____		
Referred by (name and cadre): _____		
Date: _____	Time: _____	Phone: _____
Notes: _____		

