



PVC WOVEN VINYL (WALL COVER)



Woven Vinyl Wall cover

Elegance designs with noble, innovative materials and a vast range of colour.

A natural and warm textile covering, this range is specially designed for buildings where beautiful finish details are of the utmost importance.

Contemporary styles to meet the needs of the marketplace, delivering both an important environmental statement and a visually beautiful, sculpted design story that addresses all vertical surfaces.

WALL FOR YOUR STYLES contributes to you...

STRONG

Its durability make it good choice for high traffic hotels, apartments, commercial and of course residential applications

SOFT

It feels like real textile and provides a soft and comfortable feeling.

EASY

It is easy to apply. Furthermore it is much easier to clean and maintain.

SAFE

It is flame resistant and it has much better anti-slip properties than a wooden or marble wall decor. It can be used unbacked where appropriate or backed for strength and better anti-slip characteristics, or treated for special applications. The backings can be used to create more durable, flame resistant fabrics with different degrees of breathability. The vinyl's DNA is antibacterial.

QUIET

It is sound absorbing so you will enjoy the sound of silence at work or rest.

FRIENDLY

It keeps your place a desired temperature for a longer time.

FADELESS

It is available in a wide range of colours. Moreover it is solution dyed, meaning that the colour is created in the solution before the fibers are extruded.

This provides the ultimate long lasting colour and unsurpassed colour life against fading.




Woven Vinyl wallpaper

Basket (4*4)




Woven Vinyl wallpaper


Basket (4*4)




WB-11




WB-12



WB-13



WB-14



WB-15



WB-16

Woven Vinyl wallpaper


Jacquard



Woven Vinyl wallpaper
Jacquard



WJ-11



WJ-12



WJ-13



WJ-14



WJ-15







WJ-16



Installation for wallpaper



- A Repair any defects and prepare the wall surface to be as smooth and clean as possible for proper adhesion.
- B Wallpaper should be trimmed dry on a table using a straight edge and single-edge razor blade.
- C Our wallpaper requires pasting. Selecting proper adhesive for our wallpaper.
- D Use a short nap roller to apply a thin, even layer of paste. A pasting machine may also be used.
- E Use a soft touch during installation. Use a soft natural-bristle brush to smooth the wallpaper.
- F It is important to remove all paste from the surface of the wallpaper to prevent staining. Wipe off paste with a damp sponge.

Technical specifications		Standard	
Composition		-	* 80% PVC 20% PET
Weight (g/m ²)		EN 430	709 +/- 5%
UV blockage		-	92%
Light fastness (Blue scale level)		-	8/8 7/8 White
Dimensional Stability		ISO 255	< 0.3%
Odour Test		PV-390	3 Pass
Fire Clasification		BS 5867:2:80	Type B
Roll size		Length: 10 - 20 m	Width: 1.5 m

* Where:

PVC - Polyvinyl Chloride

PET - Polyethylene Terephthalate

PRODUCT FEATURES:



ROLL SIZE :

@ 1.5 m Width x 10 & 20 m Length

@ 1.8 m Width x 10 & 20 m Length