

Getting Started with Sass





OSCON • July 21, 2015

Who's tired of this?

```
h1, h2 {
  color:#93386D;
 font-size:22px;
 line-height:30px;
  border-bottom:1px solid #93386D;
  padding-top:0;
  margin-top:0;
 margin-bottom:20px;
}
.title, .pos-title {
  font-size:22px;
  line-height: 30px;
  color:#93386D;
  font-weight: normal;
 margin-bottom:20px;
}
```

Who's tired of this?

```
h1, h2 {
  color:#93386D;
  font-size:22px;
  line-height:30px;
  border-bottom:1px solid #93386D;
  padding-top:0;
  margin-top:0;
  margin-bottom:20px;
}
.title, .pos-title {
  font-size:22px;
  line-height: 30px;
  color:#93386D;
  font-weight: normal;
 margin-bottom:20px;
}
```

Sass features

- Centralize variables
 - Make one declaration of color, refer to the variable everywhere else
- Perform mathematical operations and work with functions
 - Make a color lighter or darker
 - Scale widths and heights
- Using mixins and extends, create sets of styles
 - Establish a style for rounded corners once, then use everywhere
- Use programming data structures
 - If, if/else, each, while, and for loops are all supported



Sass syntax

```
scss
.myStyle {
  color: $myColor;
  padding: $std-padding;
  font-weight: bold;
}
```

Sass

.myStyle

color: \$myColor


padding: \$std-padding

font-weight: bold

Compiler converts Sass to CSS



- » Free
- Works on Mac and PC
- Simple-ish to use
- There are many other options!



http://shop.oreilly.com/product/0636920043089.do

Questions?

Jen Kramer

Arlington, MA

Phone: 802-257-2657

jen@jenkramer.org

www.jenkramer.org

Slides available at

www.slideshare.net/jen4web

Getting Started with Sass:

shop.oreilly.com/product/ 0636920043089.do

Twitter: @jen4web

Facebook: facebook.com/webdesignjen