

# Readout Frames, Phase Transport, and Soft Reading

## A Fourfold Ansatz with Numerical, Spectral, and Visual Readouts

Jan Mikulik

March 2026

### Abstract

This note separates four layers of discussion: (i) a structural readout ansatz with explicit fourfold angular symmetry, (ii) a numerical sanity check illustrating local argument winding, Hardy sign flip, and Euler readout, (iii) a rigorous arithmetic anchor and a spectral fire-protection principle, and (iv) interpretive appendices on soft reading, branch legality, and visual readout intuition.

The central viewpoint is that many apparent paradoxes may belong not to the source object itself, but to the chosen readout frame.

**Guiding principle.** Wrong frame  $\Rightarrow$  fake magic.      Right frame  $\Rightarrow$  clean structure.

## 1 A fourfold readout ansatz

We introduce a polar readout ansatz with explicit fourfold angular symmetry:

$$\psi(r, \theta) = R(r)(a + b \cos(4\theta))e^{i\Phi(r, \theta)}, \quad I(r, \theta) = |\psi(r, \theta)|^2.$$

Here:

- $R(r) \geq 0$  is a radial envelope,
- $a, b \in \mathbb{R}$  are real parameters,
- $\Phi(r, \theta)$  is a phase field,
- $I(r, \theta)$  is the observable intensity.

### Intensity readout

Since the phase factor has unit modulus, the intensity is

$$I(r, \theta) = |R(r)|^2 (a + b \cos(4\theta))^2.$$

Thus the observable pattern is controlled by the amplitude modulation  $\cos(4\theta)$ , while the phase  $e^{i\Phi(r, \theta)}$  does not appear directly in the modulus.

**Observation 1.1.** *The factor  $\cos(4\theta)$  imposes a fourfold angular structure. In particular, the intensity pattern is invariant under the rotation*

$$\theta \mapsto \theta + \frac{\pi}{2},$$

since

$$\cos(4(\theta + \frac{\pi}{2})) = \cos(4\theta + 2\pi) = \cos(4\theta).$$

Hence

$$I\left(r, \theta + \frac{\pi}{2}\right) = I(r, \theta).$$

## Phase transport versus visible structure

The decomposition

$$\psi(r, \theta) = \underbrace{R(r)(a + b \cos(4\theta))}_{\text{amplitude readout}} \cdot \underbrace{e^{i\Phi(r, \theta)}}_{\text{phase transport}}$$

makes explicit that two different layers are present:

- (i) the visible layer, given by the intensity  $I(r, \theta)$ ,
- (ii) the transport layer, encoded in the phase field  $\Phi(r, \theta)$ .

Thus one may say:

$$\text{phase transport} \longrightarrow \text{readout frame} \longrightarrow \text{visible pattern}.$$

**Remark 1.2.** *This ansatz should be read as a structural model of a fourfold readout channel. It is not, by itself, a proof of any theorem about zeta zeros, the critical line, or a  $4\pi$  winding law.*

## Optional winding specialization

If one further specializes the phase to the form

$$\Phi(r, \theta) = m\theta + \phi(r),$$

with integer  $m \in \mathbb{Z}$ , then

$$e^{i\Phi(r, \theta)} = e^{i(m\theta + \phi(r))}$$

has winding number  $m$  around the origin. In that case, the ansatz separates into

$$\text{topological winding } m \quad \text{and} \quad \text{fourfold observable modulation } \cos(4\theta).$$

## 2 Numerical sanity check

We now record a numerical readout of three related facts:

- (i) a simple zero of  $\zeta$  has local argument winding  $2\pi$ ,
- (ii) the conjugate paired readout gives  $4\pi$ ,
- (iii) the Hardy  $Z$ -function sees the same local structure only as a sign flip.

For the first critical-line zero

$$\rho = \frac{1}{2} + i 14.134725141734693790457251983562,$$

the numerical output is:

$$\Delta \arg \zeta \text{ around } \rho \approx 6.283185307179585 \approx 2\pi,$$

$$\Delta \arg \zeta \text{ around } \bar{\rho} \approx 6.283185307179586 \approx 2\pi,$$

and hence

$$\text{paired winding} \approx 12.566370614359172 \approx 4\pi.$$

In the Hardy readout,

$$Z(t) = e^{i\theta(t)} \zeta\left(\frac{1}{2} + it\right),$$

the same zero appears only as a sign change. Numerically, the sign flip is detected between

$$t = 14.134516634645454 \quad \text{and} \quad t = 14.134933648823935.$$

$$\psi(r, \theta) = R(r) (a + b \cos(4\theta)) e^{i\Phi(r, \theta)}, \quad I(r, \theta) = |\psi(r, \theta)|^2.$$



Figure 1: Illustrative fourfold readout pattern associated with the ansatz  $\psi(r, \theta) = R(r)(a + b \cos(4\theta))e^{i\Phi(r, \theta)}$ . The image is heuristic: it visualizes symmetry and phase-transport intuition, not a formal proof.

**Remark 2.1.** *This is the whole point of the frame distinction:*

*same zero  $\nrightarrow$  same visible behavior in every readout.*

*In the complex local frame one sees a full  $2\pi$  winding; on the critical line, one sees only a real sign flip.*




Figure 2: Numerical readout: local value loop of  $\zeta$  around the first critical-line zero, unwrapped argument change, Hardy sign flip, and Euler readout as real rotation viewed through the complex map  $\Pi(x, y) = x + iy$ .

### 3 A rigorous arithmetic anchor

The structural viewpoint above should not remain only at the level of interpretive language. As a separate rigorous anchor, one may consider the five-dimensional integral

$$I_5 = \int_{[0,1]^5} \frac{\log(1 + xyztw)}{1 + x^2} dx dy dz dt dw.$$

This part is mathematically independent of the Euler/readout discussion, but philosophically aligned with it: an apparently complicated object admits a clean reduction into a more transparent channel. In the present case, the reduction is not geometric but arithmetic, leading to Mellin coefficients, a parity decomposition, and a weighted mini-zeta channel.

**Rigorous core of the five-dimensional note.** The exact mathematical content consists of:

- (i) the reduction of  $I_5$  to a one-parameter series,
- (ii) the recurrence and digamma representation of the Mellin coefficients  $A_m$ ,
- (iii) the parity decomposition,
- (iv) the exact parity-weighted Dirichlet transform

$$S_q = \sum_{k=1}^{\infty} \frac{(-1)^{k+1}}{k} \eta(q+k) = \sum_{k=1}^{\infty} \frac{(-1)^{k+1}}{k} (1 - 2^{1-(q+k)}) \zeta(q+k).$$

Any further compact reduction to a short linear combination of a few named constants should be stated separately as conjectural unless every residual sum has been explicitly evaluated.

## 4 A spectral fire-protection layer

To explain a recurring empirical phenomenon — namely that the operator scheme continues to scale on larger SAT instances while not necessarily reaching exact SAT certification — it is useful to add a spectral ordering principle.

The point is that large-scale coherence and exact binary satisfiability are not the same layer of description. A system may align very strongly with a dominant global mode, thereby producing a stable and readable large-scale signal, while the final projection to a discrete witness still retains a nonzero residual defect.

### BDSM principle

Let  $(M, \mu)$  be a  $\sigma$ -finite measure space and let

$$\Psi \in L^2(M, \mu), \quad \|\Psi\|_{L^2} = 1,$$

be a complex state. Let

$$(T_K \Psi)(x) := \int_M K(x, y) \Psi(y) d\mu(y)$$

be a bounded, self-adjoint, positive, compact integral operator with simple largest eigenvalue  $\lambda_{\max} > 0$  and corresponding top eigenfunction  $\Phi_{\max}$ .

Define the spectral action

$$J[\Psi, K] := \langle \Psi, T_K \Psi \rangle_{L^2}.$$

Then the brutal deterministic spectral principle states that

$$J[\Psi, K] \leq \lambda_{\max},$$

with equality if and only if

$$\Psi = e^{i\theta} \Phi_{\max}$$

for some  $\theta \in \mathbb{R}$ .

Thus all normalized states are ordered by their overlap with the dominant spectral mode. Partial misalignment strictly decreases the action.

## Why scaling need not imply SAT

This gives a clean explanation of the observed large-instance behavior.

The method may continue to scale because the dynamics is able to lock onto a stable global mode and preserve branch-level coherence. In that regime, one still observes:

- stable branch selection,
- positive soft-reading excess,
- bounded phase spread,
- and monotone reduction of the UNSAT density.

However, exact SAT certification is a stronger demand. It does not ask only for spectral coherence; it asks for a fully discrete witness whose classical readout satisfies every clause simultaneously.

In this sense one may distinguish two levels:

$$\text{spectral alignment} \neq \text{classical certificate}.$$

A large instance may therefore exhibit strong global organization without yet producing a zero-defect binary readout.

## Readout interpretation

From the readout-frame viewpoint, this means:

The system can scale at the level of latent ordering before it closes at the level of exact witness extraction.

The dominant mode remains readable, but the final binary projection still costs information. Hence a residual UNSAT set need not indicate absence of structure; it may indicate that the structure is already present in the spectral branch, while the classical witness readout is still incomplete.

This is exactly the role of the fire-protection metaphor: the system does not allow every mathematically available mode to explode directly into an unrestricted classical readout. Instead, it filters the process through boundedness, ordering, and branch stability.

## Connection with soft reading

This dovetails with the appendix on soft reading.

When hard readout fails, one need not conclude that the structure has been destroyed. One may instead descend to a weaker readable channel — for example, a norm-level or excess-level observable — and study the approach to the readout horizon through its stable pre-horizon trace.

Thus the combined principle becomes:

BDSM ordering + soft reading  $\implies$  scalable latent structure without immediate exact closure.

In particular, larger instances may remain non-SAT in the strict classical sense while still exhibiting robust large-scale spectral organization and positive readable excess.

## A Soft reading and branch legality

The main body of this note distinguishes carefully between exact numerical and structural statements on the one hand and interpretive compression principles on the other. The present appendix belongs to the latter layer.

The idea is that loss of direct orientation need not imply loss of readable structure. A hard readout may fail while a weaker magnitude-based channel remains detectable.

If the observable output couples not directly to an unstable oriented quantity  $\xi$ , but rather to the regularized magnitude

$$r_\varepsilon(\xi) := \sqrt{\xi^2 + \varepsilon^2},$$

and if an effective detection functional admits an expansion

$$\Pi_{\eta,\varepsilon}(\xi) = \Pi_0 + \eta W(r_\varepsilon(\xi)) + O(\eta^2), \quad W \geq 0, \quad W \neq 0,$$

then positivity of  $W(r_\varepsilon(\xi))$  implies a nonzero readable excess for sufficiently small  $\eta > 0$ .

In this language one may say:

$$\text{hard readout fails} \not\Rightarrow \text{nullity},$$

but only a descent to a weaker readable channel.

When sign does not survive, norm may survive; when hard readout fails, soft chance may remain.

If one interprets the excess channel as an admissible transition rate and adds a branch-selection rule  $|T_j| > |T_i|$ , one obtains the shorthand principle:

Luck is the nonzero legality of a better branch.

**Remark A.1** (Horizon readout principle). *Suppose that along a branch the direct signal becomes progressively unreadable and eventually falls below even the soft-reading threshold. Then the terminal state should not be treated as a point where the inaccessible interior must still be computed exactly. Instead, the meaningful approximation target is the effective law written into the pre-horizon evolution of the observable functions.*

*More precisely, if  $\tau_*$  denotes the first time at which the readable channel closes, then one should study the family of regularized observables on the interval  $t < \tau_*$  and extract the limit law from their boundary behavior as  $t \uparrow \tau_*$ . In this sense, the final value is not read from the hidden interior completion, but from the stable surface imprint left by the approach to the horizon.*

*This is compatible with a holographic-style reading: when the interior orientation is no longer accessible, the observable boundary trace may still encode the effective law.*

**Definition A.2** (Readout horizon). *Let  $\tau_*$  be the first parameter value such that the soft-reading excess vanishes:*

$$\text{Excess}(t) > 0 \quad \text{for } t < \tau_*, \quad \text{Excess}(t) \rightarrow 0 \quad \text{as } t \uparrow \tau_*.$$

*We call  $\tau_*$  the readout horizon of the branch.*

When the interior can no longer be read, the law must be approximated from the surface trace of its approach to unreadability.

## B CORE decomposition of the $\frac{di}{dt} = \ddot{i}$ meme

This appendix is intentionally humorous. It does not claim a new theorem of calculus. Its only point is to show that even a typographic joke can be read through a layered CORE-style frame.

## 1. The hidden source object

The visible symbol  $i$  is not taken as the primitive source object. Instead, we regard the dotless letter

$$\imath$$

as the underlying source.

The ordinary printed symbol  $i$  is then interpreted as the result of a first readout map

$$R_{\text{typ}}(\imath) := i,$$

where the dot is part of the glyph-level presentation.

## 2. The dynamic dot

Now introduce a second operation, namely the time-derivative transport

$$M[g] := \dot{g}.$$

This adds a dynamic dot, not a typographic one.

## 3. The meme CORE operator

Define the humorous CORE operator

$$\text{CORE}_{\text{meme}} := M \circ R_{\text{typ}}.$$

Applying it to the hidden source  $\imath$ , one obtains

$$\text{CORE}_{\text{meme}}(\imath) = M(R_{\text{typ}}(\imath)) = M(i) = \ddot{i}.$$

Thus the joke may be read as a two-layer transport:

$$\imath \xrightarrow{R_{\text{typ}}} i \xrightarrow{M} \ddot{i}.$$

## C Readout intuition: a visual mnemonic

The following figure is intentionally humorous. It is not a proof of any theorem. Its purpose is to compress the central intuition of the readout-frame viewpoint into a single visual slogan: what appears as “collapse” may reflect a change of readout channel rather than destruction of the underlying structure.

In the language of the present note, the joke hides a precise structural moral: the observer may confuse a reduced readout with a destroyed source. The point is not that the meme proves quantum measurement theory, but that it compresses the frame distinction into a memorable picture.

$$\text{hard readout} \implies \text{visible collapse}, \quad \text{soft structure} \implies \text{hidden survival}.$$

You did not necessarily break the object. You may only have looked through a narrower channel.






Figure 3: A meme-level visualization of the slogan *wrong frame*  $\Rightarrow$  *fake mystery*, *right frame*  $\Rightarrow$  *readable structure*. The labels “superposition”, “readout”, and “classical limit” should be read only as an intuition pump for the narrowing of observable channels under measurement.