Time Stitching and Eventbuilding for Experiment S455 (and S515)

Tobias Jenegger

R3B Collaboration Meeting 2021

First Unpacking Issues

Event Building before/after 2020

Recipe for Time Sorting and Stitching

First Results from S455 (p,2pf) reaction

TUM Members:
Roman Gernhäuser,Lukas Ponnath,Philipp Klenze,Tobias Jenegger

Issues in online/offline Data Analysis starting from S455

When using the known unpacking tools from previous experiment we got:


Events with hit-multiplicities > 500 !?

**Sharp peak for strong correlation WRM- WRCalifa expected!**

➔ Is the data corrupted? Has something gone wrong during data acquisition?

➔ How is data processed and stored to .lmd file?

Data Acquisition/Event Building until 2020

CALIFA DAQ (Multi Event Readout)

Hit Block from ME or WIX
(not time sorted)

"Häcksler"

➢ **Splits up the Hit Block**
➢ **Time sorting**
(Febex time to WR time)

MAIN DAQ

Other Detectors

DRASI TO
(time order)

File (LMD)

R3BOnline

Offline Time Stitching until 2020

Ucesb Time Stitcher

Event i   Event i+1   Event i+2

Time Stitching Algorithm

➤ First detected hit opens event window

➤ Time Stitcher **does not distinguish** between CALIFA, Main DAQ,.. hits

➤ Event window is closed after predefined time (eg. 8 µs)

File (LMD)

time sorted hits

| : main DAQ hit

| : CALIFA hit

| : other detector hit (e.g. MWPC1, TWIM,...)

Data Acquisition/Event Building since 2021

CALIFA DAQ (Multi Event Readout)

WR Readout

Hit Block from ME or WIX
(not time sorted)

NO HÄCKSLER!

MAIN DAQ

Other Detectors

DRASI TO
(time order)

File (LMD)

R3BOnline

Output LMD File since 2021

File (LMD)

WIX   WIX   ME

time

➢ CALIFA Hits are collected to Hit Blocks (Messel or Wixhausen)

➢ Hit Blocks are sorted according to the WR Readout timestamp ( )

➢ **Hits inside Block are not time sorted !**

CALIFA single hit time sorting needed!

Offline Time Sorting and Stitching since 2021

Time Sorting and Stitching with Philipp's script

califa_merge_stitch.bash[1]

[1]You can find it: */u/land/lynx.landexp/202105_s494/scripts/califa_merge_stitch.bash*

[2]Unpacker: */u/land/klenze/ucesb_gcc6/empty/empty*

[3]Unpacker: */u/land/landexp/202105_s494/x86l-76/daq_bootstrap/ucesb_wip/empty/empty*

How to use the script

Location:
Always use the newest version you find in: */u/land/lynx.landexp/202105_s494/scripts/califa_merge_stitch.bash*

Call Parameters:

➢ an input, either a file path, stream of trans server

➢ an output for the merged data (*.lmd file; " " for "no output; ucesb - -server option)

➢ an output for the stitched data (*.lmd file; " " for "no output; ucesb - -server option)

Example:

califa_merge_stitch.bash run10.lmd " " stitched_run10.lmd

Input .lmd file

Output .lmd stitched data

No output merged data

Looking again at S455 Data

238U fission via quasi-free-scattering (p,2pf)

238U

LH2 target

**Multiplicities:**

Summed θ angle of two protons:

WR_M - WR_CALIFA for gammas (Z=50 & Z=41)

Summary & Outlook

➢ We successfully unpacked the S455 data

➢ Well tested and user friendly Time Sorting and Stitching script is available:

    /u/land/lynx.landexp/202105_s494/scripts/califa_merge_stitch.bash

➢ Same procedure for experiments after S455 (e.g. S515) → this has to be accurately tested

➢ CALIFA upexps code was recently unified, experiment independent with one mapping file for all experiments

Thank you!

CALIFA @ Technical University of Munich (TUM)

Roman Gernhäuser, Lukas Ponnath, Philipp Klenze, Tobias Jenegger

Backup