# Rajalakshmi Engineering College

Name: Jenell S G

Email: 240701212@rajalakshmi.edu.in

Roll no: 2116240701212 Phone: 7418493255

Branch: REC

Department: I CSE AH

Batch: 2028

Degree: B.E - CSE



## NeoColab\_REC\_CS23221\_Python Programming

REC\_Python\_Week 1\_COD

Attempt : 1 Total Mark : 5 Marks Obtained : 5

Section 1: Coding

### 1. Problem Statement

Quentin, a mathematics enthusiast, is exploring the properties of numbers. He believes that for any set of four consecutive integers, calculating the average of their fourth powers and then subtracting the product of the first and last numbers yields a constant value.

To validate his hypothesis, check if the result is indeed constant and display.

Example:
----------

Input;

5

Output:

Constant value: 2064.5

## Explanation:

## Find the Average:

Average: (625 + 1296 + 2401 + 4096)/4 = 2104.5

Now, we calculate the product of a and (a + 3):

Product =  $5 \times (5 + 3) = 5 \times 8 = 40$ 

Final result: 2104.5 - 40 = 2064.5

## **Input Format**

The input consists of an integer a, representing the first of four consecutive integers.

#### **Output Format**

The output displays "Constant value: " followed by the computed result based on Quentin's formula.

Refer to the sample output for formatting specifications.

## Sample Test Case

Input: 5

Output: Constant value: 2064.5

#### **Answer**

n=int(input()) s=0 for i in range(4): s+=((n+i)\*\*4)

print(f"Constant value: {(s/4)-(n\*(n+3))}")

Status: Correct Marks: 1/1

In a family, two children receive allowances based on the gardening tasks they complete. The older child receives an allowance rate of Po F f task, with a base allowance of Po F f T allowance allowance rate of Rs.3 for each task, with a base allowance of Rs.30.

Your task is to calculate and display the allowances for the older and younger children based on the number of gardening tasks they complete, along with the total allowance for both children combined.

#### Input Format

The first line of input consists of an integer n, representing the number of chores completed by the older child.

The second line consists of an integer n.

The second line consists of an integer m, representing the number of chores completed by the youngest child.

#### **Output Format**

The first line of output displays "Older child allowance: Rs." followed by an integer representing the allowance calculated for the older sibling.

The second line displays "Younger child allowance: Rs." followed by an integer representing the allowance calculated for the youngest sibling.

The third line displays "Total allowance: Rs." followed by an integer representing the sum of both siblings' allowances.

Refer to the sample output for formatting specifications.

## Sample Test Case

Input: 10

Output: Older child allowance: Rs.100

Younger child allowance: Rs.45

Total allowance: Rs.145

#### Answer

```
# You are using Python
a=int(input())
b=int(input())

aB = 50
aE = 5
bB = 30
bE = 3

aA = aB + (a*aE)
bA = bB + (b*bE)
```

print(f"Older child allowance: Rs.{aA}\nYounger child allowance: Rs.{bA}\nTotal allowance: Rs.{aA+bA}")

Status: Correct Marks: 1/1

#### 3. Problem Statement

A science experiment produces a decimal value as the result. However, the scientist needs to convert this value into an integer so that it can be used in further calculations.

Write a Python program that takes a floating-point number as input and converts it into an integer.

## **Input Format**

The input consists of a floating point number, F.

## **Output Format**

The output prints "The integer value of F is: {result}", followed by the integer number equivalent to the floating point number.

Refer to the sample output for the formatting specifications.

## Sample Test Case

(10.36 Input: 10.36

```
Output: The integer value of 10.36 is: 10
```

#### Answer

```
# You are using Python
a = float(input())
b = int (a)
print(f"The integer value of {a} is: {b}")
```

Status: Correct Marks: 1/1

#### 4. Problem Statement

A company has hired two employees, Alice and Bob. The company wants to swap the salaries of both employees. Alice's salary is an integer value and Bob's salary is a floating-point value.

Write a program to swap their salaries and print the new salary of each employee.

## **Input Format**

The first line of input consists of an integer N, representing Alice's salary.

The second line consists of a float value F, representing Bob's salary.

## **Output Format**

The first line of output displays "Initial salaries:"

The second line displays "Alice's salary = N", where N is Alice's salary.

The third line of output displays "Bob's salary = F", where F is Bob's salary.

After a new line space, the following line displays "New salaries after swapping:"

The next line displays "Alice's salary = X", where X is the swapped salary.

The last line displays "Bob's salary = Y", where Y is the swapped salary.

Refer to the sample output for formatting specifications.

## Sample Test Case

```
Input: 10000
15400.55
```

Output: Initial salaries: Alice's salary = 10000 Bob's salary = 15400.55

New salaries after swapping: Alice's salary = 15400.55 Bob's salary = 10000

#### Answer

```
# You are using Python
a = input()
b = input()

try:
    int (a)
    except:
    a = float(a)

try:
    int(b)
    except:
    b = float(b)
```

print(f"Initial salaries:  $\nAlice's salary = {a}\nBob's salary = {b} \nNew salaries after swapping: <math>\nAlice's salary = {b}\nBob's salary = {a}")$ 

Status: Correct Marks: 1/1

## 5. Problem Statement

Bob, the owner of a popular bakery, wants to create a special offer code for his customers. To generate the code, he plans to combine the day of the month with the number of items left in stock.

Help Bob to encode these two values into a unique offer code.

Note: Use the bitwise operator to calculate the offer code.

#### Example

Input:

15

9

Output:

Offer code: 6

## **Explanation:**

Given the day of the month 15th day (binary 1111) and there are 9 items left (binary 1001), the offer code is calculated as 0110 which is 6.

#### **Input Format**

The first line of input consists of an integer D, representing the day of the month.

The second line consists of an integer S, representing the number of items left in stock.

## **Output Format**

The output displays "Offer code: " followed by an integer representing the encoded offer code.

Refer to the sample output for formatting specifications.

## Sample Test Case

Input: 15

Output: Offer code: 6 Answer

2116240101212 # You are using Python a = int(input()) b = int(input()) print(f"Offer code: {a^b}") Marks: 1/1 Status: Correct 2116240101212 2176240701212 2116240701212 2176240701212

2116240101212

2,162,407012.12

2176240701212

2116240701212