

Storing Customer Data

By Kimball English


Introduction to the Topic

This starts when I needed to get a haircut for the first time in Arizona. I go in, They ask for my name, I respond The Chosen One, they ask for haircut preferences, and when I came back 5 months later, they called for the chosen one, and were able to give me the exact same haircut I got the first time I got there. I wanted to learn about how these business track the data of there customers style preferences.

Summary of Findings

Finding information on there databases, as there wasn't very much information in google. Indeed up interviewing several people who worked at hair salons, and a few of them even showed me how there systems worked. Two of these systems was called Styleware, while the other was called Zenoti.

Real-World Applications



Cropped photo of Zenoti from an actual hair cutting business. And all they have for it is the name of the customer, and a text box for the notes.

Describe Your Design Approach

For building a similar program, I would like to tackle the issue of standardization. If you wanted this to be expandable to other countries and languages, you would need to standardize the output a little more. We can do that by making

`(username : preferenceString)`

Becomes

`(username : [haircutBool, sideInt, topInt, neckInt, styleString])`

Design Approach

The following slides are rough pseudocode for different parts of a potential solution to the problem.

Get Method

Open database.csv

For each line in database

```
localDatabase.update(name, [haircutBool, sideInt, topInt, neckInt,  
styleString])
```

Return Method

Open database.csv

For each line in localDatabase

```
database.update(name, [haircutBool, sideInt, topInt, neckInt,  
styleString])
```


Adding Method

```
database.update(name, [haircutBool, sideInt, topInt, neckInt, styleString])
```

Update Method

tempFile [] = database(name)

Userinput [haircutBool, sideInt, topInt, neckInt, styleString]

For item in temp file

 If tempfile[item] isn't blank

 Update database[item] to be tempifile[item]

Delete tempFile

Final Program Code

Name = input ()

GetDatabase()

Try Display LocalDatabase (Name)

If that didn't work

 Display not in system Message

Try LocalDatabase (Name)

 update()

If that didn't work


 add()

return()

Input Validation Types

We would also use several input validation methods. One for names that checks for blank strings. One for integers (for hair clipper side), that will check for any value that is not a whole number. One is for Booleans, that check for any non Boolean values. Strings wouldn't need one as they can be any value, including no value.

Open Question



My first Question is how can we move from command line to something with a GUI.

How would you need to expand this system for hair styling

How/Why is there no separation between the sensitive and general data of a user

Is there a way to search a csv without needing to view all the information

Citations

English, J. K., & Avila, Estella (2024, December 6). personal.

English, J. K., & Smith, Rosalind (2024, December 7). personal.

English, J. K., & Morales, Vyanka (2024, December 7). personal.

English, J. K., & Kendall, Emily (2024, December 7). personal.